

access Lighting



Where Exclusivity **access**
Meets Affordability LIGHTING



At Access Lighting, we're committed to offering you, our valued customer, an extensive inventory of affordable lighting. Our comprehensive selection includes designs from all over the world, giving you Access to the latest industry trends. At Access, we strive for excellence!



Contents

Collections 323-354

Mystical	323
Kalista	324
Aero	328
Genesis	332
Icicle	334
Leilah	336
Elements	341
Krome	342
Natural	346
Safari	348
Cosmopolitan	353
Lacey	354

Pendants 358-370

Ceiling Fixtures Pendants	
Enzo	358
Dinari	360
Acrolite Cord	362
Acrolite Rod	363
Luce	364
Tara	365
Lantern	366
Silk	367
Ostrich	368
Swirl	369
Etched Glass	370

Products 372-396

Ceiling Fixtures Flush Mounts	
Ares	372
Skylark	372
Saloris	373
Ark	374
Ceiling or Wall Fixtures	
Sequoia	375
Vision	376
Sierra	378
Vanity / Wall Fixtures	
Nitro	379
Geneva	380
Piazzo	381
Aqueous	382
Zylinder	383
Nitro	384
Bo	384
Victoria	385
Wall / Task Fixtures	
Cyprus	386
Outdoor	
Nyz	389
Trident	390
Poseidon	391
Nyami	392
Totana	392
Zyxx	393
LED Orb	393
Tyro	394
Brick	395
Eclipse	395
Cold Cathode Lamps	
Reflector Series	397
Spiral Series	398
Index	399



Mystical

Kalista
Aero
Genesis
Icicle
Leilah

Kalista



50972 Kalista Crystal and Diamond Etched Pendant

Lamping 4Lt x 40w Halogen 120v JCD (G-9 Base)

Finish CH Glass BL WH

Dimensions D 13.75" x H 22"-60" canopy D 5"

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Dry

Kalista

Kalista Diamond Etched Pendant

Finish CH **Glass** BL WH

Bottom Diffuser FST

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Dry

50975 **D** 13.75" x **H** 15.5"-53.5" canopy **D** 5" (small)
3Lt x 40w Halogen 120v JCD (G-9 Base)

50976 **D** 17.75" x **H** 15.5"-53.5" canopy **D** 5" (large)
6Lt x 40w Halogen 120v JCD (G-9 Base)



Kalista



50971 Kalista Diamond Etched 3 Light Bar Cable-Pendant with Crystal Drops

Lamping 3Lt x 40w Halogen 120v JCD (G-9 Base)

Finish CH Glass BL WH



Dimensions D 6" x H 12" -120" canopy L 23.62" x W 5" x H 1.25"

Included 10ft of Transparent Cable

CETL Dry

Kalista

Mystical



50970 Kalista Diamond Etched Wall Sconce with Crystal Drops

Lamping 2Lt x 40w Halogen 120v JCD (G-9 Base)

Finish CH Glass BL WH

Dimensions H 10.5" x L 11.75" E 5.75"

CETL Damp

Aero

**Aero** Flushmounts

Finish CH Glass OPL

CETL Damp Available in Fluorescent

50142 D 12" x H 5"

1Lt x 100w Halogen 120v J118 (T-3 Base)

50143 D 16" x H 5"

1Lt x 150w Halogen 120v J118 (T-3 Base)

50144 D 19" x H 5.5"

1Lt x 200w Halogen 120v J118 (T-3 Base)

Aero

**Aero** Flushmounts

Finish CH Glass OPL

CETL Damp Available in Fluorescent

20670 Dia10" x H4"

Lamping 1Lt x 75w A-19 (E-26 Medium Base)

**20671** Dia12.5" x H4"

Lamping 2Lt x 60w A-19 (E-26 Medium Base)

**20672** Dia15.7" x H5.5"

Lamping 3Lt x 60w A-19 (E-26 Medium Base)

Aero


20673 Aero Cable Pendant

Lamping 3Lt x 60w A-19 (E-26 Medium Base)

Finish CH **Glass** OPL

Included 10ft Transparent Cord & Aircraft Cable

CETL Damp **Available in Fluorescent**




Aero

20674 Aero Flush-Mount

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Finish CH **Glass** OPL

CETL Damp Available in Fluorescent




20675 Aero Cable Pendant

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Finish CH **Glass** OPL

Included 10ft Transparent Cord & Aircraft Cable

CETL Damp Available in Fluorescent



Genesis



Genesis Flush Mount

Finish BS Glass FST

CETL Damp Available in Fluorescent

50133 Dia 12" H 5.5" (small)

Lamping 1 x 100w A-19 (E-26 Medium Base)

50134 Dia 17.5" H 7" (medium)

Lamping 2 x 75w A-19 (E-26 Medium Base)

50135 Dia 19" H 7" (large)

Lamping 3 x 75w A-19 (E-26 Medium Base)



Genesis

Mystical




50132 Genesis Wall Sconce

Lamping 1 x 100w T-3 Halogen (J118 Base)

Finish BS Glass FST

CETL Damp [Available in Fluorescent](#)



Icicle



50544 Icicle Bar Pendant

Lamping 3Lt x 40w Halogen 120v JCD (G-9 Base)

Finish CH Glass CLOP

Dimensions Canopy L25.5" W4.9"

Glass L9.5" D4.25"

Included 10ft of Transparent Cable
CETL Dry

Icicle

Mystical



50543 Icicle Single Pendant

Lamping 1Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions Canopy D5" H1"

Glass L9.5" D4.25"

Finish CH Glass CLOP

Included 10ft of Transparent Cable
CETL Dry




50542 Icicle Wall Fixture

Lamping 1Lt x 40w Halogen 120v JCD (G-9 Base)

Finish CH Glass CLOP

CETL Dry



Leilah

Leilah Scalloped Glass Cable Pendant

Finish BS Glass WHT

Included 10ft of Transparent Cord & Aircraft Cable
CETL Damp Available in Fluorescent

50958 Dia 17" x 6.5" H 12" to 120" (small)

Lamping 2 x 60w A-19 (E-26 Medium Base)

50959 Dia 21" x 7.5" H 12" to 120" (large)

Lamping 4 x 60w A-19 (E-26 Medium Base)



Leilah

Mystical



Leilah Flush Mount

Finish BS **Glass** WHT

CETL Damp Available in Fluorescent

50956 Dia 17" H 6.5" (small)

Lamping 2 x 60w A-19 (E-26 Medium Base)

50957 Dia 21" H 7.5" (large)

Lamping 4 x 60w A-19 (E-26 Medium Base)

Leilah



50965 Leilah 6 Light Bar Pendant

Finish BS Glass WHT

6Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions L 19" x W 12.5" x H 10" - 120"

Included 10ft of Transparent Cable

CETL Dry

Leilah

Mystical



50963 Leilah Single Light Pendant

Finish BS Glass WHT

1Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions H 4.5" x D 4.25" x H 10" - 120"

Included 10ft of Transparent Cable
CETL Dry



50964 Leilah 4 Light Bar Pendant

Finish BS Glass WHT

4Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions L 28.5" x W 4.75" x H 10" - 120"

Included 10ft of Transparent Cable
CETL Dry

Leilah



50967 Leilah Flush Mount

Lamping 5Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions H6" W15" L15"

Finish CH Glass WHT

CETL Damp



50960 Leilah Wall Sconce

Lamping 1Lt x 40w Halogen 120v JCD (G-9 Base)


Dimensions H9.5" W6.5" E3"

Finish CH Glass WHT

CETL Damp [ADA](#)

Elements

Krome



Krome

50154 Krome Reflected Up Light Pendant


Lamping 3Lt x 150w Halogen 120v J118 (T-3 Base)

Finish CH

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Damp




50150 Krome Semi-Flush with Up-Down Light

Lamping 1Lt x 150w Halogen 120v J118 (T-3 Base)

Finish CH Glass FST


CETL Damp




Krome



50151 Krome Semi-Flush with Up and Down Light
Lamping 1Lt x 150w Halogen 120v J118 (T-3 Base)
Finish CH **Glass** FST
 CETL Damp




50155 Krome Pendant with Up and Down Light
Lamping 1Lt x 200w Halogen 120v J118 (T-3 Base)
Finish CH **Glass** FST
Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods
Option 6"-16"-22" Rods
 CETL Damp




Krome



50153 Krome Reflected Up Light Semi-Flush
Lamping 3Lt x 150w Halogen 120v J118 (T-3 Base)
Finish CH
CETL Damp




50152 Krome Reflected Up Light Semi-Flush
Lamping 2Lt x 150w Halogen 120v J118 (T-3 Base)
Finish CH
CETL Damp




Krome



50156 Krome Vanity Wall Sconce with Up Light
50158 Krome Vanity Wall Sconce with Up and Down Light
Lamping 1Lt x 100w Halogen 120v J118 (T-3 Base)
Finish CH **Glass** FST
 CETL Damp



50157 Krome Vanity Wall Fixture with Up and Down Light
Lamping 2Lt x 100w Halogen 120v J118 (T-3 Base)
Finish CH **Glass** FST
 CETL Damp



Natural

Natural

Safari



Safari

Natural

Shown with Lights On

SAO (Silver Amber Opaline)
Lights On



Safari Pendant Ball

Lamping 1Lt x 100w 120v A-19 (E-26 Medium Base)

Pendant Finish BRZ BS

Glass Finish SAO SARO

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Damp

23640 Dia 12" H11.75" (small)

23642 Dia 14" H13.5" (Large)

SARO (Silver Amber Ribbed Opaline)
Lights On

SAO (Silver Amber Opaline)
Lights Off



Shown with Lights Off

SARO (Silver Amber Ribbed Opaline)
Lights Off



Safari Opaline Spherical Mini Pendant

Natural

23650-BS/SAO
23651-BS/SAO

23652-BRZ/GRO

23650-BS/RRO
23651-BS/RRO

23650-BS/SARO
23651-BS/SARO

3.5"

5"

Safari Spherical Pendant

Glass Dia 5" **H** 3.5"

Glass Finish

SAO (Silver Amber Opaline)

SARO (Silver Amber Ribbed Opaline)

GRO (Green Ribbed Opaline)

RRO (Red Ribbed Opaline)

23650

Lamping 35w 12v JC (GY6.35 Base)

Finish BS

Included 10ft Silicon Coated Coaxial Cable
CETL DRY

23651

Lamping 40w 120v JCD (G-9 Base)

Finish BS

Included 10ft Clear Coated Cord
CETL DRY

23652

Lamping 5w LED (Powered by Cree)


Finish BRZ BS

Included 10ft Coated Coaxial Cable
(Grey with BS Black with Bronze)
CETL DRY

Opaline Spherical Wall Fixture Safari




SAO (Silver Amber Opaline)



GRO (Green Ribbed Opaline)



SARO (Silver Amber Ribbed Opaline)



RRO (RED Ribbed Opaline)

23670 Safari Wall Fixture
Lamping 40w 120v JCD (G-9 Base)
Finish BRZ BS
Dimensions H 6" Dia 5" E 6.25"
Glass
 SAO SARO GRO RRO
 CETL Damp

Natural

Safari

Semi-Flush Bowl Pendant

Natural

23200-BRZ/AMZ

23200-BRZ/LAV

18"

20"

23200-BRZ/SLA

23200 Safari Semi-Flush Pendant Bowl

Lamping 3Lt x 60w A19 (E-26 Medium Base)

Finish BRZ BS **Glass** AMZ LAV SLA


Dimensions D 18" x H 20"

CUL Dry Available in Fluorescent

Cosmopolitan

Lacey

Lacey



50991 Lacey Laser Cut Sphere Pendant

Lamping 1Lt x 100w A19 (E-26 Medium Base)

Finish CRM **Glass** OPL

Dimensions D 13.75" x H 15"

Included 10ft of Transparent Cord & Aircraft Cable
CETL Damp

Lacey



50989 Lacey Laser Cut Drum Pendant

Lamping 1Lt x 100w A19 (E-26 Medium Base)

Finish CRM **Glass** OPL

Dimensions D 14.5" x H 9.5"

Included 10ft of Transparent Cord & Aircraft Cable
CETL Damp

Lacey

Lacey Laser Cut Drum Flushmount

Finish CRM

Glass OPL

CETL Damp Available in Fluorescent

50992 Dia 14.5" x H 5"

3Lt x 60w A19 (E-26 Medium Base)

50993 Dia 20" x H 5"

3Lt x 60w A19 (E-26 Medium Base)

50992-CRM



50993-CRM

Lacey

Lacey Laser Cut Wall Sconces

Finish CRM

CETL Damp [ADA](#) Available in Fluorescent


50986 W 8" x H 7" Ext 4"

1Lt x 40w Halogen 120v JCD (G-9 Base)

50987 W 5" x H 17.75" Ext 4"

2Lt x 40w Halogen 120v JCD (G-9 Base)

Profile View 50987



Front View 50986



Pendants

Ceiling Fixtures

Pendants

55526 Enzo Acrylic and Glass Pendant (Large)

Lamping 1Lt x 150w 120v A-19 (E-26 Medium Base)

Pendant Finish CH

Acrylic Finish ACLR **ASM Glass Finish** FST

Dimensions H13" **Dia**16.25" **Canopy** L10.5" x W1.5"

Included 10ft Transparent Cord & Aircraft Cable
CETL Damp



Enzo





Enzo

55525 Enzo Acrylic and Glass Pendant (Small)

Lamping 1Lt x 100w 120v A-19 (E-26 Medium Base)



Pendant Finish CH

Acrylic Finish ACLR **ASM Glass Finish** FST

Dimensions H13" **Dia**10" **Canopy** L10.5" x W1.5"

Included 10ft Transparent Cord & Aircraft Cable
CETL Damp

Dinari



Ceiling Fixtures

Pendants

55528 Dinari Acrylic Pendant

Lamping 1Lt x 100w 120v A-19 (E-26 Medium Base)

Pendant Finish CH

Acrylic Finish AFR

Dimensions H12" Dia18"

Included 10ft Transparent Cord & Aircraft Cable
CETL Damp

Dinari

55527 Dinari Acrylic Pendant


Lamping 1Lt x 100w 120v A-19 (E-26 Medium Base)

Pendant Finish CH

Acrylic Finish AFR

Dimensions H8" Dia11.75"

Included 10ft Transparent Cord
CETL Damp



Acrolite Cord



23760-SM



23760-YEL



23760-WH

18"



23760-APCL

13"

23760 Acrolite Cord Pendant

Lamping 1Lt x 100w 120v G-40 (E-26 Medium Base)

Pendant Finish BS

Acrolite Finish APCL ASM AYEL AWH

Dimensions H13" Dia18"

Included 10ft Transparent Cord

CETL Damp

Acrolite Rod

23761 Acrolite Rod Pendant

Lamping 1Lt x 100w 120v G-40 (E-26 Medium Base)

Pendant Finish BRZ BS

Acrolite Finish APCL ASM AYEL AWH

Dimensions H13" Dia18"

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Damp



23761-SM



23761-YEL



23761-WH

18"

13"



23761-APCL

Luce

Ceiling Fixtures

Pendants



23981-BS

13"

2.25"
23981-WH

28981 Luce Pendant
Lamping 40w 120v JCD (G-9 Base)
Pendant Finish BL BS WH
Glass OPL
Dimensions H13" Dia 2.25"
Included 10ft Cord
CETL Damp

23981-BL

Tara

50124 Tara Pendant


Lamping 5Lt x 60w 120v A-19 (E-26 Medium Base)

Finish BS Glass OPL

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option Rods up tp 10ft

CETL Damp [Available in Fluorescent](#)



For additional fixtures relating to this item see
Catalog 22 Pg 68



Lantern

Ceiling Fixtures

Pendants

Lantern Incandescent Cord Pendant

Pendant Finish BS ORB

Glass Finish WHTLN

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord
CETL Damp

23643 Dia 8"

23645 Dia 10"

23646 Dia 12"

Lantern Fluorescent Cord Pendant

Pendant Finish BS ORB

Glass Finish WHTLN

Lamping 1Lt x 18w CFL Self Ballasted (GU-24 Base)

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord, 18w CFL Lamp
CETL Damp **ENERGY STAR LISTED**


23647 Dia 8"

23648 Dia 10"

23649 Dia 12"



Silk



23112 Silk Glass Shade

Finish AZT CRM CRN ICA OPL ORG RED LGR MYA PLM TRA

Dimensions H 9" Dia 5.5"

28212 Silk Incandescent Cord Pendant

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Pendant Finish BS ORB

Glass Dimensions H 9" Dia 5.5"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord
CETL Damp

28812 Silk Fluorescent Cord Pendant

Lamping 1Lt x 18w CFL Self Ballasted (GU-24 Base)

Pendant Finish BS ORB

Glass Dimensions H 9" Dia 5.5"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord, 18w CFL Lamp
CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available

Ostrich

WHFB (White FireBird)

PLFB (Plum FireBird)


AMFB (Amber FireBird)

LGFB (LightGreen FireBird)

23123 Ostrich Glass Shade

Finish AMBFB LGRFB PLMFB REDFB WHTFB

Compatible with all Maxi pendants



6"

9"

28223 Ostrich Incandescent Cord Pendant

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Pendant Finish BS ORB

Glass Finish AMBFB LGRFB PLMFB REDFB WHFB

Glass Dimensions H 9" Dia 6"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord
CETL Damp

28823 Ostrich Fluorescent Cord Pendant

Lamping 1Lt x 18w CFL Self Ballasted (GU-24 Base)

Pendant Finish BS ORB

Glass Finish AMBFB LGRFB PLMFB REDFB WHFB

Glass Dimensions H 9" Dia 6"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord, 18w CFL Lamp
CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available


Swirl



28978-BS/PLC (Purple Cloud)



28878-ORB/PLS (Purple Swirl)



978ST Swirl Glass Shade

Finish PLC PLS

Compatible with all Maxi pendants and 70012LED pendant

28978 Swirl Incandescent Cord Pendant

Lamping 1Lt x 100w A-19 (E-26 Medium Base)

Pendant Finish BS ORB

Glass Finish PLC PLS

Glass Dimensions H 7.25" Dia 4.75"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord
CETL Damp

28878 Swirl Fluorescent Cord Pendant

Lamping 1Lt x 18w CFL Self Ballasted (GU-24 Base)

Pendant Finish BS ORB

Glass Finish PLC PLS


Glass Dimensions H 7.25" Dia 4.75"

Included 12ft Cord, BS supplied with Clear Cord,
ORB supplied with Black Cord, 18w CFL Lamp
CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available

932V Etched Cylinder



94932-BS/WHLN



87215-BS/WHLN

932V -WHLN Etched Cylinder Glass

Dimensions H 10" Dia 3"

Glass Finish WHLN

94932 Cylinder Mini Pendant

Lamping 1 Lt x 35w 12v JC (GY6.35 Base)

Pendant Finish BRZ BS

Canopy Dimensions Dia 5"

Glass Finish WHLN

Glass Dimensions H 10" Dia 3"

Included 10ft Coated Cable
(Black with Bronze, Grey with BS)

CETL Dry

87215 (Uni-Jack Pentagon) Cylinder Mini Pendant

Lamping 5 Lt x 35w 12v JC (GY6.35 Base)

Pendant Finish BS

Canopy Dimensions Dia 14"

Glass Finish WHLN

Glass Dimensions H 10" Dia 3"

Included 10ft Coaxial Cable
CETL Dry

Additional Pendant systems available

Sphere



87213-BS/WHLN



96979-BS/WHLN

87213 (Uni-Jack Tri-Pod System) Sphere Mini Pendant

Lamping 3 Lt x 35w 12v JC (GY6.35 Base)

Pendant Finish BS

Canopy Dimensions Dia 9"

Glass Finish WHLN

Glass Dimensions H 3.5" Dia 5"

Included 10ft Coaxial Cable

CETL Dry

979WJ Etched Spherical Glass

Dimensions H 3.5" Dia 5"

Glass Finish WHLN

96979 (Uni-Jack System) Sphere Mini Pendant

Lamping 1 Lt x 35w 12v JC (GY6.35 Base)

Pendant Finish BS

Canopy Dimensions Dia 5"

Glass Finish WHLN

Glass Dimensions H 3.5" Dia 5"

Included 10ft Coaxial Cable

CETL Dry



Additional Pendant systems available

Ares



20742 Ares Flush-Mount or Wall Fixture

Lamping 1Lt x 18w Par-38 (GX-53 Base)

Finish BS WH

Dimensions H 3" Dia 5"

Included GX-53 Cold Cathode Lamp

CETL Damp [ADA](#) [Energy Efficient](#)

Skylark 18w CCFL ADAPTOR

TB-18W27KCANADPT Skylark Downlight Can or Sheet Rock Retrofit Kit

Lamping 1Lt x 18w Par-38 (GX-53 Base)

Finish BS WH (White)

Dimensions H 3" Dia 5"

Included GX-53 Cold Cathode Lamp

CETL Dry [Energy Efficient](#)



OPERATING CHARACTERISTICS

DIMMING: The lamp is dimmable with analog dimmers only, dimming range of 100% to 20%

CYCLING: The lamp life is not effected by on/off cycling

OPERATING LIFE: 25000 hours

CRI: ≥ 82

KELVIN TEMPERATURE: 2700k

LUMEN OUTPUT: 800

POWER FACTOR: High Power Factor (>.90)

OPERATING TEMPERATURE: 122°F (50°C) to 32°F (0°C)

See page 397 for lamp specifications

Saloris



Saloris Flush Mount
Finish BS Diffuser ACR
CETL Damp Energy Efficient

20740 Dia 17" H 4" (small)
Lamping 1 x 22w + 1 x 32w T-9 (G10q 4 Pin T9 Circline)

20741 Dia 23.25" H 5.25" (large)
Lamping 1 x 32w + 1 x 40w T-9 (G10q 4 Pin T9 Circline)

Ark



Opal glass panels on the base of the fixture provides a warm uplight



Bottom View



Side View

36"


31026 Ark Fluorescent Ceiling Fixture

Finish CH Glass FST

2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

Dimensions L 36" x W 8" x H 3" canopy 11" x 4.25"

CETL Dry Energy Efficient



Sequoia



Sequoia Ceiling or Wall/Vanity Fixtures

Finish BS Diffuser ACR

Included Floating Canopy for Off-Set Junction Boxes

CETL Damp **Energy Efficient**

A 31031 W 15.5" H 5.5" Ext 3.6"

1Lt x 24w PLL HO Fluorescent (G10Q Base)

B 31032 W 25.25" H 5.5" Ext 3.6"

2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

C 31033 W 37" H 5.5" Ext 3.6"

2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

D 31034 W 48.75" H 5.5" Ext 3.6"

2Lt x 54w T-5 HO Fluorescent (Bi-Pin Base)



A



B



C




D

**A**

26.5"

5"

**B**

26.5"

9.5"

Vision Ceiling or Wall/Vanity Fixtures

Finish BS Glass FST

CETL Damp ADA Energy Efficient


A 31027 L 26.5" x W 5" x H 3" CANOPY L 23" x W 2.5" x H 1"
1Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

B 31028 L 26.5" x W 9.5" x H 3" CANOPY L 23" x W 2.5" x H 1"
2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

Vision



A



B

Vision

Vision Ceiling or Wall/Vanity Fixtures

Finish BS **Glass** FST

CETL Damp **ADA** Energy Efficient

A 31029 L 38" x W 5" x H 3" **CANOPY** L 34.5" x W 2.5" x H 1"
1Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

B 31030 L 38" x W 9" x H 3" **CANOPY** L 34.5" x W 2.5" x H 1"
2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

Sierra



A



B

Sierra Ceiling or Wall/Vanity Fixtures

Finish BS ORB Glass ACR

CETL Damp ADA Energy Efficient

A 31021 L 24.75" W 4.5" Ext 2.5"

2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

B 31022 L 36.75" W 4.5" Ext 2.5"


2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

31025 Sierra Wall & Vanity

Lamping 1Lt x 18w FT18DL Lamp (2G11 Base)

Finish SAT ORB Glass ACR

CETL Damp ADA Energy Efficient





Nitro Wall & Vanity
Finish CH Glass OPL
CETL Damp [ADA](#)

A 62258 L 6.75" H 5" Ext 3.25"
1Lt x 100w Halogen 120v J78 (T-3 Base)

B 62259 L 15.9" H 5" Ext 3.25"
2Lt x 100w Halogen 120v J78 (T-3 Base)


C 62260 L 24.2" H 5" Ext 3.25"
3Lt x 100w Halogen 120v J78 (T-3 Base)

D 62262 L 42.5" H 5" Ext 3.25"
5Lt x 100w Halogen 120v J78 (T-3 Base)

Geneva

Wall Fixtures

Wall Vanity



B



A

Geneva Wall & Vanity

Finish BS CH **Glass** OPL

Included Floating Canopy for Off-Set
Junction Boxes

CETL Dry **ADA Energy Efficient**

A 31010 W 24.5" H 4" Ext 3.5"

1Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

B 31011 W 36.6" H 4" Ext 3.5"

1Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)



A



A



B

Piazzo Wall Fixtures

Finish CH Glass CLOP

CETL Damp ADA Available in Fluorescent

A 53343 W 12" x H 12" x Ext 2.75" canopy 9.25 x 7"
1Lt x 150w Halogen 120v J118 (T-3 Base)

B 53344 W 38.25" x H 8" x Ext 3" canopy 10 x 6.75"
3Lt x 100w Halogen 120v J118 (T-3 Base)

Piazzo


Aqueous

Wall Fixtures

Wall Vanity



50566-BS



50566 Aqueous Wall & Vanity


Finish BS ORB Glass OPL

Lamping 1 x 18w FT18DL (2G11 Base)

CETL Damp Energy Efficient



50567-BS



50567 Aqueous Wall & Vanity

Finish BS ORB Glass OPL

Lamping 2 x 18w FT18DL (2G11 Base)

CETL Damp Energy Efficient

Zylinder

Wall Fixtures


Wall Vanity



50569-BS



50570-ORB




50569 Zylinder Wall Fixture

Lamping 1 x 60w B-10 (E-26 Medium Base)

Finish BS ORB **Glass** OPL

CUL Dry Available In Fluorescent



50570 Zylinder Wall Fixture

Lamping 2 x 60w B-10 (E-26 Medium Base)

Finish BS ORB **Glass** OPL

CUL Dry Available In Fluorescent

Nitros




62242 Nitros Wall & Vanity

Lamping 2 x 60w B-10 (E-26 Medium Base)

Finish BRZ BS **Glass** OPL

CUL Dry [ADA](#)



Bo




62236 Bo Wall & Vanity

Lamping 1 x 100w Halogen J78 (T-3 Base)

Finish BS **Glass** OPL

CUL Dry [ADA](#) Available In Fluorescent



Victoria

Wall Fixtures

Wall Vanity




20524 Victoria Wall Sconce

Lamping 1 x 60w B-10 (E-26 Medium Base)

Glass OPL

CUL Dry [ADA](#) Available In Fluorescent




20525 Victoria Wall Sconce

Lamping 1 x 60w B-10 (E-26 Medium Base)

Glass OPL

CUL Dry Available In Fluorescent



Cyprus

Wall Fixtures

Wall Task



70017 Cyprus LED Swivel Wall Lamp

Finish CH Glass BL

Supplied with 4-Way Switch


Lamping 1Lt x 60w A19 (E-26 Medium Base)

1Lt x 3w Super White LED (3500K)


Hard Wire or Plug In

Supplied with Cord & Plug

CETL Dry



Cyprus



70016 Cyprus LED Gooseneck Wall Lamp

Finish CH **Glass** BL

Supplied with 4-Way Switch


Lamping 1Lt x 60w A19 (E-26 Medium Base)

1Lt x 3w Super White LED (3500k)

Hard Wire or Plug In

Supplied with Cord & Plug

CETL Dry




Outdoor

Outdoor

Look for products
bearing this Mark

**Marine
Grade**

For installations
near coastal areas




20368MG Nyz Wall Fixture

Lamping 2Lt x 18w FT18DL Lamp (2G11 Base)

Finish BRZ SAT **Glass** OPL

CETL Wet **Energy Efficient**

Marine
Grade



20367MG Nyz Wall Fixture

Lamping 1Lt x 18w FT18DL Lamp (2G11 Base)

Finish BRZ SAT **Glass** OPL

CETL Wet **Energy Efficient**

Marine
Grade

Trident


Outdoor



Front View




Profile View



20388MG Trident Wall Fixture
Lamping 2Lt x 75w PAR-20 (E-26 Base)
Finish BRZ SAT
Glass CLR
 CETL Wet Available in Fluorescent

Marine Grade




20389MG Trident Wall Fixture
Lamping 2Lt x 75w PAR-30 (E-26 Base)
Finish BRZ SAT
Glass CLR
 CETL Wet Available in Fluorescent

Marine Grade



Slide View

Poseiden



20385MG Poseiden Wall Fixture


Lamping 2Lt x 35w Halogen 12v MR-16 (GU-5.3 Base)

Finish BRZ SAT

Glass CLR

Included 12v Transformer
CETL Wet

Marine
Grade



20384MG Poseiden Wall Fixture

Lamping 1Lt x 35w Halogen 12v MR-16 (GU-5.3 Base)

Finish BRZ SAT


Glass CLR

Included 12v Transformer
CETL Wet

Marine
Grade

Outdoor

Nyami



20370MG Nyami Wall Fixture


Lamping 2Lt x 60w A19 (E-26 Medium Base)

Finish BRZ SAT **Glass** FST

CETL Wet Available in Fluorescent

Marine
Grade

Totana



20371MG Totana Wall Fixture

Lamping 1Lt x 60w A19 (E-26 Medium Base)

Finish BRZ SAT **Glass** OPL

CETL Wet Available in Fluorescent

Marine
Grade

23064LED ZYXZ Wall Fixture


Lamping 2Lt x 3w High Output LED

Finish SAT BRZ

Included LED Driver

CETL Wet [ADA](#)

Marine
Grade



20394LED LED ORB Wet Location Wall Fixture

Lamping 7.2w Super White LED 3000k 432lm

Finish SAT Glass ACR

Dimensions D 7.75" x EXT 2.5" canopy 4.25" x 1.25"

CETL Wet [ADA](#) [Energy Efficient](#)

Marine
Grade

Tyro



20373 Tyro Wet Location Wall Fixture

Lamping 1Lt x 100w A19 (E-26 Medium Base)

Finish BRZ SAT **Glass** OPL

Dimensions L 14.65" x H 5.25" x EXT 4"

CUL Wet [ADA Available in Fluorescent](#)



Outdoor



20372 Tyro Wet Location Wall Fixture

Lamping 1Lt x 60w A19 (E-26 Medium Base)

Finish BRZ SAT **Glass** OPL

Dimensions L 10.8" x H 5.7" x EXT 3.8"

CUL Wet [ADA Available in Fluorescent](#)



Brick




20450 Brick Wall Fixture

Lamping 1Lt x 75w A19 (E-26 Medium Base)

Glass OPL

CUL Wet [ADA](#) Available in Fluorescent




Eclipse

20449 Eclipse Wall Fixture

Lamping 1Lt x 75w A19 (E-26 Medium Base)

Finish BRZ SAT **Glass** OPL

CUL Wet [ADA](#) Available in Fluorescent



Outdoor

CCFL Cold Cathode Energy Saving Lamps

DynamicLux™ evolved from conventional Cold Cathode Fluorescent Lighting used as backlighting for LCD screens, laptops, copiers, printers and scanners. **DynamicLux™** Cold Cathode's are energy efficient, long-life, durable and have flashing capabilities, they are ultra energy-efficient and deliver high-quality lighting with consistent color suitable for most lighting applications.

DynamicLux™ Technology enables high wattages with Cold Cathode Fluorescent lamps (CCFL) for general lighting applications. Featuring smooth dimming and **unlimited** on/of switching with no detrimental effect on life expectancy, unlike conventional Fluorescent lamps.



Use of Amalgam

Mercury is an essential element in producing light in energy saving lamps. Compact Fluorescent Lamps normally require approximately 5mg of mercury to deliver quality luminance. **DynamicLux™** CCFL lamps use less Mercury whilst still providing excellent performance.

Instead of liquid mercury **DynamicLux™** employ the latest technology using **Amalgam** a “solid form” of mercury as a substitution, minimizing the impact to the environment.

Amalgam does not vaporize like **Liquid Mercury** at room temperature, when the energy saving lamps are broken accidentally or at end of life disposal, amalgam will not cause pollution to the environment. Recycled properly, the **Amalgam** is re-usable.

DynamicLux™ 13w Spiral lamp uses less than 1.7mg of amalgam, far below similar Fluorescent products available.

CCFL Energy Saving Lamps

Dimmable Reflector Series



TB-CC18W27KGX53

Base GX-53



TB-CC18WP3827K

Base GU-24 and E-26 (Medium Base)

Features:

- Powered by DynamicLux™ Technology
- Dimming: Supports market available SCR dimmers that support incandescent bulbs (e.g. Leviton and Lutron)
- Long lasting: 25,000 hrs • On/Off: Unlimited switching, without negative effects
- Works with sensors and timers
- Energy Saving: Up to 80% saving over standard incandescent bulbs
- 2 year warranty



TB-CC13WP3027K

Base GU-24 and E-26 (Medium Base)

Model	Product Series	Watt (W)	Voltage (V)	MOL	Base Dia	Width	Lamp Base	Lumen Output (1m)	Color Temp (K) (11	CRI	Lifetime (hrs)	Dimming
TB-CC18WP3827KE26 CC18WP3827KGX53	Reflector	18	110-120	4.94" 4.44"	2.95"	4.72"	E26 GU24	800	2700 K	≥ 80	25,000	20%
TB-CC18W27KGX53	Reflector	18	110-120	2.36"	4.92"	4.72"	GX53	800	2700 K	≥ 80	25,000	20%
TB-CC13WP3027KGU24 CC13WP3027KE26	Reflector	13	110-120	5.1" 5.5"	2.95"	3.93"	E26 GU24	585	2700 K	≥ 80	25,000	20%

Cold Cathode Energy Saving Lamps Dimmable Series



TB-CC18W27K

Base GU-24 and E-26 (Medium Base)



TB-CC13W27

Base GU-24 and E-26 (Medium Base)

Comparison Chart		
Cold Cathode		Incandescent
	Spiral 13w	60w
	Spiral 18w	75w
	PAR 13w	60w
	GX53 18w	70w



	Model	Product Series	Wattage (W)	Voltage (V)	MOL	Base Dia	Width	Lamp Base	Lumen Output (1m)	Color Temp (K) (1l)	CRI	Lifetime (hrs)	Dimming
Cold Cathode Lamps	TB-CC18W27KE26 CC18W27KGU24	Spiral	18	110-120	5.7" 5.8"	1.97"	2.36"	E26 GU24	1080	2700 K	≥ 80	20,000	20%
	TB-CC13W27KE26 CC13W27KG24	Spiral	13	110-120	5" 5.12"	1.97"	2.36"	E26 GU24	715	2700 K	≥ 80	20,000	20%

Index

Model No.	Page	Model No	Page	Model No	Page
20367MG	389	31022	378	50967	340
20368MG	389	31025	378	50970	327
20370MG	392	31026	374	50971	326
20371MG	392	31027	376	50972	324
20384MG	391	31028	376	50975	325
20385MG	391	31029	377	50976	325
20388MG	390	31030	377	50986	357
20389MG	390	50124	365	50987	357
23064LED	393	50132	333	50989	355
23094LED	393	50133	332	50991	354
20372	394	50134	332	50992	356
20373	394	50135	332	50993	356
20449	395	50142	328	53343	381
20450	395	50143	328	53344	381
20524	385	50144	328	55525	359
20525	385	50150	342	55526	358
20740	373	50151	343	55527	361
20741	373	50152	344	55528	360
20742	372	50153	344	62236	384
23200	352	50154	342	62242	384
23112	367	50155	343	62258	379
23640	348	50156	345	62259	379
23642	348	50157	345	62260	379
23643	366	50158	345	62262	379
23645	366	50542	335	70016LED	387
23646	366	50543	335	70017LED	386
23647	366	50544	334	923ST	368
23648	366	50566	382	932V	370
23649	366	50567	382	978ST	369
23650	350	50569	383	979WJ	371
23651	350	50570	383	TB-CC13W27KE26	398
23652	350	50956	337	TB-CC13W27KGU24	398
23670	351	50957	337	TB-CC13-PAR30 27K E26	397
28878	369	50958	336	TB-CC18W27KE26	398
28978	369	50959	336	TB-CC18W27KGU24	398
28981	364	50960	340	TB-CC18W27KGX53	397
31010	380	50963	339	TB-CC18WP3827KE26	397
31011	380	50964	339	TB-CC18WP3827KGU24	397
31021	378	50965	338	TB-18W27KCANADPT	372

Marine Grade	Wet Location, for use in extreme Saline conditions (sea front properties)
Wet Location	For outdoor use, not intended for applications near extreme Saline conditions
Damp Location	For use in applications not in direct contact with water, or not for use outdoors with Saline conditions (under cover but not close to sea front)
Dry Location	For use in indoor applications not in direct contact with moisture

Finish Codes & Swatches

ABRZ	Antique Bronze	
ALU	Aluminum	
BB	Brushed Brass	
BCHR	Black Chrome	
BL	Black	
BRZ	Bronze	
BS	Brushed Steel	
CH	Chrome	
MC	Matte Chrome	
ORB	Oil-Rubbed Bronze	
PB	Polished Brass	
RU	Rust	
SAT	Satin	
SC	Satin Chrome	
SILV	Silver	
SS	Stainless Steel	
ST	Stone	
WH	White	

Certifications

UL / CUL / CETL



Certified UL, CUL or CETL. All fixtures are certified by these accredited testing laboratories for wet, damp or dry locations as noted.

Available in Fluorescent

Fixtures with **Available in Fluorescent** can be converted to energy efficient lighting.

Access Lighting is a proud Energy Star Partner.

ADA Compliant

Fixtures with **ADA** comply with the Americans with Disabilities Act. (Extends 4" or less.)

Glass Codes

12C	12mm Clear Glass	FST	Frosted
8CL	8mm Clear Glass	GRO	Green Ribbed Opaline
ACR	Acrylic	ICA	Inca
APCL	Clear Prismatic Acrylic	IRD	Iridescent
ASM	Smoked Acrylic	LAV	Lava
AWH	White Acrylic	LFR	Line Frosted
AYEL	Yellow Acrylic	LGR	Light Green
AFR	Frosted Acrylic	LGRFB	Light Green Fire Bird
ALB	Alabaster	MFR	Molded Frosted
AMB	Amber	MFW	Mirror / Frosted Windows
AMFBF	Amber Fire Bird	MRB	Marbleized
AMM	Amber Marble	MTI	Multi
AMZ	Amazon	MTL	Metal
ASC	Amber Scarvo	MYA	Maya
AZT	Aztec	OPC	Opal Inner / Clear Outer
BDY	Burgandy	OPL	Opal
BLC	Blanco	OPM	Opal Matte
BLU	Blue	ORG	Orange
BLW	Zebra	ORO	Gold
BSC	Brushed Steel Inner / Clear Outer	PLC	Plum Cloud
CAM	Clear & Amber Reflecting Lens	PCL	Clear Ribbed Acrylic
CCL	Clear Crystal	PLM	Plum
CFR	Clear / Center Frosted Ring	PLMFB	Plum Fire Bird
CKF	Checkered Frosted	PLOP	Purple Outer Opal Inner
CLAM	Clear Outer Amber Inner	PLS	Purple Swirl
CLCB	Clear Outer Cobalt Inner	RED	Red
CLF	Clear / Frosted Band	RFR	Ribbed Frosted
CLM	Clear / Perforated Metal Band	RRO	Red Ribbed Opaline
CLOP	Clear Outer Opal Inner	SAF	Stepped Acid Frosted
CLR	Clear	SAO	Silver Amber Opaline
CLRDR	Clear Outer Red Inner	SARO	Silver Amber Ribbed Opaline
CLS	Cream Linen Shade	SLA	Silver Amber
COB	Cobalt Blue	TEX	Textured Linen
COG	Cognac	TRA	Terra
CRM	Crème	WHFB	White Fire Bird
CRN	Carnival	WHT	White
CRY	Crystal Accents	WHLN	White Etched
FCL	Inner Frosted Crystal	WHTLN	White Lined
FRA	French Amber	WRD	White Raindrop
FRC	Frosted Inner Glass / Clear Outer	WTP	White Teardrop



Headquarters
1200 Valencia Avenue
Tustin, CA 92780 | USA
800-828-5483 toll-free
714-247-1270 phone
714-247-1351 fax
info@accesslighting.com email

Dallas Trademart
2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

www.accesslighting.com



\$15.00