


POWERFUL SOLUTIONS IN ILLUMINATION

JANUARY 2016 LIGHTOVATION REP CATALOG



Only in its infancy, 2016 already promises stupendous evolution in lighting technology. Solid state lighting has made its mark, establishing a firm footing, assuring us this is no passing fad, but rather a scientifically based discovery with endless possibilities.

This is truly a remarkable time in our industry, but clearly not an era for the faint at heart. Today's lighting is innovative, exciting and avant-garde. It feeds our aesthetic appetite, massages our health and enhances our mood.

The direction of Access Lighting in 2016 mirrors the dynamic energy and fast paced changes of our industry. Technology is of primary importance and this will be apparent as you peruse the showroom. In addition we are developing product that moves beyond design but rather tethers on the brink of the artistic, bringing a focal point to the space, bringing the light source to the forefront.


access
LIGHTING

Index

Model	Pg#	Model	Pg#
20010LEDMG	36	62326	8
20011LEDMG	38	62330LEDD	12
20012LEDMG	40	62331LEDD	12
20030LEDMG	37	62332LEDD	13
20031LEDMG	39	62333LEDD	13
20041LEDMG	32	62450LEDD	7
20042LEDMG	33	62451LEDD	7
20043LEDDMG	27	62454LEDD	5
20044LEDDMG	34	62455LEDD	5
20045LEDDMG	28	62457LEDD	6
20046LEDDMG	29	62458LEDD	4
20398LEDMG	30	62459LEDD	14
20399LEDMG	30	62471LEDD	11
20399LEDMGRND	34	62473LEDD	11
20419LEDD	19	62474LEDD	11
20464GU	26	62475LEDD	11
20465GU	26	62476LEDD	10
20466GU	26	62477LEDD	10
20467GU	26	63063LEDD	22
20789LED	35	63064LEDD	22
28093	21	63065LEDD	22
28094	21	63066LEDD	23
28095LEDD	21	63067LEDD	23
28096LEDD	20	63068LEDD	23
50465LEDD	15	63951LEDD	18
50466LEDD	15	63953LEDD	18
62291LEDD	24	63957LEDD	17
62292LEDD	24	63958LEDD	17
62293LEDD	24	63959LEDD	17
62294LEDD	24	63960LEDD	16
62295LEDD	24	63961LEDD	16
62296LEDD	25	63962LEDD	16
62297LEDD	25	72001LEDD	42
62298LEDD	25	72002LEDD	42
62299LEDD	25	72003LEDD	43
62321LED	9	72004LEDD	43
62322LED	9	72005LEDD	43
62323LED	9	72006LEDD	44
62324LED	9	72008LEDD	46
62325	8		


AFFLUENCE

A stunning collection of LED and crystal, perfectly paired. Affluence presents a myriad of application options, graced with style, loaded with technology.



62458LEDD-CH/CCL

62458LEDD Affluence Dimmable LED Dual Ring Pendant

Finish: CH	Glass: CCL	Dimensions: D 23.6" H 2.6" O.A.H 15 to 120"			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
62458LEDD-CH/CCL	360Lt x .2w	80CRI LED	SSL	3000k	3456Lm	Lamps, 10ft of Cable & Cord




62455LEDD-CH/CCL



62454LEDD-CH/CCL


Affluence Dimmable LED Ring Pendants

Finish: CH	Glass: CCL	Included: Lamps, 10ft of Cable & Cord			Certification : CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62454LEDD-CH/CCL	144Lt x .2w	80CRI LED	SSL	3000k	1500Lm	D 15.7" H 2.6" O.A.H 15 to 120"
62455LEDD-CH/CCL	216Lt x .2w	80CRI LED	SSL	3000k	2070Lm	D 23.7" H 2.6" O.A.H 15 to 120"




62457LEDD-CH/CCL

62457LEDD Affluence Dimmable LED Bar Pendant

Finish: CH	Glass: CCL	Dimensions: H 2.6" O.A.H 15 to 120" W 32"			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
62457LEDD-CH/CCL	96Lt x .2w	80CRI LED	SSL	3000k	920Lm	Lamps, 10ft of Cable & Cord




62450LEDD-CH/CCL



62451LEDD-CH/CCL

Affluence Dimmable LED Vanity Bar


Finish: CH	Glass: CCL	Included: Lamps			Certification : CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62450LEDD-CH/CCL	72Lt x .2w	80CRI LED	SSL	3000k	690Lm	O.A.H 3.5" W 24" Ext 2.75"
62451LEDD-CH/CCL	96Lt x .2w	80CRI LED	SSL	3000k	920Lm	O.A.H 3.5" W 32" Ext 2.75"


OPULENCE

This nifty collection comes with a multitude of warnings. Guaranteed to deliver light, we warn you that you may well receive multiple compliments, encounter neighborly envy, and experience family jealousy. All in response to your perceived financial success. Bring on the bling with this well priced, gleaming collection.




Opulence Glitter Glass Pendant and Semi-Flush

Finish: CH	Glass: CLR	Included: Lamps, (62326 5ft of Cable & Cord)			Certification : CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62325-CH/CLR	6Lt x 40w	G9 Halogen	G9	2900k	2880Lm	D 30.7" O.A.H 6.3"
62326-CH/CLR	10Lt x 40w	G9 Halogen	G9	2900k	4800Lm	D 22.8" O.A.H 61"



Opulence Glitter Glass Vanities

Finish: MSS	Glass: CLR	Included: Lamps			Certification : CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62321LED-MSS/CLR	1Lt x 4.5w	G9 LED	G9	3000k	450Lm	O.A.H 4.3" W 4.7" Ext 5"
62321-MSS/CLR	1Lt x 40w	G9 Halogen	G9	2900k	480Lm	
62322LED-MSS/CLR	2Lt x 4.5w	G9 LED	G9	3000k	900Lm	O.A.H 4.3" W 12.6" Ext 5"
62322-MSS/CLR	2Lt x 40w	G9 Halogen	G9	2900k	960Lm	
62323LED-MSS/CLR	3Lt x 4.5w	G9 LED	G9	3000k	1350Lm	O.A.H 4.3" W 20.5" Ext 5"
62323-MSS/CLR	3Lt x 40w	G9 Halogen	G9	2900k	1440Lm	
62324LED-MSS/CLR	4Lt x 4.5w	G9 LED	G9	3000k	1800Lm	O.A.H 4.3" W 28.4" Ext 5"
62324-MSS/CLR	4Lt x 40w	G9 Halogen	G9	2900k	1920Lm	

CLASSIC


Step back in time and turn your thoughts to the Golden age of Hollywood film, there you will find the inspiration for the "Classic" collection. Envision Doris, Greta or Judy preparing for a take, oh how they would have savored bathing in the even glow of crisp LED lighting. "Classic" forward to the past couples the old with the new, in an age old design paired with the very latest in LED technology.



62477LEDD-CH/OPL

62476LEDD-CH/OPL

Classic Dimmable LED Chandelier and Pendant

Finish: CH	Glass: OPL	Included: Lamps, 6" 16" 22" Rods			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62476LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	O.A.H 14.5" to 52.5" W 43"
62477LEDD-CH/OPL	7Lt x 4w	90CRI LED	SSL	3000k	2800Lm	D 25.5" O.A.H 21" to 65"



62471LEDD-CH/OPL



62473LEDD-CH/OPL





62474LEDD-CH/OPL




62475LEDD-CH/OPL

Classic Dimmable LED Wall / Vanity Fixture


Finish: CH	Glass: OPL	Included: Lamps				Certification : CUL Wall Damp Location	 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62471LEDD-CH/OPL	1Lt x 4w	90CRI LED	SSL	3000k	400Lm	O.A.H 4.75" W 4.75" Ext 4"	
62473LEDD-CH/OPL	3Lt x 4w	90CRI LED	SSL	3000k	1200Lm	O.A.H 4.75" W 22" Ext 4"	
62474LEDD-CH/OPL	4Lt x 4w	90CRI LED	SSL	3000k	1600Lm	O.A.H 4.75" W 28.5" Ext 4"	
62475LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	O.A.H 4.75" W 36" Ext 4"	

DIMENSIONS

A fresh perspective on lighting is captured in the Access Lighting Dimensions Collection. A central beam of LED light is gloriously splayed through stacked acrylic slices, evoking a phenomenal holographic effect. When your lighting is the focal point you know you have “Dimension”.





62330LEDD-CH/ACR




62331LEDD-CH/ACR

Dimensions LED Acrylic Pendant

Finish: CH	Diffuser: ACR	Included: Lamps, 10ft of Cable & Cord			Certification : CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62330LEDD-CH/ACR	1Lt x 21.6w	80CRI LED	SSL	3000k	2160Lm	D 16" H 12" O.A.H 16 to 130"
62331LEDD-CH/ACR	1Lt x 21.6w	80CRI LED	SSL	3000k	2160Lm	D 17" H 12" O.A.H 16 to 130"




62332LEDD-CH/ACR



62333LEDD-CH/ACR

Dimensions LED Acrylic Pendant

Finish: CH	Diffuser: ACR	Included: Lamps, 10ft of Cable & Cord				Certification : CUL Ceiling Dry Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62332LEDD-CH/ACR	1Lt x 21.6w	80CRI LED	SSL	3000k	2160Lm	D 21.7" H 12" O.A.H 16 to 130"
62333LEDD-CH/ACR	1Lt x 21.6w	80CRI LED	SSL	3000k	2160Lm	D 24" H 12" O.A.H 16 to 130"


TRIBECA

A phenomenal example of technology driving design, Tribeca was designed to accommodate and highlight the true capabilities of the LED light source. Light, airy, and modern, Tribeca is fully dimmable. A true tribute to the advancement in lighting technology.



62459LEDD-CH/ACR

62459LEDD Tribeca Dimmable LED Pendant

Finish: CH		Diffuser: ACR		Dimensions: D 16.4" O.A.H 12 to 128"		Certification : CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:	
62459LEDD-CH/ACR	300Lt x .06w	80CRI LED	SSL	3000k	864Lm	Lamps, 10ft of Cable & Cord	

ORACLE

A vision to behold the timeless Oracle collection is further enhanced with the addition of dedicated LED modules. The frosted glass set in a contemporary brushed steel frame, lends itself well to the crisp white, 3000 kelvin, LED light source. Oracle forms sensational circles of light effortlessly balanced in midair. Oracle - Circ de Luminaire.




50465LEDD-BS/FST



50466LEDD-BS/FST

Oracle Cable Ring Glass Chandelier

Finish: BS	Glass: OPL	Included: Lamps, 10ft of Cable & Cord			Certification : C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50465LEDD-BS/FST	6Lt x 6.3w	80CRI LED	SSL	3000k	4180Lm	D 22" H 3" O.A.H 10 to 120"
50465-BS/FST	6Lt x 50w	G9 Halogen	G-9	2900k	3600Lm	
50466LEDD-BS/FST	8Lt x 6.3w	80CRI LED	SSL	3000k	5610Lm	D 28" H 3" O.A.H 10 to 120"
50466-BS/FST	8Lt x 50w	G9 Halogen	G-9	2900k	4800Lm	

NIDO

Crafted by a Spanish artisan, the spectacular Nido Collection is a timeless beauty. Glass shades fashioned into a modern oblong form, are delicately suspended from a low profile rod in an extensive range of semi-flush and pendant luminaires. Detailed elements, including canopies and back plates that mimic the contour of the glass shades equip this collection with unrivaled style and grace.



63962LEDD-MC/FST



63960LEDD-ORB/FST



63961LEDD-ORB/FST


Nido Series

Finish: MC ORB	Glass: FST	Included: Lamps (63962 2 Rod Combinations, Slope Adapter)			Certification : C ETL US Dry Location (63960/1 Wall/Ceiling) (63962 Ceiling only)	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63960LEDD-__/_FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	O.A.H 5" W 5" L 32" Ext 5"
63960-__/_FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	
63961LEDD-__/_FST	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	O.A.H 5" W 3" L 42" Ext 5"
63961-__/_FST	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm	
63962LEDD-__/_FST	6Lt x 8w	90CRI LED	SSL	3000k	4500Lm	O.A.H 11 to 35" W 3" L 29.25"
63962-__/_FST	6Lt x 100w	J-78 Halogen	R7s	2900k	9900Lm	





63957LEDD-MC/FST




63958LEDD-ORB/FST



63959LEDD-MC/FST

Nido Series


Finish: MC ORB	Glass: FST	Included: Lamps, 2 Rod Combinations, Slope Adapter				Certification : C ETL US Ceiling Dry Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63957LEDD-_/FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	O.A.H 11 to 35" W 5" L 32"
63957-_/FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	
63958LEDD-_/FST	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	O.A.H 11 to 35" W 5" L 42.5"
63958-_/FST	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm	
63959LEDD-_/FST	5Lt x 8w	90CRI LED	SSL	3000k	3750Lm	O.A.H 11 to 35" W 5" L 53.5"
63959-_/FST	5Lt x 100w	J-78 Halogen	R7s	2900k	8250Lm	



63951LEDD-MC/FST





63951LEDD-ORB/FST



63953LEDD-MC/FST

Nido Series

Finish: MC ORB	Glass: FST	Included: Lamps				Certification : C ETL US Wall/Ceiling Dry Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63951LEDD-__/_FST	1Lt x 8w	90CRI LED	SSL	3000k	750Lm	O.A.H 3.5" L 10" Ext 3.5" 
63951-__/_FST	1Lt x 100w	J-78 Halogen	R7s	2900k	1650Lm	
63953LEDD-__/_FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	O.A.H 3.75" W 6" L 14.25" Ext 3.75"
63953-__/_FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	

ELEMENTARY


Simple, square lines, unadorned white glass –
“Elementary, my dear Watson.”
There is nothing elaborate
about the Elementary luminaire,
except its simplistic lines.



20419LEDD-BS/OPL




20419 Elementary Wall Sconce

Finish: BS	Glass: OPL	Dimensions: O.A.H 9" W 7.25" Ext 4"			Certification : CUL Wall Damp Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:	
20419LEDD-BS/OPL	1Lt x 11w	A-19 LED	E-26	3000k	800Lm	Lamps	
20419-BS/OPL	1Lt x 60w	A-19 Incandescent	E-26	2700k	800Lm		

ESSENCE

Copper, dubbed an essential element for both one's health and a myriad of domestic, industrial and high tech applications is back on the scene. The Essence collection lends itself to settings from the nostalgic to hard core contemporary. Select copper for a warm touch, or opt for chrome when modern sleek is what you seek.




28096LEDD-CH



28096LEDD-RGLD

28096 (I) Essence Rose Gold or Chrome Dimmable LED Pendant


Finish: CH RGLD		Dimensions: D 24" O.A.H 12 to 124"			Certification : C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
28096LEDD-__	1Lt x 24w	85CRI LED	SSL	3000k	3000Lm	Lamps, 10ft of Cable & Cord




28095LEDD-RGLD



28095LEDD-CH



28093-RGLD



28094-RGLD

Essence

Finish: 28093/4 RGLD 28095 CH RGLD

Included: 10ft Cord (28095 Lamps)


Certification : C ETL US Ceiling Dry Location



Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28093-RGLD	1Lt x 75w	A-19	E-26			D 6.25" H 11" O.A.H 15 to 130"
28094-RGLD	1Lt x 75w	A-19	E-26			D 6.5" H 9" O.A.H 15 to 130"
28095LEDD-__	1Lt x 14.4w	85CRI LED	SSL	3000k	1800Lm	D 15" O.A.H 10 to 124"

SLEEK

See functional lighting put its best foot forward with the sleek collection. Vertical and rotational head adjustment, along with telescopic rods, all packaged in a sleek low profile design. Sleek defining the concept of form + function.



63064LEDD-BS



63063LEDD-BS



63065LEDD-BS

Sleek Dimmable LED Pendant Spotlight

Finish: BRZ BS


Included: Lamps, Telescopic Rods, Slope Adapter

Certification : C ETL US Ceiling Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63063LEDD-__	3Lt x 4w	80CRI LED	SSL	3000k	1350Lm	O.A.H 19.75 to 30" W 23"
63064LEDD-__	4Lt x 4w	80CRI LED	SSL	3000k	1800Lm	O.A.H 19.75 to 30" W 33"
63065LEDD-__	5Lt x 4w	80CRI LED	SSL	3000k	2250Lm	O.A.H 19.75 to 30" W 43"



63066LEDD-BS



63067LEDD-BS



63068LEDD-BS

Sleek Dimmable LED Semi-Flush Spotlight

Finish: BRZ BS

Included: Lamps

Certification : C ETL US Ceiling Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
63066LEDD-__	3Lt x 4w	80CRI LED	SSL	3000k	1350Lm	O.A.H 7"	W 23"
63067LEDD-__	4Lt x 4w	80CRI LED	SSL	3000k	1800Lm	O.A.H 7"	W 33"
63068LEDD-__	5Lt x 4w	80CRI LED	SSL	3000k	2250Lm	O.A.H 7"	W 43"

NITRO 2


Back and better than ever Nitro 2 returns to the scene fully decked out with LED modules. This phenomenally successful series truly shines with crisp white LED light illuminating opal glass, dramatically set against a brushed steel or bronze frame. Clean lines and solid state lighting make Nitro 2 a winning number.




62292LEDD-BS/OPL



62291LEDD-BS/OPL



62293LEDD-BS/OPL




62294LEDD-BS/OPL




62295LEDD-BS/OPL

Nitro 2 Wall Vanity

Finish: BS	Glass: OPL	Included: Lamps			Certification : C ETL US Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62291LEDD-BS/OPL	1Lt x 8w	90CRI LED	SSL	3000k	750Lm	O.A.H 5.25" L 6.9" Ext 3.75"
62291-BS/OPL	1Lt x 100w	J-78 Halogen	R7s	2900k	1650Lm	
62292LEDD-BS/OPL	2Lt x 8w	90CRI LED	SSL	3000k	1500Lm	O.A.H 5.25" L 16" Ext 3.75"
62292-BS/OPL	2Lt x 100w	J-78 Halogen	R7s	2900k	3300Lm	
62293LEDD-BS/OPL	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	O.A.H 5.25" L 25.2" Ext 3.75"
62293-BS/OPL	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	
62294LEDD-BS/OPL	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	O.A.H 5.25" L 34.25" Ext 3.75"
62294-BS/OPL	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm	
62295LEDD-BS/OPL	5Lt x 8w	90CRI LED	SSL	3000k	3750Lm	O.A.H 5.25" L 48.75" Ext 3.75"
62295-BS/OPL	5Lt x 100w	J-78 Halogen	R7s	2900k	8250Lm	

WAVE

Wave goodbye to antiquated technology and embrace the future in vanity lighting. Wave's soft curved diffusers pair design with state-of-the-art LED modules for perfect light distribution.



62296LEDD-BS/OPL



62297LEDD-BRZ/OPL




62298LEDD-BS/OPL



62299LEDD-BS/OPL

Wave Wall Vanity

Finish: BRZ BS	Glass: OPL	Included: Lamps			Certification : CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62296LEDD-__/_OPL	1Lt x 9w	85CRI LED	SSL	3000k	800Lm	O.A.H 4.4" W 9" Ext 2.9"
62297LEDD-__/_OPL	3Lt x 9w	85CRI LED	SSL	3000k	2400Lm	O.A.H 4.4" W 27" Ext 2.9"
62298LEDD-__/_OPL	4Lt x 9w	85CRI LED	SSL	3000k	3200Lm	O.A.H 4.4" W 36" Ext 2.9"
62299LEDD-__/_OPL	5Lt x 9w	85CRI LED	SSL	3000k	4000Lm	O.A.H 4.4" W 45" Ext 2.9"

SOLERO

Solero is a simple and affordable solution to contemporary style. Powered with an energy efficient fluorescent or LED GU24 bulb, Solero has an acrylic diffuser and is certified damp location. 4 size options, with the largest a phenomenal 24" diameter. Solero is to shine, priced to please.



20464GU-BS/ACR



20465GU-BS/ACR




20466GU-BS/ACR



20467GU-BS/ACR

Solero Acrylic Flush-Mount's

Finish: BS		Glass: ACR			Certification : CUL Ceiling Damp Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20464GU-BS/ACR	1Lt x 13w		GU-24		900Lm	D 12" O.A.H 3.5"	
20465GU-BS/ACR	2Lt x 13w		GU-24		1800Lm	D 14" O.A.H 4"	
20466GU-BS/ACR	3Lt x 13w		GU-24		2700Lm	D 18" O.A.H 6"	
20467GU-BS/ACR	6Lt x 13w		GU-24		5440Lm	D 24" O.A.H 6"	

EXTERIOR ELEMENTS COLLECTION

Exterior Elements is the fabulous outdoor collection from Access Lighting that challenges conventional outdoor designs. This sophisticated outdoor collection journeys well beyond the rudimentary, functional outdoor lighting of yesterday. Bring design elements and sophisticated LED technology to your space. Solid-state lighting wrapped in design - Exterior Elements



20043LEDDMG-SAT/CLR



20043LEDDMG-BRZ/CLR





20043LEDDMG-BL/CLR

MIST


Design elements proliferate in “Mist”, from the square glass set against a round back plate, to the textured glass suggestive of rain or fog. Refined, elegant, contemporary outdoor lighting, find it in the Mist.

20043LEDDMG Mist Marine Grade Wet Location Art Glass Wall Fixture


Finish: BL BRZ SAT	Glass: CLR	Dimensions: O.A.H 5.82" W 4.33" Ext 2"			Certification : CUL Wall Wet Location	
						
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20043LEDDMG-___/CLR	1Lt x 12w	90CRI LED	SSL	3000k	600Lm	Lamps

THE VERTICAL

Strong geometric lines, make “The Vertical” a standout in the rugged outdoors. LED technology caters to the low profile simplicity of this artsy outdoor light. Light reflected off the mounting surface, creates drama that will enhance curbside appeal. “The Vertical” – upscale indoors or out.



20045LEDDMG-BRZ/ACR





20045LEDDMG-SAT/ACR




20045LEDDMG-BL/ACR

20045LEDDMG Vertical Marine Grade Wet Location Wall Fixture


Finish: BL BRZ SAT	Glass: ACR	Dimensions: O.A.H 11" W 4.33" Ext 3.4" 			Certification : CUL Wall Wet Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20045LEDDMG-___/ACR	1Lt x 14w	90CRI LED	SSL	3000k	750Lm	Lamps

MONTREAL

There is a quiet sophistication to this unusual outdoor light. Perhaps the aesthetic attraction lies in the pleasing curves of Montreal or the sleek, low profile appearance of this unique outdoor luminaire? Regardless, Montreal with multi-directional LED light distribution is boutique outdoor lighting at its best!



20046LEDDMG-SAT/FST



20046LEDDMG-BL/FST



20046LEDDMG-BRZ/FST

20046MG Montreal Marine Grade Wet Location Wall Fixture


Finish: BL BRZ SAT	Glass: FST	Dimensions: O.A.H 2.48" W 11.96" Ext 3.46"			Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20046LEDDMG-___/FST	2Lt x 16w	90CRI LED	SSL	3000k	1700Lm	Lamps




SQUARE

HIP TO BE SQUARE.


These perfectly four-sided outdoor luminaire conveys a cool, stylish image. Two versions, adjustable or fixed, allow for the dramatic distribution of light on the mounting surface. Square, for those with out of the box thinking.



20398LEDMG-SAT



20399LEDMG-WH



20398LEDMG-BRZ



20399LEDMG-BL

Square Marine Grade Wet Location Wall Fixture's



Finish: BL BRZ SAT WH

Included: Lamps

Certification : C ETL US Wall Wet Location




Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20398LEDMG-_____	1Lt x 6w	80CRI LED	SSL	3000k	480Lm	O.A.H 3.1" W 5" Ext 5
20399LEDMG-_____	2Lt x 3w	80CRI LED	SSL	3000k	480Lm	O.A.H 4.25" W 4.25" Ext 4.25"

CURVE

A softer counterpart to the well-received Square series, can easily be found in curve. This architectural LED piece walks the line between form and function boasting 3 fabulous finishes, 480 lumens and 80CRI.




20399LEDMGRND-WH



20399LEDMGRND-BRZ



20399LEDMGRND-SAT



20399LEDMGRND-BL

20399LEDMGRND Curved Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT WH		Dimensions: O.A.H 4.4" W 6" Ext 5"			Certification : C ETL US Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20399LEDMGRND-_____	2Lt x 3w	80CRI LED	SSL	3000k	480Lm	Lamps



DESTINATION

Destination provides you with the opportunity to convert your entrance or outdoor space to a memorable location. Opal glass set against a metal background, and minimally adorned with a metal band, bring the smooth curves and dimensional ridges of the shade to the forefront.



20041LEDMG-BRZ/RFR



20041LEDMG-SAT/RFR



20041LEDMG-BL/RFR

20041LEDMG Destination Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT		Glass: RFR		Dimensions: O.A.H 9.84" W 7.24" Ext 4.72"		Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:	
20041LEDMG-___/RFR	1Lt x 9w	A-19 LED	E-26	3000k	800Lm	Lamps	



PIER

A popular design can be found in “Pier”, but exceptional metal work, and extreme attention to detail separate this LED, marine grade luminaire from its counterparts.



20042LEDMG-SAT/RFR





20042LEDMG-BL/RFR



20042LEDMG-BRZ/RFR

20042LEDMG Pier Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT		Glass: RFR		Dimensions: O.A.H 9.84" W 7.24" Ext 4.72"			Certification : CUL Wall Wet Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:	
20042LEDMG-__/_RFR	1Lt x 9w	A-19 LED	E-26	3000k	800Lm	Lamps	

AVANTE

Go forward, feel confident and assured, knowing that you have selected a stylish contemporary luminaire with cutting edge technology when you say "Avante". The pleasing circular shape is complimented by the subtle curve of the shade and half-moon cut out in the lower metal work. Dark sky lighting with style - Avante



20044LEDMG-BL/OPL



20044LEDMG-SAT/OPL



20044LEDMG-BRZ/OPL

20044MG Avante Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT	Glass: OPL	Dimensions: Dia 8.66" Ext 2.75"			Certification: CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20044LEDMDG-__/_OPL	1Lt x 14w	90CRI LED	SSL	3000k	700Lm	Lamps



FunKtion

Webster's defines function as *"the special purpose or activity for which a thing exists or is used"*. The FunKtion collection is aptly named for its slew of attributes. Adapt provides adjustability to a wall pack, whilst Range, and Angel provide motion and photo sensors in exciting new designs unique to standard security lights. Marine grade paint and LED technology further catapult the FunKtion Collection beyond wall pack and security lighting norms.




20789LED-BL



ADAPT

Further enhancing the already well-received Slant, Adapt brings flexibility to the standard wall pack. Maintain the fabulous performance and design elements of Slant, including architectural angles and an LED module, whilst adding the ability to adjust the angle of the light, and there you have Adapt

20789LED Adapt Wet Location Adjustable Wall Pack

Finish: BL WH	Glass: CLR	Dimensions: O.A.H 7.25" W 6.25" Ext 3 to 8"			Certification : CUL Wall Wet Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20789LED-__	1Lt x 20w	80CRI LED	SSL	4000k	1400Lm	Lamps

DEFINITIVE OUTDOOR COLLECTION

Designs that have effortlessly stood the test of time, marine grade paint, and the most current LED technology define this steadfast outdoor collection. The newly cultivated Definitive Collection plays on outdoor favorites boasting enhanced construction, superior marine grade paint, and obvious attention to detail. Most impressively there is a notable reduction in the price points. Trust in the Definitive Collection-no spin on this outdoor lighting.



20010MG-SAT/RFR



BERMUDA

Design and purpose meet in the marine grade Bermuda luminaire. Graced with a ribbed frosted glass enclosed in a stylish metal cage, the attributes continue with the multitude of lamping options. Select incandescent, LED or fluorescent. Available in black bronze or satin and two different sizes, Bermuda will make waves in any application.

20010MG Bermuda Marine Grade Wet Location Bulkhead

Finish: BL BRZ SAT		Glass: RFR		Dimensions: O.A.H 10.5" L 7" Ext 5"		Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:	
20010LEDMG-___/RFR	1Lt x 9w	A-19 LED	E-26	3000k	800Lm	Lamps	
20010MG-___/RFR	1Lt x 60w	A-19 Incandescent	E-26	2700k	800Lm		
C20010MG-___RFREN1118B	1Lt x 18w	Spiral Fluorescent	GU-24	2700k	1250Lm	Lamps	





20030LEDMG-BRZ/RFR

20030MG Bermuda Marine Grade Wet Location Bulkhead



Finish: BRZ SAT	Glass: RFR	Dimensions: O.A.H 16.75" L 6" Ext 5.3"			Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20030LEDMG-__ /RFR	2Lt x 9w	A-19 LED	E-26	3000k	1600Lm	Lamps
20030MG-__ /RFR	2Lt x 60w	A-19 Incandescent	E-26	2700k	1600Lm	
C20030MG-__ RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	Lamps



NEVIS

This wet location bulkhead has a stylish ½ moon rings at the top and bottom of the frame, adorning ribbed frosted glass. Nevis is available in 3 outdoor finishes, 2 sizes and lamping options including incandescent and energy saving LED or fluorescent. Nevis a bulkhead flaunting style.



20011LEDMG-BRZ/RFR

20011MG Nevis Marine Grade Wet Location Bulkhead

Finish: BRZ SAT	Glass: RFR	Dimensions: O.A.H 10.5" L 7" Ext 5"			Certification: CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20011LEDMG-__ /RFR	1Lt x 9w	A-19 LED	E-26	3000k	800Lm	Lamps
20011MG-__ /RFR	1Lt x 60w	A-19 Incandescent	E-26	2700k	800Lm	
C20011MG-__ RFREN1118B	1Lt x 18w	Spiral Fluorescent	GU-24	2700k	1250Lm	Lamps





20031LEDMG-SAT/RFR



20031LEDMG-BRZ/RFR

20031MG Nevis Marine Grade Wet Location LED Bulkhead



Finish: BRZ SAT	Glass: RFR	Dimensions: O.A.H 16.75" L 6" Ext 5.3"			Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20031LEDMG-__ /RFR	2Lt x 9w	A-19 LED	E-26	3000k	1600Lm	Lamps
20031MG-__ /RFR	2Lt x 60w	A-19 Incandescent	E-26	2700k	1600Lm	
C20031MG-__ RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	Lamps

NEPTUNE

Rectangular sophistication with a geometrically inspired metal decoration defines Neptune. Marine grade, and available in two different finishes, a contemporary satin or transitional bronze, certain to cater to your design requirements. Total shade illumination is achieved with opal frosted glass. Select from three different lamping sources; LED, fluorescent or incandescent to meet your application needs. Neptune, warm and welcoming with contemporary style.



20012LEDMG-BRZ/RFR



20012LEDMG-SAT/RFR


20012MG Neptune Marine Grade Wet Location Wall Fixture

Finish: BRZ SAT	Glass: RFR	Dimensions: O.A.H 13" L 7" Ext 5"			Certification : CUL Wall Wet Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
20012LEDMG-__ /RFR	1Lt x 9w	A-19 LED	E-26	3000k	800Lm	Lamps
20012MG-__ /RFR	1Lt x 75w	A-19 Incandescent	E-26	2700k	1100Lm	
C20012MG-__ RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	Lamps



TASKWERX

Prepare yourself for a comprehensive approach to task lighting. Designed for everyday living, TaskWerx is equipped with the latest solid state lighting technology, ease of adjustability and balance. TaskWerx is dimmable, and some models have the smarts to recall your last light setting. Whilst sleek, low profile and contemporary in nature, TaskWerx easily blends into transitional spaces.



FLEX


The beauty of Flex lies in its willingness to meet your directional needs. In addition Flex is constructed to ensure that your select position is maintained with no sagging or drooping. Performance is the motto for this fully dimmable LED task light. Wall version available too.



72002LEDD-BS

72001LEDD-BRZ

TaskWerx Flex Gooseneck LED Task Lamp's


Finish: BRZ BS		Included: Lamps			Certification: CUL Dry Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
72001LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 22" W 7" L 7"	
72002LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 25" W 7" L 10"	

REACH

The 360 degree rotational capacity of Reach, along with LED technology and dimming capabilities makes Stick an easy pick. Pair Reach with its wall counterpart, bringing functionality and LED technology to every nook and cranny.




TaskWerx Reach LED Task Lamp

Finish: BRZ BS		Included: Lamps			Certification : CUL Dry Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
72003LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 19" W 7" L 16"	
72004LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 20" W 7" L 28"	

LINEAR

Add a truly structured and functional element to your bedroom or office with Linear. The rectilinear arm artfully houses the lamp source, which boasts the latest in dimmable LED technology. Light up your room with the contemporary, understated elegance of Linear.



72006LEDD-BRZ

72006LEDD-BRZ


72006LEDD TaskWerx Linear LED Task Lamp

Finish: BRZ BS		Dimensions: O.A.H 14" W 7" L 26"			Certification : CUL Table Dry Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
72006LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	Lamps



URBAN

This hip table top luminaire, is solid to the core and designed for the chic, contemporary, task minded user. Modern, geometric lines, the latest in LED technology and quality construction will stand up to the task at hand and meet the design elements demanded of this stand-out task light.



72005LEDD-BRZ



72005LEDD-BS


72005LEDD TaskWerx Urban LED Task Lamp

Finish: BRZ BS		Dimensions: O.A.H 14" W 7" L 26"			Certification : CUL Table Dry Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
72005LEDD-__	1Lt x 6.3w	83CRI LED	SSL	3000k	600Lm	Lamps



MANTIS

Inspired by the agility, appearance, and extraordinary capabilities of the prey mantis, we introduce Mantis. Extremely low profile in design, Mantis defies the laws of physics with its design mechanism. Powered by LED technology, fashioned after nature.



72008LEDD TaskWerx Mantis LED Task Lamp

Finish: SAT WH		Dimensions: O.A.H 20" W 32" L 7"			Certification : CUL Table Dry Location	
Model	Wattage	Type	Base	Kelvin	NomLumen	Included:
72008LEDD-__	1Lt x 6w	80CRI LED	SSL	3000k	487Lm	Lamps



LED BULBS


Complete fixtures now available which include these LED Bulbs please check January 2016 Supplementary Price List for details.



Dimmable LED BULBS

Complete fixtures now available which include these LED Bulbs, please check January 2016 Supplementary Price List for details

Part Number	Description	Wattage	Type	Base	Kelvin	NomLumen
SSL Component Only	SSL Lamp and Socket	12w	90CRI LED	SSL	3000k	880Lm
LMPLEDG94.5W30K450Lm80CRI	A-19 LED Lamp	11w	A-19 LED	E-26	3000k	800Lm
SA-FR-G9-4.5W-001	G-9 LED Lamp	4.5w	G-9 LED	G-9	3000k	450Lm



HEADQUARTERS:

1200 Valencia Avenue
Tustin, CA 92780 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADE MART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

access
LIGHTING

www.accesslighting.com