



BESALIGHTING




RAIL & SPOTLIGHTS

MONORAIL	3-15
SPOTLIGHTS 12V.....	16-23



PENDANTS

MINI PENDANTS 12V.....	24-63
PENDANTS 120V.....	64-113
LINEAR PENDANTS.....	114-123



CEILING

FLUSH MOUNT.....	124-141
SEMI FLUSH MOUNT	142-145



BESALIGHTING


LIGHT IS FOR SEEING ILLUMINATION ENRICHES YOUR LIFE

Quality glass has always been a key part of creating fine luminaires. It offers beauty while effectively directing or diffusing the light output. This ancient art uses natural materials: glass is long lasting yet infinitely renewable.



PRODUCT FINDER

PRODUCT FINDER.....2-7



WALL

INTERIOR SCONCES	146-167
SWING ARMS	168-173
VANITY AND MINI SCONCES.....	174-199



OUTDOOR

METALWORKS	200-207
EXTERIOR SCONCES	208-213



REFERENCE + INDEX

GLASS DECOR CROSS-REFERENCE	214-220
ACCESSORIES.....	221
COMPACT FLUORESCENT	222-223
INDEX BY PART NUMBER.....	224-225

MONORAIL KITS



LED MONORAIL KITS
Tipster 8 Ft. 60W LED Kit
Scope 8 Ft. 60W LED Kit
Pg. 15



MONORAIL 8 FT. HARDWARE KITS
150W Electronic Transformer
300W Magnetic
60W LED Power Supply
Pgs. 14



MONORAIL 12 FT. HARDWARE KITS
300W Magnetic Transformer
Pg. 14

MONORAIL COMPONENTS



RAIL SECTIONS & HARDWARE
Rail Sizes: 4Ft, 8Ft
Connectors: Live • Isolating • Live "L"
End Caps
Pg. 10



SUPPORTS
Standoffs: Rigid • Swivel
Adjustable Cable Support
Pg. 10



POWER SUPPLIES
Surface: Magnetic • Electronic
Remote: Magnetic
Pg. 11



LED POWER SUPPLY
Low-profile, surface
Pg. 11



REMOTE FEED ACCESSORIES
Remote Feed Canopy
Flexible Feed Cable
Pg. 11

CANOPIES & ACCESSORIES



1 LIGHT
Dome • Flat
Pg. 23, 63



3 LIGHT
Linear • Round • Lg. Round • Bar
Pg. 23, 63



6 LIGHT
Round
Pg. 23, 63



ACCESSORIES
Rail Adapter: Pg. 216
Skyhook™ suspension hook: Pg. 216
Quick Jack, Pg. 216

12V SPOTLIGHTS



AND1
Quick-Connect
8 decors
Pg. 22



CANTO 3
Quick-Connect
7 decors
Pg. 21



DIVI
Quick-Connect
11 decors
Pg. 20
LED



DIVI METALS
Quick-Connect
5 decors
Pg. 18
LED



MICA
Quick-Connect
3 decors
Pg. 17



NICO 3
Quick-Connect
4 decors
Pg. 19
LED



PALLA 3
Quick-Connect
6 decors
Pg. 21



SCOPE
Quick-Connect
4 decors
Pg. 17
LED



TAMMI 3
Quick-Connect
8 decors
Pg. 22
LED



TIPSTER
Quick-Connect
Pg. 19
LED

12V MINI PENDANTS



AMELIA 6
Quick-Connect • Fixed
4 decors
Pg. 44
LED



BRELLA
Quick-Connect • Fixed •
Adjustable
9 decors
Pg. 46
LED



BOTELLA 10 / 12
Quick-Connect • Fixed
8 decors
Pg. 25
LED



BRIO 7
Quick-Connect • Fixed
2 decors
Pg. 35
LED



CAMINO
Quick-Connect • Fixed
11 decors
Pg. 54
LED



CANTO 5
Quick-Connect • Fixed
6 decors
Pg. 57
LED



COPA
Quick-Connect • Fixed
8 decors
Pg. 55
LED



DIVI
Quick-Connect • Fixed
2 decors
Pg. 33
LED



DOMI
Quick-Connect • Fixed •
Adjustable
12 decors
Pg. 47
LED



FALLA
Quick-Connect • Fixed
2 decors
Pg. 27
LED



FLOWER
Fixed
3 decors - Customizable
Pg. 28
LED



FOCUS
Quick-Connect • Fixed
4 decors
Pg. 31
LED



HOPPI
Quick-Connect • Fixed •
Adjustable
4 decors
Pg. 41
LED



JODI
Quick-Connect • Fixed •
Adjustable
LED



JULIETTE
Quick-Connect • Fixed
5 decors
Pg. 58
LED



GROOVE
Quick-Connect • Fixed •
Adjustable
LED



KANI
Quick-Connect • Fixed •
Adjustable
9 decors
Pg. 53
LED



KARLI
Quick-Connect • Fixed
9 decors
Pg. 59
LED



KIKI
Quick-Connect Only
4 decors
Pg. 61
LED



KONA
Quick-Connect • Fixed •
Adjustable
9 decors
Pg. 52
LED



KRISTALL 6
Quick-Connect • Fixed •
Adjustable
4 decors
Pg. 32
LED



LASSO
Quick-Connect • Fixed •
Adjustable
3 decors
Pg. 40
LED



MIA
Quick-Connect • Fixed •
Adjustable
15 decors
Pg. 51
LED



NICO 4
Quick-Connect • Fixed •
Adjustable
6 decors
Pg. 39
LED



PAHU 4
Quick-Connect • Fixed
4 decors
Pg. 43
LED



PALLA 5
Quick-Connect • Fixed •
Adjustable
7 decors
Pg. 49
LED



PERA 6
Quick-Connect • Fixed
12 decors
Pgs. 45
LED



PERI
Quick-Connect • Fixed •
Adjustable
5 decors
Pg. 43
LED



PICA 6
Quick-Connect • Fixed
6 decors
Pg. 30
LED



POGO
Quick-Connect • Fixed
4 decors
Pg. 36
LED



SABRINA
Quick-Connect • Fixed •
Adjustable
2 decors
Pg. 43
LED



SASHA
Quick-Connect • Fixed
15 decors
Pg. 50
LED



SCOPE
Quick-Connect • Fixed
4 decors
Pg. 29
LED



SPAZIO
Quick-Connect • Fixed •
Adjustable
Pg. 41
LED



SPRITE
Quick-Connect • Fixed
3 Decors
Pg. 26
LED



SPUTNIK
Fixed
Pg. 29
LED



STILO 7
Quick-Connect • Fixed
16 decors
Pg. 60
LED



TAY TAY
Quick-Connect • Fixed •
Adjustable
12 decors
Pg. 48
LED



TRILO 7
Quick-Connect • Fixed •
Adjustable
4 decors
Pg. 61
LED



TU TU
Quick-Connect • Fixed
9 decors
Pg. 56
LED



WILLOW
Quick-Connect • Fixed
Customizable
Pg. 34
LED



ZUMI
Quick-Connect Only
6 decors
Pg. 62
LED

PENDANTS



AMELIA 6
Cord • Stem
4 decors
Pg. 79



AMELIA 12/15/18
Cable • Stem
5 decors
Pg. 80
LED



BANA
Cord • Stem
3 decors
Pg. 66



BOLLA
Cord • Stem
12 decors
Pg. 92
LED



BRIO 14
Cord • Cable • Stem
2 decors
Pg. 78
LED



CALLISTO 12 / 14
Cable
3 decors
Pg. 112
LED



CAMINO
Cord • Stem
11 decors
Pg. 88



CHRISSY
Cord
11 decors
Pg. 89
LED



CIERRO
Cord • Cable • Stem
11 decors
Pg. 101
LED



COPA
Cord • Cable • Stem
8 decors
Pg. 93
LED



EUKA
Cord • Stem
3 decors
Pg. 74
LED



FALLA 6
Cord • Cable • Stem
2 decors
Pg. 75
LED



JORDO
Cable • Stem
Pg. 83
LED



JULI
Cord • Cable • Stem
6 decors
Pg. 104
LED



KRISTALL 8
Cord • Cable • Stem
4 decors
Pg. 72
LED



LUCIA
Cord • Cable • Stem
9 decors
Pg. 100
LED



LUNA
Cord • Cable • Stem
3 decors
Pg. 82
LED



MIRA
Cord • Stem
3 decors
Pg. 65



MILO 4
Cord
5 decors
Pg. 69



OLIN
Cord • Stem
3 decors
Pg. 67



PAHU 8 / 12 / 16
Cable • Stem
12 decors
Pg. 84-85
LED



PAPE 10 / 12
Cord • Cable • Stem
3 decors
Pg. 71
LED



PERA 6
Cord • Stem
12 decors
Pg. 90



PERA 9
Cord • Cable • Stem
12 decors
Pg. 96
LED



PICA 9
Cord • Cable • Stem
6 decors
Pg. 68
LED



PINTA 10 / 12
Cord • Cable • Stem
2 decors
Pg. 70



PORTO
Cord • Cable • Stem
8 decors
Pg. 105
LED



REFLEX
Cord
4 decors
Pg. 77
LED



RIVA 9
Cord • Cable • Stem
6 decors
Pg. 94
LED



SASHA II
Cord
15 decors
Pg. 86
LED



SPEZZA 7
Cord • Stem
2 decors
Pg. 76



STILO 7
Cord • Stem
16 decors
Pg. 91
LED



STILO 10
Cord • Cable • Stem
9 decors
Pg. 98
LED



STILO 16
Cord • Cable • Stem
8 decors
Pg. 99
LED



SUZI
Cord • Cable • Stem
10 decors
Pg. 97
LED



TAMBURO 8
Cable • Stem
16 decors
Pg. 110
LED



TAMBURO 16v2
Cable • Stem
10 decors
Pg. 111
LED



TAMBURO MOSIAC ONYX
Cable • Stem
Pg. 109
LED



TAO 10
Cord • Cable • Stem
9 decors
Pg. 95
LED



TARA
Cable • Stem • Cord
6 decors
Pg. 108
LED



TESSA
Cord • Cable • Stem
10 decors
Pg. 102
LED



TONDO 12
Cord • Cable • Stem
7 decors
Pg. 106
LED



TONDO 18
Cord • Cable • Stem
9 decors
Pg. 107
LED



TRILO 15
Cord • Cable • Stem
4 decors
Pg. 81
LED



TUTU
Cord • Stem
9 decors
Pg. 87
LED



VILA
Cord • Cable • Stem
12 decors
Pg. 103
LED



WAVE 10
Cord • Cable • Stem
3 decors
Pg. 73

LINEAR PENDANTS



BRELLA
Linear 2x Cable
3Lt., 5Lt.
9 decors
Pg. 119
LED



CANTO 5
Linear 2x Cable
3Lt., 5Lt.
6 decors
Pgs. 122
LED



COPA 3
Linear 2x Cable
3Lt., 5Lt.
Pgs. 122
LED



DIVI
Linear 2x Cable
3Lt., 5Lt.
13 decors
Pgs. 120
LED



GROOVE
Linear 2x Cable
3Lt., 5Lt.
Pgs. 118
LED



KANI
Linear 2x Cable
3Lt., 5Lt.
9 decors
Pg. 120
LED




LASSO
Linear 2x Cable
3Lt., 5Lt.
2 decors
Pg. 122
LED



MIA
Linear 2x Cable
3Lt., 5Lt.
15 decors
Pg. 119
LED



NICO 4
Linear 2x Cable
3Lt., 5Lt.
6 decors
Pg. 123
LED



PALLA 5
Linear 2x Cable
3Lt., 5Lt.
7 decors
Pg. 121
LED



PAHU 4
Linear 2x Cable
3Lt., 5Lt.
6 decors
Pg. 123
LED



SABRINA
Linear 2x Cable
3Lt., 5Lt.
2 decors
Pg. 122
LED



SILHOUETTE 28/36
Linear 2x Cable
3 decors
Pg. 115
LED



TAY TAY
Linear 2x Cable
3Lt., 5Lt.
12 decors
Pg. 121
LED

CEILING



BOBBI 10 / 12
Flush mount
Pg. 139
LED



GEO 9 / 11
Flush mount
Pg. 138
LED



GLITTER 15 / 18
Flush mount
Pg. 127
LED



KATIE 10 / 12
Flush mount
Pg. 139
LED



LUMA SLIM 12 / 14 / 18
Flush mount
Pg. 128
LED



MANTA 13 / 18
Flush mount
Pg. 131



NOVA 10 / 13 / 16
Flush mount
3 decors
Pg. 140
LED



PAHU 8 / 12 / 16
Semi-flush mount
12 decors
Pg. 142-143
LED



PINTA 12 / 15
Flush mount
2 decors
Pg. 136



RENFRO 16 / 20
Flush mount
Pg. 130



RING 13 / 15 / 19
Flush mount
7 decors
Pg. 125
LED



SLIPSTREAM SLIM 11 / 16
Flush mount
Pg. 129
LED



SOLA 10 / 12 / 16
Flush mount
3 decors
Pg. 141
LED



SONYA 13 / 17 / 20
Flush mount
Pg. 134-135
LED



SPEZZA 13 / 18
Flush mount
2 decors
Pg. 126



TAMBURO 16v2
Semi-flush mount
10 decors
Pg. 144-145
LED



TRIO 12 / 16 / 20
Flush mount
4 decors
Pg. 132-133
LED



WAVE 12 / 15
Flush mount
2 decors
Pg. 137

WALL LUMINAIRES



AERO 16 / 21
Sconce
Pg. 166
2 decors
ADA, LED



AERO
Vanity
1Lt., 2Lt., 3Lt.
2 decors
Pg. 177
LED



ALEX
Sconce/Vanity:
1Lt., 2Lt., 3Lt., 4Lt., 5Lt.
9 decors
Pg. 182
ADA, LED



BAAZ 16 / 20
Sconce
Pg. 164
LED



BAAZ
Vanity
1Lt., 2Lt., 3Lt.
Pg. 179
LED



BOLLA
Sconce/Vanity: 1Lt., 2Lt., 3Lt., 4Lt.
12 decors
Pg. 186
LED

CHOICE
COLLECTION



BRELLA
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
9 decors
Pg. 195
LED



CANTO 5
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
6 decors
Pg. 194
LED



CHELSEA
Sconce
11 decors
Pg. 152
ADA, LED

CHOICE
COLLECTION



CIRO
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt., 5Lt.
Pg. 183
ADA, LED



COPA 3
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
Pg. 197
LED



DARCI 16 / 21
Sconce
Pg. 165
ADA, LED



DARCI
Vanity
1Lt., 2Lt., 3Lt.
Pg. 178
LED



DIVI
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
14 decors
Pg. 192
LED



DIVI
Swing-arm
16 decors
Pg. 173



DOMI
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
12 decors
Pg. 194
LED



DOMI
Swing-arm
12 decors
Pg. 172



DORIAN 10/17
Sconce
3 decors
Pg. 160
ADA, LED




ELANA 26/38/50
Vanity
Pg. 175
LED



FALLA 6
Sconce
2 decors
Pg. 159
LED



FOCUS
Sconce/Vanity
4 decors
1Lt., 2Lt., 3Lt., 4Lt.
Pg. 191
LED



GROOVE
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
Pg. 191
LED



HOPPI
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
4 decors
Pg. 199
LED



JAMIE
Vanity
1Lt., 2Lt., 3Lt.
Pg. 180
LED



JODI
Vanity
1Lt., 2Lt., 3Lt.
Pg. 176
LED



KAILEE
Sconce
10 decors
Pg. 158
ADA, LED

CHOICE
COLLECTION



KANI
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
9 decors
Pg. 196
LED



KARLI
Sconce
9 decors
Pg. 150
LED

CHOICE
COLLECTION



KONA
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
9 decors
Pg. 196
LED



KONA
Swing-arms
9 decors
Pg. 171



LASSO
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
3 decors
Pg. 192
LED



LINA
Sconce
3 decors
Pg. 153
ADA, LED



LUMA 12 / 14 / 18
Sconce
Pg. 161
LED



MIRANDA 26
Sconce
Pg. 162
ADA, LED



METRO
Sconce
Pg. 149
ADA, LED



MIA
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
15 decors
Pg. 193
LED

WALL LUMINAIRES



MISTRAL
Sconce
Pg. 163
ADA, LED



NICO 4
Sconce/Vanity: 1Lt., 2Lt., 3Lt., 4Lt.
6 decors
Pg. 194
LED



NICO 3
Swing-arm
4 decors
Pg. 172



OPTOS
Sconce
10 lenses combination
Pg. 147
LED



PAHU 4
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
6 decors
Pg. 197
LED



PALLA 5
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
7 decors
Pg. 198
LED



PAOLO
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt., 5Lt.
5 decors
Pg. 181
ADA, LED



PERI
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
5 decors
Pg. 193
LED



POGO
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt., 5Lt.
3 decors
Pg. 184
LED



RISE
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
Pg. 185
LED



SABRINA
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
2 decors
Pg. 199
LED



SASHA II
Sconce/Vanity 1Lt., 2Lt., 3Lt., 4Lt.
15 decors
Pg. 187
LED



SPEZZA 7
Sconce
2 decors
Pg. 148



TAMBURO 7
Sconce
12 decors
Pgs. 156
ADA, LED



TAMBURO 8/11
Sconce
5 decors/3 decors
Pgs. 157
ADA, LED



TAY TAY
Sconce/Vanity
1Lt., 2Lt., 3Lt., 4Lt.
12 decors
Pg. 198
LED



TAY TAY
Swing-arm
12 decors
Pg. 171



TINO 13/18
Sconce
3 decors
Pg. 209
LED



TOMAS
Sconce
9 decors
Pg. 151
ADA, LED



TORRE 14 / 18 / 22
Sconce
8 decors
Pgs. 154-155
ADA, LED

OUTDOOR



BAAZ 16 / 20
Sconce
Pg. 210



BREE 11 / 16 / 26 / 38
Sconce
Pgs. 202-203
ADA



CIRRUS
Sconce
Pg. 213
ADA



GEO 5 / 9 / 11
Sconce
Pg. 211
ADA



MOTO 8 / 11 / 13
Sconces
Pg. 201
ADA



NAPOLI 11 / 16 / 26 / 38
Sconce
Pgs. 204-205
ADA



PRISMO 10 / 16
Sconce
Pg. 212



QUATRO 10
Sconce
Pg. 213



SAIL 13 / 17
Sconce
Pg. 208
ADA



SCALA 13 / 20 / 28 / 40
Sconces
Pgs. 206-207




TINO 13 / 18
Sconce
3 decors
Pg. 209

12V MONORAIL

Imagine the beauty of handcrafted Besa glass pendants and spotlights with the flexible design options of a high quality monorail system. Stylish flair united with practical function.



MONORAIL SYSTEM



LOW-PROFILE RAIL

- Less than half inch tall, one of the smallest rails on the market
- Hand-bendable, no tools required
- Brass rail keep its shape
- Field-cuttable

ACTUAL SIZE



EASY TO PLAN & ORDER

- Available as components or kits
- Simple 3 step planning guide builds your system ordering list (pg. 12)
- Designed to utilize our full line of 12v pendants and spotlights

MAXIMUM SYSTEM FLEXIBILITY

- Designed to achieve almost any system need
- Standoffs and transformers include optional hardware to accomodate multiple applications
- Simple line of components covers even complex plans such as sloped or high ceilings
- Low profile system options
- Support hardware designed to work with all power supply options. No confusion about which parts go with which transformers

RAIL & FITTING

RAIL SECTIONS

Low profile brass rail is hand-bendable and field-cuttable for a variety of configurations.

4FT: 48" L x 0.18" W x 0.4" H

8FT: 96" L x 0.18" W x 0.4" H



4' Rail Item / Finish

R12-RAIL4-BR Bronze

R12-RAIL4-SN Satin Nickel

8' Rail Item / Finish

R12-RAIL8-BR Bronze

R12-RAIL8-SN Satin Nickel

LIVE RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish

R12-ICONN-BR Bronze

R12-ICONN-SN Satin Nickel



ISOLATING RAIL CONNECTOR

Physically connects two rail sections, on separate transformers.

Item / Finish

R12-DCONN-BR Bronze

R12-DCONN-SN Satin Nickel



END CAP

Finish off the end of the rail.

Item / Finish

R12-NDCAP-BR Bronze

R12-NDCAP-SN Satin Nickel



LIVE "L" RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish

R12-LCONN-BR Bronze

R12-LCONN-SN Satin Nickel



SUPPORT HARDWARE

RIGID STANDOFF

For use with all power supplies. Includes dual height hardware, for either 2" or 4.75"

Item / Finish

R12-STAN1-BR Bronze

R12-STAN1-SN Satin Nickel



SWIVEL STANDOFF

For use on sloped ceilings with all power supplies. Post is field-cuttable for height adjustment. 4.75" H.

Item / Finish

R12-STAN2-BR Bronze

R12-STAN2-SN Satin Nickel



EXTENSION POSTS

Field-cuttable posts for longer suspensions with Besa standoffs (Rigid or Swivel).

R12-EXT06-BR 6"

R12-EXT06-SN

R12-EXT12-BR 12"

R12-EXT12-SN

R12-EXT18-BR 18"

R12-EXT18-SN

RAIL ADAPTER

For connecting Spotlight or Pendant Elements to Besa monorail systems. Available separately for use with #SP or #XP series elements, or included as part of the #RSP and #RXP element configurations.

Item / Finish

R12-QCADD-BR Bronze

R12-QCADD-SN Satin Nickel



ADJUSTABLE CABLE SUPPORT

For longer drops, includes 5' of cable. Recommended for use with minimal curves. Rail connection includes an adjustable cable retainer, for ease of use.

Item / Finish

R12-CBL60-BR Bronze

R12-CBL60-SN Satin Nickel



T-BAR CLIPS:

All Besa standoffs and cable supports are compatible with standard T-Bar clips, for use with suspended ceiling systems. Standard clips utilize a 1/4-20 threaded post, 5/8" long.

LOCATION: Besa monorail components are listed **DRY**

SURFACE POWER SUPPLIES

Electronic or Magnetic transformers provide 12V AC power output. Includes 2' of 10AWG Flexible Feed Cable.

150W ELECTRONIC TRANSFORMER:

Supports up to 3x 50W spotlights or pendants.
120V input.
Not recommended for LED items
5.5" Dia. x 3.25" H,
overall height with
rail connector 4.75"

R12-SA150-BR Bronze
R12-SA150-SN Satin Nickel

LOCATION: DRY



60W LED TRANSFORMER:

Low-profile LED rail power supply, specifically for use with LED spotlights and pendants.

60W no-load 12V dimmable electronic transformer fits in the junction box. No remote transformer required.

Supports up to 9x LED spotlights or pendants (6W max each)
Not recommended for standard halogen-lamped items

5" Dia. x 0.75" H,
overall height with
rail connector 2.0"

R12-SA60LED-BR Bronze, 120V
R12-SA60LED-BR-277 Bronze, 277V
R12-SA60LED-SN Satin Nickel, 120V
R12-SA60LED-SN-277 Satin Nickel, 277V



300W MAGNETIC TRANSFORMER:

Supports up to 6x 50W spotlights or pendants.
120V input.
8" Dia. x 3.25" H,
overall height with
rail connector 4.75"

R12-SM300-BR Bronze
R12-SM300-SN Satin Nickel

LOCATION: DRY



REMOTE TRANSFORMERS

Magnetic remote transformers provide 12V AC power output. Available for 120V or 277V input.

300W TRANSFORMER:

9.75" L x 4.25" D x 4" H
Multi-tap type compensates for voltage drop.
Provides 300W AC output at 12V.

R12-RM300-120 300W, 120V
R12-RM300-277 300W, 277V

LOCATION: DRY

600W TRANSFORMER:

9.75" L x 4.25" D x 4" H
Multi-tap type compensates for voltage drop.
Provides dual 300W AC output at 12V.
*single input design, so outputs can not be controlled separately.

R12-RM600-120 600W, 120V
R12-RM600-277 600W, 277V

LOCATION: DRY



POWER SUPPLY ACCESSORIES

REMOTE FEED CANOPY

For use with Remote Transformer applications,
includes 2' of 10AWG Flexible Feed Cable.

5" Dia. x 0.75" H,
overall height with
rail connector 2.0"



Remote Feed Canopy / Finish
R12-REMFC-BR Bronze
R12-REMFC-SN Satin Nickel

FLEXIBLE FEED CABLE

5 Ft. of cable for longer reach.
10AWG.



Feed Cable / Finish
R12-FLX60-BR Bronze
R12-FLX60-CL Clear

LOCATION: Besa monorail power supplies are listed **DRY**

SYSTEM ORDERING GUIDE

Covering almost any design need, our system components have been specifically designed to simplify the ordering process. Follow these 3 simple steps to determine the components you need (listed on pgs. 10-11).

Then choose your rail-ready spotlights and pendants from the following pages, using series #RSP (for spotlights) or #RXP (for pendants).

STEP

1 Select the appropriate power supply for your needs:

A) Determine total load

QTY Desired Light Elements = _____ x Wattage = _____ Total Load

B) When the Power Supply is local to the monorail (surface-mounted)

Total Load (Watts) _____ ÷ 60 = _____ (QTY) **R12-SA60LED** LED Surface Power Supply

OR Total Load (Watts) _____ ÷ 150 = _____ (QTY) **R12-SA150** Electronic Surface Transformer

OR Total Load (Watts) _____ ÷ 300 = _____ (QTY) **R12-SM300** Magnetic Surface Transformer

C) When the Power Supply is remote

Total Load (Watts) _____ ÷ 300 = _____ (QTY) **R12-RM300** Magnetic Remote Transformer

PLUS _____ (QTY) **R12-REMFC** Remote Feed Canopy
(required for each 300W of remote power supply)

Total Load Suggestions

- For all 50W elements, simply multiply QTY x50
- For elements with different lamp ratings, simply ADD all the wattages

For optimal performance, it is best to locate the feed near the center of the rail.

Note: 600W Remote Magnetic Transformer

- 600W Magnetic Remote Power Supply can be used to replace 2x 300W power supplies

STEP

2 Select your rail and fittings:

A) Rail Sections

Total Desired Length (in Ft) _____ ÷ by 8 = _____ (QTY) **R12-RAIL8** 8 Ft Sections

(if needed to achieve desired length) _____ (QTY) **R12-RAIL4** 4 Ft Sections

B) Live Rail Connectors

QTY Rail Sections _____ - QTY Power Supplies = _____ (QTY) **R12-ICONN** Live Rail Connectors

OR QTY Rail Sections _____ - QTY Power Supplies = _____ (QTY) **R12-LCONN** Live "L" Rail Connectors

C) Isolating Rail Connectors

QTY Power Supplies Per System _____ - 1 = _____ (QTY) **R12-DCONN** Isolating Rail Connectors
(may be 0 if qty of power supplies = 1)

D) End Caps

QTY Systems Ordered _____ x 2 = _____ (QTY) **R12-NDCAP** End Caps

Rail Length Suggestions

- For rail sections, round up or add 4' length(s)
- Curves require extra rail, we suggest adding 20% to the total

STEP

3 Select the right support hardware:

A) For Standard Flat Ceiling (rigid standoffs)

Total Length of System _____ ÷ 2 = _____ (QTY) **R12-STAN1** Rigid Standoffs

B) For Sloped Ceiling (swivel standoffs)

Total Length of System _____ ÷ 2 = _____ (QTY) **R12-STAN2** Swivel Standoffs
(sloped ceiling use typically requires extension posts, see at right)

C) For High Ceiling (adjustable cable support)

Total Length of System _____ ÷ 2 = _____ (QTY) **R12-CBL60** Adjustable Cable Supports

QTY Power Supplies per system = _____ (QTY) **R12-FLX60** Flexible Feed Cable

D) To Increase Height of Standoffs

QTY of Rigid or Swivel Standoffs _____ = _____ (QTY) **R12-EXT06** 6" Extension Posts
(choose extension length) _____ (QTY) **R12-EXT12** 12" Extension Posts

_____ (QTY) **R12-EXT18** 18" Extension Posts

Standoff Suggestions

- A surface transformer often acts as a support, which may reduce the qty of rigid standoffs by one
- On sloped ceilings, typically the height of the standoffs will vary, so extension posts may be required

Add finish choice to your part numbers: ☐ -BR Bronze ☐ -SN Satin Nickel


CABLE SUPPORT FOR HIGH CEILINGS

Using Adjustable Cable Supports allows Besa monorail to be used up to 5 feet below the ceiling. Use of Flexible Feed Cable is required to bring power down to the rail. Suitable for use on sloped ceilings.



STANDARD SURFACE-MOUNT

Besa's Rigid Standoffs and Swivel Standoffs are sized to match our Surface Transformers in height. This design puts the monorail 4.25 inches off the ceiling. The easiest type of system to plan and install, our Monorail Kits are designed in this configuration.



LOW PROFILE WITH REMOTE TRANSFORMERS

Besa's Rigid Standoffs include dual-height hardware, for use on lower ceilings, or with our Remote Feed Canopy or LED Surface Power Supply. This arrangement puts the monorail 2 inches off the ceiling.



MONORAIL KITS

Our packaged kits contain everything you need, except your pendants or spotlights (ordered separately).

8 FOOT 150W HARDWARE KIT

All mounting hardware included
Not suitable for sloped ceiling use
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- 150W surface-mount electronic transformer, 120V
(Supports up to 3x 50W elements)
- 3- Rigid Standoffs
- 2- Rail end caps



Kit Item Number / Description

- R12-K08SA-BR** 8' Monorail Kit, 150W Electronic Transformer, Bronze finish
- R12-K08SA-SN** 8' Monorail Kit, 150W Electronic Transformer, Satin Nickel finish

8 FOOT 300W HARDWARE KIT

All mounting hardware included
Not suitable for sloped ceiling use
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- 300W surface-mount magnetic transformer, 120V
(Supports up to 6x 50W elements, also supports LED)
- 3- Rigid Standoffs
- 2- Rail end caps



Kit Item Number / Description

- R12-K08SM-BR** 8' Monorail Kit, 300W Magnetic Transformer, Bronze finish
- R12-K08SM-SN** 8' Monorail Kit, 300W Magnetic Transformer, Satin Nickel finish

12 FOOT 300W HARDWARE KIT

All mounting hardware included
Not suitable for sloped ceiling use
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- Four foot rail section
- 1- 300W surface-mount magnetic transformer, 120V
(Supports up to 6x 50W elements, also supports LED)
- 5- Rigid Standoffs
- 1- Live rail connector
- 2- Rail end caps



Kit Item Number / Description

- R12-K12SM-BR** 12' Monorail Kit, 300W Magnetic Transformer, Bronze finish
- R12-K12SM-SN** 12' Monorail Kit, 300W Magnetic Transformer, Satin Nickel finish

8 FOOT 60W LED HARDWARE KIT

LED-ONLY RAIL KIT

All mounting hardware included
Not suitable for sloped ceiling use
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- 60W LED-only surface-mount power supply, 120V or 277V
(Supports up to 9x 6W elements)
- 3- Rigid Standoffs
- 2- Rail end caps



Kit Item Number / Description

- R12-K08LE-BR** 8' Monorail Kit, 60W LED Electronic Transformer, Bronze finish, 120V
- R12-K08LE-BR-277** 8' Monorail Kit, 60W LED Electronic Transformer, Bronze finish, 277V
- R12-K08LE-SN** 8' Monorail Kit, 60W LED Electronic Transformer, Satin Nickel finish, 120V
- R12-K08LE-SN-277** 8' Monorail Kit, 60W LED Electronic Transformer, Satin Nickel finish, 277V

MONORAIL KITS WITH LIGHT ELEMENTS

8 FOOT 60W LED TIPSTER SPOTLIGHT KIT

LED-ONLY RAIL KIT WITH TIPSTER SPOTLIGHTS

All mounting hardware included
Not suitable for sloped ceiling use
Dimmable
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- 60W LED-only surface-mount power supply, 120V or 277V
(Supports up to 9x 7W elements)
- 3- Rigid Standoffs
- 2- Rail end caps
- 6- Rail adapters
- 6- Tipster spotlights
- 6- 7W LED MR16 dimmable lamps



Kit Item Number / Description

R12-K08LE-QF3-BR	8'Tipster Monorail Kit, 60W LED Electronic Transformer, Bronze finish, 120V
R12-K08LE-QF3-BR-277	8'Tipster Monorail Kit, 60W LED Electronic Transformer, Bronze finish, 277V
R12-K08LE-QF3-SN	8'Tipster Monorail Kit, 60W LED Electronic Transformer, Satin Nickel finish, 120V
R12-K08LE-QF3-SN-277	8'Tipster Monorail Kit, 60W LED Electronic Transformer, Satin Nickel finish, 277V

8 FOOT 60W LED SCOPE KIT

LED-ONLY RAIL KIT WITH SCOPE PENDANTS AND SPOTLIGHTS

All mounting hardware included
Not suitable for sloped ceiling use
Non-dimmable
Elements ordered separately

INCLUDES:

- 1- Eight foot rail section
- 1- 60W LED-only surface-mount power supply, 120V or 277V
(Supports up to 9x 5W elements)
- 3- Rigid Standoffs
- 2- Rail end caps
- 6- Rail adapters
- 3- Scope pendants
- 3- Scope spotlights
- 6- 5W LED MR16 with backlight, dimmable lamps



SYSTEM	KIT	SCOPE OPTION	METAL FINISH	OPTIONS
R12 12V Rail	K08LE 8 Ft. LED	6524EA Amethyst/Frost	BR Bronze	(blank) 120V
		6524EC Clear/Frost	SN Satin Nickel	277 277V
		6524EG Armagnac/Frost		
		6524EL Olive/Frost		

Ex. R12-K08LE-6524EC-SN
8 Ft. Scope Clear/Frost LED Rail System, 120V




12V SPOTLIGHTS



Either as a complement to our 12V mini pendants or employed by themselves, our spotlights are an excellent combination of form & function.

SCOPE

12V SPOTLIGHTS



Scope is a compact cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 5W Replaceable 12V LED MR16 with backlight, dimmable, 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY


QUICK-CONNECT	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	6524EA Amethyst/Frost	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	6524EC Clear/Frost	LED 5W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	6524EG Armagnac/Frost		12 12"	
	6524EL Olive/Frost		18 18"	

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-6524OC-SN
Scope Spotlight w/ Clear Glass,
Satin Nickel Finish

MICA

12V SPOTLIGHTS



The Mica spotlight features an ultra-modern compact glass, that complements any aesthetic.

LAMP: 50W Shielded Flood 12V MR16, lamp included.

LOCATION: DRY



QUICK-CONNECT	DECOR	STEM OPTIONS	METAL FINISH
SP Jack Only	529725 Frost	(blank) Standard	BR Bronze
RSP Rail-Ready	529791 Trans. Amethyst	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5297TO Trans. Olive	12 12"	
		18 18"	

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-529725-SN
Mica Spotlight w/ Frost Glass,
Satin Nickel Finish

DIVI METAL

12V SPOTLIGHTS



Divi has a classical bell shape with either a spun metal or glass/foil shade.

LAMP: 50W Shielded Flood 12V MR16, *included*

LED: 7W Replaceable 12V LED MR16, dimmable, 82+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOCATION: DRY

QUICK-CONNECT -	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	1758CF Copper Foil	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	1758GF Gold Foil	LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	1758SF Silver Foil		12 12"	
	1858MB Metal Bronze		18 18"	
	1858MN Metal Satin Nickel			

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23


Ex. 1SP-1858GF-SN
Divi Spotlight w/ Gold Foil Glass,
Satin Nickel Finish

TIPSTER

12V SPOTLIGHTS



The Tipster spotlight features an off-axis wing for easy aiming. Minimalist design Halogen or LED lamping options.



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 7W Replaceable 12V LED MR16, dimmable, 82+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOCATION: DRY

QUICK-CONNECT	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	QF3 No Shade	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready		LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat			12 12"	
			18 18"	

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-QF3-SN
Tipster Spotlight w/ No Shade,
Satin Nickel Finish

NICO 3

12V SPOTLIGHTS




514500
CLEAR STONE
*shown with LED MR16

5145SF
STONE SILVER FOIL

5145CF
STONE COPPER FOIL

5145GF
STONE GOLD FOIL

Nico 3 features a tapered drum shape with a natural stone texture.



LAMP: 50W Shielded Flood 12V MR16, included

LED: 7W Replaceable 12V LED MR16, dimmable, 82+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOCATION: DRY

QUICK-CONNECT	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	514500 Clear Stone	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	5145CF Stone Copper Foil	LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5145GF Stone Gold Foil		12 12"	
	5145SF Stone Silver Foil		18 18"	

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-51450S-SN
Nico 3 Spotlight w/ Opal Stone Glass,
Satin Nickel Finish

DIVI

12V SPOTLIGHTS

CHOICE
COLLECTION



*Dicro glass is shown lit.
Appears mirror-like when unlit.

185807
OPAL MATTE

1858VM
VANILLA MATTE

185819
CARRERA

185841
GARNET


1858CE
CEYLON

185886
BLUE CLOUD

1858DW
BLACK DICRO WAVY

1858SW
SILVER DICRO WAVY

1858VB
BLACK DICRO VINE



Divi has a classical bell shape that complements any aesthetic, while also built for optimal illumination.

LAMP: 50W Shielded Flood 12V MR16, included
LED: 5W Replaceable 12V LED MR16 with backlight, dimmable, 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY



Detail

QUICK-CONNECT	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	185807 Opal Matte	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	185819 Carrera	LED 5W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	185841 Garnet		12 12"	
	185886 Blue Cloud		18 18"	
	185893 Dicro			
	185895 Pearl			
	1858CE Ceylon			
	1858DW Black Dicro Wavy			
	1858SW Silver Dicro Wavy			
	1858VB Black Dicro Vine			
	1858VM Vanilla Matte			



* Quick-Connect/Fixture/
Canopy Information
and options: pg. 23

Ex. 1SP-185841-SN
Divi Spotlight w/ Garnet Glass,
Satin Nickel Finish

PALLA 3

12V SPOTLIGHTS

CHOICE
COLLECTION



The Palla 3 spotlight features a diminutive orb-shaped glass, that merges easily in modern environments.

LAMP: 35W Shielded Flood 12V MR11, lamp included.

LOCATION: DRY



QUICK-CONNECT -	DECOR	STEM OPTIONS -	METAL FINISH
SP Jack Only	155907 Opal Matte	(blank) Standard	BR Bronze
RSP Rail-Ready	155918 Amber Cloud	06 6"	SN Satin Nickel
1SP 1 Lt Flat	155919 Carrera	12 12"	
	155941 Garnet	18 18"	
	1559CE Ceylon		
	1559MA Magma		


* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-155919-SN
Palla 3 Spotlight w/ Carrera Glass,
Satin Nickel Finish

CANTO 3

12V SPOTLIGHTS

CHOICE
COLLECTION



Canto 3 features a tapered drum shape that shows its versatility in all designs.

LAMP: 35W Shielded Flood 12V MR11, lamp included.

LOCATION: DRY



QUICK-CONNECT -	DECOR	STEM OPTIONS -	METAL FINISH
SP Jack Only	504207 White	(blank) Standard	BR Bronze
RSP Rail-Ready	504280 Amber Matte	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5042GY Bicolor Green/Yellow	12 12"	
	5042OP Bicolor Orange/Pina	18 18"	
	5042RM Ruby Matte		
	5042SL Solare		
	5042VM Vanilla Matte		

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-504207-SN
Canto 3 Spotlight w/ White Glass,
Satin Nickel Finish

ANDI


12V SPOTLIGHTS

CHOICE
COLLECTION



5044SL
SOLARE

5044GY
BICOLOR
GREEN/YELLOW



Andi has an elongated bell shape that complements aesthetic, while also built for optimal illumination

LAMP: 35W Shielded Flood 12V MR11, included

LOCATION: DRY

504431
RED MATTE

504487
BLUE MATTE

50440P
BICOLOR
ORANGE/PINA



5044MG
MARBLE GRIGIO

5044HB
HABANERO

5044MA
MAGMA



QUICK-CONNECT -	DECOR	STEM OPTIONS	METAL FINISH
SP Jack Only	504431 Red Matte	(blank) Standard	BR Bronze
RSP Rail-Ready	504487 Blue Matte	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5044GY Bicolor Green/Yellow	12 12"	
	5044HB Habanero	18 18"	
	5044MA Magma		
	5044MG Marble Grigio		
	50440P Bicolor Orange/Pina		
	5044SL Solare		

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-5044MA-SN
Andi Spotlight w/ Magma Glass,
Satin Nickel Finish

TAMMI 3


12V SPOTLIGHTS

CHOICE
COLLECTION



5118CH
CHERRY

5118KR
CHALK



Tammi 3 features a tapered drum shape, open at the top, that fits beautifully in transitional spaces.

LAMP: 50W Shielded Flood 12V MR16, included
LED: 5W Replaceable 12V LED MR16 with backlight, dimmable, 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY

511807
WHITE

5118VM
VANILLA MATTE

511880
AMBER MATTE



5118AM
APRICOT MATTE

5118OK
OAK

5118TN
TITAN



QUICK-CONNECT -	DECOR	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	511807 White	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	511880 Amber Matte	LED 5W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5118AM Apricot Matte		12 12"	
	5118CH Cherry		18 18"	
	5118KR Chalk			
	5118OK Oak			
	5118TN Titan			
	5118VM Vanilla Matte			

* Quick-Connect/Fixture/
Canopy information
and options: pg. 23

Ex. 1SP-5118CH-SN
Tammi 3 Spotlight w/ Cherry Glass,
Satin Nickel Finish

TECHNICAL INFORMATION

QUICK-CONNECT OPTIONS

SP SPOTLIGHT ELEMENT ONLY



- Spotlight Fixture with Shade
- Quick-Connect Jack integral
- Compatible with Besa Quick-Connect Canopies and Rail Adapter


RSP SPOTLIGHT + RAIL ADAPTER



READY FOR RAIL

- Spotlight Fixture with Shade, plus Rail Adapter
- Quick-Connect Jack integral
- Compatible with Besa Monorail System

1SP SPOTLIGHT + MONOPOINT FLAT CANOPY



- Spotlight Fixture with Shade, plus Flat Canopy
- Quick-Connect Jack integral
- Integral Quick-Connect adapter
- 1x electronic 60W transformer fits partially in junction box

ADDITIONAL OPTIONS

LONGER STEM OPTIONS

Our spotlights have a standard stem 1.5" long. When you need a spotlight with a longer drop, order a stem length of 6", 12" or 18".


Note: These are NOT field installable. The complete unit is built at the factory.

Available options are

SP06 - 6" stem adds 3.625" to overall length

SP12 - 12" stem adds 9.625" to overall length

SP18 - 18" stem adds 15.625" to overall length



QUICK-CONNECT CANOPIES

Compatible with Besa quick-connect SP series spotlights and XP series pendants. Installs easily on standard ceiling junction box. Integral low voltage (12V output) 60W Class 2 electronic transformers. No-load type for LED compatibility. 120V or 277V input.

MONOPOINT CANOPIES



- Flat Style.
T21Q-BR Bronze, 120V
T21Q-BR-277 Bronze, 277V
T21Q-SN Satin Nickel, 120V
T21Q-SN-277 Satin Nickel, 277V



- Dome Style
T21MQ-BR Bronze, 120V
T21MQ-BR-277 Bronze, 277V
T21MQ-SN Satin Nickel, 120V
T21MQ-SN-277 Satin Nickel, 277V

3 LIGHT CANOPIES



- 3 Light Linear
T23BQ-BR Bronze, 120V
T23BQ-BR-277 Bronze, 277V
T23BQ-SN Satin Nickel, 120V
T23BQ-SN-277 Satin Nickel, 277V



- 3 Light Round
T23XQ-BR Bronze, 120V
T23XQ-BR-277 Bronze, 277V
T23XQ-SN Satin Nickel, 120V
T23XQ-SN-277 Satin Nickel, 277V




- 3 Light Large Round
T23XL-BR Bronze, 120V
T23XL-BR-277 Bronze, 277V
T23XL-SN Satin Nickel, 120V
T23XL-SN-277 Satin Nickel, 277V

6 LIGHT CANOPIES



- 6 Light Round
T26XQ-BR Bronze, 120V
T26XQ-BR-277 Bronze, 277V
T26XQ-SN Satin Nickel, 120V
T26XQ-SN-277 Satin Nickel, 277V

BAR CANOPIES



- 3 Light Bar
T23VQ-BR Bronze, 120V
T23VQ-BR-277 Bronze, 277V
T23VQ-SN Satin Nickel, 120V
T23VQ-SN-277 Satin Nickel, 277V

Quick-Connect canopies and accessories open up more lighting possibilities



3 Light round canopy
T23XQ-SN with Mica
Amethyst spotlights

LOCATION: Besa spotlights are listed **DRY**

12V MINI PENDANTS

With our wide range of unique and appealing glasses, our mini pendants can be the crowning jewel of any space.



BOTELLA 10 / 12

12V MINI PENDANTS



1684AF
10" AMBER-FROST



1684WF
10" WHITE-FROST



1685GF
12" GREEN-FROST



1685BF
12" BLUE-FROST

1684GF
10" GREEN-FROST



1684BF
10" BLUE-FROST




1685WF
12" WHITE-FROST



1685AF
12" AMBER-FROST



C3X



C6X



Create multilight clusters with wireforms

Order the **C3X** or **C6X** wireform to create 3 or 6 light clusters. Available in **BR** or **SN**.

3 Light Clusters:
Order C3X with **T23XQ-BR** or **SN**

6 Light Clusters:
Order C6X with **T26XQ-BR** or **SN**

Botella 10: #1684 Botella 12: #1685



Available in two sizes and four frosted colors, our Botella's are inspired by the timeless and cherished fermented grape beverages.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1684AF 10" Amber-Frost	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	1684BF 10" Blue-Frost	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	1684GF 10" Green-Frost			
1XP Flat Canopy	1684WF 10" White-Frost			
	1685AF 12" Amber-Frost			
Pendant Fixtures	1685BF 12" Blue-Frost			
1XC Dome Canopy	1685GF 12" Green-Frost			
1XT Flat Canopy	1685WF 12" White-Frost			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-1684AF-SN

Botella 10 Mini Pendant w/ 10" Amber-Frost Glass, Satin Nickel Finish

SPRITE


12V MINI PENDANTS



1716HN
HONEY

1716BL
BLUE TWIST

1716SK
SMOKE TWIST



The compact sized Sprite is a modern and pleasing ovoid shape, with open bottom, that will fit seamlessly into any contemporary space.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: **DRY**

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1716BL Blue Twist	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	1716HN Honey	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	1716SK Smoke Twist			
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-1716BL-SN
Sprite Mini Pendant w/ Blue Twist Glass, Satin Nickel Finish

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

FALLA


12V MINI PENDANTS



FALLQZ
QUARTZ



FALLCF
COFFEE



Falla is a contemporary broad-shaped cylinder, with closed top and lightly frosted interior, resulting in a new spin on a timeless look.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	FALLCF Coffee	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	FALLQZ Quartz	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

*Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

*LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-FALLCF-SN


Falla Mini Pendant w/ Coffee Glass,
Satin Nickel Finish

FLOWER

12V MINI PENDANTS



Our Flower LED Pendant is a compactly radiused machined aluminum design with multiple tiered acrylic rings and a frosted acrylic diffuser for shielding the light source. The interesting play of light through the acrylic accents make for a bold appearance, and along with the strong burst of focused downlight makes the Flower ideal for task oriented applications in modern environments.



LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
Pendant Fixtures	FLOWAM Amber	LED 6W LED	SN Satin Nickel
1XT Flat Canopy	FLOWBL Blue		
	FLOWCL Clear		


Ex. 1XT-FLOWAM-LED-SN

Flower LED Mini Pendant, Amber Acrylics, Satin Nickel Finish



ACRYLIC RINGS AVAILABLE IN SMALL (S) OR LARGE (L) FOR CUSTOMIZATION

			
FLOWBL-S or FLOWBL-L BLUE	FLOWAM-S or FLOWAM-L AMBER	FLOWRD-S or FLOWRD-L RED	FLOWYL-S or FLOWYL-L YELLOW
			
FLOWSL-S or FLOWSL-L SILVER	FLOWPL-S or FLOWPL-L PURPLE	FLOWBK-S or FLOWBK-L BLACK	FLOWGR-S or FLOWGR-L GREEN




*Shown with Green and Yellow customization

Order **1XT-FLOWCL-LED-SN** along with Rings indicated above.

SPUTNIK

12V MINI PENDANTS



Our Sputnik LED Pendant is a clean and simple machined aluminum design with a frosted acrylic diffuser for shielding the light source. The diminutive scale, along with the strong burst of focused downlight is ideal for task oriented applications in modern environments.

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY



SPUTNIK

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
Pendant Fixtures 1XT Flat Canopy	SPUTNK Sputnik	LED 6W LED	SN Satin Nickel

Ex. 1XT-SPUTNK-LED-SN

Sputnik LED Mini Pendant,
Satin Nickel Finish

SCOPE

12V MINI PENDANTS



6524EG
Trans. Amethyst/Frost
* shown with Bronze finish



6524EA
Trans. Amethyst/Frost




6524EC
Clear/Frost



6524EL
Trans. Olive/Frost

Scope is a compact cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



Scope is made of borosilicate glass

LAMP: 50W Shielded Flood 12V MR16, included

LED: 5W Replaceable 12V LED MR16 with backlight, dimmable, 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	6524EA Amethyst/Frost	(blank) 50W Hal MR16	BR Bronze	L 15' cord
XP Jack Only	6524EC Clear/Frost	LED 5W LED, dimmable	SN Satin Nickel	
RXP Rail-Ready	6524EG Armagnac/Frost			
1XP Flat Canopy	6524EL Olive/Frost			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-6524EC-SN

Scope Mini Pendant w/ Clear/Frost Glass,
Satin Nickel Finish


PICA 6

12V MINI PENDANTS



PIC6TN
TAN SAND

PIC6GD
GOLD SAND




PIC6WH
WHITE SAND

PIC6CR
CREME SAND

PIC6RD
RED SAND

PIC6BL
BLUE SAND



Pica 6 is a compact tapered glass treated with a band of natural sand applied to the interior with a broad angled top and a chamfer-cut bottom, its retro styling will gracefully blend into today's environments.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	PIC6BL Blue Sand	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	PIC6CR Creme Sand	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	PIC6GD Gold Sand			
1XP Flat Canopy	PIC6RD Red Sand			
	PIC6TN Tan Sand			
	PIC6WH White Sand			


* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-PIC6TN-SN
Pica 6 Mini Pendant w/ Tan Sand Glass, Satin Nickel Finish

F O C U S

12V MINI PENDANTS



The Focus has a glossy Opal body with a fused lens at the bottom, with a choice of four lens styles. The dicro lens cast colored light onto adjacent surfaces.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	2633CD Cool Dicro	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	2633CL Clear	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	2633FR Frost			
1XP Flat Canopy	2633WD Warm Dicro			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-2633FR-SN

Focus Mini Pendant w/ Opal Glass/Frost Lens, Satin Nickel Finish

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

K R I S T A L L 6

12V MINI PENDANTS




461500
CLEAR

461502
SMOKE

461582
AMBER

4615GL
GLITTER



The Kristall is a transparent globe shape, with distinctive ridges, that fits gracefully into contemporary spaces.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION

Quick-Connect
XP Jack Only
RXP Rail-Ready
1XP Flat Canopy

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

GLASS OPTIONS

461500 6" Clear
461502 6" Smoke
461582 6" Amber
4615GL 6" Glitter

LAMP OPTIONS

(blank) 35W Hal
LED* 6W LED

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

METAL FINISH

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord

Ex. 1XT-461502-SN
Kristall 6 Mini Pendant w/ Smoke Glass,
Satin Nickel Finish

DIVI


12V MINI PENDANTS



1858PD
PINK DICRO



1858SD
SKY DICRO



Divi has a classical bell shape that complements any aesthetic, while also built for optimal illumination. The dichroic coating emits a striking splash of vibrant cyan or pink color.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1858PD Pink Dichro	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	1858SD Sky Dichro	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-1858SD-SN


Divi Mini Pendant w/ Sky Dichro Glass, Satin Nickel Finish

WILLOW

12V MINI PENDANTS



1688WW
CRYSTAL RODS



Willow is an exciting composition created by a clear tubular glass, which encases sparkling crystal-like beads on chrome rods.

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
Quick-Connect	1688WW Crystal Rods	LED 6W LED	SN Satin Nickel
1XP Flat Canopy			
Pendant Fixtures			
1XT Flat Canopy			

Ex. 1XP-1688WW-LED-SN
Willow LED Mini Pendant w/ Clear-Crystal Rods,
Satin Nickel Finish

B R I O 7


12V MINI PENDANTS



2492SF
SILVER FOIL



2492GF
GOLD FOIL



The Brio 7 is a wide yet compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows beautifully and bottom clear glass emits a sparkle.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	2492GF Gold Foil	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	2492SF Silver Foil	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lighting information and options: pg. 63.

Ex. 1XT-2492GF-SN
Brio 7 Mini Pendant w/ Gold Foil Glass, Satin Nickel Finish

P O G O

12V MINI PENDANTS



4293SF
WHITE/INNER SILVER




4293GF
BLACK/INNER GOLD



4293SS
SILVER/INNER SILVER



4293GG
GOLD/INNER GOLD



The Pogo is a playful double-glass pendant, with a globe-shaped opal glass centered in a radiused glass ring.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	4293GG Gold/Inner Gold	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	4293GF Black/Inner Gold	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	4293SF White/Inner Silver			
1XP Flat Canopy	4293SS Silver/Inner Silver			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-4293GF-SN
Pogo Mini Pendant w/ Black/Inner Gold Glass,
Satin Nickel Finish

PAHU 4

12V MINI PENDANTS



C44007
Clear/Opal



Y44007
Trans. Gold/Opal



G44007
Trans. Armagnac/Opal
* shown with Bronze finish




L44007
Trans. Olive/Opal



S44007
Trans. Smoke/Opal



A44007
Trans. Amethyst/Opal



The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a transparent outer glass.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	A44007 Trans. Amethyst/Opal	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	C44007 Clear/Opal	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	G44007 Trans. Armagnac/Opal	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	L44007 Trans. Olive/Opal			
	S44007 Trans. Smoke/Opal			
	Y44007 Trans. Gold/Opal			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				


* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-C44007-SN

Pahu 4 Mini Pendant w/ Clear/Opal Glass, Satin Nickel Finish

GROOVE

12V MINI PENDANTS




*Groove shown lit



6773MR
MIRROR-FROST

*Groove shown unlit



The Groove is a unique piece comprised of multiple segments of two-way mirrored glass, with a frosted band that displays when lit.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	6773MR Mirror-Frost	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				

*LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

*Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-6773MR-SN

Groove Mini Pendant w/ Mirror-Frost Glass, Satin Nickel Finish

NICO 4

12V MINI PENDANTS



5125SF
STONE SILVER FOIL



5125GL
GLITTER STONE



512500
CLEAR STONE
* shown with 1XA
Adjustable

5125OS
OPAL STONE




5125GF
STONE GOLD FOIL



5125CF
STONE COPPER FOIL



Nico 4 features a tapered drum shape with a natural stone texture.



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY


CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	512500 Clear Stone	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	5125CF Stone Copper Foil	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	5125GF Stone Gold Foil	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	5125GL Glitter Stone			
	5125OS Opal Stone			
	5125SF Stone Silver Foil			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				

Ex. 1XT-512500-SN
Nico 4 Mini Pendant w/ Clear Stone Glass, Satin Nickel Finish

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

LASSO

12V MINI PENDANTS



The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	561207 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	5612GD Gold Glitter	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	5612GL Glitter			
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				


** LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options*

** Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.*

Ex. 1XT-5612GL-SN
Lasso Mini Pendant w/ Glitter Glass, Satin Nickel Finish

HOPPI

12V MINI PENDANTS



The Hoppi pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

Asymmetric glass design

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	181304 Marble/Clear	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	181305 Mocha/Clear	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	191352 Marble			
1XP Flat Canopy	191383 Mocha			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy


Adjustable
1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-191352-SN
Hoppi Mini Pendant w/ Marble Glass,
Satin Nickel Finish

SPAZIO

12V MINI PENDANTS



The Spazio pendant features two softly radiused glasses, fused together to create a refined contemporary look.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	629406 Opal Glossy	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-629406-SN
Spazio Mini Pendant w/ Opal Glossy Glass,
Satin Nickel Finish




629406
OPAL GLOSSY

J O D I

12V MINI PENDANTS



673006
OPAL GLOSSY



The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass fused at each end.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	673006 Opal Glossy	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				


** LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options*

Adjustable
1XA Flat Canopy
** Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.*

Ex. 1XT-673006-SN
Jodi Mini Pendant w/ Opal Glossy Glass, Satin Nickel Finish

S A B R I N A

12V MINI PENDANTS



Sabrina has a classical bell shape that complements any aesthetic, while also built for optimal illumination.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	5440SW Silver Dicro Wavy	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	5440VB Black Dicro Vine	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready				
1XP Flat Canopy				

Pendant Fixtures

1XC Dome Canopy

1XT Flat Canopy

Adjustable

1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-5440SW-SN

Sabrina Mini Pendant w/ Silver Dicro Wavy Glass,
Satin Nickel Finish



5440SW
SILVER DICRO WAVY



5440VB
BLACK DICRO VINE
* shown with 1XA
Adjustable

P E R I

12V MINI PENDANTS


541007
OPAL MATTE



5410VM
VANILLA MATTE



541080
AMBER MATTE



The Peri is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY



541087
BLUE MATTE



541035
CHARTREUSE
* shown with 1XA
Adjustable

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	541007 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	541035 Chartreuse	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	541080 Amber Matte			
1XP Flat Canopy	541087 Blue Matte			
	5410VM Vanilla Matte			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable

1XA Flat Canopy

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-541035-SN

Peri Mini Pendant w/ Chartreuse Glass,
Satin Nickel Finish

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

AMELIA 6

12V MINI PENDANTS



4477WC
WHITE HAND-CUT




4477BC
BLACK HAND-CUT



4477CS
COSMIC



4477GL
GLITTER



Amelia 6 features a tapered drum shape that fits beautifully in transitional spaces.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	4477BC Black Hand-cut	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	4477CS Cosmic	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	4477GL Glitter			
1XP Flat Canopy	4477WC White Hand-cut			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-4477GL-SN
Amelia 6 Mini Pendant w/ Glitter Glass, Satin Nickel Finish

PERA 6

12V MINI PENDANTS

CHOICE
COLLECTION





171318
AMBER CLOUD



1713CE
CEYLON



1713HN
HONEY



The Pera 6 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	171307 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	171318 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	171319 Carrera	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	171341 Garnet			
	171380 Amber Matte			
	171386 Blue Cloud			
	1713CE Ceylon			
Pendant Fixtures	1713HB Habanero			
1XC Dome Canopy	1713HN Honey			
1XT Flat Canopy	1713MA Magma			
	1713MG Marble Grigio			
	1713VM Vanilla Matte			

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-171319-SN
Pera 6 Mini Pendant w/ Carrera Glass,
Satin Nickel Finish

BRELLA

12V MINI PENDANTS

CHOICE
COLLECTION



4679CH
CHERRY

* shown with 1XA
Adjustable

4679OK
OAK

4679KR
CHALK

467907
OPAL MATTE

467952
MARBLE


467983
MOCHA



46790P
BICOLOR ORANGE/PINA

4679SL
SOLARE

4679TN
TITAN



Brella has a classical bell shape that complements aesthetic, while also built for optimal illumination.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	467907 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	467952 Marble	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	467983 Mocha			
1XP Flat Canopy	4679CH Cherry			
	4679KR Chalk			
Pendant Fixtures	4679OK Oak			
1XC Dome Canopy	46790P Bicolor Orange/Pina			
1XT Flat Canopy	4679SL Solare			
	4679TN Titan			
Adjustable				
1XA Flat Canopy				


* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-467983-SN
Brella Mini Pendant w/ Mocha Glass, Satin Nickel Finish

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

DOMI

12V MINI PENDANTS



Domi has a compact bell shape that complements aesthetic, while also built for optimal illumination.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	174307 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	174331 Red Matte	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	174352 Marble			
1XP Flat Canopy	174383 Mocha			
	174387 Blue Matte			
Pendant Fixtures	1743CH Cherry			
1XC Dome Canopy	1743KR Chalk			
1XT Flat Canopy	1743OK Oak			
	1743OP Bicolor Orange/Pina			
Adjustable	1743SL Solare			
1XA Flat Canopy	1743TN Titan			
	184395 Pearl			

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-1743OK-SN
Domi Mini Pendant w/ Oak Glass,
Satin Nickel Finish

TAY TAY

12V MINI PENDANTS

CHOICE
COLLECTION



5605MA
MAGMA



560560
COCOON



5605HN
HONEY
* shown with 1XA
Adjustable

560507
OPAL MATTE



560580
AMBER MATTE



5605VM
VANILLA MATTE



560519
CARRERA



5605HB
HABANERO



560518
AMBER CLOUD




560541
GARNET



5605CE
CEYLON



560586
BLUE CLOUD



The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	560507 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	560518 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	560519 Carrera			
1XP Flat Canopy	560541 Garnet			
	560560 Cocoon			
Pendant Fixtures	560580 Amber Matte			
1XC Dome Canopy	560586 Blue Cloud			
1XT Flat Canopy	5605CE Ceylon			
	5605HB Habanero			
Adjustable	5605HN Honey			
1XA Flat Canopy	5605MA Magma			
	5605VM Vanilla Matte			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options


* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-560518-SN
Tay Tay Mini Pendant w/ Amber Cloud Glass, Satin Nickel Finish

PALLA 5

12V MINI PENDANTS

CHOICE
COLLECTION



The Palla 5 features a diminutive orb-shaped glass, that merges easily into modern environments.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	565807 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	565818 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	565819 Carrera			
1XP Flat Canopy	565841 Garnet			
	5658CE Ceylon			
Pendant Fixtures	5658HB Habanero			
1XC Dome Canopy	5658MA Magma			
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-565841-SN
Palla 5 Mini Pendant w/ Garnet Glass, Satin Nickel Finish


SASHA

12V MINI PENDANTS

CHOICE
COLLECTION



Sasha has a broad bell shape that complements aesthetic, while also built for optimal illumination.



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	757007 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	757018 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	757019 Carrera	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	757041 Garnet			
	757080 Amber Matte			
Pendant Fixtures	757086 Blue Cloud			
1XC Dome Canopy	7570CE Ceylon			
1XT Flat Canopy	7570CF Copper Foil			
	7570GF Gold Foil			
	7570HB Habanero			
	7570HN Honey			
	7570HV Halva			
	7570MA Magma			
	7570MG Marble Grigio			
	7570SF Silver Foil			

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-7570CE-SN
Sasha Mini Pendant w/ Ceylon Glass,
Satin Nickel Finish

M I A

12V MINI PENDANTS



1779HV
HALVA



1779HN
HONEY



1779CE
CEYLON
* shown with 1XA
Adjustable

177907
OPAL MATTE



177980
AMBER MATTE



177919
CARRERA



1779MG
MARBLE GRIGIO



177918
AMBER CLOUD



1779HB
HABANERO



1779MA
MAGMA



177941
GARNET



177986
BLUE CLOUD




1779GF
GOLD FOIL



1779CF
COPPER FOIL



1779SF
SILVER FOIL



Mia has an elongated bell shape that complements aesthetic, while also built for optimal illumination.

LAMP: 50W Low-pressure Halogen 12V
Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+
CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	177907 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	177918 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	177919 Carrera	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	177941 Garnet			
	177980 Amber Matte			
Pendant Fixtures	177986 Blue Cloud			
1XC Dome Canopy	1779CE Ceylon			
1XT Flat Canopy	1779CF Copper Foil			
	1779GF Gold Foil			
Adjustable	1779HB Habanero			
1XA Flat Canopy	1779HN Honey			
* Quick-Connect/Fixture/ Canopy/Multilight/ Lamping information and options: pg. 63.	1779HV Halva			
	1779MA Magma			
	1779MG Marble Grigio			
	1779SF Silver Foil			

Ex. 1XT-177919-SN
Mia Mini Pendant w/ Carrera Glass,
Satin Nickel Finish

KONA

12V MINI PENDANTS

CHOICE
COLLECTION




117691
BI-COLOR



550493
DICRO SWIRL
* shown with 1XA
Adjustable



117681
SUNSET



The Kona pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	117607 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	117652 Marble	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	117681 Sunset			
1XP Flat Canopy	117687 Blue Matte			
	117691 Bi-Color			
Pendant Fixtures	282453 White Starpoint			
1XC Dome Canopy	282484 Blue Starpoint			
1XT Flat Canopy	282490 Mango Starpoint			
	550493 Dicro Swirl			
Adjustable				
1XA Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options


* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-117691-SN
Kona Mini Pendant w/ Bi-color Glass, Satin Nickel Finish

KANI

12V MINI PENDANTS

CHOICE
COLLECTION



The Kani features a compact cone-shaped glass, that will gracefully blend into almost any decorating theme.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	512107 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	512118 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	512119 Carrera			
1XP Flat Canopy	512141 Garnet			
	512186 Blue Cloud			
Pendant Fixtures	5121CM Cobalt Blue Matte			
1XC Dome Canopy	5121HN Honey			
1XT Flat Canopy	5121RM Ruby Matte			
	5121VM Vanilla Matte			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Adjustable
1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-512141-SN
Kani Mini Pendant w/ Garnet Glass,
Satin Nickel Finish

CAMINO

12V MINI PENDANTS


CHOICE
COLLECTION



5674HN
HONEY



567418
AMBER CLOUD



5674CE
CEYLON

567407
OPAL MATTE



5674VM
VANILLA MATTE



567480
AMBER MATTE



5674RM
RUBY MATTE



5674CM
COBALT BLUE MATTE




567419
CARRERA



567441
GARNET



567486
BLUE CLOUD



Camino is a softly tapered narrow cylinder, creating a refined contemporary look.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	567407 Opal Matte	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	567418 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	567419 Carrera			
1XP Flat Canopy	567441 Garnet			
	567480 Amber Matte			
	567486 Blue Cloud			
	5674CE Ceylon			
	5674CM Cobalt Blue Matte			
	5674HN Honey			
	5674RM Ruby Matte			
	5674VM Vanilla Matte			


* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

Ex. 1XT-567418-SN
Camino Mini Pendant w/ Amber Cloud Glass, Satin Nickel Finish

COPA

12V MINI PENDANTS

CHOICE
COLLECTION



493041
GARNET



493019
CARRERA



4930CE
CEYLON

493007
OPAL MATTE



4930VM
VANILLA MATTE




493080
AMBER MATTE



4930HN
HONEY



493018
AMBER CLOUD



Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	493007 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	493018 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	493019 Carrera			
1XP Flat Canopy	493041 Garnet			
	493080 Amber Matte			
Pendant Fixtures	4930CE Ceylon			
1XC Dome Canopy	4930HN Honey			
1XT Flat Canopy	4930VM Vanilla Matte			

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-4930HN-SN
Copa Mini Pendant w/ Honey Glass, Satin Nickel Finish

T U T U

12V MINI PENDANTS

CHOICE
COLLECTION



412119
CARRERA



4121HN
HONEY



4121MA
MAGMA

412107
OPAL MATTE



412118
AMBER CLOUD



4121HB
HABANERO





412141
GARNET



4121CE
CEYLON



412186
BLUE CLOUD



The Tu Tu is a slender yet shapely handcrafted glass with a open top and bottom.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	412107 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	412118 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	412119 Carrera			
1XP Flat Canopy	412141 Garnet			
	412186 Blue Cloud			
Pendant Fixtures	4121CE Ceylon			
1XC Dome Canopy	4121HB Habanero			
1XT Flat Canopy	4121HN Honey			
	4121MA Magma			

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-412186-SN
Tu Tu Mini Pendant w/ Blue Cloud Glass,
Satin Nickel Finish

CANTO 5

12V MINI PENDANTS



5131SL
SOLARE



513131
RED MATTE



513107
OPAL MATTE


513180
AMBER MATTE



51310P
BICOLOR ORANGE/PINA



5131GY
BICOLOR GREEN/YELLOW



Canto 5 features a tapered drum shape that shows its versatility in all designs.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	513107 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	513180 Amber Matte	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	513131 Red Matte			
1XP Flat Canopy	5131GY Bicolor Green/Yellow			
	51310P Bicolor Orange/Pina			
	5131SL Solare			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options

* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XT-513131-SN
Canto 5 Mini Pendant w/ Red Matte Glass, Satin Nickel Finish

JULIETTE

12V MINI PENDANTS

CHOICE
COLLECTION



409606
OPAL GLOSSY



4096VG
VANILLA GLOSSY



409618
AMBER CLOUD



409641
GARNET



4096CE
CEYLON



The Juliette pendant inverts a narrow teardrop glass, resulting in a unique addition to any environment.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	409606 Opal Glossy	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	409618 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	409641 Garnet			
1XP Flat Canopy	4096CE Ceylon			
	4096VG Vanilla Glossy			

* LED option is for 1XC or 1XT fixtures ONLY.
Consult factory for LED multilight options


* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

Ex. 1XT-409618-SN
Juliette Mini Pendant w/ Amber Cloud Glass,
Satin Nickel Finish

KARLI

12V MINI PENDANTS

CHOICE
COLLECTION



719818
AMBER CLOUD



7198CE
CEYLON

*Shown in Bronze finish



7198HN
HONEY

719807
OPAL MATTE



7198VM
VANILLA MATTE



719880
AMBER MATTE




719819
CARRERA



719841
GARNET



719886
BLUE CLOUD



The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	719807 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	719818 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	719819 Carrera			
1XP Flat Canopy	719841 Garnet			
	719880 Amber Matte			
Pendant Fixtures	719886 Blue Cloud			
1XC Dome Canopy	7198CE Ceylon			
1XT Flat Canopy	7198HN Honey			
	7198VM Vanilla Matte			

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-719841-SN
Karli Mini Pendant w/ Garnet Glass,
Satin Nickel Finish


STILO 7

12V MINI PENDANTS

CHOICE
COLLECTION



Stilo 7 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *included*

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.


LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	440407 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	440418 Amber Cloud	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	440419 Carrera	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
1XP Flat Canopy	440441 Garnet			
	440480 Amber Matte			
	440486 Blue Cloud			
Pendant Fixtures	4404CE Ceylon			
1XC Dome Canopy	4404CH Cherry			
1XT Flat Canopy	4404HB Habanero			
* Quick-Connect/Fixture/ Canopy/Multilight/ Lamping information and options: pg. 63.	4404HN Honey			
	4404KR Chalk			
	4404MA Magma			
	4404MG Marble Grigio			
	4404OK Oak			
	4404TN Titan			
	4404VM Vanilla Matte			

Ex. 1XT-4404CH-SN
Stilo 7 Mini Pendant w/ Cherry Glass,
Satin Nickel Finish

TRILO 7

12V MINI PENDANTS



Trilo 7 is comprised of three complementary glass segments, resulting in a playful glass display.

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	271823 Blue Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	271825 Frost	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	271831 Red Matte			
1XP Flat Canopy	271897 Champagne			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XT-271823-SN

Trilo 7 Mini Pendant w/ Blue Matte Glass,
Satin Nickel Finish

KIKI

12V MINI PENDANTS



The Kiki pendant features a narrow cone-shaped glass, that demonstrates contemporary sensibilities.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	METAL FINISH	LAMP OPTIONS	OPTIONS
Quick-Connect	138280 Amber Matte	BR Bronze	(blank) 35W Hal	L 15' cord
XP Jack Only	1382CM Cobalt Blue Matte	SN Satin Nickel	LED* 6W LED	
RXP Rail-Ready	1382RM Ruby Matte			
1XP Flat Canopy	1382VM Vanilla Matte			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

* Quick-Connect/Fixture/
Canopy/Multilight/
Lamping information
and options: pg. 63.

* LED option is for 1XC or
1XT fixtures ONLY.
Consult factory for LED
multilight options

Ex. 1XP-1382RM-SN

Kiki Mini Pendant w/ Ruby Matte Glass,
Satin Nickel Finish

ZUMI

12V MINI PENDANTS

CHOICE
COLLECTION



4395VM
VANILLA MATTE



439519
CARRERA



4395MA
MAGMA

439507
OPAL MATTE




439518
AMBER CLOUD



4395HN
HONEY



4395CE
CEYLON



The Zumi is a slender yet shapely handcrafted glass with a look that transitions well into any design.

LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, included

LED: 6W Integrated source, dimmable. 85+ CRI, 2800°K CCT, 450 lumens, 30,000 hours.

LOCATION: DRY

CONNECTION	GLASS OPTIONS	METAL FINISH	LAMP OPTIONS	OPTIONS
Quick-Connect	439507 Opal Matte	BR Bronze	(blank) 35W Hal	L 15' cord
XP Jack Only	439518 Amber Cloud	SN Satin Nickel	LED* 6W LED	
RXP Rail-Ready	439519 Carrera			
1XP Flat Canopy	439541 Garnet			
	4395CE Ceylon			
Pendant Fixtures	4395HN Honey			
1XC Dome Canopy	4395VM Vanilla Matte			
1XT Flat Canopy				

* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options


* Quick-Connect/Fixture/Canopy/Multilight/Lamping information and options: pg. 63.

Ex. 1XP-439519-SN
Zumi Mini Pendant w/ Carrera Glass, Satin Nickel Finish

TECHNICAL INFORMATION


QUICK-CONNECT OPTIONS

XP PENDANT ELEMENT ONLY



- Pendant Shade and Cord/Socket Set
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Quick-Connect Canopies and Rail Adapter
- Bronze or Satin Nickel


RXP PENDANT + RAIL ADAPTER



READY FOR RAIL

- Pendant Shade and Cord/Socket Set, plus Rail Adapter
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Monorail System
- Bronze or Satin Nickel


1XP PENDANT + MONOPOINT FLAT CANOPY



- Pendant Shade and Cord/Socket Set, plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Integral Quick-Connect adapter
- Bronze or Satin Nickel

PENDANT FIXTURE OPTIONS


1XC 1 LIGHT PENDANT, DOME CANOPY



EASY INSTALL: NO CORD CUTTING REQUIRED

- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer
- Installs to standard 4" octagonal junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Bronze or Satin Nickel

1XT 1 LIGHT PENDANT, FLAT CANOPY



- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer, fits partially in junction box
- Installs to standard 4" octagonal junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Bronze or Satin Nickel


QUICK-CONNECT CANOPIES

These quick-connect canopies install easily on std. ceiling junction boxes. Integral low voltage (12V) 60W Class 2 electronic transformers. 120V or 277V input versions. For XP Pendant elements only.

MONOPOINT CANOPIES



- Flat Style.
- **T21Q-BR** Bronze, 120V
- **T21Q-BR-277** Bronze, 277V
- **T21Q-SN** Satin Nickel, 120V
- **T21Q-SN-277** Satin Nickel, 277V



- Dome Style
- **T21MQ-BR** Bronze, 120V
- **T21MQ-BR-277** Bronze, 277V
- **T21MQ-SN** Satin Nickel, 120V
- **T21MQ-SN-277** Satin Nickel, 277V

3 LIGHT CANOPIES



- 3 Light Linear
- **T23BQ-BR** Bronze, 120V
- **T23BQ-BR-277** Bronze, 277V
- **T23BQ-SN** Satin Nickel, 120V
- **T23BQ-SN-277** Satin Nickel, 277V



- 3 Light Round
- **T23XQ-BR** Bronze, 120V
- **T23XQ-BR-277** Bronze, 277V
- **T23XQ-SN** Satin Nickel, 120V
- **T23XQ-SN-277** Satin Nickel, 277V




- 3 Light Large Round
- **T23XL-BR** Bronze, 120V
- **T23XL-BR-277** Bronze, 277V
- **T23XL-SN** Satin Nickel, 120V
- **T23XL-SN-277** Satin Nickel, 277V

6 LIGHT CANOPIES



- 6x Skyhook
- **T26xQ-BR** Bronze, 120V
- **T26xQ-BR-277** Bronze, 277V
- **T26xQ-SN** Satin Nickel, 120V
- **T26xQ-SN-277** Satin Nickel, 277V


BAR CANOPIES




- 3 Light
- **T23VQ-BR** Bronze, 120V
- **T23VQ-BR-277** Bronze, 277V
- **T23VQ-SN** Satin Nickel, 120V
- **T23VQ-SN-277** Satin Nickel, 277V

ADJUSTABLE PENDANT OPTIONS

1XA ADJUSTABLE PENDANT + MONOPOINT FLAT CANOPY



- Easy cord adjuster, just squeeze and move up/down
- Adjustable Cable/Socket set plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 8' Field-adjustable bare silver-color braided cable
- Swivel/pivot feature, suitable for use on sloped ceilings
- Integral Quick-Connect Jack
- Bronze or Satin Nickel metal finishes



Easy to adjust.

LOCATION: Besa pendants are listed **DRY**

120V PENDANTS

This art is the essence of handcrafted lighting glass. It lends character and distinction to Besa Lighting luminaires, and allows us to create an amazingly diverse collection.




MIRA

120V PENDANTS



MIRAAM
AMBER

*Shown with Bronze
finish




MIRATM
TRANSMIRROR

*Shown with Edison
Lamp (ED)



MIRACL
CLEAR



Our Mira is a modern and pleasing compact heart shape, with a closed bottom, its retro styling will gracefully blend into today's environments.

LAMP: 60W T10 120V, lamp not included.

EDISON: 40W Edison lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	MIRAAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	MIRACL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	MIRATM Transmirror			

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

Ex. 1JT-MIRACL-SN
Mira Pendant w/ Clear Glass,
Satin Nickel Finish

BANA

120V PENDANTS



BANAAM
AMBER




*Shown with Bronze
finish

BANACL
CLEAR



*Shown with Edison
Lamp (EDI)

BANATM
TRANSMIRROR



Our Bana is a modern and unique compact torus shape, with an interesting inverted open bottom, its retro styling will gracefully blend into today's environments.

LAMP: 60W T10 120V, lamp not included.

EDISON: 40W Edison lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	BANAAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	BANACL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	BANATM Transmirror			
Stem Fixture				
1TT 1 Lt. Flat				



Multilight
Available
See pg. 113

Ex. 1JT-BANACL-SN
Bana Pendant w/ Clear Glass,
Satin Nickel Finish

OLIN

120V PENDANTS



OLINCL
CLEAR




OLINAM
AMBER

*Shown with Bronze
finish



OLINTM
TRANSMIRROR



Our Olin is a modern and interesting closed bottom cylindrical shape, with a gently pointed accent, its retro styling will gracefully blend into today's environments.

LAMP: 60W T10 120V, lamp not included.

EDISON: 40W Edison lamp, included

PLUMEN: 9W Plumen CFL lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	OLINAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	OLINCL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	OLINTM Transmirror	PLU 9W Plumen		

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

Ex. 1JT-OLINCL-SN
Olin Pendant w/ Clear Glass,
Satin Nickel Finish

PICA 9

120V PENDANTS



PIC9WH
WHITE


PIC9RD
RED SAND

PIC9CR
CREME

PIC9GD
GOLD SAND

PIC9TN
TAN SAND

PIC9BL
BLUE SAND



Pica 9 is a tapered glass treated with a band of natural sand applied to the interior, with an angled top and a radiused return at the bottom. Its retro styling will gracefully blend into today's environments.

LAMP: 75W A19 120V, lamp not included.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -

Cord Fixture
1JC 1 Lt. Dome
1JT 1 Lt. Flat

Cable Fixture
1KX 1 Lt. Dome

Stern Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

GLASS OPTIONS -

PIC9BL Blue Sand
PIC9CR Creme Sand
PIC9GD Gold Sand
PIC9RD Red Sand
PIC9TN Tan Sand
PIC9WH White Sand

LAMP OPTIONS -

(blank) 75W A19 Incan
GU24 18W GU24 120V
LED 10W LED 120V, dimmable

METAL FINISH -

BR Bronze
SN Satin Nickel

OPTIONS


L 15' cord
LW Low wattage labeling

Ex. 1JT-PIC9RD-SN

Pica 9 Pendant w/ Red Sand Glass, Satin Nickel Finish

MILO 4

120V PENDANTS



The Milo is a fun pendant inspired by the traditional glass jars used for canning, only enhanced with various modern colors.

LAMP: 40W A15 120V, lamp not included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
Cord Fixture	MILO4AM Amber	(blank) 40W A15 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	MILO4GR Green		SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	MILO4PL Purple			
	MILO4SM Smoke			
	MILO4WF White Frost			



Multilight Available
See pg. 113

Ex. 1JT-MILO4AM-SN
Milo 4 Pendant w/ Amber Glass,
Satin Nickel Finish



PINTA 10 / 12

120V PENDANTS



CLEAR

GOLD



Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed lightsource.

LAMP: 100W A19 120V, lamp not included

EDISON: 40W Edison lamp, lamp included.

PLUMEN: 11W Plumen CFL lamp, lamp included. Pinta 12 only.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	464488 10" Pinta Clear	(blank) 100W A19	BR Bronze	L 15' cord
1JC 1 Lt. Dome	4644GD 10" Pinta Gold	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	464588 12" Pinta Clear	PLU* 11W Plumen		
	4645GD 12" Pinta Gold			
Cable Fixture				
1KX 1 Lt. Dome				

*For Pinta 12 only

Stem Fixture
1TT 1 Lt. Flat



Multilight Available
See pg. 113

Ex. 1JT-464588-SN
Pinta 12 Pendant w/ Clear Glass,
Satin Nickel Finish

P A P E 1 0 / 1 2


120V PENDANTS



OPAL RIBBED

GLITTER

GOLD GLITTER



The Pape is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.

STD LAMP: 100W A19 120V, not included

CFL: 120V/277V, lamp not included.
See pg. 223 for all options.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	491207 10" Opal Ribbed	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	4912GL 10" Glitter	F1 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	4912GD 10" Gold Glitter	O1 18W TBX 277V		
	491307 12" Opal Ribbed	GU24 18W GU24 120V		
Cable Fixture	4913GL 12" Glitter	LED 10W LED 120V, dimmable		
1KX 1 Lt. Dome	4913GD 12" Gold Glitter			

Stem Fixture
1TT 1 Lt. Flat



Multilight Available
See pg. 113

Ex. 1JC-491307-SN
Pape 12 Pendant w/ 12" Opal Ribbed Glass, Satin Nickel Finish

K R I S T A L L 8

120V PENDANTS



461682
AMBER




4616GL
GLITTER



461600
CLEAR



461602
SMOKE



The Kristall is a transparent globe shape, with distinctive ridges, that merges easily into modern environments.

LAMP: 60W A19 120V, lamp not included

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	461600 8" Clear	(blank) 60W A19	BR Bronze	L 15' cord
1JC 1 Lt. Dome	461602 8" Smoke	GU24 18W GU24 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	461682 8" Amber	LED 10W LED 120V, dimmable		
	4616GL 8" Glitter			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat




Multilight
Available
See pg. 113

Ex. 1JT-461602-SN
Kristall 8 Pendant w/ Smoke Glass,
Satin Nickel Finish

WAVE 10

120V PENDANTS



462702
SMOKE



*Shown with
Edison lamp (EDI)

462761
CLEAR




*Shown with 1TT
stem fixture and
Plumen lamp (PLU)

462782
AMBER



*Shown with 1KX
cable fixture and
Bronze finish



The Wave is a globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.

STD LAMP: 60W A19 120V, not included

EDISON: 40W Edison lamp, included

PLUMEN: 11W Plumen CFL lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	462702 10" Smoke	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	462761 10" Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	462782 10" Amber	PLU 11W Plumen		

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

Ex. 1JT-462702-SN
Wave 10 Pendant w/ Smoke Glass,
Satin Nickel Finish

EUKA

120V PENDANTS




1720HN
HONEY



1720BL
BLUE TWIST



1720SK
SMOKE TWIST



The compact sized Euka is a modern and pleasing teardrop shape, with open bottom, that will fit seamlessly into any contemporary space.

LAMP: 60W A19 120V, lamp not included.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	1720BL Blue Twist	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	1720HN Honey	GU24 18W GU24 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1720SK Smoke Twist	LED 10W LED 120V, dimmable		



Multilight
Available
See pg. 113

Ex. 1JT-1720HN-SN
Euka Pendant w/ Honey Glass,
Satin Nickel Finish

FALLA 6


120V PENDANTS



FAL6QZ
QUARTZ



FAL6CF
COFFEE



Falla is a contemporary broad-shaped cylinder, which closed top and lightly frosted interior, resulting in a new spin on a timeless look.

LAMP: 60W A19 120V, lamp not included.

GU24: 120V, 13W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -

Cord Fixture
1JC 1 Lt. Dome
1JT 1 Lt. Flat

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

GLASS OPTIONS -

FAL6CF Coffee
FAL6QZ Quartz

LAMP OPTIONS -

(blank) 60W A19 Incan
GU24 13W GU24 120V
LED 10W LED 120V,
dimmable

METAL FINISH -

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord
LW Low wattage
labeling

Ex. 1JT-FAL6CF-SN

Falla 6 Pendant w/ Coffee Glass,
Satin Nickel Finish

SPEZZA 7

120V PENDANTS




BRONZE



SATIN NICKEL



*Shown with Edison
Lamp (EDI)



Our industrial styled Spezza pendant, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source.

LAMP: 100W A19 120V, lamp not included.

EDISON: 40W Edison lamp, included

PLUMEN: 9W Plumen CFL lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture 1JC 1 Lt. Dome 1JT 1 Lt. Flat	SPEZ07 Spezza 7	(blank) 100W A19 Incan EDI 40W Edison PLU 9W Plumen	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stem Fixture 1TT 1 Lt. Flat				



Multilight
Available
See pg. 113

Ex. 1JT-SPEZ07-SN
Spezza 7 Pendant w/ Satin Nickel Finish

REFLEX

120V PENDANTS



RFLXGO
GOLD




RFLXCO
CREME



RFLXTO
TAN



RFLXWO
WHITE



The Reflex offers a subdued silkette shade floating above an opal matte cased glass.

LAMP: 60W A19 120V, lamp not included

GU24: 120V, 13W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	RFLXCO Creme	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	RFLXGO Gold	GU24 13W GU24 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	RFLXTO Tan	LED 10W LED 120V, dimmable		
	RFLXWO White			



Multilight
Available
See pg. 113

Ex. 1JT-RFLXWO-SN

Reflex Pendant w/ White Fabric and Opal Glass, Satin Nickel Finish

B R I O 1 4


120V PENDANTS



4345SF
SILVER FOIL



4345GF
GOLD FOIL



The Brio 14 is a wide yet compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows beautifully and bottom clear glass emits a sparkle.

LAMP: 75W A19 120, lamp not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	4345GF Gold Foil	(blank) 75W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	4345SF Silver Foil	F1 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat		O1 18W TBX 277V		
		GU24 18W GU24 120V		
Cable Fixture		LED 10W LED 120V, dimmable		
1KX 1 Lt. Dome				

Stem Fixture
1TT 1 Lt. Flat



Multilight Available
See pg. 113

Ex. 1JT-4345GF-SN
Brio 14 Pendant w/ Gold Foil Glass,
Satin Nickel Finish

AMELIA 6

120V PENDANTS




4477CS
COSMIC

4477BC
BLACK HAND-CUT

4477WC
WHITE HAND-CUT

4477GL
GLITTER



Amelia 6 features a tapered drum shape that fits beautifully in transitional spaces.

STD LAMP: 40W G16½ or 50W Xenon E12 (candelabra-base) 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	4477BC Black Hand-cut	(blank) 40W G16½ Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	4477CS Cosmic	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	4477GL Glitter			
	4477WC White Hand-cut			

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

Ex. 1BT-4477GL-SN
Amelia 6 Pendant w/ Glitter Glass,
Satin Nickel Finish

AMELIA 12 / 15 / 18

120V PENDANTS



WHITE HAND-CUT



BLACK HAND-CUT

*Shown with 1TT stem fixture


COSMIC

BLACK DAMASK


WHITE DAMASK



Amelia 12: #4393XX




Amelia 15: #4340XX



Amelia features a tapered drum shape, open at the top, that fits beautifully in transitional spaces.

Amelia 18: #4394XX



STD LAMP: 100W A19 120V, not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture	4393BC Black Hand-cut	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	4393BD Black Damask	F1 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	4393WC White Hand-cut	O1 18W TBX 277V		
1TT 1 Lt. Flat	4393WD White Damask	GU24 18W GU24 120V		
		LED 10W LED 120V, dimmable		

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture	4340BC Black Hand-cut	(blank) 3x 100W A19 Incan	BR Bronze	L 15' cord
1KV 1 Lt. Flat	4340BD Black Damask	F3 3x 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	4340WC White Hand-cut	O3 3x 18W TBX 277V		
1KT 1 Lt. Flat	4340WD White Damask	GU24 3x 18W GU24 120V		
		LED 3x 10W LED 120V, dimmable		

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture	4394BC Black Hand-cut	(blank) 3x 100W A19 Incan	BR Bronze	L 15' cord
1KV 1 Lt. Flat	4394BD Black Damask	I3 3x 26W TBX 120V	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	4394CS Cosmic	R3 3x 26W TBX 277V		
1KT 1 Lt. Flat	4394WC White Hand-cut	GU24 3x 26W GU24 120V		
	4394WD White Damask	LED 3x 10W LED 120V, dimmable		

Ex. 1KV-4394CS-SN

Amelia 18 Pendant w/ Cosmic Glass, Satin Nickel Finish

TRILO 15

120V PENDANTS



451325
FROST




451331
RED MATTE



451397
CHAMPAGNE



451323
BLUE MATTE



Trilo 15 is comprised of three complementary glass segments, resulting in a playful glass display.

STD LAMP: 75W A19 120V, *not included*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	451323 Blue Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	451325 Frost	LED 10W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	451331 Red Matte			
	451397 Champagne			
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				



Multilight
Available
See pg. 113

Ex. 1JC-451397-SN
Trilo 15 Pendant w/ Champagne Glass,
Satin Nickel Finish

LUNA

120V PENDANTS



477607
OPAL MATTE

**Shown with 1KX
cable fixture*




477699
OPAL-FROST



477619
CARRERA

The Luna pendant features a flattened globe-shaped glass, creating a refined contemporary look.



STD LAMP: 100W A19 120V, not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, 26W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	477607 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	477619 Carrera	I1 26W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	477699 Opal-Frost	R1 26W TBX 277V		
		GU24 26W GU24 120V		
		LED 10W LED 120V, dimmable		

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113


Ex. 1JC-477699-SN
Luna Pendant w/ Opal-Frost Glass,
Satin Nickel Finish

JORDO

120V PENDANTS



The Jordo pendant features a large-scale flattened globe-shaped glass, creating a refined contemporary look.



STD LAMP: 150W A21 120V, not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, 26W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture 1KX 1 Lt. Dome	477507 Opal Matte	(blank) 150W A21 Incan H1 26W Quad 120V Q1 26W Quad 277V GU24 26W GU24 120V LED 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stem Fixture 1TT 1 Lt. Flat				

Ex. 1KX-477507-SN
Jordo Pendant w/ Opal Matte Glass,
Satin Nickel Finish

477507
OPAL MATTE



PAHU 8 / 12 / 16

120V PENDANTS



The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.

STD LAMP: 120V, not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.


LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Ex. 1KG-C00607-SN

Pahu 8 Pendant w/ Clear/Opal Glass,
Satin Nickel Finish

Pahu 8:



CONNECTION -	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH -	OPTIONS
3x Cable Fixture	A00607 Trans. Amethyst/Opal	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	C00607 Clear/Opal	F1 18W TBX 120V	SN Satin Nickel	NI No Inner glass
	G00607 Trans. Armagnac/Opal	O1 18W TBX 277V		LW Low wattage labeling
Stem Fixture	L00607 Trans. Olive/Opal	GU24 18W GU24 120V		
1TT 1 Lt. Flat	S00607 Trans. Smoke/Opal	LED 10W LED 120V, dimmable		
	Y00607 Trans. Gold/Opal			

PAHU 8 / 12 / 16

120V PENDANTS



PAHU 12
TRANS. AMETHYST/OPAL



PAHU 12
TRANS. ARMAGNAC/OPAL



PAHU 16
CLEAR
*Shown with No Inner Glass (NI)




PAHU 8
TRANS. SMOKE/OPAL
*Shown with 1TT stem
fixture




PAHU 16
TRANS. OLIVE/OPAL
*Shown with 1TT stem
fixture

Pahu 12:



Pahu 16:



CONNECTION -	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	A18407 Trans. Amethyst/Opal	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	C18407 Clear/Opal	I1 26W TBX 120V	SN Satin Nickel	NI No Inner glass, 3 Lt.
	G18407 Trans. Armagnac/Opal	R1 26W TBX 277V		LW Low wattage labeling
Stem Fixture	L18407 Trans. Olive/Opal	GU24 26W GU24 120V		
1TT 1 Lt. Flat	S18407 Trans. Smoke/Opal	LED 10W LED 120V, dimmable		
	Y18407 Trans. Gold/Opal			

CONNECTION -	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	A00707 Trans. Amethyst/Opal	(blank) 150W A21 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	C00707 Clear/Opal	I1 26W TBX 120V	SN Satin Nickel	NI No Inner glass, 3 Lt.
	G00707 Trans. Armagnac/Opal	R1 26W TBX 277V		LW Low wattage labeling
Stem Fixture	L00707 Trans. Olive/Opal	GU24 26W GU24 120V		
1TT 1 Lt. Flat	S00707 Trans. Smoke/Opal	LED 10W LED 120V, dimmable		
	Y00707 Trans. Gold/Opal			

SASHA II

120V PENDANTS

CHOICE
COLLECTION



757241
GARNET

757218
AMBER CLOUD

7572MG
MARBLE GRIGIO

757207
OPAL MATTE

757280
AMBER MATTE

757219
CARRERA

7572HV
HALVA

7572HN
HONEY

7572HB
HABANERO

7572MA
MAGMA

7572CE
CEYLON


757286
BLUE CLOUD

7572GF
GOLD FOIL

7572CF
COPPER FOIL

7572SF
SILVER FOIL

Sasha II has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



STD LAMP: 40W G16½ or 50W Xenon E12 (candelabra-based) 120V, lamp not included

HALOGEN: 40W G9 Lamp 120V, included

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	757207 Opal Matte	(blank) 40W G16½ Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	757218 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	757219 Carrera	GU24 18W GU24 120V		
	757241 Garnet	LED 10W GU24 120V, dimmable		
	757280 Amber Matte			
	757286 Blue Cloud			
	7572CE Ceylon			
	7572CF Copper Foil			
	7572GF Gold Foil			
	7572HB Habanero			
	7572HN Honey			
	7572HV Halva			
	7572MA Magma			
	7572MG Marble Grigio			
	7572SF Silver Foil			



Multilight
Available
See pg. 113

Ex. 1BC-757218-SN

Sasha II Pendant w/ Amber Cloud Glass, Satin Nickel Finish

TU TU

120V PENDANTS


CHOICE
COLLECTION



412141
GARNET



412119
CARRERA



412118
AMBER CLOUD

412107
OPAL MATTE



4121HN
HONEY



4121HB
HABANERO



4121MA
MAGMA




4121CE
CEYLON



412186
BLUE CLOUD



The Tu Tu is a slender yet shapely handcrafted glass with a open top and bottom.



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *not included*

MED: 40W B10 Medium-base 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 13W MAX, *lamp not included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412107 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	412118 Amber Cloud	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	412119 Carrera	HAL 40W G9 Hal		
	412141 Garnet	D1 13W Quad 120V		
	412186 Blue Cloud	M1 13W Quad 277V		
Stern Fixture	4121CE Ceylon	GU24 13W GU24 120V		
1TT 1 Lt. Flat	4121HB Habanero			
	4121HN Honey			
	4121MA Magma			



Multilight
Available
See pg. 113

Ex. 1BT-4121CE-SN
Tu Tu Pendant w/ Ceylon Glass,
Satin Nickel Finish

CAMINO

120V PENDANTS

CHOICE
COLLECTION



567418
AMBER CLOUD



567441
GARNET



567419
CARRERA

567407
OPAL MATTE

5674VM
VANILLA MATTE

567480
AMBER MATTE

5674RM
RUBY MATTE

5674CM
COBALT BLUE MATTE

5674HN
HONEY

5674CE
CEYLON

567486
BLUE CLOUD



Camino is a softly tapered narrow cylinder, creating a refined contemporary look.

STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, not included

HALOGEN: 40W G9 Lamp 120V, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
Cord Fixture	567407 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	567418 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	567419 Carrera			
	567441 Garnet			
Stem Fixture	567480 Amber Matte			
1TT 1 Lt. Flat	567486 Blue Cloud			
	5674CE Ceylon			
	5674CM Cobalt Blue Matte			
	5674HN Honey			
	5674RM Ruby Matte			
	5674VM Vanilla Matte			



Multilight
Available
See pg. 113

Ex. 1BT-567441-SN
Camino Pendant w/ Garnet Glass,
Satin Nickel Finish

CHRISSEY

120V PENDANTS

CHOICE
COLLECTION



1509CE
CEYLON




150918
AMBER CLOUD



150919
CARRERA



The Chrissy pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *not included*

MED: 40W B10 Medium-base 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

GU24: 120V, 13W MAX, *lamp not included*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	150907 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	150918 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	150919 Carrera	MED 40W A19 Med		
	150941 Garnet	GU24 13W GU24 120V		
	150980 Amber Matte	LED 10W LED 120V, dimmable		
	1509CE Ceylon			
	1509CM Cobalt Blue Matte			
	1509HN Honey			
	1509KR Chalk			
	1509RM Ruby Matte			
	1509VM Vanilla Matte			



Multilight Available
See pg. 113

Ex. 1BT-1509OK-SN
Chrissy Pendant w/ Oak Glass,
Satin Nickel Finish

PERA 6

120V PENDANTS

CHOICE
COLLECTION



1713HN
HONEY



1713HB
HABANERO



1713MA
MAGMA

171307
OPAL MATTE



1713VM
VANILLA MATTE



171380
AMBER MATTE



171319
CARRERA




1713MG
MARBLE GRIGIO



171318
AMBER CLOUD





171341
GARNET



1713CE
CEYLON



171386
BLUE CLOUD



The Pera 6 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

STD LAMP: 40W G16½ or 50W Xenon E12 (candelabra-base) 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	171307 Opal Matte	(blank) 40W G16½ Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	171318 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	171319 Carrera			
	171341 Garnet			
Stem Fixture	171380 Amber Matte			
1TT 1 Lt. Flat	171386 Blue Cloud			
	1713CE Ceylon			
	1713HB Habanero			
	1713HN Honey			
	1713MA Magma			
	1713MG Marble Grigio			
	1713VM Vanilla Matte			



Multilight Available
See pg. 113

Ex. 1BT-1713HN-SN
Pera 6 Pendant w/ Honey Glass,
Satin Nickel Finish

STILO 7

120V PENDANTS

CHOICE
COLLECTION



4404KR
CHALK



4404TN
TITAN



4404OK
OAK

440407
OPAL MATTE



4404VM
VANILLA MATTE



440480
AMBER MATTE



440419
CARRERA



4404MG
MARBLE GRIGIO



4404HN
HONEY



440418
AMBER CLOUD



4404HB
HABANERO




440441
GARNET




4404MA
MAGMA



4404CE
CEYLON




440486
BLUE CLOUD



4404CH
CHERRY



Stilo 7 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *not included*

MED: 40W B10 Medium-base 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

GU24: 120V, 13W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -

Cord Fixture
1BC 1 Lt. Dome
1BT 1 Lt. Flat

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

GLASS OPTIONS -

440407 Opal Matte
440418 Amber Cloud
440419 Carrera
440441 Garnet
440480 Amber Matte
440486 Blue Cloud
4404CE Ceylon
4404CH Cherry
4404HB Habanero
4404HN Honey
4404KR Chalk
4404MA Magma
4404MG Marble Grigio
4404OK Oak
4404TN Titan
4404VM Vanilla Matte

LAMP OPTIONS -

(blank) 40W B10 Cand
MED 40W B10 Med
HAL 40W G9 Hal
GU24 13W GU24 120V
LED 10W LED 120V, dimmable

METAL FINISH -

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord
LW Low wattage labeling

Ex. 1BT-4404CH-SN

Stilo 7 Pendant w/ Cherry Glass, Satin Nickel Finish

BOLLA

120V PENDANTS

CHOICE
COLLECTION



412260
COCOON



4122HN
HONEY



4122MA
MAGMA

412207
OPAL MATTE



4122VM
VANILLA MATTE



412280
AMBER MATTE



412219
CARRERA



412218
AMBER CLOUD



4122HB
HABANERO



412241
GARNET




4122CE
CEYLON



412286
BLUE CLOUD



The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



STD LAMP: 40W G16½ or 50W Xenon E12 (candelabra-base) 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

GU24: 120V, 13W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412207 Opal Matte	(blank) 40W G16½ Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	412218 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	412219 Carrera	GU24 13W GU24 120v		
	412241 Garnet	LED 10W LED 120V, dimmable		
	412260 Cocoon			
	412280 Amber Matte			
	412286 Blue Cloud			
	4122CE Ceylon			
	4122HB Habanero			
	4122HN Honey			
	4122MA Magma			
	4122VM Vanilla Matte			



Multilight
Available
See pg. 113

Ex. 1BT-4122HB-SN
Bolla Pendant w/ Habanero Glass,
Satin Nickel Finish


COPA

120V PENDANTS

CHOICE
COLLECTION



Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *not included*

MED: 40W B10 Medium-base 120V, *not included*

HALOGEN: 40W G9 Lamp 120V, *included*

CFL: 120V/277V, *lamp not included*. See pg. 223 for all options.

GU24: 120V, 13W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture 1BC 1 Lt. Dome 1BT 1 Lt. Flat	493007 Opal Matte 493018 Amber Cloud 493019 Carrera 493041 Garnet 493080 Amber Matte 4930CE Ceylon 4930HN Honey 4930VM Vanilla Matte	(blank) 40W B10 Cand MED 40W B10 Med HAL 40W G9 Hal E1 18W Quad 120V N1 18W Quad 277V GU24 13W GU24 120V LED 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling



Multilight
Available
See pg. 113

Ex. 1BT-493019-SN
Copa Pendant w/ Carrera Glass,
Satin Nickel Finish

RIVA 9

120V PENDANTS

CHOICE
COLLECTION



151180
AMBER MATTE



1511RM
RUBY MATTE



1511CM
COBALT BLUE MATTE




151107
OPAL MATTE



1511VM
VANILLA MATTE



1511KR
CHALK



The Riva 9 pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.

STD LAMP: 75W A19 120V, *not included*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	151107 Opal Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	151180 Amber Matte	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1511CM Cobalt Blue Matte	Q1 26W Quad 277V		
	1511KR Chalk	GU24 26W GU24 120V		
Cable Fixture	1511RM Ruby Matte	LED 10W LED 120V, dimmable		
1KX 1 Lt. Dome	1511VM Vanilla Matte			

Stem Fixture
1TT 1 Lt. Flat



Multilight
Available
See pg. 113

Ex. 1JT-1511KR-SN
Riva 9 Pendant w/ Chalk Glass,
Satin Nickel Finish

TAO 10

120V PENDANTS

CHOICE
COLLECTION



1512CH
CHERRY



1512KR
CHALK



1512TN
TITAN

151207
OPAL MATTE



1512VM
VANILLA MATTE



1512RM
RUBY MATTE




1512CM
COBALT BLUE MATTE



1512OK
OAK



1512HV
HALVA



The Tao 10 pendant features an open top radiused glass, creating a casual look.

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	151207 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	1512CH Cherry	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1512CM Cobalt Blue Matte	Q1 26W Quad 277V		
Cable Fixture	1512HV Halva	GU24 26W GU24 120V		
1KX 1 Lt. Dome	1512KR Chalk	LED 10W LED 120V, dimmable		
	1512OK Oak			
	1512RM Ruby Matte			
Stem Fixture	1512TN Titan			
1TT 1 Lt. Flat	1512VM Vanilla Matte			



Multilight
Available
See pg. 113

Ex. 1JC-1512OK-SN
Tao 10 Pendant w/ Oak Glass,
Satin Nickel Finish

PERA 9

120V PENDANTS

CHOICE
COLLECTION



412686
BLUE CLOUD
**Shown with 1TT
stem fixture*



412641
GARNET



412619
CARRERA

412607
OPAL MATTE



4126VM
VANILLA MATTE



412680
AMBER MATTE



4126MG
MARBLE GRIGIO



4126HN
HONEY



4126HB
HABANERO




4126MA
MAGMA



4126CE
CEYLON



412618
AMBER CLOUD



The Pera 9 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included*. See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412607 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412618 Amber Cloud	I1 26W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412619 Carrera	R1 26W TBX 277V		
Cable Fixture	412641 Garnet	GU24 26W GU24 120V		
1KX 1 Lt. Dome	412680 Amber Matte	LED 10W LED 120V, dimmable		
Stem Fixture	412686 Blue Cloud			
1TT 1 Lt. Flat	4126CE Ceylon			
	4126HB Habanero			
	4126HN Honey			
	4126MA Magma			
	4126MG Marble Grigio			
	4126VM Vanilla Matte			



Multitight
Available
See pg. 113

Ex. 1JC-4126HB-BR
Pera 9 Pendant w/ Habanero Glass,
Bronze Finish

S U Z I

120V PENDANTS

CHOICE
COLLECTION



4897CE
CEYLON




4897HN
HONEY

**Shown with 1KX
cable fixture*



489719
CARRERA



*The Suzi is a slender yet shapely handcrafted glass
with a open top and bottom.*

LAMP: 100W A19 120, *lamp not included*

CFL: 120V/277V, *lamp not included. See pg. 223 for
all options.*

GU24: 120V, 18W MAX, *lamp not included*

LED: 10W Replaceable source, 120V, dimmable,
80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture
supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	489707 Opal Matte	(blank) 100W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	489718 Amber Cloud	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	489719 Carrera	Q1 26W Quad 277V		
	489741 Garnet	GU24 18W GU24 120V		
Cable Fixture	489780 Amber Matte	LED 10W LED 120V, dimmable		
1KX 1 Lt. Dome	489786 Blue Cloud			
	4897CE Ceylon			
Stem Fixture	4897HB Habanero			
1TT 1 Lt. Flat	4897HN Honey			
	4897MA Magma			
	4897VM Vanilla Matte			



Multilight
Available
See pg. 113

Ex. 1JT-4897HN-SN
Suzi Pendant w/ Honey Glass,
Satin Nickel Finish

STILO 10

120V PENDANTS

CHOICE
COLLECTION



4123HN
HONEY



4123CE
CEYLON

*Shown with 1KX
cable fixture



412318
AMBER CLOUD

412307
OPAL MATTE



4123VM
VANILLA MATTE



412380
AMBER MATTE




412319
CARRERA



412341
GARNET



412386
BLUE CLOUD



Stilo 10 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included. See pg. 223 for all options.*

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412307 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412318 Amber Cloud	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412319 Carrera	Q1 26W Quad 277V		
	412341 Garnet	GU24 26W GU24 120V		
Cable Fixture	412380 Amber Matte	LED 10W LED 120V, dimmable		
1KX 1 Lt. Dome	412386 Blue Cloud			
	4123CE Ceylon			
Stern Fixture	4123HN Honey			
1TT 1 Lt. Flat	4123VM Vanilla Matte			



Multilight
Available
See pg. 113

Ex. 1JC-4123HN-SN
Stilo 10 Pendant w/ Honey Glass,
Satin Nickel Finish

STILO 16

120V PENDANTS

CHOICE
COLLECTION



722418
AMBER CLOUD



722441
GARNET



722419
CARRERA
**Shown with 1KX cable fixture*

722407
OPAL MATTE



7224VM
VANILLA MATTE




7224HN
HONEY



7224CE
CEYLON



722486
BLUE CLOUD



Stilo 16 is a narrow open-ended cylinder of handcrafted glass, creating a refined contemporary look.

LAMP: 100W A19 120V, *lamp not included*

CFL: 120V/277V, *lamp not included. See pg. 223 for all options.*

GU24: 120V, 26W MAX, *lamp not included*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -

Cord Fixture
1JC 1 Lt. Dome
1JT 1 Lt. Flat

Cable Fixture
1KX 1 Lt. Dome

Stern Fixture
1TT 1 Lt. Flat

GLASS OPTIONS -

722407 Opal Matte
722418 Amber Cloud
722419 Carrera
722441 Garnet
722486 Blue Cloud
7224CE Ceylon
7224HN Honey
7224VM Vanilla Matte

LAMP OPTIONS -

(blank) 100W A19 120V
H1 26W Quad 120V
Q1 26W Quad 277V
GU24 26W GU24 120V
LED 10W LED 120V, dimmable

METAL FINISH -

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord
LW Low wattage labeling



Multilight
Available
See pg. 113

Ex. 1JT-722419-SN

Stilo 16 Pendant w/ Carrera Glass,
Satin Nickel Finish

LUCIA

120V PENDANTS

CHOICE
COLLECTION



169707
OPAL MATTE

1697VM
VANILLA MATTE

169780
AMBER MATTE

1697HN
HONEY

169718
AMBER CLOUD

1697CE
CEYLON



The Lucia is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

STD LAMP: 75W A19 120V, not included.


CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	169707 Opal Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	169718 Amber Cloud	F1 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	169719 Carrera	01 18W TBX 277V		
Cable Fixture	169741 Garnet	GU24 18W GU24 120V		
1KX 1 Lt. Dome	169780 Amber Matte	LED 10W LED 120V, dimmable		
Stem Fixture	169786 Blue Cloud			
1TT 1 Lt. Flat	1697CE Ceylon			
	1697HN Honey			
	1697VM Vanilla Matte			



Multitight
Available
See pg. 113

Ex. 1JC-169741-SN

Lucia Pendant w/ Garnet Glass,
Satin Nickel Finish


CIERRO

120V PENDANTS

CHOICE
COLLECTION



412418
AMBER CLOUD




4124CE
CEYLON



412419
CARRERA

*Shown with 1KK
cable fixture



Cierro is a softly tapered narrow cylinder, creating a refined contemporary look.

LAMP: 100W A19 120, lamp not included.

CFL: 120V/277V, lamp not included. See pg. 223 for all options.

GU24: 120V, 18W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412407 Opal Matte	(blank) 100W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412418 Amber Cloud	F1 18W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412419 Carrera	O1 18W TBX 277V		
	412435 Chartreuse	GU24 18W GU24 120V		
Cable Fixture	412441 Garnet	LED 10W LED 120V, dimmable		
1KK 1 Lt. Dome	412480 Amber Matte			
	4124AM Apricot Matte			
Stem Fixture	4124CE Ceylon			
1TT 1 Lt. Flat	4124CM Cobalt Blue Matte			
	4124RM Ruby Matte			
	4124VM Vanilla Matte			




Multilight
Available
See pg. 113

Ex. 1JT-412419-SN
Cierro Pendant w/ Carrera Glass,
Satin Nickel Finish

TESSA

120V PENDANTS

CHOICE
COLLECTION



Tessa has a broad bell shape that complements aesthetic, while also built for optimal illumination.

STD LAMP: 75W A19 120V, *not included*

GU24: 120V, 18W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	420107 White	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	420131 Red Matte	GU24 18W GU24 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	420152 Marble	LED 10W LED 120V, dimmable		
	420183 Mocha			
Cable Fixture	420187 Blue Matte			
1KX 1 Lt. Dome	4201CH Cherry			
	4201KR Chalk			
	4201OP Bicolor Orange/Pina			
Stem Fixture	42015L Solare			
1TT 1 Lt. Flat	430180 Amber Matte			



Multilight
Available
See pg. 113

Ex. 1JT-420183-SN
Tessa Pendant w/ Mocha Glass,
Satin Nickel Finish

VILA

120V PENDANTS

CHOICE
COLLECTION



4470MA
MAGMA

4470HV
HALVA

4470MG
MARBLE GRIGIO

447007
OPAL MATTE

447019
CARRERA

4470HN
HONEY

447018
AMBER CLOUD

4470HB
HABANERO





447041
GARNET

4470CE
CEYLON

447086
BLUE CLOUD

4470GF
GOLD FOIL



Vila has a classical bell shape that complements aesthetic, while also built for optimal illumination.

LAMP: 60W A19 120, lamp not included.

GU24: 120V, 13W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	447007 Opal Matte	(blank) 60W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	447018 Amber Cloud	GU24 13W GU24 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	447019 Carrera	LED 10W LED 120V, dimmable		
	447041 Garnet			
Cable Fixture	447086 Blue Cloud			
1KX 1 Lt. Dome	4470CE Ceylon			
	4470GF Gold Foil			
	4470HB Habanero			
	4470HN Honey			
	4470HV Halva			
	4470MA Magma			
	4470MG Marble Grigio			



Multitight
Available
See pg. 113

Ex. 1JT-447019-SN
Vila Pendant w/ Carrera Glass,
Satin Nickel Finish

JULI

120V PENDANTS

CHOICE
COLLECTION

412506
OPAL GLOSSY


4125AG
AMBER GLOSSY

412518
AMBER CLOUD

412541
GARNET

4125CE
CEYLON

412586
BLUE CLOUD



The Juli pendant inverts a teardrop glass, resulting in a unique addition to any environment.

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412506 Opal Glossy	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412518 Amber Cloud	I1 26W TBX 120V	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412541 Garnet	R1 26W TBX 277V		
Cable Fixture	412586 Blue Cloud	GU24 26W GU24 120V		
1KX 1 Lt. Dome	4125AG Amber Glossy	LED 10W LED 120V, dimmable		
	4125CE Ceylon			

Stem Fixture
1TT 1 Lt. Flat



Multitight Available
See pg. 113

Ex. 1JT-412519-SN
Juli Pendant w/ Carrera Glass,
Satin Nickel Finish

P O R T O

120V PENDANTS

CHOICE
COLLECTION



420252
MARBLE

420283
MOCHA

42025L
SOLARE




420207
WHITE

4202VM
VANILLA MATTE

420280
AMBER MATTE

420231
RED MATTE

420287
BLUE MATTE



Porto has a classical bell shape that complements aesthetic, while also built for optimal illumination.

STD LAMP: 100W A19 120V, *not included*

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture 1KX 1 Lt. Dome	420207 White 420231 Red Matte 420252 Marble 420280 Amber Matte 420283 Mocha 420287 Blue Matte 42025L Solare 4202VM Vanilla Matte	(blank) 100W A19 Incan GU24 26W GU24 120V LED 10W LED 120V, dimmable	Cable/Stem Fixture BR Bronze SN Satin Nickel Cord Fixture BK Black (Black cord) WH White (White cord)	L 15' cord LW Low wattage labeling
Stem Fixture 1TT 1 Lt. Flat				
Cord Fixture 1VC 1 Lt. Dome 1VT 1 Lt. Flat				

Ex. 1KX-42025L-SN
Porto Pendant w/ Solare Glass,
Satin Nickel Finish

TONDO 12

120V PENDANTS

CHOICE
COLLECTION



412019
CARRERA

**Shown with 1TT
stem fixture*



412018
AMBER CLOUD



4120CE
CEYLON

412007
OPAL MATTE



4120VM
VANILLA MATTE



412080
AMBER MATTE



412086
BLUE CLOUD



Tondo 12 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



STD LAMP: 150W A21 120V, *not included.*


CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	412007 Opal Matte	(blank) 150W A21 Incan	Cable/Stem Fixture	L 15' cord
1KX 1 Lt. Dome	412018 Amber Cloud	I1 26W TBX 120V	BR Bronze	LW Low wattage labeling
	412019 Carrera	R1 26W TBX 277V	SN Satin Nickel	
Stem Fixture	412080 Amber Matte	GU24 26W GU24 120V		
1TT 1 Lt. Flat	412086 Blue Cloud	LED 10W LED 120V, dimmable	Cord Fixture	
	4120CE Ceylon		BK Black (Black cord)	
Cord Fixture	4120VM Vanilla Matte		WH White (White cord)	
1VC 1 Lt. Dome				
1VT 1 Lt. Flat				

Ex. 1KX-412019-SN
Tondo 12 Pendant w/ Carrera Glass,
Satin Nickel Finish

TONDO 18

120V PENDANTS

CHOICE
COLLECTION



412886
BLUE CLOUD



412818
AMBER CLOUD



412819
CARRERA

**Shown with 1TT stem fixture*

412807
OPAL MATTE



4128VM
VANILLA MATTE



412880
AMBER MATTE




4128HB
HABANERO



4128MA
MAGMA



4128CE
CEYLON



Tondo 18 is a narrow open-ended cylinder of handcrafted glass, creating a refined contemporary look.

#4128HB and #4128MA are 5.75" Dia.

STD LAMP: 150W A21 120V, *not included*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable,
80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent
fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	412807 Opal Matte	(blank) 150W A21 Incan	Cable/Stem Fixture	L 15' cord
1KX 1 Lt. Dome	412818 Amber Cloud	H1 26W Quad 120V	BR Bronze	LW Low wattage labeling
	412819 Carrera	Q1 26W Quad 277V	SN Satin Nickel	
Stem Fixture	412880 Amber Matte	GU24 26W GU24 120V		
1TT 1 Lt. Flat	412886 Blue Cloud	LED 10W LED 120V, dimmable	Cord Fixture	
	4128CE Ceylon		BK Black (Black cord)	
Cord Fixture	4128HB Habanero		WH White (White cord)	
1VC 1 Lt. Dome	4128MA Magma			
1VT 1 Lt. Flat	4128VM Vanilla Matte			

Ex. 1VC-4128MA-WH
Tondo 18 Pendant w/ Magma Glass,
White Finish

TARA

120V PENDANTS

CHOICE
COLLECTION




4127MA
MAGMA

**Shown with 1TT
stem fixture*



412719
CARRERA




412786
BLUE CLOUD

412707
OPAL MATTE

412718
AMBER CLOUD

412741
GARNET



The Tara is a slender yet shapely handcrafted glass with a open top and bottom.

STD LAMP: 150W A21 120V, *not included.*

CFL: 120V/277V, *lamp not included.*
See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable,
80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent
fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	412707 Opal Matte	(blank) 150W A21 Incan	Cable/Stem Fixture	L 15' cord
1KX 1 Lt. Dome	412718 Amber Cloud	H1 26W Quad 120V	BR Bronze	LW Low wattage labeling
Stem Fixture	412719 Carrera	Q1 26W Quad 277V	SN Satin Nickel	
1TT 1 Lt. Flat	412741 Garnet	GU24 26W GU24 120V		
	412786 Blue Cloud	LED 10W LED 120V, dimmable	Cord Fixture	
	4127MA Magma		BK Black (Black cord)	
Cord Fixture			WH White (White cord)	
1VC 1 Lt. Dome				
1VT 1 Lt. Flat				

Ex. 1VC-4127HN-WH
Tara Pendant w/ Honey Glass,
White Finish

TAMBURO 12 / 16 ONYX

120V PENDANTS




4184MX
TAMBURO 12

*Shown with 1TT
stem fixture



4007MX
TAMBURO 16

Tamburo 12: #4184



Tamburo Onyx is a classic open-ended cylinder of with a pattern of fitted natural Onyx tiles, varying between light and dark earth tones.

Includes frosted glass glare shield

STD LAMP: 100W A19 120V, not included

CFL: 120V/277V, lamp not included. See pg. 223 for all options.


GU24: 120V, 26W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Tamburo 16: #4007



CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture 1KG 1 Lt. Flat	4184MX Mosaic Onyx	(blank) 100W A19 Incan I1 26W TBX 120V R1 26W TBX 277V GU24 26W GU24 120V LED 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stem Fixture 1TT 1 Lt. Flat				

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture 1KV 1 Lt. Flat	4007MX Mosaic Onyx	(blank) 3x 100W A19 Incan I3 3x 26W TBX 120V R3 3x 26W TBX 277V GU24 3x 26W GU24 120V LED 3x 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stem Fixture 1KT 1 Lt. Flat				

Ex. 1KV-4007MX-SN

Tamburo 16v Pendant w/ Mosaic Onyx Glass, Satin Nickel Finish

TAMBURO 8

120V PENDANTS

CHOICE
COLLECTION



4006KR
CHALK



4006TN
TITAN

*Shown with 1TT
stem fixture



4006CH
CHERRY



4006OK
OAK

400607
OPAL MATTE



400605
OPAL STONE



400600
CLEAR STONE



4006GS
STONE GOLD FOIL



4006CS
STONE COPPER FOIL



4006SS
STONE SILVER FOIL



4006GL
GLITTER



4006MG
MARBLE GRIGIO



4006HB
HABANERO




4006MA
MAGMA



4006GF
GOLD FOIL



4006CF
COPPER FOIL



Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included. See pg. 223 for all options.*

GU24: 120V, 26W MAX, *lamp not included.*

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -

3x Cable Fixture
1KG 1 Lt. Flat

Stem Fixture
1TT 1 Lt. Flat

GLASS OPTIONS

400607 Opal Matte
4006CF Copper Foil
4006CH Cherry
4006GF Gold Foil
4008HB Habanero
4006KR Chalk
4006MA Magma
4006MG Marble Grigio
4006OK Oak
4006TN Titan
400600 Clear Stone
4006CS Stone Copper Foil
4006GL Glitter Stone
4006GS Stone Gold Foil
4006OS Opal Stone
4006SS Stone Silver Foil

LAMP OPTIONS

(blank) 100W A19 Incan
I1 26W TBX 120V
R1 26W TBX 277V
GU24 26W GU24 120V
LED 10W LED 120V,
dimmable

METAL FINISH -

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord
LW Low wattage
labeling


Ex. 1KG-4006TN-SN
Tamburo 8 Pendant w/ Titan Glass,
Satin Nickel Finish

TAMBURO 16V2

120V PENDANTS



Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



Includes frosted glass glare shield

STD LAMP: 100W A19 120V, *not included*

CFL: 120V/277V, *lamp not included*. See pg. 223 for all options.

GU24: 120V, 26W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

CONNECTION -	GLASS OPTIONS -	LAMP OPTIONS -	METAL FINISH -	OPTIONS
3x Cable Fixture 1KV 1 Lt. Flat	4008CH Cherry 4008KR Chalk 4008OK Oak 4008SF Silver Foil 4008TN Titan 400800 Clear Stone 4008CS Stone Copper Foil 4008GL Glitter Stone 4008GS Stone Gold Foil 4008SS Stone Silver Foil	(blank) 3x 100W A19 Incan I3 3x 26W TBX 120V R3 3x 26W TBX 277V GU24 3x 26W GU24 120V LED 3x 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling

Ex. 1KV-4008OK-SN
Tamburo 16v2 Pendant w/ Oak Glass, Satin Nickel Finish

CALLISTO 12 / 14

120V PENDANTS



432819
CARRERA




432807
OPAL MATTE



432960
COCOON



Callisto 12 #4328:



The Callisto pendant features a ubiquitous orb-shaped glass, that complements any aesthetic.

STD LAMP: 100W A19 120V, not included.

CFL: 120V/277V, lamp not included. See pg. 223 for all options.


GU24: 120V, 26W MAX, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Callisto 14 #4329:



Callisto 12 #4328:

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	432807 Opal Matte	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1KX 1 Lt. Dome	432819 Carrera	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
	432860 Cocoon	Q1 26W Quad 277V		
		GU24 26W GU24 120V		
		LED 10W LED 120V, dimmable		

Callisto 14 #4329:

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	432907 Opal Matte	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1KX 1 Lt. Dome	432919 Carrera	H1 26W Quad 120V	SN Satin Nickel	LW Low wattage labeling
	432960 Cocoon	Q1 26W Quad 277V		
		GU24 26W GU24 120V		
		LED 10W LED 120V, dimmable		


Ex. 1KX-432819-SN

Callisto 12 Pendant w/ Carrera Glass, Satin Nickel Finish


TECHNICAL INFORMATION

CORD FIXTURE OPTIONS


MONOPOINT PENDANT CANOPY



- Flat or Dome Canopy styles. Dome style allows adjustment without cutting cord.
- Suitable for sloped ceilings
- Cord: 10' SVT, 5" sleeve at socketholder (V Series utilizes SJT-type)
- Bronze or Satin Nickel




3BW or 3JW 3 LIGHT LARGE ROUND CANOPY



- 3x stemhooks included
- Suitable for sloped ceilings
- Cords: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel




3BB or 3JB 3 LIGHT LINEAR CANOPY



- 2x stemhooks included
- Suitable for sloped ceilings
- Cords: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel




3BV or 3JV 3 LIGHT BAR CANOPY



- Some offset installation possible
- Suitable for sloped ceilings
- Cords: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel




3BC or 3JC 3 LIGHT ROUND CANOPY



- 3x stemhooks included
- Suitable for sloped ceilings
- Cords: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel



6BC or 6JC 6 LIGHT ROUND CANOPY





- 6x stemhooks included
- Suitable for sloped ceilings
- Cords: 10' SVT, 5" sleeve
- Bronze or Satin Nickel




CABLE FIXTURE OPTIONS

MONOPOINT SINGLE CABLE DOME CANOPY



- 1x 10' aircraft-quality stainless steel cable
- Suitable for sloped ceilings
- 1x lampholder
- 4-pin CFL options available
- Cord: 10' AWM-type provided
- Bronze or Satin Nickel

MONOPOINT THREE CABLE FLAT CANOPY



1KG


1KV

- 3x 10' aircraft-quality stainless steel cable
- 1KG Series: 1x lampholder
- 1KV Series: 3x lampholder
- 1KV Series includes flat glass glare shield
- Cord: 10' AWM-type provided
- Bronze or Satin Nickel



STEM FIXTURE OPTIONS

MONOPOINT STEM PENDANT CANOPY



- Swivel at canopy, suitable for sloped ceilings
- Includes telescoping section plus 4 connectable stem sections, (1x 3", 1x 6", 1x 12", 1x 18"), 10' max
- Bronze or Satin Nickel



HOW TO ORDER A MULTILIGHT FIXTURE

To order, simply place the 3 character multilight code (shown above) as the cord fixture option:

Example: 3BC-493007-SN

3 Light round, Copa Opal glass, Satin Nickel finish - pg. 93

6JC-4897CE-SN

6 Light round, Suzi Ceylon glass, Satin Nickel finish - pg. 97

LOCATION: Besa pendants are listed **DAMP**

LINEAR PENDANTS

LS4-4455MR-SN
Silhouette Mirror Frost
shown unlit

*Linear designs perfect over tables or islands.
2x stainless steel cables, Silhouette pendants in 2 sizes, 3 or 5 light
pendants offered with 7 different glass families.*



SILHOUETTE 28 / 36

120V PENDANTS



LS4-4455MR-SN

*Silhouette Mirror Frost shown lit




OPAL GLOSSY

OPAL CUT



LS3 Silhouette 28:



The Silhouette is a unique piece comprised of multiple segments of radiused flat glass, fused together along the tapered ends.



LS4 Silhouette 36:



10' AWM-type cord, tinted to coordinate with metal finish

2x 10' stainless steel cables

LAMP: 40W G9 Halogen 120V, *included*

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
LS3 3x 40W	445406 Opal Glossy	(blank) 3x 40W Hal	BR Bronze
	445410 Opal Cut	LED 3x 5W LED, dimmable	PN Polished Nickel
	4454MR Mirror Frost		SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
LS4 4x 40W	445506 Opal Glossy	(blank) 4x 40W Hal	BR Bronze
	445510 Opal Cut	LED 4x 5W LED, dimmable	PN Polished Nickel
	4455MR Mirror Frost		SN Satin Nickel

Ex. LS3-445410-SN

3 Lt. Linear Pendant w/ Opal Cut Glass, Satin Nickel Finish



BUILD YOUR OWN LINEAR PENDANT

Our multi-light linear pendants offers lighting that fits naturally over tables. With a wide array of glasses and fixtures to choose from, you'll be sure to find one fit for your needs.

STEP

1 Select a linear pendant.


Each fixture is suspended by a 10' AWM-type cord (tinted to coordinate with metal finish) and two 10' stainless steel cables. Lamping, which is included, is 40W Low-pressure G9 Halogen lamps. LED lamp option also available.

Location: DAMP




LP Canopy: 10" x 4.5" x 1" H

3LP 3 LIGHT LINEAR FIXTURE:



5LP 5 LIGHT LINEAR FIXTURE:



STEP

2 Select a glass and decor.

Available with 13 different Besa collection of glasses: Nico 4, Pahu 4, Lasso, Groove, Kani, Brella, Tay Tay, Mia, Divi, Sabrina, Canto 5, Palla 5, and Copa 3. Each collection offers a myriad of handcrafted decors.

Example shown: Sabrina in Black Dicro Vine

5440VB
BLACK DICRO VINE





STEP

3


Select a metal finish.

STEP

4

Combine the codes for your linear pendant.

Linear pendants are available in either Bronze, Polished Nickel or Satin Nickel metal finishes.



BR
BRONZE



PN
POLISHED NICKEL



SN
SATIN NICKEL

Example: **3LP-5440VB-SN**



Linear Pendant Fixture:
3LP

+



Glass and Decor:
5440VB

+




Metal Finish:
SN



3LP-5440VB-SN

1 LINEAR PENDANTS

3LP 3 LIGHT LINEAR FIXTURE (22.5")



5LP 5 LIGHT LINEAR FIXTURE (38.25")



2 GLASS and DECOR

6773MR
MIRROR-FROST

*Shown lit

GROOVE




*Shown unlit

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	6773MR Mirror-Frost	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"		LED 5W LED,	PN Polished Nickel
		dimmbale	SN Satin Nickel

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-6773MR-SN
3 Lt. Linear Pendant w/ Mirror-Frost Glass,
Satin Nickel Finish



The Groove is a unique piece
comprised of multiple segments
of two-way mirrored glass, with a
frosted band that displays when lit.


CANTO 5

5131SL
SOLARE513107
OPAL MATTE513180
AMBER MATTE513131
RED MATTE5131GY
BICOLOR GREEN/YELLOW5131OP
BICOLOR ORANGE/PINA

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	513107 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	513180 Amber Matte	LED 5W LED,	PN Polished Nickel
	513131 Red Matte	dimmbale	SN Satin Nickel
	5131GY Bicolor Green/Yellow		
	5131OP Bicolor Orange/Pina		
	5131SL Solare		

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-5131SL-SN
3 Lt. Linear Pendant w/ Solare Glass,
Satin Nickel Finish



Canto 5 features a tapered drum
shape that fits beautifully in
transitional spaces.




1779HV
HALVA

M I A

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	177907 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	177918 Amber Cloud	LED 5W LED,	PN Polished Nickel
	177919 Carrera	dimmmable	SN Satin Nickel
	177941 Garnet		
	177980 Amber Matte		
	177986 Blue Cloud		
	1779CE Ceylon		
	1779CF Copper Foil		
	1779GF Gold Foil		
	1779HB Habanero		
	1779HN Honey		
	1779HV Halva		
	1779MA Magma		
	1779MG Marble Grigio		
	1779SF Silver Foil		

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-177941-SN
3 Lt. Linear Pendant w/ Garnet Glass,
Satin Nickel Finish



Mia has a classical bell shape that
complements any aesthetic, while also
built for optimal illumination.



467983
MOCHA

B R E L L A

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	467907 White	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	467952 Marble	LED 5W LED,	PN Polished Nickel
	467983 Mocha	dimmmable	SN Satin Nickel
	4679CH Cherry		
	4679KR Chalk		
	4679OK Oak		
	4679OP Bicolor Orange/Pina		
	4679SL Solare		
	4679TN Titan		

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-467983-SN
3 Lt. Linear Pendant w/ Mocha Glass,
Satin Nickel Finish



Brella has a classical bell shape that
complements any aesthetic, while also
built for optimal illumination.

2 GLASS and DECOR (continued)

D I V I



185819
CARRERA

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	1758CF Copper Foil	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	1758GF Gold Foil	LED 5W LED,	PN Polished Nickel
	1758SF Silver Foil	dimmable	SN Satin Nickel
	185807 Opal Matte		
	185819 Carrera		
	185841 Garnet		
	185886 Blue Cloud		
	185893 Dicro		
	185895 Pearl		
	1858CE Ceylon		
	1858DW Black Dicro Wavy		
	1858SW Silver Dicro Wavy		
	1858VB Black Dicro Vine		
	1858VM Vanilla Matte		


* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-185819-SN

3 Lt. Linear Pendant w/ Carrera Glass,
Satin Nickel Finish



*Dicro glass is shown lit.
Appears mirror-like when unlit.



Divi has a classical bell shape that
complements any aesthetic, while also
built for optimal illumination.

K A N I



512186
BLUE CLOUD

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	512107 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	512118 Amber Cloud	LED 5W LED,	PN Polished Nickel
	512119 Carrera	dimmable	SN Satin Nickel
	512141 Garnet		
	512186 Blue Cloud		
	5121CM Cobalt Blue Matte		
	5121HN Honey		
	5121RM Ruby Matte		
	5121VM Vanilla Matte		

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-512186-SN

3 Lt. Linear Pendant w/ Blue Cloud Glass,
Satin Nickel Finish



The Kani features a compact cone-
shaped glass, that will gracefully blend
into almost any decorating theme.

PALLA 5



5658MA
MAGMA

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	565807 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	565818 Amber Cloud	LED 5W LED, dimmable	PN Polished Nickel
	565819 Carrera		SN Satin Nickel
	565841 Garnet		
	5658CE Ceylon		
	5658HB Habanero		
	5658MA Magma		

* Please refer to pg. 116 to view linear pendant options

Ex. 3LP-5658MA-SN
3 Lt. Linear Pendant w/ Magma Glass, Satin Nickel Finish

565807
OPAL MATTE



565819
CARRERA



5658HB
HABANERO




565818
AMBER CLOUD



565841
GARNET



5658CE
CEYLON



The Palla 5 features a diminutive orb-shaped glass, that complements any aesthetic.

TAY TAY



560518
AMBER CLOUD

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	560507 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	560518 Amber Cloud	LED 5W LED, dimmable	PN Polished Nickel
	560519 Carrera		SN Satin Nickel
	560541 Garnet		
	560560 Cocoon		
	560580 Amber Matte		
	560586 Blue Cloud		
	5605CE Ceylon		
	5605HB Habanero		
	5605HN Honey		
	5605MA Magma		
	5605VM Vanilla Matte		

* Please refer to pg. 116 to view linear pendant options

Ex. 3LP-560518-SN
3 Lt. Linear Pendant w/ Amber Cloud Glass, Satin Nickel Finish

560507
OPAL MATTE



560580
AMBER MATTE



5605VM
VANILLA MATTE



560560
COCOON



560519
CARRERA



5605HN
HONEY



5605HB
HABANERO



560541
GARNET




5605MA
MAGMA



5605CE
CEYLON



560586
BLUE CLOUD



The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

2 GLASS and DECOR (continued)

S A B R I N A




5440SW
SILVER DICRO WAVY

5440VB
BLACK DICRO VINE



FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	5440SW Silver Dicro Wavy	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	5440VB Black Dicro Vine	LED 5W LED, dimmable	PN Polished Nickel SN Satin Nickel

* Please refer to pg. 116
to view linear pendant
options



Sabrina has a classical bell shape that complements any aesthetic, while also built for optimal illumination.

Ex. 3LP-5440SW-SN

3 Lt. Linear Pendant w/ Silver Dicro Wavy Glass,
Satin Nickel Finish

L A S S O



5612GL
GLITTER

561207
OPAL MATTE




5612GD
GOLD GLITTER



FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	561207 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	5612GD Gold Glitter	LED 5W LED, dimmable	PN Polished Nickel SN Satin Nickel
	5612GL Glitter		

* Please refer to pg. 116
to view linear pendant
options



The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.


Ex. 3LP-5612GL-SN

3 Lt. Linear Pendant w/ Glitter Glass,
Satin Nickel Finish

C O P A 3



440307
OPAL MATTE



Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	440307 Opal Matte	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"		LED 5W LED, dimmable	PN Polished Nickel SN Satin Nickel

* Please refer to pg. 116
to view linear pendant
options

Ex. 3LP-440307-SN

3 Lt. Linear Pendant w/ Opal Matte Glass,
Satin Nickel Finish

NICO 4





5125CF
STONE COPPER FOIL



5125OS
OPAL STONE



512500
CLEAR STONE



5125GL
GLITTER STONE



5125SF
STONE SILVER FOIL




5125GF
STONE GOLD FOIL

** Please refer to pg. 116 to view linear pendant options*

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	512500 Clear Stone	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	5125CF Stone Copper Foil	LED 5W LED, dimmable	PN Polished Nickel
	5125GF Stone Gold Foil		SN Satin Nickel
	5125GL Stone Glitter		
	5125OS Opal Stone		
	5125SF Stone Silver Foil		

Ex. 3LP-5125CF-SN
3 Lt. Linear Pendant w/ Stone Copper Foil Glass, Satin Nickel Finish



3.75"
3.5"

Nico 4 features a tapered drum shape that fits beautifully in transitional spaces.

PAHU 4





L44007
TRANS. OLIVE/OPAL



C44007
CLEAR/OPAL



G44007
TRANS. ARMAGNAC/OPAL



Y44007
TRANS. GOLD/OPAL



S44007
TRANS. SMOKE/OPAL




A44007
TRANS. AMETHYST/OPAL

** Please refer to pg. 116 to view linear pendant options*

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	A44007 Trans. Amethyst/Opal	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"	C44007 Clear/Opal	LED 5W LED, dimmable	PN Polished Nickel
	G44007 Trans. Armagnac/Opal		SN Satin Nickel
	L44007 Trans. Olive/Opal		
	S44007 Trans. Smoke/Opal		
	Y44007 Trans. Gold/Opal		

Ex. 3LP-C44007-SN
3 Lt. Linear Pendant w/ Clear/Opal Glass, Satin Nickel Finish




7"
4"

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a transparent outer glass.

STEP

3 METAL FINISHES



BR
Bronze



PN
Polished Nickel



SN
Satin Nickel

STEP

4 ORDER GUIDE

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3LP 3 Lt. 22.5"	XXXXXX Glass and Decor	(blank) 40W Hal	BR Bronze
5LP 5 Lt. 38.25"		LED 5W LED, dimmable	PN Polished Nickel
			SN Satin Nickel

** Please refer to pg. 116 to view linear pendant options*

Ex. 3LP-C44007-SN
3 Lt. Linear Pendant w/ Clear/Opal Glass, Satin Nickel Finish

CEILING LUMINAIRES



From transitional to clean & contemporary. Our ceiling collection includes a wide variety of styles.

RING 13 / 15 / 19

FLUSH MOUNT CEILING



WHITE/FROST

WHITE/CLEAR

WHITE/SMOKE


WHITE/GOLD



WHITE/COPPER FOIL

WHITE/GOLD FOIL

WHITE/SILVER FOIL



Ring marries a clean white handcrafted glass diffuser with a decorative glass ring.



Handcrafted glass attaches with twist & lock bayonet action

STD. LAMPS: 60W A19, 120V, *not included*, suitable for dimming

CFL: Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.


LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label
90°C supply wire required

Location: DAMP


Ring 13: #9772



Ring 15: #9771



Ring 19: #9770



FIXTURE/DECOR

977200C	White/Clear Ring
977202C	White/Smoke Ring
977203C	White/Gold Ring
977225C	White/Frost Ring
9772CFC	White/Copper Ring
9772GFC	White/Gold Ring
9772SFC	White/Silver Ring

LAMP OPTIONS

(blank)	1x 60W A19 Incan
D1	1x 13W Quad 120V
GU24	1x 13W GU24 120V
LED	1x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
----	----------------------

FIXTURE/DECOR

977100C	White/Clear Ring
977102C	White/Smoke Ring
977103C	White/Gold Ring
977125C	White/Frost Ring
9771CFC	White/Copper Ring
9771GFC	White/Gold Ring
9771SFC	White/Silver Ring

LAMP OPTIONS

(blank)	2x 60W A19 Incan
D2	2x 13W Quad 120V
GU24	2x 13W GU24 120V
LED	2x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
----	----------------------

FIXTURE/DECOR

977000C	White/Clear Ring
977002C	White/Smoke Ring
977003C	White/Gold Ring
977025C	White/Frost Ring
9770CFC	White/Copper Ring
9770GFC	White/Gold Ring
9770SFC	White/Silver Ring

LAMP OPTIONS

(blank)	3x 60W A19 Incan
H2	2x 26W Quad 120V
GU24	3x 13W GU24 120V
LED	3x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
----	----------------------

Ex. 977100C

Ring 15 Ceiling w/ White/Clear Ring Glass

SPEZZA 13 / 18

FLUSH MOUNT CEILING




SPEZZA 18
SATIN NICKEL

SPEZZA 13
BRONZE




*Shown with Edison Lamp (EDI)

Spezza 13:



Our industrial styled Spezza flushmount, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source.

Spezza 18:



STD LAMPS: A19 Clear 120V, not included, suitable for dimming

EDISON: 40W Edison lamp 120V, lamp included

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
SPEZZA13C 13" Dia.	(blank) 3x 100W A19 Clear Incan EDI 3x 40W Edison	BR Bronze SN Satin Nickel	LW Low Wattage labeling

FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
SPEZZA18C 18" Dia.	(blank) 4x 100W A19 Clear Incan EDI 4x 40W Edison	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. SPEZZA18C-SN

Spezza 18 Ceiling w/ Satin Nickel Finish


GLITTER 15 / 18

FLUSH MOUNT CEILING



GLITTER

Glitter 15: #9116




The Glitter Ceiling, utilizing tightly ridged contours and technologically advanced inner crystal coating, projects an awe-inspiring sparkle effect.



Handcrafted glass attaches with twist & lock bayonet action.

Glitter 18: #9117



STD LAMPS: 60W A19 Clear 120V, not included, suitable for dimming

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
9116GLC 14.5" Dia.	(blank) 3x 60W A19 Clear Incan LED 3x 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	LW Low Wattage labeling

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
9117GLC 17.75" Dia.	(blank) 3x 60W A19 Clear Incan LED 3x 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. 9117GLC


Glitter 18 Ceiling w/ Glitter Glass

LUMA SLIM 12 / 14 / 18


FLUSH MOUNT CEILING

OPAL GLOSSY/CLEAR

Luma 12 Slim: #9095



Luma 14 Slim: #9096



Luma 18 Slim: #9097



Luma features hand-blown glossy Opal glass with a stunning "halo" clear-edge effect.

"Slim" design features a low profile aluminum pan
Handcrafted glass attaches with twist & lock
bayonet action

STD LAMPS: 60W A19 120V, *not included*, suitable
for dimming

CFL: Non-dimming, *lamp not included*. See pg. 222
for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not
included*.

LED: 10W Replaceable source, 120V, dimmable,
80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture
supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
1CS 11.875" Dia.	909539 Opal Glossy/Clear	(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V GU24 1x 13W GU24 120V LED 1x 10W LED 120V, dimmable	LW Low Wattage labeling

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
2CS 14.375" Dia.	909639 Opal Glossy/Clear	(blank) 1x 60W A19 Incan D2 2x 13W Quad 120V GU24 2x 13W GU24 120V LED 2x 10W LED 120V, dimmable	LW Low Wattage labeling

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
3CS 17.75" Dia.	909739 Opal Glossy/Clear	(blank) 3x 60W A19 Incan H2 2x 26W Quad 120V GU24 3x 13W GU24 120V LED 3x 10W LED 120V, dimmable	LW Low Wattage labeling

Ex. 1CS-909539

Luma 12 Slim Ceiling w/ Opal Glossy/Clear Glass

SLIPSTREAM SLIM 11 / 16

FLUSH MOUNT CEILING




WHITE DAMASK

COSMIC


WHITE RINGS



Slipstream 11 Slim: #9038



Slipstream 16 Slim: #9040



Slipstream is clean and contemporary handcrafted glass.

"Slim" design features a low profile aluminum pan

Handcrafted glass attaches with twist & lock bayonet action

STD. LAMPS: 60W A19, 120V, *not included*, suitable for dimming

CFL: Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
1CS 11.0" Dia.	9038CS Cosmic	(blank) 1x 60W A19 Incan	LW Low Wattage labeling
	9038WB White Rings	D1 1x 13W Quad 120V	
	9038WD White Damask	GU24 1x 13W GU24 120V	
		LED 1x 10W LED 120V, dimmable	

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
3CS 16.5" Dia.	9040CS Cosmic	(blank) 3x 60W A19 Incan	LW Low Wattage labeling
	9040WB White Rings	H2 2x 26W Quad 120V	
	9040WD White Damask	GU24 3x 13W GU24 120V	
		LED 3x 10W LED 120V, dimmable	

Ex. 1CS-9038CS


Slipstream 11 Slim Ceiling w/ Cosmic Glass

RENFRO 16 / 20

FLUSH MOUNT CEILING




Renfro 16:



The ultra low-profile Renfro is a multi-layered glass, with two radiused glossy white sections fused together.



Renfro 20:



FL: T5 Circline 120V, lamp included.

HALOGEN: 40W G9 Halogen 120V, lamps included.

90°C supply wire required

Location: DAMP

FIXTURE/DECOR

RENFRO16 15.75" Dia. Opal Glossy

LAMP OPTIONS

HAL 2x 40W G9 Hal
122T5 1x 22W T5 Circline, 120V

FIXTURE/DECOR

RENFRO20 19.75" Dia. Opal Glossy

LAMP OPTIONS

HAL 3x 40W G9 Hal
140T5 1x 40W T5 Circline, 120V

Ex. RENFRO20-HAL

Renfro 20 Ceiling w/ Opal Glossy Glass

MANTA 13 / 18


FLUSH MOUNT CEILING



OPAL GLOSSY




Manta 13: #9129



The ultra low-profile Manta is a multi-layered glass, with a glossy white diffuser applied to a sparkling clear glass ring.



Manta 18: #9130



HALOGEN: 40W G9 Halogen 120V, lamps included.

90°C supply wire required

Location: DAMP

FIXTURE/DECOR

912939C 13.5" Dia. Opal Glossy

LAMP OPTIONS

HAL 2x 40W G9 Hal

FIXTURE/DECOR

913039C 17.75" Dia. Opal Glossy

LAMP OPTIONS

HAL 3x 40W G9 Hal

Ex. 912939C-HAL

Manta 13 Ceiling w/ Opal Glossy Glass

TRIO 12 / 16 / 20

FLUSH MOUNT CEILING



WHITE



MARBLE



STUCCO-FROST






STUCCO



Hardware detail

Trio 12: #9682:



Trio showcases a contemporary glass diffuser suspended from the low profile pan via three decorative metal clips.

STD. LAMPS: 100W A19, 120V, *not included*, suitable for dimming

CFL: Non-dimming, *lamp not included*. See pg. 223 for all options.

GU24: 120V, 18W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.


HALOGEN: 150W 3.125" Double-ended 120V thermally protected, *included*, suitable for dimming

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


90°C supply wire required

Location: DAMP

Trio 16: #9681



Trio 20: #9680



GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968207 White	(blank) 1x 100W A19 Incan	BR Bronze	LW Low Wattage labeling
968252 Marble	HAL 1x 150W Hal	PN Polished Nickel	
96825T Stucco	E1 1x 18W Quad 120V	SN Satin Nickel	
96825FR Stucco-Frost	GU24 1x 18W GU24 120V	WH White	
	LED 1x 10W LED 120V, dimmable		

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968107 White	(blank) 2x 100W A19 Incan	BR Bronze	LW Low Wattage labeling
968152 Marble	HAL 1x 150W Hal	PN Polished Nickel	
96815T Stucco	H2 2x 26W Quad 120V	SN Satin Nickel	
96815FR Stucco-Frost	GU24 2x 18W GU24 120V	WH White	
	LED 2x 10W LED 120V, dimmable		

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968007 White	(blank) 1x 100W A19 Incan	BR Bronze	LW Low Wattage labeling
968052 Marble	HAL 2x 150W Hal	PN Polished Nickel	
96805T Stucco	K2 2x 32W Quad 120V	SN Satin Nickel	
96805FR Stucco-Frost	GU24 3x 18W GU24 120V	WH White	
	LED 3x 10W LED 120V, dimmable		

Ex. 96805T-SN
Trio 20 Ceiling w/ Stucco Glass, Satin Nickel Clips

SONYA 13 / 17 / 20

FLUSH MOUNT CEILING



SATIN WHITE



GOLD GLITTER






GLITTER



Hardware detail

Sonya 13 #8417:



Sonya's Satin Frost glass is suspended near the ceiling by three decorative twist-lock clips.



STD LAMPS: Halogen G9 120V lamps, *included*, suitable for dimming

MED: 100W A19, 120V, *not included*, suitable for dimming


GU24: 120V, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.


90°C supply wire required

Location: DAMP

Sonya 17 #8418:



Sonya 20 #8419:



GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
841725 Satin Frost		(blank) 1x 100W G9 Hal		BR Bronze
8417GD Gold Glitter		MED 1x 100W A19 Incan		PN Polished Nickel
8417GL Glitter		GU24 1x 13W GU24 120V		SN Satin Nickel
		LED 1x 10W LED 120V,		WH White

GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
841825 Satin Frost		(blank) 2x 100W G9 Hal		BR Bronze
8418GD Gold Glitter		MED 2x 100W A19 Incan		PN Polished Nickel
8418GL Glitter		GU24 2x 18W GU24 120V		SN Satin Nickel
		LED 2x 10W LED 120V,		WH White

GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
841925 Satin Frost		(blank) 3x 100W G9 Hal		BR Bronze
8419GD Gold Glitter		MED 3x 100W A19 Incan		PN Polished Nickel
8419GL Glitter		GU24 3x 18W GU24 120V		SN Satin Nickel
		LED 3x 10W LED 120V,		WH White

Ex. 8417GD-SN

Sonya 13 Ceiling w/ Gold Glitter Glass, Satin Nickel Clips

PINTA 12 / 15

FLUSH MOUNT CEILING




PINTA 15
CLEAR

CLEAR

GOLD



Pinta 12: #9062



Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed lightsource.

Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, not included, suitable for dimming


EDISON: 40W Edison lamp 120V, lamp included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

Pinta 15: #9063



FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906288C 11.75" Dia. Clear	(blank) 1x 100W A19 Clear Incan	LW Low Wattage labeling
9062GDC 11.75" Dia. Gold	EDI 1x 40W Edison	

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906388C 15" Dia. Clear	(blank) 3x 60W A19 Clear Incan	LW Low Wattage labeling
9063GDC 15" Dia. Gold	EDI 3x 40W Edison	

Ex. 9062GDC
Pinta 12 Ceiling w/ Gold Glass

WAVE 12 / 15

FLUSH MOUNT CEILING




WAVE 15
CLEAR

CLEAR


SMOKE



Wave 12: #9062



Wave 15: #9063



The Wave is a half globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, *not included*, suitable for dimming

EDISON: 40W Edison lamp 120V, *lamp included*

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906202C 11.75" Dia. Smoke	(blank) 1x 100W A19 Clear Incan	LW Low Wattage labeling
906261C 11.75" Dia. Clear	EDI 1x 40W Edison	

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906302C 15" Dia. Smoke	(blank) 3x 60W A19 Clear Incan	LW Low Wattage labeling
906361C 15" Dia. Clear	EDI 3x 40W Edison	

Ex. 906202C
Wave 12 Ceiling w/ Smoke Glass

NOVA 10 / 13 / 16

FLUSH MOUNT CEILING




CARRERA

WHITE

MARBLE



Nova 10: #9772



Nova is clean and contemporary handcrafted glass.



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, *lamp not included*.


LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


90°C supply wire required

Location: DAMP

Nova 13: #9771



Nova 16: #9770



DECOR	-	LAMP OPTIONS	-	OPTIONS
977207C 10.25" Dia. White		(blank) 1x 60W A19 Incan		LW Low Wattage labeling
977219C 10.25" Dia. Carrera		D1 1x 13W Quad 120V		
977252C 10.25" Dia. Marble		GU24 1x 13W GU24 120V		
		LED 1x 10W LED 120V, dimmable		

DECOR	-	LAMP OPTIONS	-	OPTIONS
977107C 12.5" Dia. White		(blank) 2x 60W A19 Incan		LW Low Wattage labeling
977119C 12.5" Dia. Carrera		D2 2x 13W Quad 120V		
977152C 12.5" Dia. Marble		GU24 3x 13W GU24 120V		
		LED 2x 10W LED 120V, dimmable		

DECOR	-	LAMP OPTIONS	-	OPTIONS
977007C 15.75" Dia. White		(blank) 3x 60W A19 Incan		LW Low Wattage labeling
977019C 15.75" Dia. Carrera		H2 2x 26W Quad 120V		
977052C 15.75" Dia. Marble		GU24 3x 13W GU24 120V		
		LED 3x 10W LED 120V, dimmable		

Ex. 977019C
Nova 16 Ceiling w/ Carrera Glass

SOLA 10 / 12 / 16

FLUSH MOUNT CEILING




OPAL MATTE

OPAL-CLEAR

MARBLE




Sola 10: #9432



Sola features a contemporary round shape with low profile, created in handcrafted glass with a low-profile aluminum pan.



Sola 12: #9431



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, *lamp not included*.


LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

Sola 16: #9430



DECOR

943207C	10.0" Dia. Opal Matte
943239C	10.0" Dia. Opal-Clear
943252C	10.0" Dia. Marble

LAMP OPTIONS

(blank)	1x 60W A19 Incan
D1	1x 13W Quad 120V
GU24	1x 13W GU24 120V
LED	1x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
-----------	----------------------

DECOR

943107C	12.5" Dia. Opal Matte
943139C	12.5" Dia. Opal-Clear
943152C	12.5" Dia. Marble

LAMP OPTIONS

(blank)	2x 60W A19 Incan
D2	2x 13W Quad 120V
GU24	2x 13W GU24 120V
LED	2x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
-----------	----------------------

DECOR

943007C	16.0" Dia. Opal Matte
943039C	16.0" Dia. Opal-Clear
943052C	16.0" Dia. Marble

LAMP OPTIONS

(blank)	3x 60W A19 Incan
H2	2x 26W Quad 120V
GU24	3x 13W GU24 120V
LED	3x 10W LED 120V, dimmable

OPTIONS

LW	Low Wattage labeling
-----------	----------------------

Ex. 943007C

Sola 16 Ceiling w/ Opal Matte Glass


GEO 9 / 11

FLUSH MOUNT CEILING




OPAL MATTE

Geo 9: #888407



Geo 11: #888307



Geo is a simple, contemporary flushmount featuring handcrafted Opal glass.

Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

DECOR	-	LAMP OPTIONS	-	OPTIONS
888407C 9.0" Sq. Opal Matte		(blank) 1x 60W A19 Incan		LW Low Wattage labeling
		D1 1x 13W Quad 120V		
		GU24 1x 13W GU24 120V		
		LED 1x 10W LED 120V, dimmable		

DECOR	-	LAMP OPTIONS	-	OPTIONS
888307C 11.0" Sq. Opal Matte		(blank) 2x 60W A19 Incan		LW Low Wattage labeling
		D2 2x 13W Quad 120V		
		GU24 2x 13W GU24 120V		
		LED 2x 10W LED 120V, dimmable		


Ex. 888407C
Geo 9 Ceiling w/ Opal Matte Glass

BOBBI 10 / 12


FLUSH MOUNT CEILING



Bobbi 10: #9111



Bobbi 12: #9110



Bobbi's swirling threads of white woven into the matte hand-blown glass create a suggestion of natural marble.

Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

MARBLE

DECOR	LAMP OPTIONS	OPTIONS
911152C 10.0" Dia. Marble	(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V GU24 1x 13W GU24 120V LED 1x 10W LED 120V, dimmable	LW Low Wattage labeling

DECOR	LAMP OPTIONS	OPTIONS
911052C 12.0" Dia. Marble	(blank) 2x 60W A19 Incan D2 2x 13W Quad 120V GU24 2x 13W GU24 120V LED 2x 10W LED 120V, dimmable	LW Low Wattage labeling

Ex. 911052C


Bobbi 12 Ceiling w/ Marble Glass

KATIE 10 / 12


FLUSH MOUNT CEILING



Katie 10: #9451



Katie 12: #9450



Katie features handcrafted Opal glass with radiating ribs and a matte finish, to realize a look both contemporary and natural.

Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

Location: DAMP

OPAL MATTE

DECOR	LAMP OPTIONS	OPTIONS
945107C 10.5" Dia. Opal Matte	(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V GU24 1x 13W GU24 120V LED 1x 10W LED 120V, dimmable	LW Low Wattage labeling

DECOR	LAMP OPTIONS	OPTIONS
945007C 12.0" Dia. Opal Matte	(blank) 2x 60W A19 Incan D2 2x 13W Quad 120V GU24 2x 13W GU24 120V LED 2x 10W LED 120V, dimmable	LW Low Wattage labeling

Ex. 945007C

Katie 12 Ceiling w/ Opal Matte Glass

PAHU 8 / 12 / 16

SEMI-FLUSH MOUNT CEILING



CLEAR/OPAL

TRANS. GOLD/OPAL

TRANS. SMOKE/OPAL

TRANS. AMETHYST/OPAL

TRANS. ARMAGNAC/OPAL

TRANS. OLIVE/OPAL

Glass Options



CLEAR

TRANS. GOLD

TRANS. SMOKE

TRANS. AMETHYST

TRANS. ARMAGNAC

TRANS. OLIVE

Glass Options (No Inner Glass)



The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.



LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.
(Not available for "NI" option)

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

Location: DAMP

STD LAMP: 120V, not included


CFL: 120V/277V, lamp not included. See pg. 222 for all options.

GU24: 120V, 26W MAX, lamp not included.

Ex. 1KM-C00707-SN

Pahu 16 Ceiling w/ Clear/Opal Glass, Satin Nickel Finish

Pahu 8:



(No Inner Glass)

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1KM Ceiling		A00607 Trans. Amethyst/Opal		(blank) 100W A19 Incan		BR Bronze		NI No Inner glass, 3 Lt.
		C00607 Clear/Opal		I1 26W TBX 120V		SN Satin Nickel		LW Low Wattage labeling
		G00607 Trans. Armagnac/Opal		R1 26W TBX 277V				
		L00607 Trans. Olive/Opal		GU24 26W GU24 120V				
		S00607 Trans. Smoke/Opal		LED 10W LED 120V, dimmable				
		Y00607 Trans. Gold/Opal						



PAHU 16
CLEAR

**Shown with no Inner Glass
(NI) with Edison Lamps (ED)*




PAHU 12
TRANS. ARMAGNAC/OPAL




PAHU 8
TRANS. OLIVE/OPAL

Pahu 12:



(No Inner Glass)

Pahu 16:



(No Inner Glass)

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1KM Ceiling		A18407 Trans. Amethyst/Opal		(blank) 100W A19 Incan		BR Bronze		NI No Inner glass, 3 Lt.
		C18407 Clear/Opal		I1 26W TBX 120V		SN Satin Nickel		LW Low Wattage labeling
		G18407 Trans. Armagnac/Opal		R1 26W TBX 277V				
		L18407 Trans. Olive/Opal		GU24 26W GU24 120V				
		S18407 Trans. Smoke/Opal		LED 10W LED 120V, dimmable				
		Y18407 Trans. Gold/Opal						

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1KM Ceiling		A00707 Trans. Amethyst/Opal		(blank) 150W A21 Incan		BR Bronze		NI No Inner glass, 3 Lt.
		C00707 Clear/Opal		I1 26W TBX 120V		SN Satin Nickel		LW Low Wattage labeling
		G00707 Trans. Armagnac/Opal		R1 26W TBX 277V				
		L00707 Trans. Olive/Opal		GU24 26W GU24 120V				
		S00707 Trans. Smoke/Opal		LED 10W LED 120V, dimmable				
		Y00707 Trans. Gold/Opal						



TAMBURO 16V2

SEMI-FLUSH MOUNT CEILING



GLITTER STONE
1KM-4008GL-SN



CLEAR STONE
1KM-400800-SN

4008GS
STONE GOLD FOIL



4008CS
STONE COPPER FOIL



4008SS
STONE SILVER FOIL



4008SF
SILVER FOIL



4008KR
CHALK




4008TN
TITAN



4008OK
OAK



4008CH
CHERRY



Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.

Includes frosted glass glare shield

STD. LAMPS: 60W A19, 120V, *not included*, suitable for dimming

CFL: 120V, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 26W MAX, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label 90°C supply wire required

90°C supply wire required

Location: DAMP

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM 1 Lt. Flat	4008CH Cherry 4008KR Chalk 4008OK Oak 4008TN Titan 400800 Clear Stone 4008CS Stone Copper Foil 4008GL Glitter Stone 4008GS Stone Gold Foil 4008SF Silver Foil 4008SS Stone Silver Foil	(blank) 3x 60W A19 Incan I3 3x 26W TBX 120V R3 3x 26W TBX 277V GU24 3x 26W GU24 LED 3x 10W LED 120V, dimmable	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. 1KM-4008OK-SN
3 Lt. Flat Ceiling w/ Oak Glass, Satin Nickel Finish

WALL LUMINAIRES

The imagination, the passion, and the personal experience of the individual glass artisan is infused into every piece.



OPTOS

SCONCES WALL



CL
CLEAR




CD
COOL DICRO



WD
WARM DICRO



FR
FROST



The Optos wall sconce uses two separate optical-effect lenses to produce interesting displays of up/down light. The aluminum body allows for 359 degree rotation and holds the lenses with clips.



Wall-mount only

STD. LAMP: 40W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Easy relamping

LOCATION: DAMP

FIXTURE/DECOR	LENS COMBINATION	LAMP OPTIONS	METAL FINISH
OPTOS1W Sconce	CD CD Cool Dicro/Cool Dicro CD WD Cool Dicro/Warm Dicro CL CD Clear/Cool Dicro CL CL Clear/Clear CL FR Clear/Frost CL WD Clear/Warm Dicro FR FR Frost/Frost FR CD Frost/Cool Dicro FR WD Frost/Warm Dicro WD WD Warm Dicro/Warm Dicro	(blank) 40W G9 Hal LED 5W LED 120V, dimmable	BA Brushed Alum. CR Chrome

Ex. OPTOS1W-CLCL-BA

Optos Wall Sconce w/ Clear and Clear Lens Combination, Brushed Aluminum Finish

SPEZZA

SCONCES WALL




1WZ-SPEZZA-EDI-BR
BRONZE

**Shown with Edison Lamp
(EDI) and in Bronze finish*



1WZ-SPEZZA-PLU-SN
SATIN NICKEL

**Shown with Plumen
Lamp (PLU)*



Our industrial styled Spezza sconce, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source

EDISON: 40W Edison lamp, included

PLUMEN: 9W Plumen CFL lamp, included

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Wall-mount sconce only

STD LAMP: 100W A19 120V, lamp not included

FIXTURE	GLASS DIFFUSER	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	SPEZZA Spezza	(blank) 100W A19 Incan EDI 40W Edison PLU 9W Plumen	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. 1WZ-SPEZZA-SN
Spezza Sconce w/ Wireform Shade,
Satin Nickel Finish

METRO

SCONCES WALL




1WE-118607-PN
OPAL MATTE



1WE-118607-SN
OPAL MATTE



1WE-118607-BR
OPAL MATTE



Metro has contemporary style with formal sensibilities. The slender Opal glass cylinder is matched with a gently radiused bracket.

Open-top handcrafted glass:
2.375" Dia. x 10" H

STD. LAMP: 60W B10 120V, *not included*, suitable for dimming.

CFL: 120V, non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, *lamp not included*.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 700 lumens, 30,000 hours.

75°C supply wire required

LOCATION: DAMP

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
1WE 1 Light	118607 Opal Matte	(blank) 60W B10 Incan E1 18W Quad 120V GU24* 18W Quad 120V LED 7W LED 120V, non-dimmable	BR Bronze PN Polished Nickel SN Satin Nickel

**Note the lamp must be Quad style to fit diffuser.*

Ex. 1WE-118607-SN
Metro Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

KARLI

SCONCES WALL

CHOICE
COLLECTION



7198VM
VANILLA MATTE

719880
AMBER MATTE



719819
CARRERA

7198HN
HONEY

719818
AMBER CLOUD

719841
GARNET

719886
BLUE CLOUD



The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.

Wall-mount sconce only

STD LAMP: 40W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1SX Sconce	719807 Opal Matte	(blank) 40W G9 Hal	BR Bronze
	719818 Amber Cloud	LED 5W LED 120V, dimmable	PN Polished Nickel
	719819 Carrera		SN Satin Nickel
	719841 Garnet		
	719880 Amber Matte		
	719886 Blue Cloud		
	7198CE Ceylon		
	7198HN Honey		
	7198VM Vanilla Matte		

Ex. 1SX-719807-SN
Karli 1-Light Sconce w/ Opal Matte Glass, Satin Nickel Finish

TOMAS

SCONCES WALL

CHOICE
COLLECTION

ADA
COMPLIANT



704107
OPAL MATTE

7041VM
VANILLA MATTE

704180
AMBER MATTE


7041RM
RUBY MATTE

7041CM
COBALT BLUE MATTE

704118
AMBER CLOUD

704141
GARNET

7041CE
CEYLON



Graceful Tomas sconce has minimal hardware to show off the open-ended beautiful handcrafted glass.

Open-ended handcrafted glass

STD. LAMP: 75W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 223 for all options.

GU24: 120V, 18W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704107 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
704118 Amber Cloud	E1 18W Quad 120V	BR Bronze	
704141 Garnet	N1 18W Quad 277V	PN Polished Nickel	
704180 Amber Matte	GU24 18W GU24 120V	SN Satin Nickel	
7041CE Ceylon	LED 10W LED 120V, dimmable	WH White	
7041CM Cobalt Blue Matte			
7041RM Ruby Matte			
7041VM Vanilla Matte			

Ex. 7041CE-SN
Tomas Wall Sconce w/ Ceylon Glass, Satin Nickel Finish

CHELSEA

SCONCES WALL

CHOICE
COLLECTION

ADA
COMPLIANT



7043HB-SN
HABANERO



7043HN-SN
HONEY



704341-SN
GARNET

704307
OPAL MATTE

7043VM
VANILLA MATTE

704380
AMBER MATTE


704319
CARRERA

704318
AMBER CLOUD

7043MA
MAGMA

7043CE
CEYLON

704386
BLUE CLOUD



Our lithe and lovely Chelsea sconce has minimal hardware to show off the open-ended handcrafted glass.

Open-top handcrafted glass, no visible hardware

STD. LAMP: 75W A19 120V, *not included*, suitable for dimming.

CFL: 120V/277V, Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704307 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
704318 Amber Cloud	E1 18W Quad 120V	BR Bronze	
704319 Carrera	N1 18W Quad 277V	PN Polished Nickel	
704341 Garnet	GU24 18W GU24 120V	SN Satin Nickel	
704380 Amber Matte	LED 10W LED 120V, dimmable	WH White	
704386 Blue Cloud			
7043CE Ceylon			
7043HB Habanero			
7043HN Honey			
7043MA Magma			
7043VM Vanilla Matte			


Ex. 7043HN-SN
Chelsea Wall Sconce w/ Honey Glass,
Satin Nickel Finish

LINA

SCONCES WALL



708307-SN
OPAL MATTE



The handsome Lina wall sconce has minimal hardware to show off the beautiful open-top handcrafted glass.

STD. LAMP: 75W A19 120V, *not included*, suitable for dimming

CFL: 120V/277V, Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
708307 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage
708380 Amber Matte	E1 18W Quad 120V	BR Bronze	labeling
7083VM Vanilla Matte	N1 18W Quad 277V	PN Polished Nickel	
	GU24 18W GU24 120V	SN Satin Nickel	
	LED 10W LED 120V, dimmable	WH White	

Ex. 708307-SN

Lina Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

708380
AMBER MATTE

7083VM
VANILLA MATTE



TORRE 14 / 18 / 22

SCONCES WALL




8192GF-SN
GOLD FOIL




8193SF-SN
SILVER FOIL

Torre 14 Wall #8192:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819207 White	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
8192CF Copper Foil	E1 18W Quad 120V	BR Bronze	
8192CH Cherry	N1 18W Quad 277V	PN Polished Nickel	
8192GF Gold Foil	GU24 18W GU24 120V	SN Satin Nickel	
8192KR Chalk	LED 10W LED 120V, dimmable	WH White	
8192OK Oak			
8192SF Silver Foil			
8192TN Titan			

Torre 18 Wall #8193:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819307 White	(blank) 2x 75W A19 Incan	BK Black	LW Low Wattage labeling
8193CF Copper Foil	E2 2x 18W Quad 120V	BR Bronze	
8193CH Cherry	N2 2x 18W Quad 277V	PN Polished Nickel	
8193GF Gold Foil	124T5 1x 24W Twin T5	SN Satin Nickel	
8193KR Chalk	GU24 2x 18W GU24 120V	WH White	
8193OK Oak	LED 2x 10W LED 120V, dimmable		
8193SF Silver Foil			
8193TN Titan			

TORRE 14 / 18 / 22

SCONCES WALL

Torre 22 Wall #8194:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819407 White	(blank) 2x 75W A19 Incan	BK Black	LW Low Wattage labeling
8194CF Copper Foil	E2 2x 18W Quad 120V	BR Bronze	
8194CH Cherry	N2 2x 18W Quad 277V	PN Polished Nickel	
8194GF Gold Foil	124T5 1x 24W Twin T5	SN Satin Nickel	
8194KR Chalk	GU24 2x 26W GU24 120V	WH White	
81940K Oak	LED 2x 10W LED 120V, dimmable		
8194SF Silver Foil			
8194TN Titan			

Ex. 8192CH-SN

Torre 14 Wall Sconce w/ Cherry Glass, Satin Nickel Finish

The classic colonade-shaped Torre wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.



STD. LAMP: 75W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 223 for all options.

GU24: 120V, 18W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



8194KR-SN
CHALK

WHITE

COPPER FOIL

OAK

CHERRY

TITAN



TAMBURO 7

SCONCES WALL

CHOICE
COLLECTION

ADA
COMPLIANT



7042CE-SN
CEYLON



704218-SN
AMBER CLOUD



704219-SN
CARRERA

704207
OPAL MATTE



7042VM
VANILLA MATTE



704280
AMBER MATTE



7042MG
MARBLE GRIGIO




7042HN
HONEY



7042HB
HABANERO




704241
GARNET



7042MA
MAGMA



704286
BLUE CLOUD



The attractive Tamburo wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.

STD. LAMP: 75W A19 120V, *not included*, suitable for dimming

CFL: 120V/277V, Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704207 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
704218 Amber Cloud	E1 18W Quad 120V	BR Bronze	
704219 Carrera	N1 18W Quad 277V	PN Polished Nickel	
704241 Garnet	GU24 18W GU24 120V	SN Satin Nickel	
704280 Amber Matte	LED 10W LED 120V, dimmable	WH White	
704286 Blue Cloud			
7042CE Ceylon			
7042HB Habanero			
7042HN Honey			
7042MA Magma			
7042MG Marble Grigio			
7042VM Vanilla Matte			

Ex. 7042CE-SN
Tamburo 7 Wall Sconce w/ Ceylon Glass,
Satin Nickel Finish

TAMBURO 8

SCONCES WALL

ADA


COMPLIANT

7090OS
OPAL STONE

7090GF
STONE GOLD FOIL

7090SF
STONE SILVER FOIL

7089BD
BLACK DAMASK



The cylindrical open ended Tamburo wall sconce has minimal hardware to show off the beautiful stone-textured glass.

STD. LAMP: 75W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



7090CF-SN
STONE COPPER FOIL

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
7089BD Black Damask	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
7090CF Stone Copper Foil	E1 18W Quad 120V	BR Bronze	
7090GF Stone Gold Foil	N1 18W Quad 277V	PN Polished Nickel	
7090OS Opal Stone	GU24 18W GU24 120V	SN Satin Nickel	
7090SF Stone Silver Foil	LED 10W LED 120V, dimmable	WH White	

Ex. 7090OS-SN

Tamburo 8 Wall Sconce w/ Opal Stone Glass, Satin Nickel Finish

TAMBURO 11


SCONCES WALL

ADA

COMPLIANT

7118CF
STONE COPPER FOIL

7118SF
STONE SILVER FOIL



The cylindrical open ended Tamburo wall sconce has minimal hardware to show off the beautiful stone-textured glass.

STD. LAMP: 75W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 18W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



7118GF-SN
STONE GOLD FOIL


FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
7118CF Stone Copper Foil	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
7118GF Stone Gold Foil	E2 2x 18W Quad 120V	BR Bronze	
7118SF Stone Silver Foil	N2 2x 18W Quad 277V	PN Polished Nickel	
	GU24 2x 18W GU24 120V	SN Satin Nickel	
	LED 2x 10W LED 120V, dimmable	WH White	

Ex. 7118GF-SN

Tamburo 11 Wall Sconce w/ Stone Gold Foil Glass, Satin Nickel Finish



7017HN-SN
HONEY



701741-SN
GARNET

701707
OPAL MATTE

7017VM
VANILLA MATTE

701780
AMBER MATTE



701719
CARRERA

7017HV
HALVA

701718
AMBER CLOUD

7017CE
CEYLON

701786
BLUE CLOUD



Graceful Kailee sconce has minimal hardware to show off the beautiful handcrafted glass.

STD. LAMP: 60W E12 120V, *not included*, suitable for dimming

CFL: 120V/277V, Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 6W Replaceable source, 120V, non-dimmable, 80+ CRI, 2700°K CCT, 300 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
701707 Opal Matte	(blank) 60W E12 Incan	BK Black	LW Low Wattage
701718 Amber Cloud	D1 13W Quad 120V	BR Bronze	labeling
701719 Carrera	M1 13W Quad 277V	PN Polished Nickel	
701741 Garnet	GU24 13W GU24 120V	SN Satin Nickel	
701780 Amber Matte	LED 6W LED 120V, non-dimmable	WH White	
701786 Blue Cloud			
7017CE Ceylon			
7017HN Honey			
7017HV Halva			
7017VM Vanilla Matte			

Ex. 701741-SN
Kailee Wall Sconce w/ Garnet Glass,
Satin Nickel Finish

FALLA 6


SCONCES WALL



1WZ-FAL6QZ-CR
QUARTZ



1WZ-FAL6CF-SN
COFFEE



Falla is a contemporary broad-shaped cylinder, which closed top, resulting in a new spin on a timeless look.

STD. LAMP: 60W A19 120V not included, suitable for dimming

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP


FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1WZ Scone	FAL6CF Coffee FAL6QZ Quartz	(blank) 60W A19 Incan GU24 13W GU24 120V LED 10W LED 120V, dimmable	BR Bronze CR Chrome SN Satin Nickel	LW Low Wattage labeling

Ex. 1WZ-FAL6QZ-SN
Falla Mini Scone w/ Quartz Glass, Satin Nickel Finish

DORIAN 10 / 17

SCONCES WALL

ADA
COMPLIANT




119007
OPAL MATTE

118952
MARBLE


118983
MOCHA



Dorian 10: #1189



Dorian 17: #1190



Dorian is a broad half-cylinder design featuring open top and bottom handcrafted glass. This versatile sconce may be mounted either vertically or horizontally and is

STD. LAMP: 60W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
118907 Opal Matte	(blank) 1x 60W A19 Incan	LW Low Wattage
118952 Marble	E1 1x 18W Quad 120V	labeling
118983 Mocha	GU24 1x 13W GU24 120V	
	LED 1x10W LED 120V, dimmable	

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
119007 Opal Matte	(blank) 2x 60W A19 Incan	LW Low Wattage
119052 Marble	H1 1x 26W Quad 120V	labeling
	Q1 1x 26W Quad 277V	
	GU24 2x 13W GU24 120V	
	LED 2x10W LED 120V, dimmable	

Ex. 119007
Dorian 17 Wall Sconce w/ Opal Matte Glass


LUMA 12 / 14 / 18

SCONCES WALL




OPAL GLOSSY/CLEAR


Luma 12 Slim: #9095



Luma 14 Slim: #9096



Luma 18 Slim: #9097



Luma features hand-blown glossy Opal glass with a stunning "halo" clear-edge effect.



"Slim" design features a low profile aluminum pan

Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming

CFL: 120V/277V, Non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

90°C supply wire required

Location: DAMP

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
909539 Opal Glossy/Clear	(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V GU24 1x 13W GU24 120V LED 1x10W LED 120V, dimmable	LW Low Wattage labeling

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
909639 Opal Glossy/Clear	(blank) 2x 60W A19 Incan D2 2x 13W Quad 120V GU24 2x 13W GU24 120V LED 2x10W LED 120V, dimmable	LW Low Wattage labeling

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
909739 Opal Glossy/Clear	(blank) 3x 60W A19 Incan H2 2x 26W Quad 120V GU24 3x 13W GU24 120V LED 3x10W LED 120V, dimmable	LW Low Wattage labeling

Ex. 909739


Luma 18 Slim Wall Sconce w/ Opal Glossy/Clear Glass

MIRANDA 26

SCONCES WALL



MIRANDA26-SW-SN
SATIN WHITE



The handsome Miranda wall sconce features decorative plated metal endcaps on the handcrafted opal glass. ADA-Compliant.

Wall-mount only

STD. LAMP: 3x 40W G9 Halogen 120V, included

FL: Non-dimming.

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Orient vertically or horizontally, wall-mount only

75°C supply wire required

LOCATION: DAMP

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
MIRANDA26 Sconce	SW Satin White	(blank) 3x 40W G9 Halogen 124TS 24W T5 120/277V LED 3x 5W LED 120V, dimmable	CR Chrome SN Satin Nickel


Ex. MIRANDA26-SW-CR
Miranda 26 Wall Sconce w/ Satin White Glass, Chrome Finish

MISTRAL

SCONCES WALL



711207-SN
Opal Matte



The graceful Mistral wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass. It's elongated vertical shape has greater scale for larger spaces.

STD. LAMP: 2x 100W A19 120V, not included, suitable for dimming

CFL: 120V/277V, Non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 26W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
711207 Opal Matte	(blank) 2x 100W A19 Incan H2 2x 26W Quad 120V Q2 2x 26W Quad 277V 136T5 1x 36W Twin T5 120/277V GU24 2x 26W GU24 120V LED 2x 10W LED 120V, dimmable	BK Black BR Bronze PN Polished Nickel SN Satin Nickel WH White	LW Low Wattage labeling

Ex. 711207-SN
Mistral Wall Sconce w/ Opal Matte Glass,
Satin Nickel Finish


B A A Z 1 6 / 2 0

SCONCES WALL




770207-SN
OPAL MATTE

Baaz 16: #7702



Baaz 20: #7860



Baaz features a handcrafted half-cylinder Opal glass that is enclosed, concealing the lightsource. Mount horizontal or vertical.

Wall-mount only

STD. LAMP: 40W B10 120V, *not included*, suitable for dimming

HALOGEN: 40W G9 Lamp 120V, *included*

CFL: 120V/277, non-dimming, *lamp not included*. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 700 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
770207 Opal Matte	(blank) 2x 40W B10 Incan	BR Bronze	LW Low Wattage
	HAL 2x 40W G9 Hal	PN Polished Nickel	labeling
	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 1x 13W GU24 120V		
	LED 1x 7W LED 120V, non-dimmable		
FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
786007 Opal Matte	(blank) 3x 40W B10 Incan	BR Bronze	LW Low Wattage
	HAL 3x 40W G9 Hal	PN Polished Nickel	labeling
	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 2x 13W GU24 120V		
	LED 2x 7W LED 120V, non-dimmable		

*Note the lamp must be Quad style to fit diffuser.

Ex. 770207-SN

Baaz 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

786007-SN
OPAL MATTE

DARCI 16 / 21


SCONCES WALL

ADA
COMPLIANT



272507-SN
OPAL MATTE

Darci 16: #2725



Darci is a contemporary sconce that features open-ended handcrafted glass in Opal. Can be mouted horizontally or vertically.

STD. LAMP: 60W A15 120V, not included, suitable for dimming

HALOGEN: 40W G9 Lamp 120V, included

CFL: 120V/277, non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, lamp not included.


LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 700 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

Darci 21: #2726



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272507 Opal Matte	(blank) 2x 60W A15 Incan HAL 2x 40W G9 Hal H1 1x 26W Quad 120V Q1 1x 26W Quad 277V GU24* 1x 13W GU24 120V LED 1x 7W LED 120V, non-dimmable	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling
FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272607 Opal Matte	(blank) 3x 60W A15 Incan HAL 3x 40W G9 Hal H1 1x 26W Quad 120V Q1 1x 26W Quad 277V GU24* 2x 13W GU24 120V LED 2x 7W LED 120V, non-dimmable	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling

*Note the lamp must be Quad style to fit diffuser.

Ex. 272507-SN

Darci 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

272607-SN
OPAL MATTE


AERO 16 / 21

SCONCES WALL



272807-SN
OPAL MATTE

Aero 16: #2728



Aero is a shapely, contemporary sconce features open-ended handcrafted Opal Matte glass. Can be mounted horizontally or vertically.

STD. LAMP: 60W A15 120V, not included, suitable for dimming

HALOGEN: 40W G9 Lamp 120V, included

CFL: 120V/277, non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, lamp not included.


LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 700 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

Aero 21: #2729



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272807 Opal Matte	(blank) 2x 60W A15 Incan	BR Bronze	LW Low Wattage
2728ST Stucco	HAL 2x 40W G9 Hal	PN Polished Nickel	labeling
	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 1x 13W GU24 120V		
	LED 1x 7W LED 120V, non-dimmable		

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272907 Opal Matte	(blank) 3x 60W A15 Incan	BR Bronze	LW Low Wattage
2729ST Stucco	HAL 3x 40W G9 Hal	PN Polished Nickel	labeling
	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 2x 13W GU24 120V		
	LED 2x 7W LED 120V, non-dimmable		

*Note the lamp must be Quad style to fit diffuser.

Ex. 2728ST-SN

Aero 16 Wall Sconce w/ Stucco Glass, Satin Nickel Finish

2729ST-SN
STUCCO

TINO 13 / 18


SCONCES WALL

OPAL

OPAL-FROST



Tino 13: #7804



Contemporary Tino sconce features tapered vertical handcrafted glass.

Closed-ended handcrafted glass
Wall-mount only

STD. LAMP: 40W B10 120V, lamp not included, suitable for dimming

HALOGEN: 40W G9 Lamp 120V, included

CFL: 120V/277, non-dimming, lamp not included. See pg. 222 for all options.

GU24: 120V, 13W MAX, non-dimming, lamp not included.


LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 700 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

Tino 18: #7805



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
780407 Opal Matte	(blank) 2x 40W B10 Incan	BR Bronze	LW Low Wattage
780419 Carrera	HAL 2x 40W G9 Hal	PN Polished Nickel	labeling
780499 Opal-Frost	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 1x13W GU24 120V		
	LED 1x 7W LED 120V, non-dimmable		
FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
780507 Opal Matte	(blank) 3x 40W B10 Incan	BR Bronze	LW Low Wattage
780519 Carrera	HAL 3x 40W G9 Hal	PN Polished Nickel	labeling
780599 Opal-Frost	H1 1x 26W Quad 120V	SN Satin Nickel	
	Q1 1x 26W Quad 277V		
	GU24* 2x 13W GU24 120V		
	LED 2x 7W LED 120V, non-dimmable		

*Note the lamp must be Quad style to fit diffuser.

Ex. 780419-SN

Tino 13 Wall Sconce w/ Carrera Glass, Satin Nickel Finish

CARRERA

BUILD YOUR OWN SWING ARMS

Our popular Swing Arm luminaires showcase both beautiful handcrafted glass plus the flexibility to put the light just where you want it. With a broad selection of handcrafted glasses to pair up with our swing arms fixtures, a variety of combinations is available for your choosing.



STEP

1

Select a swing arm.

Each fixture includes a 60W Class 2 12V electronic transformer and integrated full-range rotary dimmer. A 50W Halogen 12V Bi-Pin GY6.35 lamp or a 50W Shielded Flood 12V MR16 lamp (for Divi only) is included with each fixture. Cord/Plug Kit available, pg. 221.

LOCATION: DAMP


1WU Series features

- Arm rotates 155° and pivots at center
- Lamp head rotates & pivots


1WW Series features

- Arm rotates 130° and raises/lowers
- Lamp head pivots

1WU Series



1WW Series



STEP

2

Select a glass and decor.

Choose from 5 different glass collections: Domi, Kona, Divi, Tay Tay and Nico 3.

Each collection offers a myriad of handcrafted decors.

Example shown: Tay Tay in Honey






STEP

3

Select a metal finish.

Swing arms are available in either Bronze or Satin Nickel metal finishes.



BR
BRONZE



SN
SATIN NICKEL

STEP

4

Combine the codes for your swing arm.

Example: **1WW-5605HN-SN**



Swing Arm Fixture:
1WW

+



Glass and Decor:
5605HN

+




Metal Finish:
SN



1WW-5605HN-SN



1WU Swivel Ranges

1WU Series



1WW Swivel Ranges

1WW Series



TAY TAY


1WU-5605VM-SN
VANILLA MATTE1WW-560518-BR
AMBER CLOUD

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	OPTIONS
1WU Swing arm		560507 Opal Matte		BR Bronze		CP Cord & Plug
1WW Swing arm		560518 Amber Cloud		SN Satin Nickel		
		560519 Carrera				
		560541 Garnet				
		560560 Cocoon				
		560580 Amber Matte				
		560586 Blue Cloud				
		5605CE Ceylon				
		5605HB Habanero				
		5605HN Honey				
		5605MA Magma				
		5605VM Vanilla Matte				

* Please refer to pg. 170 to
view swing arm fixture
options

Ex. 1WW-5605VM-SN

Tay Tay Swing Arm Fixture w/ Vanilla Matte Glass,
Satin Nickel Finish



The Tay Tay is a compact handcrafted
glass, softly radiused to fit gracefully into
contemporary spaces.

KONA


1WU-117681-BR
SUNSET1WW-117652-SN
MARBLE

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	OPTIONS
1WU Swing arm		117607 White		BR Bronze		CP Cord & Plug
1WW Swing arm		117652 Marble		SN Satin Nickel		
		117681 Sunset				
		117687 Blue Matte				
		117691 Bi-Color				
		282453 White Starpoint				
		282484 Blue Starpoint				
		282490 Mango Starpoint				
		550493 Dicro Swirl				

* Please refer to pg. 170 to
view swing arm fixture
options

Ex. 1WW-117607-SN

Kona Swing Arm Fixture w/ White Glass,
Satin Nickel Finish



The Kona pendant features a wide
cone-shaped glass, that demonstrates
contemporary sensibilities.

2 GLASS and DECOR (continued)


DOMI



FIXTURE	GLASS OPTIONS	METAL FINISH	OPTIONS
1WU Swing arm	174307 White	BR Bronze	CP Cord & Plug
1WW Swing arm	174331 Red Matte	SN Satin Nickel	
	174352 Marble		
	174383 Mocha		
	174387 Blue Matte		
	1743CH Cherry		
	1743KR Chalk		
	1743OK Oak		
	1743OP Bicolor Orange/Pina		
	1743SL Solare		
	1743TN Titan		
	184395 Pearl		

* Please refer to pg. 170 to view swing arm fixture options

Ex. 1WW-174331-SN
Domi Swing Arm Fixture w/ Red Matte Glass, Satin Nickel Finish



Domi has a classical bell shape that complements aesthetic, while also built for optimal illumination.


NICO 3



FIXTURE	GLASS OPTIONS	METAL FINISH	OPTIONS
1WW Swing arm	514500 Clear Stone	BR Bronze	CP Cord & Plug
	5145CF Stone Copper Foil	SN Satin Nickel	
	5145GF Stone Gold Foil		
	5145SF Stone Silver Foil		

* Please refer to pg. 170 to view swing arm fixture options

Ex. 1WW-514500-SN
Nico 3 Swing Arm Fixture w/ Clear Stone Glass, Satin Nickel Finish



Nico 3 features a tapered drum shape that fits beautifully in transitional spaces.

DIVI



FIXTURE	GLASS OPTIONS	METAL FINISH	OPTIONS
1WU Swing arm	1758CF Copper Foil	BR Bronze	CP Cord & Plug
1WW Swing arm	1758GF Gold Foil	SN Satin Nickel	
	1758SF Silver Foil		
	185807 Opal Matte		
	185819 Carrera		
	185841 Garnet		
	185886 Blue Cloud		
	185893 Dicro		
	185895 Pearl		
	1858CE Ceylon		
	1858DW Black Dicro Wavy		
	1858MB Metal Bronze		
	1858MN Metal Satin Nickel		
	1858SW Silver Dicro Wavy		
	1858VB Black Dicro Vine		
	1858VM Vanilla Matte		

Ex. 1WW-1758SF-SN
Divi Swing Arm Fixture w/ Silver Foil Glass,
Satin Nickel Finish




*Dicro glass is shown lit.
Appears mirror-like when unlit.



Divi has a classical bell shape that
complements aesthetic, while also built
for optimal illumination.

STEP

3 METAL FINISHES



BR
Bronze



SN
Satin Nickel

STEP

4 ORDER GUIDE

FIXTURE	GLASS OPTIONS	METAL FINISH	OPTIONS
1WU Swing arm	XXXXXX Glass and Decor	BR Bronze	CP Cord & Plug
1WW Swing arm		SN Satin Nickel	

Ex. 1WW-1758SF-SN
Divi Swing Arm Fixture w/ Silver Foil Glass,
Satin Nickel Finish



VANITIES & MINI SCONCES



The imagination, the passion, and the personal experience of the individual glass artisan is infused into every piece.

ELANA 26 / 38 / 50

SCONCES & VANITIES WALL



ELANA26-SW-CR
SATIN WHITE

Elana 26
26.5" L x 6.25" H



Elana 38
38" L x 6.25" H



Elana 50
50" L x 6.25" H



Our Elana bath collection has a clean contemporary look, with a radiused satin white glass diffuser.



STD. LAMP: 60W A19, 120V, not included, suitable for dimming

GU24: 120V, 18W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

FL: Non-dimming, lamp not included.

75°C supply wire required

LOCATION: DAMP

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA26 26" Luminaire	SW Satin White	(blank) 3x 60W A19 Incan 224T5 2x 24W T5 GU24 3x 18W GU24 120V LED 3x 10W LED 120V, dimmable	CR Chrome SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA38 38" Luminaire	SW Satin White	(blank) 4x 60W A19 Incan 239T5 2x 39W T5 GU24 4x 18W GU24 120V LED 4x 10W LED 120V, dimmable	CR Chrome SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA50 50" Luminaire	SW Satin White	(blank) 5x 60W A19 Incan 254T5 2x 54W T5 GU24 5x 18W GU24 120V LED 5x 10W LED 120V, dimmable	CR Chrome SN Satin Nickel

Ex. ELANA26-SW-CR

Elana 26 Vanity w/ Satin White Glass, Chrome Finish

JODI VANITY

SCONCES & VANITIES WALL



1WM: 8.25" L x 4.875" H x 5.25" D



3WM-673006-SN
OPAL GLOSSY

2WM: 21" L x 4.875" H x 5.75" D



The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass fused at each end.

STD. LAMP: 60W G9 Halogen 120V, included, suitable for dimming

LOCATION: DAMP

Open-ended handcrafted glass with oval canopy.

Orient upward or downward, wall-mount only

3WM: 33.875" L x 4.875" H x 5.75" D




Ex. 3WM-673006-SN

Jodi Vanity w/ Opal Glossy Glass, Satin Nickel Finish

FIXTURE	DECOR	METAL FINISH
1WM 1 Light	673006 Opal Glossy	BR Bronze
2WM 2 Light		CR Chrome
3WM 3 Light		SN Satin Nickel

AERO VANITY

SCONCES & VANITIES WALL



1WM-272707-SN
11" L x 4.875" H x 4.375" D



1WM-2727ST-SN
STUCCO

2WM-272707-SN
23.875" L x 4.875" H x 4.875" D



The modern Aero wall light offers flexible design potential for a variety of bath/vanity applications. Shapely open-ended handcrafted glass in Opal Matte. Canopy plate is simple, contemporary oval. Mount horizontal or vertical.

STD. LAMP: 60W G9 Halogen 120V, included, suitable for dimming

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

3WM-272707-SN
36.625" L x 4.875" H x 4.875" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	272707 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light	2727ST Stucco	GU24 13W Quad GU24	CR Chrome
3WM 3 Light		LED 5W LED 120V, dimmable	SN Satin Nickel


Ex. 3WM-272707-SN
Aero Vanity w/ Opal Matte Glass, Satin Nickel Finish

DARCI VANITY

SCONCES & VANITIES WALL



1WM-272407-SN
11" L x 4.875" H x 3.75" D



2WM-770107-SN
OPAL MATTE

2WM-272407-SN
23.875" L x 4.875" H x 4.25" D



This modern wall light offers flexible design potential for a variety of bath/vanity applications. Features open-ended Darci handcrafted glass in Opal. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.


STD. LAMP: 60W G9 Halogen 120V, included, suitable for dimming

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.


LOCATION: DAMP

3WM-272407-SN
36.625" L x 4.875" H x 4.25" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	272407 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		GU24 13W Quad GU24	CR Chrome
3WM 3 Light		LED 5W LED 120V, dimmable	SN Satin Nickel

Ex. 3WM-272407-SN
Darci Vanity w/ Opal Matte Glass,
Satin Nickel Finish



1WM-770107-SN
11.5" L x 4.875" H x 4.5" D



2WM-770107-SN
OPAL MATTE



2WM-770107-SN
24.25" L x 4.875" H x 5" D



This modern wall light offers flexible design potential for a variety of bath/vanity applications. Handcrafted half-cylinder Opal glass is enclosed, concealing the lightsource. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.

STD. LAMP: 60W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

3WM-770107-SN
37" L x 4.875" H x 5" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	770107 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-770107-SN

Baaz Vanity w/ Opal Glossy Glass, Satin Nickel Finish

JAMIE VANITY

SCONCES & VANITIES WALL

ADA
COMPLIANT



1WM-231807-SN
11.875" L x 4.875" H x 5" D



1WM-231807-BR
Opal Matte

2WM-231807-SN
24.625" L x 4.875" H x 5.375" D



Enclosed quarter-sphere Jamie is handcrafted Opal glass. Canopy plate is simple, contemporary oval. Orient upward or downward.

STD. LAMP: 60W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

3WM-231807-SN
37.5" L x 4.875" H x 5.375" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	231807 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-231807-SN
Jamie Vanity w/ Opal Glossy Glass,
Satin Nickel Finish

PAOLO SCONCE & VANITY

SCONCES & VANITIES WALL



787307
OPAL MATTE

787319
CARRERA

787399
OPAL-FROST

7873ST
STUCCO



3WS-7873GL-SN
Glitter

1WS:




Contemporary Paolo enclosed half-cylinder design features handcrafted glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

Orient fixture horizontal or vertical, wall-mount only

STD. LAMP: 50W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



2WS: 14.625" L x 4.75" H x 4" D



3WS: 22.5" L x 4.75" H x 4" D



4WS: 30.375" L x 4.75" H x 4" D



5WS: 38.125" L x 4.75" H x 4" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	787307 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light	787319 Carrera	LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light	787399 Opal-Frost		SN Satin Nickel
4WS 4 Light	7873GL Glitter		
5WS 5 Light	7873ST Stucco		

Ex. 3WS-787319-SN
Paolo Vanity w/ Carrera Glass,
Satin Nickel Finish

ALEX SCNCE & VANITY

SCNCES & VANITIES WALL

ADA
COMPLIANT

773507
OPAL MATTE



7735CF
COPPER FOIL



7735GF
GOLD FOIL



7735SF
SILVER FOIL



3WS-773539-CR
Opal/Clear

7735TO
OPAL/OLIVE



7735TG
OPAL/ARMAGNAC




773592
OPAL/BLUE



773591
OPAL/AMETHYST



1WS:



Alex has a simple, contemporary design that features handcrafted Opal glass, available with flat glass trim. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

STD. LAMP: 50W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

2WS: 14.625" L x 6.3125" H x 3.75" D



3WS: 22.5" L x 6.3125" H x 3.75" D



4WS: 30.375" L x 6.3125" H x 3.75" D



5WS: 38.125" L x 6.3125" H x 3.75" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	773507 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light	773539 Opal/Clear	LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light	773591 Opal/Amethyst		SN Satin Nickel
4WS 4 Light	773592 Opal/Blue		
5WS 5 Light	7735CF Opal/Copper Foil		
	7735GF Opal/Gold Foil		
	7735SF Opal/Silver Foil		
	7735TG Opal/Armagnac		
	7735TO Opal/Olive		

Ex. 3WS-773539-SN
Alex Vanity w/ Opal/Clear Glass,
Satin Nickel Finish

CIRO SCONCE & VANITY

SCONCES & VANITIES WALL



2WS: 14.625" L x 6.375" H x 3.5" D



3WS-773807-CR
Opal

3WS: 22.5" L x 6.375" H x 3.5" D



1WS:




Ciro's low-profile round shape is handcrafted Opal glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

wall-mount only

STD. LAMP: 50W G9 Halogen 120V, included.

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



4WS: 30.375" L x 6.375" H x 3.5" D



5WS: 38.125" L x 6.375" H x 3.5" D



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	773807 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light			SN Satin Nickel
4WS 4 Light			
5WS 5 Light			

Ex. 3WS-773807-SN
Ciro Vanity w/ Opal Matte Glass,
Satin Nickel Finish

POGO SCONCE & VANITY

SCONCES & VANITIES WALL



7180GF
BLACK/INNER GOLD

7180SF
WHITE/INNER SILVER



3WS-718006-SN
Opal Glossy

2WS: 14.625" L x 5.5" H x 6.25" D



3WS: 22.5" L x 5.5" H x 6.25" D



4WS: 30.375" L x 5.5" H x 6.25" D



5WS: 38.125" L x 5.5" H x 6.25" D



1WS:




Pogo Wall is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

wall-mount only

STD. LAMP: 60W G9 Halogen 120V, included

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	718006 Opal Glossy	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light	7180GF Black/Inner Gold	LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light	7180SF White/Inner Silver		SN Satin Nickel
4WS 4 Light			
5WS 5 Light			

Ex. 3WS-718006-SN

Pogo Vanity w/ Opal Glossy Glass, Satin Nickel Finish

RISE

SCONCES & VANITIES WALL



3WZ-449807-SN
OPAL MATTE

2WZ: 14.5" L x 6.5" H x 5.75" D




3WZ: 22.4375" L x 6.5" H x 5.75" D



4WZ: 30.3125" L x 6.5" H x 5.75" D



1WZ:



Rise is a simple contemporary design of handcrafted cubed opal.

STD. LAMP: 60W A19 120V not included, suitable for dimming.

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH
1WZ Sconce	449807 Opal Matte	(blank) 60W A19 Incan	BR Bronze
2WZ 2 Light		GU24 13W GU24 120V	CR Chrome
3WZ 3 Light		LED 10W LED 120V, dimmable	SN Satin Nickel
4WZ 4 Light			

Ex. 3WZ-449807-SN

Rise 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BOLLA

SCONCES & VANITIES WALL

CHOICE
COLLECTION



3WZ-412260-SN
COCOON


412207 OPAL MATTE 4122VM VANILLA MATTE 412280 AMBER MATTE



412219 CARRERA 4122HN HONEY 412218 AMBER CLOUD 4122HB HABANERO



412241 GARNET 4122MA MAGMA 4122CE CEYLON 412286 BLUE CLOUD



2WZ: 14.5" L x 6.875" H x 7" D




3WZ: 22.4375" L x 6.875" H x 7" D



4WZ: 30.3125" L x 6.875" H x 7" D



1WZ:



The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

STD. LAMP: 60W A19 120V *not included*, suitable for dimming

GU24: 120V, 13W MAX, non-dimming, *lamp not included*.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP

FIXTURE	-	GLASS OPTIONS	-	LAMPING OPTIONS	-	METAL FINISH	-	OPTIONS
1WZ Sconce		412207 Opal Matte		(blank) 60W A15 or A19		BR Bronze		LW Low Wattage labeling
2WZ 2 Light		412218 Amber Cloud		GU24 13W GU24 120V		CR Chrome		
3WZ 3 Light		412219 Carrera		LED 10W LED 120V, dimmable		SN Satin Nickel		
4WZ 4 Light		412241 Garnet						
		412260 Cocoon						
		412280 Amber Matte						
		412286 Blue Cloud						
		4122CE Ceylon						
		4122HB Habanero						
		4122HN Honey						
		4122MA Magma						
		4122VM Vanilla Matte						


Ex. 3WZ-412260-SN
Bolla 3-Light Vanity w/ Cocoon Glass,
Satin Nickel Finish

SASHA II

SCONCES & VANITIES WALL



1WZ:



Sasha II has a classical bell shape that complements aesthetic, while also built for optimal illumination.

STD. LAMP: 75W A19 120V not included, suitable for dimming

GU24: 120V, 13W MAX, non-dimming, lamp not included.

LED: 10W Replaceable source, 120V, dimmable, 80+ CRI, 2800°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP

2WZ: 14.5" L x 7.125" H x 7.125" D



3WZ: 22.4375" L x 7.125" H x 7.125" D



4WZ: 30.3125" L x 7.125" H x 7.125" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	757207 Opal Matte	(blank) 60W A15 or A19	BR Bronze	LW Low Wattage labeling
2WZ 2 Light	757218 Amber Cloud	GU24 13W GU24 120V	CR Chrome	
3WZ 3 Light	757219 Carrera	LED 10W LED 120V, dimmable	SN Satin Nickel	
4WZ 4 Light	757241 Garnet			
	757280 Amber Matte			
	757286 Blue Cloud			
	7572CE Ceylon			
	7572CF Copper Foil			
	7572GF Gold Foil			
	7572HB Habanero			
	7572HN Honey			
	7572HV Halva			
	7572MA Magma			
	7572MG Marble Grigio			
	7572SF Silver Foil			

Ex. 3WZ-757207-SN

Sasha II 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BUILD YOUR OWN MINI SCONCES & VANITIES

Our popular vanities and mini sconces can bring the sensibly contemporary look to your bathroom. With a broad selection of handcrafted glasses to pair up with these fixtures, a variety of combinations is available for your choosing.

STEP

1 Select a vanity or mini sconce.

STEP

2 Select a glass and decor.

Each fixture includes 40W G9 Halogen lamp(s) and is dimmable with a standard incandescent dimmer. 5W LED lamp option also available.

Location: DAMP


Sconce

1SW Series




Vanities


2SW Series



3SW Series



4SW Series



Mini Sconces and Vanities are available in 18 different glass collections. Each collection offers a myriad of handcrafted decors.

Example shown: Pahu 4 in Clear/Opal

C44007
CLEAR/OPAL





STEP

3


Select a metal finish.

STEP

4

Combine the codes for your mini sconce or vanity.

Mini Sconces and Vanities are available in Bronze, Chrome or Satin Nickel metal finishes.



BR
BRONZE



CR
CHROME



SN
SATIN NICKEL

Example: **2SW-C44007-SN**



Vanity Fixture:
2SW

+



Glass and Decor:
C44007

+



Metal Finish:
SN



2SW-C44007-SN

MINI SCONCE & VANITY FIXTURES

1SW MINI SCONCE



*1SW shown with optional square canopy cover.
(Select **SQ** option when ordering)

*Finials aren't removable for Mini Sconces

2SW 2 LIGHT VANITY (14.625")




*2SW shown with optional square canopy cover.
(Select **SQ** option when ordering)

3SW 3 LIGHT VANITY (22.5")



*3SW shown with optional square canopy cover.
(Select **SQ** option when ordering)

4SW 4 LIGHT VANITY (30.375")



*4SW shown with optional square canopy cover.
(Select **SQ** option when ordering)

CUSTOMIZE YOUR INSTALLATION:

The SW series vanities offers a variety of mounting styles that can be achieved during installation, in addition to those shown above. Each vanity fixture includes removable canopy cover and removable finials, and can also be oriented either upward or downward. Below are examples of the different mounting variations.

UPWARD ORIENTATION

REMOVEABLE FINIALS



2SW upward with no Finials

REMOVEABLE CANOPY COVER

* Note that canopy cover is needed for outlet box installations.



2SW upward with no Canopy Cover*

REMOVEABLE FINIALS/ CANOPY COVER

* Note that canopy cover is needed for outlet box installations.



2SW downward with no Finials
and no Canopy Cover*

DOWNWARD ORIENTATION



2SW downward with no Finials



2SW downward with no Canopy Cover*




2SW upward with no Finials
and no Canopy Cover*

G R O O V E



3SW-6773MR-SN
MIRROR FROST SHOWN LIT



The Groove is a unique piece comprised of multiple segments of two-way mirrored glass, with a frosted band that displays when lit.

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	6773MR Mirror-Frost	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity		LED 5W LED 120V, dimmable	CR Chrome	Canopy
3SW 3 Light Vanity			SN Satin Nickel	
4SW 4 Light Vanity				

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-6773MR-SN

Groove 3-Light Vanity w/ Mirror-Frost Glass,
Satin Nickel Finish

F O C U S




3SW-2634CL-SN
CLEAR

2634FR
FROST

2634CD
COOL DICRO

2634WD
WARM DICRO



The Focus has a glossy Opal body with a fused lens at the bottom, with a choice of four lens styles.

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	2634CD Cool Dicro	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	2634CL Clear	LED 5W LED 120V, dimmable	CR Chrome	Canopy
3SW 3 Light Vanity	2634FR Frost		SN Satin Nickel	
4SW 4 Light Vanity	2634WD Warm Dicro			

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-2634CL-SN

Focus 3-Light Vanity w/ Clear/Opal Glass,
Satin Nickel Finish

2 GLASS and DECOR (continued)

D I V I




FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	1758CF Copper Foil	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	1758GF Gold Foil	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	1758SF Silver Foil		SN Satin Nickel	
4SW 4 Light Vanity	185807 Opal Matte			
	185819 Carrera			
	185841 Garnet			
	185886 Blue Cloud			
	185893 Dicro			
	185895 Pearl			
	1858CE Ceylon			
	1858DW Black Dicro Wavy			
	1858SW Silver Dicro Wavy			
	1858VB Black Dicro Vine			
	1858VM Vanilla Matte			

* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-1858SW-SN
Divi 3-Light Vanity w/ Silver Dicro Wavy Glass, Satin Nickel Finish




*Dicro shown lit, appears mirror-like when unlit.



Divi has a classical bell shape that complements aesthetic, while also built for optimal illumination.


L A S S O



FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	561207 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	5612GD Gold Glitter	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	5612GL Glitter		SN Satin Nickel	
4SW 4 Light Vanity				


* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-5612GL-SN
Lasso 3-Light Vanity w/ Glitter Glass, Satin Nickel Finish



The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.


M I A



FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	177907 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	177918 Amber Cloud	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	177919 Carrera	dimmmable	SN Satin Nickel	
4SW 4 Light Vanity	177941 Garnet			
	177980 Amber Matte			
	177986 Blue Cloud			
	1779CE Ceylon			
	1779CF Copper Foil			
	1779GF Gold Foil			
	1779HB Habanero			
	1779HN Honey			
	1779HV Halva			
	1779MA Magma			
	1779MG Marble Grigio			
	1779SF Silver Foil			


* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-1779HV-SN
Mia 3-Light Vanity w/ Halva Glass,
Satin Nickel Finish



Mia has a classical bell shape that
complements aesthetic, while also built for
optimal illumination.


P E R I



FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	541007 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	541035 Chartreuse	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	541080 Amber Matte	dimmmable	SN Satin Nickel	
4SW 4 Light Vanity	541087 Blue Matte			
	5410VM Vanilla Matte			

* Please refer to pg. 190
to view sconce/vanity
options


Ex. 3SW-5410VM-SN
Peri 3-Light Vanity w/ Vanilla Matte Glass,
Satin Nickel Finish



The Peri is a compact handcrafted glass,
softly radiused to fit gracefully into
contemporary spaces.

2 GLASS and DECOR (continued)

DOMI




FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	174307 White	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	174331 Red Matte	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	174352 Marble		SN Satin Nickel	
4SW 4 Light Vanity	174383 Mocha			
	174387 Blue Matte			
	1743CH Cherry			
	1743KR Chalk			
	1743OK Oak			
	1743OP Bicolor Orange/Pina			
	1743SL Solare			
	1743TN Titan			
	184395 Pearl			

* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-174307-SN

Domi 3-Light Vanity w/ White Glass, Satin Nickel Finish



Domi has a classical bell shape that complements aesthetic, while also built for optimal illumination.

CANTO 5




FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	513107 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	513131 Red Matte	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	513180 Amber Matte		SN Satin Nickel	
4SW 4 Light Vanity	5131GY Bicolor Green/Yellow			
	5131OP Bicolor Orange/Pina			
	5131SL Solare			

* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-513131-SN

Canto 5 3-Light Vanity w/ Red Matte Glass, Satin Nickel Finish



Canto 5 features a tapered drum shape that fits beautifully in transitional spaces.


BRELLA



FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	467907 White	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	467952 Marble	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	467983 Mocha		SN Satin Nickel	
4SW 4 Light Vanity	4679CH Cherry			
	4679KR Chalk			
	4679OK Oak			
	4679OP Bicolor Orange/Pina			
	4679SL Solare			
	4679TN Titan			

* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-467983-SN
Brella 3-Light Vanity w/ Mocha Glass, Satin Nickel Finish



Brella has a classical bell shape that complements aesthetic, while also built for optimal illumination.


NICO 4



FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	512500 Clear Stone	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	5125CF Stone Copper Foil	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	5125GF Stone Gold Foil		SN Satin Nickel	
4SW 4 Light Vanity	5125GL Glitter Stone			
	5125OS Opal Stone			
	5125SF Stone Silver Foil			

* Please refer to pg. 190 to view sconce/vanity options

Ex. 3SW-51250S-SN
Nico 4 3-Light Vanity w/ Opal Stone Glass, Satin Nickel Finish



Nico 4 features a tapered drum shape that fits beautifully in transitional spaces.

2 GLASS and DECOR (continued)

K A N I



3SW-512141-SN-SQ
GARNET


*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	512107 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	512118 Amber Cloud	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	512119 Carrera	dimmbale	SN Satin Nickel	
4SW 4 Light Vanity	512141 Garnet			
	512186 Blue Cloud			
	5121CM Cobalt Blue Matte			
	5121HN Honey			
	5121RM Ruby Matte			
	5121VM Vanilla Matte			

* Please refer to pg. 190
to view sconce/vanity
options


Ex. 3SW-512141-SN

Kani 3-Light Vanity w/ Garnet Glass,
Satin Nickel Finish



The Kani features a compact cone-shaped glass, that will gracefully blend into almost any decorating theme.

K O N A



3SW-550493-SN-SQ
DICRO SWIRL


*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	117607 White	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	117652 Marble	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	117681 Sunset	dimmbale	SN Satin Nickel	
4SW 4 Light Vanity	117687 Blue Matte			
	117691 Bi-color			
	282453 White Starpoint			
	282484 Blue Starpoint			
	282490 Mango Starpoint			
	550493 Dicro Swirl			

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-550493-SN

Kona 3-Light Vanity w/ Dicro Swirl Glass,
Satin Nickel Finish



The Kona features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

P A H U 4



3SW-G44007-SN-SQ
TRANS. ARMAGNAC/OPAL

*Shown with square canopy

C44007
CLEAR/OPAL

Y44007
TRANS. GOLD/OPAL



A44007
TRANS. AMETHYST/OPAL

S44007
TRANS. SMOKE/OPAL

L44007
TRANS. OLIVE/OPAL




FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	A44007 Trans. Amethyst/Opal	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	C44007 Clear/Opal	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	G44007 Trans. Armagnac/Opal	dimable	SN Satin Nickel	
4SW 4 Light Vanity	L44007 Trans. Olive/Opal			
	S44007 Trans. Smoke/Opal			
	Y44007 Trans. Gold/Opal			

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-G44007-SN

Pahu 4 3-Light Vanity w/ Trans. Armagnac/Opal Glass,
Satin Nickel Finish



The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a transparent outer glass.

C O P A 3



3SW-440307-SN-SQ
OPAL MATTE

*Shown with square canopy

440307
OPAL MATTE




FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	440307 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity		LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity		dimable	SN Satin Nickel	
4SW 4 Light Vanity				

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-440307-SN

Copa 3 3-Light Vanity w/ Opal Matte Glass,
Satin Nickel Finish



Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

2 GLASS and DECOR (continued)

TAY TAY




3SW-560519-SN
CARRERA

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	560507 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	560518 Amber Cloud	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	560519 Carrera	diminable	SN Satin Nickel	
4SW 4 Light Vanity	560541 Garnet			

* Please refer to pg. 190
to view sconce/vanity
options

560560 Cocoon
560580 Amber Matte
560586 Blue Cloud
5605CE Ceylon
5605HB Habanero
5605HN Honey
5605MA Magma
5605VM Vanilla Matte




The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

Ex. 3SW-560519-SN

Tay Tay 3-Light Vanity w/ Carrera Glass,
Satin Nickel Finish

PALLA 5




3SW-5658MA-SN
MAGMA

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	565807 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square
2SW 2 Light Vanity	565818 Amber Cloud	LED 5W LED 120V,	CR Chrome	Canopy
3SW 3 Light Vanity	565819 Carrera	diminable	SN Satin Nickel	
4SW 4 Light Vanity	565841 Garnet			

* Please refer to pg. 190
to view sconce/vanity
options

5658CE Ceylon
5658HB Habanero
5658MA Magma



The Palla 5 features a diminutive orb-shaped glass, that complements any aesthetic.

Ex. 3SW-565819-SN

Palla 5 3-Light Vanity w/ Carrera Glass,
Satin Nickel Finish

HOPPI





FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce	-	181304 Marble/Clear	-	(blank) 40W G9 Hal	-	BR Bronze	-	SQ Square
2SW 2 Light Vanity	-	181305 Mocha/Clear	-	LED 5W LED 120V,	-	CR Chrome	-	Canopy
3SW 3 Light Vanity	-	191352 Marble	-	dimmbale	-	SN Satin Nickel	-	
4SW 4 Light Vanity	-	191383 Mocha	-		-		-	

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-191352-SN

Hoppi 3-Light Vanity w/ Marble Glass,
Satin Nickel Finish



The Hoppi features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

SABRINA




FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce	-	5440SW Silver Dicro Wavy	-	(blank) 40W G9 Hal	-	BR Bronze	-	SQ Square
2SW 2 Light Vanity	-	5440VB Black Dicro Vine	-	LED 5W LED 120V,	-	CR Chrome	-	Canopy
3SW 3 Light Vanity	-		-	dimmbale	-	SN Satin Nickel	-	
4SW 4 Light Vanity	-		-		-		-	

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 1SW-5440VB-SN

Sabrina 1-Light Sconce w/ Black Dicro Vine Glass,
Satin Nickel Finish

5440SW
SILVER DICRO WAVY



Sabrina has a classical bell shape that complements aesthetic, while also built for optimal illumination.

STEP

3

METAL FINISHES



BR
Bronze



CR
Chrome



SN
Satin Nickel

STEP

4

ORDER GUIDE

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce	-	XXXXXX Glass & Decor	-	(blank) 40W G9 Hal	-	BR Bronze	-	SQ Square
2SW 2 Light Vanity	-		-	LED 5W LED 120V,	-	CR Chrome	-	Canopy
3SW 3 Light Vanity	-		-	dimmbale	-	SN Satin Nickel	-	
4SW 4 Light Vanity	-		-		-		-	

* Please refer to pg. 190
to view sconce/vanity
options

Ex. 3SW-565819-SN

3-Light Vanity w/ Carrera Glass,
Satin Nickel Finish

OUTDOOR LUMINAIRES

*Our glass luminaires offer handcrafted originality—
high quality—competitive price.*





GRID



Our Moto collection is built for outdoor use, but the design allows it to be equally attractive indoors.

Handcrafted Satin White Glass

STD. LAMP: 60W E12, 120V not included

GU24: 120V, non-dimming, lamp not included.


CFL: 120V/277V, non-dimming, lamp not included. See pg. 222 for all options.

75°C supply wire required

LOCATION: WET

Metalworks Luminaires are assembled with sheet metal fabricated and powder coated in the USA.


Moto 8:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
104 Grid		842007 Satin White Glass		(blank) 1x 60W E12 Incan		BA Brushed Alum
105 Square		WA White Acrylic		E1 1x 18W Quad 120V		BR Bronze
				GU24* 1x 18W Quad 120V		

**Note the lamp must be Quad style to fit diffuser.*


Moto 11:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
106 Grid		842107 Satin White Glass		(blank) 1x 60W E12 Incan		BA Brushed Alum
107 Square		WA White Acrylic		E2 2x 18W Quad 120V		BR Bronze
				GU24* 2x 18W Quad 120V		

**Note the lamp must be Quad style to fit diffuser.*

Moto 13:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
108 Grid		842207 Satin White Glass		(blank) 2x 60W E12 Incan		BA Brushed Alum
109 Square		WA White Acrylic		GU24* 2x 26W Quad 120V		BR Bronze

**Note the lamp must be Quad style to fit diffuser.*

Ex. 104-842007-BA


1 Lt. Moto 8 Grid Sconce w/ Satin White Glass,
Brushed Aluminum Finish



SQUARE

GLITTER
BREE 16

Bree 11:



Our Bree collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

Handcrafted Satin White or Glitter Glass
(Bree11 and Bree16 ONLY)

STD. LAMP: 60W B10, 120V *not included*

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.


LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

Metalworks Luminaires are assembled with sheet metal fabricated and powder coated in the USA.

Bree 16:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE11 Sconce		GL Glitter		(blank) 1x 60W B10 Incan		BA Brushed Alum
		SW Satin White Glass		E1 1x 18W Quad 120V		BR Bronze
		WA White Acrylic		LED 1x 7W LED 120V, non-dimmable		

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE16 Sconce		GL Glitter		(blank) 2x 60W B10 Incan		BA Brushed Alum
		SW Satin White Glass		H1 1x 26W Quad 120V		BR Bronze
		WA White Acrylic		LED 2x 7W LED 120V, non-dimmable		

Ex. BREE16-GL-BA

2 Lt. Bree 16 Sconce w/ Glitter Glass,
Brushed Aluminum Finish


WHITE ACRYLIC
BREE 11

B R E E 2 6 / 3 8

METALWORKS OUTDOOR

ADA


COMPLIANT



WHITE ACRYLIC
BREE 26

*Shown in bronze Finish

Bree 26:



WHITE ACRYLIC
BREE 38




FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE26 Sconce	-	WA White Acrylic	-	(blank) 3x 60W B10 Incan 124TS 1x 24W T5 120/277V 224TS 2x 24W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze

Ex. BREE38-WA-BA

3 Lt. Bree 38 Sconce w/ White Acrylic,
Brushed Aluminum Finish

Bree 38:




FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE38 Sconce	-	WA White Acrylic	-	(blank) 3x 60W B10 Incan 139TS 1x 39W T5 120/277V 239TS 2x 39W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze



WHITE ACRYLIC
NAPOLI 16



Napoli 11:



Our Napoli collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

Metalworks Luminaires are assembled with sheet metal fabricated and powder coated in the USA.

Handcrafted Satin White or Glitter Glass (NAPOLI11 and NAPOLI16 ONLY)

STD. LAMP: 60W B10, 120V *not included*

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.


FL: Non-dimming, *lamp not included*

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

Napoli 16:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI11 Sconce		GL Glitter		(blank) 1x 60W B10 Incan		BA Brushed Alum
		SW Satin White Glass		E1 1x 18W Quad 120V		BR Bronze
		WA White Acrylic		LED 1x 7W LED 120V, non-dimmable		
FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI16 Sconce		GL Glitter		(blank) 2x 60W B10 Incan		BA Brushed Alum
		SW Satin White Glass		H1 1x 26W Quad 120V		BR Bronze
		WA White Acrylic		LED 2x 7W LED 120V, non-dimmable		



GLITTER
NAPOLI 11

Ex. NAPOLI11-SW-BA

1 Lt. Napoli 11 Sconce w/ Satin White Glass, Brushed Aluminum Finish

NAPOLI 26 / 38


METALWORKS OUTDOOR



WHITE ACRYLIC
NAPOLI 26

**Shown in bronze Finish*

Napoli 26:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI26 Sconce	-	WA White Acrylic	-	(blank) 3x 60W B10 Incan 124T5 1x 24W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze


Ex. NAPOLI26-WA-BA

3 Lt. Napoli 26 Sconce w/ White Acrylic,
Brushed Aluminum Finish

WHITE ACRYLIC
NAPOLI 38



Napoli 38:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI38 Sconce	-	WA White Acrylic	-	(blank) 3x 60W B10 Incan 139T5 1x 39W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze

SCALA 13 / 20

METALWORKS OUTDOOR



GLITTER
SCALA 20

Our Scala collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

Metalworks Luminaires are assembled with sheet metal fabricated and powder coated in the USA.

Handcrafted Satin White or Glitter Glass (Scala13 and Scala 20 ONLY)

STD. LAMP: 60W A19, 120V not included

CFL: 120V/277V, non-dimming, lamp not included. See pg. 222 for all options.


FL: Non-dimming, lamp not included

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.


75°C supply wire required

LOCATION: WET

Scala 13:



Scala 20:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA13 Sconce	-	GL Glitter	-	(blank) 1x 60W A19 Incan	-	BA Brushed Alum
	-	SW Satin White Glass	-	E1 1x 18W Quad 120V	-	BR Bronze
	-	WA White Acrylic	-	N1 1x 18W Quad 277V	-	
	-		-	LED 1x 7W LED 120V, non-dimmable	-	

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA20 Sconce	-	GL Glitter	-	(blank) 2x 60W A19 Incan	-	BA Brushed Alum
	-	SW Satin White Glass	-	H1 1x 26W Quad 120V	-	BR Bronze
	-	WA White Acrylic	-	Q1 1x 26W Quad 277V	-	
	-		-	LED 2x 7W LED 120V, non-dimmable	-	

Ex. SCALA13-GL-BA
1 Lt. Scala 13 Sconce w/ Glitter Glass, Brushed Aluminum Finish



SATIN WHITE
SCALA 13

**Shown in bronze Finish*


SCALA 28 / 40

METALWORKS OUTDOOR



WHITE ACRYLIC
SCALA 28

Scala 28:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA28 Sconce	-	WA White Acrylic	-	(blank) 3x 60W A19 Incan 124T5 1x 24W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze


Ex. SCALA28-SW-BA

3 Lt. Scala 28 Sconce w/ White Acrylic,
Brushed Aluminum Finish



WHITE ACRYLIC
SCALA 40

Scala 40:



FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA40 Sconce	-	WA White Acrylic	-	(blank) 3x 60W A19 Incan 139T5 1x 39W T5 120/277V LED 3x 7W LED 120V, non-dimmable	-	BA Brushed Alum BR Bronze

SAIL 13 / 17

SCONCES OUTDOOR

ADA
COMPLIANT




785538-SS
OPAL MATTE



785538-BR
OPAL MATTE



Sail 13: #785507



Sail wall scone features contemporary Opal glass.
Use indoors or out.

Wall-mount only

Sail 17 features decorative faceplate and aluminum fitter


STD LAMPS: 40W Medium-base B10 120V *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

75°C supply wire required

Location: WET

Sail 17: #785538



FIXTURE	LAMP OPTIONS	METAL FINISH
785507 Opal Matte	(blank) 2x 40W B10 Incan H1 1x 26W Quad 120V Q1 1x 26W Quad 277V	AL Br. Alum BR Bronze WH White
FIXTURE	LAMP OPTIONS	METAL FINISH
785538 Opal Matte w/ decorative faceplate	(blank) 2x 40W B10 Incan H1 1x 26W Quad 120V Q1 1x 26W Quad 277V	BR Bronze SS St. Steel

Ex. 785507-AL

2 Lt. Sail 13 Scone w/ Opal Matte Glass,
Brushed Aluminum Finish



785507-WH
OPAL MATTE

TINO 13 / 18

SCONCES OUTDOOR


2NW-780407-SN
OPAL MATTE



2NW-780419-SN
CARRERA



Tino 13: #7804



Contemporary Tino scone features tapered vertical handcrafted glass.



Closed-ended handcrafted glass

Wall-mount only


STD. LAMP: 40W Medium-base B10 120V, *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

75°C supply wire required

LOCATION: WET

Tino 18: #7805



FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 13.25\"H	780407 Opal Matte	(blank) 2x 40W B10 Incan	AL Br. Alum
	780419 Carrera	H1 1x 26W Quad 120V	BR Bronze
	780499 Opal-Frost	Q1 1x 26W Quad 277V	WH White

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 18.5\"H	780507 Opal Matte	(blank) 3x 40W B10 Incan	AL Br. Alum
	780519 Carrera	H1 1x 26W Quad 120V	BR Bronze
	780599 Opal-Frost	Q1 1x 26W Quad 277V	WH White

Ex. 3NW-780599-AL

3 Lt. Tino 18 Scone w/ Opal-Frost Glass,
Brushed Aluminum Finish



3NW-780599-SN
OPAL-FROST

B A A Z 1 6 / 2 0


SCONCES OUTDOOR



2NW-770207-SN
OPAL MATTE



Baaz 16: #770207



This modern wall light offers flexible design potential for a variety of outdoor or indoor uses. Handcrafted half-cylinder Opal glass is enclosed, concealing the light source.

Closed-ended handcrafted glass

Wall-mount only


STD LAMPS: 40W Medium-base B10 120V, *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

75°C supply wire required

Location: WET

Baaz 20: #786007



FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 15.75"H	770207 Opal Matte	(blank) 2x 40W B10 Incan H1 1x 26W Quad 120V Q1 1x 26W Quad 277V	AL Br. Alum BR Bronze WH White

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 19.75"H	786007 Opal Matte	(blank) 3x 40W B10 Incan H1 1x 26W Quad 120V Q1 1x 26W Quad 277V	AL Br. Alum BR Bronze WH White

Ex. 3NW-786007-AL

3 Lt. Baaz 18 Sconce w/ Opal Matte Glass,
Brushed Aluminum Finish



3NW-786007-SN
OPAL MATTE




888307
OPAL MATTE




888407
OPAL MATTE


Geo 5: #8886



Geo 9: #8884



Geo 11: #8883



Geo is a simple, contemporary wall sconce featuring handcrafted Opal glass. Use indoors or out.

Wall-mount only (Ceiling versions: Pg. 138)

STD LAMPS: A19 120V *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

Location: WET

FIXTURE	-	LAMP OPTIONS
888607 8.5\" H Opal Matte		(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V LED 1x 7W LED 120V, non-dimmable
FIXTURE	-	LAMP OPTIONS
888307 9\" H Opal Matte		(blank) 1x 60W A19 Incan D1 1x 13W Quad 120V F1 1x 18W TBX 120V LED 1x 7W LED 120V, non-dimmable
FIXTURE	-	LAMP OPTIONS
888307 11.0\" H Opal Matte		(blank) 2x 60W A19 Incan E2 2x 18W Quad 120V K1 1x 32W TBX 120V LED 2x 7W LED 120V, non-dimmable

Ex. 888307

2 Lt. Geo 11 Sconce w/ Opal Matte Glass, White Finish



888607
OPAL MATTE

PRISMO 10 / 16


SCONCES OUTDOOR



304504
FROST/CLEAR



Prismo 10: #3045



Prismo features clear glass with frosted panels that cross the traditional/contemporary divide. Use indoors or out.

Orient horizontal or vertical, wall-mount only

STD LAMPS: 60W A19 120V, *not included*, suitable for dimming


CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

Location: WET

Prismo 16: #3046



FIXTURE	LAMP OPTIONS
304504 10.5\" H Frost/Clear	(blank) 1x 60W A19 Incan E1 1x 18W Quad 120V LED 1x 7W LED 120V, non-dimmable
FIXTURE	LAMP OPTIONS
304604 16\" H Frost/Clear	(blank) 2x 60W A19 Incan H1 1x 26W Quad 120V LED 2x 7W LED 120V, non-dimmable

Ex. 304604
2 Lt. Prismo 16 Sconce w/ Frost/Clear Glass,
White Finish

304604
FROST/CLEAR

QUATRO 10


SCONCES OUTDOOR



235552
MARBLE



235507
OPAL MATTE



Quatro is a quarter sphere scone, equally at home indoors or out. Enclosed top conceals the light source.

Handcrafted glass diffuser enclosed on top to conceal lamp if viewed from above.

STD LAMPS: A19 120V, *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

Location: WET


FIXTURE	-	LAMP OPTIONS
235507 Opal Matte		(blank) 1x 75W A19 Incan
235552 Marble		E1 1x 18W Quad 120V
		LED 1x 7W LED 120V, non-dimmable

Ex. 235552

1 Lt. Quatro 10 Scone w/ Marble Glass, White Finish

CIRRUS

SCONCES OUTDOOR



Lovely, contemporary Cirrus wall scone features handcrafted Opal glass. Use indoors or out. Enclosed top conceals the light source.

STD LAMPS: 75W A19 120V, *not included*, suitable for dimming

CFL: 120V/277V, non-dimming, *lamp not included*. See pg. 222 for all options.

LED: 7W Replaceable source, 120V, non-dimmable, 80+ CRI, 3000°K CCT, 500 lumens, 30,000 hours.

75°C supply wire required

Location: WET



297107
Opal Matte

FIXTURE	-	LAMP OPTIONS
297107 Opal Matte		(blank) 1x 75W A19 Incan
		E1 1x 18W Quad 120V
		LED 1x 7W LED 120V, non-dimmable

Ex. 297107

1 Lt. Cirrus Scone w/ Opal Matte Glass, White Finish

DECOR CROSS-REFERENCE

To form a glass shade, molten glass is extracted from a furnace using a pipe. The artist pre-forms it by turning and blowing through the pipe, inflating the glass like a balloon. Then the viscous material is blown into a mold to give it the final shape. For pressed glass, the glass is poured into a mold and pressed into shape with a stamp. The glass, after being removed from the pipe, is strengthened by using an annealing process of reheating and controlled cooling, which relieves tensions in the material itself. Further work includes cutting, grinding and polishing, and any final decorating. Decoration on Besa glass can include spraying, sandblasting, foil appliques, or etching.



DECOR CROSS-REFERENCE

REFERENCE + INDEX

Notes: 1) Opal is not indicated here. Opal, White, or some variation on white, is available on almost EVERY luminaire we create.
Notes: 2) The thumbnails indicate the product type for quick reference, and do not indicate scale or exact glass or hardware shape.

												
Amber Cloud	Bolla pg. 92	Bolla pg. 186	Camino pgs. 54, 88	Chelsea pgs. 152	Chrissy pgs. 89	Cierro pgs. 101	Copa pgs. 55, 93	Juli pg. 104	Juliette pg. 58	Kailee pg. 158	Kani pg. 53	Kani pg. 120
												
Kani pg. 196	Karli pg. 59	Karli pg. 150	Lucia pg. 100	Mia pg. 51	Mia pg. 119	Mia pg. 193	Palla 3 pg. 21	Palla 5 pg. 49	Palla 5 pg. 121	Palla 5 pgs. 153	Pera 6 pgs. 45, 90	Pera 9 pg. 96
												
Sasha pg. 50	Sasha II pg. 86	Sasha II pg. 187	Stilo 7 pgs. 60, 91	Stilo pgs. 98-99	Suzi pgs. 97	Tamburo 7 pg. 156	Tara pg. 108	Tay Tay pg. 48	Tay Tay pg. 121	Tay Tay pg. 171	Tay Tay pg. 198	Tomas pg. 151
												
Tondo pgs. 106-107	Tutu pgs. 56, 87	Vila pgs. 103	Zumi pg. 62	Amber Glossy	Juli pg. 104	Amber Matte	Bolla pg. 92	Bolla pg. 186	Camino pgs. 54, 88	Canto 3 pg. 21	Canto 5 pg. 57	Canto 5 pgs. 194
												
Canto 5 pgs. 118	Chelsea pgs. 152	Chrissy pgs. 89	Cierro pgs. 101	Copa pgs. 55, 93	Kailee pg. 158	Karli pg. 59	Karli pg. 150	Kiki pg. 61	Lina pg. 153	Mia pg. 51	Mia pg. 119	Mia pg. 193
												
Pera 6 pgs. 45, 90	Pera 9 pg. 96	Peri pg. 43	Peri pgs. 193	Porto pgs. 105	Riva 9 pg. 94	Sasha pg. 50	Sasha II pg. 86	Sasha II pg. 187	Stilo 7 pgs. 60, 91	Stilo pgs. 98-99	Suzi pgs. 97	Tamburo pgs. 110
												
Tamburo pgs. 111	Tamburo 7 pg. 156	Tammi 3 pg. 22	Tay Tay pg. 48	Tay Tay pg. 121	Tay Tay pg. 171	Tay Tay pg. 198	Tessa pg. 102	Tomas pg. 151	Tondo pgs. 106-107	Amber Frost	Botella pg. 25	Amber (Kristall)
												
Kristall 6 pg. 32	Kristall 8 pg. 72	Amber (Wave)	Wave 10 pg. 73	Amber Acrylics	Flower pg. 28	Amber	Bana pg. 66	Milo 4 pg. 69	Mira pg. 65	Olin pg. 67	Apricot Matte	Cierro pgs. 101
												
Tammi 3 pg. 22	Black Damask	Amelia pg. 80	Tamburo 8 pg. 176	Black Dicro Vine	Divi pgs. 18, 20	Divi pgs. 173	Divi pgs. 120	Divi pg. 192	Sabrina pg. 43	Sabrina pg. 122	Sabrina pg. 199	Black Dicro Wavy
												
Divi pgs. 18, 20	Divi pgs. 173	Divi pgs. 120	Divi pg. 192	Black Hand-Cut	Amelia 6 pgs. 44, 79	Amelia pg. 80	Black/Inner Gold	Pogo pg. 36	Pogo pg. 184	Blue Acrylics	Flower pg. 28	Blue Cloud
												
Bolla pg. 92	Bolla pg. 186	Camino pgs. 54, 88	Chelsea pgs. 152	Divi pgs. 18, 20	Divi pgs. 173	Divi pgs. 120	Juli pg. 104	Kailee pg. 158	Kani pg. 53	Kani pg. 120	Kani pg. 196	Karli pg. 59
												
Karli pg. 150	Lucia pg. 100	Mia pg. 51	Mia pg. 119	Mia pg. 193	Pera 6 pgs. 45, 90	Pera 9 pg. 96	Sasha pg. 50	Sasha II pg. 86	Sasha II pg. 187	Stilo 7 pgs. 60, 91	Stilo pgs. 98-99	Suzi pgs. 97
												
Tamburo 7 pg. 156	Tara pg. 108	Tay Tay pg. 48	Tay Tay pg. 121	Tay Tay pg. 171	Tay Tay pg. 198	Tondo pgs. 106-107	Tutu pgs. 56, 87	Vila pgs. 103	Blue Frost	Botella pg. 25	Blue Matte	Andi pg. 22

DECOR CROSS-REFERENCE

REFERENCE + INDEX





Notes: 1) Opal is not indicated here. Opal, White, or some variation on white, is available on almost EVERY luminaire we create.

DECOR CROSS-REFERENCE

REFERENCE + INDEX

Notes: 2) The thumbnails indicate the product type for quick reference, and do not indicate scale or exact glass or hardware shape.

 Focus pg. 31	 Focus pg. 191	 Clear Stone	 Nico 3 pg. 19	 Nico 3 pg. 172	 Nico 4 pg. 39	 Nico 4 pg. 123	 Nico 4 pgs. 194	 Tamburo pgs. 110	 Tamburo pgs. 111	 Cobalt Blue Matte	 Camino pgs. 54, 88	 Chrissy pgs. 89
 Cierro pgs. 101	 Kani pg. 53	 Kani pg. 120	 Kani pg. 196	 Kiki pg. 61	 Riva 9 pg. 94	 Tao 10 pg. 95	 Tomas pg. 151	 Cocoon	 Bolla pg. 92	 Bolla pg. 186	 Callisto pg. 112	 Tay Tay pg. 48
 Tay Tay pg. 121	 Tay Tay pg. 171	 Tay Tay pg. 198	 Coffee	 Falla pg. 27	 Falla 6 pg. 75	 Falla 6 pg. 159	 Cool Dicro	 Optos pg. 147	 Focus pg. 31	 Focus pg. 191	 Copper Foil	 Alex pg. 182
 Divi pgs. 18, 20	 Divi pgs. 173	 Divi pgs. 120	 Divi pg. 192	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193	 Ring pg. 125	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Tamburo pgs. 110	 Torre pgs. 154-155
 Cosmic	 Amelia 6 pgs. 44, 79	 Amelia pg. 80	 Slipstream pg. 129	 Tamburo 8 pg. 157	 Creme (Reflex)	 Reflex pg. 77	 Creme Sand	 Pica 6 pg. 30	 Pica 6 pg. 68	 Dicro	 Divi pgs. 18, 20	 Divi pgs. 173
 Divi pgs. 120	 Divi pg. 192	 Kona pg. 52	 Kona pg. 171	 Kona pg. 196	 Frost	 Mica pg. 17	 Ring pg. 125	 Sonya pgs. 134-35	 Trilo 7 pg. 61	 Trilo 15 pg. 81	 Frost Lens	 Optos pg. 147
 Focus pg. 31	 Focus pg. 191	 Garnet	 Bolla pg. 92	 Bolla pg. 186	 Camino pgs. 54, 88	 Chelsea pgs. 152	 Chrissy pgs. 89	 Cierro pgs. 101	 Copa pgs. 55, 93	 Divi pgs. 18, 20	 Divi pgs. 173	 Divi pgs. 120
 Divi pg. 192	 Juli pg. 104	 Juliette pg. 58	 Kailee pg. 158	 Kani pg. 53	 Kani pg. 120	 Kani pg. 196	 Karli pg. 59	 Karli pg. 150	 Lucia pg. 100	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193
 Palla 3 pg. 21	 Palla 5 pg. 49	 Palla 5 pg. 121	 Palla 5 pgs. 153	 Pera 6 pgs. 45, 90	 Pera 9 pg. 96	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Stilo 7 pgs. 60, 91	 Stilo pgs. 98-99	 Suzi pgs. 97	 Tamburo 7 pg. 156
 Tara pg. 108	 Tay Tay pg. 48	 Tay Tay pg. 121	 Tay Tay pg. 171	 Tay Tay pg. 198	 Tomas pg. 151	 Tutu pgs. 56, 87	 Vila pgs. 103	 Glitter (Ribbed)	 Glitter Ceiling pgs. 127	 Kristall 6 pg. 32	 Kristall 8 pg. 72	 Lasso pg. 40
 Lasso pg. 122	 Lasso pg. 192	 Pape 10 / 12 pg. 34	 Glitter	 Bree pgs. 202-203	 Napoli pgs. 204-205	 Paolo pg. 181	 Scala pgs. 206-207	 Sonya pgs. 134-135	 Glitter Stone	 Nico 4 pg. 39	 Nico 4 pg. 123	 Nico 4 pgs. 194
 Tamburo pgs. 110	 Tamburo pgs. 111	 Gold (Reflex)	 Reflex pg. 77	 Gold	 Pinta 10/12 pg. 70	 Pinta 12/15 pgs. 136	 Gold Foil	 Alex pg. 182	 Brio 7 pg. 35	 Brio 14 pg. 78	 Divi pgs. 18, 20	 Divi pgs. 173
 Divi pgs. 120	 Divi pg. 192	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193	 Ring pg. 125	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Tamburo pgs. 110	 Torre pgs. 154-155	 Vila pgs. 103	 Gold Glitter

DECOR CROSS-REFERENCE

REFERENCE + INDEX




















































Notes: 1) Opal is not indicated here. Opal, White, or some variation on white, is available on almost EVERY luminaire we create.

 Lasso pg. 40	 Lasso pg. 122	 Lasso pg. 192	 Pape 10 / 12 pg. 71	 Gold Sand	 Pica 6 pg. 30	 Pica 6 pg. 68	 Gold/Inner Gold	 Pogo pg. 36	 Green	 Milo 4 pg. 69	 Green-Frost	 Botella pg. 25
 Green/Yellow Bicolor	 Andi pg. 22	 Canto 3 pg. 21	 Canto 5 pg. 157	 Canto 5 pg. 102	 Habanero	 Andi pg. 22	 Bolla pg. 92	 Bolla pg. 186	 Chelsea pg. 120	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193
 Palla 5 pg. 49	 Palla 5 pg. 121	 Palla 5 pg. 198	 Pera 6 pgs. 45, 90	 Pera 9 pg. 96	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Stilo 7 pgs. 45	 Stilo 7 pg. 61	 Suzi pg. 71	 Tamburo pg. 89	 Tamburo 7 pg. 156
 Tara pg. 108	 Tay Tay pg. 46	 Tay Tay pg. 121	 Tay Tay pg. 171	 Tay Tay pg. 198	 Tondo pgs. 106-107	 Tutu pgs. 56, 87	 Vila pg. 73	 Zumi pg. 62	 Halva	 Callisto pg. 112	 Kailee pg. 158	 Mia pg. 51
 Mia pg. 119	 Mia pg. 193	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Tao 10 pg. 95	 Vila pgs. 103	 Honey	 Bolla pg. 92	 Bolla pg. 186	 Camino pgs. 54, 88	 Chelsea pg. 120	 Chrissy pg. 65
 Copa pgs. 55, 93	 Euka pg. 74	 Kailee pg. 158	 Kani pg. 53	 Kani pg. 120	 Kani pg. 196	 Karli pg. 59	 Karli pg. 150	 Lucia pg. 100	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193	 Pera 6 pgs. 45, 90
 Pera 9 pg. 96	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Sprite pg. 26	 Stilo 7 pgs. 60, 91	 Stilo pgs. 98-99	 Suzi pg. 71	 Tamburo 7 pg. 156	 Tay Tay pg. 46	 Tay Tay pg. 121	 Tay Tay pg. 171	 Tay Tay pg. 198
 Tutu pgs. 56, 87	 Vila pg. 73	 Zumi pg. 62	 Pink Dicro	 Divi pg. 33	 Magma	 Andi pg. 22	 Bolla pg. 92	 Bolla pg. 186	 Chelsea pgs. 152	 Mia pg. 51	 Mia pg. 119	 Suzi pg. 71
 Mia pg. 193	 Palla 3 pg. 21	 Palla 5 pg. 49	 Palla 5 pg. 121	 Palla 5 pgs. 153	 Pera 6 pgs. 45, 90	 Pera 9 pg. 96	 Sasha pg. 50	 Sasha II pg. 86	 Sasha II pg. 187	 Stilo 7 pg. 45	 Stilo 7 pg. 61	 Suzi pg. 71
 Tamburo pgs. 110	 Tamburo 7 pg. 156	 Tara pg. 108	 Tay Tay pg. 46	 Tay Tay pg. 121	 Tay Tay pg. 171	 Tay Tay pg. 198	 Tondo pgs. 106-107	 Tutu pgs. 56, 87	 Vila pgs. 103	 Zumi pg. 62	 Marble	 Andi pg. 22
 Bobbi pg. 139	 Brella pg. 46	 Brella pg. 119	 Brella pg. 156	 Domi pg. 27	 Domi pg. 137	 Domi pg. 156	 Dorian pg. 133	 Hoppi pg. 38	 Hoppi pg. 155	 Kona pg. 32	 Kona pg. 139	 Kona pg. 196
 Porto pgs. 105	 Quatro pg. 213	 Sola pg. 141	 Tessa pg. 102	 Trio pgs. 132-133	 Marble Grigio	 Andi pg. 22	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193	 Pera 6 pgs. 45, 90	 Pera 9 pg. 96	 Sasha pg. 50
 Sasha II pg. 86	 Sasha II pg. 187	 Stilo 7 pgs. 60, 91	 Tamburo pgs. 110	 Tamburo 7 pg. 156	 Vila pgs. 103	 Mirror-Frost	 Groove pg. 38	 Groove pg. 118	 Groove pg. 191	 Silhouette pg. 115	 Mocha	 Andi pg. 22

DECOR CROSS-REFERENCE

REFERENCE + INDEX



Notes: 2) The thumbnails indicate the product type for quick reference, and do not indicate scale or exact glass or hardware shape.

 Brella pg. 46	 Brella pg. 119	 Brella pgs. 195	 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Dorian pg. 133	 Hoppi pg. 38	 Hoppi pg. 155	 Porto pgs. 105	 Tessa pg. 102	 Mosaic Onyx	 Tamburo pgs. 111
 Oak	 Brella pg. 46	 Brella pg. 119	 Brella pgs. 195	 Chrissy pgs. 89	 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Stilo 7 pgs. 60, 91	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tammi 3 pg. 22	 Tao 10 pg. 95
 Torre pgs. 154-155	 Opal Frost	 Luna pg. 82	 Paolo pg. 181	 Tino pgs. 167, 209	 Opal Stone	 Nico 3 pg. 172	 Nico 4 pg. 39	 Nico 4 pg. 123	 Nico 4 pgs. 194	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tamburo pgs. 125
 Orange/Pina Bicolor	 Andi pg. 22	 Brella pg. 46	 Brella pg. 119	 Brella pgs. 195	 Canto 3 pg. 21	 Canto 5 pg. 57	 Canto 5 pgs. 194	 Canto 5 pgs. 118	 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Tessa pg. 102
 Pearl	 Divi pgs. 18, 20	 Divi pgs. 173	 Divi pgs. 120	 Divi pg. 192	 Domi pg. 47	 Domi pg. 172	 Domi pgs. 200-203	 Purple	 Milo 4 pg. 69	 Quartz	 Falla pg. 27	 Falla 6 pg. 75
 Falla 6 pg. 75	 Red Matte	 Andi pg. 22	 Canto 5 pg. 57	 Canto 5 pgs. 194	 Canto 5 pgs. 118	 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Porto pgs. 105	 Tessa pg. 102	 Trilo 7 pg. 61	
 Red Sand	 Pica 6 pg. 30	 Pica 6 pg. 68	 Ruby Matte	 Camino pgs. 54, 88	 Canto 3 pg. 21	 Chrissy pgs. 89	 Cierro pgs. 101	 Kani pg. 53	 Kani pg. 120	 Kani pg. 196	 Kiki pg. 61	 Riva 9 pg. 94
 Tao 10 pg. 95	 Tomas pg. 151	 Satin Nickel	 Spezza 7 pgs. 76	 Spezza 13/18 pgs. 126	 Silver Dicro Wavy	 Divi pgs. 18, 20	 Divi pgs. 120	 Divi pg. 192	 Sabrina pg. 43	 Sabrina pg. 122	 Sabrina pg. 199	
 Silver Foil	 Alex pg. 182	 Brio 7 pg. 35	 Brio 14 pg. 78	 Divi pgs. 18, 20	 Divi pgs. 173	 Divi pgs. 120	 Divi pg. 192	 Mia pg. 51	 Mia pg. 119	 Mia pg. 193	 Ring pg. 125	 Sasha pg. 50
 Sasha II pg. 86	 Sasha II pg. 187	 Tamburo pgs. 110	 Tamburo pgs. 111	 Torre pgs. 154-155	 Gold/Inner Gold	 Pogo pg. 36	 Sky Dicro	 Divi pg. 33	 Smoke (Kristall)	 Kristall 6 pg. 32	 Kristall 8 pg. 72	
 Smoke (Wave)	 Wave 10 pg. 73	 Smoke	 Milo 4 pg. 69	 Smoke Twist	 Euka pg. 74	 Sprite pg. 26	 Solare	 Andi pg. 22	 Brella pg. 46	 Brella pg. 119	 Brella pgs. 195	 Canto 3 pg. 21
 Canto 5 pg. 57	 Canto 5 pgs. 194	 Canto 5 pgs. 118	 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Porto pgs. 105	 Tessa pg. 102	 Stone Copper Foil	 Nico 3 pg. 19	 Nico 3 pg. 172	 Nico 4 pg. 39	 Nico 4 pg. 123
 Nico 4 pgs. 194	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tamburo pgs. 125	 Stone Gold Foil	 Nico 3 pg. 19	 Nico 3 pg. 172	 Nico 4 pg. 39	 Nico 4 pg. 123	 Nico 4 pgs. 194	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tamburo pgs. 125

DECOR CROSS-REFERENCE

REFERENCE + INDEX

Notes: 1) Opal is not indicated here. Opal, White, or some variation on white, is available on almost EVERY luminaire we create.
Notes: 2) The thumbnails indicate the product type for quick reference, and do not indicate scale or exact glass or hardware shape.

 Stone Silver Foil	 Nico 3 pg. 19	 Nico 3 pg. 172	 Nico 4 pg. 39	 Nico 4 pg. 123	 Nico 4 pgs. 194	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tamburo pgs. 125	 Stucco	 Aero pgs. 166	 Aero pgs. 177	 Paolo pg. 181
 Trio pgs. 132-133	 Stucco-Frost	 Trio pgs. 132-133	 Tan Sand	 Pica 6 pg. 30	 Pica 6 pg. 68	 Tan (Reflex)	 Reflex pg. 77	 Titan	 Brella pg. 46	 Brella pg. 119	 Brella pgs. 195	 Domi pg. 47
 Domi pg. 172	 Domi pg. 194	 Stilo 7 pgs. 60, 91	 Tamburo pgs. 110	 Tamburo pgs. 111	 Tammi 3 pg. 22	 Tao 10 pg. 95	 Torre pgs. 154-155	 Transmirror	 Bana pg. 66	 Mira pg. 65	 Olin pg. 67	
 Transparent Amethyst	 Alex pg. 182	 Mica pg. 17	 Pahu 4 pg. 43	 Pahu 4 pgs. 123	 Pahu 4 pg. 43	 Pahu 4 pgs. 84, 142	 Transparent Armagnac	 Alex pg. 182	 Pahu 4 pg. 43	 Pahu 4 pgs. 123	 Pahu 4 pg. 43	 Pahu 4 pgs. 84, 142
 Transparent Blue	 Alex pg. 182	 Transparent Gold	 Pahu 4 pg. 43	 Pahu 4 pgs. 123	 Pahu 4 pg. 43	 Pahu 4 pgs. 84, 142	 Transparent Olive	 Alex pg. 182	 Mica pg. 17	 Pahu 4 pg. 43	 Pahu 4 pgs. 123	 Pahu 4 pg. 43
 Pahu pgs. 84, 142	 Transparent Smoke	 Pahu 4 pg. 43	 Pahu 4 pgs. 123	 Pahu 4 pg. 43	 Pahu 4 pgs. 84, 142	 Warm Dicro Lens	 Optos pg. 147	 Focus pg. 31	 Focus pg. 191	 Vanilla Glossy	 Juliette pg. 58	
 Vanilla Matte	 Bolla pg. 92	 Bolla pg. 186	 Camino pgs. 54, 88	 Canto 3 pg. 21	 Chelsea pgs. 152	 Chrissy pgs. 89	 Cierro pgs. 101	 Copa pgs. 55, 93	 Divi pgs. 18, 20	 Divi pgs. 173	 Divi pgs. 120	 Divi pg. 192
 Domi pg. 47	 Domi pg. 172	 Domi pg. 194	 Kailee pg. 158	 Kani pg. 53	 Kani pg. 120	 Kani pg. 196	 Karli pg. 59	 Karli pg. 150	 Kiki pg. 61	 Lina pg. 153	 Lucia pg. 100	 Pera 6 pgs. 45, 90
 Pera 9 pg. 96	 Peri pg. 43	 Peri pgs. 193	 Riva 9 pg. 94	 Stilo 7 pgs. 60, 91	 Stilo 7 pgs. 96-99	 Suzi pgs. 97	 Tamburo 7 pg. 156	 Tammi 3 pg. 22	 Tao 10 pg. 95	 Tay Tay pg. 48	 Tay Tay pg. 121	 Tay Tay pg. 171
 Tay Tay pg. 198	 Tomas pg. 151	 Tondo pgs. 106-107	 Zumi pg. 62	 White Damask	 Amelia pg. 80	 Slipstream pg. 129	 White Hand-Cut	 Amelia 6 pgs. 44, 79	 Amelia pg. 80	 White (Reflex)	 Reflex pg. 77	
 White-Frost	 Botella pg. 25	 Milo 4 pg. 69	 White Rings	 Slipstream pg. 129	 White Starpoint	 Kona pg. 52	 Kona pg. 171	 Kona pg. 196	 White Sand	 Pica 6 pg. 30	 Pica 6 pg. 68	
 Gold/Inner Gold	 Pogo pg. 36	 Pogo pg. 184										

ACCESSORIES

REFERENCE + INDEX

SKYHOOK™

Besa's patented and trademarked Skyhook™ suspension hook is utilized with XP and 1XC Series 12V pendants. These contemporary suspension hooks permit an installer to position cord drops as desired, and are particularly effective in situations where ceiling junction boxes are not ideally located. Included hardware allows for installation in most common ceiling materials. Suitable for use on sloped ceilings.

T100BR Bronze
T100SN Satin Nickel



STEMHOOK

Stemhooks are used with our 120V cord pendants (B and J Series). They permit an installer to position cord drops as desired, especially in situations where ceiling junction boxes are not ideally located. Hardware is included that allows for installation in most common ceiling materials. Suitable for use on sloped ceilings.

T103BR Bronze
T103SN Satin Nickel



STEM SECTIONS

Interlocking stem sections may be ordered for Besa pendant luminaires. These 7/16" diameter stem sections can easily be added to increase the overall drop length. Available in 4 different fixed lengths, plus a telescoping section that allows up to 3" of length adjustment.

Note: When adding to pendants length, overall length is not to exceed 10' (the provided wiring length). They may not be field cut.

T203-BR 3" Section, Bronze
T203-SN 3" Section, Satin Nickel
T206-BR 6" Section, Bronze
T206-SN 6" Section, Satin Nickel
T212-BR 12" Section, Bronze
T212-SN 12" Section, Satin Nickel
T218-BR 18" Section, Bronze
T218-SN 18" Section, Satin Nickel



CORD SLEEVES

Optional cord sleeves, or covers, may be ordered to complement Besa 120V pendants (B, Q, J or Linear Series). The 1/4" diameter sleeves will conceal the SVT or AWM cord for a refined appearance. They are available in 18" lengths and may be field cut as desired. They are constructed of solid brass with Bronze or Satin Nickel plated finish.

T118-BR 18" Sleeve, Bronze
T118-PN 18" Sleeve, Polished Nickel
T118-SN 18" Sleeve, Satin Nickel

CORD/PLUG KIT FOR SWING ARMS

When no junction box is available, the T120 and T121 kit allows Besa luminaires to be converted to a fully UL Listed "fixed portable" which plugs into a standard 120V receptacle. Includes 18" wire cover and 6' of cord. Can also be ordered with swing arm as CP option.

T120-SN Satin Nickel, for Swing arms
T120-BR Bronze, for Swing arms
T121-SN Satin Nickel, for Pendants and Mini Sconces
T121-BR Bronze, for Pendants and Mini Sconces

GLARE SHIELDS

Several of our pendants and flushmount ceiling luminaires employ a bottom glass glare shield, to prevent direct viewing of the lamping.

S2791 10.75" Dia. Frosted Glass Shield
S2792 14.5" Dia. Frosted Glass Shield



QUICK JACK

Replacement part for Quick-Connect Pendants.

TJACK-BR Bronze
TJACK-SN Satin Nickel

LAMPS

The selection of lamps shown below are used in Besa luminaires. These lamps are provided with the initial purchase of each luminaire but may also be ordered utilizing the below item numbers.

B5501	150w	•	120V	•	T3 Halogen 3-1/8"
B5502	50w	•	120V	•	E12 Xenon
B5503	50w	•	120V	•	T4 E11 Halogen Minican
B5504	75w	•	120V	•	T4 E11 Halogen Minican
B5506	50w	•	12V	•	T4 GY6.35 Halogen Bi-Pin, clear*
B5507	35w	•	12V	•	T4 GY6.35 Halogen Bi-Pin, clear*
B5508	50w	•	12V	•	T5 GY6.35 Xenon Bi-Pin, frosted*
B5510	50w	•	12V	•	MR16 Halogen (lensed) Flood
B5511	35w	•	12V	•	T5 GY6.35 Xenon Bi-Pin, frosted*
B5512	50w	•	120V	•	Halogen G9 Bi-Pin, clear
B5513	40w	•	120V	•	Halogen G9 Bi-Pin, frosted*
B5515	100w	•	120V	•	Halogen G9 Bi-pin, clear
B5516	60w	•	120V	•	Halogen G9 Bi-Pin, frosted*
B5550	35w	•	12V	•	MR11 Halogen (lensed) Flood
B5551	50w	•	12V	•	MR16 Halogen (lensed) frosted
B5552	6w	•	12V	•	MR16-type LED
B5553	6w	•	120V	•	GU24 Base LED
B5554	22w	•	120V	•	FL Circline
B5555	40w	•	120V	•	FL Circline

* Low-pressure lamps

COMPACT FLUORESCENT LAMPS

Besa GU24 luminaires are provided with empty sockets, lamps may be ordered utilizing the below item numbers.

B5518	18w, CFL Spiral lamp, GU24 base
B5522	13w, CFL Quad lamp, GU24 base
B5525	18w, CFL Quad lamp, GU24 base
B5527	26w, CFL Spiral lamp, GU24 base
B5528	26w, CFL Quad lamp, GU24 base
B5532	13w, CFL Spiral lamp, GU24 base
B5533	13w, CFL Spiral lamp, medium screw-base

GU24 ELECTRONIC BALLASTS

These GU24 electronic ballasts are utilized in Besa GU24 luminaires.

B5184	13w, 120V GU24 Ballast
B5185	13w, 277V GU24 Ballast
B5186	18w, 120V GU24 Ballast
B5187	18w, 277V GU24 Ballast
B5188	26w, 120V GU24 Ballast
B5189	26w, 277V GU24 Ballast

TRANSFORMERS & DRIVERS

These transformers are utilized in Besa luminaires. They may also be ordered separately.

B5601	60w	•	12V	•	Class 2, N/O
B5602	60w	•	12V	•	Class 2, H/O
B5605	60w	•	12V	•	Class 2, Dimming*
B5690	6w	•	12V	•	LED Driver, Dimming
B5635	60w	•	12V	•	Class 2, No-load LED-compatible, Dimming

N/O= normal output

H/O= high output (recommended in only certain instances)

Consult factory for details.

*This transformer is a dimming loop type, used on Besa 1WU and 1WW swing-arm wall sconces.

HALOGEN 12V LAMP SHIELD

Besa's low voltage halogen mini pendants are provided with a low-pressure halogen lamp. A lamp shield is not required. If desired, our frosted halogen lamp shield may be ordered separately, allowing for the use of halogen lamps that require shielding.

B5500 Halogen Lamp Shield



RAIL ADAPTER



For connecting Spotlight or Pendant Elements to Besa monorail systems.

R12-QCADP-BR Bronze
R12-QCADP-SN Satin Nickel



COMPACT FLUORESCENT LAMPING

REFERENCE + INDEX

Wall & Ceiling Luminaires																							
CFL OPTIONS																							
Product	Page	D 120V	M 277V	E 120V	N 277V	F 120V	O 277V	H 120V	Q 277V	I 120V	R 277V	K 120V	T 277V	L 120V	U 277V	GU24 120V	GU24 120V	GU24 120V	24W1 120V	24W2 277V	36W1 120V	36W2 277V	
Aero 1WM	177															1 ¹							
Aero 2WM	177															2 ¹							
Aero 3WM	177															3 ¹							
Aero 16	166	1		1				1								1 ¹							
Aero 21	166	2		2				1								2 ¹							
Baaz 16	164/210	1		1				1								1 ¹							
Baaz 20	164/210	2		2				1								2 ¹							
Bobbi 10	139	1														1							
Bobbi 12	139	2		1		1				1		1				2							
Bolla 1WZ	186															1							
Bolla 2WZ	186															2							
Bolla 3WZ	186															3							
Bolla 4WZ	186															4							
Bree 11	202			1																			
Bree 16	202							1															
Chelsea	152			1													1						
Cirrus	213	1		1		1																	
Darci 1WM	178															1 ¹							
Darci 2WM	178															2 ¹							
Darci 3WM	178															3 ¹							
Darci 16	165	1		1				1								1 ¹							
Darci 21	165	2		2				1								2 ¹							
Dorain 10	160	1		1		1										1							
Dorian 17	160	1		1		1		1		1						2							
Elana 26	175																3						
Elana 38	175																4						
Elana 50	175																5						
Falla 1WZ	159															1							
Geo 5	211	1																					
Geo 9	211	1				1																	
Geo 9 Ceiling	138	1														1							
Geo 11	211	2		2		2				1		1											
Geo 11 Ceiling	138	2		1		1				1		1				2							
Kailee	158	1																					
Katie 10	139	1														1							
Katie 12	139	2		1		1				1		1				2							
Lina	153			1													1						
Luma 12 Slim	128/161	1														1							
Luma 14 Slim	128/161	2		1						1		1				2							
Luma 18 Slim	128/161	2		2				2				1		1		3							
Metro	149	1		1				1										1 ¹					
Mistral	163			2		2		2		2								2				1	
Moto 8	201	1		1																			
Moto 11	201	2		2				1															
Moto 13	201	2		2				2															
Napoli 11	204			1																			
Napoli 16	204							1															
Nova 10	140	1														1							
Nova 13	140	2		1		1				1		1				2							
Nova 16	140	2		2		2		2		2		1		1		3							
Pahu 8	142					1											1						
Pahu 12	143									1								1					
Pahu 16	143									1								1					
Prismo 10	212	1		1		1																	
Prismo 16	212	1		1		1		1		1													
Quatro 10	213	1		1		1																	
Ring 13	125	1														1							
Ring 15	125	2		1		1				1		1				2							
Ring 19	125	2		2		2		2		2		1		1		3							
Rise 1WZ	185															1							
Rise 2WZ	185															2							
Rise 3WZ	185															3							
Rise 4WZ	185															4							
Sail 13/17	208	1		1				1															
Sasha II 1WZ	187																1						
Sasha II 2WZ	187																2						
Sasha II 3WZ	187																3						
Sasha II 4WZ	187																4						
Scala 13	206	1		1		1																	
Scala 20	206	2		1		1		1		1													
Slipstream 11 Slim	129	1														1							
Slipstream 16 Slim	129	2		2				2				1		1		3							
Sola 10	141	1														1							
Sola 12	141	2		1		1				1		1				2							
Sola 16	141	2		2		2		2		2		1		1		3							
Sonya 13	135															1							
Sonya 17	135																2						
Sonya 20	135																3						
Tamburo 7	156	1		1													1						
Tamburo 8	157	1		1													1						
Tamburo 11	157	2		2						1		1					2						
Tamburo 16v2	105															3							

1) Quad style GU24 self-ballasted lamp is required.

COMPACT FLUORESCENT LAMPING

REFERENCE + INDEX

Wall & Ceiling, Cont.																									
		13W Quad G24q-1 Base		18W Quad G24q-2 Base		18W TBX GX24q-2 Base		26W Quad G24q-3 Base		26W TBX GX24q-3 Base		32W TBX GX24q-3 Base		42W TBX GX24q-4 Base		13W GU24 Base		18W GU24 Base		26W GU24 Base		24W Twin T5 2G11 Base		36W Twin T5 2G11 Base	
Product	Page	D 120V	M 277V	E 120V	N 277V	F 120V	O 277V	H 120V	Q 277V	I 120V	R 277V	K 120V	T 277V	L 120V	U 277V	GU24 120V	GU24 120V	GU24 120V	24W1 120V	24W2 277V	36W1 120V	36W2 277V			
Tino 13	167/209	1		1				1								1 ¹									
Tino 18	167/209	2		2				1								2 ¹									
Tomas	151			1																					
Torre 14	154			1														1							
Torre 18	154			2				2										2			1				
Torre 22	155			2		2		2		2									2			1			
Trio 12	133	1		1		1				1								1							
Trio 16	133	2		2		2		2		2		2		1				2							
Trio 20	133	2		2		2		2		2		2		1				3							

Pendant Luminaire			      													
CFL OPTIONS			13W Quad G24q-1 Base		18W TBX GX24q-2		26W Quad G24q-3 Base		26W TBX GX24q-3		13W GU24		18W GU24		26W GU24	
Family	Pg	Series	D 120V	M 277V	F 120V	O 277V	H 120V	Q 277V	I 120V	R 277V	GU24GU24GU24					
120V Cord-hung or Stem Pendants																
Bolla	92	1BC/1BT/1TT									1					
		3-Light										3				
		6BC										6				
Chrissy	89	1BC/1BT									1					
		3-Light										3				
		6BC										6				
Copa	93	1BC/1BT/1TT	1								1					
		3-Light										3				
		6BC										6				
Sasha II	86	1BC									1					
		1BT/1TT										1				
		3-Light										3				
		6BC										6				
Stilo 7	91	1BC/1BT/1TT									1					
		3-Light										3				
		6BC										6				
Tutu	87	1BC/1BT/1TT	1								1					
		3-Light										3				
		6BC										6				
Brio	78	1BC/1BT/1TT			1								1			
		1KX			1								1			
		3-Light			3								3			
		6BC			6								6			
Cierro	101	1BC/1BT/1TT			1									1		
		1KX			1									1		
		3-Light			3									3		
		6JC			6									6		
Euka	74	1JC/1JT										1				
		3-Light											3			
		6JC											6			
Falla 6	75	1JC/1JT/1TT									1					
		1KX										1				
		3-Light										3				
		6JC										6				
Juli	104	1JC/1JT/1TT							1					1		
		1KX							1					1		
		3-Light							3					3		
		6JC							6					6		
Kristall 8	72	1JC/1JT/1TT											1			
		1KX											1			
		3-Light											3			
		6JC											6			
Lucia	100	1JC/1JT/1TT			1								1			
		1KX			1								1			
		3-Light			3								3			
		6JC			6								6			
Luna	82	1JC/1JT/1TT							1					1		
		1KX							1					1		
		3-Light							3					3		
		6JC							6					6		
Pape 10/12	71	1JC/1JT/1TT			1								1			
		1KX			1								1			
		3-Light			3								3			
		6JC			6								6			
Pera 9	96	1JC/1JT/1TT							1					1		
		1KX							1					1		
		3-Light							3					3		
		6JC							6					6		

Pendant Luminaire			      											
CFL OPTIONS			13W Quad G24q-1 Base		18W TBX GX24q-2		26W Quad G24q-3 Base		26W TBX GX24q-3		13W GU24	18W GU24	26W GU24	
Family	Pg	Series	D 120V	M 277V	F 120V	O 277V	H 120V	Q 277V	I 120V	R 277V	GU24GU24GU24 120V120V120V			
Pica 9	68	1JC/1JT/1TT											1	
		1KX											1	
		3-Light 6JC											3	
												6		
Reflex	77	1JC/1JT/1TT									1			
		1KX									1			
		3-Light 6JC									3			
										6				
Riva 9	94	1JC/1JT/1TT			1		1						1	
		1KX			1		1						1	
		3-Light 6JC			3		3						3	
				6		6						6		
Stilo 10	98	1JC/1JT/1TT			1		1						1	
		1KX			1		1						1	
		3-Light 6JC			3		3						3	
				6		6						6		
Stilo 16	99	1JC/1JT/1TT			1		1						1	
		1KX			1		1						1	
		3-Light 6JC			3		3						3	
				6		6						6		
Suzi	97	1JC/1JT/1TT			1		1					1		
		1KX			1		1					1		
		3-Light 6JC			3		3					3		
				6		6					6			
Tao 10	95	1JC/1JT/1TT			1		1						1	
		1KX			1		1						1	
		3-Light 6JC			3		3						3	
				6		6						6		
Vila	103	1JC/1JT/1TT									1			
		1KX									1			
		3-Light 6JC									3			
										6				
Cable or Stem Pendants														
Amelia 12	80	1KG/1TT			1							1		
Amelia 15	80	1KV/1KT			3							3		
Amelia 18	80	1KV/1KT							3				3	
Callisto 12	112	1KX						1					1	
Callisto 14	112	1KX						1					1	
Jordo	83	1KX			1		1						1	
		1TT			1		1						1	
Pahu 8	84	1KG/1TT			1							1		
Pahu 12	85	1KG/1TT							1				1	
Pahu 16	85	1KG/1TT							1				1	
Porto	105	1KX/1VC											1	
		1TT/1VT											1	
Tamburo 8	110	1KG/1TT							1				1	
Tamburo 12	109	1KG/1TT							1				1	
Tamburo 16	109	1KV/1KT							3				3	
Tamburo 16v2	111	1KV/1KT							3				3	
Tara	108	1KX/1VC			1		1						1	
		1TT/1VT			1		1						1	
Tondo 12	106	1KX/1VC			1				1				1	
		1TT/1VT			1				1				1	
Tondo 18	107	1KX/1VC			1		1						1	
		1TT/1VT			1		1						1	

INDEX BY PART NUMBER

REFERENCE + INDEX

Part Number.....Page		
104-8420XX.....201	1JT-4912XX.....71	1KX-4616XX.....72
105-8420XX.....201	1JT-4913XX.....71	1KX-4627XX.....73
106-8421XX.....201	1JT-7224XX.....99	1KX-4644XX.....70
107-8421XX.....201	1JT-BANAXX.....66	1KX-4645XX.....70
108-8422XX.....201	1JT-FAL6XX.....75	1KX-4775XX.....83
109-8422XX.....201	1JT-MILO4XX.....69	1KX-4776XX.....82
1189XX.....160	1JT-MIRAXX.....65	1KX-4897XX.....97
1190XX.....160	1JT-OLINXX.....67	1KX-4912XX.....71
1BC-1509XX.....89	1JT-PIC9XX.....68	1KX-4913XX.....71
1BC-1713XX.....90	1JT-RFLXXX.....77	1KX-7224XX.....99
1BC-4121XX.....87	1JT-SPEZ07.....76	1KX-FAL6XX.....75
1BC-4122XX.....92	1KG-4006XX.....110	1KX-PIC9XX.....68
1BC-4404XX.....91	1KG-4184XX.....109	1SP-1559XX.....21
1BC-4477XX.....79	1KG-4393XX.....80	1SP-1758XX.....18
1BC-4930XX.....93	1KG-A006XX.....84	1SP-1858XX.....20
1BC-5674XX.....88	1KG-A007XX.....85	1SP-5042XX.....21
1BC-7572XX.....86	1KG-A184XX.....85	1SP-5044XX.....22
1BT-1509XX.....89	1KG-C006XX.....84	1SP-5118XX.....22
1BT-1713XX.....90	1KG-C007XX.....85	1SP-5145XX.....19
1BT-4121XX.....87	1KG-C184XX.....85	1SP-5297XX.....17
1BT-4122XX.....92	1KG-G006XX.....84	1SP-6524XX.....17
1BT-4404XX.....91	1KG-G007XX.....85	1SP-QF3.....19
1BT-4477XX.....79	1KG-L184XX.....85	1SW-1176XX.....196
1BT-4930XX.....93	1KG-L006XX.....84	1SW-1758XX.....192
1BT-5674XX.....88	1KG-L007XX.....85	1SW-1743XX.....194
1BT-7572XX.....86	1KG-L184XX.....85	1SW-1779XX.....193
1CS-9038XX.....129	1KG-S006XX.....84	1SW-1813XX.....199
1CS-9095XX.....128	1KG-S007XX.....85	1SW-1843XX.....194
1JC-1511XX.....94	1KG-S184XX.....85	1SW-1858XX.....192
1JC-1512XX.....95	1KG-Y006XX.....84	1SW-1913XX.....199
1JC-1697XX.....100	1KG-Y007XX.....85	1SW-2824XX.....196
1JC-1720XX.....74	1KG-Y184XX.....85	1SW-2634XX.....191
1JC-4123XX.....98	1KM-4008XX.....145	1SW-4403XX.....197
1JC-4124XX.....101	1KM-A006XX.....142	1SW-4679XX.....195
1JC-4125XX.....104	1KM-A007XX.....143	1SW-5121XX.....196
1JC-4126XX.....96	1KM-A184XX.....143	1SW-5125XX.....195
1JC-4201XX.....102	1KM-C006XX.....142	1SW-5131XX.....194
1JC-4345XX.....78	1KM-C007XX.....143	1SW-5410XX.....193
1JC-4470XX.....103	1KM-C184XX.....143	1SW-5440XX.....199
1JC-4513XX.....81	1KM-G006XX.....142	1SW-5504XX.....196
1JC-4616XX.....72	1KM-G007XX.....143	1SW-5605XX.....198
1JC-4627XX.....73	1KM-G184XX.....143	1SW-5612XX.....192
1JC-4644XX.....70	1KM-L006XX.....142	1SW-5658XX.....198
1JC-4645XX.....70	1KM-L007XX.....143	1SW-6773MR.....191
1JC-4776XX.....82	1KM-L184XX.....143	1SW-A440XX.....197
1JC-4897XX.....97	1KM-S006XX.....142	1SW-C440XX.....197
1JC-4912XX.....71	1KM-S007XX.....143	1SW-G440XX.....197
1JC-4913XX.....71	1KM-S184XX.....143	1SW-L440XX.....197
1JC-7224XX.....99	1KM-Y006XX.....142	1SW-S440XX.....197
1JC-BANAXX.....66	1KM-Y007XX.....143	1SW-Y440XX.....197
1JC-FAL6XX.....75	1KM-Y184XX.....143	1SX-7198XX.....150
1JC-MILO4XX.....69	1KT-4007XX.....109	1TT-1511XX.....94
1JC-MIRAXX.....65	1KT-4008XX.....111	1TT-1512XX.....95
1JC-OLINXX.....67	1KT-4340XX.....80	1TT-1697XX.....100
1JC-PIC9XX.....68	1KT-4394XX.....80	1TT-1713XX.....90
1JC-RFLXXX.....77	1KV-4007XX.....109	1TT-4006XX.....110
1JC-SPEZ07.....76	1KV-4008XX.....111	1TT-4120XX.....106
1JT-1511XX.....94	1KV-4340XX.....80	1TT-4121XX.....87
1JT-1512XX.....95	1KV-4394XX.....80	1TT-4123XX.....98
1JT-1697XX.....100	1KX-1511XX.....94	1TT-4124XX.....101
1JT-1720XX.....74	1KX-1512XX.....95	1TT-4125XX.....104
1JT-4123XX.....98	1KX-1697XX.....100	1TT-4126XX.....96
1JT-4124XX.....101	1KX-4120XX.....106	1TT-4127XX.....108
1JT-4125XX.....104	1KX-4123XX.....98	1TT-4128XX.....107
1JT-4126XX.....96	1KX-4124XX.....101	1TT-4184XX.....109
1JT-4345XX.....78	1KX-4125XX.....104	1TT-4201XX.....102
1JT-4201XX.....102	1KX-4126XX.....96	1TT-4202XX.....105
1JT-4470XX.....103	1KX-4127XX.....108	1TT-4345XX.....78
1JT-4513XX.....81	1KX-4128XX.....107	1TT-4393XX.....80
1JT-4616XX.....72	1KX-4201XX.....102	1TT-4404XX.....91
1JT-4627XX.....73	1KX-4202XX.....105	1TT-4470XX.....103
1JT-4644XX.....70	1KX-4328XX.....112	1TT-4477XX.....79
1JT-4645XX.....70	1KX-4329XX.....112	1TT-4513XX.....81
1JT-4776XX.....82	1KX-4345XX.....78	1TT-4616XX.....72
1JT-4897XX.....97	1KX-4470XX.....103	1TT-4627XX.....73
	1KX-4513XX.....81	1TT-4644XX.....70

1TT-4645XX.....70	1XA-1813XX.....41	1XP-1813XX.....41
1TT-4775XX.....83	1XA-1843XX.....27	1XP-1843XX.....47
1TT-4776XX.....82	1XA-1913XX.....47	1XP-1858XX.....33
1TT-4897XX.....97	1XA-2718XX.....51	1XP-1913XX.....41
1TT-4912XX.....71	1XA-2824XX.....52	1XP-2633XX.....31
1TT-4913XX.....71	1XA-4615XX.....32	1XP-2718XX.....61
1TT-4930XX.....93	1XA-4679XX.....46	1XP-2824XX.....52
1TT-5674XX.....88	1XA-5121XX.....53	1XP-4096XX.....58
1TT-7224XX.....99	1XA-5125XX.....39	1XP-4121XX.....56
1TT-A006XX.....84	1XA-5410XX.....43	1XP-4292XX.....35
1TT-A007XX.....85	1XA-5440XX.....43	1XP-4293XX.....36
1TT-A184XX.....85	1XA-5504XX.....52	1XP-4395XX.....62
1TT-BANAXX.....66	1XA-5605XX.....48	1XP-4404XX.....60
1TT-C006XX.....84	1XA-5612XX.....40	1XP-4477XX.....44
1TT-C007XX.....85	1XA-5658XX.....49	1XP-4615XX.....32
1TT-C184XX.....85	1XA-6730XX.....42	1XP-4679XX.....46
1TT-FAL6XX.....75	1XA-6773XX.....38	1XP-4930XX.....55
1TT-G006XX.....84	1XA-6294XX.....41	1XP-5121XX.....53
1TT-G007XX.....85	1XC-1176XX.....52	1XP-5125XX.....39
1TT-G184XX.....85	1XC-1382XX.....61	1XP-5131XX.....57
1TT-L006XX.....84	1XC-1684XX.....25	1XP-5410XX.....43
1TT-L007XX.....85	1XC-1685XX.....25	1XP-5440XX.....43
1TT-L184XX.....85	1XC-1713XX.....45	1XP-5504XX.....52
1TT-MIRAXX.....65	1XC-1716XX.....26	1XP-5605XX.....48
1TT-OLINXX.....67	1XC-1743XX.....47	1XP-5612XX.....40
1TT-PIC9XX.....68	1XC-1779XX.....51	1XP-5658XX.....49
1TT-SPEZ07.....76	1XC-1813XX.....41	1XP-5674XX.....54
1KG-S006XX.....84	1XC-1843XX.....47	1XP-6730XX.....42
1KG-S007XX.....85	1XC-1858XX.....33	1XP-6773XX.....38
1KG-S184XX.....85	1XC-1913XX.....41	1XP-6294XX.....41
1KG-Y006XX.....84	1XC-2633XX.....31	1XP-6524XX.....29
1KG-Y007XX.....85	1XC-2718XX.....61	1XP-7198XX.....59
1KG-Y184XX.....85	1XC-2824XX.....52	1XP-7570XX.....50
1KG-Y184XX.....85	1XC-4096XX.....58	1XP-A440XX.....37
1KV-4007XX.....109	1XC-4404XX.....60	1XP-C440XX.....37
1KV-4008XX.....111	1XC-4121XX.....56	1XP-FALLXX.....27
1KV-4340XX.....80	1XC-4292XX.....35	1XP-G440XX.....37
1KV-4394XX.....80	1XC-4293XX.....36	1XP-L440XX.....37
1KX-1511XX.....94	1XC-4395XX.....62	1XP-PIC6XX.....30
1KX-1512XX.....95	1XC-4477XX.....44	1XP-S440XX.....37
1KX-1697XX.....100	1XC-4615XX.....32	1XP-Y440XX.....37
1KX-4120XX.....106	1XC-4679XX.....46	1XT-1176XX.....52
1KX-4123XX.....98	1XC-4930XX.....55	1XT-1382XX.....61
1KX-4124XX.....101	1XC-5121XX.....53	1XT-1684XX.....25
1KX-4125XX.....104	1XC-5125XX.....39	1XT-1685XX.....25
1KX-4126XX.....96	1XC-5131XX.....57	1XT-1688XX.....34
1KX-4127XX.....108	1XC-5410XX.....43	1XT-1713XX.....45
1KX-4128XX.....107	1XC-5440XX.....43	1XT-1716XX.....26
1KX-4184XX.....109	1XC-5504XX.....52	1XT-1743XX.....47
1KX-4201XX.....102	1XC-5605XX.....48	1XT-1779XX.....51
1KX-4202XX.....105	1XC-5612XX.....40	1XT-1813XX.....41
1KX-4328XX.....112	1XC-5658XX.....49	1XT-1843XX.....47
1KX-4329XX.....112	1XC-5674XX.....54	1XT-1858XX.....33
1KX-4345XX.....78	1XC-6730XX.....42	1XT-1913XX.....41
1KX-4470XX.....103	1XC-6773XX.....38	1XT-2633XX.....31
1KX-4513XX.....81	1XC-6294XX.....41	1XT-2718XX.....61
	1XC-6524XX.....29	1XT-2824XX.....52
	1XC-7198XX.....59	1XT-4096XX.....58
	1XC-7570XX.....50	1XT-4404XX.....60
	1XC-A440XX.....37	1XT-4121XX.....56
	1XC-C440XX.....37	1XT-4292XX.....35
	1XC-FALLXX.....27	1XT-4293XX.....36
	1XC-G440XX.....37	1XT-4395XX.....62
	1XC-L440XX.....37	1XT-4477XX.....44
	1XC-PIC6XX.....30	1XT-4615XX.....32
	1XC-S440XX.....37	1XT-4679XX.....46
	1XC-Y440XX.....37	1XT-4930XX.....55
	1XP-1684XX.....25	1XT-5121XX.....53
	1XP-1685XX.....25	1XT-5125XX.....36
	1XP-1176XX.....52	1XT-5131XX.....57
	1XP-1382XX.....61	1XT-5410XX.....43
	1XP-1688XX.....34	1XT-5440XX.....43
	1XP-1713XX.....45	1XT-5504XX.....52
	1XP-1716XX.....26	1XT-5605XX.....48
	1XP-1743XX.....47	1XT-5612XX.....40
	1XP-1779XX.....51	1XT-5658XX.....49

REFERENCE + INDEX

BESALIGHTING.COM 225



BESA LIGHTING

6695 Taylor Rd. Blacklick, OH 43004

tel (614) 475-7046 (800) 446-2372 fax (614) 475-7048

BESALIGHTING.COM FACEBOOK.COM/BESALIGHTING

Every effort has been made to ensure the accuracy of the information contained within this catalog. We regret any errors, oversights or omissions.

We reserve the right to make any corrections without liability.

Besa Lighting reserves the right to make design changes without prior notice. In the event that design changes are required (in order to comply with regulatory, safety laboratory requirements or due to availability of supplies), Besa assumes no responsibility for the previous design of the modified items should that previous design become unusable or obsolete.

Receipt or possession of this catalog does not constitute an agreement to sell.

All orders between buyer and seller (Besa Lighting Co., Inc.) shall be governed by and construed in accordance with the laws of the State of Ohio, applicable to contracts made and to be performed in that state.

All of the products, images, designs, layouts and text in this catalog are considered the unique intellectual property of Besa Lighting Co., Inc. and are protected by U.S. and international law. Many of the designs shown herein are patented or patent pending. Design infringement will not be tolerated and violators will be prosecuted to the fullest extent of the law.