



TEMPTATION

CONTENTS

After Party	49
Amadeus	34
Bijoux	43
Bliss	24
Crescendo	39
Esquire	51
Fame & Fortune	48
Flirt	21
Graffiti	15
Harlow	6, 50
Heart Throb	51
Libertine	49
Muse	29
Quasar	11
Roxy	52
Spellbound	1



SPELLBOUND

165-44

LED Pendant

W 40" H 40" OAH 90"

mm: W 1016 H 1016 OAH 2286

1 / 20W LED

(23 watt total consumption)

120-277 volt operation



SPELLBOUND

165-43

LED Pendant

W 32" H 32" OAH 82"

mm: W 813 H 813 OAH 2083

1 / 20W LED

(23 watt total consumption)

120-277 volt operation



Hand-Crafted Aluminum

Tranquility Silver Leaf Finish with
Polished Stainless Accents

1-6", 2-12", 1-18" Stems with

Hang-Straight Canopy

mm: 1-152, 2-305, 1-457

Color Temperature 2900K \pm 100

Dimmable with incandescent dimmer

SPELLBOUND



165-42

LED Pendant

W 24" H 24" OAH 74"

mm: W 610 H 610 OAH 1880


1 / 13W LED

(15 watt total consumption)

120-277 volt operation

Hand-Crafted Aluminum
Tranquility Silver Leaf Finish with
Polished Stainless Accents
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457
Color Temperature 2900K \pm 100
Dimmable with incandescent dimmer

SPELLBOUND



165-11

LED Sconce

W 12" H 14" EXT 6"

mm: W 305 H 356 EXT 152

6 / 1.2W LED / 120v

(8.5 watt total consumption)

120-277 non-dimming (165-11-I)



165-41

LED Pendant

W 18" H 18" OAH 68"

mm: W 457 H 457 OAH 1727

1 / 13W LED

(15 watt total consumption)

120-277 volt operation



HARLOW



166-48

Eight Light Pendant with LED Accent

W 34" H 46½" OAH 95½"

mm: W 864 H 1181 OAH 2426

8 / 60 C + 10 / 1.2W LED / 120v
(13.8 watt total consumption)

Hand-Crafted Iron
Tranquility Silver Leaf Finish with
Polished Stainless Accents
Hardback Ivory Ice Shade
Crystal Columns
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457
Color Temperature 2900K ± 100
Dimmable with electronic
low-voltage dimmer
For additional voltage options,
consult factory

HARLOW

166-46

Six Light Pendant with LED Accent

W 26" H 35 $\frac{3}{4}$ " OAH 84 $\frac{3}{4}$ "

mm: W 660 H 908 OAH 2153

6 / 60 C + 10 / 1.2W LED / 120v

(13.8 watt total consumption)



HARLOW



166-13

LED ADA Sconce

W 5" H 35" EXT 3½"

mm: W 127 H 889 EXT 89

8 / 0.6W LED / 120v

(6.25 watt total consumption)

Hand-Crafted Iron

Tranquility Silver Leaf Finish with

Polished Stainless Accents

Hardback Ivory Ice Shade

Crystal Column

1-6", 2-12", 1-18" Stems with

Hang-Straight Canopy

mm: 1-152, 2-305, 1-457

Color Temperature 2900K ± 100

Dimmable with electronic

low-voltage dimmer

For additional voltage options,

consult factory



166-44

Four Light Pendant with LED Accent

W 20" H 28½" OAH 77½"

mm: W 508 H 724 OAH 1969

4 / 60 C + 8 / 0.6W LED / 120v

(6.25 watt total consumption)

HARLOW



166-34

Four Light Semi-flush with LED Accent

W 20" H 15"

mm: W 508 H 381

4 / 60 C + 4 / 0.6W LED / 120v
(2.75 watt total consumption)



166-12

Two Light Sconce with LED Accent

W 10½" H 20½" EXT 5"

mm: W 267 H 521 EXT 127

2 / 40 C + 4 / 0.6W LED / 120v
(2.75 watt total consumption)

Hand-Crafted Iron
Tranquility Silver Leaf Finish
with Polished Stainless Accents
Hardback Ivory Ice Shade
Crystal Diffuser
Color Temperature 2900K ± 100
Dimmable with electronic
low-voltage dimmer
For additional voltage options,
consult factory



QUASAR



164-11

LED ADA Sconce
W 6" H 12" EXT 2½"
mm: W 152 H 305 EXT 64
8 / 1.2W LED / 120v
(12 watt total consumption)
Dimmable with electronic
low-voltage dimmer



164-421

LED Pendant
W 42" H 5" OAH 54"
mm: W 1067 H 127 OAH 1372
20 / 2.25W LED / 120v
(56 watt total consumption)
Convertible to Flush

Hand-Crafted Iron
Tranquility Silver Leaf Finish with
Polished Stainless Accents
Cut-Crystal Diffuser
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457
Color Temperature 2900K ± 100
Dimmable with incandescent dimmer
For additional voltage options,
consult factory

QUASAR

164-420
LED Flush
Converted from Pendant



164-420
LED Pendant
W 32" H 4½" OAH 53½"
mm: W 813 H 114 OAH 1359
20 / 2.25W LED / 120v
(56 watt total consumption)
Convertible to Flush



QUASAR



164-312
LED Flush
W 18" H 3 1/2"
mm: W 457 H 89
12 / 2.25W LED / 120v
(34 watt total consumption)
Flush mount only



164-416
LED Flush
Converted from Pendant

164-416
LED Pendant
W 24" H 4 1/2" OAH 53 1/2"
mm: W 610 H 114 OAH 1359
16 / 2.25W LED / 120v
(45 watt total consumption)
Convertible to Flush



Hand-Crafted Iron
Tranquility Silver Leaf Finish with
Polished Stainless Accents
Cut-Crystal Diffuser
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457
Color Temperature 2900K ± 100
Dimmable with incandescent dimmer
For additional voltage options,
consult factory



GRAFFITI

154-412

Twelve Light Pendant

W 44" H 48" OAH 97½"

mm: W 1118 H 1219 OAH 2477

12 / 50 C9 included



GRAFFITI



154-11
One Light Sconce
W 10" H 15½" EXT 7"
mm: W 254 H 394 EXT 178
1 / 50 G9 included



154-46
Six Light Pendant
W 26" H 35" OAH 84½"
mm: W 660 H 889 OAH 2146
6 / 50 G9 included

Hand-Crafted Iron
Silver Leaf and
Polished Stainless Finish
Smoked Crystal Diffuser
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457

GRAFFITI

154-49

Nine Light Pendant

W 34" H 41" OAH 90½"

mm: W 864 H 1041 OAH 2299

9 / 50 G9 included



Hand-Crafted Iron
Silver Leaf and
Polished Stainless Finish
Smoked Crystal Diffuser
1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy
mm: 1-152, 2-305, 1-457

GRAFFITI



154-43

Three Light Pendant

W 15" H 22" OAH 71"

mm: W 381 H 559 OAH 1803

3 / 50 G9 included



154-12

Two Light Sconce

W 13½" H 20½" EXT 7¾"

mm: W 343 H 521 EXT 197

2 / 50 G9 included

GRAFFITI



154-34

Four Light Semi-Flush

W 24" H 12¼"

mm: W 610 H 311

4 / 50 G9 included



154-56

Six Light Island

L 47½" W 15" H 14" OAH 63"

mm: L 1207 W 381 H 356 OAH 1600

6 / 50 G9 included

Hand-Crafted Iron

Silver Leaf and
Polished Stainless Finish

Smoked Crystal Diffuser

1-6", 2-12", 1-18" Stems with
Hang-Straight Canopy

mm: 1-152, 2-305, 1-457



FLIRT

157-08

Eight Light Chandelier

W 38½" H 61"

mm: W 978 H 1549

8 / 60 C



Hand-Crafted Iron
Silver Leaf Finish
with Polished Stainless Accents
Amethyst Rock Crystal
Clear Crystals with
Nickel Jewelry Chain
Hardback Linen Shade

FLIRT



157-11

One Light ADA Sconce
W 7¼" H 20½" EXT 3¾"
mm: W 184 H 521 EXT 95
1 / 40 C



157-05

Five Light Chandelier
W 26" H 41"
mm: W 660 H 1041
5 / 60 C



BLISS

162-713

Twelve + One Light Pendant

W 48" H 59"

mm: W 1219 H 1499

12 / 60 C + 1 / 50 G9 included



Hand-Crafted Iron
Topaz Leaf Finish
White Pearl Glass Shade
Brazilian Rock Crystals with
Smoked Crystal Medallions
Nickel and Crystal Tassels

BLISS

162-49

Eight + One Light Pendant

W 36" H 48"

mm: W 914 H 1219

8 / 60 C + 1 / 50 G9 included



BLISS



162-47

Six + One Light Pendant

W 28" H 43"

mm: W 711 H 1092

6 / 60 C + 1 / 50 G9 included

Hand-Crafted Iron
Topaz Leaf Finish
White Pearl Glass Shade
Brazilian Rock Crystals with
Smoked Crystal Medallions
Nickel and Crystal Tassels

BLISS



162-11
One Light Sconce
W 4¼" H 25" EXT 4¾"
mm: W 108 H 635 EXT 121
1 / 60 C



162-37
Six + One Light Semi-flush
W 26" H 28"
mm: W 660 H 711
6 / 60 C + 1 / 50 G9 included

Hand-Crafted Iron
Topaz Leaf Finish
White Pearl Glass Shade
Brazilian Rock Crystal with
Smoked Crystal Medallions
Nickel and Crystal Tassels



MUSE



155-33

Three Light Semi-Flush

L 18" W 18" H 9"

mm: L 457 W 457 H 229

3 / 60 C



155-46

Six Light Pendant

L 30" W 30" H 32½"

mm: L 762 W 762 H 826

6 / 60 M

MUSE



155-48

Eight Light Pendant

L 40" W 40" H 42"

mm: L 1016 W 1016 H 1067

8 / 60 M

Hand-Crafted Iron
Tranquility Silver Leaf Finish
with Polished Stainless Accents
Faceted Crystal

CORBETT[®]
LIGHTING

MUSE



155-56

Six Light Island

L 45½" W 16¼" H 30½"

mm: L 1156 W 413 H 775

6 / 60 C

MUSE



155-11
One Light ADA Sconce
W 7" H 12" EXT 3 1/2"
mm: W 178 H 305 EXT 89
1 / 60 C



155-44
Four Light Pendant
L 23" W 23" H 28"
mm: L 584 W 584 H 711
4 / 60 C



AMADEUS



163-712

Twelve Light Chandelier

W 46½" H 67½"

mm: W 1181 H 1715

12 / 60 C

Hand-Crafted Iron
Vienna Bronze Finish
Italian Drops

CORBETT[®]
LIGHTING

AMADEUS



163-08
Eight Light Chandelier
W 36½" H 53½"
mm: W 927 H 1359
8 / 60 C

AMADEUS



163-03
Three Light Chandelier
W 20" H 30½"
mm: W 508 H 775
3 / 60 C



163-06
Six Light Chandelier
W 28" H 43½"
mm: W 711 H 1105
6 / 60 C

Hand-Crafted Iron
Vienna Bronze Finish
Italian Drops

AMADEUS



163-11
One Light Sconce
W 5" H 16½" EXT 4" ADA
OAH with lamp 19¼"
mm: W 127 H 419 EXT 108
OAH with lamp 489
1 / 60 C



163-12
Two Light Sconce
W 11" H 21" EXT 6"
mm: W 279 H 533 EXT 152
2 / 60 C



CRESCENDO



156-48

Eight Light Pendant with LED Accent

W 34" H 41½"

mm: W 864 H 1054

8 / 60 C + 1 / 4W Line-Voltage LED / 120v

CRESCENDO



156-46

Six Light Pendant with LED Accent

W 28" H 32"

mm: W 711 H 813

6 / 60 C + 1 / 4W Line-Voltage LED / 120v

Hand-Crafted Iron
Tranquility Silver Leaf Finish
Crystal and Polished Nickel Elements
For additional voltage options,
consult factory

CORBETT[®]
LIGHTING

CRESCENDO



156-12

Two Light Sconce

W 14" H 21 $\frac{3}{4}$ " EXT 7"

mm: W 356 H 552 EXT 178

2 / 50 G9 included



156-43

Three Light Pendant with LED Accent

W 20" H 24 $\frac{1}{2}$ "

mm: W 508 H 622

3 / 60 C + 1 / 4W Line-Voltage LED / 120v



BIJOUX



161-412
Twelve Light Entry
W 32" H 63"
mm: W 813 H 1600
12 / 60 C

BIJOUX



161-41
One Light Pendant
W 10" H 24¼"
mm: W 254 H 616
1 / 60 M



161-11
One Light Sconce
W 7½" H 11¾" EXT 5½"
mm: W 191 H 298 EXT 140
1 / 60 C



161-12
Two Light Sconce
W 13½" H 23" EXT 5½"
mm: W 343 H 584 EXT 140
2 / 60 C



161-13
Three Light Sconce
W 16½" H 29" EXT 6½"
mm: W 419 H 737 EXT 165
3 / 60 C

Hand-Crafted Iron
Silver Leaf Finish with Antique Mist
Crystal Accents

BIJOUX



161-48
Eight Light Entry
W 26½" H 55"
mm: W 673 H 1397
8 / 60 C



161-44
Four Light Entry
W 20½" H 41½"
mm: W 521 H 1054
4 / 60 C



FAME & FORTUNE



167-12
Two Light ADA Sconce
W 8½" H 23¼" EXT 3½"
mm: W 216 H 591 EXT 89
2 / 40 C



167-11
One Light ADA Sconce
W 6½" H 20½" EXT 3½"
mm: W 165 H 521 EXT 89
1 / 40 C

LIBERTINE



169-12

Two Light ADA Sconce
W 12½" H 22" EXT 4"
mm: W 318 H 559 EXT 102
2 / 60 C

Cast Brass
Polished Nickel Finish
Hardback Linen Shade

AFTER PARTY



168-11

One Light ADA Sconce
W 5¾" H 11½" EXT 3¾"
mm: W 146 H 292 EXT 95
1 / 60 C

Hand-Crafted Iron
Topaz Leaf Finish
Smoke Crystal

HARLOW



166-12

Two Light Sconce with LED Accent

W 10½" H 20½" EXT 5"

mm: W 267 H 521 EXT 127

2 / 40 C + 4 / 0.6W LED / 120v

(2.75 watt total consumption)



166-13

LED ADA Sconce

W 5" H 35" EXT 3½"

mm: W 127 H 889 EXT 89

8 / 0.6W LED / 120v

(6.25 watt total consumption)

Hand-Crafted Iron
Tranquility Silver Leaf Finish with
Polished Stainless Accents
Hardback Ivory Ice Shade
Crystal Column
Color Temperature 2900K ± 100
Dimmable with electronic
low-voltage dimmer
For additional voltage options,
consult factory

ESQUIRE



159-11
One Light Sconce
W 5" H 23³/₄" EXT 6¹/₂"
mm: W 127 H 603 EXT 165
1 / 60 C

HEART THROB



160-12
Two Light Sconce
W 12¹/₂" H 25¹/₄" EXT 6¹/₂"
mm: W 318 H 641 EXT 165
2 / 40 C

Solid Brass
Polished Nickel Finish
Hardback Linen Shade

ROXY



158-11
Two Light Sconce – Left
W 12" H 24" EXT 5¼"
mm: W 305 H 610 EXT 133
2 / 60 C



158-12
Two Light Sconce – Right
W 12" H 24" EXT 5¼"
mm: W 305 H 610 EXT 133
2 / 60 C

INDEX

<u>154-11</u>	<u>17</u>	<u>162-11</u>	<u>28</u>
<u>154-12</u>	<u>19</u>	<u>162-37</u>	<u>28</u>
<u>154-34</u>	<u>20</u>	<u>162-47</u>	<u>27</u>
<u>154-43</u>	<u>19</u>	<u>162-49</u>	<u>26</u>
<u>154-46</u>	<u>17</u>	<u>162-713</u>	<u>25</u>
<u>154-49</u>	<u>18</u>	<u>163-03</u>	<u>37</u>
<u>154-56</u>	<u>20</u>	<u>163-06</u>	<u>37</u>
<u>154-412</u>	<u>16</u>	<u>163-08</u>	<u>36</u>
<u>155-11</u>	<u>33</u>	<u>163-11</u>	<u>38</u>
<u>155-33</u>	<u>30</u>	<u>163-12</u>	<u>38</u>
<u>155-44</u>	<u>33</u>	<u>163-712</u>	<u>35</u>
<u>155-46</u>	<u>30</u>	<u>164-11</u>	<u>12</u>
<u>155-48</u>	<u>31</u>	<u>164-312</u>	<u>14</u>
<u>155-56</u>	<u>32</u>	<u>164-416</u>	<u>14</u>
<u>156-12</u>	<u>42</u>	<u>164-420</u>	<u>13</u>
<u>156-43</u>	<u>42</u>	<u>164-421</u>	<u>12</u>
<u>156-46</u>	<u>41</u>	<u>165-11</u>	<u>5</u>
<u>156-48</u>	<u>40</u>	<u>165-41</u>	<u>5</u>
<u>157-05</u>	<u>23</u>	<u>165-42</u>	<u>4</u>
<u>157-08</u>	<u>22</u>	<u>165-43</u>	<u>3</u>
<u>157-11</u>	<u>23</u>	<u>165-44</u>	<u>2</u>
<u>158-11</u>	<u>52</u>	<u>166-12</u>	<u>10, 50</u>
<u>158-12</u>	<u>52</u>	<u>166-13</u>	<u>9, 50</u>
<u>159-11</u>	<u>51</u>	<u>166-34</u>	<u>10</u>
<u>160-12</u>	<u>51</u>	<u>166-44</u>	<u>9</u>
<u>161-11</u>	<u>45</u>	<u>166-46</u>	<u>8</u>
<u>161-12</u>	<u>45</u>	<u>166-48</u>	<u>7</u>
<u>161-13</u>	<u>45</u>	<u>167-11</u>	<u>48</u>
<u>161-41</u>	<u>45</u>	<u>167-12</u>	<u>48</u>
<u>161-44</u>	<u>46</u>	<u>168-11</u>	<u>49</u>
<u>161-48</u>	<u>46</u>	<u>169-12</u>	<u>49</u>
<u>161-412</u>	<u>44</u>		


ALL FIXTURES IN
THIS CATALOG ARE





A Division of Troy-CSL Lighting, Inc.

C-BSUPP1-12



14508 Nelson Avenue City of Industry CA 91744

TEL: 1-800-CORBETT (267-2388) or 626-336-4511

FAX: 1-800-351-6628 or 626-330-4266

www.corbettlighting.com Copyright © 2012 Corbett Lighting