


# House of Troy Quality Lighting Products





## TABLE OF CONTENTS



www.houseoftroy.com

Phone: 800-428-5367



#### **←** P10-101-B

FINISH: Polished Brass & Black Marble

HEIGHT: Adjusts from 0" to 12"

BASE: 4½" Square

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown













#### P10-107-61

FINISH: Polished Brass

HEIGHT: Adjusts from 0" to  $10\frac{1}{2}$ "

BASE: 5" Octagon

BULB: One 40T10 or 60T10









BASE: 5" round

CORD: 9' Brown

BULB: One 40T10 or 60T10



#### P14-233-617

FINISH: Black with Polished

Brass Accents

HEIGHT: Adjusts from 0" to 16 ½"

BASE: 5 1/8" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Black





#### P14-233-C71

FINISH: Antique Brass

& Chestnut Bronze

HEIGHT: Adjusts from

0" to 16½"

BASE: 51/8" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



#### **←** P14-212

FINISH: Polished Brass

HEIGHT: Adjusts from

0" to 16"

BASE: 63/8" Decagon

BULB: Two 40T10 or 60T10

SWITCH: On base

SHADE: 14"

CORD: 9' Brown



#### P14-203-81

FINISH: Mahogany Bronze HEIGHT: Adjusts from 0" to 12½"

BASE: 6" Octagon

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



#### P14-203-AB

FINISH: Antique Brass HEIGHT: Adjusts from 0" to  $12\frac{1}{2}$ "

BASE: 6" Octagon

BULB: Two 40T10 or 60T10









#### P14-280-WB

FINISH: Weathered Brass & Black & Tan Marble HEIGHT: Adjusts 0" to 12" BASE:  $5\frac{1}{8}$ " Square

BULB: Two 40T10 or 60T10

SWITCH: On base
SHADE: 14"
CORD: 9'Brown

**←** P14-280

FINISH: Mahogany Bronze & Black & Tan Marble

HEIGHT: Adjusts 0" to 12" BASE:  $5\frac{1}{8}$ " Square

BULB: Two 40T10 or

60T10



#### **←** P14-204


FINISH: Polished Brass HEIGHT: Adjusts from 2" to 15"

BASE: 61/4" round

BULB: Two 40T10 or 60T10







FINISH: Antique Brass & Chestnut Bronze

HEIGHT: Adjusts from 0" to  $14\frac{3}{4}$ " BASE:  $5\frac{1}{8}$ " Square

BULB: Two 40T10 or 60T10

SWITCH: On base
SHADE: 14"
CORD: 9' Brown



#### P14-242-71

FINISH: Antique Brass

HEIGHT: Adjusts from 8" to 16"

BASE: 6 3/8" round

BULB: Two 40T10 or 60T10

SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown



#### **←** P14-502-52

FINISH: Satin Nickel with Black Leather

HEIGHT: Adjusts from 0" to 12"

BASE: 5½" Square

BULB: Two 40T10 or 60T10 SWITCH: On base SHADE: 14"

CORD: 9' Brown



#### P14-231-71

FINISH: Antique Brass

HEIGHT: Adjusts from 0" to 12"

0" to 12" BASE: 6" round

BULB: Two 40T10 or

60T10

SWITCH: In-line 6"

from base SHADE: 14"

CORD: 9' Brown







#### **←** P14-201

FINISH: Polished Brass HEIGHT: Adjusts from 0" to 14"

BASE: 6" Square

BULB: Two 40T10 or 60T10







# P15-80-52 FINISH: Satin Nickel HEIGHT: Adjusts from 14" to 18" BASE: 5½" round BULB: Two 40T10 SWITCH: On base SHADE: 15" CORD: 9' Clear

#### **DESK/PIANO LAMPS**





#### P15-80-51

FINISH: Satin Brass

HEIGHT: Adjusts from 14" to 18"

BASE: 5½" round BULB: Two 40T10 SWITCH: On base SHADE: 15" CORD: 9' Clear



# **Advent Collection**





# **Advent Collection**





#### AP14-42-61

FINISH: Polished Brass with

Black Marble

HEIGHT: Adjusts from 0" to 13 1/4"

BASE: 6" round

BULB: Two 40T10 SWITCH: In-line 6" from base

SHADE: 14"

CORD: 9' Brown



#### AP10-21-91

FINISH: Oil Rubbed Bronze

HEIGHT: Adjusts from

0" to 10 1/2" BASE: 5" round

BULB: One 40T10

SWITCH: On shade

SHADE: 10"

CORD: 9' Brown



1.9

59.5

75

8000K

30,000 hrs

(1) 15 Watts




# Digital Piano





Phone: 800-428-5367 www.houseoftroy.com

# **Upright Piano**



#### **←** P14-250

FINISH: Polished Brass HEIGHT: Adjusts from 0" to 8"

BASE: 6" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown

### Incandescent







#### P14-250-617

FINISH: Black with Polished Brass Accents

HEIGHT: Adjusts from 0" to 8"

BASE: 6" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Black

#### → PH10-170-PB

FINISH: Polished Brass

HEIGHT: 6"

ARM: 8½"

BASE: 6" diameter

BULB: 50W GU10 Halogen

SWITCH: Full range dimmer

on shade

SHADE: 10" CORD: 10' Black



Halogen



# **Grand Piano**



# New!



FINISH: Black HEIGHT: Adjustable

ARM EXT: 4½" CLAMP: 5½" x 2½", Felt Lined

Adjusts to 1"
BULB: LED
SWITCH: On Shade
SHADE: 26"
CORD: 10' Black



#### LED SPECIFICATIONS

GPLED26						
Shade Size	CRI	CCT	Watts	Lumens	Lifetime	Equivalent Incandescent
26"	85	3500K	8	440	30,000 hrs	100 Watts

#### PIANO LAMPS



Phone: 800-428-5367 www.houseoftroy.com


# **Grand Piano**






# Counter Balance







# Counter Balance







# New!



#### **AD425-SN**

FINISH: Satin Nickel ARM: Extends 281/2" BACKPLATE: 5" Diameter BULB: 75W Type A SWITCH: On Socket SHADE: 5" x 8" CORD: 10' Ivory 30" Cord cover



#### AD425-AB

FINISH: Antique Brass ARM: Extends 281/2" BACKPLATE: 5" Diameter BULB: 75W Type A SWITCH: On Socket SHADE: 5" x 8" CORD: 10' Ivory 30" Cord cover



FINISH: Oil Rubbed Bronze ARM: Extends 281/2" BACKPLATE: 5" Diameter BULB: 75W Type A SWITCH: On Socket SHADE: 5" x 8" CORD: 10' Ivory 30" Cord cover







#### **→** AD450-OB

FINISH: Oil Rubbed Bronze
HEIGHT: 24" to 32"

ARM: Extends 161/4"
BASE: 8" diameter
BULB: 75W Type A
SWITCH: On Socket
SHADE: 5" x 8"

CORD: 10' Brown

#### TABLE/FLOOR LAMPS



# **Club Collection**



#### TABLE/WALL LAMPS



# **Club Collection**





#### CL202-AB

FINISH: Antique Brass
HEIGHT: Adjusts 46" to 70"
BASE: 10" Diameter
BULB: One 100W 3–way
SWITCH: On Socket
SHADE: Off-white Softback
6½" x 13" x 10"

CORD: 10' Brown TABLE: 12" Diameter



Phone: 800-428-5367 www.houseoftroy.com

# **Club Collection**



# **Coach Collection**

#### FLOOR/TABLE LAMPS



# **Coach Collection**



#### **←** CH876-AB

FINISH: Antique Brass

HEIGHT: 121/2"

BASE: 6" x 4" Rectangle BULB: One 60W Type A

SWITCH: In-Line

CORD: 10' Gold

SHADE: (6"x 4") x (10" x 6") x 7"

Off White Hardback



#### **←** CH880-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

BASE: 6" x 4" Rectangle

BULB: Two 60W-B10 Candelabra

SWITCH: In-Line

CORD: 10' Brown

SHADE: (4"x 6") x (8" x 12") x 6"

Off White Hardback



#### **→** CH877-AS

FINISH: Antique Silver

HEIGHT: 131/2"

BASE: 4¾" Diameter BULB: One 60W-B10

Candelabra

SWITCH: In-Line CORD: 10' Silver

SHADE: 6"x 8" x 6"

White Hardback

#### **←** CH878-AS

FINISH: Antique Silver

HEIGHT: 12"

BASE: 4¾" Diameter

BULB: One 60W-B10 Candelabra

SWITCH: In-Line

CORD: 10' Silver

SHADE: 4"x 6" x 6"

White Hardback





#### **←** CH875-OB FINISH: Oil Rubbed Bronze

HEIGHT: 14"

BASE: 51/4" Diameter

BULB: One 60W Type A

SWITCH: In-Line

CORD: 10' Brown SHADE: 6"x 9" x 7"

Off White Hardback



#### TABLE/FLOOR LAMPS



# **Coach Collection**



#### FLOOR/WALL LAMPS






# G175-GT FINISH: Granite

ARM.: 10"
BACKPLATE: 51/4" Diameter
BULB: One 50W GU10

SWITCH: Full Range Dimmer In Shade SHADE:  $6\frac{1}{2}$ " x  $3\frac{1}{4}$ " x  $1\frac{1}{2}$ "

SHADE: 6½" x 3¾" x 1½" CORD: 10' Ivory, 30" cord cover





# G175-BLK FINISH: Black

#### G175-WT

FINISH: White
ARM.: 10"
BACKPLATE: 5<sup>1</sup>/<sub>4</sub>" Diameter
BULB: One 50W GU10

SWITCH: Full Range Dimmer In Shade

SHADE: 6½" x 3¼" x 1½" CORD: 10' Ivory, 30" cord cover

ARM: 10"
BACKPLATE: 5<sup>1</sup>/<sub>4</sub>" Diameter
BULB: One 50W GU10

SWITCH: Full Range Dimmer In Shade SHADE: 61/2" x 31/4" x 11/2"

SHADE: 6½" x 3¼" x 1½" CORD: 10' Ivory, 30" cord cover

#### Incandescent

#### → G275-HB

FINISH: Hammered Bronze

HEIGHT: 13¾"
ARM: 10¼"
BACKPLATE 5¼" Diameter

BULB: One 100W Type A

SWITCH: Full Range Dimmer On Socket SHADE: Off-white Linen Hardback

8½" x 11½" x 9"

CORD: 10' Ivory, 30" cord cover







# New!

#### **←** G150-BLK

FINISH: Black

HEIGHT: Adjusts 11½" to 17½"

BASE: 6" Diameter BULB: One 50W GU10

SWITCH: Full Range Dimmer

On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Black

#### $\rightarrow$

#### G150-GT

FINISH: Granite

HEIGHT: Adjusts 11½" to 17½"

BASE: 6" Diameter

BULB: One 50W GU10 SWITCH: Full Range Dimmer

On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Black

## Halogen





#### **G150-CHB**

FINISH: Chestnut Bronze HEIGHT: Adjusts 11½" to 17½"

BASE: 6" Diameter

BULB: One 50W GU10

SWITCH: Full Range Dimmer

On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Brown



#### G150-WT

FINISH: White

HEIGHT: Adjusts 111/2" to 171/2"

BASE: 6" Diameter

BULB: One 50W GU10

SWITCH: Full Range Dimmer

On Socket

SHADE: 6½" x 3¼" x 1½"

CORD: 10' Clear

New!



#### **TABLE LAMPS**







#### → G350-BLK

FINISH: Black HEIGHT: Adjusts from 11" to 22"

CORD: 10' Black



#### **←** G350-GT

FINISH: Granite

HEIGHT: Adjusts from 11" to 22"


BASE: 6" x 71/4" BULB: LED SWITCH: On Shade SHADE: 111/4" CORD: 10' Black

#### → G350-WT

FINISH: White HEIGHT: Adjusts from 11" to 22"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade SHADE: 111/4"

CORD: 10' White



FINISH: Chestnut Bronze HEIGHT: Adjusts from 11" to 22"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade SHADE: 111/4" CORD: 10' Brown



Product	CRI	Watts	Lumens	CCT	Lifetime	Equivalent Incandescent
G300s	85	4.2	220	3500K	50,000 hrs	50 Watts



## Halogen







FINISH: Hammered Bronze

HEIGHT: Adjusts 47" to 60"

BASE: 10" Diameter

BULB: One 150W Type A

SWITCH: Full Range Dimmer

On Socket

SHADE: Off-white Linen

11" x 13" x 9"

CORD: 10' Brown

# G200-CHB FINISH: Chestnut Bronze HEIGHT: Adjusts 47" to 60" BASE: 10" Diameter BULB: One 150W Type A SWITCH: Full Range Dimmer On Socket SHADE: Off-white Linen 11" x 13" x 9" CORD: 10' Brown

**←** G200-WT

HEIGHT: Adjusts 47" to 60"

FINISH: White

#### ➤ G200-GT

FINISH: Granite

HEIGHT: Adjusts 47" to 60"

BASE: 10" Diameter

BULB: One 150W Type A SWITCH: Full Range Dimmer

On Socket

On Socket

SHADE: White Linen

11" x 13" x 9"

CORD: 10' Black



#### **FLOOR LAMPS**



#### **←** G300-BLK

FINISH: Black

HEIGHT: Adjusts 37" to  $46\frac{1}{2}$ "

BASE: 6" x 71/4" BULB: LED

SWITCH: On Shade SHADE: 111/4"

CORD: 10' Black





#### **←** G300-CHB

FINISH: Chestnut Bronze HEIGHT: Adjusts 37" to 461/2"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade

SHADE: 11<sup>1</sup>/<sub>4</sub>" CORD: 10' Brown

#### **\**

#### G300-GT

FINISH: Granite

HEIGHT: Adjusts 37" to 461/2"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade

SHADE: 111/4"

CORD: 10' Black

#### **←** G300-HB

FINISH: Hammered Bronze HEIGHT: Adjusts 37" to 461/2"

BASE: 6" x 7 1/4" BULB: LED SWITCH: On Shade SHADE: 11 1/4" CORD: 10' Brown

#### LED SPECIFICATIONS

Product	CRI	Watts	Lumens	CCT	Lifetime	Equivalent Incandescent
G300s	85	4.2	220	3500K	50,000 hrs	50 Watts

#### **→** G300-WT

FINISH: White

HEIGHT: Adjusts 37" to  $46\frac{1}{2}$ "

BASE: 6" x 71/4" BULB: LED

SWITCH: On Shade SHADE: 11<sup>1</sup>/<sub>4</sub>" CORD: 10' White

# **Greensboro Collection**



#### GR900-OB/AB

Cover plate provided for standard junction box when necessary.



#### **←** GR900-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 11" ARM: 83/4 BACKPLATE: 31/4" x 5" BULB: One 60W B10

> SWITCH: In-line, 19" from Backplate SHADE: Off White Linen Hardback

4" x 71/4" x 6"

CORD: 10' White



#### **GR901-AB**

FINISH: Antique Brass HEIGHT: 13" EXTENDS: 111/4" BACKPLATE: 51/4" Diameter BULB: One 75W Type A

SWITCH: In-line,

19" from Backplate SHADE: Off White Linen Hardback

6" x 9" x 7"

CORD: 10' White



#### GR900-AB

FINISH: Antique Brass

HEIGHT: 11" EXTENDS: 83/4 BACKPLATE: 31/4" x 5" BULB: One 60W B10

SWITCH: In-line, 19" from Backplate

SHADE: Off White Linen Hardback

4" x 71/4" x 6"

CORD: 10' White



#### → GR901-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 13" EXTENDS: 111/4" BACKPLATE: 51/4" Diameter BULB: One 75W Type A

6" x 9" x 7"

CORD: 10' White



GR901-GR902 lamps are pin-up only



#### → GR902-AB

FINISH: Antique Brass

HEIGHT: 12" EXTENDS: 91/2" BACKPLATE: 2" x 4"

BULB: One 75W Type A

SWITCH: In-line, 19" from Backplate SHADE: Off White Linen Hardback

5" x 8' X 7"

CORD: 10' White



#### **←** GR902-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 12" EXTENDS: 91/2" BACKPLATE: 2" x 4"

BULB: One 75W Type A

SWITCH: In-line

Off White Linen Hardback SHADE:

5" x 8' X 7" CORD: 10' White



# Home/Office Collection

#### WALL LAMPS





#### **★** WS12-61-F

FINISH: Polished Brass


HEIGHT: 5"

ARM: Extends 16"
BACKPLATE: 5" Round

BULB: One 60T10 SWITCH: On-off On Socket

SHADE: 10" x 2"

CORD: 10' Ivory, 30" cord cover



# Home/Office Collection

#### WS12-51-J

FINISH: Satin Brass


HEIGHT: 5"

ARM: Extends 16"

BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket

SHADE: 83/4" x 33/4"



#### **→** WS12-71-J

FINISH: Antique Brass

HEIGHT: 5"

ARM: Extends 16" BACKPLATE: 5" Round

> BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 83/4" x 33/4"

CORD: 10' ivory, 30" cord cover

#### → WS12-91-J

FINISH: Oil Rubbed Bronze

HEIGHT: 5"

ARM: Extends 16"

BACKPLATE: 5" Round BULB: One 100W Type A

SWITCH: On-off On Socket

SHADE: 8¾" x 3¾"

CORD: 10' ivory, 30" cord cover







FINISH: Polished Brass

HEIGHT: 5"

ARM: Extends 16"

BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket

SHADE: 83/4" x 33/4"

CORD: 10' ivory, 30" cord cover



BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: On-off On Socket SHADE: 83/4" x 33/4"

CORD: 10' ivory, 30" cord cover

#### WALL LAMPS



# Home/Office Collection



#### WALL LAMPS



Phone: 800-428-5367 www.houseoftroy.com

# Home/Office Collection





FINISH: Antique Brass HEIGHT: 23 ½" BASE: 7 ½" Round

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen hardback

6½" x 12" x 7"

Attaches with acrylic diffuser

CORD: 9' Brown







#### TABLE/FLOOR LAMPS





#### **←** PH100-62-J

FINISH: Chrome

HEIGHT: Adjusts 34" to 48"

BASE: 10½" Round

BULB: One 100W Type A

SWITCH: On-off On Socket

SHADE: 8 1/8" x 33/4"

CORD: 10' Clear

#### → PH100-61-J

FINISH: Polished Brass

HEIGHT: Adjusts 34" to 48"

BASE: 10½" Round

BULB: One 100W Type A SWITCH: On-off On Socket

SHADE: 8 1/8" x 33/4"

CORD: 10' Brown

Phone: 800-428-5367 www.houseoftroy.com

# Home/Office Collection



#### FLOOR LAMPS



#### **←** PH101-71

FINISH: Antique Brass HEIGHT: Adjusts from 37" to 51" BASE: 101/2" Round

BULB: One 100W 3-way SWITCH: On Socket SHADE: Off-white Linen Hardback

4½" x 14" x 7"
Attaches with
Acrylic Diffuser

CORD: 10' Brown

#### **←** PH101-91

FINISH: Oil Rubbed Bronze

HEIGHT: Adjusts from

37" to 51"

BASE: 10 1/2" Round BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white

Linen Hardback 4½" x 14" x 7" Attaches with Acrylic Diffuser

CORD: 10' Brown

#### PH101-52

FINISH: Satin Nickel

HEIGHT: Adjusts from 37" to 51" BASE: 10 1/2" Round

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

4½" x 14" x 7"

Attaches with

Acrylic Diffuser

CORD: 10' Clear



FINISH: Satin Brass

HEIGHT: Adjusts from 37" to 51"

BASE: 101/2" Round BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback 4½" x 14" x 7"

Attaches with

Acrylic Diffuser

CORD: 10' Brown





# Hyde Park Collection



### HP775-WB-AG

FINISH: Weathered Brass

HEIGHT: 11"


BACKPLATE: 5" Round

BULB: One 60 W Type A SWITCH: Full Range Dimmer

on Backplate SHADE: Art Glass

 $5\frac{3}{4}$ " x  $6\frac{3}{4}$ "

CORD: 10' Ivory, 30" cord cover



FINISH: Weathered Brass

HEIGHT: 11"

BACKPLATE: 5" Round


BULB: One 60 W Type A

SWITCH: Full Range Dimmer on Backplate

SHADE: Opal Glass 5<sup>3</sup>/<sub>4</sub>" x 6<sup>3</sup>/<sub>4</sub>"

CORD: 10' Ivory, 30" cord cover





FINISH: Oil Rubbed Bronze

HEIGHT: 11" BACKPLATE: 5" Round

BULB: One 60 W Type A

SWITCH: Full Range Dimmer

on Backplate SHADE: Art Glass 5¾" x 6¾"

CORD: 10' Ivory, 30" cord cover





FINISH: Oil Rubbed Bronze

HEIGHT: 10"
ARM: 14"
BACKPLATE: 5" Round
BULB: One 60 W Type A
SWITCH: Full-range Dimmer on

Backplate

Art Glass 234" v 514

SHADE: Art Glass 2¾" x 5½" x 7" CORD: 10' Ivory, 30" cord cover



HEIGHT: 10"
ARM: 14"
BACKPLATE: 5" Round
BULB: One 60 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Art Glass 2¾" x 5½" x 7" CORD: 10' Ivory, 30" cord cover



HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Metal 5" x 7½" x 6¼

SHADE: Metal 5" x 7½" x 6¼

CORD: 10' Ivory, 30" cord cover



#### HP725-OB-MSOB

FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Metal 5" x 7½" x 6¼

CORD: 10' Ivory, 30" cord cover

# Hyde Park Collection



#### HP725-WB-BP

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x7" CORD: 10' ivory, 30" cord cover



FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Off-white Linen Hardback

5" x 9" x 7"

CORD: 10' Ivory, 30" cord cover



#### HP725-WB-WL

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Off-white Linen Hardback 5" x 9" x 7"

CORD: 10' Ivory, 30" cord cover



#### **HP725-OB-BP**

FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x 7" CORD: 10' Ivory, 30" cord cover



# Hyde Park Collection



#### **←** HP750-WB-BP

FINISH: Weathered Brass

HEIGHT: 26"

BASE: 7" Round

BULB: One 100 W Type A SWITCH: Full Range Dimmer

on base

SHADE: Black Parchment

5" x 9" x 7"

CORD: 10' Brown



FINISH: Oil Rubbed Bronze

HEIGHT: 26"

BASE: 7" Round

BULB: One 100 W Type A

SWITCH: Full Range Dimmer

on base

SHADE: Black Parchment

5" x 9" x 7"

CORD: 10' Brown



#### TABLE/FLOOR LAMPS



Phone: 800-428-5367 www.houseoftroy.com

# Hyde Park Collection



# Library Lamps

#### FLOOR/WALL LAMPS

#### → PL16-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 5"

ARM: 11 ½"
BACKPLATE: 5" Diameter
BULB: Two 60T10

SWITCH: Full-range Dimmer on Backplate

SHADE: 16"

CORD: 10' ivory, 30" cord cover



#### ← PL16-WB

FINISH: Weathered Brass

HEIGHT: 5" ARM: 11 ½"

BACKPLATE: 5" Diameter BULB: Two 60T10

SWITCH: Full-range Dimmer on Backplate

SHADE: 16"

CORD: 10' ivory, 30" cord cover



#### **DL10** lamps are direct wire only

#### **▼** DL10-WB

FINISH: Weathered Brass

HEIGHT: 2 34"

ARM: 11 ½"

BACKPLATE: 2 34" x 4 ½"

BULB: One 60T10 SWITCH: On Shade SHADE: 10"



#### DL10-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 2 3/4" ARM: 111/2"

BACKPLATE: 2 3/4" x 4 1/2" BULB: One 60T10

SWITCH: On Shade SHADE: 10"



# Library Lamps



DL20 lamps are direct wire only

#### WALL LAMPS



## Library Lamps





### **Lancaster Collection**



### Lincoln Collection

#### TABLE/FLOOR LAMPS



# Marquis Collection

# New!



### TABLE LAMPS

#### M551-PS

FINISH: Crystal and Polished Silver

HEIGHT: 27" BASE: 6" x 6"

BULB: One 100w Type A SWITCH: On Socket

SHADE: Belgian White Linen Hardback

12" x 16" x 10 ½"

CORD: 10' Clear



#### M553-PS

FINISH: Crystal and

Polished Silver

HEIGHT: 21"

BASE: 4" x 10"

BULB: Two 60W Type A SWITCH: Twin Pull Chains SHADE: Belgian White Linen

Hardback

10" x 14" x 11"x15" x 9"

CORD: 10' Clear

#### **M554-OB**

FINISH: Crystal and

Oil Rubbed Bronze

HEIGHT: 19"

BASE: 6" x 12"

BULB: Two 60W Type A SWITCH: Twin Pull Chains

SHADE: Natural Linen Hardback

10" x 14" x 11"x15" x 9"

CORD: 10' Brown









Phone: 800-428-5367 www.houseoftroy.com

## **Newport Collection**





#### N600-OB

FINISH: Oil Rubbed Bronze HEIGHT: 74¾ " BASE: 12" Round BULB: One 150W

Type A

SWITCH: Floor Dimmer SHADE: 9" x 1134"

Amber Glass CORD: 10' Brown



#### FLOOR LAMPS



# **Newport Collection**



#### FLOOR LAMPS









SHADE: 6½" x 2¼" CORD: 10' Brown

#### ↑ PIN400-SN

FINISH: Satin Nickel

HEIGHT: Adjusts from 351/2" to 50"

ARM: Extends 21"

BASE: 10" diameter

BULB: One 50W GU10 Halogen SWITCH: Full range dimmer on shade

SHADE: 6½" x 2¼"

CORD: 10' Clear

### Pinnacle Collection



#### FLOOR/TABLE LAMPS



### Pinnacle Collection





#### **♦** PIN475-2-AB

FINISH: Antique Brass
ARM: Extends 23¾"

BACKPLATE: 18" x 4¼" rectangle
BULB: Two 50W GU10 Halogen
SWITCH: Full range dimmer on shade

SHADE: 6½" x 2½" CORD: 10' Ivory 30" Cord cover



30" Cord cover

#### **▼** PIN475-2-OB

FINISH: Oil Rubbed Bronze
ARM: Extends 23¾"

BACKPLATE: 18" x 4¼" rectangle
BULB: Two 50W GU10 Halogen
SWITCH: Full range dimmer on shade

SHADE: 6½" x 2¾" CORD: 10' Ivory 30" Cord cover

#### **♦** PIN475-2-SN

FINISH: Satin Nickel
ARM: Extends 23¾"

BACKPLATE:: 18" x 4¼" rectangle
BULB: Two 50W GU10 Halogen
SWITCH: Full range dimmer on shade
SHADE: 6½" x 2¼"

SHADE: 6½" x 2¼"

CORD: 10' Ivory

30" Cord cover



### **Shelburne Collection**

#### WALL/TABLE LAMPS



#### **→** DSK430-MB

FINISH: Oil Rubbed Bronze & Black and Tan Marble

HEIGHT: 13 3/4"

BASE: 5" Square
BULB: One 60T10
SWITCH: On base

SHADE: 9" Amber Glass CORD: 9' Brown





Phone: 800-428-5367

### **Town House Collection**



### TABLE/WALL LAMPS



### **Town House Collection**



#### FLOOR LAMPS



Phone: 800-428-5367 www.houseoftroy.com

## Vergennes Collection



### **Vision Collection**

#### TABLE/FLOOR/WALL LAMPS



#### $\blacktriangle$

#### V502-AB

FINISH: Antique Brass

HEIGHT: 5"
ARM: 8"
BACKPLATE: 5" Round

BULB: One Q100/T4 Halogen (included) SWITCH: Full-range Dimmer On Backplate

SHADE: 51/4" x 5"

CORD: 10' Ivory, 30" cord cover

### **Vision Collection**



#### **←** V501-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 19"

BASE: 7" Round

BULB: One Q100/T4 Halogen


(included)

SWITCH: Full Range Dimmer on base

SHADE: 51/4" x 5" CORD: 10' Brown



#### TABLE/FLOOR LAMPS





SWITCH: Hi-lo on Column SHADE: 5½" x 5" CORD: 10' Brown

### **Vision Collection**



### Wall Sconces

#### FLOOR/WALL LAMPS

**WL601-OB** FINISH: Oil Rubbed Bronze

HEIGHT: 10 1/4"






#### **WL601-AB**

FINISH: Antique Brass HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: White Glass 7 3/4" x 1 7/8"

> Cover plate provided for standard junction box when necessary.





#### **WL601-PC**

FINISH: Polished Chrome HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: White Glass 7 3/4" x 1 7/8"



#### **←** WL601-SN

FINISH: Satin Nickel HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10

SHADE: White Glass 7 3/4" x 11/8"



## Wall Lamps



Cover plate provided for standard junction box when necessary.

#### **WL615-OB**

FINISH: Oil Rubbed Bronze HEIGHT: 10 1/4"

BACKPLATE: 3 1/2" x 5 3/4"

BULB: One 60G16 ½ candelabra SHADE: Amber Glass, 4" x 13/4" x 5"



#### **WL615-SN**

FINISH: Satin Nickel HEIGHT: 10 1/4" BACKPLATE: 3 ½" x 5 ¾" BULB: One 60G16 1/2

candelabra SHADE: White Glass

4" x 1¾" x 5"



#### WL652-AS

FINISH: Antique Silver

HEIGHT: 12"

BACKPLATE: 43/4" x 43/4" BULB: One 60W Type A SHADE: White Glass 51/4" x 5"



#### **WL652-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 12" BACKPLATE: 43/4" x 43/4" BULB: One 60W Type A

SHADE: White Glass 51/4" x 5 "



HEIGHT: 12" BACKPLATE: 43/4" x 43/4"

BULB: One 60W Type A SHADE: White Glass 51/4" x 5"





#### WALL LAMPS

#### **WL651-AS**

FINISH: Antique Silver HEIGHT: 11"

BACKPLATE: 6" x 6"

BULB: One 60W Type A SHADE: White Glass

51/6" x 5"



#### **WL651-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 11" BACKPLATE: 6" x 6"

BULB: One 60W Type A SHADE: White Glass

51/6" x 51/4"



#### **WL651-AB**

FINISH: Antique Brass HEIGHT: 11"

BACKPLATE: 6" x 6"

BULB: One 60W Type A

SHADE: White Glass

5 1/6" x 5 1/4"



#### **WL609-SB**


FINISH: Satin Brass HEIGHT: 133/4"

BACKPLATE: 2 1/4" x 4 1/2"

BULB: One 60B10 candelabra

SHADE: Off-white Softback

4 1/8" x 7" x 53/4"







#### **WL609-SN**

FINISH: Satin Nickel HEIGHT: 133/4" BACKPLATE: 2 1/4" x 4 1/2"

> BULB: One 60B10 candelabra SHADE: White Softback

 $4 \frac{1}{8}$  x 7" x 5  $\frac{3}{4}$ "

### Wall Sconces



# Wall Swing Lamps



## Wall Swing Lamps



#### **♦** WS760-AS

FINISH: Antique Silver
ARM: Extends 24"

BACK PLATE: 4½" x 6" rectangle
BULB: One 100W Type A
SWITCH: On Socket
SHADE: 6½" x 13" x 10"
White Pleat Softback

CORD: 10' Ivory 30" Cord cover

#### **→** WS760-OB

FINISH: Oil Rubbed Bronze
ARM: Extends 24"
BACK PLATE: 4½" x 6" rectangle
BULB: One 100W Type A
SWITCH: On Socket
SHADE: 6½" x 13" x 10"

Off-white Pleat Softback ORD: 10' Ivory

CORD: 10' Ivory 30" Cord cover



#### WALL LAMPS



#### **WS761-AS**

FINISH: Antique Silver ARM: Extends 24" BACK PLATE: 41/2" x 6" rectangle BULB: One 100W Type A SWITCH: On Socket SHADE: 6½" x 12" x 9½" Beligan White Linen

Softback

CORD: 10' Ivory 30" Cord cover



### New! FINISH: Oil Rubbed Bronze ARM: Extends 24" BACK PLATE: 41/2" x 6" rectangle BULB: One 100W Type A

SWITCH: On Socket





#### **←** WS761-AB

FINISH: Antique Brass ARM: Extends 24" BACK PLATE: 41/2" x 6" rectangle

BULB: One 100W Type A SWITCH: On Socket

SHADE: 6½" x 12" x 9½" Off -white Linen

Softback

CORD: 10' Ivory 30" Cord cover



## Wall Swing Lamps





# Wall Swing Lamps

#### → WS706

FINISH: Polished Brass

HEIGHT: 16 1/2"

ARM: Extends 19"

BACKPLATE: 6 1/4" x 3 1/2" BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Softback

5½" x 12" x 8½"

CORD: 11' Ivory, 30" cord cover

#### → WS706-AB

FINISH: Antique Brass

HEIGHT: 16 ½"

ARM: Extends 19"

BACKPLATE: 6 1/4" x 3 1/2"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Softback

5½" x 12" x 8½"

CORD: 11' Ivory,

30" cord cover





#### **→** WS706-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 16 ½"

ARM: Extends 19"

BACKPLATE: 6 1/4" x 3 1/2"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Softback

5½" x 12" x 8½"

CORD: 11' ivory

30" cord cover



#### WALL LAMPS



#### **WS750-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

ARM: Extends 19" BACKPLATE: 5" x 6"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen Hardback 6" x 11" x 8"

CORD: 11' Ivory, 30" cord cover



#### **WS750-AS**

FINISH: Antique Silver HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 5" x 6"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: White Linen Hardback

6" x 11" x 8"

CORD: 11' Ivory, 30" cord cover

CORD: 11' Ivory, 30" cord cover

Phone: 800-428-5367

SHADE: Off-white Linen Hardback 6" x 11" x 8"

BULB: One 100W 3-way SWITCH: On Socket

# Wall Swing Lamps



#### **♦** w

#### **WS752-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 14"

ARM: Extends 19"

BACKPLATE: 43/4" x 43/4" BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover





SWITCH: On Socket

SHADE: White Linen Hardback 8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover

#### **WS752-AB**

FINISH: Antique Brass

HEIGHT: 14"

ARM: Extends19"

BACKPLATE: 43/4" x 43/4"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover



#### WALL LAMPS



#### **WS751-AB**

FINISH: Antique Brass

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

6" x 9" x 8 ½"

CORD: 11' Ivory, 30" cord cover




ARM: Extends 19"

BACKPLATE: 6" x 6" BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback 6" x 9" x 8 ½"

CORD: 11' Ivory, 30" cord cover



BACKPLATE: 51/2" Round

BULB: One 100W Type A +25R14N

SWITCH: Rotary On Socket SHADE: White Linen Hardback

8" x 10" x 8"

CORD: 10' Ivory, 30" cord cover



FINISH: Antique Silver

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

6" x 9" x 8 ½"

CORD: 11' Ivory, 30" cord cover



#### **←** LL623-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 17"

ARM: Extends 91/2" BACKPLATE: 51/2" Round

BULB: One 100W Type A +25R14N


SWITCH: Rotary On Socket

SHADE: Off-white Linen Hardback

8" x 10" x 8"

CORD: 10' Ivory, 30" cord cover






# Classic Picture Lights

### **CONTEMPORARY**


Craftsmanship and reliability are hallmarks of House of Troy products.

C9-52

Features



### **Specifications**



### Finishes

C9-52

Gold #1 Satin Brass #51 Satin Nickel #52 Polished Brass #61 Chrome #62


SIZE SELECTION Shade length should be one half the width of the image it is illuminating.

# Traditional LED Picture Lights





**Features** TLED14-71



#### LED SPECIFICATIONS

Shade Sizes	CRI	ССТ	Watts	Lumens	Lifetime	Equivalent Incandescent
10"	93	3400K	1.6	38.4	30,000 hrs	(1) 25 Watt
14"	93	3400K	2.4	57.6	30,000 hrs	(2) 25 Watt
24"	93	3400K	4	96	30,000 hrs	(3) 25 Watt
36"	93	3400K	6.4	153.6	30,000 hrs	(5) 25 Watt

### Finishes

Gold #1 Gold Wrinkle #2 Bronze #5 Pewter #31 Satin Brass #51 Statuary Bronze #56


Polished Brass #61


Antique Brass #71


Weathered Brass #76

Mahogany Bronze #81


SIZE SELECTION Shade length should be one half the width of the image it is illuminating.








Non stocked lamps available with three arms in 64" and 84" lengths.







15"

85


3000K

220


50,000 hrs

(2) 25 Watt






one half the width of the image it is illuminating.





# Finishes Black #7

Satin Brass #51
Satin Nickel #52
Antique Brass #71



### $Advent_{m}$ Profile Picture Lights

### **INCANDESCENT**







The black finish of the Profile light matches and compliments the frame and art work.


### **Specifications**


APR 16" shade two 15T4 bulbs included





www.houseoftroy.com







# Direct Wire<sup>TM</sup> LED Picture Lights



### TRADITIONAL

### **Finishes**

Polished Brass #61 Mahogany Bronze #81

### Benefits of LED

■ No UV or IR

■ Energy Efficient

■ Long Life: 30,000 Hours

■ Warm White Output



#### LED SPECIFICATIONS


Shade Sizes	CRI	ССТ	Watts	Lumens	Lifetime	Equivalent Incandescent	Backplate Dimensions
10"	93	3400K	1.6	38.4	30,000 hrs	(1) 25 Watt	4½" x 4½" x ½"
14"	93	3400K	2.4	57.6	30,000 hrs	(2) 25 Watt	4½" x 4½" x ½"
24"	93	3400K	4	96	30,000 hrs	(3) 25 Watt	4" x 15" x ½"
36"	93	3400K	6.4	153.6	30,000 hrs	(5) 25 Watt	4" x 26" x ½"

NOTE: Custom orders available on request.

### SLIM-LINE<sup>TM</sup>

### Finishes

Satin Brass #51 Satin Nickel #52 Antique Brass #71 Oil Rubbed Bronze #91



DOLLEI

#### LED SPECIFICATIONS

SIZE SELECTION Shade length should be one half the width of the image it is illuminating.

Shade Size	CRI	ССТ	Watts	Lumens	Lifetime	Equivalent Incandescent	Backplate Dimensions
14"	85	3000K	4	220	50,000 hrs	(2) 25 Watt	31/4"H x 41/2"W x 1"D
24"	85	3000K	8	440	50,000 hrs	(4) 25 Watt	31/4"H x 41/2"W x 1"D

# Battery Operated LED Picture Lights





Uses 4 C Batteries (not included). Switch on backplate.

SIZE SELECTION Shade length should be one half the width of the image it is illuminating.

#### LED SPECIFICATIONS

Mahogany Bronze #81

BTLED/BSLED

	Shade Size	CRI	CCT	Watts	Lumens	Lifetime	Equivalent Incandescent	Backplate Dimensions	
	14"	75	3000K	1.6	44	30,000 hrs	(2) 25 Watt	31/4"H x 41/2"W x 1"D	
$SLIM$ - $LINE^{TM}$	24"	75	3000K	3.2	88	30,000 hrs	(2) 25 Watt	31/4"H x 41/2"W x 1"D	
New!				700			Finishes Satin Brass # Satin Nickel Antique Bras Oil Rubbed I  SIZE SEL Shade len one half ti	#52 ss #71 Bronze #91	
3,	N'i				tteries (	(not include.	led).		

Phone: 800-428-5367

www.houseoftroy.com

# **Battery Operated Picture Lights**







LED SPECIFICATIONS

Shade Size	CRI	ССТ	Watts	Lumens	Lifetime	Equivalent Incandescent	
15"	75	8000K	1.9	59.5	30,000 hrs	(1) 15 Watt	

Clip:  $2\frac{3}{8}$ "W x 3"H, Expands to fit surfaces up to  $\frac{3}{4}$ " wide. Finishes

Gold #1 Black #7

# Advent... 14" FLUORESCENT

UV Tested—Safe For Artwork, Maximum Light Output Up To 45 Hours with 4 D batteries (not included).

#### **Finishes**

Satin Nickel #52 Brass #61 Antique Brass #71



### TRADITIONAL RECHARGABLE

Rechargable Battery Operates 6–8 hours per charge.

Recharger included.

Shade Length and Bulb Information



RT8" One #40, 8 hour and one #46, 6 hour bulb included



Practical only where power is not available.

#### **Finishes**

Gold #1 Statuary Bronze #56 Polished Brass #61

### Mantel Light



MA14-AB



HEIGHT: 4½" BASE: 15" wide, 3" deep 10' Brown Cord Exits Back of Shade. In-Line Switch 15" from Fixture.

### **Finishes**

Polished Brass (B) Antique Brass (AB) Mahogany Bronze (MB)

#### Shade Length and Bulb Location



# Advent. Cabinet Light



AC7-61

### Finishes

Polished Brass #61 Antique Brass #71



L10-61
FINISH: Polished Brass
HEIGHT: 7"
134" Between Arms
SWITCH: On Shade
SHADE: 10"
CORD: 10' Brown with
Snap-On Plug
Included

### Shade Length and Bulb Location



**L10** one 40T10F or 60T10 bulb

Phone: 800-428-5367



www.houseoftroy.com

SHADE: 10" CORD: 10' Brown

### $Advent_{\text{\tiny TM}}$ Portable Spot Lights



SP-510-7 HEIGHT: 6 1/2"

**Bulbs** 

**Black Finish** 

HEIGHT: 6 1/2"



Satin Nickel Finish SWITCH: On 10' black cord, 18" from shade

SP-510-52

HEIGHT: 6 1/2'

18" from shade


SWITCH: On 10' black cord,

40R14N (included)

HEIGHT: 6"

Table/Floor Spots







Mini-cans

Mini-cans

SP-512-52

HEIGHT: 6 1/2"





SP-520-52 HEIGHT: 6" Table/Floor Spots



Table/Floor Spots


SP-520-9 HEIGHT: 6"

### $Advent_{\text{m}}$ Clip-on Light

Ideal for use with laptop computers, easels, music stands and home office spaces.



### **Quality Features**






RWB Weighted Base




the HSM adheres to the lamp base and the other to a flat surface. The lamp then snaps on and off as desired.

Transformer, Snap Mount and Halogen bulb included

Product #	Bulb (included)	Gooseneck	Switch
HL3-12	5W	12"	dimmer
HL3-18	5W	18"	dimmer



Bulbs not included. Non stock item, call for lead time and availability.




### **UC SERIES Under Cabinet Lights**

- Line Voltage Incandescent System
- 10' Cord with Snap-on Plug
- Hardware to convert to Direct Wire
- 1 1/8" H x 13/4" D



### **Specifications**

Bulbs sold separately



UC-18-32



UC 45" eight 25T6 bulbs

# Corridor Lights



### **Finishes**

Antique Brass AB Oil Rubbed Bronze OB Satin Nickel SN

#### FLUORESCENT SPECIFICATIONS

Bulb	CRI CCT		Watts	Lumens	Lifetime	
F8T5-WW	82	3000K	8	460	5,000 hrs	



UC 34"

six 25T6 bulbs

HEIGHT: 41/2" EXTENSION: 334" BACKPLATE: 41/2" x 41/2" SHADE: 14"

White #9



#### COR102-SN

FINISH: Satin Nickel HEIGHT: 51/2" EXTENSION: 31/4" BACKPLATE: 51/2" Diameter SHADE: 13"



### COR100-SN

FINISH: Satin Nickel w/ Art Glass

HEIGHT: 41/2" EXTENSION: 33/4" BACKPLATE: 41/2" x 41/2" SHADE: 14"

> COR100-SN shown for unlit glass sample



#### COR101-AB

FINISH: Antique Brass HEIGHT: 41/2" EXTENSION: 31/4"

BACKPLATE: 41/2" x 41/2" SHADE: 14"




### **Product Finishes**

Our Classic and Slim-line™ picture lights are offered in the most popular finishes. If you would like a finish that is not stocked, call our customer service department for lead time and cost.

The antique and weathered brass finishes are applied then rubbed by hand to achieve the proper effect. For this reason there are slight surface variations which are expected and desirable.

The stocked finishes are listed on the product page. Refer to this page for a color representation of finish.



Phone: 800-428-5367 www.houseoftroy.com

131

**Custom Direct Mount Lighting** 

Customizing House of Troy Picture Lights.

We are often asked for custom versions of existing products, especially picture lights. Picture Lights are easily adapted to lighting book cases and display areas. We have developed hardware to mount through any hard surface. These products are designed as cord and plug items and will require a receptacle to plug them into behind the soffit. Call our Customer Service department at 800-428-5367 for assistance in designing your direct mount product.



CD-T24-81



CD-SL16-51


Slim-line Library Lighting. The slim lamp profile is designed for interiors where reduced lamp visibility is desired.

Illuminate bookshelves with our

# Slim-line™ Styles

**Mounting Options** 

Arm Styles








CD-DL10-OB

Classic style lamps are an effective way to enhance traditional decor in either a residential or commercial setting.



Traditional Shade (Refer to page 113 for shade width and finish options.)

(Refer to page 115 for LED shade

width and finish options.)

Contemporary Shade (Refer to page 114 for shade width and finish options.)


Hyde Park Shade (Refer to page 116 for shade width and finish options.)


DL Shade (Refer to page 69 for shade width and finish options.)


### Classic Styles


### **Mounting Options**

### Arm & Shade Styles









# Single Clutch

Phone: 800-428-5367 www.houseoftroy.com

### Questions & Answers

#### Q. What does LED stand for?

A. LED stands for Light Emitting Diode.

#### Q. Is a LED a bulb?

A. No, they are tiny semi-conductors encapsulated in plastic, which protect their components and help focus the light.

### Q. Why do LEDs use such little power?

A. Incandescent bulbs create light by applying power to a filament, which glows and produces light and heat. LEDs do not use a filament, so produce very little heat, making them far more efficient in consumption and output.

#### Q. How long do LEDs last?

A. LEDs last from 30,000-100,000 hours. As LEDs get older they dim and fade, rather than burn out. Incandescent bulbs last between 1,000-2,000 hours.

### Q. LEDs are more expensive than other lighting options. Why?

A. LEDs require different components to operate properly, such as a circuit board, drivers or transformers, and housings. As demand for LED products has increased, costs have come down.

### Q. Will I save money with LED lighting?

A. LEDs typically use 5-15% of the electricity of incandescent lighting. LED savings are found over the life of the LED in energy consumption. This does not include the cost of the 15-30 replacement incandescent bulbs over the life of the LED.

### Q. Are LEDs harmful to my artwork?

A. House of Troy LED light output is of conservation quality. Our LEDs have no UV found in incandescent and fluorescent bulbs that can be harmful to your art.


#### **Benefits of LEDs**

- Low power consumption (costs less to light)
- Very efficient, focused light, little heat
- Extremely long life span (30,000-50,000 hrs)
- Durable, insensitive to vibration
- No UV
- Environmentally friendly (no mercury or other toxins)
- Recyclable

#### Q. What are CRI and CCT?

A. The Color Rendering Index (CRI) is a measure of the ability of a light source to reproduce the colors generated by a reference light source of the same color temperature. For example, a CRI of 100%, taken at a color temperature of noon day sunlight (5500K) will exactly reproduce the colors found on a sunny day at noon.

The Correlated Color Temperature (CCT) is a measurement used to define the color of a light source. It is used to indicate the "coolness" or "warmness" of a light. Color temperature of light is typically measured in degrees Kelvin or just Kelvin.



**Examples of Color Temperature** 

### Q. What size picture light should I use?

A. Measure the width of the image and use a picture light approximately ½ the size. Consider the lighting requirements of the room.

### Q. What color picture light should I consider?

A. Depending on your personal taste, you may select a finish that matches your frame, or you may select a finish that stands on its own or is in keeping with the décor of the room.

### Q. Is there a way to eliminate the cord?

- A. There are several ways to deal with the cord:
- 1. Install a recessed outlet (sometimes called a "clock outlet") behind the artwork. Making sure that the lamp is not plugged in, cut the cord to the appropriate length and attach a flat snap-on plug (available from House of Troy). Ideally, connect this to a dimmer switch on the wall.
- 2. Use Cord Covers.
- 3. Paint the cord to match the wall color.
- 4. Place furniture, plants, or other décor to hide most of the cord.
- 5. Use an insulated staple to attach the cord to the baseboard. This keeps the cord straight and improves its appearance.
- 6. Several battery-operated picture lights are available. These lights provide minimum light and will last up to 45 hours.

### Q. What type of bulbs are used in picture lights?


A. Refer to the House of Troy brochure for size and wattage bulb.

Remember to use a frosted bulb if the reflector in your light is

smooth. Only use a clear bulb if the reflector is pebbled. A clear bulb with a smooth reflector produces unnecessary reflections on the artwork. A dimmer is an effective way to adjust the amount of light for your artwork.

### Q. In what order are shade dimensions given in this catalog?

A. See drawings below.




### Q. How do you measure a Desk/Piano Lamp?

A. Adjustable Desk/Piano lamps are measured in the locations shown in the drawing below.




#### Q. How is the arm extension measured on Swing Arm Lamps?

A. On Wall Swings, the measurement is from the front of the backplate to the center of the socket. On Desk Lamps, the measurement is from the front of the post to the center of the socket.




### Q. How do you install a picture light?

A. All House of Troy picture lights come with mounting hardware and may be attached to either the picture frame or the wall. The only tools necessary are a screw driver and something to start a screwhole, such as a small nail or awl.




### Q. How do you install a Slim-line Picture Light?

A. Snap the Picture Light arms into the Mounting Brackets. This will take a bit of force, but will not damage the arms. Slide the arms up or down to attain the desired shade location in relation to the frame.



### Q. Can I modify a cord length and add a polarized plug?

A. Yes. We offer a UL approved snapon plug that can be attached to any standard UL approved SPT-2 cord. Simple instructions are included with the plug.



### Q. How can we display these products in our store?

A. Call our Customer Service department for Picture Light display options.



135

Phone: 800-428-5367 www.houseoftroy.com

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM PAGE	ITEM	PAGE
A7-61	120	C9-51	114	CPL48-52	129	DXL24-91	123	HLED12-52 118	N600-PTR	80
A7-71	120	C9-52	114	CPL48-61	129	DXL36-51	123	HLED12-62 118	N600-AB-O	80
A14-61	120	C9-61	114	CPL48-62	129	DXL36-52	123	HLED12-71 118	N600-OB-O	80
A14-71	120	C9-62	114	CPL48-71	129	DXL36-61	123	HLED12-91 118	N600-PTR-O	80
AB-7-61	126	C16-1	114	CPL48-76	129	DXL36-62	123	HLED26-51 118	N601-AB	81
AB-7-71	126	C16-51	114	CPL48-91	129	DXL36-71	123	HLED26-52 118	N601-OB	81
ABF14-52	126	C16-52	114	D435-91-F	58	DXL36-91	123	HLED26-62 118	N601-PTR	81
ABF14-61	126	C16-61	114	D435-91-J	58	FL10-GT	30	HLED26-71 118	N602-AB	82
ABF14-71	126	C16-62	114	D436-52	58	FL10-MB	30	HLED26-91 118	N602-OB	82
AC7-61	127	CBLED12-61	17	D436-71	58	G100-BLK	49	HP8-61 116	N602-PTR	82
AC7-71	127	CBLED12-7	17	D436-91	58	G100-CHB G100-GT	49 49	HP8-71 116	N603-AB	83
ACL7-7 AD400-AB	128 33	CH800-AB	42	DC9-61	122	G100-WT	49 49	HP8-76 116	N603-OB	83
AD400-AB AD400-OB	33	CH800-AS CH800-OB	42 42	DC9-62 DC16-61	122 122	G150-W1	46	HP8-91 116 HP16-61 116	N603-PTR	83 84
AD400-OB AD400-SN	33	CH800-OB CH825-AB	41	DC16-61 DC16-62	122	G150-CHB	46	HP16-61 116 HP16-71 116	N604-AB N604-OB	84 84
AD400-SIN AD425-AB	31	CH825-AS	41	DCF12-51	129	G150-GT	46	HP16-76 116	N604-OB N604-PTR	84 84
AD425-OB	31	CH825-OB	41	DCF12-52	129	G150-WT	46	HP16-91 116	N606-AB	84
AD425-SN	31	CH850-AB	39	DCF12-71	129	G175-BLK	43	HP30-61 116	N606-OB	84
AD450-AB	32	CH850-AS	39	DCF24-51	129	G175-CHB	43	HP30-71 116	N650-AB	79
AD450-OB	32	CH850-OB	39	DCF24-52	129	G175-GT	43	HP30-76 116	N650-OB	79
AD450-SN	32	CH875-OB	40	DCF24-71	129	G175-WT	43	HP30-91 116	N651-AB	78
AG-7	120	CH876-AB	40	DL10-OB	69	G200-CHB	50	HP700-OB-AG 68	N651-OB	78
AG-51	120	CH877-AS	40	DL10-WB	69	G200-GT	50	HP700-OB-BP 67	N651-PTR	78
AG-52	120	CH878-AS	40	DL20-OB	70	G200-HB	50	HP700-OB-MSOB 68	N652-AB	79
AG-71	120	CH879-AB	39	DL20-WB	70	G200-WT	50	HP700-OB-WL 67	N652-OB	79
ALED15-1	17 & 126	CH880-OB	40	DSK428-G61	89	G250-CHB	47	HP700-WB-AG 68	N653-AB	78
ALED15-7	17 & 126	CL200-AB	38	DSK428-G71	89	G250-GT	47	HP700-WB-BP 67	N653-OB	78
AP10-20-61	15	CL200-AS	38	DSK430-MB	89	G250-HB	47	HP700-WB-MSWB 68	OL600-OB	75
AP10-20-7	15	CL200-OB	38	DSL14-51	123	G250-WT G275-CHB	47 44	HP700-WB-WL 67	OL600-WB	75
AP10-20-71 AP10-21-61	14 16	CL201-AB CL201-AS	37 37	DSL14-52 DSL14-71	123 123	G275-CHB G275-GT	44	HP725-OB-AG 63 HP725-OB-BP 64	P10-101-B P10-107-61	2 3
AP10-21-01 AP10-21-71	16	CL201-AS CL201-OB	37	DSL14-71 DSL14-91	123	G275-HB	44	HP725-OB-BP 64 HP725-OB-MSOB 63	P10-107-81	2
AP10-21-71	16	CL201-OB CL201-PB	37	DSL24-51	123	G275-WT	44	HP725-OB-WL 64	P10-108	4
AP14-40-61	15	CL202-AB	36	DSL24-52	123	G300-BLK	51	HP725-WB-AG 63	P10-111	3
AP14-40-7	15	CL202-AS	36	DSL24-71	123	G300-CHB	51	HP725-WB-BP 64	P10-111-71	3
AP14-40-71	15	CL202-OB	36	DSL24-91	123	G300-GT	51	HP725-WB-MSWB 63	P10-111-MB	3
AP14-41-61	14	CL225-AB	34	DSL36-51	123	G300-HB	51	HP725-WB-WL 64	P10-123-81	2
AP14-41-71	14	CL225-AS	34	DSL36-52	123	G300-WT	51	HP750-OB-AG 65	P10-130	4
AP14-41-91	14	CL225-OB	34	DSL36-71	123	G350-BLK	28 & 48	HP750-OB-BP 66	P10-131-61	4
AP14-42-61	16	CL250-AB	35	DSL36-91	123	G350-CHB	48	HP750-OB-MSOB 65	P10-131-71	4
APH16-7	121	CL250-AS	36	DSLED14-51	124	G350-GT	48	HP750-OB-WL 66	P10-150	20
APH16-52	121	CL250-OB	36	DSLED14-52	124	G350-HB	48	HP750-WB-AG 65	P10-150-617	20
APH16-61	121	CL251-AB	35	DSLED14-71	124	G350-WT	48	HP750-WB-BP 66	P10-190-M	27
APH16-71	121	CL251-AS	35	DSLED14-91	124	G375-BLK	45	HP750-WB-MSWB 65	P10-191-52M	27
APR16-7	121	CL251-OB COR100-AB	35	DSLED24-51 DSLED24-52	124	G375-CHB G375-GT	45 45	HP750-WB-WL 66	P10-191-61 P10-191-61C	26
APR16-52 APR16-61	121 121	COR100-AB	130 130	DSLED24-32 DSLED24-71	124 124	G375-HB	45	HP775-OB-AG 62 HP775-OB-OG 62	P10-191-61M	26 28
APR16-71	121	COR100-OB	130	DSLED24-71 DSLED24-91	124	G375-HB G375-WT	45	HP775-WB-AG 62	P10-191-01W	26
BL10-AB	127	COR101-AB	130	DT8-61	122	GP10-61	25	HP775-WB-OG 62	P10-191-81	26
BPLED200-6		COR101-OB	130	DT8-81	122	GP10-7	25	L10-61 127	P10-192-617	28
BPLED200-8		COR101-SN	130	DT14-61	122	GP10-81	25	L800-AB 74	P10-192-627	28
BSLED14-51	125	COR102-AB	130	DT14-81	122	GP14-61	25	L800-OB 74	P14-201	12
BSLED14-52	125	COR102-OB	130	DT24-61	122	GP14-7	25	L850-AB 74	P14-201-81	12
BSLED14-71	125	COR102-SN	130	DT24-81	122	GP14-81	25	L850-OB 74	P14-201-AB	12
BSLED14-91	125	CPL24-7	129	DT36-61	122	GPH10-BLK	24	LL623-OB 111	P14-201-GT	12
BSLED24-51	125	CPL24-9	129	DT36-81	122	GPH10-PB	24	LL623-SN 111	P14-202	11
BSLED24-52		CPL24-51	129	DTLED10-61	124	GPLED19-61	23	LL660-AB 71	P14-202-81	11
BSLED24-71		CPL24-52	129	DTLED10-81	124	GPLED19-7 GPLED26-61	23 22	LL660-OB 71	P14-202-AB	11
BSLED24-91	125	CPL24-61 CPL24-62	129	DTLED14-61	124	GPLED26-61 GPLED26-7	22	LL660-PB 71	P14-203 P14-203-81	7 7
BTLED14-1 BTLED14-51	125 125	CPL24-62 CPL24-71	129 129	DTLED14-81 DTLED24-61	124 124	GPTLED26-7	23	LL660-SN 71 LL662A-AB 72	P14-203-81 P14-203-AB	7
BTLED14-51 BTLED14-61		CPL24-71 CPL24-76	129	DTLED24-81	124	GPTLED-7	23	LL662A-OB 72	P14-203-AB	9
BTLED14-01 BTLED14-71		CPL24-91	129	DTLED24-81 DTLED36-61	124	GPXL22-61	24	LL662A-PB 72	P14-204-81	9
BTLED14-81		CPL36-7	129	DTLED36-81	124	GPXL-617	24	LL663-AB 73	P14-204-AB	9
BTLED24-1	125	CPL36-9	129	DXL14-51	123	GPXL-627	24	LL663-PB 73	P14-212	6
BTLED24-51		CPL36-51	129	DXL14-52	123	GR900-AB	52	M551-PS 77	P14-231-61	10
BTLED24-61	125	CPL36-52	129	DXL14-61	123	GR900-OB	52	M552-OB 76	P14-231-71	10
BTLED24-71	125	CPL36-61	129	DXL14-62	123	GR901-AB	52	M552-PS 76	P14-232-C71	10
BTLED24-81	125	CPL36-62	129	DXL14-71	123	GR901-OB	52	M553-PS 77	P14-233-617	6
C5-1	114	CPL36-71	129	DXL14-91	123	GR902-AB	52	M554-OB 77	P14-233-C71	6
C5-51	114	CPL36-76	129	DXL24-51	123	GR902-OB	52	MA14-AB 127	P14-242-71	10
C5-52	114	CPL36-91	129	DXL24-52	123	HL3-12	128	MA14-B 127	P14-246	8
C5-61	114	CPL48-7	129	DXL24-61	123	HL3-18	128	MA14-MB 127	P14-250	20
C5-62	114	CPL48-9	129	DXL24-62	123	HLED100-7	21	N600-AB 80	P14-250-617	20
C9-1	114	CPL48-51	129	DXL24-71	123	HLED12-51	118	N600-OB 80	P14-280	8
136										

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGEIT	lem	PAGE	ITEM	PAGE
P14-280-WB	8	SL6-62	117	SLED29-71	119	T21-51	113	TLED14-71	115	WL652-AB	100
P14-502-52	10	SL6-71	117	SLED29-91	119	T21-56	113	TLED14-76	115	WL652-AS	100
P14-D01	18	SL6-76	117	SP510-7	128	T21-61	113	TLED14-81	115	WL652-OB	100
P15-80-51	13	SL6-91	117	SP510-9	128	T21-71	113	TLED24-1	115	WS12-51-F	53
P15-80-52	13	SL11-7	117	SP510-52	128	T21-76	113	TLED24-2	115	WS12-51-J	54
P15-81-5262	13	SL11-9	117	SP512-7	128	T21-81	113	TLED24-5	115	WS12-52-F	53
P15-83-52	13	SL11-51	117	SP512-9	128	T24-1	113	TLED24-31	115	WS12-52-J	54
P15-90-61	18	SL11-52	117	SP512-52	128	T24-2	113	TLED24-51	115	WS12-52-5 WS12-61-F	53
P16-D02-617	18	SL11-61	117	SP520-7	128	T24-5	113	TLED24-56	115	WS12-61-J	54
P16-D02-627	18	SL11-61 SL11-62	117	SP520-9	128	T24-31	113	TLED24-50 TLED24-61	115	WS12-01-3 WS12-71-F	53
PFL-527	30	SL11-71	117	SP520-52	128	T24-51	113	TLED24-01 TLED24-71	115	WS12-71-J WS12-71-J	54
PFL-617	30	SL11-71 SL11-76	117	T4-1	113	T24-56	113	TLED24-71 TLED24-76	115	WS12-71-3 WS12-91-F	53
PH10-170-PB	20	SL11-70 SL11-91	117	T4-2	113	T24-61	113	TLED24-70 TLED24-81	115	WS12-91-F WS12-91-J	55 54
PH10-170-1B	5	SL11-91 SL16-7	117	T4-2	113	T24-01	113	TLED24-81 TLED36-1	115	WS12-91-J WS14-9	
PH10-171-AB	5	SL16-7 SL16-9	117	T4-31	113	T24-71			115		56
PH10-171-DB	5	SL16-51	117	T4-51		T24-70	113	TLED36-2 TLED36-5		WS14-51	55 55
PH10-171-PB PH10-195-AB	29	SL16-51 SL16-52	117		113		113		115	WS14-52	55
	29 29	SL16-32 SL16-61		T4-56	113	T30-1	113	TLED36-31	115	WS14-61	56
PH10-195-OB			117	T4-61	113	T30-2	113	TLED36-51	115	WS14-71	56
PH10-195-PB	29	SL16-62	117	T4-71	113	T30-5	113	TLED36-56	115	WS14-91	55
PH100-51-F	60	SL16-71	117	T4-76	113	T30-31	113	TLED36-61	115	WS14-2-52	57
PH100-51-J	59	SL16-76	117	T4-81	113	T30-51	113	TLED36-71	115	WS14-2-71	57
PH100-52-F	60	SL16-91	117	T5-1	113	T30-56	113	TLED36-76	115	WS14-2-91	57
PH100-52-J	59	SL21-7	117	T5-2	113	T30-61	113	TLED36-81	115	WS16-31	112
PH100-61-F	60	SL21-9	117	T5-5	113	T30-71	113	UC13-9	130	WS16-61	112
PH100-61-J	59	SL21-51	117	T5-31	113	T30-76	113	UC13-32	130	WS16-91	112
PH100-62-F	60	SL21-52	117	T5-51	113	T30-81	113	UC13-61	130	WS-704	107
PH100-62-J	59	SL21-61	117	T5-56	113	T36-1	113	UC18-9	130	WS-706	108
PH100-71-F	60	SL21-62	117	T5-61	113	T36-2	113	UC18-32	130	WS-706-AB	108
PH100-71-J	59	SL21-71	117	T5-71	113	T36-5	113	UC18-61	130	WS-706-OB	108
PH100-91-F	60	SL21-76	117	T5-76	113	T36-31	113	UC22-9	130	WS-708-AB	107
PH100-91-J	59	SL21-91	117	T5-81	113	T36-51	113	UC22-32	130	WS-708-OB	107
PH101-51	61	SL30-7	117	T8-1	113	T36-56	113	UC22-61	130	WS750-AB	109
PH101-52	61	SL30-9	117	T8-2	113	T36-61	113	UC28-9	130	WS750-AS	109
PH101-71	61	SL30-51	117	T8-5	113	T36-71	113	UC28-32	130	WS750-OB	109
PH101-91	61	SL30-52	117	T8-31	113	T36-76	113	UC28-61	130	WS751-AB	111
PIN400-AB	85	SL30-61	117	T8-51	113	T36-81	113	UC34-9	130	WS751-AS	111
PIN400-OB	85	SL30-62	117	T8-56	113	T42-1	113	UC34-32	130	WS751-OB	111
PIN400-SN	85	SL30-71	117	T8-61	113	T42-2	113	UC34-61	130	WS751-OB WS752-AB	110
PIN400-2-AB	86	SL30-71 SL30-76	117	T8-71	113	T42-5	113	UC45-9	130	WS752-AB WS752-AS	110
PIN400-2-AB PIN400-2-OB	86	SL30-70 SL30-91	117	T8-76		T42-31		UC45-9 UC45-32		WS752-AS WS752-OB	110
PIN400-2-OB PIN400-2-SN		SL30-91 SL40-7		T8-81	113		113	UC45-52 UC45-61	130	WS760-AB	104
	86		117		113	T42-51	113		130		
PIN450-AB	87	SL40-9	117	T9-1	113	T42-56	113	USLED20-52	119	WS760-AS	104
PIN450-OB	87	SL40-51	117	T9-2	113	T42-61	113	USLED20-61	119	WS760-OB	104
PIN450-SN	87	SL40-52	117	T9-5	113	T42-71	113	USLED20-62	119	WS761-AB	105
PIN475-AB	88	SL40-61	117	T9-31	113	T42-76	113	USLED20-71	119	WS761-AS	105
PIN475-OB	88	SL40-62	117	T9-51	113	T42-81	113	V500-2-AB	98	WS761-OB	105
PIN475-SN	88	SL40-71	117	T9-56	113	TH700-OB	93	V500-2-OB	98	WS762-AB	106
PIN475-2-AB	88	SL40-76	117	T9-61	113	TH700-PN	93	V500-2-SN	98	WS762-AS	106
PIN475-2-OB	88	SL40-91	117	T9-71	113	TH700-RB	93	V501-AB	96	WS762-OB	106
PIN475-2-SN	88	SL64-7	117	T9-76	113	TH701-OB	92	V501-OB	96	WS763-AB	103
PL16-OB	69	SL64-9	117	T9-81	113	TH701-PN	92	V501-SN	96	WS763-AS	103
PL16-WB	69	SL64-51	117	T14-1	113	TH701-RB	92	V502-AB	95	WS763-OB	103
PL20-OB	70	SL64-52	117	T14-2	113	TH725-OB	91	V502-OB	95	XL14-51	118
PL20-WB	70	SL64-61	117	T14-5	113	TH725-PN	91	V502-SN	95	XL14-52	118
PLED100-527	19	SL64-62	117	T14-31	113	TH725-RB	91	V503-AB	97	XL14-61	118
PLED100-61	19	SL64-71	117	T14-51	113	TH750-OB	90	V503-OB	97	XL14-62	118
PLED100-617	19	SL64-76	117	T14-56	113	TH750-PN	90	V503-SN	97	XL14-71	118
PLED101-527	21	SL64-91	117	T14-61	113	TH750-RB	90	VG400-AB	94	XL14-91	118
PLED101-61	21	SL84-7	117	T14-71	113	TLED10-1	115	VG400-OB	94	XL24-51	118
PLED101-617	21	SL84-9	117	T14-76	113	TLED10-2	115	VG450-AB	94	XL24-52	118
PS10-190-M	27	SL84-51	117	T14-81	113	TLED10-5	115	VG450-OB	94	XL24-61	118
RR5-1	116	SL84-52	117	T18-1	113	TLED10-31	115	WL601-AB	99	XL24-62	118
RR8-1	116	SL84-61	117	T18-2	113	TLED10-51	115	WL601-OB	99	XL24-71	118
RR14-1	116	SL84-62	117	T18-5	113	TLED10-56	115	WL601-PC	99	XL24-91	118
RR24-1	116	SL84-71	117	T18-31	113	TLED10-61	115	WL601-SN	99	XL36-51	118
RR30-1	116	SL84-76	117	T18-51	113	TLED10-01	115	WL609-SB	101	XL36-52	118
RT8-1	126	SL84-91	117	T18-56	113	TLED10-71 TLED10-76	115	WL609-SB WL609-SN	101	XL36-61	118
RT8-56	126	SL64-91 SLED15-51	117	T18-61	113	TLED10-76 TLED10-81	115	WL615-OB	101	XL36-62	118
RT8-61	126	SLED15-51 SLED15-52	119	T18-01 T18-71	113	TLED10-81 TLED14-1	115	WL615-OB WL615-SN		XL36-71	118
RWB	128	SLED13-32 SLED15-61	119	T18-71		TLED14-1 TLED14-2			100	XL36-91	118
SL6-7		SLED15-61 SLED15-71			113		115	WL616-AB	102	AL30-71	110
	117		119	T18-81	113	TLED14-5	115	WL616-CB	102		
SL6-9	117	SLED15-91	119	T21-1	113	TLED14-31	115	WL616-PB	102		
SL6-51	117	SLED29-51	119	T21-2	113	TLED14-51	115	WL651-AB	101		
SL6-52	117	SLED29-52	119	T21-5	113	TLED14-56	115	WL651-AS	101		
SL6-61	117	SLED29-61	119	T21-31	113	TLED14-61	115	WL651-OB	101		



