
# House of Troy Quality Lighting Products



# Functional Lighting Products Designed for Beautiful Rooms

Counterbalance style floor lamps allow for greater arm extension, thus more flexibility in directing light, as with the AB100-OB.

The MA14-OB mantel lamp provides up-light to accent a piece of artwork or a specific architectural feature.


Decorative table lamps, like the GS190-GM, add ambient light as well as personal flair to your space.




Desk lamps, like the P14-203, provide character and functional light to your work surface.

The PH100-91-J pharmacy lamp, provides targeted, downward light. When combined with arm and height adjustability, it makes an ideal task light.

# TABLE OF CONTENTS






TASK LAMPS

**Spots** 

Mantel

Lectern

Phone: 800-428-5367



182

www.houseoftroy.com

158-166

167-168

169-176

177-178

179-183

159 161, 164, 167–168

162

157

189

184-185

186-188

190-193

# Desk/Piano



### - P10-101-B

FINISH: Polished Brass & Black Marble

HEIGHT: Maximum 12" BASE: 41/2" Square

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10" CORD: 9' Brown

Marble is a natural material and therefore, each piece will have variations.









# ı

### P10-111-71

FINISH: Antique Brass
HEIGHT: Maximum 14"
BASE: 5 3¼" Octagon
BULB: One 40T10 or
60T10

SWITCH: On shade
SHADE: 10"
CORD: 9' Brown



# P10-111-MB

FINISH: Mahogany Bronze HEIGHT: Maximum 14" BASE: 5<sup>3</sup>/<sub>4</sub>" Octagon BULB: One 40T10 or 60T10 SWITCH: On shade SHADE: 10"

CORD: 9' Brown



# Desk/Piano



### P10-131-71

FINISH: Antique Brass HEIGHT: Maximum 10 1/2"

BASE: 5" round BULB: One 40T10 or

60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown



SHADE: 10" CORD: 9' Brown

# P10-131-61

FINISH: Polished Brass HEIGHT: Maximum 10 1/2"

BASE: 5" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown





# Desk/Piano

### P14-233-617

FINISH: Black with Polished Brass

Accents

HEIGHT: Maximum 161/211

BASE: 51/8" Square BULB: Two 40T10 or

60T10

SWITCH: On base

SHADE: 14"

CORD: 9' Black







# P14-233-C71

FINISH: Antique Brass & Chestnut Bronze

HEIGHT: Maximum 161/2"

BASE: 51/8" Square BULB: Two 40T10 or

60T10

CORD: 9' Brown



P14-212

FINISH: Polished Brass HEIGHT: Maximum 16"

BASE: 63/8" Decagon BULB: Two 40T10 or

60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



# 

# P14-203-81

FINISH: Mahogany Bronze
HEIGHT: Maximum 12½"
BASE: 6" Octagon
BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



# Desk/Piano





### **←** P14-204

FINISH: Polished Brass HEIGHT: Maximum 15" BASE: 61/4" round

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



# Desk/Piano



### **←** P14-242-71

FINISH: Antique Brass HEIGHT: Maximum 16" BASE: 6 3/8" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14"

CORD: 9' Brown





### P14-231-71

FINISH: Antique Brass HEIGHT: Maximum 12" BASE: 6" round

BULB: Two 40T10 or 60T10

SWITCH: In-line 6"

from base


SHADE: 14"

CORD: 9' Brown





# Desk/Piano



### **←** P14-201

FINISH: Polished Brass HEIGHT: Maximum 14" BASE: 6" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown















### P15-80-51

FINISH: Satin Brass
HEIGHT: Maximum 18"
BASE: 5½" round
BULB: Two 40T10
SWITCH: On base
SHADE: 15"
CORD: 9' Clear

# **Advent Collection**





# **Advent Collection**





# AP10-20-71 FINISH: Antique Brass HEIGHT: Maximum 11 ½ BASE: 5" round BULB: One 40T10 SWITCH: On shade SHADE: 10" CORD: 9' Brown



# AP10-25-7 FINISH: Black

HEIGHT: Maximum 10"
BASE: 6" round
BULB: One 40T10
SWITCH: On Shade
SHADE: 10"
CORD: 9' Black



FINISH: Polished Brass
HEIGHT: Maximum 11½"
BASE: 5" round
BULB: One 40T10
SWITCH: On shade
SHADE: 10"

CORD: 9' Brown

Antique Brass finish (71) shown on piano



# **Advent Collection**



# **-**

# AP10-21-91

FINISH: Oil Rubbed

Bronze

HEIGHT: Maximum 10 ½ BASE: 5" round

BULB: One 40T10 SWITCH: On shade SHADE: 10" CORD: 9' Brown





# **Battery Operated**





### **←** CBLED12-7

FINISH: Black HEIGHT: 51/2" ARM EXT.: 4 1/2 "

BASE:  $4\frac{1}{2}$ " x 3" x 1  $\frac{1}{4}$ "

BULB: LED SWITCH: On Base SHADE: 12 1/2"

BATTERIES: 4C (not included)

Illuminates 48 hours

### → CBLED12-61

FINISH: Polished Brass

HEIGHT: 51/2" ARM EXT.: 4 1/2"

BASE: 41/211 x 311 x 11/411

BULB: LED SWITCH: On Base SHADE: 12 1/2"

BATTERIES: 4C (not included)

Illuminates 48 hours



FINISH: Black HEIGHT: 5" ARM EXT.: 6"

BULB: LED

SHADE: 15" long

CBLED					
CRI	RI Watts Lumens		CCT	Lifetime	
75	3.2	88	3000K	30,000 hrs	


**ALED15-7** 



# LED SPECIFICATIONS

ALED					
CRI	Watts	Lumens	CCT	Lifetime	
75	2	60	8000K	30,000 hrs	

# **Battery Operated**



Mahogany Bronze finish (81) shown on piano







### **BPLED200-81**

FINISH: Mahogany Bronze

HEIGHT: 14"

BASE:  $3^{1}/_{2}$ " x 7" rectangle

BULB: LED SWITCH: On Base SHADE: 14" long

BATTERIES: 4 C (Not Included)

Illuminates 30 hours



# LED SPECIFICATIONS

BPLED					
CRI	Watts	Watts Lumens		Lifetime	
75	3.2	88	3000K	30,000 hrs	

# Digital Piano

# PIANO LAMPS







### PLED100-61

FINISH: Polished Brass

HEIGHT: 16"

BASE: 51/4" Diameter

BULB: LED


SWITCH: In line 6" from base

SHADE: 19" CORD: 10' Black



# **Upright Piano**

# PIANO LAMPS



### **←** P14-250

FINISH: Polished Brass HEIGHT: Maximum 8" BASE: 6" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown







# **A**

# P14-250-617

FINISH: Black with Polished Brass Accents

HEIGHT: Maximum 8"

BASE: 6" round

BULB: Two 40T10 or 60T10

SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Black



HEIGHT: Maximum 6"

ARM: 81/2"

BASE: 6" round


BULB: 50W GU10 Halogen

(Included)

SWITCH: Full range dimmer on

shade

SHADE: 10" CORD: 10' Black



# I FD





Black with Satin Nickel Accents (527) shown on piano



### PLED101-527

FINISH: Black with

Satin Nickel Accents

HEIGHT: 4" ARM EXT.: 5 1/4"

BASE: 5 1/4" round

BULB: LED

SWITCH: In line 6" from base

SHADE: 19" CORD: 10' Black



### **←** PLED101-61

FINISH: Polished Brass

HEIGHT: 4"

ARM EXT.: 5 1/4"

BASE: 5 1/4" round BULB: LED

SWITCH: In line 6" from base

SHADE: 19" CORD: 10' Black



# PLED101-617

FINISH: Black with

Brass Accents

HEIGHT: 4"

ARM EXT.: 5 1/4"
BASE: 5 1/4" round

BULB: LED

SWITCH: In line 6" from base

SHADE: 19" CORD: 10' Black



# LED SPECIFICATIONS

PLED101					
CRI	Watts Lumens		CCT	Lifetime	
80	4.7	200	3000K	30,000 hrs	

# **Grand Piano**







# **GPLED26-61**

FINISH: Polished Brass HEIGHT: Adjustable

ARM EXT: 4 ½"

CLAMP: 5 ½" x 2 ½", Felt

Lined Adjusts to ¾"

BULB: LED SWITCH: On Shade SHADE: 26" CORD: 10' Black



# LED SPECIFICATIONS

GPLED26						
Shade Size	CRI	ССТ	Watts	Lumens	Lifetime	
26"	85	3000K	10	632	30,000 hrs	

# **Grand Piano**







### $\leftarrow$ **GP10-7**

FINISH: Black

HEIGHT: Adjustable 81/2"

gooseneck

CLAMP: Felt-lined, 51/2" x 21/2"

adjusts from 1/2" to 3/4"

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Black





FINISH: Polished Brass HEIGHT: Adjustable 8 1/2 "

gooseneck

CLAMP: Felt-lined, 5½" x 2½" adjusts from ½" to ¾"

BULB: One 40T10 or 60T10

SWITCH: On shade

SHADE: 10" CORD: 9' Brown



### GP10-81

FINISH: Mahogany Bronze HEIGHT: Adjustable 8 1/2 11

goóseneck

CLAMP: Felt-lined, 51/2" x 21/2" adjusts from 1/2" to 3/4"

BULB: One 40T10 or 60T10

SWITCH: On shade

SHADE: 10"

CORD: 9' Brown





### **GPH10-BLK**

FINISH: Black

HEIGHT: 51/2" ARM: 81/211

CLAMP: Felt-lined, 51/2" x 21/2" adjusts from 1/2" to 3/4"

BULB: 50W GU10 Halogen

(included)

SWITCH: Full range dimmer on

shade

SHADE: 10"

CORD: 10' Black





FINISH: Polished Brass

HEIGHT: 51/2"

ARM: 81/211

CLAMP: Felt-lined, 51/2" x 21/2" adjusts from 1/2" to 3/4"

BULB: 50W GU10 Halogen

(included) SWITCH: Full range dimmer on

shade SHADE: 10"

CORD: 10' Black



# Counter Balance









Marble is a natural material and therefore, each piece will have variations.



# P10-191-71

FINISH: Antique Brass HEIGHT: Maximum 20" BASE: 5" Square

BULB: 13W-PL fluorescent

SWITCH: On base SHADE: 10" CORD: 11' Black with transformer



# P10-191-61M

FINISH: Polished Brass & Black Marble
HEIGHT: Maximum 20"
BASE: 5" Square

BULB: 13W-PL fluorescent SWITCH: On base

SHADE: 10"

CORD: 11' black with transformer



### P10-191-61

FINISH: Polished Brass HEIGHT: Maximum 20" BASE: 5" Square

BULB: 13W-PL fluorescent

SWITCH: On base SHADE: 10" CORD: 11' black with transformer



### P10-191-61C

FINISH: Polished Brass & Glass

HEIGHT: Maximum 20" BASE: 5" Square

BULB: 13W-PL fluorescent


SWITCH: On base SHADE: 10"

CORD: 11' black

with transformer




# Counter Balance











FINISH: Chrome w/ Black HEIGHT: Maximum 20" ARM: 181/2" BASE: 6" round

BULB: One 40T10 or 60T10

SWITCH: On Socket SHADE: 10" CORD: 9' Black

### **←** PLED-192-627

FINISH: Chrome w/ Black HEIGHT: Maximum 20"

ARM: 181/2" BASE: 6" round BULB: LED SWITCH: On Socket SHADE: 10" CORD: 9' Black

Marble is a natural material and therefore, each piece will have variations.

Lumens

320

**PLED** 

CCT

3500K

Lifetime

30,000 hrs

LED SPECIFICATIONS

Watts

# Incandescent

### → P10-192-617

FINISH: Polished Brass w/ Black

HEIGHT: Maximum 20" ARM: 181/2"

BASE: 6" round

BULB: One 40T10 or 60T10

SWITCH: On Socket SHADE: 10" CORD: 9' Black



CRI

85



FINISH: Polished Brass w/ Black

HEIGHT: Maximum" 20"

ARM: 181/2" BASE: 6" round BULB: LED SWITCH: On Socket SHADE: 10"

CORD: 9' Black



# Counter Balance



### Incandescent

#### → PFL-617

FINISH: Black & Polished Brass

HEIGHT: Maximum 54" BASE: 10" Round BULB: One 60T10 SWITCH: On Socket SHADE: 10" CORD: 10' Black





#### **→ PFLED-617**

FINISH: Black & Polished Brass

HEIGHT: Maximum 54" BASE: 10" Round BULB: LED SWITCH: On Socket SHADE: 10" CORD: 10' Black

#### LED SPECIFICATIONS

PFLED							
CRI Watts Lumens CCT Lifetime							
85	5	320	3500K	30,000 hrs			





### Incandescent

#### → PFL-527

FINISH: Black & Satin Nickel

HEIGHT: Maximum 54" BASE: 10" Round BULB: One 60T10

SWITCH: On Socket SHADE: 10" CORD: 10' Black

### LED



#### PFLED-527

FINISH: Black & Satin Nickel HEIGHT: Maximum 54"

BASE: 10" diameter BULB: LED SWITCH: On Shade SHADE: 10" Metal CORD: 10' Black



# **Abington Collection**





#### **→** AB100-AB

FINISH: Antique Brass HEIGHT: Adjusts 36" to 54" BASE: 10" diameter BULB: 150W 3Way SWITCH: On Socket

SHADE: Off White Linen Hardback

10" x 12" x 8"

CORD: 10' Brown



#### AB100-OB

FINISH: Oil Rubbed Bronze HEIGHT: Adjusts 36" to 54" BASE: 10<sup>ii</sup> diameter BULB: 150W 3Way SWITCH: On Socket

SHADE: Off White Linen Hardback

10" x 12" x 8"

CORD: 10' Brown



#### **AD425-SN**

FINISH: Satin Nickel
ARM: Extends 271/4"
BACKPLATE: 5" Diameter
BULB: 75W Type A
SWITCH: On Socket
SHADE: 5" x 8"
CORD: 10' Clear/Silver
30" Cord cover





#### AD425-AB

FINISH: Antique Brass
ARM: Extends 27 1/4"
BACKPLATE: 5" Diameter
BULB: 75W Type A
SWITCH: On Socket
SHADE: 5" x 8"
CORD: 10' Clear/Silver

30" Cord cover



#### **←** AD425-OB

FINISH: Oil Rubbed Bronze
ARM: Extends 271/4"

BACKPLATE: 5" Diameter
BULB: 75W Type A
SWITCH: On Socket
SHADE: 5" x 8"
CORD: 10' Clear/Silver
30" Cord cover





#### → AD450-OB FINISH: Oil Rubbed

FINISH: Oil Rubbed Bronze

HEIGHT: 24" to 32"

ARM: Extends 16¼"

BASE: 8" diameter

BULB: 75W Type A

SWITCH: On Socket

SHADE: 5" x 8"

CORD: 10' Brown

### TABLE/FLOOR LAMPS



# Cambridge Collection





# Club Collection



### WALL/TABLE LAMPS

# Club Collection



### TABLE/FLOOR LAMPS

# FINISH: Oil Rubbed Bronze HEIGHT: Adjusts 46" to 70" BASE: 10" Diameter BULB: One 100W 3-way SWITCH: On Socket SHADE: Off-white Softback 6 ½" x 13" x 10" CORD: 10' Brown TABLE: 12" Diameter Height 24"

CL202-OB



#### **↑** CL202–AS

FINISH: Antique Silver HEIGHT: Adjusts 46" to 70" BASE: 10" Diameter BULB: 100W 3-way

SWITCH: On Socket SHADE: White Softback

 $6\frac{1}{2}$ " x 13" x 10" CORD: 10' Clear

TABLE: 12" Diameter Height 24"

#### ↑ CL202–AB

FINISH: Antique Brass
HEIGHT: Adjusts 46" to 70"
BASE: 10" Diameter
BULB: One 100W 3–way
SWITCH: On Socket
SHADE: Off–white Softback

SHADE: Off-white Softback 61/2" x 13" x 10"

CORD: 10' Brown TABLE: 12" Diameter Height 24"

### Club Collection



#### **←** CL201-AB

FINISH: Antique Brass
HEIGHT: 45" to 59"
BASE: 12" Round
BULB: One 100W 3-way
SWITCH: On Socket
SHADE: Off-white Softback
6½" x 13" x 10"
CORD: 10' Brown



### FLOOR LAMPS



# **Coach Collection**





#### **CH850-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 301/411

BASE: 8" Diameter

BULB: One 150W 3-way

SWITCH: On Socket

CORD: 10' Brown SHADE: Off White Silk

Softback

14" x 15" x 10"





FINISH: Antique Brass HEIGHT: 12 1/2"

BASE: 6" x 4" Rectangle BULB: One 60W Type A

CORD: 10' Gold

SHADE: Off White Hardback (6"x 4") x (10" x 6") x 7"





#### **CH880-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

BASE: 6" x 4" Rectangle

BULB: Two 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Brown

SHADE: Off White Hardback

(4"x 6") x (8" x 6") x 6"



#### **←** CH878-AB

FINISH: Antique Brass

HEIGHT: 12"

BASE: 43/4" Diameter

4"x 6" x 6"

BULB: One 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Gold SHADE: White Hardback





#### **←** CH875-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 14"

BASE: 51/4" Diameter BULB: One 60W Type A

SWITCH: In-Line

CORD: 10' Brown

SHADE: Off White Hardback

6"x 9" x 7"

### Coach Collection



### FLOOR LAMPS



### **Crown Point Collection**





www.houseoftroy.com

# **Eco Collection**





FINISH: Oil Rubbed Bronze

HEIGHT: 66"

ARM EXT.: 19" Gooseneck BASE: 10" Diameter

BULB: One 150W 3-way and 3W LED SWITCH: On Socket - LED On Column

CORD: 10' Brown

SHADE: Off White Linen Hardback 15" x 17" x 101/2"



Product	CRI	Watts	Lumens	CCT	Lifetime
ECO400s	80	3	220	3000K	30,000 hrs

#### **→** ECO425-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

ARM EXT.: 17" Gooseneck

BACKPLATE: 5" x 5"

BULB: One 100W 3-way and 3W LED

SHADE: Off White Linen Hardback 9" x 10" x 91/2"

SWITCH: On Socket

LED On Backplate

CORD: 10' Clear

with 24" Cord Cover





#### **←** ECO425-SN

FINISH: Satin Nickel

HEIGHT: 15"

ARM EXT.: 17" Gooseneck

BACKPLATE: 5"x5"

BULB: One 100W 3-way and 3W

SHADE: White Linen Hardback

9" x 10" x 91/2"

SWITCH: On Socket

LED On Backplate

CORD: 10' Clear

with 24" Cord Cover





Product	CRI	Watts	Lumens	ССТ	Lifetime
ECO425s	80	3	220	3000K	30,000 hrs

# **Eco Collection → ECO425-2-SN** FINISH: Satin Nickel HEIGHT: 15" ARM EXT.: 17" Gooseneck BACKPLATE: 4" x 24" BULB: Two 100W 3-way and Two 3W LED SHADE: White Linen Hardback 9" x 10" x 91/2" SWITCH: On Socket LED On Backplate CORD: 10' Clear with 24" Cord Cover **←** ECO425-2-OB FINISH: Oil Rubbed Bronze HEIGHT: 15" ARM EXT.: 17" Gooseneck BACKPLATE: 4" x 24" BULB: Two 100W 3-way and Two 3W SHADE: Off White Linen Hardback 9" x 10" x $9\frac{1}{2}$ " SWITCH: On Socket LED On Backplate CORD: 10' Clear with 24" Cord Cover

Product	CRI	Watts	Lumens	ССТ	Lifetime
ECO425s	80	3	220	3000K	30,000 hrs

### WALL/TABLE LAMPS



#### **←** ECO450-OB

FINISH: Oil Rubbed Bronze

ARM EXT.: 21"

BASE: 5" Diameter BULB: 3W LED SWITCH: On Base CORD: 10' Clear SHADE: Metal

FD



NOTE: Eco 450 is available as a pin-up only. Convertible for use on table or wall.

#### $\rightarrow$

#### ECO450-SN

FINISH: Satin Nickel ARM EXT.: 21"

BACKPLATE: 5" Diameter BULB: 3W LED SWITCH: On Base CORD: 10' Clear SHADE: Metal



Product	CRI	Watts	Lumens	ССТ	Lifetime
ECO450s	80	3	220	3000K	30,000 hrs

# Generation Collection







SHADE: 6½" x 3¼" x 1½" CORD: 10' Ivory, 30" Cord Cover



### LED



FINISH: Black
EXTENDS: 24½"
BACKPLATE: 5" x 5"
BULB: LED
SWITCH: On SHADE
SHADE: 11¼"
CORD: 10' Ivory
30" Cord Cover





### **↑** G375-CHB

FINISH: Chestnut Bronze

EXTENDS: 24½"

BACKPLATE: 5" x 5"

BULB: LED

SWITCH: On Shade SHADE: 11¼" CORD: 10' Ivory 30" Cord Cover

#### **←** G375-WT

FINISH: White
EXTENDS: 24½"
BACKPLATE: 5" x 5"
BULB: LED
SWITCH: On Shade
SHADE: 11¼"

CORD: 10' White 30" Cord Cover



FINISH: Granite EXTENDS: 24½" BACKPLATE: 5" x 5" BULB: LED SWITCH: On Shade

SHADE: 11<sup>1</sup>/<sub>4</sub>"

CORD: 10<sup>1</sup> Ivory

30" Cord Cover

Product	CRI	Watts	Lumens	ССТ	Lifetime
G300s	85	5	320	3500K	30,000 hrs

# **Generation Collection**



### Halogen

#### **←** G150-GT

FINISH: Granite

HEIGHT: Adjusts 111/2" to 171/2"

BASE: 6" Diameter

BULB: One 50W GU10

(Included)

SWITCH: Full Range Dimmer

On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Black



(Included) SWITCH: Full Range Dimmer

On Socket

SHADE: 6 1/2" x 3 1/4" x 1 1/2"

CORD: 10' Brown





#### G150-WT

FINISH: White

HEIGHT: Adjusts 111/2" to

171/2"

BASE: 6" Diameter BULB: One 50W GU10

(Included)

SWITCH: Full Range Dimmer

On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' White



### **Incandescent**



#### G250-CHB

FINISH: Chestnut Bronze

HEIGHT: 251/2"

BASE: 6" diameter

BVLB: One 100W Type A
SWITCH: Full Range Dimmer
On Socket
SHADE: Off-White Linen Hardback
8½" x 11½" x 9"

CORD 10<sup>1</sup> Brown



#### → G250-GT

FINISH: Granite

HEIGHT: 251/2"

BASE: 6" Diameter

BULB: One 100W Type A SWITCH: Full Range Dimmer On Socket

SHADE: White Linen Hardback 8½" x 11½" x 9"

CORD 10' Black



# **Generation Collection**



#### **←** G350-BLK

FINISH: Black HEIGHT: Adjusts from 11" to 22" BASE: 6" x 7 1/4"

BULB: LED SWITCH: On Shade

SHADE: 11<sup>1</sup>/<sub>4</sub>" CORD: 10' Black





#### → G350-GT

FINISH: Granite

HEIGHT: Adjusts from 11" to 22"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade

SHADE: 11 ¼" CORD: 10' Black



### 

#### **G350-CHB**

FINISH: Chestnut Bronze

HEIGHT: Adjusts from 11" to 22"

BASE: 6" x 71/4" BULB: LED SWITCH: On Shade

SHADE: 111/4"

CORD: 10' Brown

#### → G350-WT

FINISH: White

HEIGHT: Adjusts from 11"

to 22"

BASE: 6" x 71/4"

BULB: LED

SWITCH: On Shade

SHADE: 111/4"

CORD: 10' White

Product	CRI	Watts	Lumens	ССТ	Lifetime
G300s	85	5	320	3500K	30,000 hrs



# Halogen





#### G100-GT

FINISH: Granite

HEIGHT: Adjusts 321/2" to 45" BASE: 10" Diameter

BULB: One 50W GU10 (Included)

SWITCH: Full Range Dimmer On Socket

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Black



# **Generation Collection**

### Incandescent





#### **→** G200-CHB

FINISH: Chestnut Bronze
HEIGHT: Adjusts 47" to 60"
ARM: Extends 9½"
BASE: 10" Diameter
BULB: One 150W Type A
SWITCH: Full Range Dimmer
On Socket

SHADE: Off-white Linen 11" x 13" x 9" CORD: 10' Brown

### **FLOOR LAMPS**




# **Generation Collection**









FINISH: Black

HEIGHT: Adjusts 37" to 461/2"

BASE: 8 1/2" x 10 1/2"

BULB: LED

SWITCH: On Shades

SHADE: 111/4" Metal

CORD: 10' Black



Product	CRI	Watts	Lumens	ССТ	Lifetime
G300s	85	5	320	3500K	30,000 hrs



#### G300-2-CHB

FINISH: Chestnut Bronze HEIGHT: Adjusts 37" to 461/2"

BASE: 8½" x 10½"

BULB: LED

SWITCH: On Shades

SHADE: 111/4" Metal

CORD: 10' Brown



### www.houseoftroy.com

G300s

85

5

320

3500K

30,000 hrs


FINISH: Granite

HEIGHT: Adjusts 37" to 461/2"
BASE: 81/2" x 101/2"
BULB: LED
SWITCH: On Shades
SHADE: 111/4" Metal
CORD: 101 Brown

# Home/Office Collection







#### → W\$12-51-J


FINISH: Satin Brass

HEIGHT: 5"

ARM: Extends 16"
BACKPLATE: 5" Round
BULB: One 100W Type A

SWITCH: On-off On Socket SHADE: 8<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>" CORD: 10<sup>1</sup> cord





#### **→ WS12-71-J**

FINISH: Antique Brass

HEIGHT: 5"

ARM: Extends 16" BACKPLATE: 5" Round

> BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 8<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>"

CORD: 10' ivory, 30" Cord Cover

#### → WS12-91-J

FINISH: Oil Rubbed Bronze

HEIGHT: 5"

ARM: Extends 16" BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket

SHADE: 83/4" x 33/4"

CORD: 101 ivory, 3011 Cord Cover





### **♦** WS12-61-J

FINISH: Polished Brass

HEIGHT: 5"

ARM: Extends 16" BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 83/4" x 33/4"

CORD: 10' ivory, 30" Cord Cover



ARM: Extends 16" BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 8<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>"

CORD: 10' ivory, 30" Cord Cover

# Home/Office Collection





### Home/Office Collection





### WS14-2-52

FINISH: Satin Nickel

HEIGHT: 11"

ARM: Extends 19"

BACKPLATE: 18" x 41/8" x 5/8"

BULB: Two 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

Attaches with acrylic diffuser  $6\frac{1}{2}$ " x 12" x 7"

CORD: 11' Ivory, 30" Cord Cover



#### WS14-2-91

FINISH: Oil Rubbed Bronze

HEIGHT: 11"

ARM: Extends 19"

BACKPLATE: 18" x 41/8" x 5/8"

BULB: Two 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

Attaches with acrylic diffuser

6½" x 12" x 7"

CORD: 11' Ivory, 30" Cord Cover



### WALL/TABLE/FLOOR LAMPS



### Home/Office Collection





### PH100-91-J

FINISH: Oil Rubbed Bronze HEIGHT: Adjusts 34" to 48" BASE: 101/2" Round BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 8 1/8" x 3 3/4"

CORD: 10' Brown

BASE:  $10^{1/2}$ <sup>II</sup> Round BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 8 1/8" x 3 3/4" CORD: 10' Brown

FINISH: Satin Brass



PH100-71-F
FINISH: Antique Brass
HEIGHT: Adjusts 34" to 48"
BASE: 10 ½" Round
BULB: One 60T-10
SWITCH: On-off On Socket

SHADE: 10" x 2" CORD: 10' Brown



### Home/Office Collection



# HYDE PARK COLLECTION

### Hyde Park Collection

### FLOOR/WALL LAMPS

★ HP775-OB-OG FINISH: Oil Rubbed Bronze

BULB: One 60W Type A SWITCH: Full Range Dimmer on Backplate SHADE: Opal Glass 2" x 5¾" x 7" CORD: 10' Ivory, 30" Cord Cover

HEIGHT: 11" BACKPLATE: 5" Round



### HP775-WB-AG

FINISH: Weathered Brass

HEIGHT: 11" BACKPLATE: 5" Round

BULB: One 60W Type A SWITCH: Full Range Dimmer

on Backplate

SHADE: Art Glass  $2" \times 5\frac{3}{4}" \times 7"$ 

CORD: 101 Ivory, 3011 Cord

Cover



### → HP775-WB-OG

FINISH: Weathered Brass

HEIGHT: 11"

BACKPLATE: 5" Round BULB: One 60W Type A

SWITCH: Full Range Dimmer on

Backplate

SHADE: Opal Glass

 $2^{1} \times 5^{3/4} \times 7^{111}$ 

CORD: 10' Ivory, 30" Cord Cover

→ HP775-OB-AG

FINISH: Oil Rubbed Bronze

HEIGHT: 11"

BACKPLATE: 5" Round

BULB: One 60W Type A


SWITCH: Full Range Dimmer

on Backplate

SHADE: Art Glass

2" x 5<sup>3</sup>/<sub>4</sub>" x 7"

CORD: 10' Ivory, 30" Cord Cover



# Hyde Park Collection



FINISH: Oil Rubbed Bronze

HEIGHT: 10"

ARM: 14" BACKPLATE: 5" Round

BULB: One 60W Type A SWITCH: Full-range Dimmer on

Backplate

SHADE: Art Glass 2" x 53/4" x 7" CORD: 10' Ivory, 30" Cord Cover



FINISH: Weathered Brass

HEIGHT: 10"

ARM: 14"

BACKPLATE: 5" Round BULB: One 60W Type A

SWITCH: Full-range Dimmer on Backplate

SHADE: Art Glass 2" x 53/4" x 7" CORD: 10' Ivory, 30" Cord Cover



HEIGHT: 10"

ARM: 14"

BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate

SHADE: Metal 5" x 7 1/2" x 6 1/4 CORD: 10' Ivory, 30" Cord Cover



### HP725-OB-MSOB

FINISH: Oil Rubbed Bronze

HEIGHT: 10"

ARM: 14"

BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate

SHADE: Metal 5" x 7 1/2" x 6 1/4 CORD: 101 Ivory, 3011 Cord Cover

### WALL LAMPS



HP725-WB-BP

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14"

BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x7" CORD: 10' ivory, 30" Cord Cover



FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate

SHADE: Off-white Linen Hardback 5" x 9" x 7"

CORD: 10' Ivory, 30" Cord Cover



### HP725-WB-WL

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Off-white Linen Hardback 5" x 9" x 7"

CORD: 10' Ivory, 30" Cord Cover



FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x 7" CORD: 10' Ivory, 30" Cord Cover

# Hyde Park Collection

#### → HP750-OB-MSOB

FINISH: Oil Rubbed Bronze

HEIGHT: 26"

BASE: 7" Round

BULB: One 100W Type A SWITCH: Full Range Dimmer

on base

SHADE: Metal

5" x 7½" x 6¼"

CORD: 10' Brown





#### **←** HP750-WB-MSWB

FINISH: Weathered Brass

HEIGHT: 26"

BASE: 7" Round

BULB: One 100W Type A

SWITCH: Full Range Dimmer

on base

SHADE: Metal

5" x 71/2" x 61/4"

### **TABLE LAMPS**



# Hyde Park Collection



### FLOOR LAMPS



### **Lancaster Collection**







L850-SN FINISH: Satin Nickel HEIGHT: 31<sup>3</sup>/<sub>4</sub>" BASE: 8" Round

BULB: One 150W 3-Way, Three 75W Type A

SHADE: White Linen Hardback Drum 14" x 16" x 10 ½"

SWITCH: On Column

CORD: 10' Clear



# Library Lamps

#### → PL16-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 5" ARM: 11½"

BACKPLATE: 5" Diameter

BULB: Two 60T10

SWITCH: Full-range Dimmer on Backplate

SHADE: 16"

CORD: 101 ivory, 3011 Cord Cover



### **←** PL16-WB

FINISH: Weathered Brass

HEIGHT: 5" ARM: 11½"

BACKPLATE: 5" Diameter BULB: Two 60T10

SWITCH: Full-range Dimmer

on Backplate

SHADE: 16"

CORD: 10' ivory, 30" Cord Cover



FINISH: Weathered Brass

HEIGHT: 2¾" ARM: 11 ½"

BACKPLATE: 23/4" x 41/2"

BULB: One 60T10 SWITCH: On Shade

SHADE: 10"





**DL10** lamps are direct wire only using a 2"x 4" horizontal box.

#### **←** DL10-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 23/4"

ARM: 111/2"

BACKPLATE: 23/4" x 41/2"

BULB: One 60T10 SWITCH: On Shade

SHADE: 10"





### Library Lamps



FINISH: Antique Brass

HEIGHT: 13"

ARM: Extends 111/2" BACKPLATE: 13/4" x 3 1/2"

BULB: One 60W

Medium Base

SWITCH: On Socket

SHADE: Off-white Softback 5" x 10" x 6 3/4"

CORD: 11' Clear/Silver,

30" Cord Cover





#### → LL660-SN

FINISH: Satin Nickel

HEIGHT: 13"

ARM: Extends 11 1/2"

BACKPLATE: 13/4" x 31/2"

BULB: One 60W

Medium Base

SWITCH: On Socket

SHADE: White Softback 5" x 10" x 63/4"

CORD: 11' Clear/Silver, 30" Cord Cover



**LL660** lamps are pin-up only



#### **←** LL660-PB

FINISH: Polished Brass

HEIGHT: 13"

ARM: Extends 11 1/2" BACKPLATE: 13/4" x 3 1/2"

BULB: One 60W Medium

Base

SWITCH: On Socket

SHADE: Off-white Softback

5" x 10" x 6 3/4"

CORD: 11' Clear/Silver, 30" Cord Cover

### LL662A and LL663 lamps are pin-up only

**LL663-AB** FINISH: Antique Brass

HEIGHT: 20"

ARM: 93/4"


BULB: One 60 Watt Medium

Base

SWITCH: On Socket

SHADE: Off-white Softback 4" x 11" x 7½"

CORD: 11' Clear/Silver





### LL660-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 13"

ARM: Extends 111/2" BACKPLATE: 13/4" x 3 1/2"

BULB: One 60W Medium Base

SWITCH: On Socket

SHADE: Off-white Softback 5" x 10" x 63/4" CORD: 11' Clear/Silver, 30" Cord Cover




# Marquis Collection



### **Newport Collection**



# **Newport Collection**



### N653-AB

FINISH: Antique Brass HEIGHT: 301/4" BASE: 9" Round BULBS: One 100W 3-way

SWITCH: On Socket SHADE: Off-white Softback  $10^{\circ} \times 18^{\circ} \times 10^{\circ}$ / $^{\circ}$ 

CORD: 10' Brown



#### N653-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 301/4" BASE: 9" Round BULBS: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Softback 10" x 18" x 101/4"

### **TABLE LAMPS**



www.houseoftroy.com

# **Newport Collection**



### FLOOR LAMPS

### N602-AB

FINISH: Antique Brass

HEIGHT: 55¾ "

BASE: 12" Round

BULB: One 150W 3-way

SWITCH: On Socket

SHADE: Off-white Softback 12" x 19" x 12"

CORD: 10' Brown

TABLE: 17" Diameter

Table Height 24"





### **←** N602-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 55¾ "

BASE: 12" Round

BULB: One 150W 3-way

SWITCH: On Socket

SHADE: Off-white Softback 12" x 19" x 12"

CORD: 10' Brown TABLE: 17" Diameter

Table Height 24"

# **Newport Collection**



### FLOOR LAMPS





### N604-AB

FINISH: Antique Brass

HEIGHT: 61"

BASE: 12" Round

BULB: One 150W 3-way

SWITCH: On Socket

SHADE: Off-white Softback 10" x 18" x 10 1/2"



# **Newport Collection**





#### **→** N606-AB

FINISH: Antique Brass

HEIGHT: 63"

BASE: 12" Round

BULB: Standard Six-way One150W 3-way Three 75W Single

SWITCH: Top of Column SHADE: Off-white Softback

13" x 19" x 11½"

### FLOOR LAMPS





### N600-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 74¾ "

BASE: 12" Round

BULB: One 150W Type A SWITCH: Floor Dimmer

SHADE: Amber Glass 9" x 11<sup>3</sup>/<sub>4</sub>"

CORD: 10' Brown



### **→** N600-AB

FINISH: Antique Brass HEIGHT: 743/4"

BASE: 12" Round

BULB: One 150W Type A SWITCH: Floor Dimmer

SHADE: Amber Glass 9" x 11<sup>3</sup>/<sub>4</sub>"



### Pinnacle Collection





#### PIN400-OB

FINISH: Oil Rubbed Bronze HEIGHT: Adjusts from 351/2" to 50"

ARM: Extends 21" BASE: 10" diameter

BULB: One 50W GU10 Halogen

(Included)

SWITCH: Full range dimmer on

shade

SHADE: 61/2" x 21/4" CORD: 10' Brown





### **PIN400-SN**

FINISH: Satin Nickel

HEIGHT: Adjusts from 351/2" to 50"

ARM: Extends 21" BASE: 10" diameter

BULB: One 50W GU10 Halogen

(Included)

SWITCH: Full range dimmer on shade

SHADE: 61/2" x 21/4" CORD: 10' Clear



#### PIN400-AB FINISH: Antique Brass

HEIGHT: Adjusts from 351/2" to 50"

ARM: Extends 21" BASE: 10" diameter

BULB: One 50W GU10 Halogen

(Included)

SWITCH: Full range dimmer on shade

SHADE: 61/2" x 21/4" CORD: 10' Clear





### Pinnacle Collection



### TABLE/WALL LAMPS



#### ✓ PIN475-AB

FINISH: Antique Brass
ARM: Extends 23¾"

BACKPLATE: 5" Square
BULB: One 50W GU10
Halogen (Included)

SWITCH: Full range dimmer on shade

SHADE: 6½" x 2¾"

CORD: 10¹ Ivory

30" Cord cover





### Pinnacle Collection



### PIN475-2-AB

FINISH: Antique Brass ARM: Extends 23 3/4" BACKPLATE: 18" x 41/4" rectangle BULB: Two 50W GU10 Halogen (Included)

SWITCH: Full range dimmer on shade

SHADE: 61/2" x 21/4" CORD: 10' Ivory 30" Cord cover






### PIN475-2-OB

FINISH: Oil Rubbed Bronze ARM: Extends 23 3/4" BACKPLATE: 18" x 41/4" rectangle BULB: Two 50W GU10 Halogen (Included) SWITCH: Full range dimmer on shade

SHADE: 61/2" x 21/4"







### PIN475-2-SN

FINISH: Satin Nickel ARM: Extends 23 3/4" BACKPLATE:: 18" x 41/4" rectangle BULB: Two 50W GU10 Halogen

(Included)

SWITCH: Full range dimmer on shade

SHADE: 61/2" x 21/4" CORD: 10' Ivory 30" Cord cover

### Richmond Collection WALL/TABLE/FLOOR LAMPS



### **Richmond Collection**







# **GS725-BR**

FINISH: Brown Gloss with Antique Brass

HEIGHT: 131/2" EXTENDS: 121/2"

BACKPLATE: 6"

BULB: 100W 3 way

SWITCH: On Socket SHADE: 8" x 9" x 8"

Natural Linen Hardback

CORD: 10' clear, 30"

Cord Cover Included



New!



### **GS725-OT**

FINISH: Oatmeal with Oil Rubbed Bronze

HEIGHT: 131/2"

EXTENDS: 121/2" BACKPLATE: 6"

> BULB: 100W 3 way SWITCH: On Socket SHADE: 8" x 9" x 8"

Natural Linen Hardback

CORD: 10' clear, 30"

Cord Cover Included



### **GS725-GM**

BULB: 100W 3-way SWITCH: On Socket SHADE: 8" x 9" x 8"

CORD: 10' Clear, 30"

Cream Linen Hardback

Cord Cover Included

FINISH: Green Matte with Antique Brass

HEIGHT: 131/2" EXTENDS: 121/2"

BACKPLATE: 6"

BULB: 100W 3-way SWITCH: On Socket SHADE: 8" x 9" x 8"

Cream Linen Hardback

CORD: 10' Clear, 30"

Cord Cover Included



Available in Direct Wire Only

# New!

### ➤ GS775-SNGG

FINISH: Satin Nickel with Gray Gloss

HEIGHT:  $14\frac{1}{2}$ " EXTENDS:  $7\frac{3}{4}$ " BACKPLATE: 6"

BULB: One 60B10 SHADE: 41/2" x 41/2" x 6"

Cream Linen Hardback



# → GS775-SNBG

FINISH: Satin Nickel with Blue Gloss

HEIGHT: 14½" EXTENDS: 7¾" BACKPLATE: 6"

> BULB: One 60B10 SHADE: 4½" x 4½" x 6" Cream Linen

Hardback





# ► GS775-ABOT

FINISH: Antique Brass with

Oatmeal
HEIGHT: 14½"
EXTENDS: 7¾"
BACKPLATE: 6"

BULB: One 60B10 SHADE: 41/2" x 41/2" x 6"

Cream Linen Hardback

•

# **-**

# GS775-SNBM

FINISH: Satin Nickel with Black Matte

HEIGHT: 14½" EXTENDS: 7¾" BACKPLATE: 6"

BULB: One 60B10 SHADE: 4½" x 4½" x 6"

Cream Linen Hardback



### **GS775-2-SNBM**

FINISH: Satin Nickel with Black

HEIGHT: 141/2" EXTENDS: 7¾" BACKPLATE: 6"

BULB: Two 60B10 SHADES: 41/2" x 41/2" x 6"

Cream Linen Hardback






# **GS775-2-ABOT**


FINISH: Antique Brass with Oatmeal

HEIGHT: 141/2" EXTENDS: 7¾" BACKPLATE: 6"

BULB: Two 60B10 SHADES: 41/2" x 41/2" x 6"







Satin Nickel with FINISH: Blue Gloss

HEIGHT: 141/2" EXTENDS: 7¾" BACKPLATE: 6"

> BULB: Two 60B10 SHADES: 41/2" x 41/2" x 6"

Cream Linen Hardback



# **GS775-2-SNGG**

FINISH: Satin Nickel with Gray Gloss

HEIGHT: 141/2"

EXTENDS: 7¾" BACKPLATE: 6"

BULB: Two 60B10 SHADES: 41/2" x 41/2" x 6" Cream Linen Hardback














# GS101 Specifications BULB: 150W 3 Way SWITCH: On Socket

SHADE: Off White

Linen Hardback 13" x 15" x 11"

CORD: 10' Silver













# TABLE LAMPS










Glaze: Blue Gloss (BG)

# Specifications




# **GS200**

BULB: 100W 3-Way SWITCH: On Socket SHADE: 5" x 13" x 10"

Cream Linen Hardback


CORD: 10' Clear



# **GS300**

BULB: 100W 3-Way SWITCH: On Socket SHADE: 5" x 17" x 12" Cream Linen Hardback

CORD: 10' Clear



# **GS400**

Bulb: 250W 3-Way SWITCH: On Socket SHADE: 7" x 20" x 14"

Cream Linen Hardback

CORD: 10' Clear



Available Glazes: GS 200, GS300, GS400 series



# TABLE LAMPS









# TABLE LAMPS



# New! GS500-SNBM FINISH: Black Matte with Satin Nickel HEIGHT: 61" BASE: 103/4" Round BULB: One 250W 3-Way SWITCH: On Socket SHADE: 15" x 17" x 12" Cream Linen Hardback CORD: 10' Black **GS500-WABR** FINISH: Brown Gloss with Walnut Hardwood HEIGHT: 61" BASE: 103/4" Round BULB: One 250W 3-Way SWITCH: On Socket SHADE: 15" x 17" x 12" Cream Linen Hardback CORD: 10' Brown



# ← GS500-OBDR

FINISH: Decorated Red with Oil

Rubbed Bronze

HEIGHT: 61"

BASE: 10<sup>3</sup>/<sub>4</sub>" Round BULB: One 250W 3-Way

SWITCH: On Socket

SHADE: 15" x 17" x 12" Cream Linen Hardback

CORD: 10' Brown

# **Shelburne Collection**

# **TABLE LAMPS**



# DSK430-MB

FINISH: Oil Rubbed Bronze

& Black and Tan Marble

HEIGHT: 13 3/4"

BASE: 5" Square BULB: One 60T10

SHADE: 9" Amber Glass

CORD: 91 Brown





# **SLED Task Series**









CCT

3000K

Watts

Lumens

320

Lifetime

30,000 hrs







# **SLED Task Series**





### SLED500-SN

FINISH: Satin Nickel HEIGHT: Adjustable 38-47"

EXTENDS: 24 1/2" BASE: 10" BULB: LED SWITCH: On Shade SHADE: 141/2" CORD: 10' Clear

CRI	ССТ	Watts	Lumens	Lifetime
85	3000K	5	320	30,000 hrs

# Town House Collection FLOOR/TABLE LAMPS





10" x 12" x 9" CORD: 10' Brown



# Town House Collection



# TABLE/WALL LAMPS



# **Town House Collection**



# → TH701-PN

FINISH: Polished Nickel HEIGHT: Adjusts 46" to 58 " BASE: 10" Round

BULB: One 100W 3-way SWITCH: On Socket SHADE: Off White

Linen Hardback





# **TH701-RB**

FINISH: Raw Brass

HEIGHT: Adjusts 46" to 58"

BASE: 10<sup>ii</sup> Round

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off White

Linen Hardback 10" x 13"x 10½"

CORD: 10' Brown

FINISH: Oil Rubbed Bronze

HEIGHT: Adjusts 46" to 58" BASE: 10" Round

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off White

Linen Hardback 10" x 13"x 101/2"

CORD: 10' Brown

# FLOOR LAMPS



# **Tripod Collection**

# **TR201-AB**

FINISH: Antique Brass HEIGHT: Adjusts 46" to 60" BASE: 24" diameter BULB: 150W 3 Way SWITCH: On Socket

SHADE: Off White Linen Hardback 16" x 18 x 11"

CORD: 10' Brown





# TR202-AB FINISH: Antique Brass HEIGHT: Adjusts 46" to 60" Table Height 24" BASE: 24" diameter BULB: 150W 3 Way SWITCH: On Socket SHADE: Off White Linen Hardback 16" x 18 x 11" CORD: 10" Brown

# FLOOR/TABLE LAMPS

# ← TR250-AB

FINISH: Antique Brass
HEIGHT: Adjusts 27" to 32"
BASE: 12" diameter
BULB: 150W 3 Way
SWITCH: On Socket

SHADE: Off White Linen Hardback

11" x 13 x 10"

CORD: 10' Brown



### **→ TR202-SN**

FINISH: Satin Nickel HEIGHT: Adjusts 46" to 60"

Table Height 24"

BASE: 24" diameter BULB: 150W 3 Way

SWITCH: On Socket SHADE: White Linen

Hardback

16" x 18 x 11" Linen Hardback

CORD: 10' Silver

# **↑** TR250-SN

FINISH: Satin Nickel HEIGHT: Adjusts 27" to 32"

BASE: 12<sup>st</sup> diameter BULB: 150W 3 Way

SWITCH: On Socket SHADE: White Linen Hardback

11" x 13 x 10"

CORD: 10' Silver

# **Tripod Counterbalance**



### **←** TR275-OB

FINISH: Oil Rubbed Bronze and

Walnut Finished Hardwood

HEIGHT: Adjusts 40" to 64"

ARM EXT.: 32"

BASE: 24" diameter BULB: 100W TypeA SWITCH: On Shade CORD: 10' Brown



### **TR275-AB**

FINISH: Antique Brass and Walnut Finished Hardwood

HEIGHT: Adjusts 40" to 64"

ARM EXT.: 32"

BASE: 24" diameter BULB: 100W TypeA SWITCH: On Shade CORD: 10' Brown

# Vergennes Collection

# FLOOR/TABLE LAMPS





# VG450-AB

FINISH: Antique Brass

HEIGHT: 30"

BASE: 5½"
BULB: One 100W 3-way

SWITCH: On Socket

WITCH: OII SOCKEL

SHADE: Off White

Monaco Pleat Soft Back

6" x 12" x 101/2"

CORD: 10' Brown

# **Vermont Hardwood Collection**



# **TABLE LAMPS**





# VH250A-SN

FINISH: Hardwood with Satin Nickel

HEIGHT: 22"

BASE: 103/4" x 4" BULB: 100W Three Way

SWITCH: On Socket

SHADE: Off White Linen Hardback

6" x 12" x 9" x 16" x 101/2"

CORD: 10' Brown



# VH250A-AB

FINISH: Hardwood with Antique Brass

HEIGHT: 22"

BASE: 103/4" x 4"

BULB: 100W Three Way

SWITCH: On Socket

SHADE: Off White Linen Hardback

6" x 12" x 9" x 16" x 101/2"

CORD: 10' Brown



**←** VH250A-OB

FINISH: Hardwood

with Oil Rubbed Bronze

HEIGHT: 22"

BASE: 103/4" x 4"

BULB: 100W Three Way

SWITCH: On Socket

SHADE: Off White Linen Hardback 6" x 12" x 9" x 16" x 10½"

CORD: 10' Brown



www.houseoftroy.com

# Wall Sconces



### **←** GR900-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 11" EXTENDS:: 83/4 BACKPLATE: 3 1/4" x 5" BULB: One 60W B10

SWITCH: In-line, 19" from Backplate

SHADE: Off White Linen Hardback

4" x 71/4" x 6"

CORD: 10' Clear/Silver



FINISH: Antique Brass

HEIGHT: 11" EXTENDS: 83/4 BACKPLATE: 3 1/4" x 5" BULB: One 60W B10

> SWITCH: In-line, 19" from Backplate SHADE: Off White Linen Hardback

 $4" \times 7 \frac{1}{4}" \times 6"$ CORD: 10' Clear/Silver



FINISH: Antique Brass

HEIGHT: 12" EXTENDS: 91/2" BACKPLATE: 2" x 4"

> BULB: One 75W Type A SWITCH: In-line, 19" from Backplate

SHADE: Off White Linen Hardback

5" x 8' X 7" CORD: 10' Clear/Silver



### **GR902-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 12" EXTENDS: 91/2" BACKPLATE: 2" x 4"

BULB: One 75W Type A

SWITCH: In-line

SHADE: Off White Linen Hardback

5" x 8' X 7" CORD: 10' Clear/Silver

GR901-GR902 lamps are pin-up only





# **←** GR901-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 13" EXTENDS: 111/4"

BACKPLATE: 51/411 Diameter

BULB: One 75W Type A SWITCH: In-line, 19" from

Backplate
SHADE: Off White Linen

Hardback  $6" \times 9" \times 7"$ 

CORD: 10' Clear/Silver



# Wall Sconces

# New!





# **LS204-SP**

FINISH: Satin Pewter

HEIGHT: 15"

EXTENDS: 6"

BACKPLATE: 4 1/2" x 6"

BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6"

White Linen Hardback



### **←** LS204-AB

FINISH: Antique Brass

HEIGHT: 15"

EXTENDS: 6" BACKPLATE: 4 1/2" x 6"


BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6"

Cream Linen

Hardback









# **LS204-MB**

FINISH: Mahogany Bronze HEIGHT: 15"

EXTENDS: 6"

BACKPLATE: 4 1/2" x 6" BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6"

Natural Linen Hardback



# **LS207-MB**

FINISH: Mahogany Bronze

HEIGHT: 16"

EXTENDS: 6 1/2" BACKPLATE: 6"

BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6"

Natural Linen Hardback

#### WALL SCONCES

New!





#### LS205-MB

FINISH: Mahogany Bronze HEIGHT: 16"

EXTENDS: 6.5" BACKPLATE: 6" BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6"

Natural Linen Hardback



White Linen Hardback



#### **LS207-AB**

FINISH: Antique Brass HEIGHT: 16"

EXTENDS: 6 1/2" BACKPLATE: 6" BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6" Cream Linen

Hardback



#### **LS205-AB**

FINISH: Antique Brass HEIGHT: 16" EXTENDS: 6.5"

BACKPLATE: 6" BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6" Cream Linen

Hardback



FINISH: Satin Pewter HEIGHT: 16" EXTENDS: 6 1/2" BACKPLATE: 6"

BULB: 60B10

SHADE: 4 1/2" x 4 1/2" x 6" White Linen Hardback

# Wall Sconces

#### **←** LS202- MB

FINISH: Mahogany Bronze

HEIGHT: 17" EXTENDS: 7" BACKPLATE: 6" BULB: 60B10

SHADE: 4" x 6" x 6"

Natural Linen Hardback







#### LS202- SP

FINISH: Satin Pewter HEIGHT: 17" EXTENDS: 7"

BACKPLATE: 6" BULB: 60B10 SHADE: 4" x 6" x 6"

White Linen Hardback



#### LS202- AB

FINISH: Antique Brass HEIGHT: 17" EXTENDS: 7" BACKPLATE: 6"

SHADE: 4" x 6" x 6"

BULB: 60B10





#### **→ LS217-MB**

FINISH: Mahogany Bronze

HEIGHT: 111/2" EXTENDS: 8" BACKPLATE: 7" x 5" BULB: 60B10 SHADE: 4" x 6" x 6"

Natural Linen Hardback





#### **LS217-AB**

FINISH: Antique Brass HEIGHT: 111/2" EXTENDS: 8" BACKPLATE: 7" x 5" BULB: 60B10 SHADE: 4" x 6" x 6"

Cream Linen Hardback





#### **←** LS217-SP

Hardback

FINISH: Satin Pewter HEIGHT: 111/2" EXTENDS: 8" BACKPLATE: 7" x 5" BULB: 60B10 SHADE: 4" x 6" x 6" White Linen

#### WALL SCONCES

#### **LS201-MB**

FINISH: Mahogany Bronze







#### **LS201-SP**

FINISH: Satin Pewter

HEIGHT: 9" EXTENDS: 4" BACKPLATE: 9" x 5" BULB: 60B10

SHADE: 61/2" x 2" x 11/2" Clear Hurricane

Glass





#### **LS201-AB**

FINISH: Antique Brass

HEIGHT: 9" EXTENDS: 4" BACKPLATE: 9" x 5" BULB: 60B10 SHADE: 61/2" x 2" x 11/2"

Clear Hurricane

Glass



# New!



#### LS206-SP

FINISH: Satin Pewter

HEIGHT: 9" EXTENDS: 4" BACK PLATE: 9" x 5" BULB: 60B10 SHADE: 6" x 3"

Clear Seedy Glass

Cylinder







#### **←** LS206-MB

FINISH: Mahogany Bronze

HEIGHT: 9" EXTENDS: 4" BACK PLATE: 9" x 5" BULB: 60B10 SHADE: 6" x 3"

Clear Seedy Glass Cylinder




#### **LS206-AB**

FINISH: Antique Brass HEIGHT: 9"

EXTENDS: 4" BACK PLATE: 9" x 5" BULB: 60B10

SHADE: 6" x 3"
Clear Seedy Glass

Cylinder



# Wall Sconces





Cover plate provided for standard junction box when necessary.

# 

#### **WL601-OB**

FINISH: Oil Rubbed Bronze HEIGHT: 10¼" BACKPLATE: 2¾" x 4¾"

BULB: One 60T10 SHADE: Amber Glass 7<sup>3</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>"



#### WL601-PC

FINISH: Polished Chrome HEIGHT: 101/4" BACKPLATE: 23/8" x 43/8" BULB: One 60T10

SHADE: White Glass 73/4" x 17/8"







# Wall Swing Lamps







#### WS760-AS

FINISH: Antique Silver ARM: Extends 24" BACK PLATE: 4½" x 6" rectangle BULB: One 100W Type A SWITCH: On Socket

SHADE: White Pleat Softback 6½" x 13" x 10"

CORD: 10' Clear/Silver

30" Cord cover



#### **WS760-OB**

FINISH: Oil Rubbed Bronze ARM: Extends 24" BACK PLATE: 4½" x 6" rectangle BULB: One 100W Type A

SWITCH: On Socket SHADE: Off-white Pleat

Softback

6½" x 13" x 10"

CORD: 10' Clear/Silver

30" Cord cover



# Wall Swing Lamps



#### WALL SWING LAMPS



# Wall Swing Lamps



#### WALL SWING LAMPS





#### W\$752-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 14"

ARM: Extends 19"

BACKPLATE: 4<sup>3</sup>/<sub>4</sub>" x 4<sup>3</sup>/<sub>4</sub>"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

8" x 9" x 8"

CORD: 11' Clear/Silver,

30" cord cover





#### **★** WS752-AB

FINISH: Antique Brass

HEIGHT: 14"

ARM: Extends19"

BACKPLATE: 43/4" x 43/4"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen

Hardback 8" x 9" x 8"

CORD: 11' Clear/Silver,

30" cord cover



# Wall Swing Lamps



#### **WS750-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

ARM: Extends 19" BACKPLATE: 5" x 6"

> BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen Hardback

6" x 11" x 8"

CORD: 11' Clear/Silver, 30" cord cover



SWITCH: On Socket SHADE: Off-white Linen Hardback 6" x 11" x 8" CORD: 11' Clear/Silver, 30" cord cover



FINISH: Antique Silver

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 5" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

6" x 11" x 8"

CORD: 11' Clear/Silver,

30" cord cover

#### WALL SWING LAMPS





#### **WS751-OB**

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

6" x 9" x 8 ½"

CORD: 11' Clear/Silver,

30" cord cover



SWITCH: On Socket

SHADE: Off-white Linen Hardback

 $6"\ x\ 9"\ x\ 8\ 1\!/\!_2"$ 

30" cord cover

CORD: 11' Clear/Silver,



#### WS751-AS

FINISH: Antique Silver

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

 $6^{\shortparallel} \times 9^{\shortparallel} \times 8 \, 1 \! / \! \! 2^{\shortparallel}$ 

CORD: 11' Clear/Silver, 30" cord cover



# Wall Swing Lamps



# Ask yourself the following questions when choosing your picture light.

#### 1. How will I power this light?



Direct Wire p. 159




Plug In p. 158



Battery Operated p. 162

#### 2. What style of shade goes with my frame or decor?



#### 3. What type of light source should I use?



Incandescent Warm yellow light 2700K **EFFICIENT** p. 158



Fluorescent Warm white light 3500K **MORE EFFICIENT** p. 164



Solid State LED Warm White 2700-3500K **VERY EFFICIENT** p. 171

#### 4. What size picture light is best?





Measure the image (inside frame). Shade size depends on style:

CLASSIC CONTEMPORARY
Shade width equals half of image.
p. 158 CONTEMPORARY
Shade width equals two-thirds of image.
p. 169

#### 5. What finish should I choose?






Choose finish to match frame. p. 188




Or match room décor.

# Traditional Incandescent



# Traditional Incandescent Direct Wire




DT36" shade five 25 or 40T10F bulbs Backplate: 4" x 26"



TLED14-71

# **Features**




12.5 Watts, 530 Lumen LED


# Traditional LED Direct Wire DTLED24-61

#### Benefits of LED


- No UV or IR
- Long Life: 30,000 Hours
- 2700K Warm White LED
- 80 CRI
- Dimmable to 10% with Universal Electronic Dimmer








#### **Features**




# **Specifications**



Direct Wire<sup>™</sup> Picture Lights are designed to mount over standard 2" x 4", 4" x 4" or octagonal boxes.

## **Finishes**



**DTLED36**" shade 12.5 Watts, 530 Lumen LED Backplate: 4" x 26"

# Traditional LED Battery Operated






# Benefits of LED


- No UV or IR
- LED Life 30,000 Hours
- Battery Life 36-48 Hours
- 3000K Warm White
- 75 CRI

#### BTLED14-51

# **Features**




# **Specifications**



# Finishes




#### SIZE SELECTION GUIDE





BTLED24" shade 3.2 Watt, 88 Lumen LED Backplate: 4½" x 3½"

# Contemporary Incandescent




# Contemporary Incandescent Direct Wire






# Hyde Park Incandescent




# Richardson Reflector Incandescent



# Oxford Incandescent Direct Wire/Plug In




# **Specifications**



# Oxford LED Direct Wire




#### **Features**




## Benefits of LED

- No UV or IR
- Long Life: 30,000 Hours
- 2700K Warm White LED
- 80 CRI
- **Dimmable** to 10% with Universal Electronic Dimmer


## **Finishes**



# **Specifications**




# Slim-Line™ Incandescent



Non stocked lamps available with three arms in 64" and 84" lengths.

# Slim-line™ Incandescent Direct Wire



#### Slim-Line™ LED **SLED43-91** New! Benefits of LED ■ No UV or IR ■ Energy Efficient **Features** ■ LED Life: 30,000 Hours ■ 3000K Warm White Output 83/411 ■ 85 CRI **SLED-RD** Optimal Remote Control Dimmer (sold separately) 71/2" SLED43-CSII Optional Class II Installation available. See page 189 for details. 2½" x 1" x 1½" Plug in LED driver with 10" white cord and in-line switch 3' from plug (will not fit standard recessed clock outlet) **SLED15-51** SIZE SELECTION GUIDE **Finishes** Picture Light 15" - Image Size 22" Satin Brass #51 PICTURE LIGHT SHOULD BE Satin Nickel #52 APPROXIMATELY TWO THIRDS THE WIDTH OF THE IMAGE Specifications Polished Brass #61 Antique Brass #71 141/2" center to center **SLED15**" shade Oil Rubbed Bronze #91 5 Watt, 320 Lumen LED 281/2" center to center SLED29" shade 10 Watt, 630 Lumen LED 421/2" center to center ^ 0 🗇 SLED43" shade NOTE: Custom orders available on request.

15 Watt, 950 Lumen LED

# Slim-line LED Direct Wire







# Benefits of LED

- No UV or IR
- Energy Efficient
- LED Life: 30,000 Hours
- 3000K Warm White Output
- 85 CRI
- **Dimmable**to 10% with
  Universal Electronic
  Dimmer

# **Features**




# Specifications




**DSLED43**" shade 15 Watt, 950 Lumen LED BACKPLATE: 4½" x 17¾"

PICTURE LIGHT SHOULD BE APPROXIMATELY TWO THIRDS


THE WIDTH OF THE IMAGE




# Slim-Line XL Incandescent



# Slim-Line XL Incandescent Direct Wire



NOTE: Custom orders available on request.



# Horizon LED



HLED26-71




## Benefits of LED

- No UV or IR
- Energy Efficient
- LED Life: 30,000 Hours
- 3000K Warm White Output
- 85 CRI




Features HLED12-51




# **Finishes**

Satin Brass #51
Satin Nickel #52
Chrome #62
Antique Brass #71
Oil Rubbed Bronze #91

# **Specifications**



#### SIZE SELECTION GUIDE



**HLED26**" shade 10 Watt, 630 Lumen LED

# Horizon LED Direct Wire





## Benefits of LED


- No UV or IR
- Energy Efficient
- LED Life: 30,000 Hours
- 3000K Warm White Output
- 85 CRI
- **■** Dimmable

to 10% with Universal Electronic Dimmer



**DHLED12-91** 

#### **Features**




# **Finishes**




**DHLED26-52** 

#### SIZE SELECTION GUIDE



# **Specifications**



**DHLED24**" shade 10 Watt, 630 Lumen LED BACKPLATE: 41/2" x 41/2"

### Standard Incandescent







### **Finishes**



### **Specifications**







# Standard Incandescent Battery Operated



### **Features**

THE WIDTH OF THE IMAGE

Illuminates 6–8 hours with 4 AA batteries (not included).

### **Finishes**



Polished Brass #61

Antique Brass #71

AB7"shade One #31 bulb included

### **Profile Incandescent**



Antique Brass #71



two 15T4 bulbs included

California Title 20 as shown







### Gemini LED










### Benefits of LED

- No UV or IR
- Energy Efficient
- LED Life: 30,000 Hours
- 3000K Warm White Output MR16 LED included
- 70 CRI



# Cabinet Light

Cord exits back.

### **Finishes**



Polished Brass #61

Antique Brass #71



# HEIGHT: 7"

# Lectern Light

Designed to be permanently installed on surfaces up to 2" thick.



FINISH: Polished Brass

13/4" Between Arms

SWITCH: On Shade

SHADE: 10"

CORD: 10' Brown with

Snap-On Plug Included

# **Bed Light**



#### **BL10-AB**

FINISH: Antique Brass

HEIGHT: Gooseneck Adjusts from 0" to 8 1/21

BASE: Adjustable clip


Up to 2 1/2" Wide

BULB: One 40T10 SWITCH: On Shade

SHADE: 10"

CORD: 10' Brown





one 40T10F or 60T10 bulb

# Mantel Light



MA14-AB



HEIGHT: 41/2"

BASE: 15" wide, 3" deep

SWITCH: In-Line, 15" from Fixture

CORD: 10' Brown,

Exits back of Shade

Antique Brass (AB)

Polished Brass (B)

Mahogany Bronze (MB)

### Specifications



# $Advent_{\text{m}}$

# Portable Spot Lights

### **Finishes**



Satin Nickel #52



White #7

Black #9

### Table/Floor Spots

Bulbs 40R14N (included)



SP-520-52 HEIGHT: 6" SWITCH: 10' black cord, 18" from shade



SWITCH: 10' white cord, 18" from shade



SP-520-9 HEIGHT: 6" SWITCH: 101 black cord. 18" from shade

### Mini-cans

Bulbs 40R14N (included)

### SP-510-7

HEIGHT: 6 1/2"

SWITCH: 10' black cord. 18" from shade







**Custom Direct Mount Lighting** 

Customizing House of Troy Picture Lights.

We are often asked for custom versions of existing products, especially picture lights. Picture Lights are easily adapted to lighting book cases and display areas. We have developed hardware to mount through any hard surface. These products are designed as cord and plug items and will require a receptacle to plug them into behind the soffit. Call our Customer Service department at 800-428-5367 for assistance in designing your direct mount product.




CD-T24-81



CD-SL16-51

Illuminate bookshelves with our Slim-line Library Lighting. The slim lamp profile is designed for interiors where reduced lamp visibility is desired.

# Slim-line™ Styles








CD-DL10 -OB


Classic style lamps are an effective way to enhance traditional decor in either a residential or commercial setting.




# Classic Styles Mounting Options


### Arm & Shade Styles















### **Traditional Shade**

(Refer to page 150 for shade width and finish options.)

(Refer to page 151 for LED shade width and finish options.)

### Contemporary Shade

(Refer to page 152 for shade width and finish options.)



(Refer to page 153 for shade width and finish options.)

DL Shade

(Refer to page 91 for shade width and finish options.)

# Stoneware Lamps



Scatchard lamps are made by hand in our Vermont pottery studio. The lamps are slipcast in plaster molds which are built from the original hand thrown shapes.



The bases are trimmed and glazed by hand on a wheel, and then individually signed.






The lamps are then kiln fired to 2350° for 24 hours creating a highly durable body and complex depth to the surface finish.





## Stoneware Glazes

The proprietary mix of clay and custom glazes, developed by George Scatchard through years of experimentation, in combination with the high fire reduction process creates a highly durable and beautiful stoneware product. Glazes are hand applied and may vary from lamp to lamp.




### **Product Finishes**

Our Classic and Slim-line™ picture lights are offered in the most popular Finishes. If you would like a finish that is not stocked, call our customer service department for lead time and cost.

The antique and weathered brass Finishes are applied then rubbed by hand to achieve the proper effect. For this reason there are slight surface variations which are expected and desirable.

The stocked Finishes are listed on the product page. Refer to this page for a color representation of finish.



# Questions & Answers

The following are answers to some of the most frequently asked questions about our products which should assist with your selection process.

### Q. What are the benefits of LEDs?

- Low power consumption, energy efficient.
- No Ultraviolet or Infrared, kind to your art.
- Long life, LEDs last on average 30,000 hours.
- Environmentally friendly.

## Q. Are House of Troy LED products dimmable?


A. All Direct Wire LED picture lights may be dimmed to 10% using a Universal Electronic Dimmer (i.e., Leviton IPL06). The plug in Slim-line LED series may be purchased with an optional remote control dimmer, SLED-RD).

### Q. What size picture light should I use?

A. Measure the width of the image and use a Classic picture light approximately one half the size, or a Slim-line picture light approximately two thirds the size of the image.


# Q. Can I modify a cord length and add a polarized plug?

A. Yes. We offer a UL approved snap-on-plug that can be attached to any standard UL approved SPT-2 cord. Instructions are included with plug.




# Q. Is there a way to eliminate seeing the cord?

 Install a recessed outlet (sometimes called a "clock outlet") behind the artwork.




 Use our SLED43-CSII, class II installation kit with our Slimline LED.




- Use a cord cover.
- Paint the cord to match the wall color.
- Place furniture, plants or other décor to hide cord.

# Q. How are lamp shades dimensioned in the catalog?

A. Top x Bottom x Side (slant).




# Q. How do you measure the height of a Desk/Piano Lamp?




www.houseoftroy.com

# Q. How do you install a picture light?

A. All House of Troy picture lights come with mounting hardware and may be attached to either the picture frame or the wall. The only tools necessary are a screw driver and something to start a screw-hole, such as a small nail or awl.






Mounting on Wall

# Q. How do you install a Slim-line Picture Light?

A. Snap the Picture Light arms into the Mounting Brackets. This will take a bit of force, but will not damage the arms. Slide the arms up or down to attain the desired shade location in relation to the frame.



ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
A7-61*	179	BTLED14-81*	162	CPL24-7*	176	DL20-WB*	87
A7-71*	179	BTLED24-1*	162	CPL24-9*	176	DOX16-AB*	167
A14-61*	179	BTLED24-51*	162	CPL24-51*	176	DOX16-OB*	167
A14-71*	179	BTLED24-61*	162	CPL24-52*	176	DOX16-SN*	167
AB100-AB*	36	BTLED24-71*	162	CPL24-61*	176	DOX30-AB*	167
AB100-OB* AB100-SN*	36 36	BTLED24-81* C5-1*	162 163	CPL24-62* CPL24-71*	176 176	DOX30-OB* DOX30-SN*	167 167
AB-7-61*	179	C5-51*	163	CPL24-71* CPL24-76*	176	DOX30-3N* DOX42-AB*	167
AB-7-71*	179	C5-52*	163	CPL24-91*	176	DOX42-AB DOX42-OB*	167
AC7-61*	182	C5-61*	163	CPL36-7*	176	DOX42-SN*	167
AC7-71*	182	C5-62*	163	CPL36-9*	176	DOXLED16-AB*	168
ACL7-7*	183	C9-1*	163	CPL36-51*	176	DOXLED16-OB*	168
AD400-AB	39	C9-51*	163	CPL36-52*	176	DOXLED16-SN*	168
AD400-OB	39	C9-52*	163	CPL36-61*	176	DOXLED30-AB*	168
AD400-SN	39	C9-61*	163	CPL36-62*	176	DOXLED30-OB*	168
AD425-AB AD425-OB	37 37	C9-62* C16-1*	163 163	CPL36-71* CPL36-76*	176 176	DOXLED30-SN* Doxled42-ab*	168 168
AD425-OB AD425-SN	37 37	C16-51*	163	CPL36-76* CPL36-91*	176	DOXLED42-AB*	168
AD450-AB	38	C16-51*	163	CPL48-7*	176	DOXLED42-OB DOXLED42-SN*	168
AD450-OB	38	C16-61*	163	CPL48-9*	176	DSK428-G61*	125
AD450-SN	38	C16-62*	163	CPL48-51*	176	DSK428-G71*	125
AGLED-7	181	C24-1*	163	CPL48-52*	176	DSK430-MB*	125
AGLED-51	181	C24-51*	163	CPL48-61*	176	DSL14-51*	170
AGLED-52	181	C24-52*	163	CPL48-62*	176	DSL14-52*	170
AGLED-71	181	C24-61*	163	CPL48-71*	176	DSL14-71*	170
ALED15-7 AP10-20-7	19 17	C24-62* C100-AB*	163 41	CPL48-76* CPL48-91*	176 176	DSL14-91* DSL24-51*	170 170
AP10-20-7 AP10-20-61	17	C100-AB*	41	CR700-AB	53	DSL24-51* DSL24-52*	170
AP10-20-71	16	C100-SN*	41	CR700-AB CR700-OB	53	DSL24-32 DSL24-71*	170
AP10-21-61	18	C175-AB*	40	CR700-SN	53	DSL24-91*	170
AP10-21-71	18	C175-OB*	40	CR725-AB	52	DSL36-51*	170
AP10-21-91	18	C175-SN*	40	CR725-OB	52	DSL36-52*	170
AP10-25-7*	16	CBLED12-61*	19	CR725-SN	52	DSL36-71*	170
AP14-40-7	15	CBLED12-7*	19	D436-52	73	DSL36-91*	170
AP14-40-61	15	CH800-AB	51	D436-71	73	DSLED14-51*	172
AP14-40-71 AP14-41-7	15 14	CH800-AS CH800-OB	51 51	DC9-51* DC9-52*	164 164	DSLED14-52* DSLED14-71*	172 172
AP14-41-61	14	CH825-AB	50	DC9-52* DC9-61*	164	DSLED14-71*	172
AP14-41-71	14	CH825-AS	50	DC9-62*	164	DSLED28-51*	172
AP14-41-91	14	CH825-OB	50	DC16-51*	164	DSLED28-52*	172
AP14-42-61	15	CH850-AB	48	DC16-52*	164	DSLED28-71*	172
AP14-45-7*	16	CH850-AS	48	DC16-61*	164	DSLED28-91*	172
APL16-7	180	CH850-OB	48	DC16-62*	164	DSLED43-51*	172
APL16-52	180	CH875-OB	49	DC24-51*	164	DSLED43-52*	172
APL16-61	180	CH876-AB	49	DC24-52*	164	DSLED43-71*	172
APL16-71 APR16-7	180 180	CH878-AB CH880-OB	49 49	DC24-61* DC24-62*	164 164	DSLED43-91* DT8-51*	172 159
APR16-52	180	CL200-AB	47	DC24-02 DCF12-51*	164	DT8-61*	159
APR16-61	180	CL200-AS	47	DCF12-52*	164	DT8-71*	159
APR16-71	180	CL200-OB	47	DCF12-71*	164	DT8-81*	159
BL10-AB	182	CL201-AB	46	DCF24-51*	164	DT14-51*	159
BPLED200-81*	20	CL201-AS	46	DCF24-52*	164	DT14-61*	159
BPLED200-617*	20	CL201-OB	46	DCF24-71*	164	DT14-71*	159
BSLED14-51*	173	CL201-PB	46	DHLED12-51*	178	DT14-81*	159
BSLED14-52*	173	CL202-AB	45	DHLED12-52*	178	DT24-51*	159 159
BSLED14-71* BSLED14-91*	173 173	CL202-AS CL202-OB	45 45	DHLED12-62* DHLED12-71*	178 178	DT24-61* DT24-71*	159
BSLED24-51*	173	CL202-OB CL225-AB	42	DHLED12-71 DHLED12-91*	178	DT24-71 DT24-81*	159
BSLED24-51*	173	CL225-AS	42	DHLED12-51*	178	DT36-51*	159
BSLED24-71*	173	CL225-OB	42	DHLED26-52*	178	DT36-61*	159
BSLED24-91*	173	CL250-AB	44	DHLED26-62*	178	DT36-71*	159
BTLED14-1*	162	CL250-AS	44	DHLED26-71*	178	DT36-81*	159
BTLED14-51*	162	CL250-OB	44	DHLED26-91*	178	DTLED9-51*	161
BTLED14-61*	162	CL251-AB	45	DL10-OB*	86 86	DTLED9-61*	161
BTLED14-71*	162	CL251-AS CL251-OB	45 45	DL10-WB* DL20-OB*	86 87	DTLED9-71* DTLED9-81*	161 161
		· CLZJI-OD	43	DLZU-OD	0/	DILLD3-01	101

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
DTLED14-51*	161	G375-CHB*	59	GS300-MID*	116-118	HP30-61*	165
DTLED14-61*	161	G375-GT*	59	GS300-TE*	116-118	HP30-71*	165
DTLED14-71*	161	G375-WT*	59	GS300-WM*	116-118	HP30-76*	165
DTLED14-81*	161	GP10-7*	28	GS400-BG*	116-118	HP30-91*	165
DTLED24-51*	161	GP10-61*	28	GS400-BM*	116-118	HP700-OB-AG*	83
DTLED24-61*	161	GP10-81* GP14-7*	28	GS400-CG*	116-118 116-118	HP700-OB-BP*	82 83
DTLED24-71* DTLED24-81*	161 161	GP14-7* GP14-61*	29 29	GS400-CR* GS400-DG*	116-118	HP700-OB-MSOB* HP700-OB-WL*	82
DTLED36-51*	161	GP14-81*	29	GS400-DG GS400-DR*	116-118	HP700-WB-AG*	83
DTLED36-51*	161	GPH10-BLK*	28	GS400-GG*	116-118	HP700-WB-BP*	82
DTLED36-71*	161	GPH10-PB*	28	GS400-MID*	116-118	HP700-WB-MSWB*	83
DTLED36-81*	161	GPLED19-7*	26	GS400-TE*	116-118	HP700-WB-WL*	82
DXL14-51*	175	GPLED19-61*	26	GS400-WM*	116-118	HP725-OB-AG*	78
DXL14-52*	175	GPLED19-527*	26	GS500-OBDR*	124	HP725-OB-BP*	79
DXL14-61*	175	GPLED26-7*	25	GS500-SNBM*	124	HP725-OB-MSOB*	78
DXL14-62*	175	GPLED26-61*	25	GS500-WABR*	124	HP725-OB-WL*	79
DXL14-71*	175	GPXL22-61*	27	GS600-BG*	119	HP725-WB-AG*	78
DXL14-91*	175	GPXL-617*	27	GS600-BM*	119	HP725-WB-BP*	79 70
DXL24-51*	175	GPXL-627*	27	GS600-GG*	119	HP725-WB-MSWB*	78 79
DXL24-52* DXL24-61*	175 175	GR900-AB GR900-OB	140 140	GS600-WM* GS700-BG*	119 120	HP725-WB-WL* HP750-OB-BP*	79 81
DXL24-61*	175 175	GR900-OB GR901-AB	140	GS700-BG* GS700-BM*	120	HP750-OB-BP** HP750-OB-MSOB*	80
DXL24-02* DXL24-71*	175	GR901-AB GR901-OB	141	GS700-BW	120	HP750-OB-WL*	81
DXL24-71 DXL24-91*	175	GR901-OB GR902-AB	140	GS700-WM*	120	HP750-WB-BP*	81
DXL36-51*	175	GR902-AB GR902-OB	140	GS725-BG*	107	HP750-WB-MSWB*	80
DXL36-52*	175	GS100-BM*	110	GS725-BR*	107	HP750-WB-WL*	81
DXL36-61*	175	GS100-BR*	110	GS725-GM*	107	HP775-OB-AG*	77
DXL36-62*	175	GS100-OT*	110	GS725-OT*	107	HP775-OB-OG*	77
DXL36-71*	175	GS100-WM*	110	GS775-ABOT*	108	HP775-WB-AG*	77
DXL36-91*	175	GS101-BM*	111	GS775-SNBG*	108	HP775-WB-OG*	77
ECO400-OB	54	GS101-BR*	111	GS775-SNBM*	108	L10-61*	182
ECO400-SN	54	GS101-OT*	111	GS775-SNGG*	108	L800-AB	85
ECO425-OB	55	GS101-WM*	111	GS775-2-ABOT*	109	L800-OB	85
ECO425-SN	55	GS130-CG*	112	GS775-2-SNBG*	109	L800-SN	85
ECO425-2-OB	56	GS130-IR*	112	GS775-2-SNBM*	109	L850-AB	84
ECO425-2-SN ECO450-OB	56 57	GS130-OT* GS140-BM*	112 113	GS775-2-SNGG* GS800-BM*	109 121	L850-OB L850-SN	84 84
ECO450-OB ECO450-SN	57 57	GS140-GM*	113	GS800-BW	121	LL660-AB	88
FL10-MB*	35	GS140-GM* GS140-MDB*	113	GS800-IK GS800-SG*	121	LL660-OB	89
FRSW	166	GS140-MDB GS140-OT*	113	GS800-3G GS800-WM*	121	LL660-PB	88
G100-CHB*	63	GS140-WM*	113	GS801-BM*	122	LL660-SN	88
G100-GT*	63	GS150-BM*	114	GS801-IR*	122	LL662A-AB	89
G100-WT*	63	GS150-GM*	114	GS801-SG*	122	LL663-AB	89
G150-CHB*	60	GS150-MDB*	114	GS801-WM*	122	LS201-AB*	145
G150-GT*	60	GS150-OT*	114	GS802-BG*	123	LS201-MB*	145
G150-WT*	60	GS150-WM*	114	GS802-BM*	123	LS201-SP*	145
G175-CHB*	58	GS190-BG*	115	GS802-GG*	123	LS202-AB*	144
G175-GT*	58	GS190-DR*	115	GS802-WM*	123	LS202-MB*	144
G175-WT*	58	GS190-GM*	115	HLED12-51*	177	LS202-SP*	144
G200-CHB*	64	GS200-BG*	116-118	HLED12-52* HLED12-62*	177	LS204-AB*	142
G200-GT* G250-CHB*	64 61	GS200-BM* GS200-CG*	116-118 116-118	HLED12-62* HLED12-71*	177 177	LS204-MB* LS204-SP*	142 142
G250-GT*	61	GS200-CG* GS200-CR*	116-118	HLED12-71*	177	LS204-3F*	143
G300-BLK*	65	GS200-CK GS200-DG*	116-118	HLED12-51*	177	LS205-MB*	143
G300-CHB*	65	GS200-DR*	116-118	HLED26-52*	177	LS205-SP*	143
G300-GT*	65	GS200-GG*	116-118	HLED26-62*	177	LS206-AB*	145
G300-WT*	65	GS200-MID*	116-118	HLED26-71*	177	LS206-MB*	145
G300-2-BLK*	66	GS200-TE*	116-118	HLED26-91*	177	LS206-SP*	145
G300-2-CHB*	66	GS200-WM*	116-118	HP8-61*	165	LS207-AB*	143
G300-2-GT*	67	GS300-BG*	116-118	HP8-71*	165	LS207-MB*	142
G300-2-WT*	67	GS300-BM*	116-118	HP8-76*	165	LS207-SP*	143
G350-BLK*	34 & 62	GS300-CG*	116-118	HP8-91*	165	LS217-AB*	144
G350-CHB*	34 & 62	GS300-CR*	116-118	HP16-61*	165	LS217-MB*	144
G350-GT*	34 & 62	GS300-DG*	116-118	HP16-71*	165	LS217-SP*	144
G350-WT*	34 & 62	GS300-DR*	116-118	HP16-76*	165 165	M552-OB	90
G375-BLK*	59	GS300-GG*	116-118	HP16-91*	165	M552-PS	90

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
M553-PS	90	P14-232-C71*	10	PLED-192-627*	33	SL40-91*	169
M554-OB	90	P14-233-617*	6	PS10-190-M*	32	SL64-7*	169
MA14-AB*	182	P14-233-C71*	6	R400-AB	105	SL64-9*	169
MA14-B*	182	P14-242-71*	10	R400-OB	106	SL64-51*	169
MA14-MB*	182	P14-246*	8	R401-AB	105	SL64-52*	169
N600-AB	99	P14-250*	23	R401-OB	106	SL64-61*	169
N600-AB-O	99	P14-250-617*	23	R450-AB	105	SL64-62*	169
N600-OB	99	P14-280*	8	R450-OB	106	SL64-71*	169
N600-OB-O	99	P14-280-WB*	8	RR5-1*	166	SL64-76*	169
N601-AB	94	P14-D01*	21	RR8-1*	166	SL64-91*	169
N601-OB	94	P15-80-51	13	RR14-1*	166	SL84-7*	169
N601-PTR	94	P15-80-52	13	RR24-1*	166	SL84-9*	169
N602-AB N602-OB	95 05	P15-81-5262 P15-83-52	13	RR30-1*	166	SL84-51*	169
N602-OB N603-AB	95 96	P15-63-52 P15-90-61	13 21	SL6-7* SL6-9*	169 169	SL84-52* SL84-61*	169 169
N603-AB N603-OB	96 96	P16-D02-617*	21	SL6-51*	169	SL84-62*	169
N603-OB N603-PTR	96	P16-D02-627*	21	SL6-52*	169	SL84-71*	169
N604-AB	97	PFL-527*	35	SL6-61*	169	SL84-76*	169
N604-NB	97	PFL-617*	35	SL6-62*	169	SL84-91*	169
N604-PTR	97	PFLED-527*	35	SL6-71*	169	SLED-RD	171
N606-AB	98	PFLED-617*	35	SL6-76*	169	SLED15-51*	171
N606-OB	98	PH100-51-F	76	SL6-91*	169	SLED15-52*	171
N650-AB	93	PH100-51-J	74	SL11-7*	169	SLED15-61*	171
N650-OB	93	PH100-52-F	76	SL11-9*	169	SLED15-71*	171
N651-AB	91	PH100-52-J	73	SL11-51*	169	SLED15-91*	171
N651-OB	91	PH100-61-F	75	SL11-52*	169	SLED29-51*	171
N651-PTR	91	PH100-61-J	73	SL11-61*	169	SLED29-52*	171
N652-AB	93	PH100-71-F	75	SL11-62*	169	SLED29-61	171
N652-OB	93	PH100-71-J	74	SL11-71*	169	SLED29-71*	171
N653-AB	92	PH100-91-F	75	SL11-76*	169	SLED29-91*	171
N653-OB	92	PH100-91-J	74	SL11-91*	169	SLED43-51*	171
P10-101-B*	2	PH101-51	76 76	SL16-7*	169	SLED43-52*	171
P10-107-81*	2	PH101-52	76	SL16-9*	169	SLED43-61*	171
P10-111*	3	PH10-170-PB*	23	SL16-51*	169	SLED43-71*	171
P10-111-71*	3 3	PH10-171-AB* PH10-171-OB*	5 5	SL16-52*	169	SLED43-91* SLED43-CSII	171 171
P10-111-MB* P10-123-81*	2	PH10-171-DB*	5 5	SL16-61* SL16-62*	169 169	SLED500-AB*	128
P10-130*	4	PH10-171-FB*	30	SL16-71*	169	SLED500-AB*	128
P10-131-61*	4	PH10-195-AB	30	SL16-71*	169	SLED500-OB	128
P10-131-71*	4	PH10-195-PB*	30	SL16-91*	169	SLED500 SIN	126
P10-150*	23	PIN400-AB*	100	SL21-7*	169	SLED525-OB*	126
P10-150-617*	23	PIN400-OB*	100	SL21-9*	169	SLED525-SN*	126
P10-190-M*	32	PIN400-SN*	100	SL21-51*	169	SLED550-AB*	127
P10-191-61*	31	PIN400-2-AB*	101	SL21-52*	169	SLED550-OB*	127
P10-191-61C*	31	PIN400-2-OB*	101	SL21-61*	169	SLED550-SN*	127
P10-191-61M*	31	PIN400-2-SN*	101	SL21-62*	169	SP510-7	183
P10-191-71*	31	PIN450-AB*	102	SL21-71*	169	SP510-9	183
P10-191-81*	32	PIN450-OB*	102	SL21-76*	169	SP510-52	183
P10-192-617*	33	PIN450-SN*	102	SL21-91*	169	SP520-7	183
P10-192-627*	33	PIN475-AB*	103	SL30-7*	169	SP520-9	183
P14-201*	12	PIN475-OB*	103	SL30-9*	169	SP520-52	183
P14-201-81*	12	PIN475-SN*	103	SL30-51*	169	T4-1*	158
P14-201-AB*	12	PIN475-2-AB*	104	SL30-52*	169	T4-5*	158
P14-201-GT* P14-202*	12 11	PIN475-2-OB* PIN475-2-SN*	104 104	SL30-61* SL30-62*	169 169	T4-31* T4-51*	158 158
P14-202-81*	11	PL16-OB*	86	SL30-62*	169	T4-56*	158
P14-202-AB*	11	PL16-WB*	86	SL30-71*	169	T4-61*	158
P14-203*	7	PL20-OB*	87	SL30-76	169	T4-71*	158
P14-203-81*	7	PL20-WB*	87	SL40-7*	169	T4-76*	158
P14-203-AB*	7	PLED100-61*	22	SL40-9*	169	T4-81*	158
P14-204*	9	PLED100-527*	22	SL40-51*	169	T5-1*	158
P14-204-81*	9	PLED100-617*	22	SL40-52*	169	T5-5*	158
P14-204-AB*	9	PLED101-61*	24	SL40-61*	169	T5-31*	158
P14-212*	6	PLED101-527*	24	SL40-62*	169	T5-51*	158
P14-231-61*	10	PLED101-617*	24	SL40-71*	169	T5-56*	158
P14-231-71*	10	PLED-192-617*	33	SL40-76*	169	T5-61*	158

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
T5-71*	158	T36-1*	158	TLED36-71*	160	WS760-AS	149
T5-76*	158	T36-5*	158	TLED36-76*	160	WS760-OB	149
T5-81*	158	T36-31*	158	TLED36-81*	160	WS761-AB	150
T8-1*	158	T36-51*	158	TR201-AB	134	WS761-AS	150
T8-5*	158	T36-56*	158	TR201-SN	134	WS761-OB	150
T8-31*	158	T36-61*	158	TR202-AB	135	WS763-AB	148
T8-51*	158	T36-71*	158	TR202-SN	135	WS763-AS	148
T8-56*	158	T36-76*	158	TR250-AB	135	WS763-OB	148
T8-61*	158	T36-81*	158	TR250-SN	135	XL14-51*	174
T8-71*	158	T42-1*	158	TR275-AB	136	XL14-52*	174
T8-76*	158	T42-5*	158	TR275-OB	136	XL14-61*	174
T8-81*	158	T42-31*	158	VG400-AB	137	XL14-62*	174
T9-1*	158	T42-51*	158	VG450-AB	137	XL14-71*	174
T9-5*	158	T42-56*	158	VH250A-AB*	139	XL14-91*	174
T9-31*	158	T42-61*	158	VH250A-OB*	139	XL24-51*	174
T9-51*	158	T42-71*	158	VH250A-SN*	139	XL24-52*	174
T9-56*	158	T42-76*	158	VH255A-AB*	138	XL24-61*	174
T9-61*	158	T42-81*	158	VH255A-OB*	138	XL24-62*	174
T9-71*	158	TH700-OB	133	VH255A-SN*	138	XL24-71*	174
T9-76*	158	TH700-PN	133	WL601-AB	146	XL24-91*	174
T9-81*	158	TH700-RB	133	WL601-OB	146	XL36-51*	174
T14-1*	158	TH701-OB	132	WL601-PC	146	XL36-52*	174
T14-5*	158	TH701-PN	132	WL601-SN	146	XL36-61*	174
T14-31*	158	TH701-RB	132	WL609-SB	147	XL36-62*	174
T14-51*	158	TH725-OB	131	WL609-SN	147	XL36-71*	174
T14-56*	158	TH725-PN	131	WL616-AB	147	XL36-91*	174
T14-61*	158	TH725-RB	131	WL616-CB	147		
T14-71* T14-76*	158 158	TH750-OB TH750-PN	129 129	WL616-PB WS12-51-F	147		
T14-76* T14-81*	158	TH750-RB	129	WS12-51-F WS12-51-J	68 69		
T18-1*	158	TH751-OB	130	WS12-51-J WS12-52-F	68	* MADE IN USA	
T18-5*	158	TH751-OB	130	WS12-52-J	69	MADE IN USA	
T18-31*	158	TH751-RB	130	WS12-61-F	68		
T18-51*	158	TLED9-1*	160	WS12-61-J	69	House of T	Proni (
T18-56*	158	TLED9-1*	160	WS12-71-F	68	i ivust tj i	ivy
T18-61*	158	TLED9-31*	160	WS12-71-J	69		TM
T18-71*	158	TLED9-51*	160	WS12-91-F	68		
T18-76*	158	TLED9-56*	160	WS12-91-J	69		
T18-81*	158	TLED9-61*	160	WS14-51	70		
T21-1*	158	TLED9-71*	160	WS14-52	70		
T21-5*	158	TLED9-76*	160	WS14-61	71		
T21-31*	158	TLED9-81*	160	WS14-71	71		
T21-51*	158	TLED14-1*	160	WS14-9	71		
T21-56*	158	TLED14-5*	160	WS14-91	70		
T21-61*	158	TLED14-31*	160	WS14-2-52	72		
T21-71*	158	TLED14-51*	160	WS14-2-71	72		
T21-76*	158	TLED14-56*	160	WS14-2-91	72		
T21-81*	158	TLED14-61*	160	WS16-31	156		
T24-1*	158	TLED14-71*	160	WS16-61	156		
T24-5*	158	TLED14-76*	160	WS16-91	156		
T24-31*	158	TLED14-81*	160	WS-704*	152		
T24-51*	158	TLED24-1*	160	WS-706*	151		
T24-56*	158	TLED24-5*	160	WS-706-AB*	151		
T24-61*	158	TLED24-31*	160	WS-706-OB*	151		
T24-71*	158	TLED24-51*	160	WS-708-AB*	152		
T24-76*	158	TLED24-56*	160	WS-708-OB*	152		
T24-81*	158	TLED24-61*	160	WS750-AB	154		
T30-1*	158	TLED24-71*	160	WS750-AS	154		
T30-5*	158	TLED24-76*	160	WS750-OB	154		
T30-31*	158	TLED24-81*	160	WS751-AB	155		
T30-51*	158	TLED36-1*	160	WS751-AS	155 155		
T30-56*	158	TLED36-5*	160	WS751-OB	155		
T30-61*	158	TLED36-31*	160	WS752-AB	153		
T30-71*	158	TLED36-51*	160	WS752-AS	153		
T30-76* T30-81*	158 158	TLED36-56* TLED36-61*	160 160	WS752-OB WS760-AB	153 149		
130-01	130	I ILLD30-01.	100	1 VV3/ UU-/\D	149	I	





www.houseoftroy.com