

Ceiling Fans



Unique New Carved Wood Blade Designs



June 2012 Supplement

KICHLER 
LIGHTING



SIT BACK & RELAX

WE'VE TAKEN CARE OF EVERYTHING

Inside and out, we're adding ceiling fan options that can help you create a carefree, relaxing space. Explore the great outdoors with Climates™ – our newest and most durable outdoor fans, crafted to stay beautiful and maintain their finish in even the harshest of environments. Then, rediscover some classics made new again, including new fan blade choices for our Sterling Manor™ and Saxon™ collections and our latest Dorset™ style.

See more Kichler® ceiling fans and accessories in our main catalog K411, and our January Supplement K1211, or go to kichler.com



Become a fan of Kichler Lighting at:
[facebook.com](https://facebook.com/kichlerlighting)
search Kichler Lighting



Follow us on
twitter.com/kichlerlight



Watch us on
youtube.com/KichlerLighting



Fan Visual Index



Decor Ceiling Fans S346

Select Ceiling Fans S354

Outdoor/Indoor
Ceiling Fans S360

Climates™ Blade Options S368

Climates™ Light Fixtures S370

Climates™ Downrods S372

Index S372

Fan Specifications S373

Dorset™ II

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

Dramatic Uplighting

300152 MDW

MEDITERRANEAN WALNUT™
FINISH SHOWN WITH
SATIN-ETCHED GLASS
AND WALNUT BLADES

The transitional, refined mission style of our Dorset™ fan is now available in a new downrod version with up lighting.

300152 SNW

SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN-ETCHED
GLASS AND SATIN NATURAL
WHITE BLADES





300152 BAB
BURNISHED ANTIQUE BRASS
FINISH SHOWN WITH SATIN-
ETCHED GLASS AND ELM
BURL BLADES



300152 AP
ANTIQUE PEWTER FINISH SHOWN
WITH SATIN-ETCHED GLASS AND
DARK CHERRY BLADES

- ★ **MOTOR SIZE** 172mm X 20mm
- ★ **FINISH** **AP:** Antique Pewter with Reversible Cherry Blades
BAB: Burnished Antique Brass with Reversible Poplar Burl and Elm Burl Blades
MDW: Mediterranean Walnut™ with Walnut Blades
SNW: Satin Natural White with Satin Natural White Blades

★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible

★ **MOUNTING SLOPE – PITCH** 30° or 7/12

★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)

★ **PRIMARY CONTROL SYSTEM** Limited Function In-Wall Control System

★ **OPTIONAL CONTROLS** N/A

★ **DOWNLIGHT** Integrated – Uses (2) E-11 50-Watt Halogen JD Type Lamps

★ **UPLIGHT** Integrated – Uses (6) E-12 15-Watt T-3 Lamps

★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

★ **LOW CEILING ADAPTABLE** No

★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5283 Cubic Ft. Per Minute on High • 67 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 79 Cubic Ft. Per Minute Per Watt on High

Fan Finish — **Reversible Blade Finish**

AP - Cherry
Blade Sample 11

AP - Dark Cherry
Blade Sample 11

BAB - Elm Burl
Blade Sample 41

BAB - Poplar Burl
Blade Sample 41

MDW - Walnut
Blade Sample 54

SNW - Satin Natural White
Blade Sample 22



52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 19.25" B - 14.00" C - 12.00"




Includes our Limited Function Wall Mount Control System:

- ★ Wall Mount Control System
- ★ 3 Speeds Motor Control
- ★ Manual Reverse
- ★ Lights On/Off with Full Range Dimming

Sterling Manor™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339010 NI7 NEW BLADE & FINISH
COMBINATION
BRUSHED NICKEL FINISH
SHOWN WITH WALNUT BLADES

A popular style gets even more versatile with new walnut/cherry reversible blades set against a Brushed Nickel fan body finish. Choose fan only option shown here, fan/light combo (page S350) or ENERGY STAR-rated fan/halogen light combo (page S352).

Additional finish and blade combinations available, see pages S290-S293 in our January Supplement K1211.



339010 NI7
BRUSHED NICKEL FINISH
SHOWN WITH CHERRY BLADES



- ★ **MOTOR SIZE** 153mm x 15mm
- ★ **FINISH** NI: Brushed Nickel Finish with Reversible Walnut/Cherry Blades
Optional finish and blade combinations available, see page S290-S293 in our January Supplement, K1211.
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see pages 222-229 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S316-S334 in the January Supplement, K1211, and pages 200-221 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5323 Cubic Ft. Per Minute on High • 60 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 89 Cubic Ft. Per Minute Per Watt on High

Fan Finish — Reversible Blade Finish

AP - Cherry
Blade Sample 7

MDW - Walnut
Blade Sample 7

52"

BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 12.50" B - 10.50" C - 11.00"

FLUSH MOUNT CANOPY

A - 9.00" B - 7.00" C - 11.00"

Pull Chain Controls



KICHLER® CEILING FANS S349

Sterling Manor™ Select™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339210 NI7 NEW BLADE & FINISH
COMBINATION
BRUSHED NICKEL FINISH
SHOWN WITH CHERRY BLADES
AND WHITE-ETCHED GLASS

Additional finish and blade combinations available, see pages 170-173
in our Main Catalog K411.



339210 NI7
BRUSHED NICKEL FINISH
SHOWN WITH WALNUT BLADES
AND WHITE-ETCHED GLASS

- ★ **MOTOR SIZE** 153mm x 15mm Motor
- ★ **FINISH NI:** Brushed Nickel Finish with Reversible Walnut/Cherry Blades
Optional finish and blade combinations available, see page 170-173 in our Main Catalog, K411.
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see pages 222-229 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Removable. Uses (3) E-12 40-W. B-10 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5275 Cubic Ft. Per Minute on High • 65 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 81 Cubic Ft. Per Minute Per Watt on High

Fan Finish — Reversible Blade Finish

AP - Cherry
Blade Sample 7

MDW - Walnut
Blade Sample 7

52"

BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 17.75" B - 10.50" C - 11.00"

FLUSH MOUNT CANOPY

A - 14.25" B - 7.00" C - 11.00"

Pull Chain Controls



KICHLER® CEILING FANS S351

Sterling Manor™ Select ES

CEILING FAN COLLECTION

SELECT™ CEILING FANS

339220 NI7 NEW BLADE & FINISH
COMBINATION
BRUSHED NICKEL FINISH
SHOWN WITH WALNUT BLADES
AND WHITE-ETCHED GLASS

Additional finish and blade combinations available, see pages S294-S297
in our January Supplement K1211.



339220 NI7
BRUSHED NICKEL FINISH SHOWN
WITH CHERRY BLADES AND
WHITE-ETCHED GLASS

- ★ **MOTOR SIZE** 153mm x 15mm
- ★ **FINISH** NI: Brushed Nickel Finish with Reversible Walnut/Cherry Blades
Optional finish and blade combinations available, see page S290-S293
in our January Supplement, K1211.
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available,
see page S336 in our January Supplement, K1211.
- ★ **DOWNLIGHT** Removable. Uses (2) GU24 13-W CFL Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5380 Cubic Ft. Per Minute on High • 59 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 91 Cubic Ft. Per Minute Per Watt on High

Fan Finish — Reversible Blade Finish

AP - Cherry
Blade Sample 7

MDW - Walnut
Blade Sample 7

52"

BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 17.75" B - 10.50" C - 11.00"

FLUSH MOUNT CANOPY

A - 14.25" B - 7.00" C - 11.00"

Pull Chain
Controls



KICHLER® CEILING FANS S353

Saxon™

ACCESSORY SOLID WOOD BLADE SETS

SELECT™ CEILING FANS



339012 TZ
TANNERY BRONZE™ FINISH

371203 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD MEDIUM
CHERRY BLADES
(SOLD SEPARATELY)

Enhance the look of your Saxon™ fan with these optional hand-carved, solid wood accessory blade sets designed exclusively for the Saxon™ collection. Blade sets are packaged and sold separately. See page S357 for more options.



★ **MOTOR SIZE** 172mm X 14mm

★ **FINISH** **BSS:** Brushed Stainless Steel with Reversible Oak Blades

OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades

SNW: Satin Natural White with Satin Natural White Blades

TZ: Tannery Bronze™ with Reversible Teak/Cherry Blades

WH: Powder Coat White with White Blades

★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep

★ **MOUNTING SLOPE – PITCH** 30° or 7/12

★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)

★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse

★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available,
see pages 222-229 in our Main Catalog, K411.

★ **DOWNLIGHT** Optional Light Fixtures available, see pages S316-S334 in the January
Supplement, K1211, and pages 200-221 in our Main Catalog, K411.

★ **UPLIGHT** N/A

★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

★ **LOW CEILING ADAPTABLE** Yes, Use Part 337008

★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5278 Cubic Ft. Per Minute on High • 61 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 87 Cubic Ft. Per Minute Per Watt on High

NOTES: ENERGY STAR rating and airflow measurement based on installation of original
blade set packaged with fan and NOT accessory blade sets.

Fan Finish — **Reversible Blade Finish**

BSS-Light Oak
Blade Sample 35

BSS-Medium Oak
Blade Sample 35

OBB - Walnut
Blade Sample 7

OBB - Cherry
Blade Sample 7

SNW - Satin Natural White
Blade Sample 22

TZ - Teak
Blade Sample 19

TZ - Cherry
Blade Sample 19

WH - White
Blade Sample 20



52"

BLADE SWEEP

172 x 14mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.25" B - 12.75" C - 12.50"

Pull Chain
Controls



KICHLER® CEILING FANS S355

Saxon™ *continued*

ACCESSORY SOLID WOOD BLADE SETS

SELECT™ CEILING FANS

339012 WH
POWDER COAT WHITE FINISH

371202 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD DISTRESSED WALNUT
BLADES (SOLD SEPARATELY)



339012 BSS
BRUSHED STAINLESS
STEEL FINISH

371201 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD LIGHT CHERRY
BLADES (SOLD SEPARATELY)




339012 OBB
OIL BRUSHED BRONZE™ FINISH

371200 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD CHERRY BLADES
(SOLD SEPARATELY)



339012 SNW
SATIN NATURAL WHITE FINISH

371202 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD DISTRESSED WALNUT
BLADES (SOLD SEPARATELY)





371201 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD LIGHT
CHERRY BLADE



371203 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD MEDIUM
CHERRY BLADE



371200 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD
CHERRY BLADE



371202 **NEW OPTIONAL
SOLID WOOD BLADES**
SOLID WOOD DISTRESSED
WALNUT BLADE

Designed exclusively for the Saxon™ collection, these hand-carved, solid wood blade sets are packaged and sold separately.

All accessory blades have a 52" blade sweep.

52"

BLADE SWEEP

172 x 14mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.25" B - 12.75" C - 12.50"

Pull Chain
Controls



KICHLER® CEILING FANS S357





Climates™

CEILING FANS

Outfit your coastal escape with the finest, most durable outdoor fans available: Kichler's new Climates™ series. Harsh elements are no match for Climates™ superior construction. Fan bodies and select blades are crafted from a durable ABS plastic that's infused with the finish material, creating a superior level of rust and corrosion-resistance. Additional fan blades are hand-carved from solid wood and then given a moisture-resistant coating that seals them against the elements.

Customize your Climates™ fan to your design preference: choose the fan style (either Canfield™ or Crystal Bay™), then select fan blades and, if desired, a light kit.

Canfield™ Climates™

CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS

320500 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

380910 CMO
CANFIELD CLIMATES SLIM
PROFILE LIGHT FIXTURE
(SOLD SEPARATELY)

371011 **WET**
COFFEE MOCHA ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)

320500 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

370019 **WET**
WEATHERED BAMBOO ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)

320500 SBK
SATIN BLACK FINISH
MOTOR ASSEMBLY

371102 **DAMP**
WALNUT SOLID WOOD
BLADES (SOLD SEPARATELY)

See additional finish and blade options on pages S362-S363.

See page S372 for additional downrod lengths.

USE ONLY ALUMINUM CLIMATES™ DOWNRODS.



- ★ All-Weather ABS Motor Assembly
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ Aluminum Support System
- ★ Choose from Damp or Wet Rated Blades

320500 ANS
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

380910 ANS
CANFIELD CLIMATES SLIM
PROFILE LIGHT FIXTURE
(SOLD SEPARATELY)

371010 **WET**
ANTIQUE SATIN SILVER ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



- ★ **MOTOR SIZE** 188mm x 25mm
- ★ **FINISH** ANS: Antique Satin Silver
CMO: Coffee Mocha
SBK: Satin Natural Black
SNW: Satin Natural White
- ★ **BLADES** (5) Blades **Sold Separately** (see page S368-S369) • 14° Blade Pitch
• 52" Blade Sweep
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4" Aluminum Downrod with 1" (O.D.) See page S372
for additional downrod lengths.
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available,
see pages 222-229 in our Main Catalog, K411.
- ★ **DOWNLIGHT** N/A • Optional ABS Light Fixture 380910, see page S370
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet. Motor Assembly Wet Rated. Use of Wood
Blades results in a wet/damp combination.
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6407 Cubic Ft. Per Minute on High • 74 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 87 Cubic Ft. Per Minute Per Watt on High


NOTE: Airflow measurements are based on installed Blade Sets 371010-11-12-13
Measurements will be different with other blade sets installed.



52"


BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 12.90" B - 11.25" C - 12.60"

Pull Chain
Controls



KICHLER® CEILING FANS S361

Canfield™ Climates™ *continued*

CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



320500 SBK
SATIN NATURAL BLACK
FINISH MOTOR ASSEMBLY

370023 **WET**
TOFFEE WICKER ALL-
WEATHER ABS BLADES
(SOLD SEPARATELY)



320500 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

371011 **WET**
COFFEE MOCHA ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



320500 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

380910 SNW
CANFIELD CLIMATES SLIM PROFILE LIGHT
FIXTURE (SOLD SEPARATELY)

371013 **WET**
SATIN NATURAL WHITE ABS ALL-
WEATHER BLADES (SOLD SEPARATELY)



320500 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

371101 **DAMP**
AMERICAN WALNUT SOLID
WOOD BLADES (SOLD SEPARATELY)



320500 ANS
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

370022 **WET**
DARK OAK ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



- ★ All-Weather ABS Motor Assembly
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ Aluminum Support System
- ★ Choose from Damp or Wet Rated Blades



320500 ANS **DAMP**
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

371100
DISTRESSED TEAK SOLID WOOD
BLADES (SOLD SEPARATELY)



320500 SBK
SATIN NATURAL BLACK
FINISH MOTOR ASSEMBLY

380910 SBK
CANFIELD CLIMATES LOW PROFILE LIGHT
FIXTURE (SOLD SEPARATELY)

371012 **WET**
SATIN NATURAL BLACK ALL-WEATHER
ABS BLADES (SOLD SEPARATELY)



320500 ANS **WET**
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

371010
ANTIQUE SATIN SILVER ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



320500 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

370021 **WET**
WHITE WASHED OAK ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)

Climates™ blade sets sold separately.
Choose your fan finish and then the
perfect matching blade set. See
pages S368-S369.

Crystal Bay™ Climates™

CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS

320510 ANS
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

370021 **WET**
WHITE WASHED OAK ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)

320510 ANS
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

380920 ANS
CRYSTAL BAY CLIMATES STANDARD
PROFILE LIGHT FIXTURE (SOLD SEPARATELY)

371010 **WET**
ANTIQUE SATIN SILVER ABS ALL-WEATHER
BLADES (SOLD SEPARATELY)

See additional finish and blade options on pages S366-S367.

See page S372 for additional downrod lengths.

USE ONLY ALUMINUM CLIMATES™ DOWNRODS.

Fans,
Blades &
Accessories
CLIMATES™

- ★ All-Weather ABS Motor Assembly
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ Aluminum Support System
- ★ Choose from Damp or Wet Rated Blades



320510 SBK
SATIN NATURAL BLACK
FINISH MOTOR ASSEMBLY

370024 **WET**
CHOCOLATE WICKER ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)

320510 SBK
SATIN NATURAL BLACK
FINISH MOTOR ASSEMBLY

371012 **WET**
SATIN NATURAL BLACK ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



★ **MOTOR SIZE** 212mm x 25mm

★ **FINISH** **ANS:** Antique Satin Silver

CMO: Coffee Mocha

SBK: Satin Natural Black

SNW: Satin Natural White

★ **BLADES** (5) Blades **Sold Separately** (see page S368-S369) • 14° Blade Pitch
• 52" Blade Sweep

★ **MOUNTING SLOPE – PITCH** 30° or 7/12

★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)

★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse

★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available,
see pages 222-229 in our Main Catalog, K411.

★ **DOWNLIGHT** N/A • Optional ABS Light Fixture 380920, see page S371.

★ **UPLIGHT** N/A

★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet. Motor Assembly Wet Rated. Use of Wood
Blades results in a wet/damp combination.

★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

AIRFLOW 6556 Cubic Ft. Per Minute on High • 58 Watts on High (Excludes Lights)

AIRFLOW EFFICIENCY 113 Cubic Ft. Per Minute Per Watt on High

NOTE: Airflow measurements are based on installed Blade Sets 371010-11-12-13
Measurements will be different with other blade sets installed.

52"


BLADE SWEEP

212 x 25mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 14.60" B - 11.25" C - 10.00"

**Pull Chain
Controls**



KICHLER® CEILING FANS S365

Crystal Bay™ Climates™ *continued*

CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



320510 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

371022 **DAMP**
SOLID WOOD BLADES
(SOLD SEPARATELY)



320510 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

380920 CMO
CRYSTAL BAY CLIMATES STANDARD
PROFILE LIGHT FIXTURE (SOLD SEPARATELY)

371011 **WET**
COFFEE MOCHA ABS ALL-WEATHER
BLADES (SOLD SEPARATELY)



320510 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

380920 SNW
CRYSTAL BAY CLIMATES STANDARD
PROFILE LIGHT FIXTURE (SOLD SEPARATELY)

371013 **WET**
SATIN NATURAL WHITE ABS ALL-WEATHER
BLADES (SOLD SEPARATELY)



320510 CMO
COFFEE MOCHA FINISH
MOTOR ASSEMBLY

370022 **WET**
DARK OAK ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



320510 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

370021 **WET**
NATURAL BAMBOO ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



- ★ All-Weather ABS Motor Assembly
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ Aluminum Support System
- ★ Choose from Damp or Wet Rated Blades

320510 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

371020 **DAMP**
MILLENNIUM SOLID WOOD
BLADES (SOLD SEPARATELY)



320500 SBK
SATIN NATURAL BLACK
FINISH MOTOR ASSEMBLY

380920 SBK
CRYSTAL BAY CLIMATES STANDARD
PROFILE LIGHT FIXTURE (SOLD SEPARATELY)

371012 **WET**
SATIN NATURAL BLACK ABS ALL-WEATHER
BLADES (SOLD SEPARATELY)



320510 SNW
SATIN NATURAL WHITE
FINISH MOTOR ASSEMBLY

371013 **WET**
SATIN NATURAL WHITE ABS
ALL-WEATHER BLADES
(SOLD SEPARATELY)



320510 ANS
ANTIQUE SATIN SILVER
FINISH MOTOR ASSEMBLY

371021 **DAMP**
IVORY WITH WALNUT HIGHLIGHTS
BLADES (SOLD SEPARATELY)


Climates™ blade sets sold separately.
Choose your fan finish and then
the perfect matching blade set.
See pages S368-S369.

Climates™ Blade Options

All blades have a 52" blade sweep unless otherwise noted.

CLIMATES BLADE OPTIONS

WET LOCATION



371010 **NEW**
ANTIQUE SATIN SILVER
ALL-WEATHER ABS



371012 **NEW**
SATIN NATURAL BLACK
ALL-WEATHER ABS



371011 **NEW**
COFFEE MOCHA
ALL-WEATHER ABS




371013 **NEW**
SATIN NATURAL WHITE
ALL-WEATHER ABS



370019
WEATHERED BAMBOO
ALL-WEATHER ABS



370023
TOFFEE WICKER
ALL-WEATHER ABS



370020
NATURAL BAMBOO
ALL-WEATHER ABS



370024
CHOCOLATE WICKER
ALL-WEATHER ABS

Select Climates™ blades are wet-rated and constructed from a durable ABS plastic that resists weathering, even in harshest elements. Additional fan blade options are hand-carved from solid wood and then given a damp-rated, moisture-resistant coating.



370021
WHITE WASHED OAK
ALL-WEATHER ABS



370022
DARK OAK
ALL-WEATHER ABS



DAMP LOCATION



371020 **NEW**
MILLENNIUM STAIN
SOLID WOOD



371101 **NEW**
AMERICAN WALNUT STAIN
SOLID WOOD
54" BLADE SWEEP



371021 **NEW**
IVORY WITH WALNUT HIGHLIGHTS
SOLID WOOD



371022 **NEW**
WALNUT STAIN
SOLID WOOD
60" BLADE SWEEP



371100 **NEW**
DISTRESSED TEAK STAIN
SOLID WOOD



371102 **NEW**
WALNUT STAIN
SOLID WOOD
56" BLADE SWEEP



Canfield™ Climates™ Slim Profile Light Fixtures

FOR USE WITH CANFIELD™ CLIMATES™ OUTDOOR/INDOOR CEILING FAN

Constructed from the same durable ABS plastic as our fans for a lasting beauty that resists weathering. Order the Low Profile design for Canfield™ fan.

Optional remote control operation requires 337214 Control system.
See page 223 in our Main Catalog K411.

FLUORESCENT



380910 ANS

Antique Satin Silver finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.38" height, 11.00" Diameter, cUL Wet.



380910 CMO

Coffee Mocha finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.38" height, 11.00" Diameter, cUL Wet.



380910 SBK

Satin Natural Black finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.38" height, 11.00" Diameter, cUL Wet.



380910 SNW

Satin Natural White finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.38" height, 11.00" Diameter, cUL Wet.



Crystal Bay™ Climates™ Standard Light Fixtures

ONLY FOR USE WITH CRYSTAL BAY™ CLIMATES™ OUTDOOR/INDOOR CEILING FAN

Constructed from the same durable ABS plastic as our fans for a lasting beauty that resists weathering. Order the standard fixture for Crystal Bay™ fan.

Optional remote control operation requires 337214 Control system. See page 223 in our Main Catalog K411.

FLUORESCENT



380920 ANS

Antique Satin Silver finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.43" height, 10.00" Diameter, cUL Wet.



380920 CMO

Coffee Mocha finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.43" height, 10.00" Diameter, cUL Wet.



380920 SBK

Satin Natural Black finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.43" height, 10.00" Diameter, cUL Wet.



380920 SNW

Satin Natural White finish on ABS fixture and Case Opal Glass. Single Light, GU24 18-Watt CFL LAMP INCLUDED, 4.43" height, 10.00" Diameter, cUL Wet.



Specifications

Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Blade Material	Control System	Downlight Included	Downlight Removable	Downlight	Uplight	Lead Wire Length	Flush Mount Adaptable	Mounting Slope – Pitch Out of Box	Downrods Included
													Primary Lamp/ Lamp Size/Socket Specifications	Secondary Lamp/ Lamp Size/Socket Specifications				Downrod 1 Diameter x Length
Canfield™ Climates	S360	320500 ANS, CMO, SBK, SNW	188mm x 25mm	AC Induction	3	14°	52"	5	ABS	Pull Chain	No	N/A	N/A	N/A	78"	No	30° or 7/12	1" X 4"
Crystal Bay™ Climates	S364	320510 ANS, CMO, SBK, SNW	212mm x 25mm	AC Induction	3	14°	52"	5	ABS	Pull Chain	No	N/A	N/A	N/A	78"	No	30° or 7/12	1" X 4"
Dorset™ II (52")	S346	300152 AP, BAB, MDW, SNW	172mm x 20mm	AC Induction	3	14°	52"	5	Ply	Basic Function In-Wall Control System/ Manual Reverse/ Light On-Off & Dimming	Yes	No	E-11 (2) 50-Watt Halogen	E-12 (6) 15-Watt C-7	78"	No	30° or 7/12	1" x 6"
Saxon™	S354	339012 BSS, OBB, SNW, TZ, WH	172mm x 14mm	AC Induction	3	14°	52"	5	Ply	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes	30° or 7/12	1" x 4"
																		N/A
Sterling Manor™ (52")	S348	339010 NI7	153mm x 15mm	AC Induction	3	11.5°	52"	5	MDF	Pull Chain	Universal	N/A	N/A	N/A	78"	Included	22° or 4/12	1" x 4"
																		Flush Mount Canopy Included
Sterling Manor™ Select (52")	S350	339210 NI7	153mm x 15mm	AC Induction	3	11.5°	52"	5	MDF	Pull Chain	Yes	Yes	E-12 (3) 40-Watt B-10	N/A	78"	Included	22° or 4/12	1" x 4"
																		Flush Mount Canopy Included
Sterling Manor™ Select ES (52")	S352	339220 NI7	153mm x 15mm	AC Induction	3	11.5°	52"	5	MDF	Pull Chain	Yes	Yes	GU24 (2)13-Watt CFL-2700	N/A	78"	Included	22° or 4/12	1" x 4"
																		Flush Mount Canopy Included

Downrod 2 Diameter x Length				ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			Airflow Efficiency CFM Per Minute Per Watt			Product Name
	A	B	C				H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	
	12.90	11.25	12.60	No	Wet	19.8	70	38	14	0.58	0.43	0.26	154	109	61	5011	3542	2083	72	93	150	Canfield™ Climates
N/A	N/A	N/A	N/A																			
	14.60	11.25	10.00	No	Wet	17.60	53	31	11	0.44	0.42	0.28	210	140	71	5653	3990	1792	106	128	161	Crystal Bay™ Climates
N/A	N/A	N/A	N/A																			
	19.25	14.00	12.00	No	Indoor	22.59	69	36	12	0.57	0.48	0.31	168	118	57	5087	3428	1629	74	95	142	Dorset™ II (52")
N/A	N/A	N/A	N/A																			
	13.25	12.75	12.50	Yes	Indoor	18.46	61	28	9	0.51	0.37	0.20	161	110	61	5278	3558	1798	87	127	200	Saxon™
	N/A	N/A	N/A																			
	12.50	10.50	11.00	Yes	Indoor	20.90	60	29	10	0.51	0.36	0.21	210	141	73	5323	3708	1908	89	127	197	Sterling Manor™ (52")
	9.00	7.00	11.00																			
	17.75	10.50	11.00	No	Indoor	20.90	65	30	10	0.55	0.38	0.21	200	134	67	5275	3579	1849	81	119	185	Sterling Manor™ Select (52")
	14.25	7.00	11.00																			
	17.75	10.50	11.00	Yes	Indoor	18.77	59	29	10	0.50	0.36	0.21	210	142	74	5380	3733	1897	91	127	194	Sterling Manor™ Select ES (52")
	14.25	7.00	11.00																			

Accessories

CLIMATES ALUMINUM DOWNRODS 1" (O.D.)

Have a high ceiling? Climates downrods are constructed from a durable aluminum that's designed to support fan weight and perfectly matches our Climates fan finishes.

CEILING HEIGHT	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.
SUGGESTED DOWNROD LENGTH	12 IN. 	18 IN. 	24 IN. 	36 IN. 	48 IN. 
FINISH					
ANS Antique Satin Silver	360100 ANS	360110 ANS	360120 ANS	360130 ANS	360140 ANS
CMO Coffee Mocha	360100 CMO	360110 CMO	360120 CMO	360130 CMO	360140 CMO
SBK Satin Natural Black	360100 SBK	360110 SBK	360120 SBK	360130 SBK	360140 SBK
SNW Satin Natural White	360100 SNW	360110 SNW	360120 SNW	360130 SNW	360140 SNW



CLIMATES
ALUMINUM DOWNRODS

Index

300152 AP.....	S347	360100 SNW.....	S372	371010.....	S361,S363,S364,S368
300152 BAB.....	S347	360110 ASN.....	S372	371011.....	S360,S362,S366,S368
300152 MDW.....	S346	360110 CMO.....	S372	371012.....	S363,S365,S367,S368
300152 SNW.....	S346	360110 SBK.....	S372	371013.....	S362,S366,S367,S368
320500 ANS.....	S361,S362,S363	360110 SNW.....	S372	371020.....	S367,S369
320500 CMO.....	S360,S362,S363	360120 ANS.....	S372	371021.....	S367,S369
320500 SBK.....	S360,S362,S363	360120 CMO.....	S372	371022.....	S366,S369
320500 SNW.....	S360,S362	360120 SBK.....	S372	371100.....	S363,S369
320510 ANS.....	S364,S367	360120 SNW.....	S372	371101.....	S362,S369
320510 CMO.....	S366	360130 ANS.....	S372	371102.....	S361,S369
320510 SBK.....	S365,S367	360130 CMO.....	S372	371200.....	S356,S357
320510 SNW.....	S366,S367	360130 SBK.....	S372	371201.....	S356,S357
339010 NI7.....	S348,S349	360130 SNW.....	S372	371202.....	S356,S357
339012 BSS.....	S356	360140 ANS.....	S372	371203.....	S357
339012 OBB.....	S356	360140 CMO.....	S372	380910 ANS.....	S361,S370
339012 SNW.....	S356	360140 SBK.....	S372	380910 CMO.....	S360,S370
339012 TZ.....	S354	360140 SNW.....	S372	380910 SBK.....	S363,S370
339012 WH.....	S354	370019.....	S360,S368	380910 SNW.....	S362,S370
339210 NI7.....	S350,S351	370020.....	S366,S368	380920 ANS.....	S364,S371
339220 NI7.....	S352,S353	370021.....	S363,S364,S369	380920 CMO.....	S366,S371
360100 ANS.....	S372	370022.....	S362,S366,S369	380920 SBK.....	S367,S371
360100 CMO.....	S372	370023.....	S362,S368	380920 SNW.....	S366,S371
360100 SBK.....	S372	370024.....	S368,S365		

- Lamps are included on all products.
- Wattages stated are the maximum recommended, however, you may use lower wattage lamps to suit your lighting needs.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants and other forms of weathering.

- All electrical products are rated as 120-volt, AC unless otherwise noted.
- All electrical products are certified and listed to UL/CSA/ETL standards for use in U.S.A. and Canada.
- All products featured in the outdoor section are certified and listed to UL/CSA standards for wet or damp location except where noted.

- To serve you better, Kichler® Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand applied finishing will cause some differences between the printed images and actual product, and from one product to another.



HOW TO CHOOSE THE RIGHT FAN

WHAT SIZE FAN DOES YOUR ROOM REQUIRE?

The best rule of thumb is to go as large as your room can accommodate; for maximum airflow, you want at least 18 inches of clearance between the edge of the blade and your wall or ceiling. Here are a few suggestions to guide you:

A few additional tips:

- Larger rooms can often accommodate more than one ceiling fan. For example, a great room measuring 30' x 15' could easily handle two 52" ceiling fans.
- You'll notice every Kichler® ceiling fan lists its blade sweep and downrod options. Most Kichler ceiling fans are sold with downrods to accommodate 8' ceilings (4" to 6" downrod) or 9' ceilings (12" down rod). If your ceiling is higher, refer to page 233 in our Full Line Catalog K411 for matching downrod options.
- All Kichler stem mounted ceiling fans can be installed on sloped ceilings, no greater than 20°. See page 230 in our Full Line Catalog K411, and page S355 in our Supplement K1211 for additional slope adaptor options up to 60°.

Room Size

90 square feet or less

Room Type

- Small bedroom or office
- Galley Kitchen

Blade Sweep

42"

Room Size

90 to 100 square feet

Room Type

- Over a kitchen table
- Breakfast nook
- Small screened-in porch
- Intimate dining room

Blade Sweep

44" and 46"

Room Size

100 to 150 square feet

Room Type

- Most bedrooms
- Most larger kitchens
- Formal dining room

Blade Sweep

52" and 54"

Room Size

Over 150 square feet

Room Type

- Guest room
- Large outdoor patio
- Master suite

Blade Sweep

56" and 70" or multiple fans





KICHLER® LIGHTING

World Headquarters
7711 E. Pleasant Valley Rd.
PO Box 318010
Cleveland, Ohio 44131-8010

www.kichler.com

35M/12-KF-2095
Catalog No. **K812**
Printed in USA
© Copyright All rights reserved.
Kichler Lighting.

The majority of newer Kichler® Lighting
fixtures are U.S. and Canadian Patent Pending.



Featured on Front Cover:
Crystal Bay™ Ceiling Fan
320500 ANS, with Dark Oak ABS
All-Weather Blades 370022
(sold separately)



Featured on Back Cover:
Saxon™ Ceiling Fan
339012 BSS, with optional 371201
Solid Wood Light Cherry Blades

KICHLER
LIGHTING 



Become a fan of Kichler Lighting at:
[facebook.com](https://www.facebook.com/kichlerlighting)
search Kichler Lighting



Follow us on
twitter.com/kichlerlight



Watch us on
[youtube.com/KichlerLighting](https://www.youtube.com/KichlerLighting)