

Lighting that defines your **style™**



KICHLER®
LIGHTING 



Jules™ Chandelier 43123 CH | Page 739 | January™ Beveled Mirror 78146. See more at Kichler.com

Welcome

Kichler® Lighting offers a distinctive array of lighting solutions that reflect your individual personality, tastes and plans. We believe that lighting should exceed functionality and transform your spaces into stunning, inspiring settings. Lighting that energizes, as well as enhances your life.

Kichler brings you an unparalleled variety of exciting style families, unique finishes, fresh colors and unequaled quality. Simply select a style and then choose among the many fixtures – from Chandeliers and Chandelettes® to Wall Sconces and Ceiling Fixtures along with coordinating Ceiling Fans – all provided within the very same distinctive family collection. And don't stop there. Check out our Outdoor Lantern collections to extend your living space – and style – even further.



TABLE OF CONTENTS

s730	Lighting Collections
s774	Bath Lighting
s784	Outdoor Lighting
s798	Legend
s799	Index



Arvella™
s754, 776




Bryce
s751



Camerena™
s768, 780



Carnival™
s750



City Lights™
s732



Crystal Skye™
s740



Deveron™
s760



Escala
s744



Everly™
s736



Feville™
s766, 783



Harrison
s761



Imari
s777




Jules™
s738



Lakeway™
s792



Lara™
s778



Loom
s748



Lucien™
s746



Lytham™
s758



Monroe™
s762-765, 781



Neillo™
s756



Nob Hill™
s796



Olympia™
s770-773, 782



Ralston™
s794



Soria™
s788



South Hope™
s786



Tolland™
s790



Triad
s734



Vitalino™
s787



Weatherly™
s793



Whitley™
s752



Ziva™
s742

Symbol Guide

	DAMP
	WET
	Dark Sky Compliant
	ADA Compliant
	Hybrid Symbol indicates the product best suited for indoor use with self-ballasted, compact fluorescent bulbs sold through distributors throughout the U.S.
	Hybrid Outdoor Symbol indicates the product best suited for Outdoor use with self-ballasted, compact fluorescent bulbs sold through distributors throughout the U.S.
	Bulb Included
	New Line Extension
	Installation Instructions: Fixture must be supported independently of the outlet box unless the outlet box is UL listed for the weight to be supported. Consult a qualified electrician / installer. Required installation parts included.
	Fixture requires supply wire rated for at least 90° C.
	Fixture requires supply wire rated for at least 75° C.

Table of Contents by Collection

Arvella™s754, 776	Lucien™s746
Bryce.....s751	Lytham™s758
Camerena™s768, 780	Monroe™s762
Carnival™s750	Neillo™s756
City Lights™s732	Nob Hill™s796
Crystal Skye™s740	Olympia™s770, 782
Deveron™s760	Ralston™s794
Escalas744	Soria™s788
Everly™s736	South Hope™s786
Feville™s766, 783	Tolland™s790
Harrison.....s761	Triad.....s734
Imari.....s777	Vitalino™s787
Jules™s738	Weatherly™s793
Lakeway™s792	Whitley™s752
Lara™s778	Ziva™s742
Looms748	



Become a fan of Kichler Lighting at:
[facebook.com, search Kichler Lighting](https://www.facebook.com/kichlerlighting)



Follow us on
twitter.com/kichlerlight



Watch us on
[youtube.com/KichlerLighting](https://www.youtube.com/KichlerLighting)



Collections

Our new lighting collections range from
New Traditions, through Casual Contemporary
to Mid-Century Modern.



Loom Semi Flush 43049 OZ | Page 749





Triad Linear Chandelier 42548 CLP | Page 735

City Lights™

Classic Pewter Finish with
Satin-Etched Cased Opal Glass




GET INSPIRED AT
KICHLER.COM

Detail of Chandelier 42940 CLP

42941 CLP
Side View of
Linear Chandelier




B | 42941 CLP
Linear Chandelier



Asymmetrical Design

A | 42940 CLP
Chandelier



C | 42942 CLP
Wall Sconce

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	42940	CLP	(7) 50W (G9)	23.5	21	59	25.75	100	---	---	Additional chain 2996 CLP. Additional stem 4935 (12") CLP. Sloped ceiling kit included. Halogen light source.
B	42941	CLP	(7) 50W (G9)	5	18.5	53.25	34.5	100	---	---	Additional chain 2996 CLP. Additional stem 4935 (12") CLP. Sloped ceiling kit included. Halogen light source.
C	42942	CLP	(2) 50W (G9)	15.5	16	---	---	---	4.5	7.25	Halogen light source.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Triad

Classic Pewter Finish with
Clear Outer Glass and White Vetro
Mica Glass Inner Shades



A | 42548 CLP
Linear Chandelier



GET INSPIRED AT
KICHLER.COM





B | 42547 CLP
Linear Chandelier

Halogen Downlight



Halogen Downlight

Clear Outer Glass
and White Vetro Mica
Glass Inner Shades



C | 42550 CLP
Pendant



D | 42549 CLP
Pendant

	INCAND. ITEM	FINISH	INCAND. BULB		W	H	OVRL. H	L	WIRE (CHAIN)	NOTES
A	42548	CLP	(3) 100W (M) & (3) 50W (GU10)	●	11.5	23	61	40	81	(23-30W CFL) Additional chain 2996 CLP. Additional stem 2999 (12") CLP. Sloped ceiling kit included. Halogen bulbs included.
B	42547	CLP	(3) 100W (M) & (3) 50W (GU10)	●	7.75	18	56	31.25	75	(23-30W CFL) Additional chain 2996 CLP. Additional stem 2999 (12") CLP. Sloped ceiling kit included. Halogen bulbs included.
C	42550	CLP	(1) 100W (M) & (1) 50W (GU10)	●	11.5	21.25	60	15.25	39	(23-30W CFL) Additional chain 2996 CLP. Additional stem 2999 (12") CLP. Sloped ceiling kit included. Halogen bulb included.
D	42549	CLP	(1) 100W (M) & (1) 50W (GU10)	●	7.75	18	56	12	38	(23-30W CFL) Additional chain 2996 CLP. Additional stem 2999 (12") CLP. Sloped ceiling kit included. Halogen bulb included.

Measurements shown in inches. U.S. and Canadian Patent Pending.



Everly™

Olde Bronze® Finish with Clear Glass or
Polished Chrome Finish with Clear Glass

Everly™ Pendant 42046 OZ



A | 42046 OZ
Pendant



B | 42047 CH
Pendant



Vintage
Squirrel Cage
Filament Bulb

4071 CLR

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	STEM TILT	WIRE (CHAIN)	NOTES
A	42046	OZ	(1) 100W (M)	13.75	19	57	90°	56	Additional stem 2999 (12") OZ. Decorative bulb not included. Glass is removable for cleaning.
B	42047	CH	(1) 100W (M)	8.75	17	55	90°	62	Additional stem 2999 (12") CH. Decorative bulb not included. Glass is removable for cleaning.

Measurements shown in inches.

Jules™

Polished Chrome Finish
with Crystal Accents



A | 43124 CH
Chandelier



GET INSPIRED AT
KICHLER.COM



B | 43122 CH
Chandelier



C | 43121 CH
Chandelier



D | 43123 CH
Chandelier



E | 43125 CH
Wall Sconce



F | 43120 CH
Chandelette®

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43124	CH	(12) 60W (C)	44	46.5	121	53(72)	---	---	Additional chain 4901 CH.
B	43122	CH	(8) 60W (C)	28.25	27.25	102	58(72)	---	---	Additional chain 2996 CH.
C	43121	CH	(6) 60W (C)	25.25	23.75	98	59(72)	---	---	Additional chain 2996 CH.
D	43123	CH	(9) 60W (C)	36.25	43.25	118	56(72)	---	---	Additional chain 4901 CH.
E	43125	CH	(2) 60W (C)	13.5	15.25	---	---	7.5	6.5	⓪
F	43120	CH	(3) 60W (C)	17	18	91	122(72)	---	---	Additional chain 2996 CH.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Crystal Skye™


Polished Chrome Finish
with Optical Crystals



GET INSPIRED AT
KICHLER.COM

A | 42173 CH
Oval Chandelier





	INCAND. ITEM	FINISH	INCAND. BULB		W	H	OVRL. H	L	EXT.	HCWO	WIRE (CHAIN)	NOTES
A	42173	CH	(12) 50W (G9)	Ⓢ	11.75	5	79	35.25	---	---	---	Halogen light source.
B	42194	CH	(6) 50W (G9)	Ⓢ	17.25	5	54	---	---	---	35	Halogen light source.
C	42195	CH	(8) 50W (G9)	Ⓢ	20.75	5	54	---	---	---	35	Halogen light source.
D	42175	CH	(2) 50W (G9)	Ⓢ	6.5	11	---	---	4	5.5	---	ADA Halogen light source.
E	42174	CH	(1) 100W (M)		6.5	11.5	85	---	---	---	---	Ⓢ (23-30W CFL)
F	42172	CH	(8) 50W (G9)	Ⓢ	7.5	5	79	25.75	---	---	---	Halogen light source.

Measurements shown in inches.



Detail of Ziva™ Pendant 42835 PN

Ziva™

Polished Nickel Finish with
Satin-Etched Cased Opal Glass

Industrial Turbine
Design Influence




A | 42835 PN
Pendant



B | 42834 PN
Pendant



C | 42837 PN
Wall Sconce



D | 42836 PN
Pendant

One Piece, Satin-Etched
Cased Opal Glass

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	42835	PN	(1) 100W (M)	18.25	16.25	48	68	---	---	(23-30W CFL) Additional chain 2996 PN. Additional stem 4935 (12") PN. Sloped ceiling kit included.
B	42834	PN	(1) 100W (M)	12.25	15.25	48	68	---	---	(23-30W CFL) Additional chain 2996 PN. Additional stem 4935 (12") PN. Sloped ceiling kit included.
C	42837	PN	(1) 100W (M)	12	7	---	---	6.75	3.5	(23-30W CFL)
D	42836	PN	(3) 100W (M)	24.75	14.5	46.5	104	---	---	(23-30W CFL) Additional chain 2996 PN. Additional stem 4935 (12") PN. Sloped ceiling kit included.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Escala

Polished Nickel Finish with
Satin-Etched Cased Opal Glass



A | 42036 PN
Pendant





B | 42037 PN Pendant

3 Arm Canopy

Optional canopy for use with three pendants (42036 PN sold separately) to create a dramatic cascading foyer centerpiece.

C | 4200 PN Canopy




3 Arm Canopy, 4200 PN, shown with (3) Pendants, 42036 PN

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	WIRE (CHAIN)	NOTES
A	42036	PN	(1) 100W (M)	8	14	52	26.75	90°	62	(23-30W CFL) Additional stem 2999 (12") PN
B	42037	PN	(2) 100W (M)	14	29.25	68	37	90°	44	(23-30W CFL) Additional stem 2999 (12") PN
C	4200	PN	---	24	4	---	---	---	---	3 arm Canopy only, pendants sold separately

Measurements shown in inches. A and B only: U.S. and Canadian Patent Pending.

Lucien™

Polished Chrome or
Olde Bronze® Finish



Fluted Cone Arms

A | 42256 CH
Pendant





B | 42257 OZ
Pendant

Vintage Squirrel Cage
Filament Bulbs Included

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	WIRE (CHAIN)	NOTES
A	42256	CH	(9) 60W (M)	24	17.25	58	---	---	73	(13-15W CFL) Additional chain 2996 CH. Additional stem 4935 (12) CH. Sloped ceiling kit included.
B	42257	OZ	(9) 60W (M) 	26	16.75	58	---	---	73	(13-15W CFL) Additional chain 2996 OZ. Additional stem 4935 (12") OZ. Sloped ceiling kit included. 4071 CLR bulbs included.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Loom

Olde Bronze® Finish with
Off-White Fabric Inner Shades.



A | 43046 OZ
Oval Chandelier



GET INSPIRED AT
KICHLER.COM





B | 43048 OZ
Mini Pendant



C | 43050 OZ
Wall Sconce
ADA Compliant



D | 43047 OZ
Pendant

Off-White Fabric Shade and
Outer Open Metal Weave Pattern

Satin-Etched Glass Diffuser

Convertible

Pendant & Semi Flush
Installation Options

E | 43049 OZ



Shown as Semi Flush - 11.25" H.

Shown as Pendant - 11.25" H.

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRLL. H	L	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43046	OZ	(4) 100W (M)	15	12.25	51	36	90°	93	---	---	 (23-30W CFL) Additional stem 2999 (12") OZ.
B	43048	OZ	(1) 60W (M)	6	10.25	48.25	---	---	59	---	---	 (13-15W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
C	43050	OZ	(1) 60W (C)	8.25	10	---	---	---	---	4	5	  (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
D	43047	OZ	(4) 100W (M)	24	18.75	57	---	---	80	---	---	 (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
E	43049	OZ	(3) 100W (M)	15	11.25	50	---	---	62	---	---	 (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Carnival™

Olde Bronze® Finish with Art Glass

Convertible

Pendant & Semi Flush
Installation Options



Shown as Pendant - 12.25" H.

A | 65369
Pendant



Six Sided, Hexagon Shape

Shown as Semi Flush - 12.25" H.

Colorful Art Glass
in Bold, Vibrant Colors



B | 65371
Mini Pendant



C | 69169
Wall Sconce
ADA Compliant

Art Glass shades are natural materials -
colors, patterns and textures will vary from piece to piece.



Bryce

Brushed Nickel Finish with
Art Glass and Cut Stone

Convertible

Inverted Pendant &
Semi Flush Installation
Options



D | 65363

Shown as Inverted Pendant - 20.5" H.



Shown as Semi Flush - 20.5" H.

Art Glass shades are natural materials -
colors, patterns and textures will vary from piece to piece.

Cut Stone



E | 69163
Wall Sconce
ADA Compliant

Marble Accent

Cut Stone

Art Glass



F | 65364
Mini Pendant



G | 69164
Semi Flush

	INCAND. ITEM	INCAND. BULB	W	H	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	65369	(3) 100W (M)	16	12.25	51.75	98	---	---	☑ (23-30W CFL) Additional chain 2996 OZ. Additional stem 4935 (12") OZ. Sloped ceiling kit included.
B	65371	(1) 100W (M)	5	12.75	45	68	---	---	☑ (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
C	69169	(2) 100W (M)	7	11	---	---	4	5.75	ADA ☑ (18-25W CFL)
D	65363	(4) 100W (M)	20.5	20.5	59	62	---	---	☑ (23-30W CFL) Additional chain 2996 NI. Additional stem 4935 (12") NI. Sloped ceiling kit included.
E	69163	(2) 100W (M)	8.25	13	---	---	4	6.5	ADA D ☑ (23-30W CFL)
F	65364	(1) 100W (M)	6	15.75	48	68	---	---	☑ (23-30W CFL) Additional chain 2996 NI. Additional stem 2999 (12") NI. Sloped ceiling kit included.
G	69164	(3) 100W (M)	14	12.25	---	---	---	---	☑ (23-30W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.



GET INSPIRED AT
KICHLER.COM



Whitley™

Olde Bronze® Finish with
Satin-Etched Cased Opal Glass



A | 42976 OZ
Chandelette®/Dinette



B | 42977 OZ
Chandelier



C | 42979 OZ
Wall Sconce



D | 42978 OZ
Mini Pendant

INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A 42976	OZ	(3) 100W (M)	18	23	61	68	---	---	Ⓜ (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
B 42977	OZ	(5) 100W (M)	25	28.25	67	104	---	---	Ⓜ (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.
C 42979	OZ	(1) 100W (M)	5	9.75	---	---	5.25	2.5	Ⓜ Ⓜ (23-30W CFL) May be installed with glass up or down.
D 42978	OZ	(1) 100W (M)	5	8.75	47	62	---	---	Ⓜ (23-30W CFL) Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Sloped ceiling kit included.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Arvella™

Brushed Nickel Finish with
Satin-Etched Cased Opal Glass



A | 43087 NI
Chandelier



GET INSPIRED AT
KICHLER.COM





Matching Bath

See matching bath
fixtures on page s776.



D | 45385 NI
Wall Sconce

Simple Tubular
Arm with Subtle
Step Detailing



B | 43085 NI
Chandelier



C | 43089 NI
Mini Pendant

Convertible

Chandelette® & Semi Flush
Installation Options

E | 43084 NI



Shown as Chandelette® - 18.25" H.



Shown as Semi Flush - 19" H.

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43087	NI	(8) 100W (M)	31.75	22.75	54	103	---	---	 (23-30W CFL) Additional chain 4901 NI. Additional stem 4935 (12") NI. Sloped ceiling kit included.
B	43085	NI	(4) 100W (M)	25	14.5	45	103	---	---	 (23-30W CFL) Additional chain 2996 NI. Additional stem 2999 (12") NI. Sloped ceiling kit included.
C	43089	NI	(1) 100W (M)	5	13	45	62	---	---	 (23-30W CFL) Additional chain 2996 NI. Additional stem 2999 (12") NI. Sloped ceiling kit included.
D	45385	NI	(1) 100W (M)	5	10.5	---	---	6.5	8	  (23-30W CFL) May be installed with glass up or down.
E	43084	NI	(3) 100W (M)	18	18.25	45	68	---	---	 (23-30W CFL) Additional chain 2996 NI. Additional stem 2999 (12") NI. Sloped ceiling kit included.

Measurements shown in inches. U.S. and Canadian Patent Pending.



Neillo™

Anvil Iron Finish and
Brushed Nickel Accents with
Textured Feather Glass



GET INSPIRED AT
KICHLER.COM



A | 43026 AVI
Chandelier

*Dramatic Curved
Arm Detail*



B | 43025 AVI
Chandelette®/Dinette



Textured Feather Glass

C | 43027 AVI
Chandelier



D | 43030 AVI
Wall Sconce



E | 43028 AVI
Mini Pendant



F | 43029 AVI
Semi Flush

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43026	AVI	(4) 100W (M)	25	21.5	60	---	104	---	---	Ⓜ (23-30W CFL) Additional chain 2996 AVI. Additional stem 2999 (12") AVI. Sloped ceiling kit included.
B	43025	AVI	(3) 100W (M)	18	18.25	57	---	68	---	---	Ⓜ (23-30W CFL) Additional chain 2996 AVI. Additional stem 2999 (12") AVI. Sloped ceiling kit included.
C	43027	AVI	(9) 100W (M)	36	34	72	---	104	---	---	Ⓜ (23-30W CFL) Additional chain 4901 AVI. Additional stem 2999 (12") AVI. Sloped ceiling kit included.
D	43030	AVI	(1) 100W (M)	6.25	14	---	---	---	8.25	6.25	Ⓜ Ⓜ (23-30W CFL) May be installed with glass up or down.
E	43028	AVI	(1) 100W (M)	6.25	13.75	52	90°	54	---	---	Ⓜ (23-30W CFL) Additional stem 2999 (12") AVI.
F	43029	AVI	(2) 100W (M)	16	11.25	---	---	---	---	---	Ⓜ (23-30W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.

Lytham™

Brushed Nickel Finish with
Satin-Etched White Glass



A | 42244 NI
Inverted Pendant



B | 42246 NI
Semi Flush



C | 42275 NI
Flush Mount



D | 42276 NI
Flush Mount

Convertible

Inverted Pendant &
Semi Flush Installation
Options

E | 42245 NI



Shown as Inverted Pendant - 9.25" H.



Shown as Semi Flush - 9.5" H.



Lytham™

Olde Bronze® Finish with
Satin-Etched White Glass



A | 42244 OZ
Inverted Pendant
NOT TO SCALE



B | 42246 OZ
Semi Flush



C | 42275 OZ
Flush Mount



D | 42276 OZ
Flush Mount

Convertible

Inverted Pendant &
Semi Flush Installation
Options

E | 42245 OZ



Shown as Inverted Pendant - 9.25" H.



Shown as Semi Flush - 9.5" H.

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	NOTES
A	42244	NI, OZ	(4) 100W (M)	20.5	20.25	59	53	(23-40W CFL) Additional chain 2996 NI, OZ. Additional stem 4935 (12") NI, OZ. Sloped ceiling kit included.
B	42246	NI, OZ	(4) 100W (M)	20.5	10.75	---	---	(23-40W CFL)
C	42275	NI, OZ	(3) 60W (M)	17.5	5.5	---	---	(13-40W CFL)
D	42276	NI, OZ	(4) 60W (M)	20.5	5.5	---	---	(13-40W CFL)
E	42245	NI, OZ	(3) 100W (M)	17.5	9.25	48	64	(23-40W CFL) Additional chain 2996 NI, OZ. Additional stem 2999 (12") NI, OZ. Sloped ceiling kit included.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Deveron™

Olde Bronze® Finish with
Art Glass and Cut Stone

Convertible

Pendant & Semi Flush
Installation Options

A | 65367



Shown as Pendant - 11" H.



Shown as Semi Flush - 10.25" H.

Art Glass shades are natural materials -
colors, patterns and textures will vary from piece to piece.

B | 65368
Pendant



Art Glass Jewels



C | 65372
WOODBURY™
Semi Flush

LE

Harrison

Olde Bronze® Finish
with Art Glass



D | 65365
Inverted Pendant



E | 69165
Wall Sconce



F | 65366
Semi Flush

Art Glass shades are natural materials -
colors, patterns and textures will vary from piece to piece.

	INCAND. ITEM	INCAND. BULB	W	H	OVRL. H	L	WIRE (CHAIN)	EXT	HCWO	NOTES
A	65367	(1) 75W (M)	14	11	85	---	34(72)	---	---	☑ (18-25W CFL)
B	65368	(1) 100W (M)	20	14.5	89	---	34(72)	---	---	☑ (23-30W CFL)
C	65372	(3) 60W (M)	17	12.75	---	---	---	---	---	☑ (13-15W CFL)
D	65365	(4) 50W (G9) Ⓢ	16	12	45	20	70	---	---	Additional chain 2996 OZ. Additional stem 2999 (12") OZ. Halogen light source.
E	69165	(2) 60W (C)	12	6	---	---	---	6	2.75	Ⓢ
F	65366	(4) 50W (G9) Ⓢ	18	9.25	---	---	---	---	---	Halogen light source.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Monroe™

Olde Bronze® Finish with
Light Umber Etched Glass



A | 43155 OZ
Chandelier/Dinette



B | 43159 OZ
Chandelier



C | 43171 OZ
Wall Sconce



D | 43158 OZ
Chandelier



E | 43162 OZ
Mini Pendant



Matching Bath

See matching bath
fixtures on page s781.



F | 43170 OZ
Wall Sconce



G | 43156 OZ
Chandelier
NOT TO SCALE



H | 43160 OZ
Island Chandelier



J | 43169 OZ
Semi Flush

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43155	OZ	(3) 100W (M)	23	29.5	104	---	---	29(72)	---	---	☑ (23-30W CFL)
B	43159	OZ	(9) 100W (M)	33.5	37.75	112	---	---	28(72)	---	---	☑ (23-30W CFL)
C	43171	OZ	(2) 100W (M)	14.5	14	---	---	---	---	8.75	8	☑ ☑ (23-30W CFL) May be installed with glass up or down.
D	43158	OZ	(5) 100W (M)	27	25	99	---	---	14(72)	---	---	☑ (23-30W CFL)
E	43162	OZ	(1) 100W (M)	7	16	54	---	90°	53	---	---	☑ (23-30W CFL) Additional stem 2999 (12") OZ.
F	43170	OZ	(1) 100W (M)	6	14	---	---	---	---	9.25	8	☑ ☑ (23-30W CFL) May be installed with glass up or down.
G	43156	OZ	(5) 100W (M)	27.5	29.5	104	---	---	29(72)	---	---	☑ (23-30W CFL)
H	43160	OZ	(2) 100W (M)	14	22.25	96	34.5	---	29(72)	---	---	☑ (23-30W CFL) G type lamp recommended.
J	43169	OZ	(2) 100W (M)	17.25	14.25	---	---	---	---	---	---	☑ (23-30W CFL)

Measurements shown in inches.

Monroe™

Olde Bronze® Finish with
Light Umber Etched Glass



A | 43164 OZ
Inverted Pendant



B | 43165 OZ
Foyer Pendant



C | 43167 OZ
Foyer Chandelier



D | 43163 OZ
Inverted Pendant



E | 43166 OZ
Foyer Chandelier



F | 43168 OZ
Semi Flush

Monroe™

Brushed Nickel Finish



B | 43165 NI
Foyer Pendant



E | 43166 NI
Foyer Chandelier



C | 43167 NI
Foyer Chandelier



F | 43168 NI
Semi Flush



	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	NOTES
A	43164	OZ	(3) 100W (M)	26.75	32.75	107	8(72)	☑ (23-30W CFL)
B	43165	OZ, NI	(4) 60W (C)	15	27	101	28(72)	
C	43167	OZ, NI	(8) 60W (C)	27	44.75	119	28(72)	
D	43163	OZ	(2) 100W (M)	17.5	25	99	14(72)	☑ (23-30W CFL)
E	43166	OZ, NI	(8) 60W (C)	23	40.75	115	28(72)	
F	43168	OZ, NI	(4) 60W (C)	10.75	15	---	---	

Measurements shown in inches.

Feville™

Olde Bronze® Finish with
Light Umber Etched Glass



A | 43182 OZ
Mini Pendant



B | 43178 OZ
Chandelier



C | 43174 OZ
Semi Flush



D | 43181 OZ
Foyer Pendant



E | 43180 OZ
Foyer Pendant



F | 43175 OZ
Chandelier



Matching Bath

See matching bath
fixtures on page s783.



G | 45473 OZ
Wall Sconce



K | 43176 OZ
Chandelier
NOT TO SCALE



J | 43179 OZ
Inverted Pendant



H | 43177 OZ
Chandelier



L | 43183 OZ
Island Chandelier

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	STEM TILT	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43182	OZ	(1) 100W (M)	6	13.25	52	90°	---	54	---	---	Ⓜ (23-30W CFL) Additional stem 2999 (12") OZ.
B	43178	OZ	(16) 60W (M)	45.25	44	118	---	---	8(72)	---	---	Ⓜ (13-15W CFL)
C	43174	OZ	(3) 100W (M)	19	12.5	---	---	---	---	---	---	Ⓜ (23-30W CFL)
D	43181	OZ	(1) 200W (M)	21	30.25	105	---	---	18(72)	---	---	Ⓜ (30-52W CFL)
E	43180	OZ	(1) 150W (M)	16	26	100	---	---	19(72)	---	---	Ⓜ (30-52W CFL)
F	43175	OZ	(5) 100W (M)	25	21.75	96	---	---	17(72)	---	---	Ⓜ (23-30W CFL)
G	45473	OZ	(1) 100W (M)	6	11.25	---	---	---	---	8	6.5	Ⓜ Ⓜ (23-30W CFL) May be installed with glass up or down.
H	43177	OZ	(9) 100W (M)	31	31	105	---	---	6(72)	---	---	Ⓜ (23-30W CFL)
J	43179	OZ	(3) 100W (M)	18.5	23	97	---	---	18(72)	---	---	Ⓜ (23-30W CFL)
K	43176	OZ	(5) 100W (M)	23	20.75	95	---	---	24(72)	---	---	Ⓜ (23-30W CFL)
L	43183	OZ	(2) 100W (M)	15.75	14.5	89	---	36.75	28(72)	---	---	Ⓜ (23-30W CFL) G type lamp recommended.

Measurements shown in inches.

Camerena™

Olde Bronze™ Finish with
White Scavo Glass and
Light Umber Inside Tint



A | 43230 OZ
Mini Pendant



B | 43226 OZ
Chandelier



C | 43232 OZ
Semi Flush



D | 43223 OZ
Chandelier/Dinette



E | 43228 OZ
Foyer Pendant



F | 43229 OZ
Foyer Pendant



Matching Bath

See matching bath
fixtures on page s780.



G | 45421 OZ
Wall Sconce



H | 43224 OZ
Chandelier



J | 43227 OZ
Inverted Pendant



K | 43231 OZ
Island Chandelier



L | 43225 OZ
Chandelier

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	43230	OZ	(1) 100W (M)	7	16.5	55	---	90°	52	---	---	(23-30W CFL) Additional stem 2999 (12") OZ.
B	43226	OZ	(9) 100W (M)	30	34.5	109	---	---	9(72)	---	---	(23-30W CFL)
C	43232	OZ	(3) 100W (M)	18	14.5	---	---	---	---	---	---	(23-30W CFL)
D	43223	OZ	(3) 100W (M)	20	24.5	99	---	---	11(72)	---	---	(23-30W CFL)
E	43228	OZ	(1) 150W (M)	15.25	27.25	102	---	---	17(72)	---	---	(30-52W CFL)
F	43229	OZ	(1) 200W (M)	20.25	31.75	106	---	---	15(72)	---	---	(30-52W CFL)
G	45421	OZ	(1) 100W (M)	6	12.5	---	---	---	---	9	8.75	(23-30W CFL) May be installed with glass up or down.
H	43224	OZ	(5) 100W (M)	27	31.25	106	---	---	5(72)	---	---	(23-30W CFL)
J	43227	OZ	(3) 100W (M)	18	21.5	106	---	---	14(72)	---	---	(23-30W CFL)
K	43231	OZ	(2) 100W (M)	15.75	23.25	98	37.25	---	18(72)	---	---	(23-30W CFL) G type lamp recommended.
L	43225	OZ	(5) 100W (M)	27	27	101	---	---	7(72)	---	---	(23-30W CFL)

Measurements shown in inches.

Olympia™

Olde Bronze® Finish with
Satin-Etched White Glass



B | 1678 OZW
Chandelette®



A | 1861 OZW
Chandelier
NOT TO SCALE





Matching Bath

See matching bath fixtures on page s782.

Includes our
CoolTouch™
Control System
U.S. Patent Pending



D | 300011 OZW
Ceiling Fan

Kichler® Décor™ Ceiling Fan. See our full line of Ceiling Fans in the Kichler Ceiling Fan Catalog K411 or visit kichler.com.



C | 1680 OZW
Chandelier



F | 1681 OZW
Chandelier



E | 1679 OZW
Chandelier

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	STEM TILT	WIRE (CHAIN)	NOTES
A	1861	OZW	(20) 60W (M)	59	45.5	84	---	142	① (9-13W CFL) Additional chain 4909 OZ; Additional stem 4935 (12") OZ.
B	1678	OZW	(5) 60W (C)	16.5	12	50	---	164	Additional chain 2996 OZ; Additional stem 2999 (12") OZ.
C	1680	OZW	(9) 60W (C)	32	25	63	45°(12:12)	103	Additional stem 2999 (12") OZ.
D	300011	OZW	---	---	---	---	---	---	See our full line of Ceiling Fans in the Kichler Ceiling Fan Catalog K411 or visit kichler.com .
E	1679	OZW	(5) 60W (C)	27	16.75	55	45°(12:12)	67	Additional stem 2999 (12") OZ; G type lamp recommended.
F	1681	OZW	(15) 60W (C)	42	34	72	---	100	Add. chain 4901 OZ; Add. stem 2999 (12") OZ; G type lamp recommended.

Measurements shown in inches. 1680: U.S. Patent No. D575,446; 1679: U.S. Patent No. D550,886; D553,782; D585,591

Olympia™

Olde Bronze® Finish with
Satin-Etched White Glass



A | 3478 OZW
Mini Pendant

Satin-Etched
Glass Diffuser



B | 3279 OZW
Inverted Pendant



C | 3678 OZW
Semi Flush



D | 2978 OZW
Island Chandelier



E | 3606 OZW
Semi Flush



Matching Bath

See matching bath fixtures on page s782.



Downlight with
3-Way Turn Switch

F | 1676 OZW
Chandelier



G | 3278 OZW
Inverted Pendant



H | 7779 OZW
Directional Rail Light



J | 7703 OZW
Directional Rail Light



K | 6079 OZW
Wall Sconce

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	3478	OZW	(1) 60W (C)	8	14	52	---	45°(12:12)	51	---	---	Additional stem 2999 (12") OZ.
B	3279	OZW	(5) 150W (M)	36	31	69	---	---	104	---	---	Ⓜ (30-52W CFL) Additional chain 4901 OZ. Additional stem 2999 (12") OZ.
C	3678	OZW	(1) 150W (M)	18	12	---	---	---	---	---	---	Ⓜ (30-52W CFL)
D	2978	OZW	(2) 150W (M)	14.75	17.5	56	38	45°(12:12)	104	---	---	Ⓜ (30-52W CFL) Additional stem 2999 (12") OZ. G type lamp recommended.
E	3606	OZW	(3) 100W (M)	24	11.25	---	---	---	---	---	---	Ⓜ (23-30W CFL)
F	1676	OZW	(5) 60W (C) & (1) 100W (M)	27	17	55	---	45°(12:12)	68	---	---	Additional stem 2999 (12") OZ. G type lamp recommended for downlight.
G	3278	OZW	(3) 150W (M)	24	21	59	---	45°(12:12)	53	---	---	Additional stem 2999 (12") OZ.
H	7779	OZW	(3) 50W (GU10) MR16 ✓ Ⓚ	5.5	9.25	---	25.25	---	---	7	2.75	Ⓚ May be ceiling or wall mounted, Halogen light source.
J	7703	OZW	(4) 50W (GU10) MR16 ✓ Ⓚ	5.5	9.75	---	32	---	---	7.5	2.75	Ⓚ May be ceiling or wall mounted, Halogen light source.
K	6079	OZW	(1) 60W (C)	5	12	---	---	---	---	6.75	6.75	Ⓚ G type lamp recommended, May be installed with glass up or down.

Measurements shown in inches. 3678: U.S. Patent No. D577,850; 2978: U.S. Patent No. D570,520; 7779: U.S. and Canadian Patent Pending.

Bath

Our new bath lighting collections range from New Traditions, through Casual Contemporary to Transitional.



Architectural Detail Lighting

Toe Kick Lighting



Lara™ Wall Sconce 45363 CLP | Page 778



GET INSPIRED AT
KICHLER.COM



Under Cabinet Lighting

Kichler® Under Cabinet Lighting System adds a Dramatic Light Layering Effect, from Intelligent LED options to Traditional Xenon and Fluorescent choices.

Crystal Skye™ Mini Pendants 42174 CH | Page 741

Arvella™

Brushed Nickel Finish with
Satin-Etched Cased Opal Glass

Matching Family

See entire Arvella
Collection on page s754.



A | 45385 NI
Wall Sconce
NOT TO SCALE



B | 45386 NI



C | 43089 NI
Mini Pendant



D | 45387 NI



E | 45388 NI

Imari

Polished Chrome Finish with
Satin-Etched White Glass



F | 45379 CH
NOT TO SCALE

*Circular Glass rests within
a Rectangular Framework,
so it appears to be Floating*



G | 45380 CH



H | 45381 CH

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	45385	NI	(1) 100W (M)	5	10.5	---	---	6.5	8	ⓓ (23-30W CFL) May be installed with glass up or down.
B	45386	NI	(2) 100W (M)	16.75	10.5	---	---	6.5	8	ⓓ (23-30W CFL) May be installed with glass up or down.
C	43089	NI	(1) 100W (M)	5	13	45	62	---	---	ⓓ (23-30W CFL) Additional chain 2996 NI. Additional stem 2999 (12") NI. Sloped ceiling kit included.
D	45387	NI	(3) 100W (M)	26	10.5	---	---	6.5	8	ⓓ (23-30W CFL) May be installed with glass up or down.
E	45388	NI	(4) 100W (M)	35.25	10.5	---	---	6.5	8	ⓓ (23-30W CFL) May be installed with glass up or down.
F	45379	CH	(2) 50W (G9) ⓓ	18.5	5.25	---	---	6.75	2.75	ⓓ Halogen light source.
G	45380	CH	(3) 50W (G9) ⓓ	27.25	5.25	---	---	6.75	2.75	ⓓ Halogen light source.
H	45381	CH	(4) 50W (G9) ⓓ	36	5.25	---	---	6.75	2.75	ⓓ Halogen light source.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Lara™

Classic Pewter Finish with
Satin-Etched Cased Opal Glass



Matching Family

See entire Lara Collection on
page 64 in Kichler Catalog K112.



A | 45363 CLP
NOT TO SCALE



B | 45364 CLP



C | 45365 CLP



Lara™

Shadow Bronze™ Finish with
Satin-Etched Cased Opal Glass



Matching Family

See entire Lara Collection on
page 67 in Kichler Catalog K112.



A | 45363 SWZ
NOT TO SCALE



B | 45364 SWZ



C | 45365 SWZ

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
A	45363	CLP, SWZ	(2) 50W (G9)	13	9.5	5.75	6	D Halogen light source.
B	45364	CLP, SWZ	(3) 50W (G9)	23.25	9.5	8	6	D Halogen light source.
C	45365	CLP, SWZ	(4) 50W (G9)	29.25	9.5	6.75	6	D Halogen light source.

Measurements shown in inches. U.S. and Canadian Patent Pending.

Camerena™

Olde Bronze™ Finish with
White Scavo Glass and
Light Umber Inside Tint



Matching Family

See entire Camerena
Collection on page s768.



A | 45421 OZ
Wall Sconce
NOT TO SCALE



B | 45422 OZ



C | 45423 OZ



D | 45424 OZ

Monroe™

Olde Bronze® Finish with
Light Umber Etched Glass



Matching Family

See entire Monroe
Collection on page s762.



E | 43170 OZ
Wall Sconce
NOT TO SCALE



F | 45054 OZ



G | 45055 OZ



H | 45056 OZ

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
A	45421	OZ	(1) 100W (M)	6	12.5	8.75	8.5	D  (23-30W CFL) May be installed with glass up or down.
B	45422	OZ	(2) 100W (M)	18	9	8.25	5	D  (23-30W CFL) May be installed with glass up or down.
C	45423	OZ	(3) 100W (M)	24	9	8.25	5	D  (23-30W CFL) May be installed with glass up or down.
D	45424	OZ	(4) 100W (M)	36	9	8.25	5	D  (23-30W CFL) May be installed with glass up or down.
E	43170	OZ	(1) 100W (M)	6	14	9.25	8	D  (23-30W CFL) May be installed with glass up or down.
F	45054	OZ	(2) 100W (M)	18	11.75	8	5	D  (23-30W CFL) May be installed with glass up or down.
G	45055	OZ	(3) 100W (M)	24	11.5	8	5	D  (23-30W CFL) May be installed with glass up or down.
H	45056	OZ	(4) 100W (M)	36	11.5	8	5	D  (23-30W CFL) May be installed with glass up or down.

Measurements shown in inches.

Olympia™

Olde Bronze® Finish with
Satin-Etched White Glass



Matching Family

See entire Olympia
Collection on page s770.



A | 7703 OZW
Directional Rail Light
NOT TO SCALE



B | 7779 OZW
Directional Rail Light



C | 5177 OZW



D | 5178 OZW



E | 6079 OZW
Wall Sconce



F | 5179 OZW

Feville™

Olde Bronze® Finish with
Light Umber Etched Glass



Matching Family

See entire Feville
Collection on page s766.



G | 45473 OZ
Wall Sconce
NOT TO SCALE



H | 45474 OZ



J | 45475 OZ



K | 45476 OZ

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	L	EXT.	HCWO	NOTES
A	7703	OZW	(4) 50W (GU10) MR16 ✓ ⓘ	5.5	9.75	32	7.5	2.75	ⓘ May be ceiling or wall mounted, Halogen light source
B	7779	OZW	(3) 50W (GU10) MR16 ✓ ⓘ	5.5	9.25	25.25	7	2.75	ⓘ May be ceiling or wall mounted, Halogen light source
C	5177	OZW	(2) 100W (M)	13.25	7	---	6.5	2.75	ⓘ May be installed with glass up or down
D	5178	OZW	(3) 100W (M)	21.25	7	---	6.5	2.75	ⓘ May be installed with glass up or down
E	6079	OZW	(1) 60W (C)	5	12	---	6.75	6.75	ⓘ G type lamp recommended, May be installed with glass up or down
F	5179	OZW	(4) 100W (M)	29.5	7	---	6.5	4.25	ⓘ May be installed with glass up or down
G	45473	OZ	(1) 100W (M)	6	11.25	---	8	6.5	ⓘ ⓘ (23-30W CFL) May be installed with glass up or down
H	45474	OZ	(2) 100W (M)	18	10.5	---	8	5.75	ⓘ ⓘ (23-30W CFL) May be installed with glass up or down
J	45475	OZ	(3) 100W (M)	24	10.5	---	8	5.75	ⓘ ⓘ (23-30W CFL) May be installed with glass up or down
K	45476	OZ	(4) 100W (M)	36	10.5	---	8	5.75	ⓘ ⓘ (23-30W CFL) May be installed with glass up or down

Measurements shown in inches. 7779: U.S. and Canadian Patent Pending.

Outdoor

Our newest outdoor lighting collections,
with updated styles and unique designs.



Vitalino™ Indoor/Outdoor Wall 49025 AVI | Page 787



GET INSPIRED AT
KICHLER.COM



In addition to Outdoor Lanterns, Kichler® provides Design Pro LED Outdoor Living. Low Voltage Lighting for Hardscape, Deck, Step, Bench & Outdoor Kitchens.

South Hope™

Rubbed Bronze™ Finish with
Satin-Etched Cased Opal Glass



A | 49476 RZ
NOT TO SCALE



B | 49475 RZ

← All of the South Hope
Collection has Cast
Aluminum Construction
for Durability



C | 49474 RZ



D | 49478 RZ
Post Lantern

Convertible

Post Lantern &
Column Mount
Lantern Installation
Options, hardware
included




← 9506 AZ Post

Cast Aluminum
construction

Vitalino™

Anvil Iron Finish with
Satin-Etched Cased Opal Glass



Suitable
for Indoor
use also.

All of the Vitalino
Collection has Cast
Aluminum Construction
for Durability

Can Only Be Mounted
with Glass Facing Down
for Outdoors



E | 49024 AVI
Indoor/Outdoor Wall



F | 49025 AVI
Indoor/Outdoor Wall

Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
A	49476	RZ	(1) 100W (M)	9	19.75	9.5	---	W ⓘ EOD (23-30W CFL) Variable height mounting hardware included. Junction box 10"-13.25".
B	49475	RZ	(1) 60W (M)	7	17.75	7.75	9.5	W EOD (13-15W CFL) T-type lamp recommended.
C	49474	RZ	(1) 60W (C)	5.5	11.75	6.25	7.5	W
D	49478	RZ	(1) 100W (M)	9	21.5	---	---	W EOD (23-30W CFL) Convertible from post to column mount.
E	49024	AVI	(1) 75W (M)	4.75	16.25	6.25	3.25	W Wet location with glass in downward position only. EOD (18-25W CFL)
F	49025	AVI	(1) 100W (M)	5	20	7.25	4	W Wet location with glass in downward position only. EOD (23-30W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.

Soria™

Aged Bronze Finish with
Vetro Mica Glass



A | 49449 AGZ



B | 49451 AGZ

Vetro Mica Glass



C | 49453 AGZ
Post Lantern

9595 AGZ Post





D | 49452 AGZ
Outdoor Pendant

Vetro Mica Glass



E | 49153 AGZVM
Outdoor Ceiling



All of the Soria
Collection has Cast
Aluminum Construction
for Durability

F | 49450 AGZ

Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	49449	AGZ	(1) 75W (M)	6	10.25	---	---	7	2.25	W EOD (18-25W CFL)
B	49451	AGZ	(1) 150W (M)	9	15.25	---	---	10	2.75	W EOD (30-52W CFL)
C	49453	AGZ	(1) 150W (M)	9	16	---	---	---	---	W EOD (30-52W CFL)
D	49452	AGZ	(1) 100W (M)	9	14	88	28(72)	---	---	D EOD (23-30W CFL)
E	49153	AGZVM	(2) 60W (C) ♦	9.5	5.25	---	---	---	---	D
F	49450	AGZ	(1) 100W (M)	7.5	11.75	---	---	8.5	2.25	W EOD (23-30W CFL)

Measurements shown in inches. 49153: U.S. and Canadian Patent Pending

Tolland™

Brushed Bronze Finish with
Vertical Rain Glass



A | 49464 BRZ



B | 49461 BRZ



C | 49466 BRZ
Post Lantern

Cast Aluminum
construction

9510 BST Post



All of the Tolland Collection has Cast Aluminum Construction for Durability



D | 49463 BRZ



E | 49465 BRZ
Outdoor Pendant



F | 49462 BRZ

Moroccan Design Motiff



G | 9538 BRZ
Outdoor Ceiling

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	49464	BRZ	(4) 60W (C)	11	27	---	---	13.5		W ① Variable height mounting hardware included. Junction box 16.25"-20.5".
B	49461	BRZ	(1) 75W (M)	6.5	12	---	---	7	6.75	W EOD (13-15W CFL)
C	49466	BRZ	(3) 60W (C)	9.5	21.25	---	---	---	---	W
D	49463	BRZ	(3) 60W (C)	9.5	21.5	---	---	11.25	11.5	W
E	49465	BRZ	(3) 60W (C)	9.5	19.75	94	13(72)	---	---	D
F	49462	BRZ	(2) 60W (C)	8	18	---	---	9.75	11	W
G	9538	BRZ	(3) 40W (C) ✓	12.25	6.25	---	---	---	---	D

Measurements shown in inches. A, B, C, D, E, F: U.S. and Canadian Patent Pending.

Lakeway™

Rubbed Bronze™ Finish with
Etched Seedy Glass



A | 49433 RZ



B | 49035 RZ
Outdoor Ceiling



C | 49432 RZ
Outdoor Pendant



D | 49429 RZ

*All of the Lakeway
Collection has Cast
Aluminum Construction
for Durability*



E | 49428 RZ



F | 49430 RZ



G | 49431 RZ
Post Lantern

9510 OZ. Post

Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	49433	RZ	(1) 200W (M)	11	17	---	---	9.5	3.75	W E OD (30-52W CFL)
B	49035	RZ	(2) 40W (C) ✦	10	6.25	---	---	---	---	D
C	49432	RZ	(1) 150W (M)	8.5	13.75	88	27(72)	---	---	D E OD (30-52W CFL)
D	49429	RZ	(1) 100W (M)	7	11.25	---	---	6.25	2.75	W E OD (23-30W CFL)
E	49428	RZ	(1) 60W (M)	5.25	7.75	---	---	5	3.5	W
F	49430	RZ	(1) 150W (M)	8.5	13.75	---	---	7.5	3	W E OD (30-52W CFL)
G	49431	RZ	(1) 150W (M)	8.5	16.25	---	---	---	---	W E OD (30-52W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.

Weatherly™

Black Finish with
Etched Seedy Glass



A | 9538 BK
Outdoor Ceiling



B | 49439 BK



C | 49441 BK
Outdoor Pendant

*All of the Weatherly
Collection has Cast
Aluminum Construction
for Durability*



D | 49440 BK



E | 49443 BK



F | 49438 BK



G | 49442 BK
Post Lantern

9506 BK Post


Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	9538	BK	(3) 40W (C) ✓	12.25	6.25	---	---	---	---		D
B	49439	BK	(1) 100W (M)	7	11	---	---	---	7	3.75	W OD (23-30W CFL)
C	49441	BK	(1) 150W (M)	7.5	15.75	90	9	20(72)	---		D OD (30-52W CFL)
D	49440	BK	(1) 150W (M)	9	14	---	---	---	8.75	4.75	W OD (30-52W CFL)
E	49443	BK	(1) 200W (M)	11	17	---	---	---	10.5	6	W OD (30-52W CFL)
F	49438	BK	(1) 60W (M)	5.5	8.5	---	---	---	5.75	3.75	W OD (13-15W CFL)
G	49442	BK	(1) 150W (M)	7.5	16.25	---	9	---	---		W OD (30-52W CFL)

Measurements shown in inches. B, C, D, E, F, G: U.S. and Canadian Patent Pending.

Ralston™

Black Finish with
Satin-Etched Glass



Satin-Etched
Glass

A | 9848 BKS
Outdoor Ceiling



B | 49412 BK
Outdoor Pendant



C | 49411 BK



E | 49414 BK



D | 49410 BK



F | 49409 BK



G | 49413 BK
Post Lantern

9510 BK Post

Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	9848	BKS	(2) 60W (M)	13.5	7.5	---	---	---	---	(13-15W CFL)
B	49412	BK	(1) 100W (M)	10	17	91	25(72)	---	---	(23-30W CFL)
C	49411	BK	(1) 100W (M)	10	16.75	---	---	11.25	6.5	(23-30W CFL)
D	49410	BK	(1) 100W (M)	8	14	---	---	9	6.75	(23-30W CFL)
E	49414	BK	(1) 100W (M)	11.75	25	---	---	14	10	(23-30W CFL)
F	49409	BK	(1) 75W (M)	6	10.5	---	---	7	5	(18-25W CFL)
G	49413	BK	(1) 100W (M)	10	22.5	---	---	---	---	(23-30W CFL)

Measurements shown in inches.

Ralston™

Rubbed Bronze™ Finish with
Satin-Etched Glass



A | 9848 RZS
Outdoor Ceiling



B | 49412 RZ
Outdoor Pendant



C | 49411 RZ



E | 49414 RZ

All of the Ralston
Collection has Cast
Aluminum Construction
for Durability



D | 49410 RZ



F | 49409 RZ



G | 49413 RZ
Post Lantern

Cast Aluminum
construction

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	9848	RZS	(2) 60W (M)	13.5	7.5	---	---	---	---	● 30D (13-15W CFL)
B	49412	RZ	(1) 100W (M)	10	17	91	25(72)	---	---	● 30D (23-30W CFL)
C	49411	RZ	(1) 100W (M)	10	16.75	---	---	11.25	6.5	W 30D (23-30W CFL)
D	49410	RZ	(1) 100W (M)	8	14	---	---	9	6.75	W 30D (23-30W CFL)
E	49414	RZ	(1) 100W (M)	11.75	25	---	---	14	10	W 30D (23-30W CFL)
F	49409	RZ	(1) 75W (M)	6	10.5	---	---	7	5	W 30D (18-25W CFL)
G	49413	RZ	(1) 100W (M)	10	22.5	---	---	---	---	W 30D (23-30W CFL)

Measurements shown in inches.

Nob Hill™

Rubbed Bronze™ Finish with
Etched Seedy Glass



A | 49420 RZ
NOT TO SCALE
LE



B | 49419 RZ
Outdoor Pendant



C | 49417 RZ

Cast Aluminum
CONSTRUCTION



D | 49415 RZ

E | 49035 RZ
Outdoor Ceiling

F | 49416 RZ

← All of the Nob Hill Collection has Cast Aluminum Construction for Durability

G | 49418 RZ
Post Lantern

9510 AZ Post

	INCAND. ITEM	FINISH	INCAND. BULB	W	H	OVRL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
A	49420	RZ	(1) 150W (M)	13	28.5	---	---	16.5	---	W ① OD (30-52W CFL) Variable height mounting hardware included. Junction box 8.25"-12.5".
B	49419	RZ	(1) 150W (M)	12.5	19.75	94	22(72)	---	---	D OD (30-52W CFL)
C	49417	RZ	(1) 150W (M)	10	20.5	---	---	12.75	5.5	W OD (30-52W CFL)
D	49415	RZ	(1) 75W (M)	6	9.25	---	---	7.25	2.75	W OD (18-25W CFL)
E	49035	RZ	(2) 40W (C) ✦	10	6.25	---	---	---	---	D
F	49416	RZ	(1) 100W (M)	8	16.5	---	---	10.25	5	W OD (23-30W CFL)
G	49418	RZ	(1) 150W (M)	12.5	22.25	---	---	---	---	W OD (30-52W CFL)

Measurements shown in inches. U.S. Patent Pending

Legend / Symbol Guide

-  = This symbol indicates the product best suited for Indoor use with self-ballasted, compact fluorescent lamps sold through electrical distributors and lighting showrooms across the U.S.
- OD = This symbol indicates the product best suited for Outdoor use with self-ballasted, compact fluorescent lamps sold through electrical distributors and lighting showrooms across the U.S.
- (C) = Candelabra based lamp (E-12).
- (C/K) = Candelabra based lamp (E-12) or Krypton candelabra based lamps.
- (K) = Krypton candelabra based lamps.
- (M) = Medium based lamp (E-26).
- ✓ = Fixture requires supply wire rated for at least 75° C.
- ✦ = Fixture requires supply wire rated for at least 90° C.
- ☆ = When electrical connection is made inside the fixture, supply wire must be rated at least 75° C. When electrical connection is made in an outlet box, supply wire must be rated at least 60° C.
- ① = Installation Instructions: Fixture must be supported independently of the outlet box unless the outlet box is UL listed for the weight to be supported. Consult a qualified electrician/installer. Required installation parts included.
- D = Diameter
- Ext. = Extension
- Fluor. = Fluorescent
- H = Height
- HCWO = Height from Center of Wall Opening
- Incand. = Incandescent
- L = Length
- Ovrl. H = Overall Height
- W = Width
- Wire (Chain) = Wire in excess of chain length.
Example: 19(72) = 19" of extra wire with 72" chain
- ADA** = ADA Compliant
-  = DAMP
-  = Dark Sky Compliant
-  = Lamp Included
-  = WET
- ★ = Kichler® Lighting Products are not produced or associated with any Native American Indians, nor are they a Native American product or the product of a particular Indian, Indian tribe or Indian arts and crafts organization as defined by 25 U.S.C. §305 et. seq.

- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended, however, you may use lower wattage lamps to suit your lighting needs. Some recommended lamps are not available in the maximum allowable wattage.
- All electrical products are rated as 120-volt, AC unless otherwise noted.
- All electrical products are certified and listed to UL/CSA/ETL Standards for use in U.S.A. and Canada except where noted.
- All products featured in the outdoor section are certified and listed to UL/CSA/ETL standards for wet location except where noted.
- All chain drop products equipped with at least 72" of chain.
- Many long life tungsten halogen capsule lamps are now available as alternates to conventional incandescent light bulbs. The halogen capsule lamps may be used to replace any lamp of a higher wattage, but not to exceed the existing specified maximum wattage, i.e., 72W may replace a 75W.
- On some products, in order to accommodate higher than normal ceiling height, extra lead wire is supplied and specified. With additional sections of chain or stems (not included), this allows an added measure of design flexibility.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants and other forms of weathering.
- To serve you better, Kichler® Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

Abbreviation Key

AB	Antique Brass	BRZ	Brushed Bronze	GNT	Granite	OI	Olde Iron	RZS	Rubbed Bronze™ with
ABZ	Antique Bronze	BS	Burnished Silver	GST	Galvanized Steel	OLZ	Oiled Bronze		Satin-Etched Glass
ACK	Antique Crackle™	BSG	Burnished Silver and Gold	HB	Heritage Bronze™	OMC	Olde Mill Copper™	SC	Stucco White
ADC	Adobe Cream™	BST	Brown Stone	LBZ	Lincoln Bronze™	OZ	Olde Bronze®	SCK	Seine Crackle™
AGZ	Aged Bronze	BZ	Bronze	LD	Londonderry™	OZU	Olde Bronze® with	SEG	Satin-Etched Glass
AGZVM	Aged Bronze with	CH	Polished Chrome	LED	Light Emitting Diode		Umber Glass	SGE	Sage
	Vetro Mica Glass	CLP	Classic Pewter	LZ	Legacy Bronze™	OZW	Olde Bronze® with	SS	Stainless Steel
AP	Antique Pewter	CMB	Cambridge	LZG	Legacy Bronze™		Satin-Etched White Glass	SWZ	Shadow Bronze™
AVI	Anvil Iron	CSH	Cashmere™		with Gold Accents	PB	Polished Brass	SZ	Sedona Bronze™
AZ	Architectural Bronze™	CST	Canyon Slate™	MBZ	Marbled Bronze	PBC	Polished Brass	TRZ	Terrene Bronze™
BA	Brushed Aluminum	CTZ	Colton Bronze™	MCH	Midnight Chrome		with Chrome	TZ	Tannery Bronze™
BAB	Burnished Antique Brass	CV	Canyon View™	MIZ	Mission Bronze™	PN	Polished Nickel	TZG	Tannery Bronze™
BBZ	Burnished Bronze™	CZ	Carré Bronze®	MPC	Mottled Pecan™	PPW	Polished Pewter		with Gold
BGN	Burnished Granite™	DBK	Distressed Black	MUL	Multicolor	PR	Prairie Rock™	TZP	Tannery Bronze™ with
BH	Buckhorn™	DBR	Distressed Brass	NCH	Nickel & Chrome	PRZ	Parisian Bronze™		Polished Brass Accents
BK	Black	DCO	Distressed Copper	NI	Brushed Nickel	PZ	Patina Bronze	VNB	Vintage Natural Brass™
BKG	Black with Gold Highlights	DZ	Dore Bronze™	NIA	Brushed Nickel and	RNX	Rubbed Onyx	WBR	Wispy Brûlée™
BKS	Black with Satin-Etched Glass	FDS	Feldspar™		Alabaster Swirl Glass	RST	Rustic™	WCP	Weathered Copper
BKZ	Berkshire Bronze™	FZ	Franciscan Bronze™	OAU	Olde Auburn™	RVN	Ravenna™	WSP	Weathered Steel
BPT	Brushed Pewter	GBR	Golden Brûlée™	OB	Olde Brick®	RZ	Rubbed Bronze™	WH	White
BRL	Brûlée™	GD	Gold	OBB	Oil Brushed Bronze™				

Index

1676 OZW.....s773	42834 PN.....s743	43178 OZ.....s766	49414 RZ.....s795
1678 OZW.....s770	42835 PN.....s743	43179 OZ.....s767	49415 RZ.....s797
1679 OZW.....s771	42836 PN.....s743	43180 OZ.....s766	49416 RZ.....s797
1680 OZW.....s771	42837 PN.....s743	43181 OZ.....s766	49417 RZ.....s796
1681 OZW.....s771	42940 CLP.....s733	43182 OZ.....s766	49418 RZ.....s797
1861 OZW.....s770	42941 CLP.....s733	43183 OZ.....s767	49419 RZ.....s796
	42942 CLP.....s733	43223 OZ.....s768	49420 RZ.....s796
2978 OZW.....s772	42976 OZ.....s753	43224 OZ.....s769	49428 RZ.....s792
	42977 OZ.....s753	43226 OZ.....s768	49429 RZ.....s792
3278 OZW.....s773	42978 OZ.....s753	43225 OZ.....s769	49430 RZ.....s792
3279 OZW.....s772	42979 OZ.....s753	43227 OZ.....s769	49431 RZ.....s792
3478 OZW.....s772		43228 OZ.....s768	49432 RZ.....s792
3606 OZW.....s772	43025 AVI.....s757	43229 OZ.....s768	49433 RZ.....s792
3678 OZW.....s772	43026 AVI.....s757	43230 OZ.....s768	49438 BK.....s793
	43027 AVI.....s757	43231 OZ.....s769	49439 BK.....s793
4200 PN.....s745	43028 AVI.....s757	43232 OZ.....s768	49440 BK.....s793
	43029 AVI.....s757		49441 BK.....s793
5177 OZW.....s782	43030 AVI.....s757	45054 OZ.....s781	49442 BK.....s793
5178 OZW.....s782	43046 OZ.....s748	45055 OZ.....s781	49443 BK.....s793
5179 OZW.....s782	43047 OZ.....s749	45056 OZ.....s781	49449 AGZ.....s788
	43048 OZ.....s749	45363 CLP.....s778	49450 AGZ.....s788
6079 OZW.....s773, 782	43049 OZ.....s749	45363 SWZ.....s779	49451 AGZ.....s789
	43050 OZ.....s749	45364 CLP.....s778	49452 AGZ.....s789
7703 OZW.....s773, 782	43084 NI.....s755	45364 SWZ.....s779	49453 AGZ.....s788
7779 OZW.....s773, 782	43085 NI.....s755	45365 CLP.....s778	49461 BRZ.....s790
	43087 NI.....s754	45365 SWZ.....s779	49462 BRZ.....s791
9538 BRZ.....s791	43089 NI.....s755, 776	45379 CH.....s777	49463 BRZ.....s791
9538 BK.....s793	43120 CH.....s739	45380 CH.....s777	49464 BRZ.....s790
9848 BKS.....s794	43121 CH.....s739	45381 CH.....s777	49465 BRZ.....s791
9848 RZS.....s795	43122 CH.....s739	45385 NI.....s755, 776	49466 BRZ.....s790
	43123 CH.....s739	45386 NI.....s776	49474 RZ.....s786
42036 PN.....s744	43124 CH.....s738	45387 NI.....s776	49475 RZ.....s786
42037 PN.....s745	43125 CH.....s739	45388 NI.....s776	49476 RZ.....s786
42046 OZ.....s737	43155 OZ.....s762	45421 OZ.....s769, 780	49478 RZ.....s786
42047 CH.....s737	43156 OZ.....s763	45422 OZ.....s780	
42172 CH.....s741	43158 OZ.....s762	45423 OZ.....s780	65363.....s751
42173 CH.....s740	43159 OZ.....s762	45424 OZ.....s780	65364.....s751
42174 CH.....s741	43160 OZ.....s763	45473 OZ.....s767, 783	65369.....s750
42175 CH.....s741	43162 OZ.....s762	45474 OZ.....s783	65371.....s750
42194 CH.....s741	43163 OZ.....s764	45475 OZ.....s783	65365.....s761
42195 CH.....s741	43164 OZ.....s764	45476 OZ.....s783	65367.....s760
42244 NI.....s758	43165 NI.....s765		65368.....s760
42244 OZ.....s759	43165 OZ.....s764	49024 AVI.....s787	69163.....s751
42245 NI.....s758	43166 NI.....s765	49025 AVI.....s787	69164.....s751
42245 OZ.....s759	43166 OZ.....s764	49035 RZ.....s792, 797	69169.....s750
42246 NI.....s758	43167 NI.....s765	49153 AGZVM.....s789	69165.....s761
42246 OZ.....s759	43167 OZ.....s764	49409 BK.....s794	65372.....s760
42256 CH.....s746	43168 NI.....s765	49409 RZ.....s795	65366.....s761
42257 OZ.....s747	43168 OZ.....s764	49410 BK.....s794	
42275 NI.....s758	43169 OZ.....s763	49410 RZ.....s795	300011 OZW.....s771
42275 OZ.....s759	43170 OZ.....s763	49411 BK.....s794	
42276 NI.....s758	43170 OZ.....s781	49411 RZ.....s795	
42276 OZ.....s759	43171 OZ.....s762	49412 BK.....s794	
42547 CLP.....s735	43174 OZ.....s766	49412 RZ.....s795	
42548 CLP.....s734	43175 OZ.....s766	49413 BK.....s794	
42549 CLP.....s735	43176 OZ.....s767	49413 RZ.....s795	
42550 CLP.....s735	43177 OZ.....s767	49414 BK.....s794	

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand applied finishing will cause some differences between the printed images and actual product, and from one product to another.

We use only non-ferrous materials on the exterior parts of our outdoor lantern products, and use the best available weather-resistant finishes. However, due to some extreme environmental conditions such as acid rain, salt air and ultraviolet exposure, we cannot guarantee our exterior finishes, with the exception of our LifeBrite® lanterns.

Due to environmental conditions such as soil acidity, concrete alkalinity and other corrosive soil and air conditions, we cannot guarantee our direct burial posts.

Featured on Front Cover:
City Lights™ Collection
Linear Chandelier 42941 CLP
Page 733

Featured on Back Cover:
Everly™ Collection
Pendant 42046 OZ
Page 737

KICHLER LIGHTING

World Headquarters
7711 E. Pleasant Valley Rd.
PO Box 318010
Cleveland, Ohio 44131-8010

www.kichler.com

35M/11-KD-2013
Catalog No. **K612**
Printed in USA
© Copyright All rights reserved.
Kichler Lighting

The majority of newer Kichler Lighting
fixtures are U.S. and Canadian Patent Pending.



KICHLER®
LIGHTING 



GET INSPIRED AT
KICHLER.COM