

## Lighting Your Life Since 1970

Product Specifications - 85885MRSN		
Job Name:	Job Type:	
Quantity:	Comments	



## 85885MRSN **Essentials EE 2-Light Flush Mount**



Finish	Glass/Shade	<b>Product Category</b>
Satin Nickel	Marble	Flush Mount

Laiii	IJΙ	IIV	4
		-	•
NI			

Lamping	
Number of Bulbs	2
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	13
Max Fixture Wattage	26
Rated Life	±10,000 Hours
Rated Lumens	±1,800
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

Measurements	
Width	9.0"
Height	5.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	2.2 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

	Shipping	
"	Carton Weight	2.2 lbs
"	Carton Width	11"
١	Carton Height	6"
١	Carton Length	11"
١	Carton Cubic Feet	0.48
١	Master Pack	8
١	Master Pack Weight	29.2 lbs
١	Master Pack Width	23.6"
١	Master Pack Height	13.8"
3	Master Pack Length	23.6"
١	Master Cubic Feet	4.45
١	UPS Shippable	Yes

Certification		Other		Equivalents	
Safety Rating	Dry	UPC Code	783209086494	Incandescent Watts	164
Energy Star	Yes	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.