

Lighting Your Life Since 1970

Product Specifications - 54345WTOI		
Job Name:	Job Type:	
Quantity:	Comments	



54345WTOI

Beam EE 1-Light Wall Sconce

Finish Oil Rubbed Bronze

Glass/Shade White

Product Category Outdoor Wall Mount

Lamping

Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	2GX7 Twin T4 CFL
Max Bulb Wattage	13
Max Fixture Wattage	13
Rated Life	±10,000 Hours
Rated Lumens	±840
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	No

1//0	001	iro	ma	nto

ivieasui eillellis	
Width	6.0"
Height	12.0"
Length	N/A
Extension	2"
Back Plate Width	4.3"
Back Plate Height	11.8"
HCO	6.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	2.4 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Chipping	
Carton Weight	2.4 lbs
Carton Width	9"
Carton Height	6"
Carton Length	15"
Carton Cubic Feet	0.45
Master Pack	5
Master Pack Weight	19.5 lbs
Master Pack Width	9.4"
Master Pack Height	32.5"
Master Pack Length	15.3"
Master Cubic Feet	2.69
UPS Shippable	Yes

Certification

Certification		Other	
Safety Rating	Wet	UPC Code	783209076969
Energy Star	No	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	Yes	Conversion Kit	N/A
Dark Sky	N/A	Material	Stainless Steel

Equivalents

Incandescent Watts	76
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.