

## Lighting Your Life Since 1970

Product Specifications - 85183LTET			
Job Name:	Job Type:		
Quantity:	Comments		



## 85183LTET

Morrow Bay EE 1-Light Outdoor Wall Lantern

Finish	Glass/Shade	<b>Product Category</b>
Earth Tone	Latte	Outdoor Wall Mount

Lam	рι	n	9
A1	<b>L</b>		

Lamping	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	13
Max Fixture Wattage	13
Rated Life	±10,000 Hours
Rated Lumens	±900
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	Yes
Ballast/Driver/Transformer	No
Dimmable	No

tte	Outd

Measurements	
Width	7.0"
Height	14.0"
Length	N/A
Extension	8"
Back Plate Width	5.0"
Back Plate Height	11.0"
HCO	8"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	2.9 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	2.9 lbs
Carton Width	11'
Carton Height	9'
Carton Length	19'
Carton Cubic Feet	0.98
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		Other		Equivalents	
UL Standard	Wet	UPC Code	783209049017	Incandescent Watts	82
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Die Cast Aluminum		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.