

Lighting Your Life Since 1970

Product Specifications - 86206WTPL		
Job Name:	Job Type:	
Quantity:	Comments	



86206WTPL

Zenith EE 1-Light Wall Mount

Glass/Shade **Product Category Finish** Outdoor Wall Mount Platinum White

L	a	Ш	ρı	m	g
N.	١				

Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	G24q-2 Quad T4 CFL
Max Bulb Wattage	18
Max Fixture Wattage	18
Rated Life	±10,000 Hours
Rated Lumens	±1,250
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	No

Moseuromonte

Measurements	
Width	10.3"
Height	10.3"
Length	N/A
Extension	4"
Back Plate Width	10.3"
Back Plate Height	10.3"
HCO	5.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	2.6 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	2.6 lbs
Carton Width	12"
Carton Height	7"
Carton Length	12"
Carton Cubic Feet	0.59
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Cartification

Certification		Other	
Safety Rating	Wet	UPC Code	783209075672
Energy Star	No	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	Yes	Conversion Kit	N/A
Dark Sky	N/A	Material	Aluminum

Othor

Equivalents

Incandescent Watts	114
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.