

QUOIZEL

6 CORPORATE PARKWAY
GOOSE CREEK, SC. 29445
www.quoizel.com

Quoizel, Inc.
6 Corporate Parkway
Goose Creek, SC
29445

Customer Service
Phone 631.273.2700
Fax 631.231.7102
www.quoizel.com

Assembly Instruction Sheet #IS-MC1196T For Style MC1196T

Tools Required: None

Bulb Recommended: (1) Medium Base 60W Maximum and (1) Candelabra Base C7 15W Maximum

Estimated Assembly Time: 15-20 minutes

Preparation: Identify and inspect all parts before beginning installation. Check package content list and diagrams below to be sure all parts are present. If any parts are missing or damaged, do not attempt to assemble, install, or operate the fixture. Contact customer service for replacement parts.



Warnings and Cautions


Turn off electricity at circuit breaker or main fuse box before installation. Consult a licensed electrician if in doubt.

These instructions are provided for your safety. It is very important you read them completely before installing the fixture. We strongly recommend that a licensed, professional electrician perform the installation.

Disconnect fixture from power source before replacing bulbs. Make sure bulbs are given sufficient time to cool before removal. Do not subject glass parts to any shock while in operation or shattering may result.


Package Contents

Part	Description	Quantity
A	Shade	1 pc.
B	Base	1 pc.
C	Panel	4 pc.



Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com



(1) 15W C7
Candelabra Base
Bulb (Supplied)

(1) 60W Medium
Base Bulb
(Not Supplied)

NOTE: ALL DIMENSIONS ARE ROUNDED UP TO THE NEAREST 1/2"


NO.	PART NUMBER	REPLACEMENT PART DESCRIPTION	REQ.
1	J1163FI	FINIAL 4.75"SQ X 1.5"H	1
2	S1324MC	SHADE MICA 5"SQ X 19"SQ X 6"H	1

Assembly Instruction Sheet #IS-MC1196T For Style MC1196T

STEP 1 - Install Bulb

- This fixture uses C7 Candelabra bulb with screw base .Maximum 15 watts .
- Insert bulb and screw snugly into place.


Figure 1



STEP 2 - Attach panel to Base

- Insert Panels (C) into the Slot in the bottom of the Base (B) then fold the Tabs in the top of the Base (B) to secure the Panels (C).


Figure 1



STEP 3 - Install Bulb

- This fixture uses standard bulb with standard screw base . Maximum 60 watts.
- Insert bulb and screw snugly into place.

Figure 3



Thank you for purchasing a Quoizel product.

**Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com**


Assembly Instruction Sheet #IS-MC1196T For Style MC1196T

STEP 4 - Attach Shade

- A. Place the Shade (A) over the Arm on the side of the Base (B).

Your table lamp is now assembled and ready to use.
Enjoy!


Figure 4



STEP 5 - replace the Bulb inside of the base

- A. Remove the Shade and one Panel.
B. Replace the broken or damaged C7 Bulb inside of the Base, referring to maximum wattage or labels.
C. Insert the Panel back into the Base properly and place the Shade back onto the Base.

Figure 5



Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com