

Quoizel, Inc.
6 Corporate Parkway
Goose Creek, SC
29445

Customer Service
Phone 631.273.2700
Fax 631.231.7102
www.quoizel.com

Assembly Instruction Sheet #IS-Q1474F For Style Q1474F

Tools Required: None

Bulb Recommended: (2) Medium Base Bulbs 60W Maximum

Estimated Assembly Time: 15-20 minutes

Preparation: Identify and inspect all parts before beginning installation. Check package content list and diagrams below to be sure all parts are present. If any parts are missing or damaged, do not attempt to assemble, install, or operate the fixture. Contact customer service for replacement parts.



Warnings and Cautions


Turn off electricity at circuit breaker or main fuse box before installation. Consult a licensed electrician if in doubt.

These instructions are provided for your safety. It is very important you read them completely before installing the fixture. We strongly recommend that a licensed, professional electrician perform the installation.

Disconnect fixture from power source before replacing bulbs. Make sure bulbs are given sufficient time to cool before removal. Do not subject glass parts to any shock while in operation or shattering may result.

Package Contents



Part	Description	Quantity
A	Socket Assembly	1 pc.
B	Rod	1 pc.
C	Rod with Nipple	1 pc.
D	Base	1 pc.
E	Finial	1 pc.
F	Shade	1 pc.
G	Stem	1 pc.



Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com

Q1474F



(2) 60W Medium
Base Bulbs
(Not Supplied)

NOTE: ALL DIMENSIONS ARE ROUNDED UP TO THE NEAREST 1/2"

NO.	PART NUMBER	REPLACEMENT PART DESCRIPTION	REQ.
1	11474FQ	BASE FOR Q1474F	1
2	S1416WL	SHADE FABRIC WHITE LINEN 16"D	1

Assembly Instruction Sheet #IS-Q1474F

For Style Q1474F

STEP 1 – Assemble Socket Assembly, Rods and Base

- A. Thread the Socket Assembly (A), the Rod (B), the Rod with Nipple (C) and the Base (D) together as shown. Hand tighten until snug.




Figure 1

STEP 2 – Assemble Stem

- A. Thread the short nipple end of the Stem (G) into the mounting hole on the top center of the Socket Assembly (A). Hand tighten until snug.




Figure 2

Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com

Assembly Instruction Sheet #IS-Q1474F For Style Q1474F

STEP 3 – Assemble Shade

- A. Place the Shade (F) over the top end of the Stem (G) and secure with the Finial (E). Hand tighten until snug.




Figure 3

STEP 4 – Install Bulb

- A. This fixture uses standard bulbs with medium screw bases. Maximum 60 watts.
B. Insert bulb and screw snugly into place.

Your fixture is now assembled and ready to use. Enjoy!




Figure 4

Thank you for purchasing a Quoizel product.
Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com