

Quoizel, Inc.  
6 Corporate Parkway  
Goose Creek, SC  
29445

Customer Service  
Phone 631.273.2700  
Fax 631.231.7102  
www.quoizel.com

## Assembly Instruction Sheet #IS-Q1477FBN For Style Q1477FBN

**Tools Required:** None

**Bulb Recommended:** (1) Medium Base Bulb 100W Maximum

**Estimated Assembly Time:** 15-20 minutes

**Preparation:** Identify and inspect all parts before beginning installation. Check package content list and diagrams below to be sure all parts are present. If any parts are missing or damaged, do not attempt to assemble, install, or operate the fixture. Contact customer service for replacement parts.



### Warnings and Cautions


Turn off electricity at circuit breaker or main fuse box before installation. Consult a licensed electrician if in doubt.

These instructions are provided for your safety. It is very important you read them completely before installing the fixture. We strongly recommend that a licensed, professional electrician perform the installation.

Disconnect fixture from power source before replacing bulbs. Make sure bulbs are given sufficient time to cool before removal. Do not subject glass parts to any shock while in operation or shattering may result.

### Package Contents

Part	Description	Quantity
A	Socket Assembly	1 pc.
B	1" Dia. Rod	1 pc.
C	1" Dia. Rod with Nipple	1 pc.
D	Base	1 pc.
E	0.5" Dia. Rod Short	1 pc.
F	0.5" Dia. Rod Long	1 pc.
G	Shade	1 pc.
H	Socket Collar	1 pc.





Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700  
or visit us on-line at [www.quoizel.com](http://www.quoizel.com)

Q1477FBN

FINISH: BRUSHED NICKEL



(1) 100W Medium  
Base Bulb  
(Not Supplied)

NOTE: ALL DIMENSIONS ARE ROUNDED UP TO THE NEAREST 1/2"

NO.	PART NUMBER	REPLACEMENT PART DESCRIPTION	REQ.
1	11477FBNQ	BASE BRUSHED NICKEL FOR Q1477FBN	1
2	S1417WL	SHADE FABRIC WHITE LINEN 9"D	1

# Assembly Instruction Sheet #IS-Q1477FBN

## For Style Q1477FBN

### STEP 1 – Assemble Socket Assembly, Rods and Base

- A. Thread the Socket Assembly (A), the 1" Dia. Rod (B), the 1" Dia. Rod with Nipple (C) and the Base (D) together as shown. Hand tighten until snug.




Figure 1

### STEP 2 – Assemble 0.5" Rods

- A. Thread the 0.5" Dia. Rod Short (E) and the 0.5" Dia. Rod Long (F) to the Socket Assembly (A) as shown. Hand tighten until snug.




Figure 2

Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700  
or visit us on-line at [www.quoizel.com](http://www.quoizel.com)

# Assembly Instruction Sheet #IS-Q1477FBN For Style Q1477FBN

## STEP 3 – Assemble Shade

- A. Place the Shade (G) over the Socket and secure with the Socket Collar (H). Hand tighten until snug.




Figure 3

## STEP 4 – Install Bulb

- A. This fixture uses standard bulb with medium screw base. Maximum 100 watts.  
B. Insert bulb and screw snugly into place.




Figure 4

## STEP 5 – Adjust Shade Direction

- A. Adjust the Shade to your desired direction by adjusting the Swivel and the Adjusting Button.

Your fixture is now assembled and ready to use. Enjoy!




Figure 5

Thank you for purchasing a Quoizel product.

Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700  
or visit us on-line at [www.quoizel.com](http://www.quoizel.com)