

# **CONSUMER LIGHTING & ELECTRICAL PRODUCTS**



 **SATCO®**

**LIGHT BULBS • ELECTRICAL ACCESSORIES  
LIGHTING HARDWARE • DESK LAMPS  
NIGHT LIGHTS • EXTENSION CORDS**



The SATCO trademark has been recognized as the preferred brand for quality lighting products for more than 45 years. SATCO offers a wide variety of products including a full line of decorative and general service light bulbs, lighting hardware, electrical accessories and consumer products.



Our NUVO line of lighting fixtures and track lighting boasts more than 3000 items, 700 which are ENERGY STAR qualified. The NUVO brand delivers a "one stop shop" option to meet the majority of your decorative and functional lighting needs.




KolourOne is the newest member of the SATCO family. KolourOne represents quality LED lighting products in all areas and applications - lamps, components and custom solutions are all part of the KolourOne experience.



The HYGRADE family of products is a commercially oriented lamp line which includes linear T5 & T8 fluorescents, pin base compact fluorescent and HID product collections. All product groups meet or exceed today's efficiency and environmental requirements and initiatives.

## See Our Full Line of Catalogs for All Your Lighting Needs



Energy Efficient  
Lamp Catalog  
SA2030




Lighting Components  
Catalog  
SA3015



Lamp Specification  
Catalog  
SA2013



KolourOne  
Catalog  
K-1 11



Nuvo Lighting  
Catalog  
NU3020



Page 5-22



Page 23-60


The SATCO  
Consumer  
Products Catalog  
features a wide assortment  
of retail oriented products  
to service many lighting  
and electrical needs.



Page 61-94



Page 95-110



Page 111-144



Page 145-168



Page 169-182

**SATCO®**



## Incandescent Basics

The basic design of the incandescent lamp has not changed much since the late 1800s, when Thomas Alva Edison successfully produced the first operational electric light bulb. These are the must-know fundamental facts about incandescent lamps and the alternative choices that are available today.

### Key Characteristics

**Rated Voltage:** The lamp's filament is designed to operate within a specific voltage range in order for it to deliver its intended light output. Lamps that are burned at voltages higher than their rating will result in higher wattage, efficacy (lumens per watt) and lumens. Lamps operated below their rated voltage will significantly increase their life while reducing their wattage, efficacy and lumen output.

**Burning Position:** For the most part, incandescent lamps can be burned in any position. However, take note and observe a lamp manufacturer's recommendations for use.



#### The Glass Bulb

The filament inside an incandescent lamp must be protected so that oxygen does not reach it and cause it to evaporate on contact. Most incandescent lamps are either vacuum-sealed or gas-filled. It was discovered in the early 1900s that the introduction of gas inside the bulb, or envelope, created a pressure against the filament. This pressure allowed the filament to burn hotter and last longer. Most gas-filled incandescent lamps today use a mixture of argon and nitrogen gases.

#### The Filament

Incandescent lamp filaments are made of tungsten. Tungsten is a metal that can operate at very high temperatures without evaporating too quickly and resulting in early lamp failure. Incandescent filaments only convert about 10 percent of the energy used into visible light, so it is necessary to use a material that can withstand extremely high temperatures. Most lamps use a coiled filament design, which has been stronger and deliver better performance.

## Halogen Basics

Halogen light bulbs operate on the same principle as standard incandescents heating the tungsten filament until it glows but from there, halogens improve upon the process.

**How It Works:** Operation of halogen lamps is based on the "Halogen Cycle" (see right). Tungsten particles from the bulb's filament evaporate. The evaporated tungsten collides with the halogen gas. The particles bond with the halogen gas. Tungsten is then redeposited back to the filament and the gas is re-released.

The operating temperature is a significant factor to ensure that the halogen cycle performs properly. The interior wall of the bulb must be above 250°C and less than 1,100°C. Additionally, the filament of the lamp must reach at least 2,000°C. To reach this temperature, the interior wall must be in close proximity to the tungsten filament.

**Big Benefits:** Halogen lamps offer a combination of benefits that make them an appealing alternative to standard incandescents in many applications.



## Compact Fluorescent Basics

Fluorescent lamps are phosphorous-coated tubes filled with a low-pressure mercury vapor. Light is produced by passing an electric arc between tungsten cathodes at opposite ends of the tube. This causes the mercury vapor to generate a radiant energy.



| Color Temp    | Warm                | Cool               | Daylight                    |
|---------------|---------------------|--------------------|-----------------------------|
| Kelvin Range  | 2700K               | 4100K              | 5000K                       |
| Effect & Mood | Warm & Friendly     | Clean & Organized  | Bright & Alert              |
| Application   | Homes & Restaurants | Office & Hospitals | Galleries & Jewelry Display |

#### Tri-Phosphor Coating

This mixture converts ultraviolet light into visible light with superior color rendition and a high efficacy averaging 60 lumens per watt.

#### Compact Fluorescent Tube

An alternative to traditional linear tubes, these smaller-tubes have been configured into new shapes to reduce their size and increase their light output.

#### Electronic Ballast

These high-tech devices enable the lamp to light up immediately with no flickering or noise. Solid-state circuitry allows for three-way, dimmable and photocell models.





# CFL Carded & Boxed Program





CFL



## Boxed & Clamshell Packaging

5/9/11/13 Watt  
T2 Ultra Mini Spirals

### Features and Benefits

- Approved for totally enclosed applications
- Long life – Up to 12,000 hours
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed



### 5/9/11/13 Watt T2 Ultra Mini Spirals – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5501</b>    | <b>S7261</b>   | 5    | 25W                  | 280    | 2700K | 10000      | 1.38            | 3.46            | Y  | 1.48  |
| <b>S5503</b>    | <b>S7263</b>   | 5    | 25W                  | 280    | 5000K | 10000      | 1.38            | 3.46            | N  | 1.48  |
| <b>S5504</b>    | <b>S7211</b>   | 9    | 40W                  | 550    | 2700K | 12000      | 1.57            | 3.97            | Y  | 1.48  |
| <b>S5506</b>    | <b>S7213</b>   | 9    | 40W                  | 570    | 5000K | 12000      | 1.57            | 3.97            | Y  | 1.48  |
| <b>S5507</b>    | <b>S7214</b>   | 11   | 40W                  | 760    | 2700K | 10000      | 1.81            | 3.97            | N  | 1.48  |
| <b>S5509</b>    | <b>S7216</b>   | 11   | 40W                  | 730    | 5000K | 10000      | 1.81            | 3.97            | N  | 1.48  |
| <b>S5516</b>    | <b>S7217</b>   | 13   | 60W                  | 900    | 2700K | 12000      | 1.81            | 4.13            | Y  | 1.48  |
| <b>S5518</b>    | <b>S7219</b>   | 13   | 60W                  | 880    | 5000K | 12000      | 1.81            | 4.13            | Y  | 1.48  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Inner Pack 6 / Master Pack 24

ES= 

See Lamp Specification Catalog for Complete CFL Product Line.

# Boxed & Clamshell Packaging

## 13 Watt T2 Ultra Mini Spirals Value Packs



### Features and Benefits

- Approved for totally enclosed applications
- Long life – 12,000 hours
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

### 13W T2 4 Bulb Value Pack Mini Spirals – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5547</b>    | <b>S6235</b>   | 13   | 60W                  | 900    | 2700K | 12000      | 1.81            | 4.13            | Y  | 0.68  |
| <b>S5549</b>    | <b>S6237</b>   | 13   | 60W                  | 880    | 5000K | 12000      | 1.81            | 4.13            | Y  | 0.68  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Master Pack 12



### 13W T2 8 Bulb Value Pack Mini Spirals – E26 Medium Base

| Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | M.O.D. Life/ Hrs. | M.O.D. (Inches) | (Inches) | ES | CUFT. |
|----------------|------|----------------------|--------|-------|-------------------|-----------------|----------|----|-------|
| <b>S6277</b>   | 13   | 60W                  | 900    | 2700K | 12000             | 1.81            | 4.13     | Y  | 2.26  |

Pack Type Boxed: Master Pack 18



See Lamp Specification Catalog for Complete CFL Product Line.





CFL

SATCO®

## Boxed &amp; Clamshell Packaging

15/18/20/23/26 Watt  
T2 Ultra Mini SpiralsFeatures and Benefits

- Approved for totally enclosed applications
- Long life – Up to 12,000 hours
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

15/18/20/23/26 Watt T2 Ultra Mini Spirals –  
E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5519</b>    | <b>S7221</b>   | 15   | 75W                  | 1100   | 2700K | 12000      | 2.12            | 4.37            | Y  | 1.7   |
| <b>S5521</b>    | <b>S7223</b>   | 15   | 75W                  | 1100   | 5000K | 10000      | 2.12            | 4.37            | N  | 1.7   |
| <b>S5523</b>    | <b>S7224</b>   | 18   | 75W                  | 1140   | 2700K | 12000      | 2.12            | 4.52            | Y  | 1.73  |
| <b>S5525</b>    | <b>S7226</b>   | 18   | 75W                  | 1200   | 5000K | 10000      | 2.12            | 4.52            | Y  | 1.73  |
| <b>S5401</b>    | <b>S7234</b>   | 20   | 75W                  | 1300   | 2700K | 10000      | 2.12            | 4.72            | N  | 1.73  |
| <b>S5403</b>    | <b>S7236</b>   | 20   | 75W                  | 1300   | 5000K | 10000      | 2.12            | 4.72            | N  | 1.73  |
| <b>S5526</b>    | <b>S7227</b>   | 23   | 100W                 | 1600   | 2700K | 12000      | 2.12            | 4.88            | Y  | 1.73  |
| <b>S5528</b>    | <b>S7229</b>   | 23   | 100W                 | 1600   | 5000K | 10000      | 2.12            | 4.88            | Y  | 1.73  |
| <b>S5529</b>    | <b>S7231</b>   | 26   | 100W                 | 1750   | 2700K | 12000      | 2.12            | 5.07            | Y  | 1.73  |
| <b>S5532</b>    | <b>S7233</b>   | 26   | 100W                 | 1750   | 5000K | 10000      | 2.12            | 5.07            | N  | 1.73  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
 Pack Type Boxed: Inner Pack 12 / Master Pack 48

ES= 

See Lamp Specification Catalog for Complete CFL Product Line.

# Boxed & Clamshell Packaging

## 18 & 23 Watt T2 Ultra Mini Spirals Value Packs



### Features and Benefits

- Approved for totally enclosed applications
- Long life - Up to 12,000 hours
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

### 18W & 23W T2 ULTRA 3 Bulb Value Pack Mini Spirals – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5541</b>    | <b>S6271</b>   | 18   | 75W                  | 1140   | 2700K | 12000      | 2.12            | 4.52            | Y  | 3.91  |
| <b>S5543</b>    | <b>S6273</b>   | 18   | 75W                  | 1200   | 5000K | 10000      | 2.12            | 4.52            | Y  | 3.91  |
| <b>S5544</b>    | <b>S6274</b>   | 23   | 100W                 | 1600   | 2700K | 12000      | 2.12            | 4.88            | Y  | 3.91  |
| <b>S5546</b>    | <b>S6276</b>   | 23   | 100W                 | 1600   | 5000K | 12000      | 2.12            | 4.88            | Y  | 3.91  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Inner Pack 6 / Master Pack 24

ES=

### 18W & 23W T2 8 Bulb Value Pack Mini Spirals – E26 Medium Base

| Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | M.O.D. Life/ Hrs. | M.O.D. (Inches) | (Inches) | ES | CUFT. |
|----------------|------|----------------------|--------|-------|-------------------|-----------------|----------|----|-------|
| <b>S6278</b>   | 18   | 75W                  | 1140   | 2700K | 12000             | 2.12            | 4.52     | Y  | 2.79  |
| <b>S6279</b>   | 23   | 100W                 | 1200   | 2700K | 12000             | 2.12            | 4.88     | Y  | 2.95  |

Pack Type Boxed: Master Pack 15

ES=

See Lamp Specification Catalog for Complete CFL Product Line.



CFL



## Boxed & Clamshell Packaging

### 13 Watt T2 Ultra Mini Specialty CFL Spirals

#### Features and Benefits

- Approved for totally enclosed applications
- Long life – 10,000 hours
- Four color retail package
- C.U.L. listed



#### T2 Ultra Mini Specialty CFL Spirals – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT        | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|------------|------------|-----------------|-----------------|----|-------|
| <b>S5511</b>    | <b>S7267</b>   | 13   | 60W                  | N/A    | Bug Yellow | 10000      | 1.81            | 4.13            | N  | 1.48  |
| <b>S5512</b>    | <b>S7271</b>   | 13   | 60W                  | N/A    | Red        | 10000      | 1.81            | 4.13            | N  | 1.48  |
| <b>S5513</b>    | <b>S7272</b>   | 13   | 60W                  | N/A    | Green      | 10000      | 1.81            | 4.13            | N  | 1.48  |
| <b>S5514</b>    | <b>S7273</b>   | 13   | 60W                  | N/A    | Blue       | 10000      | 1.81            | 4.13            | N  | 1.48  |
| <b>S5515</b>    | <b>S7277</b>   | 13   | 60W                  | N/A    | Blacklight | 10000      | 1.81            | 4.13            | N  | 1.48  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Inner Pack 12 / Master Pack 48



See Lamp Specification Catalog for Complete CFL Product Line.



# Boxed & Clamshell Packaging

## Photocell & 3-Way CFL Spirals



### Features and Benefits

- Long life – 10,000 hours
- 3-Way lamps offered in 2700K/5000K
- Four color retail package
- Photocell on at dusk – off at dawn
- C.U.L. listed

### Photocell & 3-Way CFL Spirals – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt     | Replace Incandescent | Lumens        | CCT   | Life/ Hrs. | M.O.D.(Inches) | M.O.L.(Inches) | ES | CUFT. |
|-----------------|----------------|----------|----------------------|---------------|-------|------------|----------------|----------------|----|-------|
| *S5592          | *S7341         | 12/20/26 | 30/70/100            | 660/1200/1600 | 2700K | 10000      | 2.36           | 6.02           | Y  | 2.55  |
| *S5594          | *S7343         | 12/20/26 | 30/70/100            | 660/1200/1600 | 5000K | 10000      | 2.36           | 6.02           | N  | 2.55  |
| **S5598         | **S7347        | 23       | 100W                 | 1600          | 2700K | 10000      | 2.13           | 5.00           | N  | 2.55  |

\* 3 Way Spirals / \*\* Photocell Spirals

Pack Type Carded: Clamshell / Inner Pack 6 / Master Pack 24

Pack Type Boxed: Master Pack 12



CFL carded & boxed program

CFL

SATCO®

## Boxed Packaging

T2 Mini Spiral 13 & 18 Watt  
CFL + LED Night Light (2 in 1)Features and Benefits

- Turn it on and it's a CFL
- Turn it off and back on within 3 seconds and it's an LED Night Light
- Turn off the LED and turn it back on after 3 seconds and it's a CFL again
- C.U.L. listed

This product is ideal for use in children's rooms, hallways, corridors, and bathrooms.

When the LED light is on, the product only consumes 0.5W of electricity.

13W & 18W CFL + LED Night Light (2 in 1) –  
E26 Medium Base

| Item No.     | Watt | Replace Incandescent | Lamp | Lumens | CCT   | Life/ Hrs. | M.O.D.(Inches) | M.O.L.(Inches) | ES | CUFT. |
|--------------|------|----------------------|------|--------|-------|------------|----------------|----------------|----|-------|
| <b>S7325</b> | 13   | 60W                  | T2   | 800    | 2700K | 10000      | 2.13           | 4.41           | N  | 1.11  |
| <b>S7326</b> | 18   | 75W                  | T2   | 1100   | 2700K | 10000      | 2.13           | 4.69           | N  | 1.17  |

Pack Type: Box / Inner Pack 12 / Master Pack 48

See Lamp Specification Catalog for Complete CFL Product Line.

See Lamp Specification Catalog for Complete CFL Product Line.

# Boxed & Clamshell Packaging

## R20 & R30 CFL Reflectors



### Features and Benefits

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

### R20 & R30 CFL Reflectors – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lamp | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5551</b>    | <b>S7257</b>   | 5    | 30W                  | R20  | 260    | 2700K | 10000      | 2.48            | 3.90            | N  | 2.44  |
| <b>S5553</b>    | <b>S7259</b>   | 5    | 30W                  | R20  | 260    | 5000K | 10000      | 2.48            | 3.90            | N  | 2.44  |
| <b>S5554</b>    | <b>S7254</b>   | 11   | 40W                  | R20  | 330    | 2700K | 10000      | 2.48            | 4.45            | Y  | 2.44  |
| <b>S5556</b>    | <b>S7256</b>   | 11   | 40W                  | R20  | 330    | 5000K | 10000      | 2.48            | 4.45            | N  | 2.44  |
| <b>S5557</b>    | <b>S7247</b>   | 15   | 65W                  | R30  | 700    | 2700K | 10000      | 3.74            | 5.39            | Y  | 3.06  |
| <b>S5559</b>    | <b>S7249</b>   | 15   | 65W                  | R30  | 700    | 5000K | 10000      | 3.74            | 5.39            | N  | 3.06  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Inner Pack 6 / Master Pack 24



### 15W R30 2 Bulb Multi-Pack – E26 Medium Base

| Boxed Item No. | Watt | Replace Incandescent | Lamp | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|----------------|------|----------------------|------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S7278</b>   | 15   | 65W                  | R30  | 700    | 2700K | 10000      | 3.74            | 5.39            | Y  | 3.37  |

Pack Type: Box / Master Pack 24



See Lamp Specification Catalog for Complete CFL Product Line.



CFL

SATCO®

## Boxed Packaging

23 Watt  
BR38 & R40 CFL ReflectorsFeatures and Benefits

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- Offered in 2700K/4100K/5000K
- Four color retail package
- C.U.L. listed



## BR38 CFL Reflectors – E26 Medium Base

| Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|----------------|------|----------------------|--------|-------|-----------|-----------------|-----------------|----|-------|
| <b>S7274</b>   | 23   | 85W                  | 1070   | 2700K | 10000     | 4.72            | 6.50            | Y  | 3.28  |
| <b>S7275</b>   | 23   | 85W                  | 1070   | 4100K | 10000     | 4.72            | 6.50            | N  | 3.28  |
| <b>S7276</b>   | 23   | 85W                  | 1070   | 5000K | 10000     | 4.72            | 6.50            | N  | 3.28  |

Pack Type: Box / Inner Pack 6 / Master Pack 24



## R40 CFL Reflectors – E26 Medium Base

| Item No.     | Watt | Replace Incandescent | Lumens | CCT   | Life/Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|--------------|------|----------------------|--------|-------|-----------|-----------------|-----------------|----|-------|
| <b>S7241</b> | 23   | 85W                  | 1090   | 2700K | 10000     | 5.00            | 6.49            | Y  | 3.58  |
| <b>S7242</b> | 23   | 85W                  | 1090   | 4100K | 10000     | 5.00            | 6.49            | N  | 3.58  |
| <b>S7243</b> | 23   | 85W                  | 1090   | 5000K | 10000     | 5.00            | 6.49            | N  | 3.58  |

Pack Type: Box / Inner Pack 6 / Master Pack 24



See Lamp Specification Catalog for Complete CFL Product Line.



## Boxed Packaging

### 15W R30 CFL Reflector & 11/15/23 Watt CFL PAR Lamps



#### Features and Benefits

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/4100K/5000K
- Four color retail package
- Use in recessed fixtures, outdoor flood lights, track lighting
- C.U.L. listed. Wet location

#### 11/15/23 Watt CFL PAR Lamps – E26 Medium Base

| Item No.     | Lamp Type | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs | M.O.D (Inches) | M.O.L (Inches) | ES | CUFT. |
|--------------|-----------|------|----------------------|--------|-------|-----------|----------------|----------------|----|-------|
| <b>S7207</b> | PAR20     | 11   | 50W                  | 380    | 2700K | 10000     | 2.48           | 3.86           | N  | 0.38  |
| <b>S7208</b> | PAR20     | 11   | 50W                  | 380    | 4100K | 10000     | 2.48           | 3.86           | N  | 0.38  |
| <b>S7209</b> | PAR20     | 11   | 50W                  | 380    | 5000K | 10000     | 2.48           | 3.86           | N  | 0.38  |
| <b>S7204</b> | PAR30     | 15   | 50W                  | 700    | 2700K | 10000     | 3.74           | 4.61           | Y  | 0.88  |
| <b>S7205</b> | PAR30     | 15   | 50W                  | 700    | 4100K | 10000     | 3.74           | 4.61           | Y  | 0.88  |
| <b>S7206</b> | PAR30     | 15   | 50W                  | 700    | 5000K | 10000     | 3.74           | 4.61           | N  | 0.88  |
| <b>S7201</b> | PAR38     | 23   | 75W                  | 1100   | 2700K | 10000     | 4.76           | 5.04           | Y  | 1.36  |
| <b>S7202</b> | PAR38     | 23   | 75W                  | 1100   | 4100K | 10000     | 4.76           | 5.04           | Y  | 1.36  |
| <b>S7203</b> | PAR38     | 23   | 75W                  | 1100   | 5000K | 10000     | 4.76           | 5.04           | N  | 1.36  |

Pack Type: Box / Inner Pack 6 / Master Pack 24



#### 23 Watt PAR38 2 Bulb Multi-Pack – E26 Medium Base

| Item No.     | Lamp Type | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs | M.O.D (Inches) | M.O.L (Inches) | ES | CUFT. |
|--------------|-----------|------|----------------------|--------|-------|-----------|----------------|----------------|----|-------|
| <b>S7279</b> | PAR38     | 23   | 75W                  | 1100   | 2700K | 10000     | 4.76           | 5.04           | Y  | 2.48  |

Pack Type: Box / Master Pack 12 – 2 Packs



See Lamp Specification Catalog for Complete CFL Product Line.



CFL



GU24 Base

15 Watt

CFL GU24 base

### Features and Benefits

- Compact size
- All lamps offered in 2700K
- Long life – 10,000 hours
- Four color retail package
- C.U.L. listed



### 15 Watt CFL – GU24 Base

| Item No.     | Lamp Type | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D (Inches) | M.O.L (Inches) | ES | Pack Type | CUFT. |
|--------------|-----------|------|----------------------|--------|-------|------------|----------------|----------------|----|-----------|-------|
| <b>S8221</b> | Globe     | 15   | 60W                  | 740    | 2700K | 10000      | 3.31           | 4.45           | Y  | 1/ Box    | 2.58  |
| <b>S8224</b> | R30       | 15   | 65W                  | 690    | 2700K | 10000      | 3.74           | 4.45           | Y  | 1/ Box    | 1.66  |
| <b>S8225</b> | A19       | 15   | 60W                  | 800    | 2700K | 10000      | 2.64           | 4.45           | Y  | 1/ Box    | 1.76  |

Pack Type: Globe & A19 Box / Inner Pack 12 / Master Pack 48  
R30 Box / Inner Pack 6 / Master Pack 24

ES Qualified Platform=



See Lamp Specification Catalog for Complete CFL Product Line.



### Features and Benefits

- Long life – 10,000 hours
- All lamps offered in 2700K
- 13W lamps offered in 2700K / 3500K and 4100K
- Four color retail package
- C.U.L. listed

### 9/11/13/15/18/23 & 26 Watt CFL GU24 Base Standard Spiral

| Item No.     | Watt | Replace Incandescent | Lamp | Lumens | CCT   | Life/ Hrs. | M.O.D.(Inches) | M.O.L.(Inches) | ES | CUFT. |
|--------------|------|----------------------|------|--------|-------|------------|----------------|----------------|----|-------|
| <b>S8201</b> | 9    | 40W                  | T2   | 500    | 2700K | 10000      | 1.57           | 3.23           | N  | 0.60  |
| <b>S8202</b> | 11   | 40W                  | T2   | 650    | 2700K | 10000      | 1.81           | 3.23           | N  | 0.75  |
| <b>S8203</b> | 13   | 60W                  | T2   | 800    | 2700K | 10000      | 1.81           | 3.39           | Y  | 0.77  |
| <b>S8226</b> | 13   | 60W                  | T2   | 900    | 3500K | 10000      | 1.81           | 3.39           | Y  | 0.77  |
| <b>S8208</b> | 13   | 60W                  | T2   | 880    | 4100K | 10000      | 1.81           | 3.39           | Y  | 0.77  |
| <b>S8204</b> | 15   | 75W                  | T2   | 1000   | 2700K | 10000      | 2.13           | 3.66           | N  | 1.00  |
| <b>S8205</b> | 18   | 75W                  | T2   | 1200   | 2700K | 10000      | 2.13           | 3.80           | Y  | 1.03  |
| <b>S8206</b> | 23   | 100W                 | T2   | 1600   | 2700K | 10000      | 2.13           | 4.17           | Y  | 1.09  |
| <b>S8207</b> | 26   | 120W                 | T3   | 1750   | 2700K | 10000      | 2.13           | 4.82           | Y  | 1.34  |

Pack Type: Box / Inner Pack 12 / Master Pack 48

### 13 & 18 Watt CFL GU24 Base Squat Spiral

| Item No.     | Watt | Replace Incandescent | Lamp | Lumens | CCT   | Life/ Hrs. | M.O.D.(Inches) | M.O.L.(Inches) | ES | CUFT. |
|--------------|------|----------------------|------|--------|-------|------------|----------------|----------------|----|-------|
| <b>S8227</b> | 13   | 60W                  | T2   | 850    | 2700K | 10000      | 2.76           | 2.28           | Y  | 1.20  |
| <b>S8228</b> | 18   | 75W                  | T2   | 1100   | 2700K | 10000      | 2.76           | 2.60           | Y  | 1.34  |

Pack Type: Box / Inner Pack 12 / Master Pack 48

ES=



See Lamp Specification Catalog for Complete CFL Product Line.

CFL



## Boxed Packaging

## 9 &amp; 15 Watt CFL Globe Lights

Features and Benefits

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/4100K/5000K
- Four color retail package
- C.U.L. listed



## 9 &amp; 15W CFL Globe Lights – E26 Medium Base

| Item No.     | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|--------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S7301</b> | 9    | 40W                  | 540    | 2700K | 10000      | 3.11            | 4.33            | Y  | 2.18  |
| <b>S7302</b> | 9    | 40W                  | 500    | 4100K | 10000      | 3.11            | 4.33            | N  | 2.18  |
| <b>S7303</b> | 9    | 40W                  | 500    | 5000K | 10000      | 3.11            | 4.33            | N  | 2.18  |
| <b>S7304</b> | 15   | 60W                  | 820    | 2700K | 10000      | 3.43            | 4.72            | Y  | 2.75  |
| <b>S7305</b> | 15   | 60W                  | 820    | 4100K | 10000      | 3.43            | 4.72            | N  | 2.75  |
| <b>S7306</b> | 15   | 60W                  | 820    | 5000K | 10000      | 3.43            | 4.72            | N  | 2.75  |

Pack Type: Box / Inner Pack 12 / Master Pack 48

ES=

See Lamp Specification Catalog for Complete CFL Product Line.



# Boxed & Clamshell Packaging

7/9/11/15 Watt  
A-Type CFL Bulbs



## Features and Benefits

- Long life – up to 12,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

## 7/9/11/15 Watt A-Type CFL Bulbs – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5564</b>    | <b>S7281</b>   | 7    | 25W                  | 410    | 2700K | 12000      | 2.13            | 4.25            | Y  | 2.14  |
| <b>S5566</b>    | <b>S7283</b>   | 7    | 25W                  | 400    | 5000K | 10000      | 2.13            | 4.25            | N  | 2.14  |
| <b>S5568</b>    | <b>S7284</b>   | 9    | 40W                  | 450    | 2700K | 6000       | 2.17            | 4.21            | Y  | 2.44  |
| <b>S5571</b>    | <b>S7286</b>   | 9    | 40W                  | 450    | 5000K | 10000      | 2.17            | 4.21            | N  | 2.44  |
| <b>S5572</b>    | <b>S7287</b>   | 11   | 40W                  | 540    | 2700K | 10000      | 2.17            | 4.21            | Y  | 2.44  |
| <b>S5574</b>    | <b>S7289</b>   | 11   | 40W                  | 540    | 5000K | 10000      | 2.17            | 4.21            | N  | 2.44  |
| <b>S5575</b>    | <b>S7291</b>   | 15   | 60W                  | 800    | 2700K | 10000      | 2.64            | 5.39            | Y  | 2.44  |
| <b>S5577</b>    | <b>S7293</b>   | 15   | 60W                  | 800    | 5000K | 10000      | 2.64            | 5.39            | N  | 2.44  |

Pack Type Carded: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Box / Inner Pack 12 / Master Pack 48



See Lamp Specification Catalog for Complete CFL Product Line.



CFL

SATCO®

## Boxed &amp; Clamshell Packaging

5W & 7W Candelabra Base  
CFL Torpedos*Features and Benefits*

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

5W & 7W CFL Torpedo Bulbs –  
E12 Candelabra Base

| Carded<br>Item No. | Boxed<br>Item No. | Watt | Replace<br>Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D.<br>(Inches) | M.O.L.<br>(Inches) | ES | CUFT. |
|--------------------|-------------------|------|-------------------------|--------|-------|------------|--------------------|--------------------|----|-------|
| <b>S5579</b>       | <b>S7311</b>      | 5    | 25W                     | 220    | 2700K | 10000      | 1.77               | 4.33               | N  | 1.48  |
| <b>S5581</b>       | <b>S7313</b>      | 5    | 25W                     | 220    | 5000K | 10000      | 1.77               | 4.33               | N  | 1.48  |
| <b>S5585</b>       | <b>S7317</b>      | 7    | 40W                     | 340    | 2700K | 10000      | 1.77               | 4.69               | Y  | 1.48  |
| <b>S5587</b>       | <b>S7319</b>      | 7    | 40W                     | 340    | 5000K | 10000      | 1.77               | 4.69               | N  | 1.48  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
 Pack Type Boxed: Inner Pack 12 / Master Pack 48

ES= 

See Lamp Specification Catalog for Complete CFL Product Line.

## Boxed & Clamshell Packaging

### 5W & 7W Medium Base CFL Torpedos



#### Features and Benefits

- Long life – 10,000 hours
- Amalgam technology insures higher lumen performance
- All lamps offered in 2700K/5000K
- Four color retail package
- C.U.L. listed

#### 5W & 7W CFL Torpedo Bulbs – E26 Medium Base

| Carded Item No. | Boxed Item No. | Watt | Replace Incandescent | Lumens | CCT   | Life/ Hrs. | M.O.D. (Inches) | M.O.L. (Inches) | ES | CUFT. |
|-----------------|----------------|------|----------------------|--------|-------|------------|-----------------|-----------------|----|-------|
| <b>S5582</b>    | <b>S7314</b>   | 5    | 25W                  | 220    | 2700K | 10000      | 1.77            | 4.45            | N  | 1.48  |
| <b>S5584</b>    | <b>S7316</b>   | 5    | 25W                  | 220    | 5000K | 10000      | 1.77            | 4.45            | N  | 1.48  |
| <b>S5588</b>    | <b>S7321</b>   | 7    | 40W                  | 340    | 2700K | 10000      | 1.77            | 4.8             | Y  | 1.48  |
| <b>S5591</b>    | <b>S7323</b>   | 7    | 40W                  | 340    | 5000K | 10000      | 1.77            | 4.8             | N  | 1.48  |

Pack Type: Clamshell / Inner Pack 6 / Master Pack 24  
Pack Type Boxed: Inner Pack 12 / Master Pack 48





CFL



# Demonstrators

## S1321 Countertop Demonstrator 22"W X 4.5"D X 6.75"H



- Compares energy use between an incandescent lamp and a CFL.
- Displayed digitally in milliamps.
- Three individually switched sockets enable color comparisons of 2700K/4100K/5000K CFLs and how the lamps color impacts color around you.

## S1322 Slat-Wall Mounted Demonstrator 22"W X 4.5"D X 6.75"H



Supplied with two graphic back panels, slat-wall brackets and cord set.

Side view

## Display and Package Color Coordination



| SOFT WHITE                                                                                                    | BRIGHT WHITE                                                                                                     | NATURAL LIGHT                                                                                                       |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| 2700K                                                                                                         | 4100K                                                                                                            | 5000K                                                                                                               |
| <ul style="list-style-type: none"> <li>• Living Areas</li> <li>• Bedrooms</li> <li>• Dining Spaces</li> </ul> | <ul style="list-style-type: none"> <li>• Office Use</li> <li>• Work Areas</li> <li>• General Lighting</li> </ul> | <ul style="list-style-type: none"> <li>• Reading</li> <li>• Display Use</li> <li>• Show Color Accurately</li> </ul> |

CFL demonstrators graphically relate to CFL product package to ease product selection and to clearly identify lamps suggested use and recommended applications.

See Lamp Specification Catalog for Complete CFL Product Line.



# General Service Lamps





# A15 Household & Heavy Duty Lamps/2 Pack



2500 Hours / 130 Volt



**Frosted**  
Medium Base

**\$3949** 15 Watt

Packing: Boxed, 2 Pack  
120 Master, 60-2 Packs  
Sold Per Lamp



**Clear**  
Medium Base

**\$3948** 15 Watt

Packing: Boxed, 2 Pack  
120 Master, 60-2 Packs  
Sold Per Lamp

## HEAVY DUTY SHATTERPROOF BULBS

- Special Rubber Coating contains glass particles should bulb break.
- Heavy Duty five support filament designed to withstand impact and vibration.
- Uses: Workshops, Garages, Construction Areas, Bathrooms ... Any Hazardous Environment.



**Frosted**  
Medium Base

**\$4880** 25 Watt

**\$4881** 40 Watt

**\$4882** 60 Watt

Packing: Sleeve,  
500 Master, 25 Inner

## A15 Household Lamps / 2 Packs – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 15    | A15       | Med. | <b>\$3948</b>   | 15A15     | Clear   | 130V  | 2500             | 100    | C-9      | 3 1/2" | Box/2      | 120                  |
| 15    | A15       | Med. | <b>\$3949</b>   | 15A15/F   | Frosted | 130V  | 2500             | 100    | C-9      | 3 1/2" | Box/2      | 120                  |

## Heavy Duty Shatterproof Bulbs – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | A15       | Med. | <b>\$4880</b>   | 25A15/TF  | Frosted | 130V  | 2500             | 120    | C-9      | 3 1/2" | Sleeve     | 500/25               |
| 40    | A15       | Med. | <b>\$4881</b>   | 40A15/TF  | Frosted | 130V  | 2500             | 280    | C-9      | 3 1/2" | Sleeve     | 500/25               |
| 60    | A15       | Med. | <b>\$4882</b>   | 60A15/TF  | Frosted | 130V  | 2500             | 530    | C-9      | 3 1/2" | Sleeve     | 500/25               |



Clear



Frosted

Medium Base

**S6040** 25 Watt  
**S6041** 40 Watt  
**S6042** 60 Watt  
**S6043** 75 Watt  
**S6044** 100 Watt

Packing: Boxed, 2 Pack  
 120 Master, 60-2 Packs  
 Sold Per Lamp

Medium Base

**S6050** 25 Watt  
**S6051** 40 Watt  
**S6052** 60 Watt  
**S6053** 75 Watt  
**S6054** 100 Watt

Packing: Boxed, 2 Pack  
 120 Master, 60-2 Packs  
 Sold Per Lamp

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|-----------|----------------------|
| 25    | A19       | Med. | <b>S6040</b>    | 25A19     | Clear   | 120V  | 1500             | 185    | C-9      | 4 1/8" | Box/2     | 120                  |
| 25    | A19       | Med. | <b>S6050</b>    | 25A19/F   | Frosted | 120V  | 1500             | 185    | C-9      | 4 1/8" | Box/2     | 120                  |
| 40    | A19       | Med. | <b>S6041</b>    | 40A19     | Clear   | 120V  | 1500             | 340    | C-9      | 4 1/8" | Box/2     | 120                  |
| 40    | A19       | Med. | <b>S6051</b>    | 40A19/F   | Frosted | 120V  | 1500             | 340    | C-9      | 4 1/8" | Box/2     | 120                  |
| 60    | A19       | Med. | <b>S6042</b>    | 60A19     | Clear   | 120V  | 1500             | 610    | C-9      | 4 1/8" | Box/2     | 120                  |
| 60    | A19       | Med. | <b>S6052</b>    | 60A19/F   | Frosted | 120V  | 1500             | 610    | C-9      | 4 1/8" | Box/2     | 120                  |
| 75    | A19       | Med. | <b>S6043</b>    | 75A19     | Clear   | 120V  | 1500             | 800    | C-9      | 4 1/8" | Box/2     | 120                  |
| 75    | A19       | Med. | <b>S6053</b>    | 75A19/F   | Frosted | 120V  | 1500             | 800    | C-9      | 4 1/8" | Box/2     | 120                  |
| 100   | A19       | Med. | <b>S6044</b>    | 100A19    | Clear   | 120V  | 1500             | 1150   | C-9      | 4 1/8" | Box/2     | 120                  |
| 100   | A19       | Med. | <b>S6054</b>    | 100A19/F  | Frosted | 120V  | 1500             | 1150   | C-9      | 4 1/8" | Box/2     | 120                  |



# A19 Household & Heavy Duty Lamps/2 Pack



**Rough Service Shatterproof**

Medium Base  
**S3927** 60 Watt  
**S3928** 75 Watt  
**S3929** 100 Watt

Packing: Boxed,  
12/Master,



**Rough Service**

Medium Base  
**S3969** 50 Watt  
**S3970** 75 Watt  
**S3971** 100 Watt

Packing: Boxed, 2 Pack  
24 Master, 12-2 Packs  
Sold Per Pack

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code    | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|--------------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 60    | A19       | Med. | <b>S3927</b>    | 60A19/RS/TF  | Frosted | 130V  | 5000             | 520    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |
| 75    | A19       | Med. | <b>S3928</b>    | 75A19/RS/TF  | Frosted | 130V  | 5000             | 680    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |
| 100   | A19       | Med. | <b>S3929</b>    | 100A19/RS/TF | Frosted | 130V  | 5000             | 960    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |

## 130 Volt Bulb Specifications Operated On a 120 Volt Line

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code    | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|--------------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 60    | A19       | Med. | <b>S3927</b>    | 60A19/RS/TF  | Frosted | 130V  | 12,500           | 395    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |
| 75    | A19       | Med. | <b>S3928</b>    | 75A19/RS/TF  | Frosted | 130V  | 12,500           | 515    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |
| 100   | A19       | Med. | <b>S3929</b>    | 100A19/RS/TF | Frosted | 130V  | 12,500           | 730    | C-9      | 4 1/8" | 2/Pks      | 12/2                 |

## Rough Service A19 2/Pack – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 50    | A19       | Med. | <b>S3969</b>    | 50A/RS    | Frosted | 130V  | 2500             | 320    | C-9      | 4 1/8" | 2/Pks      | 24                   |
| 75    | A19       | Med. | <b>S3970</b>    | 75A9/RS   | Frosted | 130V  | 2500             | 620    | C-9      | 4 1/8" | 2/Pks      | 24                   |
| 100   | A19       | Med. | <b>S3971</b>    | 100A/RS   | Frosted | 130V  | 2500             | 880    | C-9      | 4 1/8" | 2/Pks      | 24                   |





# A19 Household Lamps

2500 Hours / 130 Volt 2 Pack



Clear



Frosted

Medium Base

- S3940** 25 Watt
- S3941** 40 Watt
- S3942** 60 Watt
- S3943** 75 Watt
- S3944** 100 Watt

Packing: Boxed, 2 Pack  
120 Master, 60-2 Packs  
Sold Per Lamp

Medium Base

- S3950** 25 Watt
- S3951** 40 Watt
- S3952** 60 Watt
- S3953** 75 Watt
- S3954** 100 Watt

Packing: Boxed, 2 Pack  
120 Master, 60-2 Packs  
Sold Per Lamp

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 25    | A19       | Med. | <b>S3940</b>    | 25A19     | Clear   | 130V  | 2500             | 185    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 25    | A19       | Med. | <b>S3950</b>    | 25A19/F   | Frosted | 130V  | 2500             | 185    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 40    | A19       | Med. | <b>S3941</b>    | 40A19     | Clear   | 130V  | 2500             | 320    | C-9      | 4 1/8" | Box/2      | 120                   |
| 40    | A19       | Med. | <b>S3951</b>    | 40A19/F   | Frosted | 130V  | 2500             | 320    | C-9      | 4 1/8" | Box/2      | 120                   |
| 60    | A19       | Med. | <b>S3942</b>    | 60A19     | Clear   | 130V  | 2500             | 580    | C-9      | 4 1/8" | Box/2      | 120                   |
| 60    | A19       | Med. | <b>S3952</b>    | 60A19/F   | Frosted | 130V  | 2500             | 580    | C-9      | 4 1/8" | Box/2      | 120                   |
| 75    | A19       | Med. | <b>S3943</b>    | 75A19     | Clear   | 130V  | 2500             | 760    | C-9      | 4 1/8" | Box/2      | 120                   |
| 75    | A19       | Med. | <b>S3953</b>    | 75A19/F   | Frosted | 130V  | 2500             | 760    | C-9      | 4 1/8" | Box/2      | 120                   |
| 100   | A19       | Med. | <b>S3944</b>    | 100A19    | Clear   | 130V  | 2500             | 1100   | C-9      | 4 1/8" | Box/2      | 120                   |
| 100   | A19       | Med. | <b>S3954</b>    | 100A19/F  | Frosted | 130V  | 2500             | 1100   | C-9      | 4 1/8" | Box/2      | 120                   |

## 130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 23    | A19       | Med. | <b>S3940</b>    | 25A19     | Clear   | 130V  | 5000             | 140    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 23    | A19       | Med. | <b>S3950</b>    | 25A19/F   | Frosted | 130V  | 5000             | 140    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 36    | A19       | Med. | <b>S3941</b>    | 40A19     | Clear   | 130V  | 5000             | 235    | C-9      | 4 1/8" | Box/2      | 120                   |
| 36    | A19       | Med. | <b>S3951</b>    | 40A19/F   | Frosted | 130V  | 5000             | 235    | C-9      | 4 1/8" | Box/2      | 120                   |
| 53    | A19       | Med. | <b>S3942</b>    | 60A19     | Clear   | 130V  | 5000             | 445    | C-9      | 4 1/8" | Box/2      | 120                   |
| 53    | A19       | Med. | <b>S3952</b>    | 60A19/F   | Frosted | 130V  | 5000             | 445    | C-9      | 4 1/8" | Box/2      | 120                   |
| 66    | A19       | Med. | <b>S3943</b>    | 75A19     | Clear   | 130V  | 5000             | 570    | C-9      | 4 1/8" | Box/2      | 120                   |
| 66    | A19       | Med. | <b>S3953</b>    | 75A19/F   | Frosted | 130V  | 5000             | 570    | C-9      | 4 1/8" | Box/2      | 120                   |
| 90    | A19       | Med. | <b>S3944</b>    | 100A19    | Clear   | 130V  | 5000             | 810    | C-9      | 4 1/8" | Box/2      | 120                   |
| 90    | A19       | Med. | <b>S3954</b>    | 100A19/F  | Frosted | 130V  | 5000             | 810    | C-9      | 4 1/8" | Box/2      | 120                   |

general service lamps



# A19 Household Lamps



4 Pack

1500 Hours / 120 Volt



Frosted

Medium Base

- S1711** 40 Watt
- S1712** 60 Watt
- S1713** 75 Watt
- S1714** 100 Watt

Packing: Boxed, 4 Pack  
48 Master, 12-4 Packs  
Sold Per Lamp



Soft White

Medium Base


- S1810** 40 Watt
- S1811** 60 Watt
- S1812** 75 Watt
- S1813** 100 Watt

Packing: Boxed, 4 Pack  
48 Master, 12-4 Packs  
Sold Per Lamp

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 40    | A19       | Med. | <b>S1711</b>    | 40A19/F   | Frosted | 120V  | 1500             | 340    | C-9      | 4 1/8" | Box/4      | 48                  |
| 40    | A19       | Med. | <b>S1810</b>    | 40A19/W   | White   | 120V  | 1500             | 280    | C-9      | 4 1/8" | Box/4      | 48                  |
| 60    | A19       | Med. | <b>S1712</b>    | 60A19/F   | Frosted | 120V  | 1500             | 610    | C-9      | 4 1/8" | Box/4      | 48                  |
| 60    | A19       | Med. | <b>S1811</b>    | 60A19/W   | White   | 120V  | 1500             | 500    | C-9      | 4 1/8" | Box/4      | 48                  |
| 75    | A19       | Med. | <b>S1713</b>    | 75A19/F   | Frosted | 120V  | 1500             | 800    | C-9      | 4 1/8" | Box/4      | 48                  |
| 75    | A19       | Med. | <b>S1812</b>    | 75A19/W   | White   | 120V  | 1500             | 650    | C-9      | 4 1/8" | Box/4      | 48                  |
| 100   | A19       | Med. | <b>S1714</b>    | 100A19/F  | Frosted | 120V  | 1500             | 1150   | C-9      | 4 1/8" | Box/4      | 48                  |
| 100   | A19       | Med. | <b>S1813</b>    | 100A19/W  | White   | 120V  | 1500             | 950    | C-9      | 4 1/8" | Box/4      | 48                  |

# A19 Extra Life Lamps

**Supreme™ Extra Life A19 /  
5000 Hours, Brass Base, 130 Volt**



Clear



Frosted

Medium Base

- S8502** 40 Watt
- S8504** 60 Watt
- S8506** 75 Watt
- S8508** 100 Watt

Packing: Boxed, 4 Pack  
120/Master, 30-4 Packs/Inner  
Sold Per Lamp

Medium Base

- S8501** 40 Watt
- S8503** 60 Watt
- S8505** 75 Watt
- S8507** 100 Watt

Packing: Boxed, 4 Pack  
120/Master, 30-4 Packs/Inner  
Sold Per Lamp

| Watts | Bulb | Base | Satco Order No. | Lamp Code | Finish  | Volts | Approx. Hours At 130V | Approx. Hours At 120V | Filament Design | M.O.L. (in.) | Approx. Lumens At 130V | Approx. Lumens At 120V | Master Pck. Qty. | Inner Pck. Qty. |
|-------|------|------|-----------------|-----------|---------|-------|-----------------------|-----------------------|-----------------|--------------|------------------------|------------------------|------------------|-----------------|
| 40    | A19  | MED  | <b>S8501</b>    | 40A19/FR  | Frosted | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 280                    | 210                    | 120              | 30/4pks         |
| 40    | A19  | MED  | <b>S8502</b>    | 40A19/CL  | Clear   | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 280                    | 210                    | 120              | 30/4pks         |
| 60    | A19  | MED  | <b>S8503</b>    | 60A19/FR  | Frosted | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 540                    | 410                    | 120              | 30/4pks         |
| 60    | A19  | MED  | <b>S8504</b>    | 60A19/CL  | Clear   | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 540                    | 410                    | 120              | 30/4pks         |
| 75    | A19  | MED  | <b>S8505</b>    | 75A19/FR  | Frosted | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 700                    | 530                    | 120              | 30/4pks         |
| 75    | A19  | MED  | <b>S8506</b>    | 75A19/CL  | Clear   | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 700                    | 530                    | 120              | 30/4pks         |
| 100   | A19  | MED  | <b>S8507</b>    | 100A19/FR | Frosted | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 1050                   | 800                    | 120              | 30/4pks         |
| 100   | A19  | MED  | <b>S8508</b>    | 100A19/CL | Clear   | 130   | 5000                  | 12500                 | C-9             | 4 1/2        | 1050                   | 800                    | 120              | 30/4pks         |

general service lamps



# A19 Household Lamps/3 & 4 Pack



**130 Volt** Sold Per Pack - Full Cases Only



Soft White

Medium Base  
**S3991** 40 Watt  
**S3992** 60 Watt  
**S3993** 75 Watt  
**S3994** 100 Watt  
 Packing: Boxed, 3 Pack  
 120 Master, 40-3 Packs



Clear

Medium Base  
**S4020** 40 Watt  
**S4021** 60 Watt  
**S4022** 75 Watt  
**S4023** 100 Watt  
 Packing: Boxed, 4 Pack  
 120 Master, 30-4 Packs



Soft White

Medium Base  
**S4010** 40 Watt  
**S4011** 60 Watt  
**S4012** 75 Watt  
**S4013** 100 Watt  
 Packing: Boxed, 4 Pack  
 120 Master, 30-4 Packs

## Soft White A19 3/Pack - Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 40    | A19       | Med. | <b>S3991</b>    | 40A19/W   | White  | 130V  | 1250             | 288    | C-9      | 4 1/8" | Box/3      | 40                   |
| 60    | A19       | Med. | <b>S3992</b>    | 60A19/W   | White  | 130V  | 1250             | 576    | C-9      | 4 1/8" | Box/3      | 40                   |
| 75    | A19       | Med. | <b>S3993</b>    | 75A19/W   | White  | 130V  | 1250             | 747    | C-9      | 4 1/8" | Box/3      | 40                   |
| 100   | A19       | Med. | <b>S3994</b>    | 100A19/W  | White  | 130V  | 1250             | 1107   | C-9      | 4 1/8" | Box/3      | 40                   |

## Soft White A19 4/Pack - Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 40    | A19       | Med. | <b>S4020</b>    | 40A19     | Clear  | 130V  | 1000             | 320    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 40    | A19       | Med. | <b>S4010</b>    | 40A19/W   | White  | 130V  | 1000             | 488    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 60    | A19       | Med. | <b>S4021</b>    | 60A19     | Clear  | 130V  | 1000             | 640    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 60    | A19       | Med. | <b>S4011</b>    | 60A19/W   | White  | 130V  | 1000             | 576    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 75    | A19       | Med. | <b>S4022</b>    | 75A19     | Clear  | 130V  | 1000             | 830    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 75    | A19       | Med. | <b>S4012</b>    | 75A19/W   | White  | 130V  | 1000             | 747    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 100   | A19       | Med. | <b>S4023</b>    | 100A19    | Clear  | 130V  | 1000             | 1230   | CC-9     | 4 1/8" | Box/4      | 30                   |
| 100   | A19       | Med. | <b>S4013</b>    | 100A19/W  | White  | 130V  | 1000             | 1107   | CC-9     | 4 1/8" | Box/4      | 30                   |

## 130 Volt Bulb Specifications Operated On a 120 Volt Line

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 40    | A19       | Med. | <b>S4020</b>    | 40A19     | Clear  | 130V  | 3000             | 230    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 40    | A19       | Med. | <b>S4010</b>    | 40A19/W   | White  | 130V  | 3000             | 207    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 60    | A19       | Med. | <b>S4021</b>    | 60A19     | Clear  | 130V  | 3000             | 460    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 60    | A19       | Med. | <b>S4011</b>    | 60A19/W   | White  | 130V  | 3000             | 414    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 75    | A19       | Med. | <b>S4022</b>    | 75A19     | Clear  | 130V  | 3000             | 597    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 75    | A19       | Med. | <b>S4012</b>    | 75A19/W   | White  | 130V  | 3000             | 538    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 100   | A19       | Med. | <b>S4023</b>    | 100A19    | Clear  | 130V  | 3000             | 885    | CC-9     | 4 1/8" | Box/4      | 30                   |
| 100   | A19       | Med. | <b>S4013</b>    | 100A19/W  | White  | 130V  | 3000             | 797    | CC-9     | 4 1/8" | Box/4      | 30                   |





Clear



Frosted

Medium Base

- S2501** 38 Watt
- S2502** 57 Watt
- S2503** 71 Watt
- S2504** 95 Watt

Packing: Boxed, 2 Pack  
120/Master, 60-2 Packs/Inner

Medium Base

- S2511** 38 Watt
- S2512** 57 Watt
- S2513** 71 Watt
- S2514** 95 Watt

Packing: Boxed, 2 Pack  
120/Master, 60-2 Packs/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 38    | A19       | Med. | <b>S2501</b>    | 38A19/C   | Clear   | 120V  | 1000             | 460    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 38    | A19       | Med. | <b>S2511</b>    | 38A19/F   | Frosted | 120V  | 1000             | 460    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 57    | A19       | Med. | <b>S2502</b>    | 57A19/C   | Clear   | 130V  | 1000             | 825    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 57    | A19       | Med. | <b>S2512</b>    | 57A19/F   | Frosted | 120V  | 1000             | 825    | CC-6     | 4 1/8" | Box/2      | 120                   |
| 71    | A19       | Med. | <b>S2503</b>    | 71A19/C   | Clear   | 120V  | 750              | 1100   | CC-6     | 4 1/8" | Box/2      | 120                   |
| 71    | A19       | Med. | <b>S2513</b>    | 71A19/F   | Frosted | 120V  | 750              | 1100   | CC-6     | 4 1/8" | Box/2      | 120                   |
| 95    | A19       | Med. | <b>S2504</b>    | 95A19/C   | Clear   | 120V  | 750              | 1600   | CC-6     | 4 1/8" | Box/2      | 120                   |
| 95    | A19       | Med. | <b>S2514</b>    | 95A19/F   | Frosted | 120V  | 750              | 1600   | CC-6     | 4 1/8" | Box/2      | 120                   |



# BT Energy Efficient Halogen Lamps



2000 Hours / 120 Volt

general service lamps



Clear

White

Medium Base

- \$2521** 38 Watt
- \$2522** 57 Watt
- \$2523** 71 Watt
- \$2524** 95 Watt

Packing:  
Individually Boxed,  
48/Master, 12 Inner

Medium Base

- \$2525** 38 Watt
- \$2526** 57 Watt
- \$2527** 71 Watt
- \$2528** 95 Watt

Packing:  
Individually Boxed,  
48/Master, 12 Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 38    | BT15      | Med. | <b>\$2521</b>   | BT15/CL   | Clear  | 120V  | 2000             | 510    | CC-8     | 4"     | Box        | 48/12                |
| 38    | BT15      | Med. | <b>\$2525</b>   | BT15/WH   | White  | 120V  | 2000             | 480    | CC-8     | 4"     | Box        | 48/12                |
| 57    | BT15      | Med. | <b>\$2522</b>   | BT15/CL   | Clear  | 120V  | 2000             | 1100   | CC-8     | 4"     | Box        | 48/12                |
| 57    | BT15      | Med. | <b>\$2526</b>   | BT15/WH   | White  | 120V  | 2000             | 1000   | CC-8     | 4"     | Box        | 48/12                |
| 71    | BT15      | Med. | <b>\$2523</b>   | BT15/CL   | Clear  | 120V  | 2000             | 1300   | CC-8     | 4"     | Box        | 48/12                |
| 71    | BT15      | Med. | <b>\$2527</b>   | BT15/WH   | White  | 120V  | 2000             | 1200   | CC-8     | 4"     | Box        | 48/12                |
| 95    | BT15      | Med. | <b>\$2524</b>   | BT15/CL   | Clear  | 120V  | 2000             | 1730   | CC-8     | 4"     | Box        | 48/12                |
| 95    | BT15      | Med. | <b>\$2528</b>   | BT15/WH   | White  | 120V  | 2000             | 1600   | CC-8     | 4"     | Box        | 48/12                |



Incandescent  
Black Light

Medium Base  
120V / 480 Hrs. Avg. Life

**\$3920** 75 Watt

Packing: Individually Boxed,  
96 Master, 6/Inner



Bug Light

Medium Base  
120V / 2000 Hrs. Avg. Life

**\$3859** 40 Watt

**\$3938** 60 Watt

**\$3939** 100 Watt

Packing: Boxed, 2 Pack  
24 Master, 12 2-Packs



Silver Crown

Medium Base  
130V / 1500 Hrs. Avg. Life

**\$3955** 60A19/SL

**\$3956** 100A19/SL

Packing: Individually Boxed,  
24 Master

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish      | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|-------------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 40    | A19       | Med. | <b>\$3859</b>   | 40A/Y     | Bug         | 130V  | 2000             | -      | C-9      | 4 1/8" | Box/2      | 24                    |
| 60    | A19       | Med. | <b>\$3938</b>   | 60A/Y     | Bug         | 130V  | 2000             | -      | C-9      | 4 1/8" | Box/2      | 24                    |
| 100   | A19       | Med. | <b>\$3939</b>   | 100A/Y    | Bug         | 130V  | 2000             | -      | C-9      | 4 1/8" | Box/2      | 24                    |
| 75    | A19       | Med. | <b>\$3920</b>   | 75A/BL    | Black Light | 120V  | 480              | -      | C-9      | 4 1/8" | Box        | 96/6                  |
| 60    | A19       | Med. | <b>\$3955</b>   | 60A/SL    | Silver      | 130V  | 1500             | 580    | C-9      | 4 1/8" | Box        | 24                    |
| 100   | A19       | Med. | <b>\$3956</b>   | 100A/SL   | Silver      | 130V  | 1500             | 960    | C-9      | 4 1/8" | Box        | 24                    |

# Party Bulbs



## A19 Transparent

1000 Hours / Medium Brass Base / 130 Volt



Transparent  
Red

Transparent  
Green

Transparent  
Blue

Transparent  
Yellow

Medium Base  
130 Volt

**S6080** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6081** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6082** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6083** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|---------------------|
| 25    | A19       | Med. | <b>S6080</b>    | 25A/TR    | Red    | 130V  | 1000             | n/a    | C-9      | 4 1/8" | Sleeve     | 24/12               |
| 25    | A19       | Med. | <b>S6081</b>    | 25A/TG    | Green  | 130V  | 1000             | n/a    | C-9      | 4 1/8" | Sleeve     | 24/12               |
| 25    | A19       | Med. | <b>S6082</b>    | 25A/TB    | Blue   | 130V  | 1000             | n/a    | C-9      | 4 1/8" | Sleeve     | 24/12               |
| 25    | A19       | Med. | <b>S6083</b>    | 25A/TY    | Yellow | 130V  | 1000             | n/a    | C-9      | 4 1/8" | Sleeve     | 24/12               |





**Ceramic  
Red**

**Ceramic  
Green**

**Ceramic  
Blue**

**Ceramic  
Yellow**

Medium Base  
130 Volt

**S6090** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6091** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6092** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

Medium Base  
130 Volt

**S6093** 25 Watt

Packing: Individually Sleeved,  
24 Master, 12 Inner

| Watts | Bulb Type | Base | Satco<br>Order No. | Lamp Code | Finish | Volts | Avg. Rated<br>Hours | Lumens | Filament | M.O.L. | Pack.<br>Type | Mst.Ctn./<br>Inner Pack |
|-------|-----------|------|--------------------|-----------|--------|-------|---------------------|--------|----------|--------|---------------|-------------------------|
| 25    | A19       | Med. | <b>S6090</b>       | 25A/R     | Red    | 130V  | 1000                | n/a    | C-9      | 4 1/8" | Sleeve        | 24/12                   |
| 25    | A19       | Med. | <b>S6091</b>       | 25A/G     | Green  | 130V  | 1000                | n/a    | C-9      | 4 1/8" | Sleeve        | 24/12                   |
| 25    | A19       | Med. | <b>S6092</b>       | 25A/B     | Blue   | 130V  | 1000                | n/a    | C-9      | 4 1/8" | Sleeve        | 24/12                   |
| 25    | A19       | Med. | <b>S6093</b>       | 25A/Y     | Yellow | 130V  | 1000                | n/a    | C-9      | 4 1/8" | Sleeve        | 24/12                   |

# A21 Household



## Lamps

2500 Hours / 130 Volt / Medium Base



Clear

Medium Base  
130 Volt

**S3981** 150 Watt  
Packing: Individually Boxed,  
24/Master



Frosted

Medium Base  
130 Volt

**S3980** 150 Watt  
Packing: Individually Boxed,  
24/Master



| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|---------|------------|-----------------------|
| 150   | A21       | Med. | <b>S3981</b>    | 150A21    | Clear   | 130V  | 2500             | 1750   | C-9      | 5 1/16" | Box        | 24                    |
| 150   | A21       | Med. | <b>S3980</b>    | 150A21/F  | Frosted | 130V  | 2500             | 1750   | C-9      | 5 1/16" | Box        | 24                    |

### 130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

|     |     |      |              |          |         |      |      |      |     |         |     |    |
|-----|-----|------|--------------|----------|---------|------|------|------|-----|---------|-----|----|
| 134 | A21 | Med. | <b>S3981</b> | 150A21   | Clear   | 130V | 6000 | 1350 | C-9 | 5 1/16" | Box | 24 |
| 134 | A21 | Med. | <b>S3980</b> | 150A21/F | Frosted | 130V | 6000 | 1350 | C-9 | 5 1/16" | Box | 24 |

# A21 Energy Efficient & Heavy Duty Lamps

130 Volt / Brass Base



Heavy Duty  
Shatterproof



Clear

Frosted

Medium Base  
**\$3972** 75 Watt  
**\$3973** 100 Watt  
**\$4883** 150 Watt  
 Packing:Sleeved  
 500/Master, 25/Inner

Medium Base  
**\$2508** 140 Watt  
 Packing:1/Pack  
 24/Master

Medium Base  
**\$2518** 140 Watt  
 Packing:1/Pack  
 24/Master

## Energy Efficient A21 Lamps – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|---------|------------|----------------------|
| 140   | A21       | Med. | <b>\$2508</b>   | 140A21    | Clear   | 120V  | 750              | 2380   | CC-6     | 5 1/16" | Box        | 24                   |
| 140   | A21       | Med. | <b>\$2518</b>   | 140A21/F  | Frosted | 120V  | 750              | 2380   | CC-6     | 5 1/16" | Box        | 24                   |

## Heavy Duty Shatterproof A21 Lamps – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|---------|------------|----------------------|
| 75    | A21       | Med. | <b>\$3972</b>   | 75A21/TF  | Frosted | 130V  | 2500             | 620    | C-9      | 5 1/16" | Sleeve     | 24                   |
| 100   | A21       | Med. | <b>\$3973</b>   | 100A21/TF | Frosted | 130V  | 2500             | 880    | C-9      | 5 1/16" | Sleeve     | 24                   |
| 150   | A21       | Med. | <b>\$4883</b>   | 150A21/TF | Frosted | 130V  | 2500             | 1750   | C-9      | 5 1/16" | Sleeve     | 24                   |

general service lamps



3-way



# Household Lamps

120 Volt

general service lamps



**3-Way/Med.  
Soft White**

Medium Base  
120 Volt

**S1820** 30/70/100 Watt  
**S1821** 50/100/150 Watt  
**S1823** 50/200/250 Watt

Packing: Individually Sleeved,  
36/Master, 12/Inner



**3-Way/Mogul  
Soft White**

Mogul Base  
120 Volt

**S1825** 50/100/150 Watt  
**S1826** 100/200/300 Watt

Packing: Individually Sleeved,  
12/Master

| Watts      | Bulb Type | Base       | Satco Order No. | Lamp Code       | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./Inner Pack |
|------------|-----------|------------|-----------------|-----------------|--------|-------|------------------|--------|----------|---------|------------|---------------------|
| <b>30</b>  |           |            |                 |                 |        |       |                  | 250    |          |         |            |                     |
| <b>70</b>  | A21       | Med. Brass | <b>S1820</b>    | 30/70/100A21/W  | White  | 120V  | 2500             | 700    | C-9      | 5 1/16" | Sleeve     | 36/12               |
| <b>100</b> |           |            |                 |                 |        |       |                  | 950    |          |         |            |                     |
| <b>50</b>  |           |            |                 |                 |        |       |                  | 520    |          |         |            |                     |
| <b>100</b> | A21       | Med. Brass | <b>S1821</b>    | 50/100/150A21/W | White  | 120V  | 2500             | 1050   | C-9      | 5 1/16" | Sleeve     | 36/12               |
| <b>150</b> |           |            |                 |                 |        |       |                  | 1570   |          |         |            |                     |
| <b>50</b>  |           |            |                 |                 |        |       |                  | 640    |          |         |            |                     |
| <b>200</b> | A21       | Med. Alum. | <b>S1823</b>    | 50/200/250A21/W | White  | 120V  | 1200             | 3300   | CC-8     | 5 1/16" | Sleeve     | 12                  |
| <b>250</b> |           |            |                 |                 |        |       |                  | 3940   |          |         |            |                     |
| <b>50</b>  |           |            |                 |                 |        |       |                  | 550    |          |         |            |                     |
| <b>100</b> | A21       | Mog. Alum. | <b>S1825</b>    | 50/100/150A21/F | Frost  | 120V  | 1200             | 1300   | CC-8     | 5 1/16" | Box        | 12                  |
| <b>150</b> |           |            |                 |                 |        |       |                  | 1850   |          |         |            |                     |
| <b>100</b> |           |            |                 |                 |        |       |                  | 1200   |          |         |            |                     |
| <b>200</b> | PS25      | Mog. Alum. | <b>S1826</b>    | 100/300PS25/W   | Frost  | 120V  | 1200             | 2600   | CC-8     | 6 3/4"  | Box        | 12                  |
| <b>300</b> |           |            |                 |                 |        |       |                  | 3800   |          |         |            |                     |



# 3-way Household Lamps Medium Base



Dual halogen capsules create 3 light levels

3-Way Halogen  
Reading Light

Soft White/4000 Hours  
Medium Base  
120 Volt

**S4505** 30/70/100 Watt

**S4506** 50/100/150 Watt

Packing: Individually Sleeved,  
36/Master, 12/Inner



A19  
3-Way

Soft White  
Medium Base  
120 Volt

**S1824** 30/70/100 Watt

Packing: Individually Sleeved,  
36/Master, 12/Inner


| Watts | Bulb Type | Base       | Satco Order No. | Lamp Code           | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------------|-----------------|---------------------|--------|-------|------------------|--------|----------|---------|------------|----------------------|
| 30    |           |            |                 |                     |        |       |                  | 250    |          |         |            |                      |
| 70    | A19       | Med. Brass | <b>S1824</b>    | 30/70/100A19/W      | White  | 120V  | 2500             | 700    | CC-8     | 4 1/8"  | Sleeve     | 36/12                |
| 100   |           |            |                 |                     |        |       |                  | 950    |          |         |            |                      |
| 30    |           |            |                 |                     |        |       |                  | 295    |          |         |            |                      |
| 70    | A21       | Med. Alum. | <b>S4505</b>    | 30/70/100A21/HAL/W  | White  | 120V  | 4000             | 785    | CC-8     | 5 1/16" | Sleeve     | 36/12                |
| 100   |           |            |                 |                     |        |       |                  | 1080   |          |         |            |                      |
| 50    |           |            |                 |                     |        |       |                  | 385    |          |         |            |                      |
| 100   | A21       | Med. Alum. | <b>S4506</b>    | 50/100/150A21/HAL/W | White  | 120V  | 1200             | 1400   | CC-8     | 5 1/16" | Sleeve     | 36/12                |
| 150   |           |            |                 |                     |        |       |                  | 1985   |          |         |            |                      |



# Reflectors

## R20 & BR25

2000 Hours / Brass Base



R20

Medium Base

**S3210** 30 Watt/120 Volt

**S3229** 45 Watt/120 Volt

**S2810** 30 Watt/130 Volt

Packing: Individually Sleeved,  
96/Master, 12/Inner



BR25

Medium Base

**S2806** 65 Watt/120 Volt

Packing: Individually Sleeved,  
96/Master, 12/Inner

### HEAVY DUTY SHATTERPROOF BULBS

- Special Rubber Coating contains glass particles should bulb break.
- Heavy Duty five support filament designed to withstand impact and vibration.
- Uses: Workshops, Garages, Construction Areas, Bathrooms ... Any Hazardous Environment.



R20

Medium Base

**S4886** 50 Watt/120 Volt

Packing: Individually Sleeved,  
96/Master, 12/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 30    | R20       | Med. | <b>S3210</b>    | 30R20     | Frosted | 120V  | 2000             | 185    | CC-9     | 4"     | Sleeve     | 96/12                |
| 30    | R20       | Med. | <b>S2810</b>    | 30R20/130 | Frosted | 130V  | 2000             | 185    | CC-9     | 4"     | Sleeve     | 96/12                |
| 45    | R20       | Med. | <b>S3229</b>    | 45R20/120 | Frosted | 120V  | 2000             | 330    | CC-9     | 4"     | Sleeve     | 96/12                |
| 45    | R20       | Med. | <b>S3849</b>    | 45R20/130 | Frosted | 130V  | 2000             | 330    | CC-9     | 4"     | Sleeve     | 96/12                |
| 65    | BR25      | Med. | <b>S2806</b>    | 65BR25/FL | Frosted | 120V  | 2000             | 600    | CC-6     | 4 3/4" | Sleeve     | 96/12                |

### Heavy Duty Shatterproof R20 – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 50    | R20       | Med. | <b>S4886</b>    | 50R20/TF  | Frosted | 120V  | 2000             | 375    | C-9      | 4"     | Sleeve     | 96/12                |

# Reflectors

## BR30

2000 Hours / Brass Base



### BR30

Medium Base

**S3259** 50 Watt/120 Volt

**S2808** 65 Watt/120 Volt

**S3408** 65 Watt/130 Volt

Packing: Individually Sleeved,  
48/Master, 12/Inner



### HEAVY DUTY SHATTERPROOF BULBS

- Special Rubber Coating contains glass particles should bulb break.
- Heavy Duty five support filament designed to withstand impact and vibration.
- Uses: Workshops, Garages, Construction Areas, Bathrooms ... Any Hazardous Environment.

### BR30

Medium Base

**S4887** 65 Watt/120 Volt

Packing: Individually Sleeved,  
48/Master, 12/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 50    | BR30      | Med. | <b>S3259</b>    | 50BR30/FL | Frosted | 120V  | 2000             | 550    | CC-9     | 5 3/8" | Sleeve     | 48/12               |
| 65    | BR30      | Med. | <b>S2808</b>    | 65BR30/FL | Frosted | 120V  | 2000             | 685    | CC-9     | 5 3/8" | Sleeve     | 48/12               |
| 65    | BR30      | Med. | <b>S3408</b>    | 65BR30/FL | Frosted | 130V  | 2000             | 685    | CC-9     | 5 3/8" | Sleeve     | 48/12               |

### Heavy Duty Shatterproof BR30 – Medium Base

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 65    | BR30      | Med. | <b>S4887</b>    | 65BR30/TF | Frosted | 120V  | 2000             | 685    | C-9      | 5 3/8" | Sleeve     | 48/12               |



# Reflectors

## R20/2 Pack

2000 Hours / Brass Base



reflectors

BR30/2Pack  
Medium Base

**S2817** 65 Wattt

**S3417** 65 Watt/130 Volt

Packing: 2/Box,  
60 2-Packs/Master



Sold Per Pack

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code     | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|---------------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 65    | BR30      | Med. | <b>S2817</b>    | 65BR30/FL/2PK | Frosted | 120V  | 2000             | 685    | CC-9     | 5 3/8" | Box/2      | 60/2                 |
| 65    | BR30      | Med. | <b>S3417</b>    | 65BR30/FL/2PK | Frosted | 130V  | 2000             | 685    | CC-9     | 5 3/8" | Box/2      | 60/2                 |



# Reflector BR40

2500 Hours / Brass Base



## BR40

Medium Base

**S2853** 65 Watt

**S4453** 65 Watt/130 Volt

Packing: Individually Sleeved,  
24/Master



**LONGER LIFE!**

reflectors

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-------------|
| 65    | BR40      | Med. | <b>S2853</b>    | 65BR40/FL | Frosted | 120V  | 2500             | 685    | CC-6     | 6 1/2" | Sleeve     | 24          |
| 65    | BR40      | Med. | <b>S4453</b>    | 65BR40/FL | Frosted | 130V  | 2500             | 685    | CC-6     | 6 1/2" | Sleeve     | 24          |





# Reflectors

## R20 Colors

2000 Hours / 130 Volt



reflectors



Red

Medium Base  
130 Volt  
**S3200** 50 Watt



Green

Medium Base  
130 Volt  
**S3201** 50 Watt



Blue

Medium Base  
130 Volt  
**S3202** 50 Watt



Amber

Medium Base  
130 Volt  
**S3203** 50 Watt



Pink

Medium Base  
130 Volt  
**S3212** 50 Watt

Packing:  
Individually Sleeved  
96/Master, 12/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 50    | R20       | Med. | <b>S3200</b>    | 50R20/R   | Red    | 130   | 2000             | n/a    | C-9      | 4"     | Sleeve     | 96/12                |
| 50    | R20       | Med. | <b>S3201</b>    | 50R20/G   | Green  | 130   | 2000             | n/a    | C-9      | 4"     | Sleeve     | 96/12                |
| 50    | R20       | Med. | <b>S3202</b>    | 50R20/B   | Blue   | 130   | 2000             | n/a    | C-9      | 4"     | Sleeve     | 96/12                |
| 50    | R20       | Med. | <b>S3203</b>    | 50R20/A   | Amber  | 130   | 2000             | n/a    | C-9      | 4"     | Sleeve     | 96/12                |
| 50    | R20       | Med. | <b>S3212</b>    | 50R20/PK  | Pink   | 130   | 2000             | n/a    | C-9      | 4"     | Sleeve     | 96/12                |

# Reflectors

## R30 Colors

2000 Hours / 130 Volt



Blue

Medium Base  
130 Volt  
**S3228** 75 Watt



Green

Medium Base  
130 Volt  
**S3227** 75 Watt



Red

Medium Base  
130 Volt  
**S3240** 75 Watt

Packing:  
Individually Sleeved  
96/Master, 12/Inner



Pink

Medium Base  
130 Volt  
**S3213** 75 Watt



Amber

Medium Base  
130 Volt  
**S3239**

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|---------------------|
| 75    | BR30      | Med. | <b>S3240</b>    | 75BR30/R  | Red    | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 96/12               |
| 75    | BR30      | Med. | <b>S3227</b>    | 75BR30/G  | Green  | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 96/12               |
| 75    | BR30      | Med. | <b>S3228</b>    | 75BR30/B  | Blue   | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 96/12               |
| 75    | BR30      | Med. | <b>S3239</b>    | 75BR30/A  | Amber  | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 96/12               |
| 75    | BR30      | Med. | <b>S3213</b>    | 75BR30/PK | Pink   | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 96/12               |



# Plant Light Reflectors



2000 Hours / 120 Volt / Brass Base

reflectors



## R20/R25/R30 Plant Lights

Medium Base  
120 Volt

**S2850** 50 Watt/R20

**S2851** 75 Watt/R25

**S2852** 150 Watt/R30

Packing: Individually Boxed,  
96/Master, 12/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code    | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|--------------|-------|------------------|--------|----------|--------|------------|----------------------|
| 50    | R20       | Med. | <b>S2850</b>    | 50R20/Plant  | 120V  | 2000             | n/a    | C-9      | 4"     | Box        | 96/12                |
| 75    | R25       | Med. | <b>S2851</b>    | 75R25/Plant  | 120V  | 2000             | n/a    | C-9      | 4 3/4" | Box        | 96/12                |
| 150   | R30       | Med. | <b>S2852</b>    | 150R30/Plant | 120V  | 2000             | n/a    | C-9      | 5 3/8" | Box        | 96/12                |

Packing:  
Individually Boxed  
6/Master



Red

Medium Base  
120 Volt  
**S4424**



Amber

Medium Base  
120 Volt  
**S4425** 100 Watt



Yellow

Medium Base  
120 Volt  
**S4426** 100 Watt



Green

Medium Base  
120 Volt  
**S4427** 100 Watt



Blue

Medium Base  
120 Volt  
**S4428** 100 Watt



Pink

Medium Base  
120 Volt  
**S4429** 100 Watt

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 75    | BR30      | Med. | <b>S4424</b>    | 75BR30/R  | Red    | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |
| 75    | BR30      | Med. | <b>S4427</b>    | 75BR30/G  | Green  | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |
| 75    | BR30      | Med. | <b>S4428</b>    | 75BR30/B  | Blue   | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |
| 75    | BR30      | Med. | <b>S4425</b>    | 75BR30/A  | Amber  | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |
| 75    | BR30      | Med. | <b>S4429</b>    | 75BR30/P  | Pink   | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |
| 75    | BR30      | Med. | <b>S4426</b>    | 75BR30/Y  | Yellow | 130   | 2000             | n/a    | C-9      | 5 3/8" | Sleeve     | 6                     |





# Reflectors

## Heat Lamps

5000-6000 Hours / 120 Volt



reflectors



### R40/Clear Infrared Heat Lamp

Medium Base (120 Volt)

**\$4999** 250 Watt Clear

Packing: Individually Boxed,  
12/Master



### R40/Red Infrared Heat Lamp

Medium Base (120 Volt)

Weather Proof

**\$4998** 250 Watt Red

Packing: Individually Boxed,  
12/Master



### BR38 Heat Lamp

Medium Base (120 Volt)

Weather Proof

**\$4751** 175 Watt Red

**\$4752** 175 Watt Clear

Packing: Individually Boxed,  
12/Master



### R40/Clear Infrared Heat Lamp

Medium Base (120 Volt)

**\$4750** 125 Watt Clear

Packing: Individually Boxed,  
12/Master

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code  | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|------------|--------|-------|------------------|--------|----------|---------|------------|---------------------|
| 125   | R40       | Med. | <b>\$4750</b>   | 125R40/1   | Clear  | 120V  | 6000             | n/a    | C-9      | 6 1/2"  | Box        | 12                  |
| 175   | BR38      | Med. | <b>\$4751</b>   | 175BR38/HR | Red    | 120V  | 5000             | n/a    | C-9      | 5 5/16" | Box        | 12                  |
| 175   | BR38      | Med. | <b>\$4752</b>   | 175BR38    | Clear  | 120V  | 5000             | n/a    | C-9      | 5 5/16" | Box        | 12                  |
| 250   | R40       | Med. | <b>\$4999</b>   | 250R40/1   | Clear  | 120V  | 6000             | n/a    | C-9      | 6 1/2"  | Box        | 12                  |
| 250   | R40       | Med. | <b>\$4998</b>   | 250R40/HR  | Red    | 120V  | 6000             | n/a    | C-9      | 6 1/2"  | Box        | 12                  |





## BR40/Flood

Medium Base

- S7003** 300 Watt/130 Volt
- S7004** 300 Watt/12 Volt
- S7006** 400 Watt/120 Volt
- S7007** 500 Watt/130 Volt

Packing: Boxed,  
24/Master, 12/Inner



## R20/Flood

Medium Base

- S7001** 100 Watt/130 Volt
- S7002** 100 Watt/12 Volt

Packing: Boxed,  
100/Master, 10/Inner

## Pool Lamps

- SATCO Pool lamps are commonly used for underwater illumination in swimming pools, spa's and Jacuzzis.
- Maintain a high lumen output and are manufactured with brass bases to prevent freezing in the socket.
- Made with a heat resistant glass to insure optimum performance.
- \* Note, extra caution should be observed to assure that the appropriate lamp and fixture is used, that the fixture is waterproof, and that Ground Fault Indicators are installed in the operating circuit.



## G30 Globe

Medium Base

- S7005** 400 Watt/120 Volt

Packing: Boxed,  
100/Master, 10/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | MSt. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|---------|------------|-----------------------|
| 100   | R20       | Med. | <b>S7001</b>    | 100R20FL  | Frosted | 130V  | 2000             | 810    | CC-6     | 3 9/16" | Box        | 100/10                |
| 100   | R20       | Med. | <b>S7002</b>    | 100R20FL  | Frosted | 12V   | 2000             | 950    | CC-6     | 3 9/16" | Box        | 100/10                |
| 300   | BR40      | Med. | <b>S7003</b>    | 300BR40FL | Frosted | 130V  | 2000             | 3000   | CC-9/1   | 6 1/2"  | Box        | 24/12                 |
| 300   | BR40      | Med. | <b>S7004</b>    | 300BR40FL | Frosted | 12V   | 2000             | 3300   | C-6      | 6 1/2"  | Box        | 24/12                 |
| 400   | G30       | Med. | <b>S7005</b>    | 400G30    | Clear   | 120V  | 2000             | 6280   | C7A/7    | 5"      | Box        | 100/10                |
| 400   | BR40      | Med. | <b>S7006</b>    | 400BR40FL | Frosted | 120V  | 2000             | 4150   | CC-9/1   | 6 1/2"  | Box        | 24/12                 |
| 500   | BR40      | Med. | <b>S7007</b>    | 500BR40FL | Frosted | 130V  | 2000             | 5400   | CC-9/1   | 6 1/2"  | Box        | 24/12                 |



# Halogen Reflectors R20/BR30 & BR40

**2500 Hours**



- Nickel Plated Brass Base
- High Lumen Output
- Brilliant White Light
- Better Color Rendering than Standard Floods
- 20% Brighter & Longer Lasting



## R20

Medium Base  
120 Volt

**\$4500** 50 Watt

Packing: Individually Sleeved,  
48/Master, 6/Inner

## BR30

Medium Base  
120/130Volt

**\$4501** 60 Watt

**\$4401** 60 Watt/130 Volt

**\$4502** 75 Watt

**\$4402** 75 Watt/130 Volt

Packing: Individually Sleeved,  
48/Master, 6/Inner

## BR40

Medium Base  
120 Volt

**\$4504** 75 Watt

**\$4503** 100 Watt/130 Volt

**\$4513** 120 Watt/130 Volt

Packing: Individually Sleeved,  
24/Master, 6/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code      | Beam | Volts | Avg. Rated Hours | Lumens | Kevin | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|----------------|------|-------|------------------|--------|-------|--------|------------|----------------------|
| 50    | R20       | Med. | <b>\$4500</b>   | 50R20/FL/HAL   | 70°  | 120V  | 2000             | 525    | 3000K | 4"     | Sleeve     | 48/6                 |
| 60    | BR30      | Med. | <b>\$4501</b>   | 60BR30/FL/HAL  | 80°  | 120V  | 2000             | 680    | 3000K | 5 3/8" | Sleeve     | 48/6                 |
| 60    | BR30      | Med. | <b>\$4401</b>   | 60BR30/FL/HAL  | 80°  | 130V  | 2000             | 680    | 3000K | 5 3/8" | Sleeve     | 48/6                 |
| 75    | BR30      | Med. | <b>\$4502</b>   | 75BR30/FL/HAL  | 80°  | 120V  | 2000             | 938    | 3000K | 5 3/8" | Sleeve     | 48/6                 |
| 75    | BR30      | Med. | <b>\$4402</b>   | 75BR30/FL/HAL  | 80°  | 130V  | 2000             | 938    | 3000K | 5 3/8" | Sleeve     | 48/6                 |
| 75    | BR40      | Med. | <b>\$4504</b>   | 75BR40/FL/HAL  | 90°  | 120V  | 2000             | 938    | 3000K | 6 1/2" | Sleeve     | 24/6                 |
| 100   | BR40      | Med. | <b>\$4503</b>   | 100BR40/FL/HAL | 90°  | 120V  | 2000             | 1450   | 3000K | 6 1/2" | Sleeve     | 24/6                 |
| 120   | BR40      | Med. | <b>\$4513</b>   | 120BR40/FL/HAL | 90°  | 120V  | 2000             | 1780   | 3000K | 6 1/2" | Sleeve     | 24/6                 |



PAR30

PAR20

PAR16

### SATCO PAR HALOGEN LAMPS QUALITY • VALUE • PERFORMANCE

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code       | Beam    | Volts | Avg. Rated Hours | CBCP  | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn. |
|-------|-----------|------|-----------------|-----------------|---------|-------|------------------|-------|--------|----------|---------|------------|-----------|
| 45    | PAR16     | Med. | <b>S2200</b>    | 45PAR16/HAL/NFL | NFL 30° | 120V  | 2500             | 1200  | 420    | CC-8     | 3 3/16" | Box        | 15        |
| 45    | PAR16     | Med. | <b>S2300</b>    | 45PAR16/HAL/NFL | NFL 30° | 130V  | 2500             | 1200  | 420    | CC-8     | 3 3/16" | Box        | 15        |
| 60    | PAR16     | Med. | <b>S2201</b>    | 60PAR16/HAL/NFL | NFL 30° | 120V  | 2500             | 1400  | 600    | CC-8     | 3 3/16" | Box        | 15        |
| 60    | PAR16     | Med. | <b>S2301</b>    | 60PAR16/HAL/NFL | NFL 30° | 130V  | 2500             | 1400  | 600    | CC-8     | 3 3/16" | Box        | 15        |
| 60    | PAR16     | Med. | <b>S2202</b>    | 60PAR16/HAL/NSP | NSP 10° | 120V  | 2500             | 4700  | 550    | CC-8     | 3 3/16" | Box        | 15        |
| 60    | PAR16     | Med. | <b>S2302</b>    | 60PAR16/HAL/NSP | NSP 10° | 130V  | 2500             | 4700  | 550    | CC-8     | 3 3/16" | Box        | 15        |
| 75    | PAR16     | Med. | <b>S2203</b>    | 75PAR16/HAL/NFL | NFL 30° | 120V  | 2500             | 1800  | 850    | CC-8     | 3 3/16" | Box        | 15        |
| 75    | PAR16     | Med. | <b>S2303</b>    | 75PAR16/HAL/NFL | NFL 30° | 130V  | 2500             | 1800  | 850    | CC-8     | 3 3/16" | Box        | 15        |
| 75    | PAR16     | Med. | <b>S2204</b>    | 75PAR16/HAL/NSP | NSP 10° | 120V  | 2500             | 7000  | 850    | CC-8     | 3 3/16" | Box        | 15        |
| 75    | PAR16     | Med. | <b>S2304</b>    | 75PAR16/HAL/NSP | NSP 10° | 130V  | 2500             | 7000  | 850    | CC-8     | 3 3/16" | Box        | 15        |
| 50    | PAR20     | Med. | <b>S2205</b>    | 50PAR20/HAL/NFL | NFL 34° | 120V  | 2500             | 1300  | 495    | CC-8     | 3 1/4"  | Box        | 15        |
| 50    | PAR20     | Med. | <b>S2305</b>    | 50PAR20/HAL/NFL | NFL 34° | 130V  | 2500             | 1300  | 495    | CC-8     | 3 1/4"  | Box        | 15        |
| 50    | PAR20     | Med. | <b>S2206</b>    | 50PAR20/HAL/NSP | NSP 10° | 120V  | 2500             | 4700  | 495    | CC-8     | 3 1/4"  | Box        | 15        |
| 50    | PAR20     | Med. | <b>S2306</b>    | 50PAR20/HAL/NSP | NSP 10° | 130V  | 2500             | 4700  | 495    | CC-8     | 3 1/4"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2207</b>    | 50PAR30/HAL/NFL | NFL 34° | 120V  | 2500             | 1750  | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2307</b>    | 50PAR30/HAL/NFL | NFL 34° | 130V  | 2500             | 1750  | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2208</b>    | 50PAR30/HAL/WFL | WFL 50° | 120V  | 2500             | 460   | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2308</b>    | 50PAR30/HAL/WFL | WFL 50° | 130V  | 2500             | 460   | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2209</b>    | 50PAR30/HAL/NSP | NSP 9°  | 120V  | 2500             | 7600  | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 50    | PAR30     | Med. | <b>S2309</b>    | 50PAR30/HAL/NSP | NSP 9°  | 130V  | 2500             | 7600  | 560    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2210</b>    | 75PAR30/HAL/NFL | NFL 34° | 120V  | 2500             | 3100  | 945    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2310</b>    | 75PAR30/HAL/NFL | NFL 34° | 130V  | 2500             | 3100  | 945    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2211</b>    | 75PAR30/HAL/WFL | WFL 50° | 120V  | 2500             | 770   | 945    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2311</b>    | 75PAR30/HAL/WFL | WFL 50° | 130V  | 2500             | 770   | 945    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2212</b>    | 75PAR30/HAL/NSP | NSP 9°  | 120V  | 2500             | 13000 | 945    | CC-8     | 3 5/8"  | Box        | 15        |
| 75    | PAR30     | Med. | <b>S2312</b>    | 75PAR30/HAL/NSP | NSP 9°  | 130V  | 2500             | 13000 | 945    | CC-8     | 3 5/8"  | Box        | 15        |



# PAR Reflectors

## PAR30LN/PAR38



*Whiter light, brighter colors, precise beam control*



PAR30LN

PAR38

### SATCO PAR HALOGEN LAMPS

QUALITY • VALUE • PERFORMANCE

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code        | Beam    | Volts | Avg. Rated Hours | CBCP  | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn. |
|-------|-----------|------|-----------------|------------------|---------|-------|------------------|-------|--------|----------|---------|------------|-----------|
| 50    | PAR30/LN  | Med. | <b>S2213</b>    | 50PAR30/HAL/NFL  | NFL 34° | 120V  | 2500             | 1750  | 560    | CC-8     | 4 1/2"  | Box        | 15        |
| 50    | PAR30/LN  | Med. | <b>S2313</b>    | 50PAR30/HAL/NFL  | NFL 34° | 130V  | 2500             | 1750  | 560    | CC-8     | 4 1/2"  | Box        | 15        |
| 50    | PAR30/LN  | Med. | <b>S2214</b>    | 50PAR30/HAL/WFL  | WFL 50° | 120V  | 2500             | 460   | 560    | CC-8     | 4 1/2"  | Box        | 15        |
| 50    | PAR30/LN  | Med. | <b>S2314</b>    | 50PAR30/HAL/WFL  | WFL 50° | 130V  | 2500             | 460   | 560    | CC-8     | 4 1/2"  | Box        | 15        |
| 50    | PAR30/LN  | Med. | <b>S2215</b>    | 50PAR30/HAL/NSP  | NSP 9°  | 120V  | 2500             | 7600  | 550    | CC-8     | 4 1/2"  | Box        | 15        |
| 50    | PAR30/LN  | Med. | <b>S2315</b>    | 50PAR30/HAL/NSP  | NSP 9°  | 130V  | 2500             | 7600  | 550    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2216</b>    | 75PAR30/HAL/NFL  | NFL 34° | 120V  | 2500             | 3100  | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2316</b>    | 75PAR30/HAL/NFL  | NFL 34° | 130V  | 2500             | 3100  | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2217</b>    | 75PAR30/HAL/WFL  | WFL 50° | 120V  | 2500             | 770   | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2317</b>    | 75PAR30/HAL/WFL  | WFL 50° | 130V  | 2500             | 770   | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2218</b>    | 75PAR30/HAL/NSP  | NSP 9°  | 120V  | 2500             | 13000 | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 75    | PAR30/LN  | Med. | <b>S2318</b>    | 75PAR30/HAL/NSP  | NSP 9°  | 130V  | 2500             | 13000 | 945    | CC-8     | 4 1/2"  | Box        | 15        |
| 45    | PAR38     | Med. | <b>S2219</b>    | 45PAR38/HAL/FL   | FL 30°  | 120V  | 2500             | 1380  | 465    | CC-8     | 5 5/16" | Box        | 15        |
| 45    | PAR38     | Med. | <b>S2319</b>    | 45PAR38/HAL/FL   | FL 30°  | 130V  | 2500             | 1380  | 465    | CC-8     | 5 5/16" | Box        | 15        |
| 45    | PAR38     | Med. | <b>S2220</b>    | 45PAR38/HAL/NSP  | NSP 9°  | 120V  | 2500             | 5000  | 465    | CC-8     | 5 5/16" | Box        | 15        |
| 45    | PAR38     | Med. | <b>S2320</b>    | 45PAR38/HAL/NSP  | NSP 9°  | 130V  | 2500             | 5000  | 465    | CC-8     | 5 5/16" | Box        | 15        |
| 75    | PAR38     | Med. | <b>S2221</b>    | 75PAR38/HAL/FL   | FL 30°  | 120V  | 2500             | 3200  | 960    | CC-8     | 5 5/16" | Box        | 15        |
| 75    | PAR38     | Med. | <b>S2321</b>    | 75PAR38/HAL/FL   | FL 30°  | 130V  | 2500             | 3200  | 960    | CC-8     | 5 5/16" | Box        | 15        |
| 75    | PAR38     | Med. | <b>S2222</b>    | 75PAR38/HAL/NSP  | NSP 9°  | 120V  | 2500             | 16000 | 960    | CC-8     | 5 5/16" | Box        | 15        |
| 75    | PAR38     | Med. | <b>S2322</b>    | 75PAR38/HAL/NSP  | NSP 9°  | 130V  | 2500             | 16000 | 960    | CC-8     | 5 5/16" | Box        | 15        |
| 90    | PAR38     | Med. | <b>S2223</b>    | 90PAR38/HAL/FL   | FL 30°  | 120V  | 2500             | 3800  | 1260   | CC-8     | 5 5/16" | Box        | 15        |
| 90    | PAR38     | Med. | <b>S2323</b>    | 90PAR38/HAL/FL   | FL 30°  | 130V  | 2500             | 3800  | 1260   | CC-8     | 5 5/16" | Box        | 15        |
| 90    | PAR38     | Med. | <b>S2224</b>    | 90PAR38/HAL/NSP  | NSP 9°  | 120V  | 2500             | 14000 | 1260   | CC-8     | 5 5/16" | Box        | 15        |
| 90    | PAR38     | Med. | <b>S2324</b>    | 90PAR38/HAL/NSP  | NSP 9°  | 130V  | 2500             | 14000 | 1260   | CC-8     | 5 5/16" | Box        | 15        |
| 120   | PAR38     | Med. | <b>S2225</b>    | 120PAR38/HAL/FL  | FL 30°  | 120V  | 2500             | 4700  | 1600   | CC-8     | 5 5/16" | Box        | 15        |
| 120   | PAR38     | Med. | <b>S2325</b>    | 120PAR38/HAL/FL  | FL 30°  | 130V  | 2500             | 4700  | 1600   | CC-8     | 5 5/16" | Box        | 15        |
| 120   | PAR38     | Med. | <b>S2226</b>    | 120PAR38/HAL/NSP | NSP 9°  | 120V  | 2500             | 22000 | 1600   | CC-8     | 5 5/16" | Box        | 15        |
| 120   | PAR38     | Med. | <b>S2326</b>    | 120PAR38/HAL/NSP | NSP 9°  | 130V  | 2500             | 22000 | 1600   | CC-8     | 5 5/16" | Box        | 15        |





# Halogen Reflectors

## PAR38/2 Pack

2500 Hours / 120 Volt



### SATCO PAR HALOGEN LAMPS

QUALITY • VALUE • PERFORMANCE

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code       | Beam  | Volts | Avg. Rated Hours | CBCP | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn. |
|-------|-----------|------|-----------------|-----------------|-------|-------|------------------|------|--------|----------|---------|------------|-----------|
| 75    | PAR38     | Med. | <b>S2229</b>    | 75PAR38/HAL/FL  | Flood | 120V  | 2500             | 3200 | 960    | CC-8     | 5 5/16" | 2/Box      | 8         |
| 120   | PAR38     | Med. | <b>S2230</b>    | 120PAR38/HAL/FL | Flood | 120V  | 2500             | 4700 | 1600   | CC-8     | 5 5/16" | 2/Box      | 8         |

halogen reflectors



# PAR Reflectors



## PAR16/PAR20/PAR30/PAR38

2500 Hours

SOFT RAY™

### S O F T - R A Y

Introducing - Soft Ray, a new concept in halogen lighting. Our new line of frosted MR16 and PAR lamps offer a simple, cost effective solution to problems normally associated with standard halogen reflectors.

It is known that many users of traditional MR16 & PAR lamps object to the "headlamp look" or glary appearance of these lamps

- Glare Free
- Does not create hot spots
- Eliminates shadows & striations
- Produces a smooth and even beam pattern



PAR16



PAR20



PAR30 Short Neck



PAR30 Long Neck



PAR38

| Watts | Bulb Type | Base      | Satco Order No. | Lamp Code           | Beam      | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack Type | Mst.Ctn./Inner Pack |
|-------|-----------|-----------|-----------------|---------------------|-----------|-------|------------------|--------|----------|---------|-----------|---------------------|
| 60    | PAR16     | Med.      | <b>S4108</b>    | 60PAR16/FL/FROST    | Flood 38° | 120V  | 2500             | 525    | CC-8     | 3 3/16" | Box       | 15                  |
| 75    | PAR16     | Med.      | <b>S4109</b>    | 75PAR16/FL/FROST    | Flood 38° | 120V  | 2500             | 725    | CC-8     | 3 3/16" | Box       | 15                  |
| 50    | PAR20     | Med.      | <b>S4100</b>    | 50PAR20/FL/FROST    | Flood 38° | 120V  | 2500             | 495    | CC-8     | 3 3/8"  | Box       | 15                  |
| 50    | PAR20     | Med.      | <b>S4200</b>    | 50PAR20/FL/FROST    | Flood 38° | 130V  | 2500             | 495    | CC-8     | 3 3/8"  | Box       | 15                  |
| 50    | PAR30     | Med.      | <b>S4101</b>    | 50PAR30/FL/FROST    | Flood 38° | 120V  | 2500             | 560    | CC-8     | 3 5/8"  | Box       | 15                  |
| 50    | PAR30     | Med.      | <b>S4201</b>    | 50PAR30/FL/FROST    | Flood 38° | 130V  | 2500             | 560    | CC-8     | 3 5/8"  | Box       | 15                  |
| 75    | PAR30     | Med.      | <b>S4102</b>    | 75PAR30/FL/FROST    | Flood 38° | 120V  | 2500             | 945    | CC-8     | 3 5/8"  | Box       | 15                  |
| 75    | PAR30     | Med.      | <b>S4202</b>    | 75PAR30/FL/FROST    | Flood 38° | 130V  | 2500             | 945    | CC-8     | 3 5/8"  | Box       | 15                  |
| 50    | PAR30/LN  | Med.      | <b>S4103</b>    | 50PAR30/LN/FL/FROST | Flood 38° | 120V  | 2500             | 560    | CC-8     | 4 1/2"  | Box       | 15                  |
| 50    | PAR30/LN  | Med.      | <b>S4203</b>    | 50PAR30/LN/FL/FROST | Flood 38° | 130V  | 2500             | 560    | CC-8     | 4 1/2"  | Box       | 15                  |
| 75    | PAR30/LN  | Med.      | <b>S4104</b>    | 75PAR30/LN/FL/FROST | Flood 38° | 120V  | 2500             | 945    | CC-8     | 4 1/2"  | Box       | 15                  |
| 75    | PAR30/LN  | Med.      | <b>S4204</b>    | 75PAR30/LN/FL/FROST | Flood 38° | 130V  | 2500             | 945    | CC-8     | 4 1/2"  | Box       | 15                  |
| 45    | PAR38     | Med. Skt. | <b>S4105</b>    | 45PAR38/FL/FROST    | Flood 38° | 120V  | 2500             | 495    | CC-8     | 5 5/16" | Box       | 15                  |
| 45    | PAR38     | Med. Skt. | <b>S4205</b>    | 45PAR38/FL/FROST    | Flood 38° | 130V  | 2500             | 495    | CC-8     | 5 5/16" | Box       | 15                  |
| 60    | PAR38     | Med. Skt. | <b>S4106</b>    | 60PAR38/FL/FROST    | Flood 38° | 120V  | 2500             | 780    | CC-8     | 5 5/16" | Box       | 15                  |
| 60    | PAR38     | Med. Skt. | <b>S4206</b>    | 60PAR38/FL/FROST    | Flood 38° | 130V  | 2500             | 780    | CC-8     | 5 5/16" | Box       | 15                  |
| 90    | PAR38     | Med. Skt. | <b>S4107</b>    | 90PAR38/FL/FROST    | Flood 38° | 120V  | 2500             | 1260   | CC-8     | 5 5/16" | Box       | 15                  |
| 90    | PAR38     | Med. Skt. | <b>S4207</b>    | 90PAR38/FL/FROST    | Flood 38° | 130V  | 2500             | 1260   | CC-8     | 5 5/16" | Box       | 15                  |

# Globe Lights 3 1/8"

*Brass Base / 2500 Hours / 120 Volt*



White



Clear

Medium Base  
120 Volt

- S3440** 25 Watt
- S3441** 40 Watt
- S3449** 60 Watt
- S3443** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner


Medium Base  
120 Volt

- S3447** 25 Watt
- S3448** 40 Watt
- S3449** 60 Watt
- S3450** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | G25       | Med. | <b>S3447</b>    | 25G25     | Clear  | 120V  | 2500             | 212    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 25    | G25       | Med. | <b>S3440</b>    | 25G25/W   | White  | 120V  | 2500             | 187    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 40    | G25       | Med. | <b>S3448</b>    | 40G25     | Clear  | 120V  | 2500             | 384    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 40    | G25       | Med. | <b>S3441</b>    | 40G25/W   | White  | 120V  | 2500             | 340    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 60    | G25       | Med. | <b>S3449</b>    | 60G25     | Clear  | 120V  | 2500             | 650    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 60    | G25       | Med. | <b>S3442</b>    | 60G25/W   | White  | 120V  | 2500             | 575    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 100   | G25       | Med. | <b>S3450</b>    | 100G25    | Clear  | 120V  | 2500             | 1000   | CC-9     | 4 3/8" | Box        | 72/6                 |
| 100   | G25       | Med. | <b>S3443</b>    | 100G25/W  | White  | 120V  | 2500             | 920    | CC-9     | 4 3/8" | Box        | 72/6                 |

decorative incandescent lamps



# G25

# ALLURA®

## Globe Lights 3 1/8"

**Brass Base / 2500 Hours / 130 Volt**

decorative incandescent lamps



Clear

Medium Base  
130 Volt

- A3647** 25 Watt
- A3648** 40 Watt
- A3649** 60 Watt
- A3650** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner



White

Medium Base  
130 Volt

- A3640** 25 Watt
- A3641** 40 Watt
- A3642** 60 Watt
- A3643** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner

| Watts | Bulb Type | Base | Salco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|------------------------|
| 25    | G25       | Med. | <b>A3647</b>    | 25G25     | Clear  | 130V  | 3000             | 193    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 25    | G25       | Med. | <b>A3640</b>    | 25G25/W   | White  | 130V  | 3000             | 167    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 40    | G25       | Med. | <b>A3648</b>    | 40G25     | Clear  | 130V  | 3000             | 360    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 40    | G25       | Med. | <b>A3641</b>    | 40G25/W   | White  | 130V  | 3000             | 320    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 60    | G25       | Med. | <b>A3649</b>    | 60G25     | Clear  | 130V  | 3000             | 642    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 60    | G25       | Med. | <b>A3642</b>    | 60G25/W   | White  | 130V  | 3000             | 564    | CC-9     | 4 3/8" | Box        | 72/6                   |
| 100   | G25       | Med. | <b>A3650</b>    | 100G25    | Clear  | 130V  | 3000             | 1000   | CC-9     | 4 3/8" | Box        | 72/6                   |
| 100   | G25       | Med. | <b>A3643</b>    | 100G25/W  | White  | 130V  | 3000             | 920    | CC-9     | 4 3/8" | Box        | 72/6                   |



# Globe Lights 3 1/8"—3 Pack

**Brass Base / 2500 Hours / 120 Volt**



## White

Medium Base  
120 Volt

**S4041** 40 Watt

**S4042** 60 Watt

Packing: 3/Boxed,  
40 3-Packs/Master  
*Sold Per Pack*



## Clear

Medium Base  
120 Volt

**S4048** 40 Watt

**S4049** 60 Watt

Packing: 3/Boxed,  
40 3-Packs/Master  
*Sold Per Pack*



| Watts | Bulb Type | Base | Satco Order No. | Lamp Code   | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-------------|--------|-------|------------------|--------|----------|--------|------------|---------------------|
| 40    | G25       | Med. | <b>S4048</b>    | 40G25/3PK   | Clear  | 120V  | 2500             | 384    | CC-9     | 4 3/8" | Box/3      | 40                  |
| 40    | G25       | Med. | <b>S4041</b>    | 40G25/W/3PK | White  | 120V  | 2500             | 340    | CC-9     | 4 3/8" | Box/3      | 40                  |
| 60    | G25       | Med. | <b>S4049</b>    | 60G25/3PK   | Clear  | 120V  | 2500             | 650    | CC-9     | 4 3/8" | Box/3      | 40                  |
| 60    | G25       | Med. | <b>S4042</b>    | 60G25/W/3PK | White  | 120V  | 2500             | 575    | CC-9     | 4 3/8" | Box/3      | 40                  |



G25

ALLURA®

## Globe Lights 3 1/8"–3 Pack

Brass Base / 3000 Hours / 130 Volt

## White

Medium Base  
130 Volt**A4141** 40 Watt**A4142** 60 WattPacking: 3/Boxed,  
40 3-Packs/Master  
Sold Per Pack

## Clear

Medium Base  
130 Volt**A4148** 40 Watt**A4149** 60 WattPacking: 3/Boxed,  
40 3-Packs/Master  
Sold Per Pack

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code   | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-------------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 40    | G25       | Med. | <b>A4148</b>    | 40G25/3PK   | Clear  | 130V  | 3000             | 360    | CC-9     | 4 3/8" | Box/3      | 40                   |
| 40    | G25       | Med. | <b>A4141</b>    | 40G25/W/3PK | White  | 130V  | 3000             | 320    | CC-9     | 4 3/8" | Box/3      | 40                   |
| 60    | G25       | Med. | <b>A4149</b>    | 60G25/3PK   | Clear  | 130V  | 3000             | 642    | CC-9     | 4 3/8" | Box/3      | 40                   |
| 60    | G25       | Med. | <b>A4142</b>    | 60G25/W/3PK | White  | 130V  | 3000             | 564    | CC-9     | 4 3/8" | Box/3      | 40                   |



**G25 3 1/8"**

**Silver Crown**  
Medium Base  
1500 Hours Average Life  
(120 Volt)

**S3860** 25 Watt

**S3861** 40 Watt

**S3862** 60 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner



**G30 3 3/4"**

**White**  
Medium Base  
2500 Hours Average Life  
(120 Volt)

**S3653** 25 Watt

**S3671** 40 Watt

**S3672** 60 Watt

**S3655** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner



**G30 3 3/4"**

**Clear**  
Medium Base  
2500 Hours Average Life  
(120 Volt)

**S3651** 25 Watt

**S3652** 40 Watt

**S3670** 60 Watt

**S3654** 100 Watt

Packing: Individually Boxed,  
72/Master, 6/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | G25       | Med. | <b>S3860</b>    | 25G25/SL  | Silver | 120V  | 1500             | 170    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 40    | G25       | Med. | <b>S3861</b>    | 40G25/SL  | Silver | 120V  | 1500             | 280    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 60    | G25       | Med. | <b>S3862</b>    | 60G25/SL  | Silver | 120V  | 1500             | 512    | CC-9     | 4 3/8" | Box        | 72/6                 |
| 25    | G30       | Med. | <b>S3651</b>    | 25G30     | Clear  | 120V  | 2500             | 212    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 25    | G30       | Med. | <b>S3653</b>    | 25G30W    | White  | 120V  | 2500             | 187    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 40    | G30       | Med. | <b>S3652</b>    | 40G30     | Clear  | 120V  | 2500             | 384    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 40    | G30       | Med. | <b>S3671</b>    | 40G30/W   | White  | 120V  | 2500             | 320    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 60    | G30       | Med. | <b>S3670</b>    | 60G30     | Clear  | 120V  | 2500             | 650    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 60    | G30       | Med. | <b>S3672</b>    | 60G30/W   | White  | 120V  | 2500             | 575    | CC-9     | 5 1/8" | Box        | 72/6                 |
| 100   | G30       | Med. | <b>S3654</b>    | 100G30    | Clear  | 120V  | 2500             | 1000   | CC-9     | 5 1/8" | Box        | 72/6                 |
| 100   | G30       | Med. | <b>S3655</b>    | 100G30/W  | White  | 120V  | 2500             | 920    | CC-9     | 5 1/8" | Box        | 72/6                 |



# G40



## Globe Lights 5"

4000 Hours / 120 Volt / Brass Base

decorative incandescent lamps



Clear

Medium Base  
120 Volt

- S3010** 25 Watt
- S3011** 40 Watt
- S3012** 60 Watt
- S3013** 100 Watt
- S3014** 150 Watt

Packing: Individually Boxed,  
24/Master, 6/Inner



White

Medium Base  
120 Volt

- S3000** 25 Watt
- S3001** 40 Watt
- S3002** 60 Watt
- S3003** 100 Watt
- S3004** 150 Watt

Packing: Individually Boxed,  
24/Master, 6/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|------------------------|
| 25    | G40       | Med. | <b>S3010</b>    | 25G40     | Clear  | 120V  | 4000             | 120    | C-9      | 6 3/4" | Box        | 24/6                   |
| 25    | G40       | Med. | <b>S3000</b>    | 25G40/W   | White  | 120V  | 4000             | 110    | C-9      | 6 3/4" | Box        | 24/6                   |
| 40    | G40       | Med. | <b>S3011</b>    | 40G40     | Clear  | 120V  | 4000             | 300    | C-9      | 6 3/4" | Box        | 24/6                   |
| 40    | G40       | Med. | <b>S3001</b>    | 40G40/W   | White  | 120V  | 4000             | 280    | C-9      | 6 3/4" | Box        | 24/6                   |
| 60    | G40       | Med. | <b>S3012</b>    | 60G40     | Clear  | 120V  | 4000             | 580    | C-9      | 6 3/4" | Box        | 24/6                   |
| 60    | G40       | Med. | <b>S3002</b>    | 60G40/W   | White  | 120V  | 4000             | 550    | C-9      | 6 3/4" | Box        | 24/6                   |
| 100   | G40       | Med. | <b>S3013</b>    | 100G40    | Clear  | 120V  | 4000             | 1150   | C-9      | 6 3/4" | Box        | 24/6                   |
| 100   | G40       | Med. | <b>S3003</b>    | 100G40/W  | White  | 120V  | 4000             | 1050   | C-9      | 6 3/4" | Box        | 24/6                   |
| 150   | G40       | Med. | <b>S3014</b>    | 150G40    | Clear  | 120V  | 4000             | 1700   | C-9      | 6 3/4" | Box        | 24/6                   |
| 150   | G40       | Med. | <b>S3004</b>    | 150G40/W  | White  | 120V  | 4000             | 1550   | C-9      | 6 3/4" | Box        | 24/6                   |



# Carded Lamps





Turn-Tip *candelabra base*



## Carded Bulbs

1500 Hours / 120 Volt

carded lamps



Clear

**S3773**

15 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner




Clear

**S3774**

25 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



Clear

**S3775**

40 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



Clear


**S3762**

60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|--------|-------|------------------|--------|----------|----------|------------|----------------------|
| 15    | CA-8      | Cand. | <b>S3773</b>    | 15CA8     | Clear  | 120V  | 1500             | 100    | C-7A     | 3 5/8"   | Card/2     | 120/10               |
| 25    | CA-8      | Cand. | <b>S3774</b>    | 25CA8     | Clear  | 120V  | 1500             | 210    | CC-2V    | 3 5/8"   | Card/2     | 120/10               |
| 40    | CA-9 1/2  | Cand. | <b>S3775</b>    | 40CA9 1/2 | Clear  | 120V  | 1500             | 370    | CC-2V    | 3 15/16" | Card/2     | 120/10               |
| 60    | CA-10     | Cand. | <b>S3762</b>    | 60CA10    | Clear  | 120V  | 1500             | 672    | CC-2V    | 4 1/4"   | Card/2     | 120/10               |

*candelabra base* **Turn-Tip**  
**Carded Bulbs**  
*1500 Hours / 120 Volt*



**Frosted**

**S3777**

15 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Frosted**

**S3778**

25 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Frosted**

**S3779**

40 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Frosted**

**S3763**

60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code   | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn. / Inner Pack |
|-------|-----------|-------|-----------------|-------------|---------|-------|------------------|--------|----------|----------|------------|-----------------------|
| 15    | CA-8      | Cand. | <b>S3777</b>    | 15CA8       | Frosted | 120V  | 1500             | 100    | C-7A     | 3 5/8"   | Card/2     | 120/10                |
| 25    | CA-8      | Cand. | <b>S3778</b>    | 25CA8/F     | Frosted | 120V  | 1500             | 210    | CC-2V    | 3 5/8"   | Card/2     | 120/10                |
| 40    | CA-9 1/2  | Cand. | <b>S3779</b>    | 40CA9 1/2/F | Frosted | 120V  | 1500             | 370    | CC-2V    | 3 15/16" | Card/2     | 120/10                |
| 60    | CA-10     | Cand. | <b>S3763</b>    | 60CA10      | Frosted | 120V  | 1500             | 672    | CC-2V    | 4 1/4"   | Card/2     | 120/10                |

carded lamps



# Torpedo *candelabara base*



## Carded Bulbs

1500 Hours / 120 Volt

carded lamps



### Clear

**S3782** 25 Watt

**S3783** 40 Watt

**S3784** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



### Frosted

**S3785** 25 Watt

**S3786** 40 Watt

**S3787** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



### White

**S3788** 25 Watt

**S3789** 40 Watt

**S3790** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code  | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|------------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 25    | B9 1/2    | Cand. | <b>S3782</b>    | 25B9 1/2   | Clear   | 120V  | 1500             | 212    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 25    | B9 1/2    | Cand. | <b>S3785</b>    | 25B9 1/2/F | Frosted | 120V  | 1500             | 212    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 25    | B9 1/2    | Cand. | <b>S3788</b>    | 25B9 1/2/W | White   | 120V  | 1500             | 180    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 40    | B9 1/2    | Cand. | <b>S3783</b>    | 40B9 1/2   | Clear   | 120V  | 1500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 40    | B9 1/2    | Cand. | <b>S3786</b>    | 40B9 1/2/F | Frosted | 120V  | 1500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 40    | B9 1/2    | Cand. | <b>S3789</b>    | 40B9 1/2/W | White   | 120V  | 1500             | 328    | CC-2V    | 3 1/2" | Card/2     | 120/10                |
| 60    | B10       | Cand. | <b>S3784</b>    | 60B10      | Clear   | 120V  | 1500             | 672    | CC-2V    | 3 3/4" | Card/2     | 120/10                |
| 60    | B10       | Cand. | <b>S3787</b>    | 60B10/F    | Frosted | 120V  | 1500             | 672    | CC-2V    | 3 3/4" | Card/2     | 120/10                |
| 60    | B10       | Cand. | <b>S3790</b>    | 60B10/W    | White   | 120V  | 1500             | 630    | CC-2V    | 3 3/4" | Card/2     | 120/10                |



medium base **Turn-Tip**  
**Carded Bulbs**  
**1500 Hours / 120 Volt**



Clear

**S3764** 25 Watt  
**S3765** 40 Watt  
**S3766** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



Frosted

**S3767** 25 Watt  
**S3768** 40 Watt  
**S3769** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner

carded lamps

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn / Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | CA-10     | Med. | <b>S3764</b>    | 25CA10    | Clear   | 120V  | 1500             | 210    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 25    | CA-10     | Med. | <b>S3767</b>    | 25CA10/F  | Frosted | 120V  | 1500             | 200    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 40    | CA-10     | Med. | <b>S3765</b>    | 40CA10    | Clear   | 120V  | 1500             | 370    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 40    | CA-10     | Med. | <b>S3768</b>    | 40CA10/F  | Frosted | 120V  | 1500             | 360    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 60    | CA-10     | Med. | <b>S3766</b>    | 60CA10    | Clear   | 120V  | 1500             | 650    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 60    | CA-10     | Med. | <b>S3769</b>    | 60CA10/F  | Frosted | 120V  | 1500             | 640    | CC-2V    | 4 1/4" | Card/2     | 120/10               |



# Torpedo *medium base* Carded Bulbs

1500 Hours / 120 Volt



Clear

**S3731** 25 Watt  
**S3732** 40 Watt  
**S3793** 60 Watt  
 Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



Frosted

**S3734** 25 Watt  
**S3735** 40 Watt  
**S3796** 60 Watt  
 Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



White

**S3737** 25 Watt  
**S3738** 40 Watt  
**S3799** 60 Watt  
 Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner

carded lamps

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 25    | B11       | Med. | <b>S3731</b>    | 25B11     | Clear   | 120V  | 1500             | 210    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 25    | B11       | Med. | <b>S3734</b>    | 25B11/F   | Frosted | 120V  | 1500             | 200    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 25    | B11       | Med. | <b>S3737</b>    | 25B11/W   | White   | 120V  | 1500             | 150    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 40    | B11       | Med. | <b>S3732</b>    | 40B11     | Clear   | 120V  | 1500             | 370    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 40    | B11       | Med. | <b>S3735</b>    | 40B11/F   | Frosted | 120V  | 1500             | 360    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 40    | B11       | Med. | <b>S3738</b>    | 40B11/W   | White   | 120V  | 1500             | 330    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 60    | B11       | Med. | <b>S3793</b>    | 60B11     | Clear   | 120V  | 1500             | 650    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 60    | B11       | Med. | <b>S3796</b>    | 60B11/F   | Frosted | 120V  | 1500             | 640    | CC-2V    | 3 7/8" | Box        | 120/10              |
| 60    | B11       | Med. | <b>S3799</b>    | 60B11/W   | White   | 120V  | 1500             | 580    | CC-2V    | 3 7/8" | Box        | 120/10              |



Clear

**E14**  
**European Base**

**S4711** 25 Watt

**S4712** 40 Watt

**S4713** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 12 Cards/Inner



Frosted

**E14**  
**European Base**

**S4714** 25 Watt

**S4715** 40 Watt

**S4716** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 12 Cards/Inner



**specialty  
 product**

carded lamps

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 25    | B9 1/2    | Euro. | <b>S4711</b>    | 25B91/2   | Clear   | 120V  | 1500             | 212    | CC-2V    | 3 1/2" | Card/2     | 120/12                |
| 25    | B9 1/2    | Euro. | <b>S4714</b>    | 25B91/2/F | Frosted | 120V  | 1500             | 212    | CC-2V    | 3 1/2" | Card/2     | 120/12                |
| 40    | B9 1/2    | Euro. | <b>S4712</b>    | 40B91/2   | Clear   | 120V  | 1500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/12                |
| 40    | B9 1/2    | Euro. | <b>S4715</b>    | 40B91/2/F | Frosted | 120V  | 1500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/12                |
| 60    | B10       | Euro. | <b>S4713</b>    | 60B10     | Clear   | 120V  | 1500             | 672    | CC-2V    | 3 1/2" | Card/2     | 120/12                |
| 60    | B10       | Euro. | <b>S4716</b>    | 60B10/F   | Frosted | 120V  | 1500             | 672    | CC-2V    | 3 1/2" | Card/2     | 120/12                |



Turn-Tip *candelabara base*

**ALLURA®**

## Carded Bulbs

**2500 Hours / 130 Volt**

carded lamps



Clear

**A3573**

15 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



Clear

**A3574**

25 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



Clear

**A3575**

40 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



Clear

**A3562**

60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Salco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|--------|-------|------------------|--------|----------|----------|-----------|----------------------|
| 15    | CA-8      | Cand. | <b>A3573</b>    | 15CA8     | Clear  | 130V  | 2500             | 95     | C-7A     | 3 5/8"   | Card/2    | 120/10               |
| 25    | CA-8      | Cand. | <b>A3574</b>    | 25CA8     | Clear  | 130V  | 2500             | 360    | CC-2V    | 3 5/8"   | Card/2    | 120/10               |
| 40    | CA-9 1/2  | Cand. | <b>A3575</b>    | 40CA9 1/2 | Clear  | 130V  | 2500             | 370    | CC-2V    | 3 15/16" | Card/2    | 120/10               |
| 60    | CA-10     | Cand. | <b>A3562</b>    | 60CA10    | Clear  | 130V  | 2500             | 642    | CC-2V    | 4 1/4"   | Card/2    | 120/10               |



*candelabra base* **Turn-Tip**  
**Carded Bulbs**  
*2500 Hours / 130 Volt*



**Frosted**  
**A3577**  
 15 Watt  
 Packing:  
 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



**Frosted**  
**A3578**  
 25 Watt  
 Packing:  
 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



**Frosted**  
**A3579**  
 40 Watt  
 Packing:  
 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



**Frosted**  
**A3563**  
 60 Watt  
 Packing:  
 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



carded lamps

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code   | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|-------------|---------|-------|------------------|--------|----------|----------|-----------|---------------------|
| 15    | CA-8      | Cand. | <b>A3577</b>    | 15CA8       | Frosted | 130V  | 2500             | 90     | C-7A     | 3 5/8"   | Card/2    | 120/10              |
| 25    | CA-8      | Cand. | <b>A3578</b>    | 25CA8/F     | Frosted | 130V  | 2500             | 200    | CC-2V    | 3 5/8"   | Card/2    | 120/10              |
| 40    | CA-9 1/2  | Cand. | <b>A3579</b>    | 40CA9 1/2/F | Frosted | 130V  | 2500             | 350    | CC-2V    | 3 15/16" | Card/2    | 120/10              |
| 60    | CA-10     | Cand. | <b>A3563</b>    | 60CA10      | Frosted | 130V  | 2500             | 635    | CC-2V    | 4 1/4"   | Card/2    | 120/10              |



**Torpedo** *candelabara base*

**ALLURA®**

## Carded Bulbs

**2500 Hours / 130 Volt**

### Clear

**A3582** 25 Watt

**A3583** 40 Watt

**A3584** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



### Frosted

**A3585** 25 Watt

**A3586** 40 Watt

**A3587** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



### White

**A3588** 25 Watt

**A3589** 40 Watt

**A3590** 60 Watt

Packing:  
2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



carded lamps

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code  | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|------------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | B9 1/2    | Cand. | <b>A3582</b>    | 25B9 1/2   | Clear   | 130V  | 2500             | 193    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 25    | B9 1/2    | Cand. | <b>A3585</b>    | 25B9 1/2/F | Frosted | 130V  | 2500             | 193    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 25    | B9 1/2    | Cand. | <b>A3588</b>    | 25B9 1/2/W | White   | 130V  | 2500             | 163    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 40    | B9 1/2    | Cand. | <b>A3583</b>    | 40B9 1/2   | Clear   | 130V  | 2500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 40    | B9 1/2    | Cand. | <b>A3586</b>    | 40B9 1/2/F | Frosted | 130V  | 2500             | 384    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 40    | B9 1/2    | Cand. | <b>A3589</b>    | 40B9 1/2/W | White   | 130V  | 2500             | 328    | CC-2V    | 3 1/2" | Card/2     | 120/10               |
| 60    | B10       | Cand. | <b>A3584</b>    | 60B10      | Clear   | 130V  | 2500             | 642    | CC-2V    | 3 3/4" | Card/2     | 120/10               |
| 60    | B10       | Cand. | <b>A3587</b>    | 60B10/F    | Frosted | 130V  | 2500             | 642    | CC-2V    | 3 3/4" | Card/2     | 120/10               |
| 60    | B10       | Cand. | <b>A3590</b>    | 60B10/W    | White   | 130V  | 2500             | 564    | CC-2V    | 3 3/4" | Card/2     | 120/10               |



Clear

**S3764** 25 Watt  
**S3765** 40 Watt  
**S3766** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner



Frosted

**S3767** 25 Watt  
**S3768** 40 Watt  
**S3769** 60 Watt

Packing: 2 Bulbs/Card  
 120 Cards/Master,  
 10 Cards/Inner

carded lamps

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|----------------------|
| 25    | CA-10     | Med. | <b>A3564</b>    | 25CA10    | Clear   | 130V  | 2500             | 210    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 25    | CA-10     | Med. | <b>A3567</b>    | 25CA10/F  | Frosted | 130V  | 2500             | 200    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 40    | CA-10     | Med. | <b>A3565</b>    | 40CA10    | Clear   | 130V  | 2500             | 370    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 40    | CA-10     | Med. | <b>A3568</b>    | 40CA10/F  | Frosted | 130V  | 2500             | 360    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 60    | CA-10     | Med. | <b>A3566</b>    | 60CA10    | Clear   | 130V  | 2500             | 650    | CC-2V    | 4 1/4" | Card/2     | 120/10               |
| 60    | CA-10     | Med. | <b>A3569</b>    | 60CA10/F  | Frosted | 130V  | 2500             | 640    | CC-2V    | 4 1/4" | Card/2     | 120/10               |



**Torpedo** *medium base*

**ALLURA®**

**Carded Bulbs**

**2500 Hours / 130 Volt**



**Clear**

**A3531** 25 Watt  
**A3532** 40 Watt  
**A3593** 60 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Frosted**

**A3534** 25 Watt  
**A3535** 40 Watt  
**A3596** 60 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**White**

**A3537** 25 Watt  
**A3538** 40 Watt  
**A3599** 60 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

carded lamps

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|------------------------|
| 25    | B11       | Med. | <b>A3531</b>    | 25B11     | Clear   | 130V  | 2500             | 210    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 25    | B11       | Med. | <b>A3534</b>    | 25B11/F   | Frosted | 130V  | 2500             | 200    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 25    | B11       | Med. | <b>A3537</b>    | 25B11/W   | White   | 130V  | 2500             | 160    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 40    | B11       | Med. | <b>A3532</b>    | 40B11     | Clear   | 130V  | 2500             | 370    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 40    | B11       | Med. | <b>A3535</b>    | 40B11/F   | Frosted | 130V  | 2500             | 360    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 40    | B11       | Med. | <b>A3538</b>    | 40B11/W   | White   | 130V  | 2500             | 320    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 60    | B11       | Med. | <b>A3593</b>    | 60B11     | Clear   | 130V  | 2500             | 650    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 60    | B11       | Med. | <b>A3596</b>    | 60B11/F   | Frosted | 130V  | 2500             | 640    | CC-2V    | 3 7/8" | Box        | 120/10                 |
| 60    | B11       | Med. | <b>A3599</b>    | 60B11/W   | White   | 130V  | 2500             | 550    | CC-2V    | 3 7/8" | Box        | 120/10                 |



**G12 1 1/2"**

**Satin White**  
Candelabra Base  
(120 Volt)

**\$3755** 10 Watt  
**\$3750** 15 Watt  
**\$3751** 25 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**G16 1/2 2 1/8"**

**Satin White**  
Candelabra Base  
(120 Volt)

**\$3752** 15 Watt  
**\$3753** 25 Watt  
**\$3754** 40 Watt  
**\$3772** 60 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**G16 1/2 2 1/8"**

**Clear**  
Candelabra Base  
(120 Volt)

**\$3726** 15 Watt  
**\$3727** 25 Watt  
**\$3728** 40 Watt  
**\$3771** 60 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code  | Finish     | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|------------|------------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 10    | G12       | Cand. | <b>\$3755</b>   | 10G12/W    | Sat. White | 120V  | 1500             | 60     | C7A      | 2 3/8" | Card/2     | 120/10                |
| 15    | G12       | Cand. | <b>\$3750</b>   | 15G12/W    | Sat. White | 120V  | 1500             | 94     | C7A      | 2 3/8" | Card/2     | 120/10                |
| 15    | G16 1/2   | Cand. | <b>\$3726</b>   | 15G16 1/2W | Clear      | 120V  | 1500             | 114    | C7A      | 3"     | Card/2     | 120/10                |
| 15    | G16 1/2   | Cand. | <b>\$3752</b>   | 15G16 1/2W | Sat. White | 120V  | 1500             | 94     | C7A      | 3"     | Card/2     | 120/10                |
| 25    | G12       | Cand. | <b>\$3751</b>   | 25G12/W    | Sat. White | 120V  | 1500             | 202    | C7A      | 2 3/8" | Card/2     | 120/10                |
| 25    | G16 1/2   | Cand. | <b>\$3727</b>   | 25G16 1/2  | Clear      | 120V  | 1500             | 232    | CC-2V    | 3"     | Card/2     | 120/10                |
| 25    | G16 1/2   | Cand. | <b>\$3753</b>   | 25G16 1/2W | Sat. White | 120V  | 1500             | 202    | CC-2V    | 3"     | Card/2     | 120/10                |
| 40    | G16 1/2   | Cand. | <b>\$3728</b>   | 40G16 1/2  | Clear      | 120V  | 1500             | 384    | CC-2V    | 3"     | Card/2     | 120/10                |
| 40    | G16 1/2   | Cand. | <b>\$3754</b>   | 40G16 1/2W | Sat. White | 120V  | 1500             | 348    | CC-2V    | 3"     | Card/2     | 120/10                |
| 60    | G16 1/2   | Cand. | <b>\$3771</b>   | 60G16 1/2W | Clear      | 120V  | 1500             | 672    | CC-2V    | 3"     | Card/2     | 120/10                |
| 60    | G16 1/2   | Cand. | <b>\$3772</b>   | 60G16 1/2W | Sat. White | 120V  | 1500             | 630    | CC-2V    | 3"     | Card/2     | 120/10                |



# Globe *brass base* Carded Bulbs



carded lamps



**G14**  
**Clear**  
E14 Euro Base  
(130 Volt)  
**S4707** 40 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**G14**  
**White**  
E14 Euro Base  
(130 Volt)  
**S4708** 40 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**G14**  
**Frosted**  
Medium Base  
(130 Volt)  
**S4709** 40 Watt  
Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**G14**  
**White**  
Medium Base  
(130 Volt)  
**S4710** 40 Watt  
Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**G16 1/2"**  
**Globe Light**  
**Clear**  
Medium Base (120 Volt)  
**S4538** 25 Watt  
**S4539** 40 Watt  
**S4550** 60 Watt  
Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**G16 1/2"**  
**Globe Light**  
**White**  
Medium Base (120 Volt)  
**S4541** 25 Watt  
**S4542** 40 Watt  
**S4543** 60 Watt  
Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 40    | G14       | Euro | <b>S4707</b>    | 40G14     | Clear   | 130V  | 1000             | 360    | CC-2V    | 2 5/8" | Card/2     | 120/10                |
| 40    | G14       | Euro | <b>S4708</b>    | 40G14/W   | White   | 130V  | 1000             | 320    | CC-2V    | 2 5/8" | Card/2     | 120/10                |
| 40    | G14       | Med. | <b>S4709</b>    | 40G14/F   | Frosted | 130V  | 1000             | 348    | CC-2V    | 2 5/8" | Card/1     | 120/10                |
| 40    | G14       | Med. | <b>S4710</b>    | 40G14/W   | White   | 130V  | 1000             | 348    | CC-2V    | 2 5/8" | Card/1     | 120/10                |
| 25    | G16       | Med. | <b>S4538</b>    | 25G16     | Clear   | 120V  | 1500             | 210    | CC-2V    | 3 1/4" | Card/1     | 120/10                |
| 25    | G16       | Med. | <b>S4541</b>    | 25G16/W   | White   | 120V  | 1500             | 160    | CC-2V    | 3 1/4" | Card/1     | 120/10                |
| 40    | G16       | Med. | <b>S4539</b>    | 40G16     | Clear   | 120V  | 1500             | 370    | CC-2V    | 3 1/4" | Card/1     | 120/10                |
| 40    | G16       | Med. | <b>S4542</b>    | 40G16/W   | White   | 120V  | 1500             | 320    | CC-2V    | 3 1/4" | Card/1     | 120/10                |
| 60    | G16       | Med. | <b>S4540</b>    | 60G16     | Clear   | 120V  | 1500             | 650    | CC-2V    | 3 1/4" | Card/1     | 120/10                |
| 60    | G16       | Med. | <b>S4543</b>    | 60G16/W   | White   | 120V  | 1500             | 550    | CC-2V    | 3 1/4" | Card/1     | 120/10                |

# G16½ Globe Carded Bulbs 2⅛

2500 Hours / 130 Volt



**Clear**  
Candelabra Base  
(130 Volt)

**A3521** 25 Watt

**A3522** 40 Watt

**A3523** 40 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Satin White**  
Candelabra Base  
(130 Volt)

**A3524** 25 Watt

**A3525** 40 Watt

**A3526** 40 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



| Watts | Bulb Type | Base  | Salco Order No. | Lamp Code  | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|------------|--------|-------|------------------|--------|----------|--------|------------|----------------------|
| 15    | G16½      | Cand. | <b>A3521</b>    | 15G16 1/2  | Clear  | 130V  | 2500             | 98     | C7A      | 3"     | Card/2     | 120/10               |
| 15    | G16½      | Cand. | <b>A3524</b>    | 15G16 1/2W | White  | 130V  | 2500             | 83     | C7A      | 3"     | Card/2     | 120/10               |
| 25    | G16½      | Cand. | <b>A3522</b>    | 25G16 1/2  | Clear  | 130V  | 2500             | 186    | C7A      | 3"     | Card/2     | 120/10               |
| 25    | G16½      | Cand. | <b>A3525</b>    | 25G16 1/2W | White  | 130V  | 2500             | 162    | C7A      | 3"     | Card/2     | 120/10               |
| 40    | G16½      | Cand. | <b>A3523</b>    | 40G16 1/2  | Clear  | 130V  | 2500             | 360    | CC-2V    | 3"     | Card/2     | 120/10               |
| 40    | G16½      | Cand. | <b>A3526</b>    | 40G16 1/2W | White  | 130V  | 2500             | 325    | CC-2V    | 3"     | Card/2     | 120/10               |



Satco-Escent® *brass base*



## Carded Bulbs

**4000 Hours / 120 Volt**

carded lamps



C11

**Satin**  
Candelabra Base  
(120 Volt)

**S2703** 25 Watt

**S2704** 40 Watt

**S2705** 60 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



C11

**Amber**

**S2706** 25 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



C15

Candelabra Base  
(120 Volt)

**S2713** 25 Watt

**S2714** 40 Watt

**S2715** 60 Watt

**S2716** 40 Watt  
Amber

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|-----------------------|
| 25    | C11       | Cand. | <b>S2703</b>    | 25C11     | Satin  | 120V  | 4000             | 160    | C-7A     | 4"     | Card/1     | 120/12                |
| 25    | C11       | Cand. | <b>S2706</b>    | 25C11/A   | Amber  | 120V  | 4000             | -      | C-7A     | 4"     | Card/1     | 120/12                |
| 40    | C11       | Cand. | <b>S2704</b>    | 40C11     | Satin  | 120V  | 4000             | 316    | C-7A     | 4"     | Card/1     | 120/12                |
| 60    | C11       | Cand. | <b>S2705</b>    | 60C11     | Satin  | 120V  | 4000             | 600    | C-7A     | 4"     | Card/1     | 120/12                |
| 25    | C15       | Med.  | <b>S2713</b>    | 25C15     | Satin  | 120V  | 4000             | 160    | C-9      | 4 1/2" | Card/1     | 120/12                |
| 40    | C15       | Med.  | <b>S2714</b>    | 40C15     | Satin  | 120V  | 4000             | 316    | C-9      | 4 1/2" | Card/1     | 120/12                |
| 40    | C15       | Med.  | <b>S2716</b>    | 40C15/A   | Amber  | 120V  | 4000             | -      | C-9      | 4 1/2" | Card/1     | 120/12                |
| 60    | C15       | Med.  | <b>S2715</b>    | 60C15     | Satin  | 120V  | 4000             | 606    | C-9      | 4 1/2" | Card/1     | 120/12                |

# F10 Flame Carded Bulbs

1500 Hours



**F10  
Clear**  
Candelabra Base  
(120 Volt)

**S2760** 15 Watt  
**S2771** 25 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



**F10  
White**  
Candelabra Base  
(120 Volt)

**S2761** 15 Watt  
**S2772** 25 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



**F10  
Aurora**  
Candelabra Base  
(120 Volt)

**S2773** 25 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



**F10  
Amber**  
Candelabra Base  
(120 Volt)

**S2774** 25 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|--------|-------|------------------|--------|----------|---------|------------|----------------------|
| 15    | F10       | Cand. | <b>S2760</b>    | 15F10     | Clear  | 120V  | 1500             | 110    | C-7A     | 3 1/16" | Card/2     | 120/12               |
| 15    | F10       | Cand. | <b>S2761</b>    | 15F10/W   | White  | 120V  | 1500             | 90     | C-7A     | 3 1/16" | Card/2     | 120/12               |
| 25    | F10       | Cand. | <b>S2771</b>    | 25F10     | Clear  | 120V  | 1500             | 195    | C-7A     | 3 1/16" | Card/2     | 120/12               |
| 25    | F10       | Cand. | <b>S2772</b>    | 25F10/W   | White  | 120V  | 1500             | 185    | C-7A     | 3 1/16" | Card/2     | 120/12               |
| 25    | F10       | Cand. | <b>S2773</b>    | 25F10/AU  | Aurora | 120V  | 1500             | 190    | C-7A     | 3 1/16" | Card/2     | 120/12               |
| 25    | F10       | Cand. | <b>S2774</b>    | 25F10/A   | Amber  | 120V  | 1500             | -      | C-7A     | 3 1/16" | Card/2     | 120/12               |

# F15 Flame Carded Bulbs

1500 Hours



## F15

Medium Base  
(120 Volt)

**S2763** 25 Watt Clear

**S2767** 40 Watt Clear

**S2764** 25 Watt White

**S2768** 40 Watt White

**S2765** 25 Watt Aurora

**S2769** 40 Watt Aurora

**S2770** 40 Watt Amber

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



Clear



White



Aurora



Amber

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|------------------------|
| 25    | F15       | Med. | <b>S2763</b>    | 25F15     | Clear  | 120V  | 1500             | 225    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 25    | F15       | Med. | <b>S2764</b>    | 25F15/W   | White  | 120V  | 1500             | 195    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 25    | F15       | Med. | <b>S2765</b>    | 25F15/AU  | Aurora | 120V  | 1500             | 200    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 40    | F15       | Med. | <b>S2767</b>    | 40F15     | Clear  | 120V  | 1500             | 420    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 40    | F15       | Med. | <b>S2768</b>    | 40F15/W   | White  | 120V  | 1500             | 372    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 40    | F15       | Med. | <b>S2769</b>    | 40F15/AU  | Aurora | 120V  | 1500             | 420    | CC-9     | 4 1/2" | Card/2     | 120/12                 |
| 40    | F15       | Med. | <b>S2770</b>    | 40F15/A   | Amber  | 120V  | 1500             | -      | CC-9     | 4 1/2" | Card/2     | 120/12                 |





## Diamond Cut

**Torpedo**  
Clear  
Candelabra Base  
(120 Volt)  
**S3725** 40 Watt  
Packing: 2 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner

**Diamond Cut**  
*decorative bulbs*  
simulate the look of an  
illuminated crystal prism.  
These lamps will add a  
unique effect when used  
with crystal chandeliers.




## Silicone

Candelabra Base  
(120 Volt)  
**S4520** 5 Watt  
Packing: 2 Bulb/Card  
144 Cards/Master,  
12 Cards/Inner

**Silicone**  
*decorative bulbs*  
silicone dipped,  
perfect for decorative  
candle sconces and  
portable candle lamps.

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code    | Finish   | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|--------------|----------|-------|------------------|--------|----------|--------|------------|---------------------|
| 5     | C7        | Cand. | <b>S4520</b>    | 5C7          | Silicone | 120V  | 1000             | 10     | C-7A     | 2 1/2" | Card/2     | 144/12              |
| 40    | B9 1/2    | Cand. | <b>S3725</b>    | 40B9 1/2/DIA | Clear    | 120V  | 1500             | 370    | CC-2V    | 3 7/8" | Card/2     | 120/10              |

# Ceiling Fan Bulbs



**Clear**  
Medium Base  
**S4740** 40 Watt  
**S4741** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**Frosted**  
Medium Base  
**S4742** 40 Watt  
**S4743** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**A15 Clear - E12S**  
Candelabra Base  
**S2740** 40 Watt  
**S2742** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**A15 Frosted - E12S**  
Candelabra Base  
**S2741** 40 Watt  
**S2743** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**A15 Clear - E17**  
Intermediate Base  
**S2744** 40 Watt  
**S2746** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**A15 Frosted - E17**  
Intermediate Base  
**S2745** 40 Watt  
**S2747** 60 Watt  
Packing: 2 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base      | Satco Order No. | Lamp Code    | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-----------|-----------------|--------------|---------|-------|------------------|--------|----------|----------|------------|---------------------|
| 40    | A15       | Cand.     | <b>S2740</b>    | 40A15/CL/E12 | Clear   | 120V  | 1000             | 430    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 40    | A15       | Cand.     | <b>S2741</b>    | 40A15/F/E12  | Frosted | 120V  | 1000             | 430    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 60    | A15       | Cand.     | <b>S2742</b>    | 60A15/CL/E12 | Clear   | 120V  | 1000             | 700    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 60    | A15       | Cand.     | <b>S2743</b>    | 60A15/F/E12  | Frosted | 120V  | 1000             | 700    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 40    | A15       | Intermed. | <b>S2744</b>    | 40A15/CL/E17 | Clear   | 120V  | 1000             | 370    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 40    | A15       | Intermed. | <b>S2745</b>    | 40A15/F/E17  | Frosted | 120V  | 1000             | 360    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 60    | A15       | Intermed. | <b>S2746</b>    | 60A15/CL/E17 | Clear   | 120V  | 1000             | 650    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 60    | A15       | Intermed. | <b>S2747</b>    | 60A15/F/E17  | Frosted | 120V  | 1000             | 640    | CC-2V    | 3 23/64" | Card/2     | 120/10              |
| 40    | B11       | Med.      | <b>S4740</b>    | 40B11/Fan    | Clear   | 120V  | 2000             | 370    | CC-2V    | 3 7/8"   | Card/2     | 120/10              |
| 40    | B11       | Med.      | <b>S4742</b>    | 40B11/Fan/F  | Frosted | 120V  | 2000             | 360    | CC-2V    | 3 7/8"   | Card/2     | 120/10              |
| 60    | B11       | Med.      | <b>S4741</b>    | 60B11/Fan    | Clear   | 120V  | 2000             | 650    | CC-2V    | 3 7/8"   | Card/2     | 120/10              |
| 60    | B11       | Med.      | <b>S4743</b>    | 60B11/Fan/F  | Frosted | 120V  | 2000             | 640    | CC-2V    | 3 7/8"   | Card/2     | 120/10              |

brass base **Prismatic**  
**Carded Bulbs**  
*1500 Hours / 120 Volt*



**Aurora**

Candelabra Base  
(120 Volt)

**S3748** 25 Watt

**S3749** 40 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



**Frosted**

Candelabra Base  
(120 Volt)

**S3746** 25 Watt

**S3747** 40 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner



**Clear**

Candelabra Base  
(120 Volt)

**S3744** 25 Watt

**S3745** 40 Watt

Packing: 2 Bulbs/Card  
120 Cards/Master,  
12 Cards/Inner

carded lamps

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code    | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|--------------|---------|-------|------------------|--------|----------|----------|------------|---------------------|
| 25    | HX-10 1/2 | Cand. | <b>S3744</b>    | 25HX101/2    | Clear   | 120V  | 1500             | 175    | C-7A     | 4 15/16" | Card/2     | 120/12              |
| 25    | HX-10 1/2 | Cand. | <b>S3746</b>    | 25HX101/2/F  | Frosted | 120V  | 1500             | 175    | C-7A     | 4 15/16" | Card/2     | 120/12              |
| 25    | HX-10 1/2 | Cand. | <b>S3748</b>    | 25HX101/2/AU | Aurora  | 120V  | 1500             | 175    | C-7A     | 4 15/16" | Card/2     | 120/12              |
| 40    | HX-10 1/2 | Cand. | <b>S3745</b>    | 40HX101/2    | Clear   | 120V  | 1500             | 360    | C-7A     | 4 15/16" | Card/2     | 120/12              |
| 40    | HX-10 1/2 | Cand. | <b>S3747</b>    | 40HX101/2/F  | Frosted | 120V  | 1500             | 360    | C-7A     | 4 15/16" | Card/2     | 120/12              |
| 40    | HX-10 1/2 | Cand. | <b>S3749</b>    | 40HX101/2/AU | Aurora  | 120V  | 1500             | 360    | C-7A     | 4 15/16" | Card/2     | 120/12              |



# Flicker *brass base* Carded Bulbs

1000 Hours / 120 Volt



carded lamps



**S3756** 3 Watt

Candelabra Base  
Packing:  
1 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**S3759** 3 Watt

Candelabra Base  
Packing:  
1 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**S3757** 3 Watt

Medium Base  
Packing:  
1 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**S3760** 3 Watt

Medium Base  
Packing:  
1 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner



**S3761** 3 Watt  
Candelabra Base

Packing:  
1 Bulbs/Card  
120 Cards/Master,  
10 Cards/Inner

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code    | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|--------------|--------|-------|------------------|--------|----------|---------|------------|---------------------|
| 3     | CA-5 1/2  | Cand. | <b>S3761</b>    | 3CA5 1/2/FLK | Clear  | 120V  | 1000             | -      | Flicker  | 3 1/4"  | Card/1     | 120/12              |
| 3     | CA-8      | Cand. | <b>S3756</b>    | 3CA8/FLK     | Clear  | 120V  | 1000             | -      | Flicker  | 3 7/8"  | Card/1     | 120/12              |
| 3     | B-9 1/2   | Cand. | <b>S3759</b>    | 3B95 1/2/FLK | Clear  | 120V  | 1000             | -      | Flicker  | 3 1/2"  | Card/1     | 120/12              |
| 3     | CA-10     | Med.  | <b>S3757</b>    | 3CA10/FLK    | Clear  | 120V  | 1000             | -      | Flicker  | 4 1/16" | Card/1     | 120/12              |
| 3     | CA-9      | Med.  | <b>S3760</b>    | 3CA9/FLK     | Clear  | 120V  | 1000             | -      | Flicker  | 4 9/16" | Card/1     | 120/12              |



T6 1/2"

Intermediate Base

- S4727** 15 Watt Clear
- S3709** 25 Watt Clear
- S3708** 25 Watt Frosted
- S3710** 40 Watt Clear
- S3712** 40 Watt Frosted

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



T6 1/2"

D.C. Bayonet Base

- S3711** 25 Watt Clear
- S3713** 25 Watt Frosted

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



T10"

Medium Base

- S3700** 25 Watt Clear
- S3701** 25 Watt Frosted
- S3702** 40 Watt Clear
- S3703** 40 Watt Frosted
- S3704** 60 Watt Clear
- S3705** 60 Watt Frosted

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner

carded lamps

| Watts | Bulb Type | Base   | Satco Order No. | Lamp Code     | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|--------|-----------------|---------------|---------|-------|------------------|--------|----------|---------|------------|------------------------|
| 15    | T6 1/2    | Int.   | <b>S4727</b>    | 15T6 1/2 N    | Clear   | 145V  | 2500             | 80     | C-5A     | 3 1/16" | Card/1     | 120/10                 |
| 25    | T6 1/2    | DC Bay | <b>S3711</b>    | 25T6 1/2 DC   | Clear   | 130V  | 1500             | 180    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 25    | T6 1/2    | DC Bay | <b>S3713</b>    | 25T6 1/2 DC/F | Frosted | 130V  | 1500             | 170    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 25    | T6 1/2    | Int.   | <b>S3709</b>    | 25T6 1/2 N    | Clear   | 130V  | 1500             | 180    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 25    | T6 1/2    | Int.   | <b>S3708</b>    | 25T6 1/2 N/F  | Frosted | 130V  | 1500             | 170    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 40    | T6 1/2    | Int.   | <b>S3710</b>    | 40T6 1/2 N    | Clear   | 130V  | 1500             | 350    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 40    | T6 1/2    | Int.   | <b>S3712</b>    | 40T6 1/2 N/F  | Frosted | 130V  | 1500             | 340    | C-8      | 5 3/8"  | Card/1     | 120/10                 |
| 25    | T10       | Med.   | <b>S3700</b>    | 25T10         | Clear   | 120V  | 1000             | 210    | C-5V     | 5 3/16" | Card/1     | 120/10                 |
| 25    | T10       | Med.   | <b>S3701</b>    | 25T10/F       | Frosted | 120V  | 1000             | 200    | C-5V     | 5 3/16" | Card/1     | 120/10                 |
| 40    | T10       | Med.   | <b>S3702</b>    | 40T10         | Clear   | 120V  | 1000             | 300    | C-5V     | 5 3/16" | Card/1     | 120/10                 |
| 40    | T10       | Med.   | <b>S3703</b>    | 40T10/F       | Frosted | 120V  | 1000             | 290    | C-5V     | 5 3/16" | Card/1     | 120/10                 |
| 60    | T10       | Med.   | <b>S3704</b>    | 60T10         | Clear   | 120V  | 1000             | 490    | C-5V     | 5 3/16" | Card/1     | 120/10                 |
| 60    | T10       | Med.   | <b>S3705</b>    | 60T10/F       | Frosted | 120V  | 1000             | 480    | C-5V     | 5 3/16" | Card/1     | 120/10                 |





# Specialty Carded Bulbs



carded lamps



High Intensity

**S3723** 12 Watt/15CP  
SC Bayonet Base  
12-16V  
Dom. Code #93  
Packing: 2 Bulb/Card  
240 Cards/Master, 20 Cards/Inner



High Intensity

**S3729** 40 Watt  
Intermediate Base  
115-125V  
Dom. Code #40S11N  
Packing: 2 Bulb/Card  
240 Cards/Master, 20 Cards/Inner



High Intensity

**S3724** 24 Watt/32CP  
SC Bayonet Base  
6-8V  
Dom. Code #1133  
Packing: 2 Bulb/Card  
240 Cards/Master, 20 Cards/Inner



7 1/2 S11

Medium Base (120 Volt)  
**S3794** 7 1/2 Watt Clear  
**S3795** 7 1/2 Watt White  
Packing: 1 Bulb/Card  
240 Cards/Master, 20 Cards/Inner



## S11 Ceramic Colored Bulbs

Medium Base (120 Volt)

**S4508** 7 1/2 Watt Blue  
**S4509** 7 1/2 Watt Green  
**S4510** 7 1/2 Watt Orange  
**S4511** 7 1/2 Watt Red  
**S4512** 7 1/2 Watt Yellow

Packing: 1 Bulb/Card  
120 Cards/Master, 10 Cards/Inner



## S14 Ceramic Colored Bulbs

Medium Base (130 Volt)

**S4560** 11 Watt Yellow  
**S4561** 11 Watt Red  
**S4562** 11 Watt Green  
**S4563** 11 Watt Blue  
**S4564** 11 Watt Orange  
**S4565** 11 Watt Clear  
**S4566** 11 Watt White

Packing: 1 Bulb/Card  
120 Cards/Master, 10 Cards/Inner

| Watts | Bulb Type | Base          | Satco Order No. | Lamp Code   | Finish | Volts    | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn./Inner Pack |
|-------|-----------|---------------|-----------------|-------------|--------|----------|------------------|--------|----------|--------|------------|----------------------|
| 7 1/2 | S11       | Med.          | <b>S3794</b>    | 7 1/2 S11   | Clear  | 120V     | 2500             | 40     | C-7A     | 2 1/4" | Card/1     | 240/20               |
| 7 1/2 | S11       | Med.          | <b>S3795</b>    | 7 1/2 S11/W | White  | 120V     | 2500             | 20     | C-7A     | 2 1/4" | Card/1     | 240/20               |
| 7 1/2 | S11       | Med.          | <b>S4508</b>    | 7 1/2 S11/B | Blue   | 120V     | 2500             | -      | C-7A     | 2 1/4" | 1/Card     | 120/10               |
| 7 1/2 | S11       | Med.          | <b>S4509</b>    | 7 1/2 S11/G | Green  | 120V     | 2500             | -      | C-7A     | 2 1/4" | 1/Card     | 120/10               |
| 7 1/2 | S11       | Med.          | <b>S4510</b>    | 7 1/2 S11/O | Orange | 120V     | 2500             | -      | C-7A     | 2 1/4" | 1/Card     | 120/10               |
| 7 1/2 | S11       | Med.          | <b>S4511</b>    | 7 1/2 S11/R | Red    | 120V     | 2500             | -      | C-7A     | 2 1/4" | 1/Card     | 120/10               |
| 7 1/2 | S11       | Med.          | <b>S4512</b>    | 7 1/2 S11/Y | Yellow | 120V     | 2500             | -      | C-7A     | 2 1/4" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4560</b>    | 11S14/Y     | Yellow | 130V     | 2500             | 80     | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4561</b>    | 11S14/R     | Red    | 130V     | 2500             | 65     | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4562</b>    | 11S14/G     | Green  | 130V     | 2500             | -      | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4563</b>    | 11S14/B     | Blue   | 130V     | 2500             | -      | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4564</b>    | 11S14/O     | Orange | 130V     | 2500             | -      | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4565</b>    | 11S14       | Clear  | 130V     | 2500             | -      | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 11    | S14       | Med.          | <b>S4566</b>    | 11S14/W     | White  | 130V     | 2500             | -      | CC-9     | 3 1/2" | 1/Card     | 120/10               |
| 12    | S8        | S.C BAY/BAI5S | <b>S3723</b>    | 12S8/93     | Clear  | 12-16V   | 300              | 190    | C-6      | 2"     | 2/Card     | 240/20               |
| 24    | RP11      | S.C BAY/BAI5S | <b>S3724</b>    | 24RP11/33   | Clear  | 6-8V     | 300              | 400    | C-6      | 2 1/4" | 2/Card     | 240/20               |
| 40    | S11       | E17/Int.      | <b>S3729</b>    | 40S11/N     | Clear  | 115/125V | 1500             | 370    | CC-2V    | 2 3/8" | 1/Card     | 240/20               |



**A15**  
Medium Base  
(130 Volt)

- S3720** 40 Watt Clear
- S3721** 40 Watt Frosted
- S3739** 60 Watt Clear
- S3740** 60 Watt Frosted

Packing: 1 Bulb/Card  
240 Cards/Master,  
20 Cards/Inner



**7C7 & 4C7**  
Candelabra Base  
(130 Volt)

### Two Packs

- S3797** 4 Watt Clear
- S3791** 7 Watt Clear
- S3792** 7 Watt White

Packing: 2 Bulbs/Card  
400 Cards/Master,  
20 Cards/Inner

### Four Packs

- S4724** 4 Watt Clear
- S4725** 7 Watt Clear
- S4726** 7 Watt White

Packing: 4 Bulbs/Card  
48 Cards/Master,  
12 Cards/Inner



carded lamps

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|-----------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 4     | C7        | Cand. | <b>S3797</b>    | 4C7       | Clear   | 120V  | 3000             | 16     | C-7A     | 2 1/8" | Card/2     | 400/20              |
| 4     | C7        | Cand. | <b>S4724</b>    | 4C7       | Clear   | 120V  | 3000             | 16     | C-7A     | 2 1/8" | Card/4     | 48/12               |
| 7     | C7        | Cand. | <b>S3791</b>    | 7C7       | Clear   | 120V  | 3000             | 35     | C-7A     | 2 1/8" | Card/2     | 400/20              |
| 7     | C7        | Cand. | <b>S3792</b>    | 7C7/W     | White   | 120V  | 3000             | 20     | C-7A     | 2 1/8" | Card/2     | 400/20              |
| 7     | C7        | Cand. | <b>S4725</b>    | 7C7       | Clear   | 120V  | 3000             | 35     | C-7A     | 2 1/8" | Card/4     | 48/12               |
| 7     | C7        | Cand. | <b>S4726</b>    | 7C7/W     | White   | 120V  | 3000             | 20     | C-7A     | 2 1/8" | Card/4     | 48/12               |
| 40    | A15       | Med.  | <b>S3720</b>    | 40A15     | Clear   | 130V  | 2500             | 290    | C-9      | 3 1/2" | Card/1     | 240/20              |
| 40    | A15       | Med.  | <b>S3721</b>    | 40A15/F   | Frosted | 130V  | 2500             | 280    | C-9      | 3 1/2" | Card/1     | 240/20              |
| 60    | A15       | Med.  | <b>S3739</b>    | 60A15     | Clear   | 130V  | 2500             | 580    | C-9      | 3 1/2" | Card/1     | 240/20              |
| 60    | A15       | Med.  | <b>S3740</b>    | 60A15/F   | Frosted | 130V  | 2500             | 530    | C-9      | 3 1/2" | Card/1     | 240/20              |

# Specialty Carded Bulbs



2500 Hours / 12V & 130 Volt

Clear Appliance, Indicator, Switchboard & Landscape Light

carded lamps



**Indicator Bulb**  
**S4717** 6 Watt  
Cand. Base/130Volt  
Dom. Code #6S6

Packing: 2 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Appliance Bulb**  
**S4718** 15 Watt  
Cand. Base/130Volt  
Dom. Code #15T7C

Packing: 1 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Indicator Bulb**  
**S4719** 15 Watt  
D.C. Bay Base/130Volt  
Dom. Code #15T7/DC

Packing: 1 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Appliance Bulb**  
**S4720** 25 Watt  
Int. Base/130Volt  
Dom. Code #25T8N

Packing: 1 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Indicator Bulb**  
**S4721** 15 Watt  
D.C. Bay Base/130Volt  
Dom. Code #25T8/DC

Packing: 2 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Indicator Bulb**  
**S4722** 15 Watt  
Int. Base/130Volt  
Dom. Code #15T7N

Packing: 2 Bulb/Card  
120 Cards/Master,  
12 Cards/Inner



**Microwave Oven Bulb**  
**S3917** 40 Watt  
Int. Base/130Volt  
Dom. Code #40T8N

Packing: 2 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**Landscape Bulb**  
Wedge Base  
12 Volt

**S4551** 4 Watt  
**S4552** 7 Watt  
**S4553** 11 Watt  
**S4554** 18 Watt

Packing: 4 Bulbs/Card  
240 Cards/Inner,  
20 Cards/Master

| Watts | Bulb Type | Base       | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|------------------------|
| 4     | T5        | Wedge      | <b>S4551</b>    | 4T5       | Clear  | 12V   | 2500             | 00     | C-2R     | 1 7/8" | Card/4     | 240/20                 |
| 6     | S6        | Cand.      | <b>S4717</b>    | 6S6       | Clear  | 130V  | 2500             | 30     | C-7A     | 1 7/8" | Card/2     | 120/12                 |
| 7     | T5        | Wedge      | <b>S4552</b>    | 7T5       | Clear  | 12V   | 2500             | 30     | C-2R     | 1 7/8" | Card/4     | 240/20                 |
| 11    | T5        | Wedge      | <b>S4553</b>    | 11T5      | Clear  | 12V   | 2500             | 30     | C-2R     | 1 7/8" | Card/4     | 240/20                 |
| 15    | T7        | Cand.      | <b>S4718</b>    | 15T7/C    | Clear  | 130V  | 2500             | 95     | C-5A     | 2 1/4" | Card/1     | 120/12                 |
| 15    | T7        | Int.       | <b>S4722</b>    | 15T7/N    | Clear  | 130V  | 2500             | 95     | C-5A     | 2 1/4" | Card/1     | 120/12                 |
| 15    | T7        | DC Bayonet | <b>S4719</b>    | 15T7/DC   | Clear  | 130V  | 2500             | 95     | C-5A     | 2 1/4" | Card/1     | 120/12                 |
| 18    | T5        | Wedge      | <b>S4554</b>    | 18T5      | Clear  | 12V   | 2500             | 30     | C-2R     | 1 7/8" | Card/4     | 240/20                 |
| 25    | T8        | Int.       | <b>S4720</b>    | 25T8/N    | Clear  | 130V  | 2500             | 190    | C-5A     | 2 5/8" | Card/1     | 120/12                 |
| 25    | T8        | DC Bayonet | <b>S4721</b>    | 25T8/DC   | Clear  | 130V  | 2500             | 190    | C-5A     | 2 5/8" | Card/1     | 120/12                 |
| 40    | T8        | Int.       | <b>S3917</b>    | 40T8N     | Clear  | 130V  | 2500             | 370    | CC-2V    | 2 5/8" | Card/1     | 120/10                 |



**R14**

Medium Base  
(120 Volt)

**S4704** 25 Watt

**S4705** 40 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**R14**

Intermediate Base  
(120 Volt)

**S4700** 25 Watt

**S4701** 40 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**R14**

Euro. (Mignon) Base  
(130 Volt)

**S4706** 40 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



**R16**

Medium Base  
(120 Volt)

**S4702** 40 Watt

Packing: 1 Bulb/Card  
120 Cards/Master,  
10 Cards/Inner



| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish      | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.  | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|-------|-----------------|-----------|-------------|-------|------------------|--------|----------|---------|------------|------------------------|
| 25    | R14       | Int.  | <b>S4700</b>    | 25R14N    | Lt. Frosted | 120V  | 1500             | 135    | CC2V     | 2 5/8"  | Card/1     | 120/10                 |
| 25    | R14       | Med.  | <b>S4704</b>    | 25R14     | Lt. Frosted | 120V  | 1500             | 135    | CC2V     | 2 5/8"  | Card/1     | 120/10                 |
| 40    | R14       | Euro. | <b>S4706</b>    | 40R14     | Lt. Frosted | 130V  | 1500             | 280    | CC2V     | 2 5/8"  | Card/1     | 120/10                 |
| 40    | R14       | Int.  | <b>S4701</b>    | 40R14N    | Lt. Frosted | 120V  | 1500             | 280    | CC2V     | 2 5/8"  | Card/1     | 120/10                 |
| 40    | R14       | Med.  | <b>S4705</b>    | 40R14     | Lt. Frosted | 120V  | 1500             | 280    | CC2V     | 2 5/8"  | Card/1     | 120/10                 |
| 40    | R16       | Med.  | <b>S4702</b>    | 40R16     | Frosted     | 120V  | 1500             | 280    | C-9      | 3 7/16" | Card/1     | 120/10                 |

# Halogen MR11 & MR16

## Carded Lamps

2000 Hours



all carded halogen items  
feature UV protection



### MR11

12 Volt Bi-Pin Base  
JRM Types

- S3464** 20 Watt SP FTC
- S3465** 20 Watt NFL FTD
- S3466** 35 Watt SP FTF
- S3467** 35 Watt NFL FTH

Packing: 1 Bulb/Card  
12 Cards/Master

Promotional  
2/Pack

- S3424** 20 Watt NFL FTD
- S3425** 35 Watt NFL FTH

Packing: 2 Bulbs/Card  
12 Cards/Master



### MR16

12 Volt Bi-Pin Base  
JR Types

- S3460** 20 Watt SP ESX
- S3461** 20 Watt FL BAB
- S3462** 50 Watt SP EXT
- S3463** 50 Watt FL EXN

Packing: 1 Bulb/Card  
12 Cards/Master



| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code  | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst.Ctn./Inner Pack |
|-------|-----------|-------|-----------------|------------|---------|-------|------------------|--------|----------|--------|------------|---------------------|
| 20    | MR11      | GZ4   | <b>S3464</b>    | 20MR11 FTC | SP 12°  | 12V   | 2000             | 1750   | C-6      | 1 1/4" | Card/1     | 12                  |
| 20    | MR11      | GZ4   | <b>S3465</b>    | 20MR11 FTD | NFL 24° | 12V   | 2000             | 700    | C-6      | 1 1/4" | Card/1     | 12                  |
| 20    | MR11      | GZ4   | <b>S3424</b>    | 20MR11 FTD | NFL 24° | 12V   | 2000             | 700    | C-6      | 1 1/4" | Card/2     | 12                  |
| 35    | MR11      | GZ4   | <b>S3466</b>    | 35MR11 FTF | SP 12°  | 12V   | 2000             | 2500   | C-6      | 1 1/4" | Card/1     | 12                  |
| 35    | MR11      | GZ4   | <b>S3467</b>    | 35MR11 FTH | NFL 24° | 12V   | 2000             | 1550   | C-6      | 1 1/4" | Card/1     | 12                  |
| 35    | MR11      | GZ4   | <b>S3425</b>    | 35MR11 FTH | NFL 24° | 12V   | 2000             | 1550   | C-6      | 1 1/4" | Card/2     | 12                  |
| 20    | MR16      | GX5.3 | <b>S3460</b>    | 20MR16 ESX | NSP 9°  | 12V   | 2000             | 4100   | C-8      | 1 7/8" | Card/1     | 12                  |
| 20    | MR16      | GX5.3 | <b>S3461</b>    | 20MR16 BAB | FL 36°  | 12V   | 2000             | 700    | C-6      | 1 7/8" | Card/1     | 12                  |
| 50    | MR16      | GX5.3 | <b>S3462</b>    | 50MR16 EXT | NSP 9°  | 12V   | 2000             | 10000  | C-6      | 1 7/8" | Card/1     | 12                  |
| 50    | MR16      | GX5.3 | <b>S3463</b>    | 50MR16 EXN | FL 36°  | 12V   | 2000             | 1700   | C-8      | 1 7/8" | Card/1     | 12                  |





all carded halogen items  
feature UV protection

**2000 Hours / 120 Volt**



DC Bay



E14



E11

Double Contact  
**S3432** 75 Watt  
**S3488** 100 Watt  
**S3489** 150 Watt  
**S3490** 250 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

European Base  
**S3491** 100 Watt  
**S3492** 150 Watt  
**S3493** 250 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

Mini Can  
**S3484** 75 Watt  
**S3485** 100 Watt  
**S3486** 150 Watt  
**S3487** 250 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

carded lamps

| Watts | Bulb Type | Base   | Satco Order No. | Lamp Code  | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst. Ctn./ Inner Pack |
|-------|-----------|--------|-----------------|------------|--------|-------|------------------|--------|----------|----------|------------|-----------------------|
| 75    | T4        | E11    | <b>S3484</b>    | 75Q/CL     | Clear  | 120V  | 2000             | 1250   | CC-8     | 2 11/16" | Card/1     | 12                    |
| 75    | T4        | DC Bay | <b>S3432</b>    | 75Q/CL/DC  | Clear  | 120V  | 2000             | 1250   | CC-8     | 2 13/32" | Card/1     | 12                    |
| 100   | T4        | E11    | <b>S3485</b>    | 100Q/CL    | Clear  | 120V  | 2000             | 1600   | CC-8     | 2 11/16" | Card/1     | 12                    |
| 100   | T4        | DC Bay | <b>S3488</b>    | 100Q/CL/DC | Clear  | 120V  | 2000             | 1600   | CC-8     | 2 13/32" | Card/1     | 12                    |
| 100   | T4        | E14    | <b>S3491</b>    | 100Q/CL    | Clear  | 120V  | 2000             | 1600   | CC-8     | 2 15/16" | Card/1     | 12                    |
| 150   | T4        | E11    | <b>S3486</b>    | 150Q/CL    | Clear  | 120V  | 2000             | 2400   | CC-8     | 2 23/32" | Card/1     | 12                    |
| 150   | T4        | DC Bay | <b>S3489</b>    | 150Q/CL/DC | Clear  | 120V  | 2000             | 2400   | CC-8     | 2 13/32" | Card/1     | 12                    |
| 150   | T4        | E14    | <b>S3492</b>    | 150Q/CL    | Clear  | 120V  | 2000             | 2400   | CC-8     | 3 1/32"  | Card/1     | 12                    |
| 250   | T4.5      | E11    | <b>S3487</b>    | 250Q/CL    | Clear  | 120V  | 2000             | 4350   | CC-8     | 3 5/32"  | Card/1     | 12                    |
| 250   | T4.5      | DC Bay | <b>S3490</b>    | 250Q/CL/DC | Clear  | 120V  | 2000             | 4350   | CC-8     | 2 27/32" | Card/1     | 12                    |
| 250   | T4.5      | E14    | <b>S3493</b>    | 250Q/CL    | Clear  | 120V  | 2000             | 4350   | CC-8     | 3 11/32" | Card/1     | 12                    |

# Halogen Carded Lamps

2000 Hours




all carded halogen items  
feature UV protection

## 12 Volt Promotional 2/Pack

**S3420** 20 Watt  
**S3421** 50 Watt

Packing: 2 Bulbs/Card  
12 Cards/Master



## 12 Volt

**S3459** 10 Watt  
**S3468** 20 Watt  
**S3469** 35 Watt  
**S3470** 50 Watt  
**S3471** 75 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

## 120 Volt G8 Base

**S3539** 20 Watt  
**S3540** 35 Watt  
**S3541** 50 Watt  
**S3542** 75 Watt  
**S3543** 100 Watt

## 120 Volt G9 Base

**S3544** 35 Watt  
**S3545** 50 Watt  
**S3546** 75 Watt  
**S3547** 100 Watt

Packing: 1 Bulb/Card  
12 Cards/Master



G8 Base

G9 Base

GY6.35 Base

## 120 Volt GY6.35 Base

**S3418** 35 Watt  
**S3427** 50 Watt  
**S3428** 75 Watt  
**S3419** 100 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

carded lamps

| Watts | Bulb Type | Base   | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Carton |
|-------|-----------|--------|-----------------|-----------|--------|-------|------------------|--------|----------|--------|------------|--------|
| 10    | T3        | G4     | <b>S3459</b>    | 10T3      | Clear  | 12V   | 2000             | 120    | C-6      | 32mm   | Card/1     | 12     |
| 20    | T3        | G4     | <b>S3468</b>    | 20T3      | Clear  | 12V   | 2000             | 320    | C-6      | 32mm   | Card/1     | 12     |
| 20    | T3        | G4     | <b>S3420</b>    | 20T3      | Clear  | 12V   | 2000             | 320    | C-6      | 32mm   | Card/2     | 12     |
| 20    | T4        | G8     | <b>S3539</b>    | 20T4      | Clear  | 12V   | 2000             | 180    | CC-2V    | 46mm   | Card/1     | 12     |
| 35    | T4        | GY6.35 | <b>S3469</b>    | 35T4      | Clear  | 12V   | 2000             | 600    | C-6      | 41mm   | Card/1     | 12     |
| 35    | T4        | GY6.35 | <b>S3418</b>    | 35T4      | Clear  | 120V  | 2000             | 400    | C-6      | 50mm   | Card/1     | 12     |
| 35    | T4        | G8     | <b>S3540</b>    | 35T4      | Clear  | 120V  | 2000             | 400    | C-6      | 46mm   | Card/1     | 12     |
| 35    | T4        | G9     | <b>S3544</b>    | 35T4      | Clear  | 120V  | 2000             | 400    | C-6      | 45mm   | Card/1     | 12     |
| 50    | T4        | GY6.35 | <b>S3470</b>    | 50T4      | Clear  | 12V   | 2000             | 900    | C-6      | 41mm   | Card/1     | 12     |
| 50    | T4        | GY6.35 | <b>S3421</b>    | 50T4      | Clear  | 12V   | 2000             | 900    | C-6      | 41mm   | Card/2     | 12     |
| 50    | T4        | GY6.35 | <b>S3427</b>    | 50T4      | Clear  | 120V  | 2000             | 50     | CC-8     | 50mm   | Card/1     | 12     |
| 50    | T4        | G8     | <b>S3541</b>    | 50T4      | Clear  | 120V  | 2000             | 750    | CC-8     | 46mm   | Card/1     | 12     |
| 50    | T4        | G9     | <b>S3545</b>    | 50T4      | Clear  | 120V  | 2000             | 750    | CC-8     | 45mm   | Card/1     | 12     |
| 75    | T4        | GY6.35 | <b>S3471</b>    | 75T4      | Clear  | 12V   | 2000             | 1350   | C-6      | 41mm   | Card/1     | 12     |
| 75    | T4        | GY6.35 | <b>S3428</b>    | 75T4      | Clear  | 120V  | 2000             | 1250   | CC-8     | 60mm   | Card/1     | 12     |
| 75    | T4        | G8     | <b>S3542</b>    | 75T4      | Clear  | 120V  | 2000             | 1250   | CC-8     | 58mm   | Card/1     | 12     |
| 75    | T4        | G9     | <b>S3546</b>    | 75T4      | Clear  | 120V  | 2000             | 1250   | CC-8     | 56mm   | Card/1     | 12     |
| 100   | T4        | GY6.35 | <b>S3419</b>    | 100T4     | Clear  | 120V  | 2000             | 1600   | CC-8     | 60mm   | Card/1     | 12     |
| 100   | T4        | G8     | <b>S3543</b>    | 100T4     | Clear  | 120V  | 2000             | 1600   | CC-8     | 58mm   | Card/1     | 12     |
| 100   | T4        | G9     | <b>S3547</b>    | 100T4     | Clear  | 120V  | 2000             | 1600   | CC-8     | 56mm   | Card/1     | 12     |



all carded halogen items  
feature UV protection

# 120V Carded Lamps

**2000 Hours**



## Double - JDD Envelope

Medium Base  
120V

- S3472** 75 Watt Clear
- S3473** 100 Watt Clear
- S3474** 150 Watt Clear
- S3475** 250 Watt Clear
- S3476** 75 Watt Frosted
- S3477** 100 Watt Frosted
- S3478** 150 Watt Frosted
- S3479** 250 Watt Frosted

Packing: 1 Bulb/Card  
12 Cards/Master



## BT-Type Medium Base/120V

- S4600** 60 Watt White
- S4601** 75 Watt White
- S4602** 100 Watt White
- S4603** 60 Watt Clear
- S4604** 150 Watt White

Packing: 6/Inner  
6 Inner - Tray Pack  
60/Master



## MR16 Twist Base

GU10 Base  
120V

- S3500** 20 Watt
- S3501** 35 Watt
- S3502** 50 Watt

Packing: 12 Cards/Inner  
120 Cards/Master



## JDR Lensed

Medium  
Screw Base

- S3438** 75W Flood
- S3439** 100W Flood

Packing: 1 Bulb/Card  
12 Cards/Master

Intermediate  
Screw Base

- S3434** 75W Flood
- S3435** 100W Flood

Packing: 1 Bulb/Card  
12 Cards/Master



| Watts | Bulb Type | Base | Satco Order No. | Lamp Code    | Finish  | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L. | Pack. Type | Mst. Ctn. / Inner Pack |
|-------|-----------|------|-----------------|--------------|---------|-------|------------------|--------|----------|--------|------------|------------------------|
| 20    | JCDR      | GU10 | <b>S3500</b>    | 20GU10/CL    | Clear   | 120V  | 2000             | 1050   | CC-8     | 1 7/8" | Card/1     | 12                     |
| 35    | JCDR      | GU10 | <b>S3501</b>    | 35GU10/CL    | Clear   | 120V  | 2000             | 1000   | CC-8     | 1 7/8" | Card/1     | 12                     |
| 50    | JCDR      | GU10 | <b>S3502</b>    | 50GU10/CL    | Clear   | 120V  | 2000             | 1650   | CC-8     | 1 7/8" | Card/1     | 12                     |
| 60    | BT15      | Med. | <b>S4603</b>    | 60BT15/CL    | Clear   | 120V  | 5000             | 700    | CC-8     | 4"     | Card/1     | 60/6                   |
| 60    | BT15      | Med. | <b>S4600</b>    | 60BT15/W     | White   | 120V  | 5000             | 600    | CC-8     | 4"     | Card/1     | 60/6                   |
| 75    | BT15      | Med. | <b>S4601</b>    | 75BT15/W     | White   | 120V  | 5000             | 800    | CC-8     | 4"     | Card/1     | 60/6                   |
| 100   | BT15      | Med. | <b>S4602</b>    | 100BT15/W    | White   | 120V  | 5000             | 1200   | CC-8     | 4"     | Card/1     | 60/6                   |
| 150   | BT15      | Med. | <b>S4604</b>    | 150BT15/W    | White   | 120V  | 5000             | 1600   | CC-8     | 4"     | Card/1     | 60/6                   |
| 75    | T10       | Med. | <b>S3472</b>    | 75T10Q/CL    | Clear   | 120V  | 2000             | 1050   | CC-8     | 4"     | Card/1     | 12                     |
| 75    | T10       | Med. | <b>S3476</b>    | 75T10Q/F     | Frosted | 120V  | 2000             | 1000   | CC-8     | 4"     | Card/1     | 12                     |
| 75    | JDR       | INT. | <b>S3434</b>    | 75JDR/N/EXN  | Clear   | 120V  | 2000             | 1650   | CC-8     | 2 7/8" | Card/1     | 12                     |
| 75    | JDR       | MED. | <b>S3438</b>    | 75JDR/EXN    | Clear   | 120V  | 2000             | 1650   | CC-8     | 2 7/8" | Card/1     | 12                     |
| 100   | JDR       | INT. | <b>S3435</b>    | 100JDR/N/EXN | Clear   | 120V  | 2000             | 1950   | CC-8     | 2 7/8" | Card/1     | 12                     |
| 100   | JDR       | MED. | <b>S3439</b>    | 100JDR/EXN   | Clear   | 120V  | 2000             | 1950   | CC-8     | 2 7/8" | Card/1     | 12                     |
| 100   | T10       | Med. | <b>S3473</b>    | 100T10Q/CL   | Clear   | 120V  | 2000             | 1500   | CC-8     | 4"     | Card/1     | 12                     |
| 100   | T10       | Med. | <b>S3477</b>    | 100T10Q/F    | Frosted | 120V  | 2000             | 1420   | CC-8     | 4"     | Card/1     | 12                     |
| 150   | T10       | Med. | <b>S3474</b>    | 150T10Q/CL   | Clear   | 120V  | 2000             | 2500   | CC-8     | 4"     | Card/1     | 12                     |
| 150   | T10       | Med. | <b>S3478</b>    | 150T10Q/F    | Frosted | 120V  | 2000             | 2300   | CC-8     | 4"     | Card/1     | 12                     |
| 250   | T10       | Med. | <b>S3475</b>    | 250T10Q/CL   | Clear   | 120V  | 2000             | 4200   | CC-8     | 4"     | Card/1     | 12                     |
| 250   | T10       | Med. | <b>S3479</b>    | 250T10Q/F    | Frosted | 120V  | 2000             | 3900   | CC-8     | 4"     | Card/1     | 12                     |



# Halogen Double Ended Carded Lamps



2000 Hours

all carded halogen items  
feature UV protection



78mm J-Type (Short) 120V

**S3480** 100 Watt

**S3481** 150 Watt

**S3582** 200 Watt

**S3426** 250 Watt

Packing: 1 Bulb/Card  
12 Cards/Master



118mm J-Type (Long) 120V

**S3431** 100 Watt

**S3494** 150 Watt

**S3595** 200 Watt

**S3496** 300 Watt

**S3497** 500 Watt

Packing: 1 Bulb/Card  
12 Cards/Master



**FLAT  
BLADE**

145mm J-Type (Blade) 120V

**S3429** 300 Watt

Packing: 1 Bulb/Card  
12 Cards/Master

| Watts | Bulb Type | Base  | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|-------|-----------------|-----------|--------|-------|------------------|--------|----------|----------|------------|----------------------|
| 100   | T3        | RS7   | <b>S3480</b>    | 100T3Q/CL | Clear  | 120V  | 2000             | 1650   | C-8      | 3 1/8"   | Card/1     | 12                   |
| 150   | T3        | RS7   | <b>S3481</b>    | 150T3Q/CL | Clear  | 120V  | 2000             | 2600   | C-8      | 3 1/8"   | Card/1     | 12                   |
| 200   | T3        | RS7   | <b>S3482</b>    | 200T3Q/CL | Clear  | 120V  | 2000             | 3200   | C-8      | 3 1/8"   | Card/1     | 12                   |
| 250   | T3        | RS7   | <b>S3426</b>    | 250T3Q/CL | Clear  | 120V  | 2000             | 3950   | C-8      | 3 1/8"   | Card/1     | 12                   |
| 100   | T3        | RS7   | <b>S3431</b>    | 100T3Q/CL | Clear  | 120V  | 2000             | 1650   | C-8      | 4 11/16" | Card/1     | 12                   |
| 150   | T3        | RS7   | <b>S3494</b>    | 150T3Q/CL | Clear  | 120V  | 2000             | 2600   | C-8      | 4 11/16" | Card/1     | 12                   |
| 200   | T3        | RS7   | <b>S3495</b>    | 200T3Q/CL | Clear  | 120V  | 2000             | 3200   | C-8      | 4 11/16" | Card/1     | 12                   |
| 300   | T3        | RS7   | <b>S3496</b>    | 300T3Q/CL | Clear  | 120V  | 2000             | 5000   | C-8      | 4 11/16" | Card/1     | 12                   |
| 500   | T3        | RS7   | <b>S3497</b>    | 500T3Q/CL | Clear  | 120V  | 2000             | 9500   | C-8      | 4 11/16" | Card/1     | 12                   |
| 300   | T3        | Blade | <b>S3429</b>    | 300T3Q/CL | Clear  | 120V  | 2000             | 5000   | C-8      | 5 13/16" | Card/1     | 12                   |

carded lamps



# SATCO® Halogen Double Ended Carded Lamps



all carded halogen items feature UV protection

**2000 Hours**



**78mm J-Type (Short) 120V 2 Pack**

**S3422** 100 Watt

**S3423** 150 Watt

Packing: 2 Bulbs/Card  
12 Cards/Master



**118mm J-Type (Long) 120V 2 Pack**

**S3430** 300 Watt

**S3433** 500 Watt

Packing: 2 Bulbs/Card  
12 Cards/Master



**118mm J-Type (Long) 120V 3 Pack**

**S3410** 300 Watt

**S3411** 500 Watt

Packing: 3 Bulbs/Card  
12 Cards/Master

| Watts | Bulb Type | Base | Satco Order No. | Lamp Code | Finish | Volts | Avg. Rated Hours | Lumens | Filament | M.O.L.   | Pack. Type | Mst.Ctn./ Inner Pack |
|-------|-----------|------|-----------------|-----------|--------|-------|------------------|--------|----------|----------|------------|----------------------|
| 100   | T3        | RS7  | <b>S3422</b>    | 100T3Q/CL | Clear  | 120V  | 2000             | 1650   | C-8      | 3 1/8"   | Card/2     | 12                   |
| 150   | T3        | RS7  | <b>S3423</b>    | 150T3Q/CL | Clear  | 120V  | 2000             | 2600   | C-8      | 3 1/8"   | Card/2     | 12                   |
| 300   | T3        | RS7  | <b>S3430</b>    | 300T3Q/CL | Clear  | 120V  | 2000             | 3200   | C-8      | 4 11/16" | Card/2     | 12                   |
| 300   | T3        | RS7  | <b>S3410</b>    | 300T3Q/CL | Clear  | 120V  | 2000             | 3200   | C-8      | 4 11/16" | Card/3     | 12                   |
| 500   | T3        | RS7  | <b>S3433</b>    | 500T3Q/CL | Clear  | 120V  | 2000             | 9500   | C-8      | 4 11/16" | Card/2     | 12                   |
| 500   | T3        | RS7  | <b>S3411</b>    | 500T3Q/CL | Clear  | 120V  | 2000             | 9500   | C-8      | 4 11/16" | Card/3     | 12                   |

carded lamps





## Four Color Retail Packaging

Offers ease of product identification, uniformity and contemporary design. Many of our items are packaged in four color inner cartons. These multi-packs can be stacked out for promotional purposes creating additional sales!



## Satco Light Bulbs-

A brand consumers have purchased with confidence for over 40 years.



carded lamps



**S1300 A** - Four foot white gondola display. (Bottom shelf included)  
48"W X 24"D X 71"H

**S1300 B** - (3) Four foot white shelves

# Electrical Accessories



# Emergency Lights



## 75-047

Emergency  
Flashlight/Night Light

### Features:

- LED flashlight with adjustable focus
- LED night light controlled by photocell
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master




## 75-046

Emergency  
Flashlight/Night Light

### Features:

- LED flashlight
- LED night light controlled by photocell
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



**75-044**

LED Motion Sensing  
Utility Light

Features:

- Built in photo Sensor – Light will only operate in darkness.
- Uses 3 AAA batteries.
- Velcro® mounting strips supplied.

Packing: 12/Master



**75-045**

LED Clip On  
Book Light

Features:

- Uses 3 AAA batteries for up to 6 hours of use.
- Lights automatically when cover is lifted up
- Narrow beam does not disturb others

Packing: 12/Master



**75-041**

LED Color Changing  
Clear Lens Night Light  
with Photo Cell

Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.8W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



**75-042**

LED Color Changing  
Clear Lens Night Light  
with Photo Cell

Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.8W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



**Press the Color Button  
to select the color/mode:**

- Steady Red, Green or Blue
- Fast color change
- Gradual color change





# LED Photocell Night Lights



## 75-043

LED Clear  
Prismatic Cylinder  
Night Light  
with Photocell

### Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



## 75-040

LED Multi Directional  
Night Light  
with Photocell

### Features:

- Life: 100,000 hours
- Rotatable head directs light.
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



## 75-031

Sleeping Moon  
Night Light

### Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



## 75-032

Skyline  
Night Light

### Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



## 75-033

Flame  
Night Light

### Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner



## 75-034

Light Bulb  
Night Light

### Features:

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light
- Low power consumption: 0.3W at 120V, cool to the touch

Packing: 24/Master, 6/Inner







Night lights  
with  
on/off switch  
include a  
4 watt bulb

Night lights  
with  
photo cells  
include a  
7 watt bulb

- Many Styles to choose from
- Full color selection
- Photo cell & manual controls
- Night light bulbs included
- U.L. listed
- Promotionally priced
- Attractively packaged on four color blister cards



**75-023**  
Blue Shell  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-024**  
Pink Shell  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-022**  
Beige Shell  
Photocell 1/ Card  
Packing: 72/Master, 12/Inner



**75-021**  
White Shell  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-019**  
Blue Shell  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-020**  
Pink Shell  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-018**  
Beige Shell  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-017**  
White Shell  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-010**  
Blue Square  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-011**  
Pink Square  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-009**  
Beige Square  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-008**  
White Square  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-015**  
Blue Angled  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-016**  
Pink Angled  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-014**  
Beige Angled  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-013**  
White Angled  
on/off switch 1 Card  
Packing: 72/Master, 12/Inner



# Night Lights



electrical accessories



**75-000**  
Clear Angled  
Photocell 1/ Card  
Packing: 72/Master, 12/Inner



**75-004**  
Clear Straight  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-001**  
Clear Straight  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-003**  
Clear Rounded  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-053**  
Gold Grill  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-054**  
Black Grill  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-048**  
Deco Gold  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-049**  
Deco Silver  
Photocell 1/Card  
Packing: 72/Master, 12/Inner




**75-050**  
Gold Window  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-051**  
Silver Window  
Photocell 1/Card  
Packing: 72/Master, 12/Inner



**75-052**  
Clear Silver  
on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-006**  
Jewel Light  
Photocell 1/ Card  
Packing: 72/Master, 12/Inner



**75-007**  
Gude Light  
constant on 2/Card  
Packing: 72/Master, 12/Inner



**75-029**  
Battery Operated  
Utility Light  
push on push off 1/Card  
Packing: 72/Master, 12/Inner

Night lights  
with  
on/off switch  
include a  
4 watt bulb

Night lights  
with  
photocells  
include a  
7 watt bulb



**91-220** 3' Cord  
**91-229** 6' Cord  
 w / Flat plug  
 6 Outlet Standard  
 Surge Strip W/flat plug,  
 245 Joules 15A-125V,  
 1875W  
 Packing: 12/Master



**91-221** 4' Cord  
 6 Outlet Superior  
 Surge Strip,  
 540 Joules 15A-120V,  
 1800W  
 Packing: 12/Master



**91-222** 4' Cord  
 6 Outlet Professional  
 Metal Surge Strip,  
 540 Joules 15A-120V,  
 1800 W  
 Packing: 12/Master



# Current Taps



**91-223**

6 Outlet Wall Plug In Tap/Surge  
540 Joules  
15A-120V, 1800W  
Packing: 12/Master



**91-228**

6 Outlet Wall Plug In Tap  
Coax/Surge  
6' Coax Cable Supplied  
540 Joules  
15A-125V, 1875W  
Packing: 12/Master



**91-227**

3 Outlet Wall Plug In Tap  
with Glow Light  
15A-125V, 1875W  
Packing: 12/Master



**S70-830**  
White  
Inside Elbow  
Packing: 144/Master, 12/Inner



**S70-832**  
White  
Outside Elbow  
Packing: 144/Master, 12/Inner



**S70-831**  
White  
Flat Elbow  
Packing: 144/Master, 12/Inner



**S70-829**  
White  
Straight Coupling  
Packing: 144/Master, 12/Inner



**S70-826**  
40" White  
Packing: 24/Master


## A COMPLETE DO-IT-YOURSELF SELF STICKING WIRE COVER SYSTEM

### For:

- Wall lamps
- Telephones
- Track lighting
- Speaker wire
- Extension cords
- Home alarm systems
- CATV cable
- Television wire
- Ceiling swag lighting
- Stereo and VCR

*Wire covers available in white.  
Couplings, available in white and can be painted.*





# Coiled

# SATCO®

## Extension Cords & Dimmers



### 12 FT. COILED (Extended) EXTENSION CORDS

All extension cords rated 13A-125V, 1625 watts maximum and supplied with safety cover to conceal unused outlets.

Indoor Use Only.



|               |        |               |       |
|---------------|--------|---------------|-------|
| <b>93-179</b> | Blue   | <b>93-174</b> | Red   |
| <b>93-175</b> | Yellow | <b>93-169</b> | Green |
| <b>93-170</b> | White  | <b>93-173</b> | Black |

Packing: 50/Master, 12/Inner, 1/Card



### 93-5011

White

Slide - Table Top

Lamp Dimmer

8 Ft. 16/2 SPT-2 Cord

Rated: 300W-120V

Packing: 24/Master



### 93-5012

Black

Slide - Table Top

Lamp Dimmer

8 Ft. 16/2 SPT-2 Cord

Rated: 300W-120V

Packing: 24/Master





## Extension Cords 16/2 SPT 2

All extension cords rated 13A-125V, 1625 watts maximum and supplied with safety cover to conceal unused outlets.

### White

|               |        |
|---------------|--------|
| <b>93-192</b> | 6 ft.  |
| <b>93-194</b> | 9 ft.  |
| <b>93-196</b> | 12 ft. |
| <b>93-198</b> | 15 ft. |

Indoor Use Only.

Packing: 50/Master, 12/Inner

## Extension Cord 16/2 SPT 2

All extension cords rated 13A-125V, 1625 watts maximum and supplied with safety cover to conceal unused outlets.

### Brown

|               |        |
|---------------|--------|
| <b>93-193</b> | 6 ft.  |
| <b>93-195</b> | 9 ft.  |
| <b>93-197</b> | 12 ft. |
| <b>93-199</b> | 15 ft. |

Indoor Use Only.

Packing: 50/Master, 12/Inner

## Extension Cords 16/2 SPT

All extension cords rated 13A-125V, 1625 watts maximum and supplied with safety cover to conceal unused outlets.

### Green

|                |        |
|----------------|--------|
| <b>93-5020</b> | 6 ft.  |
| <b>93-5021</b> | 9 ft.  |
| <b>93-5022</b> | 12 ft. |
| <b>93-5023</b> | 15 ft. |

Indoor Use Only.

Packing: 50/Master, 12/Inner



# Appliance A/C & Outdoor Extension Cords



electrical accessories



## #14/3 Ga. SPT-3 Gray Air Conditioner/Appliance Cords

| Cat. No.       | Footage | Description                   | Amps     | Wattage | Packed |
|----------------|---------|-------------------------------|----------|---------|--------|
| <b>93-5000</b> | 3 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 24     |
| <b>93-5001</b> | 6 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 24     |
| <b>93-5002</b> | 9 ft.   | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| <b>93-5003</b> | 12 ft.  | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| <b>93-5004</b> | 15 ft.  | 14-3 SPT-3 Gray Cord w/Sleeve | 15A/125V | 1875W   | 12     |



## #16/3 Ga. SJTW-3 Orange Outdoor Extension Cords

| Cat. No.       | Footage | Description                      | Amps     | Wattage | Packed |
|----------------|---------|----------------------------------|----------|---------|--------|
| <b>93-5034</b> | 8 ft.   | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 24     |
| <b>93-5035</b> | 15 ft.  | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 24     |
| <b>93-5005</b> | 25 ft.  | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| <b>93-5006</b> | 50 ft.  | 16-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| <b>93-5007</b> | 100 ft. | 16-3 SJTW-3 Orange Cord w/Sleeve | 10A/125V | 1250W   | 6      |

## #14/3 Ga. SJTW-3 Orange Outdoor Extension Cords

| Cat. No.       | Footage | Description                      | Amps     | Wattage | Packed |
|----------------|---------|----------------------------------|----------|---------|--------|
| <b>93-5008</b> | 25 ft.  | 14-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| <b>93-5009</b> | 50 ft.  | 14-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 6      |
| <b>93-5010</b> | 100 ft. | 14-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 6      |

## #12/3 Ga. SJTW-3 Orange Outdoor Extension Cords

| Cat. No.       | Footage | Description                      | Amps     | Wattage | Packed |
|----------------|---------|----------------------------------|----------|---------|--------|
| <b>93-5017</b> | 25 ft.  | 12-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 12     |
| <b>93-5018</b> | 50 ft.  | 12-3 SJTW-3 Orange Cord w/Sleeve | 15A/125V | 1875W   | 6      |
| <b>93-5019</b> | 100 ft. | 12-3 SJTW-3 Orange Cord w/Sleeve | 13A/125V | 1625W   | 4      |

## #12/3 SJTW 3 Outlet Orange Outdoor Extension Cord

| Cat. No.       | Footage | Description                   | Amps     | Wattage | Packed |
|----------------|---------|-------------------------------|----------|---------|--------|
| <b>93-5030</b> | 2 ft.   | 12-3 STW Orange 3 Outlet Cord | 15A/125V | 1875W   | 12     |





## #16/3 SJTW White Outdoor Extension Cord

| Cat. No.       | Footage | Description                   | Amps     | Wattage | Packed |
|----------------|---------|-------------------------------|----------|---------|--------|
| <b>93-5027</b> | 35 ft.  | 16-3 SJTW White Cord w/Sleeve | 13A/125V | 1625W   | 6      |



## #16/3 SJTW Green Outdoor Extension Cord

| Cat. No.       | Footage | Description                   | Amps     | Wattage | Packed |
|----------------|---------|-------------------------------|----------|---------|--------|
| <b>93-5024</b> | 25 ft.  | 16-3 SJTW Green Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| <b>93-5025</b> | 50 ft.  | 16-3 SJTW Green Cord w/Sleeve | 13A/125V | 1625W   | 12     |
| <b>93-5026</b> | 80 ft.  | 16-3 SJTW Green Cord w/Sleeve | 10A/125V | 1250W   | 4      |



## Heavy Duty Replacement Range Cords *Indoor Use Only*

| Cat. No.       | Footage        | Description                | Amps          | Wattage | Packed |
|----------------|----------------|----------------------------|---------------|---------|--------|
| <b>93-5032</b> | 3 ft. - 3 Wire | 6-2 - 8-1 SRDT Gray Flat   | 50A/125V-250V | 12,500W | 12     |
| <b>93-5036</b> | 4 ft. - 3 Wire | 6-2 - 8-1 SRDT Gray Flat   | 50A/125V-250V | 12,500W | 12     |
| <b>93-5037</b> | 6 ft. - 3 Wire | 6-2 - 8-1 SRDT Gray Flat   | 50A/125V-250V | 12,500W | 12     |
| <b>93-5033</b> | 4 ft. - 4 Wire | 6-2 - 8-2 SRDT Black Round | 50A/125V-250V | 12,500W | 12     |
| <b>93-5038</b> | 6 ft. - 4 Wire | 6-2 - 8-2 SRDT Black Round | 50A/125V-250V | 12,500W | 12     |



## Heavy Duty Replacement Dryer Cords *Indoor Use Only*

| Cat. No.       | Footage        | Description           | Amps          | Wattage | Packed |
|----------------|----------------|-----------------------|---------------|---------|--------|
| <b>93-5039</b> | 4 ft. - 3 Wire | 10-3 SRDT Gray Flat   | 30A/125V-250V | 7500W   | 12     |
| <b>93-5028</b> | 6 ft. - 3 Wire | 10-3 SRDT Gray Flat   | 30A/125V-250V | 7500W   | 12     |
| <b>93-5031</b> | 4 ft. - 4 Wire | 10-4 SRDT Black Round | 30A/125V-250V | 7500W   | 12     |
| <b>93-5029</b> | 6 ft. - 4 Wire | 10-4 SRDT Black Round | 30A/125V-250V | 7500W   | 12     |







# Bulb Changers



## SATCO BULB CHANGERS

The easy way to change hard to reach bulbs. Available in PAR, incandescent and R type changers.



**S70-3001**

Par Type  
Bulb Changer



**S70-3002**

R Type  
Bulb Changer



**S70-0101**

Incandescent  
Bulb Changer

Packing: 50/Master, 12/Inner



**S70-9272** 6-12 Ft.

Aluminum  
Extension Pole

Two section handle,  
"nylar" threaded, fits  
all changers.  
Homeowner quality.




**S70-6516** 8-16 Ft.

**S70-6624** 8-24 Ft.


Alumiglass  
Extension Pole

Two section handle,  
threaded end fits  
all changers.  
Professional quality.





**77-621**  
Recessed light converter  
13.25" overall height  
Packing: 6/Master, 1/Card



**77-608**  
Recessed light converter  
5" overall height  
Packing: 6/Master, 1/Card



**77-606**  
One light  
socket light  
Packing: 6/Master, 1/Card

**77-601**

One light ceiling  
swivel fixture  
Packing: 6/Master, 1/Card



**77-602**

Two light ceiling  
swivel fixture  
Packing: 6/Master, 1/Card



**77-622**

One light  
plug a light  
Packing: 6/Master, 1/Card



**77-607**

Two light  
socket light  
Packing: 6/Master, 1/Card



# Electrical Accessories




**90-1420** Black

**90-1814** White

PVC Insulating Tape

3/4" X 60 ft.

Packing:  
200 Pcs./Master



**90-2612**

Yellow

Trouble Light Plastic Cage  
Suitable for Outdoor Locations

Height: 6 1/2"

Packing: 12/Master



**90-1822**

11" Nylon Wire Ties

Packing:  
100 Pcs./Bag



**90-934**

Spray On  
Crystal Cleaner  
32 Oz.

Packing: 12/Master

# Carded Lighting Hardware



# Carded Canopy Kits



Kits contain  
hardware  
as shown.

## Ribbed Canopy Kit

- S70-192** Brass Finish
- S70-193** Ant. Brass Finish
- S70-196** Chrome Finish
- S70-197** White Finish
- S70-198** Black Finish

Shown: Brass Finish

Dimensions:  
Diameter 5"  
Center Hole 1 1/16"

Packing: 48/Master, 4/Inner



25 lbs.  
MAX



## Ribbed Canopy Kit

- S70-052** Brass Finish
- S70-053** Ant. Brass Finish
- S70-054** Ant. Copper Finish
- S70-055** Black Finish
- S70-056** White Finish
- S70-058** Chrome Finish

Shown: Antique Brass Finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 8/32

Packing: 48/Master, 4/Inner



10 lbs.  
MAX



## Standard Canopy Kit

- S70-062** Brass Finish
- S70-063** Ant. Brass Finish
- S70-065** Black Finish
- S70-066** White Finish
- S70-068** Chrome Finish

Shown: Black Finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 8/32

Packing: 48/Master, 4/Inner




10 lbs.  
MAX





Kits contain  
hardware  
as shown.



**10 lbs.  
MAX**



## Contemporary Canopy Kit

- S70-034** Brass Finish
- S70-035** Ant. Brass Finish
- S70-036** Black Finish
- S70-037** White Finish
- S70-038** Chrome Finish

Shown: Chrome Finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 8/32

Packing: 48/Master, 4/Inner

**25 lbs.  
MAX**



## Deep Canopy Kit


- S70-057** Brass Finish

Shown: Brass Finish

Dimensions:  
Diameter 5"  
Center Hole 1 1/16"  
Depth 1 3/4"

Packing: 48/Master, 4/Inner

**5 lbs.  
MAX**



## Canopy Kit with convenience outlet

- S70-040** Black Finish
- S70-041** Brass Finish

Shown: Brass Finish

Dimensions:  
Diameter 5"  
Center Hole 7/16"  
Bar Holes 2 - 8/32

Packing: 48/Master, 4/Inner





# Carded Canopy Kits



Kits contain  
hardware  
as shown.

carded lighting hardware

## Blank Up Kit

**S70-045** White Finish

Dimensions:

Diameter 5"

Center Hole  $\frac{7}{16}$ "

Packing: 48/Master, 4/Inner



## Flat Blank Up Kit

**S70-0580** White Finish

**S70-044** Black Finish

Shown: White Finish

Dimensions:

Diameter 5"

Slip Holes 2 -  $\frac{8}{32}$

Center to Center  $3\frac{1}{2}$ "

Packing: 48/Master, 4/Inner





Polished  
Brass Finish

Antique  
Brass Finish

Nickel  
Finish

White  
Finish

Black  
Finish

## 11 Gauge Chain

- S70-670** White Finish
- S70-070** Pol. Brass Finish
- S70-071** Ant. Brass Finish
- S70-072** Black Finish
- S70-077** Nickel Finish

Dimensions:

Link Length 1 1/2"

Link Width 7/8"

Link Thickness 3/32"

One yard length / 11 gauge

Packing: 72/Master, 6/Inner



Polished  
Brass Finish

Antique  
Brass Finish



Polished  
Brass Finish

Antique  
Brass Finish

White  
Finish

## Spanish Chain

- S70-078** Brass Finish
- S70-086** Ant. Brass Finish

One yard length

Packing: 72/Master, 6/Inner

## 8 Gauge Chain

- S70-569** Pol. Brass Finish
- S70-570** Ant. Brass Finish
- S70-571** White Finish

Dimensions:

Link Length 1 1/2"

Link Width 7/8"

Link Thickness 1/8"

One yard length / 11 gauge

Packing: 72/Master, 6/Inner



## Chain Opening Pliers

**S70-099**

Packing: 72/Master, 6/Inner



# Carded Swag Kits



15 lbs.  
MAX



Polished  
Brass Finish

Antique  
Brass Finish


Nickel  
Finish

White  
Finish

Black  
Finish

Spanish Brass  
Finish

## Packaged Swag Lite Kits



Kits contain  
hardware  
as shown.



12 Ft.

15 Ft.

|                |                |                                    |
|----------------|----------------|------------------------------------|
| <b>S70-480</b> | <b>S70-470</b> | Pol.Brass Finish                   |
| <b>S70-481</b> | <b>S70-471</b> | Ant.Brass Finish                   |
| <b>S70-482</b> | <b>S70-472</b> | Black Finish                       |
| <b>S70-484</b> | <b>S70-474</b> | Spanish Type<br>(Pol.Brass Finish) |
| <b>S70-489</b> | <b>S70-479</b> | Nickel Finish                      |
| <b>S70-531</b> | <b>S70-530</b> | White Finish                       |

*Each kit packaged in sturdy polybag with protective metal grommet at top.*

### 12' Kits Contain:

12' chain, 15' cord set with plug,  
2 swag hooks with hardware and  
1 feed thru cord switch.

### 15' Kits Contain:

15' chain, 20' cord set with plug,  
2 swag hooks with hardware and  
1 feed thru cord switch.

Packing: 24/Master, 2/Inner

# Carded Swag Hook Kits



## Double Swag Hook Kits

- S70-450** Brass Finish
- S70-451** Ant. Brass Finish
- S70-452** Black Finish
- S70-453** Ant. Copper Finish
- S70-456** Chrome Finish
- S70-770** White Finish

*Shown: Brass Finish*

Packing: 72/Master, 6/Inner  
2 Hooks per card

Kits contain  
hardware  
as shown.



## Large Single Hook Kits

- S70-440** Brass Finish
- S70-441** Ant. Brass Finish
- S70-442** Black Finish

*Shown: Ant. Brass Finish*

## Swivel Hook Set

- S70-815** Brass Finish
- S70-816** Ant. Brass Finish
- S70-817** Black Finish

*Shown: Black Finish*

Packing: 72/Master, 6/Inner  
1 Hook per card



## Drop Ceiling Hook Kit (Metal)

- S70-846** White Finish

Packing: 72/Master, 6/Inner  
2 Hooks per card



# Carded Glass Holders



carded lighting hardware

## 3 1/4" Ball Holder

**S70-578** Brass Finish  
**S70-678** Ant. Brass Finish

Shown: Antique Brass Finish

Packing: 48/Master, 4/Inner



## 4" Ball Holder

**S70-439** Brass Finish  
**S70-679** Ant. Brass Finish

Shown: Polished Brass Finish

Packing: 48/Master, 4/Inner



## 3 1/4" Wired Holder

**S70-230** Brass Finish  
**S70-330** Ant. Brass Finish  
**S70-430** White Finish  
**S70-840** Chrome Finish

Shown: Chrome Finish

Packing: 48/Master, 4/Inner







4" Wired Holder

**S70-231** Pol. Brass Finish  
**S70-331** Ant. Brass Finish  
**S70-431** White Finish  
**S70-841** Chrome Finish

Shown: Polished Brass Finish

Packing: 48/Master, 4/Inner



Twin Cluster

**S70-234** White Finish

Packing: 48/Master, 4/Inner



Twin Cluster

with Pull Chain Switch

**S70-235** White Finish

Packing: 48/Master, 4/Inner



# Carded Lighting Hardware



## 4" Wired Fan Light Holder

**S70-587** Ant. Brass Finish

**S70-588** White Finish

**S70-589** Pol. Brass Finish

Shown: Antique Brass Finish

Packing: 48/Master, 4/Inner



## **S70-590**

Medium base keyless,  
porcelain lampholder

Packing: 48/Master, 4/Inner



## **S70-591**

Medium base pull chain,  
porcelain lampholder

Packing: 48/Master, 4/Inner





4" Candelabra

**S70-372** White with Gold Drip

**S70-374** Black with Gold Drip

4" Edison

**S70-373** White with Gold Drip

**S70-375** Black with Gold Drip

Packing: 72/Master, 6/Inner, 2/Card



4" Candelabra Base

**S70-370** White

Packing: 72/Master, 6/Inner, 2/Card



4" Edison Base

**S70-371** White

Packing: 72/Master, 6/Inner, 2/Card



# Carded Crystal Prisms



carded lighting hardware



1 1/2" Pendants  
**S70-300** Clear

Packing:  
72/Master, 6/Inner  
5 pieces/card



1 1/2" Pendants  
**S70-305** Aurora Borealis

Packing:  
72/Master, 6/Inner  
5 pieces/card



2" Pendants  
**S70-306** Clear

Packing:  
72/Master, 6/Inner  
5 pieces/card



3" U-Drop  
**S70-312** Clear

Packing:  
72/Master, 6/Inner  
5 pieces/card



3" U-Drops  
**S70-317** Aurora Borealis

Packing:  
72/Master, 6/Inner  
5 pieces/card



1 1/2" Brass Crystal Pins  
**S70-585**

Packing:  
72/Master, 6/Inner  
100 pieces/card



1 1/2" Silver Crystal Pins  
**S70-584**

Packing:  
72/Master, 6/Inner  
100 pieces/card



**S70-410**

Push thru socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-411**

On/Off pull chain socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-413**

On/Off turn knob socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-412**

3 way turn knob socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-420**

Keyless socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-421**

3 terminal / 2 circuit turn knob socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**S70-4310**

3 way pull chain socket,  
medium base, brite gilt, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card



**SOLID  
BRASS**

**S70-662**

3 way turn knob socket,  
medium base, 1/8 IP  
Packing: 72/Master, 6/Inner, 1/card





Carded

**SATCO®**

# Phenolic Cluster Sockets



## S70-414

Medium base,  
twin cluster socket,  
1/8 IP female top  
and bottom  
w/8" leads

Packing: 72/Master, 6/Inner



## S70-415

Medium base,  
twin cluster on/off  
pull chain socket,  
1/8 IP male top  
and bottom  
w/7" leads

Packing: 72/Master, 6/Inner



## S70-416

Medium base,  
twin cluster on/off  
turn knob socket,  
1/8 IP male top  
and bottom  
w/6" leads

Packing: 72/Master, 6/Inner



## S70-422

Medium base,  
3 light cluster socket  
no switch, 1/8 IP  
male top and bottom  
w/8" leads

Packing: 48/Master, 4/Inner



## S70-425

Medium base,  
4 light cluster socket,  
no switch  
1/8 IP male top  
and bottom  
w/7" leads

Packing: 48/Master, 4/Inner





**S70-407**  
Keyless socket, medium base,  
1/8 IP hickey  
Packing: 72/Master, 6/Inner



**S70-556**  
Keyless snap in socket,  
medium base, 6" leads  
Packing: 72/Master, 6/Inner



**S70-557**  
Keyless snap in socket,  
medium base for  
3 1/4" and 4" holders, 8" leads  
Packing: 72/Master, 6/Inner



**S70-559**  
Keyless snap in socket,  
medium base,  
for 6" pans, 8" leads  
Packing: 72/Master, 6/Inner



**S70-558**  
Keyless snap in socket,  
medium base for  
8" and 10" pans, 8" leads  
Packing: 72/Master, 6/Inner



**S70-4300**  
Bottom turn knob socket,  
medium base, 1/8 IP  
Packing: 72/Master, 6/Inner



**S70-433**  
On/off pull chain socket,  
medium base - less set screw  
Packing: 72/Master, 6/Inner



**S70-432**  
3 way pull chain socket,  
medium base - less set screw  
Packing: 72/Master, 6/Inner

Carded



# Fixture & Halogen Sockets

carded lighting hardware



**S70-402**

3 1/4" to 4 1/4" adjustable  
candelabra base socket 1/8 IP  
2 per card

Packing: 72/Master, 6/Inner



**S70-403**

2" candelabra base  
socket 1/8 IP  
2 per card


Packing: 72/Master, 6/Inner



**S70-404**

4" to 5 1/2" adjustable  
medium base socket 1/8 IP  
2 per card

Packing: 72/Master, 6/Inner



**S70-405**

2" medium base  
medium base socket 1/8 IP  
2 per card


Packing: 72/Master, 6/Inner



**S70-568**

Mini can socket, E11 base  
with 6" leads & porcelain  
wire connector


Packing: 72/Master, 6/Inner



**S70-565**

118mm double ended  
halogen socket, with 6" leads  
& porcelain wire connector

Packing: 72/Master, 6/Inner



**S70-566**

78mm double ended  
halogen socket, with 6" leads  
& porcelain wire connector

Packing: 72/Master, 6/Inner



**S70-567**

MR16 bi-pin socket,  
GX5.3 base with 6" leads &  
porcelain wire connector

Packing: 72/Master, 6/Inner



**S70-560**

Keyless medium base,  
porcelain socket,  
1/8 IP hickey

Packing: 72/Master, 6/Inner



**S70-409**

Keyless medium base,  
porcelain socket,  
1/8 IP metal cap

Packing: 72/Master, 6/Inner



**S70-408**

Keyless medium base,  
porcelain socket, adaptor kit,  
1/8 IP metal cap

Packing: 72/Master, 6/Inner



**S70-501**

Brass finish  
rotary switch,  
1/8 IP threaded

Packing: 72/Master, 6/Inner



**S70-574**

Brass finish  
push switch,  
1/8 IP threaded

Packing: 72/Master, 6/Inner



**S70-504**

3 Way - Brass Plated  
rotary switch,  
1/8 IP threaded

Packing: 72/Master, 6/Inner



**S70-575**

White button  
rotary switch,  
1/8 IP threaded

Packing: 72/Master, 6/Inner



**S70-502**


Black button  
rotary switch,  
1/8 IP threaded

Packing: 72/Master, 6/Inner



**S70-505**

Nickel pull chain  
canopy switch,  
1/8 IP threaded  
Packing: 72/Master, 6/Inner



**S70-689**

Pull chain fan switch,  
2 circuit low, med., high  
& off 1/8 IP threaded  
Packing: 72/Master, 6/Inner



# Carded Switches & Plugs



carded lighting hardware




**S70-572** White  
**S70-573** Brown  
On/off cord switch for  
18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner



**S70-500** White  
**S70-506** Brown  
**S70-814** Black  
On/off cord switch for  
18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-793**  
2 brown, quick connect  
female polarized slide plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-794**  
2 ivory, quick connect  
female polarized slide plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner




**S70-551**  
2 brown, quick connect  
plugs – non polarized  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-552**  
2 white, quick connect  
plugs – non polarized  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner




**S70-553**  
2 ivory, quick connect  
polarized slide plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-554**  
2 brown, quick connect  
polarized slide plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-555**  
2 black, quick connect  
polarized slide plugs  
for 18/2 SPT 1 wire  
Packing: 72/Master, 6/Inner



**S70-550**  
2 brown, quick connect  
non polarized plugs  
for 18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner



**S70-549**  
2 white, quick connect  
non polarized plugs  
for 18/2 SPT 2 wire  
Packing: 72/Master, 6/Inner



**S70-577**  
(2) 3 to 2 polarized  
plug adapters  
Packing: 72/Master, 6/Inner





### S70-563

Medium to medium - 1"  
phenolic socket extender  
E26 - E26

Packing: 72/Master, 6/Inner, 1/Card



### S70-564

Medium to medium - 1"  
porcelain socket extender  
E26 - E26

Packing: 72/Master, 6/Inner, 1/Card



### S70-210

Medium to GU24 reducer  
with locking device, overall ext.  $\frac{3}{4}$ "  
E26 - GU24

Packing: 72/Master, 6/Inner, 2/Card



### S70-400

Medium to  
candelabra reducer  
E26 - E12

Packing: 72/Master, 6/Inner, 2/Card



### S70-213

Medium to  
intermediate reducer  
E26 - E17

Packing: 72/Master, 6/Inner, 2/Card



### S70-216

Medium to  
french reducer  
E26 - E14

Packing: 72/Master, 6/Inner, 2/Card



### S70-217

French to candelabra  
reducer  
E14 - E12

Packing: 72/Master, 6/Inner, 2/Card



### S70-215

Intermediate to  
candelabra reducer  
E17 - E12

Packing: 72/Master, 6/Inner, 2/Card



### S70-218

French to intermediate  
extender  
E14 - E17

Packing: 72/Master, 6/Inner, 2/Card



### S70-214

Candelabra to  
medium extender  
E12 - E26

Packing: 72/Master, 6/Inner, 2/Card



### S70-212

Mogul to medium reducer  
E39 - E26

Packing: 72/Master, 6/Inner, 1/Card

# Carded Accessories



carded lighting hardware



## S70-167

Nickel finish ball chain kit includes: 36" #6 beaded chain, connector and bell

Packing: 144/Master, 12/Inner



## S70-168

Brass finish ball chain kit includes: 36" #6 beaded chain, connector and bell

Packing: Packing: 144/Master, 12/Inner



## S70-160

2 brass finish, socket keys w/ 3/4" extensions, 2 per card

Packing: Packing: 144/Master, 12/Inner



## S70-161

Socket replacement knobs w/ 3/4" extensions, 2 per card

Packing: Packing: 144/Master, 12/Inner



## S70-581

Pull string with connector and bell

Packing: Packing: 144/Master, 12/Inner



## S70-533

Fan pull chain includes: 5" of chain, connector and 1 1/4" wood pull

Packing: 72/Master, 6/Inner



Tassels with Chain & Connector

## S70-503

5" white/4" chain

## S70-521

5" gold/4" chain

## S70-522

2 3/4" black/2 3/4" chain

Packing: 72/Master, 6/Inner



## S70-586

12 assorted wire nuts  
4 ea./small, medium and large

Packing: 72/Master, 6/Inner



**S70-542**

Medium base polarized  
brown female screw plug  
Packing: 72/Master, 6/Inner



**S70-543**

Medium base polarized  
ivory female screw plug  
Packing: 72/Master, 6/Inner



**S70-540**

Medium base phenolic  
pull chain current tap socket  
Packing: 72/Master, 6/Inner



**S70-541**

Medium base phenolic  
single to twin lampholder  
Packing: 72/Master, 6/Inner



**S70-544**

Medium base polarized  
ivory socket adapter  
Packing: 72/Master, 6/Inner



**S70-545**

Medium base polarized  
brown socket adapter  
Packing: 72/Master, 6/Inner




**S70-538**

Ivory polarized vinyl  
cube tap  
Packing: 72/Master, 6/Inner



**S70-548**

Brown polarized vinyl  
cube tap  
Packing: 72/Master, 6/Inner



**S70-546**

Ivory triple tap  
polarized adapter  
Packing: 72/Master, 6/Inner



**S70-547**

Brown triple tap  
polarized adapter  
Packing: 72/Master, 6/Inner



# Carded

## 18/2 SPT-1 Polarized Cord Sets



carded lighting hardware



**S70-105**

8' clear gold cord set with  
molded plug

Packing: 72/Master, 6/Inner



**S70-101**

8' brown cord set with  
molded plug

Packing: 72/Master, 6/Inner



**S70-102**

8' black cord set with  
molded plug

Packing: 72/Master, 6/Inner



**S70-100**

8' white gold cord set with  
molded plug

Packing: 72/Master, 6/Inner



**S70-106**

8' white cord set with line switch  
and molded plug

Packing: 72/Master, 6/Inner



**S70-107**

8' brown cord set with  
line switch molded plug

Packing: 72/Master, 6/Inner



**S70-103**

15' clear gold cord set  
with molded plug

Packing: 72/Master, 6/Inner



**S70-269**

Create a lamp kit,  
kit includes: 10" harp, 8' brown cord set  
w/molded plug, push thru socket,  
finial and fittings  
Packing: 48/Master, 4/Inner



**S70-268**

Create a lamp kit,  
kit includes: 10" harp, 8' white cord set  
w/molded plug, push thru socket,  
finial and fittings  
Packing: 48/Master, 4/Inner





# Carded Lamp Kits



carded lighting hardware



**S70-266**

Create a lamp kit,  
kit includes: 10" harp, 8' white cord w/molded  
plug, push thru socket, finial, 3 asst. corks  
(will fit most bottles) and fittings  
Packing: 48/Master, 4/Inner



**S70-025**

Create a lamp kit,  
Bottle/candlestick adapter kit,  
kit includes: 8' white cord w/molded plug,  
push thru socket, 3 asst. corks  
(will fit most bottles), and fittings  
Packing: 48/Master, 4/Inner



**S70-579**

500 Watt white floor dimmer  
with slide control - 7' cord  
Packing: 48/Master, 4/Inner



**S70-576**

500 Watt pole or post lamp dimmer  
with 2 ft. X 7" leads  
Packing: 48/Master, 4/Inner



# Carded Crossbar Kit



carded lighting hardware



## S70-350

Brass finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



## S70-352

Antique brass finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



## S70-351

Chrome finish screw collar loop & ring kit, 1/4 IP  
Packing: 72/Master, 6/Inner



## S70-111

Universal all purpose cross bar  
Packing: 144/Master, 12/Inner



## S70-110

4" 1/4 IP cross bar with 1/4 x 3/8 hickey and 1/4 x 1/8 reducer  
2-8/32 screws  
Packing: 144/Master, 12/Inner



## S70-113

4" cross bar 1/8 IP  
2-8/32 screws  
Packing: 144/Master, 12/Inner



## S70-109

4" cross bar 1/4 IP  
2-8/32 screws  
Packing: 144/Master, 12/Inner



## S70-112

4" offset cross bar with 2 3/4" and 3 3/8" tapped on center screw holes  
2-8/32 screws  
Packing: 144/Master, 12/Inner



## S70-114

2 steel hickey, one 1/8 IP x 1/4 IP  
one 1/8 IP x 1/8 IP  
Packing: 144/Master, 12/Inner



## S70-175

2 steel hickey, 1/4 IP x 3/8 IP  
Packing: 144/Master, 12/Inner




## S70-165

2 steel ceiling outlet extensions, 1" ht., 3/8 IP male x 3/8 IP female  
Packing: 144/Master, 12/Inner



## S70-593

4" offset cross bar with 2 3/4" and 3 7/8" tapped on center screw holes  
2-8/32 screws  
Packing: 144/Master, 12/Inner



## S70-255

2 brass finish female loops,  
1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-256

2 antique brass finish  
female loops, 1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-257

2 black finish female loops,  
1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-259

2 brass finish male loops,  
1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-260

2 antique brass finish  
male loops, 1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-261

2 black finish male loops,  
1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-250

Brass finish loops,  
2 male, 2 female, 1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-251

Antique brass finish loops,  
2 male, 2 female, 1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



## S70-252

Black finish loops,  
2 male, 2 female, 1/8 IP 1" O.D.

Packing: 144/Master, 12/Inner



# Carded Loops & Finials



## S70-130

2 solid brass finials, 2" h.,  
1/4-27

Packing: 144/Master, 12/Inner



## S70-133

Brass finish acorn knob, 1 1/2" h.,  
1/8 IP supplied with  
one 1/4-27 reducer

Packing: 72/Master, 6/Inner



## S70-132

Solid brass ball knob, 1 1/2" h.,  
1/8 IP, supplied with  
one 1/4-27 reducer

Packing: 72/Master, 6/Inner



## S70-131

2 vacuum brass finish plastic  
pyramid knobs, 1 1/4" h. 1/8 IP  
supplied with two 1/4-27 reducers

Packing: 144/Master, 12/Inner



## S70-135

Brass finish finial 2 1/4" h., 1/8 IP  
supplied with  
one 1/4-27 reducer

Packing: 144/Master, 12/Inner



## S70-134

Brass finish eagle finial  
2 1/4" h. 1/8 IP supplied with  
one 1/4-27 reducer

Packing: 72/Master, 6/Inner



## S70-263

Brass finish fixture pull down,  
female loop, 1/8 IP 2" O.D.

Packing: 144/Master, 12/Inner



## S70-249

Brass finish female loop,  
1/8 IP 1 1/2" O.D.

Packing: 144/Master, 12/Inner



## S70-254

Antique finish female loop,  
1/8 IP 1 1/2" O.D..

Packing: 144/Master, 12/Inner



## S70-253

Vacuum brass finish decorative  
female loop, 1/8 IP 2" O.D.

Packing: 144/Master, 12/Inner







## S70-136

2 brass finish finials,  
1" h. 1/4-27

Packing: 144/Master, 12/Inner



## S70-137

2 brass finish finials,  
1 1/2" h. 1/4-27

Packing: 144/Master, 12/Inner



## S70-142

2 brass finish risers,  
1" h. 1/4-27

Packing: 6/Master, 72/Inner



## S70-140

2 solid brass risers,  
1" h. 1/4-27


Packing: 144/Master, 12/Inner



## S70-141

2 brass finish risers,  
2" h. 1/4-27


Packing: 6/Master, 72/Inner



# Carded Locknuts & Washers



carded lighting hardware



**S70-621**

6 brass locknuts,  
1/8 IP

Packing: 144/Master, 12/Inner



**S70-172**

12 brass locknuts,  
1/8 IP

Packing: 144/Master, 12/Inner



**S70-623**

2 steel locknuts,  
1/4 IP


Packing: 144/Master, 12/Inner



**S70-622**

6 steel locknuts,  
1/8 IP


Packing: 144/Master, 12/Inner



**S70-171**

12 steel locknuts,  
1/4 IP

Packing: 144/Master, 12/Inner



**S70-152**

16 assorted steel locknuts

Packing: 144/Master, 12/Inner



**S70-620**

4 brass knurled locknuts,  
1/8 IP

Packing: 144/Master, 12/Inner



**S70-153**

12 assorted brass locknuts

Packing: 144/Master, 12/Inner



**S70-155**

12 assorted washers

Packing: 144/Master, 12/Inner



**S70-628**

4 assorted washers 1/8 IP slip,  
2 locknuts 1/8 IP

Packing: 144/Master, 12/Inner



## S70-660

4 brass balls,  
8/32 threaded

Packing: 144/Master, 12/Inner



## S70-174

2 brass knurled necks,  
1/8 IP

Packing: 144/Master, 12/Inner



## S70-163

2 brass knurled necks,  
slips 1/8 IP pipe

Packing: 144/Master, 12/Inner



## S70-162

2 brass couplings,  
1/8 IP

Packing: 144/Master, 12/Inner



## S70-627

2 brass couplings,  
1/4 IP x 1/8 IP

Packing: 144/Master, 12/Inner



## S70-632

3 brass finish knurled thumb  
screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



## S70-633

3 nickel finish knurled  
thumb screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



## S70-634

3 brass finish knurled  
thumb screws, 8/32 x 3/4"


Packing: 144/Master, 12/Inner



## S70-637

5 nickel finish round head  
fixture screws, 8/32 x 2"


Packing: 144/Master, 12/Inner



## S70-636

5 brass finish round head  
fixture screws, 8/32 x 2"

Packing: 144/Master, 12/Inner



## S70-156

13 assorted 8/32 screws

Packing: 144/Master, 12/Inner



## S70-157

12 assorted brass plated  
S shape hooks and rings

Packing: 144/Master, 12/Inner



# Carded Lamp Parts



carded lighting hardware



**S70-169**

2 brass lock up caps,  
1/8 IP


Packing: 144/Master, 12/Inner



**S70-640**

2 nickel finish lock up caps,  
1/8 IP

Packing: 144/Master, 12/Inner



**S70-159**

2 vacuum brass finish plastic  
lock up caps, 1/8 IP

Packing: 144/Master, 12/Inner



**S70-822**

2 white plastic lock up caps,  
1/8 IP


Packing: 144/Master, 12/Inner



**S70-582**

2 white plastic lock up caps,  
1/8 IP

Packing: 144/Master, 12/Inner



**S70-154**

12 assorted brass finish check rings,  
7/16 inch center hole


Packing: 144/Master, 12/Inner



**S70-639**

Nickel finish ceiling glass  
lock up kit

Packing: 144/Master, 12/Inner



**S70-638**

Brass finish ceiling glass  
lock up kit

Packing: 144/Master, 12/Inner





Brass Plated  
Light Duty Harp  
w/Saddle

**S70-219** 7"    **S70-223** 11"  
**S70-220** 8"    **S70-224** 12"  
**S70-221** 9"    **S70-225** 13"  
**S70-222** 10"

Packing: 72/Master, 6/Inner

Nickel Plated  
Light Duty Harp  
w/Saddle

**S70-717** 7"    **S70-721** 11"  
**S70-718** 8"    **S70-722** 12"  
**S70-719** 9"    **S70-723** 13"  
**S70-720** 10"

Packing: 72/Master, 6/Inner



**S70-272**

Pipe kit, two 12"  
running thread steel pipes  
with fittings and couplings. 1/8 IP

Packing: 72/Master, 6/Inner



**S70-273**

Figurine pipe kit,  
brass finish  
adjustable from 10" - 15"


Packing: 72/Master, 6/Inner



**S70-583**

1/4 - 27 bulb clip

Packing: 72/Master, 6/Inner



**S70-592**

70 - 1/2 felt dots

Packing: 72/Master, 6/Inner






Carded



# Running Thread Nipples

carded lighting hardware



**S70-177**

6 - 1/4 IP x 1 1/2" nipples

Packing: 144/Master, 12/Inner



**S70-151**

6 - assorted 1/4 IP nipples

Packing: 144/Master, 12/Inner



**S70-150**

8 - assorted 1/8 IP nipples

Packing: 144/Master, 12/Inner



**S70-600**

6 - 1/8 IP x 1/2" nipples

Packing: 144/Master, 12/Inner



**S70-176**

4 - 1/8 IP x 1" nipples

Packing: 144/Master, 12/Inner



**S70-601**

4 - 1/8 IP x 1 1/2" nipples

Packing: 144/Master, 12/Inner



**S70-603**

2 - 1/8 IP x 3" nipples

Packing: 144/Master, 12/Inner



**S70-602**

2 - 1/8 IP x 2" nipples

Packing: 144/Master, 12/Inner



**S70-605**

2 - 1/8 IP x 5" nipples

Packing: 144/Master, 12/Inner



**S70-270**

1/8 x 30" running thread

Packing: 6/Master

# Desk Lamps & Specialty Lighting





## Floor & Desk Lamps

**SATCO®**



desk lamps & specialty lighting

Goose Neck  
Desk Lamp

**60-800**

White

(1) 60W A19 max

Height: 16 1/2"

Packing: 4/Master



Goose Neck  
Floor Lamp

**60-802**

White

(1) 60W A19 max

Height: 64"

Packing: 2/Master



Twin Goose Neck  
Desk Lamp

**60-801**


White

(2) 60W A19 max

Height: 16 1/2"

Packing: 4/Master





Goose Neck  
Floor Lamp  
**60-805**  
Black  
(1) 60W A19 max  
Height: 64"  
Packing: 2/Master



Goose Neck  
Desk Lamp  
**60-803**  
Black  
(1) 60W A19 max  
Height: 16 1/2"  
Packing: 4/Master



Twin Goose Neck  
Desk Lamp  
**60-804**  
Black  
(2) 60W A19 max  
Height: 16 1/2"  
Packing: 4/Master



Twin Goose Neck  
Desk Lamp  
**60-806**  
Brushed Nickel  
(2) 60W A19 max  
Height: 16 1/2"  
Packing: 4/Master



Goose Neck  
Desk Lamp  
**60-808**  
Brushed Nickel  
(1) 60W A19 max  
Height: 16 1/2"  
Packing: 4/Master



Goose Neck  
Floor Lamp  
**60-807**  
Brushed Nickel  
(1) 60W A19 max  
Height: 64"  
Packing: 2/Master

# Floor & Desk Lamps



desk lamps & specialty lighting



Clip on Goose  
Neck Lamp

**60-816**

Old Bronze  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Small Goose Neck  
Desk Lamp

**60-817**

Old Bronze  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



Large Goose Neck  
Desk Lamp

**60-818**

Old Bronze  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



Goose Neck  
Floor Lamp

**60-819**

Old Bronze  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master





Goose Neck  
Floor Lamp  
**60-823**  
Metallic Red  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master




Clip on Goose  
Neck Lamp  
**60-820**  
Metallic Red  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Large Goose Neck  
Desk Lamp  
**60-822**  
Metallic Red  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



Small Goose Neck  
Desk Lamp  
**60-821**  
Metallic Red  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



## Floor & Desk Lamps



desk lamps & specialty lighting



Clip on Goose  
Neck Lamp

**60-824**

Metallic Blue  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Small Goose Neck  
Desk Lamp

**60-825**

Metallic Blue  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



Large Goose Neck  
Desk Lamp

**60-826**

Metallic Blue  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



Goose Neck  
Floor Lamp

**60-827**

Metallic Blue  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



Goose Neck  
Floor Lamp

**60-831**

Brushed Nickel  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



Clip on Goose  
Neck Lamp

**60-828**

Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Large Goose Neck  
Desk Lamp

**60-830**

Brushed Nickel  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



Small Goose Neck  
Desk Lamp

**60-829**

Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master



# Floor & Desk Lamps



desk lamps & specialty lighting



Clip on Goose  
Neck Lamp

**60-832**

White

(1) 40W S11N Included

Height: 13"

Packing: 12/Master



Small Goose Neck  
Desk Lamp

**60-833**

White

(1) 40W S11N Included

Height: 13"

Packing: 8/Master



Large Goose Neck  
Desk Lamp

**60-834**

White

(1) 60W A19 max.

Height: 16 1/2"

Packing: 4/Master



Goose Neck  
Floor Lamp


**60-835**

White

(1) 60W A19 max.

Height: 64"

Packing: 2/Master



Goose Neck  
Floor Lamp

**60-839**

Black  
(1) 60W A19 max.  
Height: 64"  
Packing: 2/Master



Clip on Goose  
Neck Lamp

**60-836**

Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Large Goose Neck  
Desk Lamp

**60-838**

Black  
(1) 60W A19 max.  
Height: 16 1/2"  
Packing: 4/Master



Small Goose Neck  
Desk Lamp

**60-837**

Black  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master





## Floor & Desk Lamps



Clip on Goose  
Neck Lamp

**60-840**

White

(1) 40W S11N Included

Height: 13"

Packing: 12/Master



Mini Head  
Drafting Lamp

**60-842**

White

(1) 40W S11N Included

Height: 21"

Packing: 2/Master



Small Goose Neck  
Desk Lamp

**60-841**

White

(1) 40W S11N Included

Height: 13"

Packing: 8/Master

desk lamps & specialty lighting



Mini Head  
Drafting Lamp


**60-845**

Black

(1) 40W S11N Included

Height: 21"

Packing: 2/Master



Clip on Goose  
Neck Lamp

**60-843**

Black

(1) 40W S11N Included

Height: 13"

Packing: 12/Master



Small Goose Neck  
Desk Lamp

**60-844**

Black(1) 40W S11N Included

Height: 13"

Packing: 8/Master



# Floor & Desk Lamps



Halogen Clip On  
Goose Neck Lamp

**60-851**

Brushed Nickel  
(1) 35W GU10 Included  
Height: 13"  
Packing: 12/Master



Halogen Clip On  
Goose Neck Lamp

**60-853**

Brushed Nickel  
(1) 35W GU10 Included  
Height: 13"  
Packing: 8/Master



Halogen  
Pin-Up Lamp

**60-852**

Brushed Nickel  
(1) 35W GU10 Included  
Height: 7½"  
Packing: 12/Master



Halogen  
Clip On Lamp

**60-850**

Brushed Nickel  
(1) 35W GU10 Included  
Height: 7½"  
Packing: 12/Master  
Clam shell blister



Halogen  
Goose Neck  
Floor Lamp

**60-854**

Brushed Nickel  
(1) 35W GU10 Included  
Height: 64"  
Packing: 2/Master

desk lamps & specialty lighting



Goose Neck  
Floor Lamp  
**60-864**  
Brushed Nickel  
(1) 40W S11N Included  
Height: 64"  
Packing: 2/Master



Small  
Drafting Lamp  
**60-863**  
Brushed Nickel  
(1) 40W S11N Included  
Height: 21"  
Packing: 12/Master



Small  
Goose Neck Lamp  
**60-862**  
Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 12/Master



Clip On Lamp  
**60-860**  
Brushed Nickel  
(1) 40W S11N Included  
Height: 7"  
Packing: 12/Master  
Clam shell blister



Clip On  
Goose Neck Lamp  
**60-861**  
Brushed Nickel  
(1) 40W S11N Included  
Height: 13"  
Packing: 8/Master





## Floor & Desk Lamps



desk lamps & specialty lighting



Halogen Tri Head  
Goose Neck  
Desk Lamp

**60-872**

Brushed Nickel  
(3) 35W GU10 Included

Height: 13"  
Packing: 2/Master



Halogen  
Goose Neck  
Desk Lamp

**60-871**

Brushed Nickel  
(1) 35W GU10 Included

Height: 13"  
Packing: 4/Master



Halogen  
Goose Neck  
Floor Lamp

**60-873**

Brushed Nickel  
(1) 35W GU10 Included

Height: 64"  
Packing: 2/Master





Swing Arm  
Drafting Light

**76-358**

Steel/Black  
(1) 60W A19 max.

Extensions: Maximum Ext. 34"

Packing: 6/Master

*optional mounting  
clamp included*



Desk Lamp

**76-355**

Steel/Black  
(1) 60W A19 max.

Dimensions: Height 20"

Packing: 6/Master



Clip On Light

**76-357**

Steel/Black  
with Coiled Cord  
(1) 60W A19 max.

Dimensions: Height 9"

Packing: 6/Master



Organizer  
Desk Lamp

**76-356**

Steel/Black  
(1) 60W A19 max.

Dimensions: Height 20"

Packing: 6/Master

Stationery items  
NOT INCLUDED!



# Floor & Desk Lamps

**SATCO®**



desk lamps & specialty lighting




Clamp On  
Magnifier  
Swing Arm Lamp  
**77-437** Beige  
(1) 60W A19 max.  
Dimensions: Maximum Ext. 35"  
Packing: 6/Master




Clamp On  
Swing Arm  
Drafting Light  
**76-359** Black  
**76-360** White  
(1) 60W A19 max.  
Dimensions: Maximum Ext. 35"  
Packing: 6/Master



Flexible Goose Neck  
Clip-On Lamp  
with Coiled Cord  
**76-226** Black  
**76-227** White  
(1) 60W A19 max.  
Dimensions: Height 9"  
Packing: 12/Master




Goose Neck  
Desk Lamp  
**77-537** Black  
**77-538** White  
(1) 60W A19 max.  
Dimensions: Height 20"  
Packing: 6/Master



**77-293**  
Almond



**77-396**  
Brass



**77-394**  
Black



**77-395**  
White



**77-397**  
Chrome




*Perfect for use as a ...* Reading light  
Plant or tree light  
Work light  
Display light

## Features:

- 75 watt max.
- Contemporary styling
- Multi directional aiming with positive position locking method
- Can be used as a wall mount or free standing on a table or floor
- Rotary on-off switch on back of shade
- Porcelain socket

Packing: 12/Master



# Accent Lite®



The original "Satco Accent Lite" is the thinnest adjustable shelf light that puts light right where you need it. Accent Lite's unique 360° swivel mount allows the light to be directed anywhere you want. Accent Lite will light the objects

you want to light, not just the shelf. Accent Lite installs in minutes without tools and comes complete with 6-foot line cord and removable plug. Accent Lite is fully dimmable.

## Accent Lite is Ideal for:


Wall Units • Stereo Cabinets • Platform Beds • China Cabinets  
Book Shelves • Anywhere You Need an Accent Lite

Accent Lite available in 10", 20", 30" and 40" sizes  
in polished brass, chrome, black or white finishes.



Only 5/8" deep makes Accent Lite the thinnest shelf light.





**Unique 360° Swivel Mount Directs Light  
Where Needed**



Polished Brass Finish

- S71-000** 10"
- S71-004** 20"
- S71-008** 30"
- S71-012** 40"



Polished Chrome Finish

- S71-001** 10"
- S71-005** 20"
- S71-009** 30"
- S71-013** 40"



Black Finish

- S71-002** 10"
- S71-006** 20"
- S71-010** 30"
- S71-014** 40"



White Finish

- S71-003** 10"
- S71-007** 20"
- S71-011** 30"
- S71-015** 40"

Packing: 10" & 20" Sizes 12/Master  
30" & 40" Sizes 6/Master





# Standard Picture Lights

**SATCO®**



SATCO standard Picture Lights offer exceptional value, style and quality.



## 7" Standard Picture Light

**S72-201** Polished Brass


(1) 25 Watt frosted T10 bulb  
S3251 included  
Adjustable bracket,  
turn switch on shade  
Packing: 12/Master



## 14" Standard Picture Light

**S72-202** Polished Brass

(2) 25 Watt frosted T10 bulb  
S3251 included  
Adjustable bracket,  
line cord switch  
Packing: 12/Master



Adjustable slide bracket controls  
distance of shade from painting.





SATCO Deluxe Picture Lights feature telescoping brackets and adjustable swivel shades.



## 7" Deluxe Picture Light

**S72-203** Polished Brass  
(1) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 14" Deluxe Picture Light

**S72-204** Polished Brass  
(2) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 7" Deluxe Picture Light

**S72-206** Antique Brass  
(1) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 14" Deluxe Picture Light

**S72-208** Antique Brass  
(2) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 7" Deluxe Picture Light

**S72-207** Polished Chrome  
(1) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 14" Deluxe Picture Light

**S72-209** Polished Chrome  
(2) 25 Watt frosted T10 bulb  
S3251 included  
Telescopic bracket and adjustable swivel shade,  
line cord switch  
Packing: 12/Master




# Slimline Deluxe Picture Lights

**SATCO®**



All Slimline Picture Lights featured include the following: Ultra compact shade design. Adjustable swivel shade and telescopic bracket to adjust in or out from painting. On/off switch on line cord. Highly reflective interior finish for maximum light output.

desk lamps & specialty lighting



## 7" Slimline Deluxe Picture Light

**S72-210** Polished Brass  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-213** Polished Brass  
(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 7" Slimline Deluxe Picture Light

**S72-211** Antique Brass  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-214** Antique Brass  
(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 7" Slimline Deluxe Picture Light

**S72-212** White  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



## 14" Slimline Deluxe Picture Light

**S72-215** White  
(2) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



**7" Slimline  
Cabinet Light**

**S72-230** Polished Brass  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



**7" Slimline  
Cabinet Light**

**S72-231** Antique Brass  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



**7" Slimline  
Cabinet Light**

**S72-232** White  
(1) 15 Watt frosted T6 bulb  
S3315 included  
Telescopic bracket and  
adjustable swivel shade,  
line cord switch  
Packing: 12/Master



**7" Cabinet Light**

**S72-205** Polished Brass  
(1) 25 Watt frosted T10 bulb  
S3251 included  
Turn switch on shade  
Packing: 12/Master





## Picture & Cabinet Light Replacement Bulbs



### T10 Tubular

Medium Base  
for Use with Standard,  
Deluxe Picture and  
Cabinet Lights

**S3701**

25 Watt Frosted

Packing: 1 Bulb/Card,  
120 Cards/Master, 10 Cards/Inner



### T6 Tubular

Candelabra Base  
for Use with Slimline  
Deluxe Picture  
and Cabinet Lights

**S3715**


25 Watt Frosted

Packing: 2 Bulb/Card,  
72 Cards/Master, 6 Cards/Inner



# Glassware





Glass

Globes White • Clear • Prismatic



*A Satco  
Best Seller!*

**50-143**

Sprayed Glossy  
White Ball

Dia.: 6" Fitter: 3 1/4"



**50-927**

Clear  
Prismatic Ball

Dia.: 6" Fitter: 3 1/4"



**50-186**

White Ball

Dia.: 5" Fitter: 3 1/4"



**50-928**

Clear  
Prismatic Ball

Dia.: 8" Fitter: 4"



**50-144**

Sprayed Glossy  
White Ball

Dia.: 8" Fitter: 4"



*A Satco  
Best Seller!*

glassware



**50-351**  
Blown Glossy  
Opal Ball  
Dia.: 6" Fitter: 3 1/4"



**50-151**  
Blown Glossy  
Opal Ball  
Dia.: 8" Fitter: 4"



Blown Glossy  
Opal Ball  
**50-153** Dia.: 10" Fitter: 4"  
**50-155** Dia.: 12" Fitter: 4"



Blown Glossy  
Opal Ball  
**50-218** Dia.: 14" Fitter: 6"



Blown Glossy Opal  
Neckless Ball

- 50-312** Dia.: 6" Opening: 3"
- 50-152** Dia.: 8" Opening: 3 7/8"
- 50-154** Dia.: 10" Opening: 3 7/8"
- 50-156** Dia.: 12" Opening: 5 1/4"
- 50-157** Dia.: 14" Opening: 5 1/4"



# Schoolhouse Glass Globes



Blown Opal

glassware

**50-275** Blown Opal  
Dia.: 9" Fitter: 4"



**50-276** Blown Opal  
Dia.: 10" Fitter: 4"



Blown Opal  
Schoolhouse  
Globes

**50-468** Dia.: 12" Fitter: 6"

**50-469** Dia.: 14" Fitter: 6"

**50-470** Dia.: 16" Fitter: 6"

**50-471** Dia.: 18" Fitter: 6"



# SATCO® Drum & Mushroom Glass Globes

White • Etched • Clear



*A Satco  
Best Seller!*

Sprayed Inside White Mushroom Glass

**50-329** Dia.: 7 1/2" Fitter: 5 7/8" Ht.: 3 5/8"

**50-330** Dia.: 9 1/2" Fitter: 7 7/8" Ht.: 4"

**50-331** Dia.: 11 1/2" Fitter: 9 7/8" Ht.: 4 9/16"



Sprayed Inside White Drum Glass

**50-334** Dia.: 6 5/8" Fitter: 5 7/8" Ht.: 3 1/2"

**50-335** Dia.: 8 11/16" Fitter: 7 7/8" Ht.: 4"

**50-336** Dia.: 10 5/8" Fitter: 9 7/8" Ht.: 4 3/16"



Etched with Grape Design

**50-109** Dia.: 5 9/16" Fitter: 6" Ht.: 3 3/4"



*A Satco  
Best Seller!*

Outside White Drum Glass  
with Clear Sides and Bottom

**50-105** Dia.: 6 1/2" Fitter: 5 7/8" Ht.: 3 1/2"

**50-106** Dia.: 8 3/8" Fitter: 7 7/8" Ht.: 4"

**50-107** Dia.: 10 7/16" Fitter: 9 7/8" Ht.: 4 1/2"

glassware





# Screw Fitter/Cased Glass Globes



White • Ribbed • Clear

## 50-332

Inside Sprayed White  
Dia.: 3 1/4"  
Screw Fitter: 3 11/64"  
Height: 6 1/4"



## 50-216

Inside Sprayed White  
Dia.: 6"  
Screw Fitter: 3 11/64"



*A Satco Best Seller!*

## 50-547

Clear Ribbed Glass  
Dia.: 3 11/32"  
Screw Fitter: 3 11/64"  
Height: 6 15/16"



## 50-919

Clear Glass  
Dia.: 3 11/32"  
Screw Fitter: 3 11/64"  
Height: 6 15/16"



# Cased Class Green • Opal • Butterscotch



Green Cased Pharmacy Shade  
Width: 9" Slip Slide Holes: 7/16"

**50-666** Opal  
**50-667** Green  
**50-825** Butterscotch



Opal Cased Shade  
Dia.: 10" Fitter: 2 1/4" Height: 5"

**50-664** Opal  
**50-665** Green



Lexan®  
White Ball  
**50-727**  
Dia.: 6"  
Screw Fitter 3 11/64"



Poly Ball  
**50-231**  
Dia.: 6"  
Fitter: 3 1/4"



Poly Ball  
**50-233**  
Dia.: 6"  
Screw Fitter: 3 11/64"



Poly Globe  
with 4" Lip Fitter  
**50-171** Dia.: 8"  
**50-172** Dia.: 10"  
**50-173** Dia.: 12"



Poly Globe  
with 3 3/8" or 4"  
Neckless Opening  
**50-429** Dia.: 6"  
Opening: 3 3/8"  
**50-168** Dia.: 8"  
Opening: 4"  
**50-169** Dia.: 10"  
Opening: 4"



Poly Globe  
with 5 1/4"  
Neckless Opening  
**50-170** Dia.: 12"  
**50-230** Dia.: 14"  
**50-238** Dia.: 16"  
**50-239** Dia.: 18"



Lexan®  
Prismatic  
Cylinders  
Dia.: 3 3/4"  
Fitter: 3 1/4"  
**50-721** Ht.: 6 1/4"  
**50-723** Ht.: 7 1/4"  
**50-725** Ht.: 8 1/2"



Lexan®  
Prismatic  
Cylinders  
Dia.: 3 3/4"  
Screw Fitter 3 11/64"  
**50-722** Ht.: 6 1/4"  
**50-724** Ht.: 7 1/4"  
**50-726** Ht.: 8 1/2"



Lexan®  
White  
Cylinders  
Dia.: 3 3/4"  
Screw Fitter 3 11/64"  
**50-729** Ht.: 6 1/4"  
**50-730** Ht.: 7 1/4"

*A Satco  
Best Seller!*



Lexan®  
Smoke Ball  
Dia.: 6"  
Screw Fitter: 3 11/64"  
**50-728**



# Hall & Porch Globes

Assorted Finished



*A Satco  
Best Seller!*



**50-114**  
Clear  
Porch Globe  
Dia.: 3 3/4"  
Screw Fitter: 3 1/4"  
Height: 4 1/2"



**50-112**  
Clear  
"Pineapple" Glass  
Dia.: 5 1/2"  
Screw Fitter: 3 1/4"



**50-382**  
Frosted  
Porch Globe  
Dia.: 3 3/4"  
Screw Fitter: 3 1/4"  
Height: 4 1/2"



**50-108**  
Etched Hall Glass  
Clear Bottom  
Dia.: 5 9/16"  
Screw Fitter: 3 1/4"  
Height: 5"



**50-111**  
White with  
Clear Bottom  
Bath Shade  
Dia.: 5 1/4"  
Screw Fitter: 3 1/4"  
Height: 4 1/2"  
Depth: 5 13/16"

glassware



I.E.S.  
Shade



**50-165**

Dia.: 6" Fitter: 2 1/4" Height: 4 3/4"

*A Satco  
Best Seller!*



**50-120** Acid Etched with Grape Design

Dia.: 4 3/8" Fitter: 1 5/8" Height: 5"

I.E.S.  
Shade



**50-166**

Dia.: 8" Fitter: 2 1/4" Height: 5 3/4"



**50-222** Acid Etched with Grape Design

Dia.: 4 1/2" Fitter: 1 5/8" Height: 5"

I.E.S.  
Shade



**50-167**

Dia.: 10" Fitter: 2 7/8" Height: 5 1/2"



Bobesches

**50-777** Dia.: 4" 1" Cent. Hole: 5 pins  
**50-778** Dia.: 5" 1" Cent. Hole: 10 pins  
**50-779** Dia.: 6" 1/2" Cent. Hole: 8 pins

glassware



# Glassware Bend Glass



Round

glassware



White & Grape Pattern

**50-194** 13" Round

**50-195** 15" Round



White & Gold Sunburst Pattern

**50-196** 13" Round

**50-197** 15" Round



White

**50-376** 13" Round



Sunburst Pattern

Sunburst Pattern Semi Bend  
& Regular Bend Glass

Semi Bend/Shallow

Regular Bend/Deep

|               |           |               |
|---------------|-----------|---------------|
| <b>50-505</b> | Dia.: 11" | Depth: 1/2"   |
| <b>50-202</b> | Dia.: 11" | Depth: 3/4"   |
| <b>50-506</b> | Dia.: 12" | Depth: 7/8"   |
| <b>50-203</b> | Dia.: 13" | Depth: 1 1/8" |
| <b>50-204</b> | Dia.: 14" | Depth: 1 1/8" |
| <b>50-205</b> | Dia.: 15" | Depth: 1"     |
| <b>50-508</b> | Dia.: 16" | Depth: 1 1/4" |
| <b>50-307</b> | Dia.: 17" | Depth: 3/4"   |

|               |           |               |
|---------------|-----------|---------------|
| <b>50-198</b> | Dia.: 11" | Depth: 1 3/4" |
| <b>50-199</b> | Dia.: 13" | Depth: 1 7/8" |
| <b>50-200</b> | Dia.: 14" | Depth: 2 1/2" |
| <b>50-201</b> | Dia.: 15" | Depth: 2 1/2" |
| <b>50-308</b> | Dia.: 17" | Depth: 2 1/2" |





*A Satco  
Best Seller!*



White with Clear Floral Pattern

**50-190** 12" Square  
**50-191** 14" Square



White & Gold Scroll Pattern

**50-192** 13" Square  
**50-193** 15" Square



Ruffed Edge with Wheat Design

**50-503** 12" Square



White

**50-374** 12" Square  
**50-375** 14" Square



White "U" Channel

**50-378** 7" (vertical) hole 1<sup>3</sup>/<sub>4</sub>" from end 1/8 slip  
**50-379** 14" (horizontal) hole centered 1/8 slip  
**50-380** 24" (horizontal) holes 6 1/2" from ends 1/8 slip



Diamond "U" Channel

**50-234** 7" (vertical) hole 1<sup>3</sup>/<sub>4</sub>" from end 1/8 slip  
**50-235** 14" (horizontal) hole centered 1/8 slip  
**50-236** 24" (horizontal) holes 6 1/2" from ends 1/8 slip

# Clip-On Shades



**90-2362**  
Ivory Floral  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2358**  
Beige Beaded Floral  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2359**  
Khaki Beaded Floral  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2360**  
White Shantung  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2361**  
Ivory Shantung  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2357**  
Beige Shantung  
Top: 3" Bottom: 5" Side: 4 1/4"



**90-2363**  
Beige Folded Pleat  
Top: 3" Bottom: 5" Side: 4"



**90-2364**  
White Folded Pleat  
Top: 3" Bottom: 5" Side: 4"



**90-2365**  
Black Folded Pleat  
Top: 3" Bottom: 5" Side: 4"

glassware



**90-2486**

Cream Bamboo Linen  
Top: 3" Bottom: 6" Side: 4 1/2"



**90-2487**

French Beige Flower Silk  
Top: 3" Bottom: 6" Side: 4 1/2"



**90-2488**

Cream Leaf Linen  
Top: 3" Bottom: 6" Side: 4 1/2"



**90-2485**

Black Linen  
Top: 3" Bottom: 6" Side: 4"



**90-1270**

White Pleated Round  
Top: 3" Bottom: 4" Side: 4"



**90-1271**

Bone Pleated Round  
Top: 3" Bottom: 4" Side: 4"



**90-1273**

Beige Pleated Round  
Top: 3" Bottom: 4" Side: 4"



**90-1272**

Black Pleated Round  
Top: 3" Bottom: 4" Side: 4"

# Clip-On Shades



glassware



**90-2366**

White Swirl Folded Pleat  
Top: 3" Bottom: 5" Side: 4"



**90-2367**

Beige Swirl Folded Pleat  
Top: 3" Bottom: 5" Side: 4"



Beige Leather Look

**90-2524**

Top: 3" Bottom: 5 1/2" Side: 5 1/4"

**90-2525**

Top: 2 1/8" Bottom: 4" Side: 5 1/8"



Cream Leather Look

**90-2526**

Top: 3" Bottom: 5 1/2" Side: 5 1/4"

**90-2527**

Top: 2 1/8" Bottom: 4" Side: 5 1/8"



**90-1274**

Black Round with Gold Interior  
Top: 3" Bottom: 4" Side: 4"



**90-1275**

Beige Parchment Round  
Top: 3" Bottom: 4" Side: 4"



**90-1276**

White Linen Round  
Top: 3" Bottom: 4" Side: 4"



**90-1277**

White Silk Bell  
Top: 3" Bottom: 5" Side: 4"

| Item No.     | Page | Item No.     | Page | Item No.       | Page | Item No.       | Page | Item No.      | Page |
|--------------|------|--------------|------|----------------|------|----------------|------|---------------|------|
| 50-105 ..... | 173  | 50-239 ..... | 175  | 60-802 .....   | 146  | S70-036 .....  | 113  | S70-153 ..... | 140  |
| 50-106 ..... | 173  | 50-275 ..... | 172  | 60-803 .....   | 147  | S70-037 .....  | 113  | S70-154 ..... | 142  |
| 50-107 ..... | 173  | 50-276 ..... | 172  | 60-804 .....   | 147  | S70-038 .....  | 113  | S70-155 ..... | 140  |
| 50-108 ..... | 176  | 50-307 ..... | 178  | 60-805 .....   | 147  | S70-040 .....  | 113  | S70-156 ..... | 141  |
| 50-109 ..... | 173  | 50-308 ..... | 178  | 60-806 .....   | 147  | S70-041 .....  | 113  | S70-157 ..... | 141  |
| 50-111 ..... | 176  | 50-312 ..... | 171  | 60-807 .....   | 147  | S70-044 .....  | 114  | S70-159 ..... | 142  |
| 50-112 ..... | 176  | 50-329 ..... | 173  | 60-808 .....   | 147  | S70-045 .....  | 114  | S70-160 ..... | 130  |
| 50-114 ..... | 176  | 50-330 ..... | 173  | 60-816 .....   | 148  | S70-052 .....  | 112  | S70-161 ..... | 130  |
| 50-120 ..... | 177  | 50-331 ..... | 173  | 60-817 .....   | 148  | S70-053 .....  | 112  | S70-162 ..... | 141  |
| 50-143 ..... | 170  | 50-332 ..... | 174  | 60-818 .....   | 148  | S70-054 .....  | 112  | S70-163 ..... | 141  |
| 50-144 ..... | 170  | 50-334 ..... | 173  | 60-819 .....   | 148  | S70-055 .....  | 112  | S70-165 ..... | 136  |
| 50-151 ..... | 171  | 50-335 ..... | 173  | 60-820 .....   | 149  | S70-056 .....  | 112  | S70-167 ..... | 130  |
| 50-152 ..... | 171  | 50-336 ..... | 173  | 60-821 .....   | 149  | S70-057 .....  | 113  | S70-168 ..... | 130  |
| 50-153 ..... | 171  | 50-351 ..... | 171  | 60-822 .....   | 149  | S70-058 .....  | 112  | S70-169 ..... | 142  |
| 50-154 ..... | 171  | 50-374 ..... | 179  | 60-823 .....   | 149  | S70-0580 ..... | 114  | S70-171 ..... | 140  |
| 50-155 ..... | 171  | 50-375 ..... | 179  | 60-824 .....   | 150  | S70-062 .....  | 112  | S70-172 ..... | 140  |
| 50-156 ..... | 171  | 50-376 ..... | 178  | 60-825 .....   | 150  | S70-063 .....  | 112  | S70-174 ..... | 141  |
| 50-157 ..... | 171  | 50-378 ..... | 179  | 60-826 .....   | 150  | S70-065 .....  | 112  | S70-175 ..... | 136  |
| 50-165 ..... | 177  | 50-379 ..... | 179  | 60-827 .....   | 150  | S70-066 .....  | 112  | S70-176 ..... | 144  |
| 50-166 ..... | 177  | 50-380 ..... | 179  | 60-828 .....   | 151  | S70-068 .....  | 112  | S70-177 ..... | 144  |
| 50-167 ..... | 177  | 50-382 ..... | 176  | 60-829 .....   | 151  | S70-070 .....  | 115  | S70-192 ..... | 112  |
| 50-168 ..... | 175  | 50-429 ..... | 175  | 60-830 .....   | 151  | S70-071 .....  | 115  | S70-193 ..... | 112  |
| 50-169 ..... | 175  | 50-468 ..... | 172  | 60-831 .....   | 151  | S70-072 .....  | 115  | S70-196 ..... | 112  |
| 50-170 ..... | 175  | 50-469 ..... | 172  | 60-832 .....   | 152  | S70-077 .....  | 115  | S70-197 ..... | 112  |
| 50-171 ..... | 175  | 50-470 ..... | 172  | 60-833 .....   | 152  | S70-078 .....  | 115  | S70-198 ..... | 112  |
| 50-172 ..... | 175  | 50-471 ..... | 172  | 60-834 .....   | 152  | S70-086 .....  | 115  | S70-210 ..... | 129  |
| 50-173 ..... | 175  | 50-503 ..... | 179  | 60-835 .....   | 152  | S70-099 .....  | 115  | S70-212 ..... | 129  |
| 50-186 ..... | 170  | 50-505 ..... | 178  | 60-836 .....   | 153  | S70-100 .....  | 132  | S70-213 ..... | 129  |
| 50-190 ..... | 179  | 50-506 ..... | 178  | 60-837 .....   | 153  | S70-101 .....  | 132  | S70-214 ..... | 129  |
| 50-191 ..... | 179  | 50-508 ..... | 178  | 60-838 .....   | 153  | S70-102 .....  | 132  | S70-215 ..... | 129  |
| 50-192 ..... | 179  | 50-547 ..... | 174  | 60-839 .....   | 153  | S70-103 .....  | 132  | S70-216 ..... | 129  |
| 50-193 ..... | 179  | 50-664 ..... | 174  | 60-840 .....   | 154  | S70-105 .....  | 132  | S70-217 ..... | 129  |
| 50-194 ..... | 178  | 50-665 ..... | 174  | 60-841 .....   | 154  | S70-106 .....  | 132  | S70-218 ..... | 129  |
| 50-195 ..... | 178  | 50-666 ..... | 174  | 60-842 .....   | 154  | S70-107 .....  | 132  | S70-219 ..... | 143  |
| 50-196 ..... | 178  | 50-667 ..... | 174  | 60-843 .....   | 155  | S70-109 .....  | 136  | S70-220 ..... | 143  |
| 50-197 ..... | 178  | 50-721 ..... | 175  | 60-844 .....   | 155  | S70-110 .....  | 136  | S70-221 ..... | 143  |
| 50-198 ..... | 178  | 50-722 ..... | 175  | 60-845 .....   | 155  | S70-111 .....  | 136  | S70-222 ..... | 143  |
| 50-199 ..... | 178  | 50-723 ..... | 175  | 60-850 .....   | 156  | S70-112 .....  | 136  | S70-223 ..... | 143  |
| 50-200 ..... | 178  | 50-724 ..... | 175  | 60-851 .....   | 156  | S70-113 .....  | 136  | S70-224 ..... | 143  |
| 50-201 ..... | 178  | 50-725 ..... | 175  | 60-852 .....   | 156  | S70-114 .....  | 136  | S70-225 ..... | 143  |
| 50-202 ..... | 178  | 50-726 ..... | 175  | 60-853 .....   | 156  | S70-130 .....  | 138  | S70-230 ..... | 118  |
| 50-203 ..... | 178  | 50-727 ..... | 175  | 60-854 .....   | 156  | S70-131 .....  | 138  | S70-231 ..... | 119  |
| 50-204 ..... | 178  | 50-728 ..... | 175  | 60-860 .....   | 157  | S70-132 .....  | 138  | S70-234 ..... | 119  |
| 50-205 ..... | 178  | 50-729 ..... | 175  | 60-861 .....   | 157  | S70-133 .....  | 138  | S70-235 ..... | 119  |
| 50-216 ..... | 174  | 50-730 ..... | 175  | 60-862 .....   | 157  | S70-134 .....  | 138  | S70-249 ..... | 138  |
| 50-218 ..... | 171  | 50-777 ..... | 177  | 60-863 .....   | 157  | S70-135 .....  | 138  | S70-250 ..... | 137  |
| 50-222 ..... | 177  | 50-778 ..... | 177  | 60-864 .....   | 157  | S70-136 .....  | 139  | S70-251 ..... | 137  |
| 50-230 ..... | 175  | 50-779 ..... | 177  | 60-871 .....   | 158  | S70-137 .....  | 139  | S70-252 ..... | 137  |
| 50-231 ..... | 175  | 50-825 ..... | 174  | 60-872 .....   | 158  | S70-140 .....  | 139  | S70-253 ..... | 138  |
| 50-233 ..... | 175  | 50-919 ..... | 174  | 60-873 .....   | 158  | S70-141 .....  | 139  | S70-254 ..... | 138  |
| 50-234 ..... | 179  | 50-927 ..... | 170  | S70-0101 ..... | 108  | S70-142 .....  | 139  | S70-255 ..... | 137  |
| 50-235 ..... | 179  | 50-928 ..... | 170  | S70-025 .....  | 134  | S70-150 .....  | 144  | S70-256 ..... | 137  |
| 50-236 ..... | 179  | 60-800 ..... | 146  | S70-034 .....  | 113  | S70-151 .....  | 144  | S70-257 ..... | 137  |
| 50-238 ..... | 175  | 60-801 ..... | 146  | S70-035 .....  | 113  | S70-152 .....  | 140  | S70-259 ..... | 137  |



| Item No.      | Page | Item No.      | Page | Item No.      | Page | Item No.       | Page | Item No.      | Page |
|---------------|------|---------------|------|---------------|------|----------------|------|---------------|------|
| S70-260 ..... | 137  | S70-452 ..... | 117  | S70-570 ..... | 115  | S70-723 .....  | 143  | S72-215 ..... | 166  |
| S70-261 ..... | 137  | S70-453 ..... | 117  | S70-571 ..... | 115  | S70-770 .....  | 117  | S72-230 ..... | 167  |
| S70-263 ..... | 138  | S70-456 ..... | 117  | S70-572 ..... | 128  | S70-793 .....  | 128  | S72-231 ..... | 167  |
| S70-266 ..... | 134  | S70-470 ..... | 116  | S70-573 ..... | 128  | S70-794 .....  | 128  | S72-232 ..... | 167  |
| S70-268 ..... | 133  | S70-471 ..... | 116  | S70-574 ..... | 127  | S70-814 .....  | 128  | 75-000 .....  | 100  |
| S70-269 ..... | 133  | S70-472 ..... | 116  | S70-575 ..... | 127  | S70-815 .....  | 117  | 75-001 .....  | 100  |
| S70-270 ..... | 144  | S70-474 ..... | 116  | S70-576 ..... | 135  | S70-816 .....  | 117  | 75-003 .....  | 100  |
| S70-272 ..... | 143  | S70-479 ..... | 116  | S70-577 ..... | 128  | S70-817 .....  | 117  | 75-004 .....  | 100  |
| S70-273 ..... | 143  | S70-480 ..... | 116  | S70-578 ..... | 118  | S70-822 .....  | 142  | 75-006 .....  | 100  |
| S70-300 ..... | 122  | S70-481 ..... | 116  | S70-579 ..... | 135  | S70-826 .....  | 103  | 75-007 .....  | 100  |
| S70-305 ..... | 122  | S70-482 ..... | 116  | S70-581 ..... | 130  | S70-829 .....  | 103  | 75-008 .....  | 99   |
| S70-306 ..... | 122  | S70-484 ..... | 116  | S70-582 ..... | 142  | S70-830 .....  | 103  | 75-009 .....  | 99   |
| S70-312 ..... | 122  | S70-489 ..... | 116  | S70-583 ..... | 143  | S70-831 .....  | 103  | 75-010 .....  | 99   |
| S70-317 ..... | 122  | S70-500 ..... | 128  | S70-584 ..... | 122  | S70-832 .....  | 103  | 75-011 .....  | 99   |
| S70-330 ..... | 118  | S70-501 ..... | 127  | S70-585 ..... | 122  | S70-840 .....  | 118  | 75-013 .....  | 99   |
| S70-331 ..... | 119  | S70-502 ..... | 127  | S70-586 ..... | 130  | S70-841 .....  | 119  | 75-014 .....  | 99   |
| S70-350 ..... | 136  | S70-503 ..... | 130  | S70-587 ..... | 120  | S70-846 .....  | 117  | 75-015 .....  | 99   |
| S70-351 ..... | 136  | S70-504 ..... | 127  | S70-588 ..... | 120  | S70-3001 ..... | 108  | 75-016 .....  | 99   |
| S70-352 ..... | 136  | S70-505 ..... | 127  | S70-589 ..... | 120  | S70-3002 ..... | 108  | 75-017 .....  | 99   |
| S70-370 ..... | 121  | S70-506 ..... | 128  | S70-590 ..... | 120  | S70-4300 ..... | 125  | 75-018 .....  | 99   |
| S70-371 ..... | 121  | S70-521 ..... | 130  | S70-591 ..... | 120  | S70-4310 ..... | 123  | 75-019 .....  | 99   |
| S70-372 ..... | 121  | S70-522 ..... | 130  | S70-592 ..... | 143  | S70-6516 ..... | 108  | 75-020 .....  | 99   |
| S70-373 ..... | 121  | S70-530 ..... | 116  | S70-593 ..... | 136  | S70-6624 ..... | 108  | 75-021 .....  | 99   |
| S70-374 ..... | 121  | S70-531 ..... | 116  | S70-600 ..... | 144  | S70-9772 ..... | 108  | 75-022 .....  | 99   |
| S70-375 ..... | 121  | S70-533 ..... | 130  | S70-601 ..... | 144  | S71-000 .....  | 163  | 75-023 .....  | 99   |
| S70-400 ..... | 129  | S70-538 ..... | 131  | S70-602 ..... | 144  | S71-001 .....  | 163  | 75-024 .....  | 99   |
| S70-402 ..... | 126  | S70-540 ..... | 131  | S70-603 ..... | 144  | S71-002 .....  | 163  | 75-029 .....  | 100  |
| S70-403 ..... | 126  | S70-541 ..... | 131  | S70-605 ..... | 144  | S71-003 .....  | 163  | 75-031 .....  | 98   |
| S70-404 ..... | 126  | S70-542 ..... | 131  | S70-620 ..... | 140  | S71-004 .....  | 163  | 75-032 .....  | 98   |
| S70-405 ..... | 126  | S70-543 ..... | 131  | S70-621 ..... | 140  | S71-005 .....  | 163  | 75-033 .....  | 98   |
| S70-407 ..... | 125  | S70-544 ..... | 131  | S70-622 ..... | 140  | S71-006 .....  | 163  | 75-034 .....  | 98   |
| S70-408 ..... | 126  | S70-545 ..... | 131  | S70-623 ..... | 140  | S71-007 .....  | 163  | 75-040 .....  | 98   |
| S70-409 ..... | 126  | S70-546 ..... | 131  | S70-627 ..... | 141  | S71-008 .....  | 163  | 75-041 .....  | 97   |
| S70-410 ..... | 123  | S70-547 ..... | 131  | S70-628 ..... | 140  | S71-009 .....  | 163  | 75-042 .....  | 97   |
| S70-411 ..... | 123  | S70-548 ..... | 131  | S70-632 ..... | 141  | S71-010 .....  | 163  | 75-043 .....  | 98   |
| S70-412 ..... | 123  | S70-549 ..... | 128  | S70-633 ..... | 141  | S71-011 .....  | 163  | 75-044 .....  | 97   |
| S70-413 ..... | 123  | S70-550 ..... | 128  | S70-634 ..... | 141  | S71-012 .....  | 163  | 75-045 .....  | 97   |
| S70-414 ..... | 124  | S70-551 ..... | 128  | S70-636 ..... | 141  | S71-013 .....  | 163  | 75-046 .....  | 96   |
| S70-415 ..... | 124  | S70-552 ..... | 128  | S70-637 ..... | 141  | S71-014 .....  | 163  | 75-047 .....  | 96   |
| S70-416 ..... | 124  | S70-553 ..... | 128  | S70-638 ..... | 142  | S71-015 .....  | 163  | 75-048 .....  | 100  |
| S70-420 ..... | 123  | S70-554 ..... | 128  | S70-639 ..... | 142  | S72-201 .....  | 164  | 75-049 .....  | 100  |
| S70-421 ..... | 123  | S70-555 ..... | 128  | S70-640 ..... | 142  | S72-202 .....  | 164  | 75-050 .....  | 100  |
| S70-422 ..... | 124  | S70-556 ..... | 125  | S70-660 ..... | 141  | S72-203 .....  | 165  | 75-051 .....  | 100  |
| S70-425 ..... | 124  | S70-557 ..... | 125  | S70-662 ..... | 123  | S72-204 .....  | 165  | 75-052 .....  | 100  |
| S70-430 ..... | 118  | S70-558 ..... | 125  | S70-670 ..... | 115  | S72-205 .....  | 167  | 75-053 .....  | 100  |
| S70-431 ..... | 119  | S70-559 ..... | 125  | S70-678 ..... | 118  | S72-206 .....  | 165  | 75-054 .....  | 100  |
| S70-432 ..... | 125  | S70-560 ..... | 126  | S70-679 ..... | 118  | S72-207 .....  | 165  | 76-226 .....  | 160  |
| S70-433 ..... | 125  | S70-563 ..... | 129  | S70-689 ..... | 127  | S72-208 .....  | 165  | 76-227 .....  | 160  |
| S70-439 ..... | 118  | S70-564 ..... | 129  | S70-717 ..... | 143  | S72-209 .....  | 165  | 76-355 .....  | 159  |
| S70-440 ..... | 117  | S70-565 ..... | 126  | S70-718 ..... | 143  | S72-210 .....  | 166  | 76-356 .....  | 159  |
| S70-441 ..... | 117  | S70-566 ..... | 126  | S70-719 ..... | 143  | S72-211 .....  | 166  | 76-357 .....  | 159  |
| S70-442 ..... | 117  | S70-567 ..... | 126  | S70-720 ..... | 143  | S72-212 .....  | 166  | 76-358 .....  | 159  |
| S70-450 ..... | 117  | S70-568 ..... | 126  | S70-721 ..... | 143  | S72-213 .....  | 166  | 76-359 .....  | 160  |
| S70-451 ..... | 117  | S70-569 ..... | 115  | S70-722 ..... | 143  | S72-214 .....  | 166  | 76-360 .....  | 160  |

| Item No.      | Page | Item No.      | Page | Item No.     | Page | Item No.    | Page | Item No.    | Page |
|---------------|------|---------------|------|--------------|------|-------------|------|-------------|------|
| 77-293 .....  | 161  | 93-169 .....  | 104  | A3525 .....  | 75   | S1810 ..... | 28   | S2315 ..... | 52   |
| 77-394 .....  | 161  | 93-170 .....  | 104  | A3526 .....  | 75   | S1811 ..... | 28   | S2316 ..... | 52   |
| 77-395 .....  | 161  | 93-173 .....  | 104  | A3531 .....  | 72   | S1812 ..... | 28   | S2317 ..... | 52   |
| 77-396 .....  | 161  | 93-174 .....  | 104  | A3532 .....  | 72   | S1813 ..... | 28   | S2318 ..... | 52   |
| 77-397 .....  | 161  | 93-175 .....  | 104  | A3534 .....  | 72   | S1820 ..... | 38   | S2319 ..... | 52   |
| 77-437 .....  | 160  | 93-179 .....  | 104  | A3535 .....  | 72   | S1821 ..... | 38   | S2320 ..... | 52   |
| 77-537 .....  | 160  | 93-192 .....  | 105  | A3537 .....  | 72   | S1823 ..... | 38   | S2321 ..... | 52   |
| 77-538 .....  | 160  | 93-193 .....  | 105  | A3538 .....  | 72   | S1824 ..... | 39   | S2322 ..... | 52   |
| 77-601 .....  | 109  | 93-194 .....  | 105  | A3562 .....  | 68   | S1825 ..... | 38   | S2323 ..... | 52   |
| 77-602 .....  | 109  | 93-195 .....  | 105  | A3563 .....  | 69   | S1826 ..... | 38   | S2324 ..... | 52   |
| 77-606 .....  | 109  | 93-196 .....  | 105  | A3564 .....  | 71   | S2200 ..... | 51   | S2325 ..... | 52   |
| 77-607 .....  | 109  | 93-197 .....  | 105  | A3565 .....  | 71   | S2201 ..... | 51   | S2326 ..... | 52   |
| 77-608 .....  | 109  | 93-198 .....  | 105  | A3566 .....  | 71   | S2202 ..... | 51   | S2501 ..... | 31   |
| 77-621 .....  | 109  | 93-199 .....  | 105  | A3567 .....  | 71   | S2203 ..... | 51   | S2502 ..... | 31   |
| 77-622 .....  | 109  | 93-5000 ..... | 106  | A3568 .....  | 71   | S2204 ..... | 51   | S2503 ..... | 31   |
| 90-934 .....  | 110  | 93-5001 ..... | 106  | A3569 .....  | 71   | S2205 ..... | 51   | S2504 ..... | 31   |
| 90-1270 ..... | 181  | 93-5002 ..... | 106  | A3573 .....  | 68   | S2206 ..... | 51   | S2508 ..... | 37   |
| 90-1271 ..... | 181  | 93-5003 ..... | 106  | A3574 .....  | 68   | S2207 ..... | 51   | S2511 ..... | 31   |
| 90-1272 ..... | 181  | 93-5004 ..... | 106  | A3575 .....  | 68   | S2208 ..... | 51   | S2512 ..... | 31   |
| 90-1273 ..... | 181  | 93-5005 ..... | 106  | A3577 .....  | 69   | S2209 ..... | 51   | S2513 ..... | 31   |
| 90-1274 ..... | 182  | 93-5006 ..... | 106  | A3578 .....  | 69   | S2210 ..... | 51   | S2514 ..... | 31   |
| 90-1275 ..... | 182  | 93-5007 ..... | 106  | A3579 .....  | 69   | S2211 ..... | 51   | S2518 ..... | 37   |
| 90-1276 ..... | 182  | 93-5008 ..... | 106  | A3582 .....  | 70   | S2212 ..... | 51   | S2521 ..... | 32   |
| 90-1277 ..... | 182  | 93-5009 ..... | 106  | A3583 .....  | 70   | S2213 ..... | 52   | S2522 ..... | 32   |
| 90-1420 ..... | 110  | 93-5010 ..... | 106  | A3584 .....  | 70   | S2214 ..... | 52   | S2523 ..... | 32   |
| 90-1814 ..... | 110  | 93-5011 ..... | 104  | A3585 .....  | 70   | S2215 ..... | 52   | S2524 ..... | 32   |
| 90-1822 ..... | 110  | 93-5012 ..... | 104  | A3586 .....  | 70   | S2216 ..... | 52   | S2525 ..... | 32   |
| 90-2357 ..... | 180  | 93-5017 ..... | 106  | A3587 .....  | 70   | S2217 ..... | 52   | S2526 ..... | 32   |
| 90-2358 ..... | 180  | 93-5018 ..... | 106  | A3588 .....  | 70   | S2218 ..... | 52   | S2527 ..... | 32   |
| 90-2359 ..... | 180  | 93-5019 ..... | 106  | A3589 .....  | 70   | S2219 ..... | 52   | S2528 ..... | 32   |
| 90-2360 ..... | 180  | 93-5020 ..... | 105  | A3590 .....  | 70   | S2220 ..... | 52   | S2703 ..... | 76   |
| 90-2361 ..... | 180  | 93-5021 ..... | 105  | A3593 .....  | 72   | S2221 ..... | 52   | S2704 ..... | 76   |
| 90-2362 ..... | 180  | 93-5022 ..... | 105  | A3596 .....  | 72   | S2222 ..... | 52   | S2705 ..... | 76   |
| 90-2363 ..... | 180  | 93-5023 ..... | 105  | A3599 .....  | 72   | S2223 ..... | 52   | S2706 ..... | 76   |
| 90-2364 ..... | 180  | 93-5024 ..... | 107  | A3640 .....  | 56   | S2224 ..... | 52   | S2713 ..... | 76   |
| 90-2365 ..... | 180  | 93-5025 ..... | 107  | A3641 .....  | 56   | S2225 ..... | 52   | S2714 ..... | 76   |
| 90-2366 ..... | 182  | 93-5026 ..... | 107  | A3642 .....  | 56   | S2226 ..... | 52   | S2715 ..... | 76   |
| 90-2367 ..... | 182  | 93-5027 ..... | 107  | A3643 .....  | 56   | S2229 ..... | 53   | S2716 ..... | 76   |
| 90-2485 ..... | 181  | 93-5028 ..... | 107  | A3647 .....  | 56   | S2230 ..... | 53   | S2740 ..... | 80   |
| 90-2486 ..... | 181  | 93-5029 ..... | 107  | A3648 .....  | 56   | S2300 ..... | 51   | S2741 ..... | 80   |
| 90-2487 ..... | 181  | 93-5030 ..... | 106  | A3649 .....  | 56   | S2301 ..... | 51   | S2742 ..... | 80   |
| 90-2488 ..... | 181  | 93-5031 ..... | 107  | A3650 .....  | 56   | S2302 ..... | 51   | S2743 ..... | 80   |
| 90-2524 ..... | 182  | 93-5032 ..... | 107  | A4141 .....  | 58   | S2303 ..... | 51   | S2744 ..... | 80   |
| 90-2525 ..... | 182  | 93-5033 ..... | 107  | A4142 .....  | 58   | S2304 ..... | 51   | S2745 ..... | 80   |
| 90-2526 ..... | 182  | 93-5034 ..... | 106  | A4148 .....  | 58   | S2305 ..... | 51   | S2746 ..... | 80   |
| 90-2527 ..... | 182  | 93-5035 ..... | 106  | A4149 .....  | 58   | S2306 ..... | 51   | S2747 ..... | 80   |
| 90-2612 ..... | 110  | 93-5036 ..... | 107  | S1300A ..... | 94   | S2307 ..... | 51   | S2760 ..... | 77   |
| 91-220 .....  | 101  | 93-5037 ..... | 107  | S1300B ..... | 94   | S2308 ..... | 51   | S2761 ..... | 77   |
| 91-221 .....  | 101  | 93-5038 ..... | 107  | S1321 .....  | 22   | S2309 ..... | 51   | S2763 ..... | 78   |
| 91-222 .....  | 101  | 93-5039 ..... | 107  | S1322 .....  | 22   | S2310 ..... | 51   | S2764 ..... | 78   |
| 91-223 .....  | 102  | A3521 .....   | 75   | S1711 .....  | 28   | S2311 ..... | 51   | S2765 ..... | 78   |
| 91-227 .....  | 102  | A3522 .....   | 75   | S1712 .....  | 28   | S2312 ..... | 51   | S2767 ..... | 78   |
| 91-228 .....  | 102  | A3523 .....   | 75   | S1713 .....  | 28   | S2313 ..... | 52   | S2768 ..... | 78   |
| 91-229 .....  | 101  | A3524 .....   | 75   | S1714 .....  | 28   | S2314 ..... | 52   | S2769 ..... | 78   |

| Item No.    | Page | Item No.    | Page | Item No.    | Page | Item No.    | Page | Item No.    | Page |
|-------------|------|-------------|------|-------------|------|-------------|------|-------------|------|
| S2770 ..... | 78   | S3432 ..... | 89   | S3502 ..... | 91   | S3749 ..... | 81   | S3929 ..... | 26   |
| S2771 ..... | 77   | S3433 ..... | 93   | S3539 ..... | 90   | S3750 ..... | 73   | S3938 ..... | 33   |
| S2772 ..... | 77   | S3434 ..... | 91   | S3540 ..... | 90   | S3751 ..... | 73   | S3939 ..... | 33   |
| S2773 ..... | 77   | S3435 ..... | 91   | S3541 ..... | 90   | S3752 ..... | 73   | S3940 ..... | 27   |
| S2774 ..... | 77   | S3438 ..... | 91   | S3542 ..... | 90   | S3753 ..... | 73   | S3941 ..... | 27   |
| S2806 ..... | 40   | S3439 ..... | 91   | S3543 ..... | 90   | S3754 ..... | 73   | S3942 ..... | 27   |
| S2808 ..... | 41   | S3440 ..... | 55   | S3544 ..... | 90   | S3755 ..... | 73   | S3943 ..... | 27   |
| S2810 ..... | 40   | S3441 ..... | 55   | S3545 ..... | 90   | S3756 ..... | 82   | S3944 ..... | 27   |
| S2817 ..... | 42   | S3442 ..... | 55   | S3546 ..... | 90   | S3757 ..... | 82   | S3948 ..... | 24   |
| S2850 ..... | 46   | S3443 ..... | 55   | S3547 ..... | 90   | S3759 ..... | 82   | S3949 ..... | 24   |
| S2851 ..... | 46   | S3447 ..... | 55   | S3651 ..... | 59   | S3760 ..... | 82   | S3950 ..... | 27   |
| S2852 ..... | 46   | S3448 ..... | 55   | S3652 ..... | 59   | S3761 ..... | 82   | S3951 ..... | 27   |
| S2853 ..... | 43   | S3449 ..... | 55   | S3653 ..... | 59   | S3762 ..... | 62   | S3952 ..... | 27   |
| S3000 ..... | 60   | S3450 ..... | 55   | S3654 ..... | 59   | S3763 ..... | 63   | S3953 ..... | 27   |
| S3001 ..... | 60   | S3459 ..... | 90   | S3655 ..... | 59   | S3764 ..... | 65   | S3954 ..... | 27   |
| S3002 ..... | 60   | S3460 ..... | 88   | S3670 ..... | 59   | S3765 ..... | 65   | S3955 ..... | 33   |
| S3003 ..... | 60   | S3461 ..... | 88   | S3671 ..... | 59   | S3766 ..... | 65   | S3956 ..... | 33   |
| S3004 ..... | 60   | S3462 ..... | 88   | S3672 ..... | 59   | S3767 ..... | 65   | S3969 ..... | 26   |
| S3010 ..... | 60   | S3463 ..... | 88   | S3700 ..... | 83   | S3768 ..... | 65   | S3970 ..... | 26   |
| S3011 ..... | 60   | S3464 ..... | 88   | S3701 ..... | 83   | S3769 ..... | 65   | S3971 ..... | 26   |
| S3012 ..... | 60   | S3465 ..... | 88   | S3701 ..... | 168  | S3771 ..... | 73   | S3972 ..... | 37   |
| S3013 ..... | 60   | S3466 ..... | 88   | S3702 ..... | 83   | S3772 ..... | 73   | S3973 ..... | 37   |
| S3014 ..... | 60   | S3467 ..... | 88   | S3703 ..... | 83   | S3773 ..... | 62   | S3980 ..... | 36   |
| S3200 ..... | 44   | S3468 ..... | 90   | S3704 ..... | 83   | S3774 ..... | 62   | S3981 ..... | 36   |
| S3201 ..... | 44   | S3469 ..... | 90   | S3705 ..... | 83   | S3775 ..... | 62   | S3991 ..... | 30   |
| S3202 ..... | 44   | S3470 ..... | 90   | S3708 ..... | 83   | S3777 ..... | 63   | S3992 ..... | 30   |
| S3203 ..... | 44   | S3471 ..... | 90   | S3709 ..... | 83   | S3778 ..... | 63   | S3993 ..... | 30   |
| S3210 ..... | 40   | S3472 ..... | 91   | S3710 ..... | 83   | S3779 ..... | 63   | S3994 ..... | 30   |
| S3212 ..... | 44   | S3473 ..... | 91   | S3711 ..... | 83   | S3782 ..... | 64   | S4010 ..... | 30   |
| S3213 ..... | 45   | S3474 ..... | 91   | S3712 ..... | 83   | S3783 ..... | 64   | S4011 ..... | 30   |
| S3227 ..... | 45   | S3475 ..... | 91   | S3713 ..... | 83   | S3784 ..... | 64   | S4012 ..... | 30   |
| S3228 ..... | 45   | S3476 ..... | 91   | S3715 ..... | 168  | S3785 ..... | 64   | S4013 ..... | 30   |
| S3229 ..... | 40   | S3477 ..... | 91   | S3720 ..... | 85   | S3786 ..... | 64   | S4020 ..... | 30   |
| S3239 ..... | 45   | S3478 ..... | 91   | S3721 ..... | 85   | S3787 ..... | 64   | S4021 ..... | 30   |
| S3240 ..... | 45   | S3479 ..... | 91   | S3723 ..... | 84   | S3788 ..... | 64   | S4022 ..... | 30   |
| S3259 ..... | 41   | S3480 ..... | 92   | S3724 ..... | 84   | S3789 ..... | 64   | S4023 ..... | 30   |
| S3408 ..... | 41   | S3481 ..... | 92   | S3725 ..... | 79   | S3790 ..... | 64   | S4041 ..... | 57   |
| S3410 ..... | 93   | S3482 ..... | 92   | S3726 ..... | 73   | S3791 ..... | 85   | S4042 ..... | 57   |
| S3411 ..... | 93   | S3484 ..... | 89   | S3727 ..... | 73   | S3792 ..... | 85   | S4048 ..... | 57   |
| S3417 ..... | 42   | S3485 ..... | 89   | S3728 ..... | 73   | S3793 ..... | 66   | S4049 ..... | 57   |
| S3418 ..... | 90   | S3486 ..... | 89   | S3729 ..... | 84   | S3794 ..... | 84   | S4100 ..... | 54   |
| S3419 ..... | 90   | S3487 ..... | 89   | S3731 ..... | 66   | S3795 ..... | 84   | S4101 ..... | 54   |
| S3420 ..... | 90   | S3488 ..... | 89   | S3732 ..... | 66   | S3796 ..... | 66   | S4102 ..... | 54   |
| S3421 ..... | 90   | S3489 ..... | 89   | S3734 ..... | 66   | S3797 ..... | 85   | S4103 ..... | 54   |
| S3422 ..... | 93   | S3490 ..... | 89   | S3735 ..... | 66   | S3799 ..... | 66   | S4104 ..... | 54   |
| S3423 ..... | 93   | S3491 ..... | 89   | S3737 ..... | 66   | S3849 ..... | 40   | S4105 ..... | 54   |
| S3424 ..... | 88   | S3492 ..... | 89   | S3738 ..... | 66   | S3859 ..... | 33   | S4106 ..... | 54   |
| S3425 ..... | 88   | S3493 ..... | 89   | S3739 ..... | 85   | S3860 ..... | 59   | S4107 ..... | 54   |
| S3426 ..... | 92   | S3494 ..... | 92   | S3740 ..... | 85   | S3861 ..... | 59   | S4108 ..... | 54   |
| S3427 ..... | 90   | S3495 ..... | 92   | S3744 ..... | 81   | S3862 ..... | 59   | S4109 ..... | 54   |
| S3428 ..... | 90   | S3496 ..... | 92   | S3745 ..... | 81   | S3917 ..... | 86   | S4200 ..... | 54   |
| S3429 ..... | 92   | S3497 ..... | 92   | S3746 ..... | 81   | S3920 ..... | 33   | S4201 ..... | 54   |
| S3430 ..... | 93   | S3500 ..... | 91   | S3747 ..... | 81   | S3927 ..... | 26   | S4202 ..... | 54   |
| S3431 ..... | 92   | S3501 ..... | 91   | S3748 ..... | 81   | S3928 ..... | 26   | S4203 ..... | 54   |

| Item No.    | Page | Item No.    | Page | Item No.    | Page | Item No.    | Page | Item No.    | Page |
|-------------|------|-------------|------|-------------|------|-------------|------|-------------|------|
| S4204 ..... | 54   | S4707 ..... | 74   | S5529 ..... | 8    | S6274 ..... | 9    | S7277 ..... | 10   |
| S4205 ..... | 54   | S4708 ..... | 74   | S5532 ..... | 8    | S6276 ..... | 9    | S7278 ..... | 13   |
| S4206 ..... | 54   | S4709 ..... | 74   | S5541 ..... | 9    | S6277 ..... | 7    | S7279 ..... | 15   |
| S4207 ..... | 54   | S4710 ..... | 74   | S5543 ..... | 9    | S6278 ..... | 9    | S7281 ..... | 19   |
| S4401 ..... | 50   | S4711 ..... | 67   | S5544 ..... | 9    | S6279 ..... | 9    | S7283 ..... | 19   |
| S4402 ..... | 50   | S4712 ..... | 67   | S5546 ..... | 9    | S7001 ..... | 49   | S7284 ..... | 19   |
| S4424 ..... | 47   | S4713 ..... | 67   | S5547 ..... | 7    | S7002 ..... | 49   | S7286 ..... | 19   |
| S4425 ..... | 47   | S4714 ..... | 67   | S5549 ..... | 7    | S7003 ..... | 49   | S7287 ..... | 19   |
| S4426 ..... | 47   | S4715 ..... | 67   | S5551 ..... | 13   | S7004 ..... | 49   | S7289 ..... | 19   |
| S4427 ..... | 47   | S4716 ..... | 67   | S5553 ..... | 13   | S7005 ..... | 49   | S7291 ..... | 19   |
| S4428 ..... | 47   | S4717 ..... | 86   | S5554 ..... | 13   | S7006 ..... | 49   | S7293 ..... | 19   |
| S4429 ..... | 47   | S4718 ..... | 86   | S5556 ..... | 13   | S7007 ..... | 49   | S7301 ..... | 18   |
| S4453 ..... | 43   | S4719 ..... | 86   | S5557 ..... | 13   | S7201 ..... | 15   | S7302 ..... | 18   |
| S4500 ..... | 50   | S4720 ..... | 86   | S5559 ..... | 13   | S7202 ..... | 15   | S7303 ..... | 18   |
| S4501 ..... | 50   | S4721 ..... | 86   | S5564 ..... | 19   | S7203 ..... | 15   | S7304 ..... | 18   |
| S4502 ..... | 50   | S4722 ..... | 86   | S5566 ..... | 19   | S7204 ..... | 15   | S7305 ..... | 18   |
| S4503 ..... | 50   | S4724 ..... | 85   | S5568 ..... | 19   | S7205 ..... | 15   | S7306 ..... | 18   |
| S4504 ..... | 50   | S4725 ..... | 85   | S5571 ..... | 19   | S7206 ..... | 15   | S7311 ..... | 20   |
| S4505 ..... | 39   | S4726 ..... | 85   | S5572 ..... | 19   | S7207 ..... | 15   | S7313 ..... | 20   |
| S4506 ..... | 39   | S4740 ..... | 80   | S5574 ..... | 19   | S7208 ..... | 15   | S7314 ..... | 21   |
| S4508 ..... | 84   | S4741 ..... | 80   | S5575 ..... | 19   | S7209 ..... | 15   | S7316 ..... | 21   |
| S4509 ..... | 84   | S4742 ..... | 80   | S5577 ..... | 19   | S7211 ..... | 6    | S7317 ..... | 20   |
| S4510 ..... | 84   | S4743 ..... | 80   | S5579 ..... | 20   | S7213 ..... | 6    | S7319 ..... | 20   |
| S4511 ..... | 84   | S4750 ..... | 48   | S5581 ..... | 20   | S7214 ..... | 6    | S7321 ..... | 21   |
| S4512 ..... | 84   | S4751 ..... | 48   | S5582 ..... | 21   | S7216 ..... | 6    | S7323 ..... | 21   |
| S4513 ..... | 50   | S4752 ..... | 48   | S5584 ..... | 21   | S7217 ..... | 6    | S7325 ..... | 12   |
| S4520 ..... | 79   | S4880 ..... | 24   | S5585 ..... | 20   | S7219 ..... | 6    | S7326 ..... | 12   |
| S4538 ..... | 74   | S4881 ..... | 24   | S5587 ..... | 20   | S7221 ..... | 8    | S7341 ..... | 11   |
| S4539 ..... | 74   | S4882 ..... | 24   | S5588 ..... | 21   | S7223 ..... | 8    | S7343 ..... | 11   |
| S4540 ..... | 74   | S4883 ..... | 37   | S5591 ..... | 21   | S7224 ..... | 8    | S7347 ..... | 11   |
| S4541 ..... | 74   | S4886 ..... | 40   | S5592 ..... | 11   | S7226 ..... | 8    | S8201 ..... | 17   |
| S4542 ..... | 74   | S4887 ..... | 41   | S5594 ..... | 11   | S7227 ..... | 8    | S8202 ..... | 17   |
| S4543 ..... | 74   | S4998 ..... | 48   | S5598 ..... | 11   | S7229 ..... | 8    | S8203 ..... | 17   |
| S4551 ..... | 86   | S4999 ..... | 48   | S6040 ..... | 25   | S7231 ..... | 8    | S8204 ..... | 17   |
| S4552 ..... | 86   | S5401 ..... | 8    | S6041 ..... | 25   | S7233 ..... | 8    | S8205 ..... | 17   |
| S4553 ..... | 86   | S5403 ..... | 8    | S6042 ..... | 25   | S7234 ..... | 8    | S8206 ..... | 17   |
| S4554 ..... | 86   | S5501 ..... | 6    | S6043 ..... | 25   | S7236 ..... | 8    | S8207 ..... | 17   |
| S4560 ..... | 84   | S5503 ..... | 6    | S6044 ..... | 25   | S7241 ..... | 14   | S8208 ..... | 17   |
| S4561 ..... | 84   | S5504 ..... | 6    | S6050 ..... | 25   | S7242 ..... | 14   | S8221 ..... | 16   |
| S4562 ..... | 84   | S5506 ..... | 6    | S6051 ..... | 25   | S7243 ..... | 14   | S8224 ..... | 16   |
| S4563 ..... | 84   | S5507 ..... | 6    | S6052 ..... | 25   | S7247 ..... | 13   | S8225 ..... | 16   |
| S4564 ..... | 84   | S5509 ..... | 6    | S6053 ..... | 25   | S7249 ..... | 13   | S8226 ..... | 17   |
| S4565 ..... | 84   | S5511 ..... | 10   | S6054 ..... | 25   | S7254 ..... | 13   | S8227 ..... | 17   |
| S4566 ..... | 84   | S5512 ..... | 10   | S6080 ..... | 34   | S7256 ..... | 13   | S8228 ..... | 17   |
| S4600 ..... | 91   | S5513 ..... | 10   | S6081 ..... | 34   | S7257 ..... | 13   | S8501 ..... | 29   |
| S4601 ..... | 91   | S5514 ..... | 10   | S6082 ..... | 34   | S7259 ..... | 13   | S8502 ..... | 29   |
| S4602 ..... | 91   | S5515 ..... | 10   | S6083 ..... | 34   | S7261 ..... | 6    | S8503 ..... | 29   |
| S4603 ..... | 91   | S5516 ..... | 6    | S6090 ..... | 35   | S7263 ..... | 6    | S8504 ..... | 29   |
| S4604 ..... | 91   | S5518 ..... | 6    | S6091 ..... | 35   | S7267 ..... | 10   | S8505 ..... | 29   |
| S4700 ..... | 87   | S5519 ..... | 8    | S6092 ..... | 35   | S7271 ..... | 10   | S8506 ..... | 29   |
| S4701 ..... | 87   | S5521 ..... | 8    | S6093 ..... | 35   | S7272 ..... | 10   | S8507 ..... | 29   |
| S4702 ..... | 87   | S5523 ..... | 8    | S6235 ..... | 7    | S7273 ..... | 10   | S8508 ..... | 29   |
| S4704 ..... | 87   | S5525 ..... | 8    | S6237 ..... | 7    | S7274 ..... | 14   |             |      |
| S4705 ..... | 87   | S5526 ..... | 8    | S6271 ..... | 9    | S7275 ..... | 14   |             |      |
| S4706 ..... | 87   | S5528 ..... | 8    | S6273 ..... | 9    | S7276 ..... | 14   |             |      |



1-800-43-SATCO  
[www.satco.com](http://www.satco.com)

**NEW YORK EXECUTIVE OFFICES & WAREHOUSE:**

110 Heartland Blvd., Brentwood, NY 11717  
800-437-2826 (631) 243-2022 FAX (631) 243-2027

**FLORIDA**

900 N.W. 159th Drive  
Miami, FL 33169  
800-437-2826  
(305) 624-2044  
FAX (305) 623-0286

**TEXAS**

2000 Valwood Parkway  
Farmers Branch, TX 75234  
800-437-2826  
(972) 247-2437  
FAX (972) 247-5408

**CALIFORNIA**

31288 San Benito St.  
Hayward, CA 94544  
800-437-2826  
(510) 487-4822  
FAX (510) 487-8955

**WASHINGTON**

4710 116TH St. S.W.  
Mukilteo, WA 98275  
800-437-2826  
(425) 789-3300  
FAX (425) 789-3310

**PUERTO RICO**

Bldg 3, Campeche Street 23,  
Julio N. Matos Industrial Park,  
Bo Martin Gonzalez,  
Carolina, PR 00984  
(787) 757-3510  
FAX (787) 757-3540

**NATIONAL TOLL-FREE:**

1-800-43-SATCO (1-800-437-2826)  
[www.satco.com](http://www.satco.com)

Not responsible for typographical errors.  
Data subject to change without notice.

This catalog is for reference only.

Cat. No. SA2040

\$10.00

Printed in USA