



# SAVOY HOUSE FANS

JANUARY MASTER CATALOGUE  
2015

# focus on...

STYLE ♦ INNOVATION ♦ VALUE ♦ CFMs  
QUALITY ♦ PERFORMANCE ♦ SOUND





DESIGN ♦ COMFORT ♦ ENGINEERING  
ENERGY ♦ POWER ♦ AFFORDABILITY  
DURABILITY ♦ PRESTIGE ♦ HEALTH

# ...what's hot

YOU GOTTA HAVE THESE **NEW** FANS

THE  
NEW

10





SKU: 52-120-5WA-13



10

## GIRARD

*The Girard is a sleek, streamlined ceiling fan that features an integrated LED fan light with frosted opal glass to provide a comfortable, dimmable glow. Available in two stylish finishes with coordinating blades.*

PRODUCT SPECIFICATIONS Pg. 18





9


# BANCROFT

*Bancroft combines five slender, sleek square-edged fan blades with an stylish pendant light kit to create a chic contemporary look that will make any room shine. Choose from two appealing finishes with perfectly coordinated blades.*

SKU: 52-450-5CH-13



PRODUCT SPECIFICATIONS Pg. 20



**WET  
Location**

# TRUDY

*An excellent choice for outdoor and indoor living spaces, Trudy has classic appeal thanks to its classic smoke bell light fixture with clear seeded glass. Its rich English bronze finish is accentuated by walnut blades. Trudy is UL Wet Location rated.*

SKU: 52-135-5WA-13



PRODUCT SPECIFICATIONS Pg. 130



*Braddock is a ceiling fan with a timeless look that is perfect for any space and style, plus it comes in two great finishes with perfectly paired reversible blades to customize the look. Add an optional 4-light fan light with frosted opal glass shades for helpful illumination!*

SKU: 52-100-5RV-123

7

BRADDOCK



PRODUCT SPECIFICATIONS Pg. 96

# MISTRAL



SKU: 54-506-3SV-CH

*Mistral's three sleek, glossy, tapered blades and streamlined look with an integrated light kit make it an ideal choice for lovers of contemporary style and comfort. It is available in two different stylish finishes.*

PRODUCT SPECIFICATIONS Pg. 22



5

# EASTON

*Easton looks like an elegant chandelier but is actually so much more. It's a Fan D'Lier, a Savoy House exclusive, and it ionizes and circulates the air so that you're always breathing the best air possible! Spheres of K9 crystal, clear seeded glass shades and an English bronze finish look stunning together.*

SKU: 36-331-FD-13



PRODUCT SPECIFICATIONS Pg. 76



SKU: 36-329-FD-SN



*Etesian combines the beauty of a chandelier with the usefulness of a ceiling fan, then adds in air-ionization and circulation to create the perfect package. The satin nickel finish and dramatically curving arms, topped with clear glass shades with white inner chimneys, creates a contemporary appeal.*

4

## ETESIAN



PRODUCT SPECIFICATIONS Pg. 72

3

## DANVILLE



*Bring a hint of the tropics anywhere with the Danville outdoor ceiling fan! It features a highly textured motor and blades finished in aged wood or dark bamboo. Add coordinating fan lights to illuminate the great outdoors. Danville is UL Wet Location rated.*



SKU: 52-110-545-45



PRODUCT SPECIFICATIONS Pg. 134

2

## BRISTOL



SKU: 52-15-545-45

*Now available in a weathered Aged Wood finish, Bristol is an excellent choice for elegant and stylish ceiling fans with integrated lighting. Subtle yet stylish adornments decorate each part of the fan, adding even more intrigue.*

PRODUCT SPECIFICATIONS Pg. 88



*The vintage look of the Circulaire III is an eye-catcher and a conversation starter for sure! Its three-headed design circulates air through any room as efficient airfoil-shaped blades deliver more air, use less energy and make less noise. Tilt each head for differing rotation speed. Circulaire III is UL Damp Location rated.*

SKU: 38-951-CA-13

# CIRCULAIRE III



# 1



PRODUCT SPECIFICATIONS Pg.4







# SAVOY FANS

## CONTENTS

### SLEEPFANS™

- 2 Introduction
- 4 Circulaire III
- 6 Circulaire
- 13 Floor Fans
- 14 Table Fans
- 15 Wall Fans

### MIDTOWN VOGUE

- 18 Girard
- 20 Bancroft
- 22 Mistral
- 24 Veyron
- 28 Ariel
- 40 Velocity
- 44 Muir
- 50 Polaris
- 54 Zephyr
- 56 St. Simons
- 58 Shasta
- 60 Olympic
- 62 Big Canoe
- 63 Britton

### FAN D'LIERS

- 64 Alsace
- 66 Seaside
- 68 Bay St. Louis
- 69 Fire Island

### AIR-IONIZERS

- 70 Introduction
- 72 Etesian
- 76 Easton
- 78 Levantara
- 80 Borea
- 82 Brisa
- 83 Coromell



Pg.  
14



Pg. 8



Pg. 28




Pg. 146



Pg. 64



Pg. 78



Pg. 74

CONTENTS CONTINUED ON NEXT PAGE



## Alphabetical Listing

Alsace..... 64, 86	Builder Specialty ... 126	Floor Fans ..... 13	Mystique..... 100	Sierra Madres ..... 108
Ariel..... 28	Capri..... 136	Girard ..... 18	Nomad ..... 144	Sky ..... 146
Bancroft..... 20	Charleston ..... 112	Hyannis..... 132	Olympic..... 60	SleepFans™ ..... 13
Banff ..... 104	Chatsworth..... 141	Indigo..... 90	Peachtree..... 106	St. Simons ..... 56
Barbour Island ..... 110	Circulaire III ..... 4	Lancer ..... 138	Pine Harbor ..... 122	Table Fans..... 14
Bay St. Louis..... 68	Circulaire ..... 6	Lancer II ..... 140	Polaris ..... 50	Trudy ..... 130
Big Canoe..... 62	Coromell ..... 83	Levantara ..... 78	Polaris Hugger..... 52	Velocity ..... 40
Borea..... 80	Danville..... 134	Logan ..... 114	Portico..... 137	Veyron ..... 24
Braddock..... 96	Easton..... 76	Mistral ..... 22	Salon Wind Star .... 120	Villamoura ..... 92
Brisa..... 82	Etesian ..... 72	Monarch ..... 93	San Pablo ..... 115	Wall Fans ..... 15
Bristol ..... 88	Fire Island ..... 69	Monticello..... 142	Seaside ..... 66	Wind Star ..... 116
Britton..... 63	First Value ..... 124	Muir ..... 44	Shasta..... 58	Zephyr ..... 54

# SAVOY FANS

## CONTENTS

### TRADITIONAL

- 86 Alsace
- 88 Bristol
- 90 Indigo
- 92 Villamoura
- 93 Monarch

### MAIN STREET

- 96 Braddock
- 100 Mystique
- 104 Banff
- 106 Peachtree
- 108 Sierra Madres
- 110 Barbour Island
- 112 Charleston
- 114 Logan
- 115 San Pablo
- 116 Windstar
- 120 Salon Windstar
- 122 Pine Harbor
- 124 First Value
- 126 Builder Specialty

### OUTDOOR LIVING

- 130 Trudy
- 132 Hyannis
- 134 Danville
- 136 Capri
- 137 Portico
- 138 Lancer
- 140 Lancer II
- 141 Chatsworth
- 142 Monticello
- 144 Nomad
- 146 Skyy

### ESSENTIALS

- 148 Fan Light Options
- 154 Glass Options
- 155 Controls
- 157 Hanging Systems

### INDEX



Pg. 54



Pg. 118



Pg. 102



Pg. 116



Pg. 132



Pg. 146



Pg. 155



# SLEEP FANS™



## Relax & Renew

How a simple breakthrough in technology can help you rest and live more soundly.

SleepFans™, an innovation unique to Savoy House, are just what you need to get the best sleep of your life. Using custom-designed fan petals that emit soothing low-frequency noise—also known as red noise—leads to relaxation, easier sleep, fewer interruptions and ease of returning to sleep in case of interruptions. Millions of people need help getting to sleep, but the innovative SleepFans™ have been crafted with the sole goal of helping people get their best night's sleep.

Distributed  
Exclusively By:





# SLEEPFANS™

REVOLUTIONIZING  
CEILING FAN PERFORMANCE



## The Unique Blade

The Ariel ceiling fan collection, designed by the visionary SleepFans™ team, brings the innovative design of SleepFans™ to a new place: the ceiling! The blades on these fans have been specially crafted in the style of wind turbines for maximum air movement and maximum comfort. In fact, Ariel fans produce 20 percent more airflow, use 20 percent less energy to do so and are 20 percent quieter than normal ceiling fans. The streamlined and eye-catching design will bring a beautiful and unique look to any room.

**Sleep deeper. Sleep better.**





FAN NUMBER	38-951-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
DOWNROD	13

- Motor Size 74 x 16
- 38" Span (3 Heads)
- 13" Protective Steel Case
- 17.55" Height
- Fully Adjustable Heads (20°-Up, 20°-Down, 40°-Left, 40°-Right)

- 3-Speed Reversible Motor
- Additional Downrod Lengths (CA-13) Sold Separately
- Hand Held Remote Control Included (RMT013)
- Fan & Blades are **UL Damp Location**
- NEW Feature for Adjustable Speed of Rotation


Handheld Remote Control  
Included  
RMT013



ENERGY INFORMATION at High Speed		
Airflow 3,083 Cubic Feet Per Minute	Electricity Use 81.3 Watts (Excludes Lights)	Airflow Efficiency 37.92 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 176 cubic feet per minute per watt at high speed.		



# CIRCULAIRE III







FAN NUMBER	50-950-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
FAN LIGHT	Included / Cover
GLASS	Opal White
DOWNROD	13

- Motor Size 74 x 16
- 50" Span (2 Heads - 16" Blade Span each)
- 17.7" Protective Steel Case
- 14.75" Height
- Fully Adjustable Heads (40°-Up, 40°-Down)
- 3-Speed Reversible Motor

- Decorative Cover For Non-Light Use Included
- Additional Downrod Lengths (CA-13) Sold Separately
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Hand Held Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**
- NEW Feature for Adjustable Speed of Rotation

Lamp Included  
Halogen

Handheld Remote Control  
Included  
RMT011



#### ENERGY INFORMATION at High Speed

Airflow 3,396 Cubic Feet Per Minute	Electricity Use 85.2 Watts (Excludes Lights)	Airflow Efficiency 39.87 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# CIRCULAIRE







FAN NUMBER	50-950-CA-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Solid Wood / Silver
FAN LIGHT	Included / Cover
GLASS	Opal White
DOWNROD	SN

- Motor Size 74 x 16
- 50" Span (2 Heads - 16" Blade Span each)
- 17.7" Protective Steel Case
- 14.75" Height
- Fully Adjustable Heads (40°-Up, 40°-Down)
- 3-Speed Reversible Motor

- Decorative Cover For Non-Light Use Included
- Additional Downrod Lengths (CA-SN) Sold Separately
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Hand Held Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**
- NEW Feature for Adjustable Speed of Rotation

Lamp Included  
Halogen




Handheld Remote Control  
Included  
RMT011



ENERGY INFORMATION at High Speed		
Airflow 3,396 Cubic Feet Per Minute	Electricity Use 85.2 Watts (Excludes Lights)	Airflow Efficiency 39.87 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



# CIRCULAIRE



# beyond standard features



- Motor Speeds – High – Medium – Low
- Solid Wooden Blades
- Solid Steel Protective Cage
- Motor Size 74 x 16




- Fully Adjustable – 40° Up – 40° Down
- One or Both Fan Heads
- Adjustable Speed of Rotation



- No Motor in Central Housing
- Halogen Fan Light (1-75W Halogen Mini-Can)
- Decorative Cover For Non-Light Use Included

# THE CIRCULAIRE



**Lamp Included  
Halogen**



1-75W Halogen Mini-Can



**DAMP  
LOCATION**

Handheld  
Remote  
Control  
Included  
RMT011



- Available Downrod Lengths 12", 18", 24", 36", 48", 62", and 72" Downrods Sold Separately
- 16" Twin Head Fan with Solid Steel Protective Cage
- 6" Downrod Included



# SLEEP FANS™



## Proven Sleep Technology



### The Brain, Noise and Air Movement

Higher sound frequencies can actually increase brain activity and keep you awake, so low frequencies are needed for


ideal sleep. In fact, when the brain is relaxed, the body can reset its natural circadian rhythm, an internal clock that can be thrown off by so many different factors, leading to better health and wellness. SleepFans™ help you sleep and live your best with their unique design and air movement features.

of noise that cuts out high-frequency sounds and creates soothing sounds for better sleep. The petals make it so that SleepFans™ can have their volume adjusted without changing the speed of the motor.

### Blade Design-Air Movement

SleepFans™ have uniquely-designed blades that are efficient in every way: they move more air than traditional fans, but need less energy

to do it. They move more air on low as most other fans do on high and work in tandem with the petals to create a fully adjustable experience so you can get your best sleep.



### Proprietary Petal Design



SleepFans™ are equipped with a set of custom-designed petals that amplify the blades' sound to produce red noise, the kind

## SleepFan Guarantees

- Generates a soothing sound (red noise) that promotes relaxation
- Allows adjustment of the soothing sound volume independent of the fan speed
- Masks background noises that distract from sleep
- Produces cooling air movement, conducive to rest
- Is quieter than its traditional counterpart
- Moves more air while using less energy than its traditional counterpart
- Telescoping height adjustment from 36 to 48 inches
- 50 degree oscillation with tilting head
- Solid Beechwood blade
- Patent Pending Technology



### Soothing Sound

Promotes better sleep by using the lower frequencies of red noise.



### Patent-Pending Technology

Creates a calming sound by engaging a custom-designed blade with unique metal petals.



# SLEEPFANS™

## FLOOR FANS



18-SF-ES-13  
English Bronze



18-SF-ES-SN  
Satin Nickel



18-SF-ES-WIB  
Black

### ENERGY INFORMATION at High Speed

Airflow 1,698 Cubic Feet Per Minute	Electricity Use 42.6 Watts (Excludes Lights)	Airflow Efficiency 39.87 Cubic Feet Per Minute Per Watt
--	---	--



### Adjustable Volume

Controls the sound independently  
from the fan speed.



### More Air, Less Energy

Unique design creates more air movement  
while using less energy.

For More Information, check us out on the web at [www.SleepFans.com](http://www.SleepFans.com)

## TABLE FANS

# SLEEPFANS™

Distributed  
Exclusively By:



- 12" Tabletop SleepFan
- 74 x 16 Motor
- Solid Beechwood Blade
- Innovative Fan Petals
- Matte Black Grill Cover

ENERGY INFORMATION at High Speed		
Airflow <b>964</b> Cubic Feet Per Minute	Electricity Use <b>31.5</b> Watts (Excludes Lights)	Airflow Efficiency <b>30.6</b> Cubic Feet Per Minute Per Watt



12-SF-SN  
Satin Nickel



12-SF-13  
English Bronze

## SleepFan Guarantees

- Generates a soothing sound (red noise) that promotes relaxation
- Allows adjustment of the soothing sound volume independent of the fan speed
- Masks background noises that distract from sleep
- Produces cooling air movement, conducive to rest
- Is quieter than its traditional counterpart
- Moves more air while using less energy than its traditional counterpart
- 60 degree oscillation with tilting head
- Solid Beechwood blade
- Patent Pending Technology



### Soothing Sound

Promotes better sleep by using the lower frequencies of red noise.



### Patent-Pending Technology

Creates a calming sound by engaging a custom-designed blade with unique metal petals.

# SLEEPFANS™

## WALL FANS

ENERGY INFORMATION at High Speed		
Airflow <b>964</b> Cubic Feet Per Minute	Electricity Use <b>31.5</b> Watts (Excludes Lights)	Airflow Efficiency <b>30.6</b> Cubic Feet Per Minute Per Watt



12-SF-SN  
12-SF-BRACKET-SN



12-SF-13  
12-SF-BRACKET-13

E-Z WALL BRACKETS - Change a Table Fan Into A Wall Fan In Seconds!



12-SF-BRACKET-SN



12-SF-BRACKET-13



Table Fan  
12-SF-SN

+



E-Z Bracket  
12-SF-BRACKET-SN

=



Wall Fan  
12-SF-SN / 12-SF-BRACKET-SN



### Adjustable Volume

Controls the sound independently  
from the fan speed.



### More Air, Less Energy

Unique design creates more air movement  
while using less energy.

For More Information, check us out on the web at [www.SleepFans.com](http://www.SleepFans.com)







# SAVOY FANS

## CONTENTS

### MIDTOWN VOGUE


- 18 Girard
- 20 Bancroft
- 22 Mistral
- 24 Veyron
- 28 Ariel
- 40 Velocity
- 44 Muir
- 50 Polaris
- 54 Zephyr
- 56 St. Simons
- 58 Shasta
- 60 Olympic
- 62 Big Canoe
- 63 Britton

### FAN D'LIERS

- 64 Alsace
- 66 Seaside
- 68 Bay St. Louis
- 69 Fire Island

### AIR-IONIZING FAN D'LIERS

- 72 Etesian
- 76 Easton
- 78 Levantara
- 80 Borea
- 82 Brisa
- 83 Coromell





FAN NUMBER	52-120-5WA-13	52-120-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Included	Included
GLASS	Frosted Opal	Frosted Opal
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 153 x 18
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor

- Remote Control Included (RMT007)
- Additional Downrod Lengths Sold Separately
- Not Hugger Kit Adaptable
- 16W LED Dimmable Fan Light Included (1350 Lumens)

Handheld Remote Control  
Included  
RMT007



#### ENERGY INFORMATION at High Speed

Airflow 4,785 Cubic Feet Per Minute	Electricity Use 59.6 Watts (Excludes Lights)	Airflow Efficiency 80.29 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.







FAN NUMBER	52-450-5CH-13	52-450-5SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Chestnut	Silver
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Remote Control Included (RMT005)
- Not Hugger Kit Adaptable
- Additional Downrod Lengths Sold Separately

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT005



ENERGY INFORMATION at High Speed		
Airflow 5,782 Cubic Feet Per Minute	Electricity Use 70.9 Watts (Excludes Lights)	Airflow Efficiency 81.55 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



# BANCROFT





FAN NUMBER	54-506-313-129	54-506-3SV-CH
MOTOR FINISH	Espresso	Chrome
BLADE FINISH	English Bronze	Silver
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	129	CH

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 54" Blade Span
- 13° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included

- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Decorative Cover For Non-Light Use Included
- Not Hugger Kit Adaptable
- Remote Control Included (RMT005)
- Additional Downrod Lengths Sold Separately

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT005



#### ENERGY INFORMATION at High Speed

Airflow 5,993 Cubic Feet Per Minute	Electricity Use 71.7 Watts (Excludes Lights)	Airflow Efficiency 83.59 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

# MISTRAL







FAN NUMBER	72-429-3CN-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Chestnut
FAN LIGHT	Included / Cover
GLASS	Opal Etched
DOWNROD	SN

**COMPATIBLE REMOTE CONTROLS:** RMT005, WLC300

- Motor Size 172 x 20
- 72" Blade Span
- 45° Blade Pitch
- 3-Speed Motor (Slide-Reverse Switch)
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



ENERGY INFORMATION at High Speed		
Airflow 7,240 Cubic Feet Per Minute	Electricity Use 73.9 Watts (Excludes Lights)	Airflow Efficiency 97.98 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



# VEYRON





FAN NUMBER	72-429-3WA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut
FAN LIGHT	Included / Cover
GLASS	Opal Etched
DOWNROD	13

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 172 x 20
- 72" Blade Span
- 45° Blade Pitch
- 3-Speed Motor (Slide-Reverse Switch)
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

Lamp Included  
Halogen



Handheld Remote Control  
Included  
RMT005




ENERGY INFORMATION at High Speed		
Airflow 7,240 Cubic Feet Per Minute	Electricity Use 73.9 Watts (Excludes Lights)	Airflow Efficiency 97.98 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





# VEYRON





FAN NUMBER	68-818-2CN-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Chestnut
FAN LIGHT	Included / Cover
GLASS	White Opal
DOWNROD	SN

**COMPATIBLE REMOTE CONTROLS:** RMT005, WLC300

- Motor Size 153 x 22
- 68" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen 


**Handheld Remote Control**  
Included  
RMT005 

ENERGY INFORMATION at High Speed		
Airflow 8,281 Cubic Feet Per Minute	Electricity Use 71.6 Watts (Excludes Lights)	Airflow Efficiency 116 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





# ARIEL







FAN NUMBER	68-818-2WA-35
MOTOR FINISH	Byzantine Bronze
BLADE FINISH	Walnut
FAN LIGHT	Included / Cover
GLASS	White Frosted
DOWNROD	35

**COMPATIBLE REMOTE CONTROLS: RMT005, WLC300**

- Motor Size 153 x 22
- 68" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



**ENERGY INFORMATION**  
at High Speed

Airflow 8,281 Cubic Feet Per Minute	Electricity Use 71.6 Watts (Excludes Lights)	Airflow Efficiency 116 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# ARIEL





FAN NUMBER	58-818-5CN-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Chestnut
FAN LIGHT	Included / Cover
GLASS	White Frosted
DOWNROD	SN

#### COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 58" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



#### ENERGY INFORMATION at High Speed

Airflow 6,564 Cubic Feet Per Minute	Electricity Use 71.7 Watts (Excludes Lights)	Airflow Efficiency 92 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.





# ARIEL





FAN NUMBER	58-818-5WA-35
MOTOR FINISH	Byzantine Bronze
BLADE FINISH	Walnut
FAN LIGHT	Included / Cover
GLASS	White Frosted
DOWNROD	35

#### COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 58" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



#### ENERGY INFORMATION at High Speed

Airflow 6,564 Cubic Feet Per Minute	Electricity Use 71.7 Watts (Excludes Lights)	Airflow Efficiency 92 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# ARIEL







FAN NUMBER	55-818-3CN-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Chestnut
FAN LIGHT	Included / Cover
GLASS	White Opal
DOWNROD	SN

**COMPATIBLE REMOTE CONTROLS: RMT005, WLC300**

- Motor Size 153 x 22
- 55" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen




**Handheld Remote Control**  
Included  
RMT005



ENERGY INFORMATION at High Speed		
Airflow 7,499 Cubic Feet Per Minute	Electricity Use 71.8 Watts (Excludes Lights)	Airflow Efficiency 104 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



# ARIEL







FAN NUMBER	55-818-3WA-35
MOTOR FINISH	Byzantine Bronze
BLADE FINISH	Walnut
FAN LIGHT	Included / Cover
GLASS	White Frosted
DOWNROD	35

**COMPATIBLE REMOTE CONTROLS: RMT005, WLC300**

- Motor Size 153 x 22
- 55" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Fan Light 1 G9 75W Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



**ENERGY INFORMATION**  
at High Speed

Airflow 7,499 Cubic Feet Per Minute	Electricity Use 71.8 Watts (Excludes Lights)	Airflow Efficiency 104 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# ARIEL





FAN NUMBER	60-820-6SV-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Silver
FAN LIGHT	Included / Cover
GLASS	White Etched
DOWNROD	SN

**COMPATIBLE REMOTE CONTROLS:** RMT007, WLC300, WLC700

- Motor Size 212 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-100W Halogen Mini Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)
- Decorative Cover For Non-Light Use Included
- Fan & Blades Are **UL Damp Located**

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT007



  
**DAMP**  
Location

ENERGY INFORMATION at High Speed		
Airflow 8,319 Cubic Feet Per Minute	Electricity Use 86.40 Watts (Excludes Lights)	Airflow Efficiency 96.30 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

# VELOCITY







FAN NUMBER	60-820-613-13
MOTOR FINISH	English Bronze
BLADE FINISH	English Bronze
FAN LIGHT	Included / Cover
GLASS	White Etched
DOWNROD	13

COMPATIBLE REMOTE CONTROLS: RMT007, WLC300, WLC700

- Motor Size 212 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-100W Halogen Mini Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)
- Decorative Cover For Non-Light Use Included
- Fan & Blades Are **UL Damp Located**


Lamp Included  
Halogen 

Handheld Remote Control  
Included  
RMT007 

  
**DAMP  
Location**

ENERGY INFORMATION at High Speed		
Airflow 8,319 Cubic Feet Per Minute	Electricity Use 86.40 Watts (Excludes Lights)	Airflow Efficiency 96.30 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

# VELOCITY





FAN NUMBER	56-870-3CN-35
MOTOR FINISH	Byzantine Bronze
BLADE FINISH	Chestnut
FAN LIGHT	Included / Cover
GLASS	White Etched
DOWNROD	35

#### COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 140 x 28
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included  
Halogen



Handheld Remote Control  
Included  
RMT005



  
**DAMP  
Location**

#### ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,891 Cubic Feet Per Minute	82.7 Watts (Excludes Lights)	71.23 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.









FAN NUMBER	56-870-3GR-242
MOTOR FINISH	Aged Steel
BLADE FINISH	Graphite
FAN LIGHT	Included / Cover
GLASS	White Etched
DOWNROD	242

**COMPATIBLE REMOTE CONTROLS:** RMT005, WLC300

- Motor Size 140 x 28
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



**DAMP**  
**Location**




**ENERGY INFORMATION**  
at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,891 Cubic Feet Per Minute	82.7 Watts (Excludes Lights)	71.23 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.









FAN NUMBER	56-870-3BK-SNB
MOTOR FINISH	Satin Nickel w/ Black
BLADE FINISH	Flat Black
FAN LIGHT	Included / Cover
GLASS	White Etched
DOWNROD	SN

**COMPATIBLE REMOTE CONTROLS:** RMT005, WLC300

- Motor Size 140 x 28
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



  
**DAMP**  
**Location**

**ENERGY INFORMATION**  
at High Speed

Airflow 5,891 Cubic Feet Per Minute	Electricity Use 82.7 Watts (Excludes Lights)	Airflow Efficiency 71.23 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.







FAN NUMBER	52-417-3WA-13	52-417-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Included / Cover	Included / Cover
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-100W Halogen Mini-Can Bulb Included
- Dual Mounting System Included (Downrod & Hugger)
- Hand Held Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT006



  
**DAMP  
Location**

ENERGY INFORMATION at High Speed		
Airflow 5,089 Cubic Feet Per Minute	Electricity Use 51.9 Watts (Excludes Lights)	Airflow Efficiency 98.06 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# POLARIS





FAN NUMBER	52-417H-3WA-13	52-417H-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Included / Cover	Included / Cover
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 1-100W Halogen Mini-Can Bulb Included
- Hand Held Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT006



  
**DAMP  
Location**

ENERGY INFORMATION at High Speed		
Airflow 3,787 Cubic Feet Per Minute	Electricity Use 51.8 Watts (Excludes Lights)	Airflow Efficiency 73.11 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





# POLARIS HUGGER







FAN NUMBER	54-471-5FB-250	54-471-5CN-SN
MOTOR FINISH	Mercury Black	Satin Nickel
BLADE FINISH	Flat Black	Chestnut
FAN LIGHT	Included	Included
GLASS	White	White
DOWNROD	250	SN

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 188 x 15
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- Fan Light 1 G9 75W Halogen Bulb Included
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT006)

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT006




#### ENERGY INFORMATION at High Speed

Airflow 5334 Cubic Feet Per Minute	Electricity Use 71.6 Watts (Excludes Lights)	Airflow Efficiency 74 Cubic Feet Per Minute Per Watt
---	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

# ZEPHYR





FAN NUMBER	52P-646-5RV-323	52P-646-5RV-187
MOTOR FINISH	Old Bronze	Brushed Pewter
BLADE FINISH	Oak / Walnut	Walnut / Teak
FAN LIGHT	Included	Included
GLASS	Cream Scavo	White Scavo
DOWNROD	OWB	187

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable

Lamp Included  
Incandescent



ENERGY INFORMATION at High Speed		
Airflow 5,432 Cubic Feet Per Minute	Electricity Use 65 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.







PIERCE PAXTON



FAN NUMBER	54-220-5RV-13	54-220-5RV-CH
MOTOR FINISH	English Bronze	Chrome
BLADE FINISH	Teak / Walnut	Rosewood / Maple
FAN LIGHT	Included	Included
GLASS	White Frosted Halophane	White Frosted Halophane
DOWNROD	13	CH
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300		

- Motor Size 188 x 18
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light Included
- Fan Light 1 G9 75W Bulb Included
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC300)



**Lamp Included  
Halogen**

**Wall Mount Control  
Included  
WLC300**



ENERGY INFORMATION at High Speed		
Airflow 6,242 Cubic Feet Per Minute	Electricity Use 79.1 Watts (Excludes Lights)	Airflow Efficiency 78.9 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		






# SHASTA







FAN NUMBER	56-765-5HK-213
MOTOR FINISH	English Bronze w/ Gold
BLADE FINISH	Hickory
FAN LIGHT	Included
GLASS	Cream Frost
DOWNROD	13

COMPATIBLE REMOTE CONTROLS: RMT005, WLC700

- Motor Size 188 x 22
- 56" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- Fan Light 6C 10W & 1-100W Halogen Mini-Can Bulbs Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC700)

Lamp Included  
Halogen

Wall Mount Control  
Included  
WLC700




ENERGY INFORMATION at High Speed		
Airflow 5,578 Cubic Feet Per Minute	Electricity Use 78 Watts (Excludes Lights)	Airflow Efficiency 71.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		

# OLYMPIC



# BIG CANOE



FAN NUMBER	52P-620-5BC-13
MOTOR FINISH	English Bronze
BLADE FINISH	Burled Cherry
FAN LIGHT	Included
GLASS	Tea Stained
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Dual Mounting System Included (Downrod & Hugger)
- Wall Mount Remote Control Included (WLC300)



**Lamp Included  
Incandescent**



**Wall Mount Control  
Included  
WLC300**

ENERGY INFORMATION at High Speed		
Airflow 5,511 Cubic Feet Per Minute	Electricity Use 70 Watts (Excludes Lights)	Airflow Efficiency 786 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		





FAN NUMBER	52-771-5BW-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Beechwood
FAN LIGHT	Included
GLASS	White Opal Etched
DOWNROD	SN
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Not Hugger Kit Adaptable
- Hand Held Remote (RMT001) Included

#### ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,667 Cubic Feet Per Minute	73 Watts (Excludes Lights)	77.6 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



Hand Held Remote  
Included  
RMT001



Lamp Included  
Incandescent





FAN NUMBER	26-9536-FD-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Included
GLASS	White Etched
DOWNROD	196

**COMPATIBLE REMOTE CONTROLS: RMT005**

- Motor Size 120 x 20
- 26" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Handheld Remote Control Included (RMT005)
- Not Hugger Kit Adaptable
- Fan & Blades are **UL Damp Location**

**Lamp Included**  
Halogen



**Handheld Remote Control**  
Included  
RMT005



  
**DAMP**  
**Location**


**ENERGY INFORMATION**  
at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,374 Cubic Feet Per Minute	37 Watts (Excludes Lights)	64 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.











FAN NUMBER	14-325-FD-SN	14-325-FD-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Silver	Bronze
DOWNROD	SN	13

#### COMPATIBLE REMOTE CONTROLS: RMT003

- Motor Size: 90AL
- 14" Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 18-1/2"W x 11"H
- Additional Downrod Lengths Sold Separately
- Hand Held Remote Control Included (RMT003)
- Not Hugger Kit Adaptable
- Fan & Blades are **UL Damp Location**

Handheld Remote Control  
Included  
RMT003



ENERGY INFORMATION at High Speed		
Airflow 2,373 Cubic Feet Per Minute	Electricity Use 48 Watts (Excludes Lights)	Airflow Efficiency 49 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

# SEASIDE





# BAY ST. LOUIS



PIERCE PAXTON



FAN NUMBER	14-260-FD-16
MOTOR FINISH	Antique Copper
BLADE FINISH	Burled Cherry
FAN LIGHT	Included
GLASS	Tinted Scavo
DOWNROD	16
COMPATIBLE REMOTE CONTROLS: RMT007, WLC300	

- 14" Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 30"W x 19"H
- Downrods Sold Separately

- Glass Included
- 4C 40W Bulbs Included
- Wall Mount Control Included (WLC300)
- Not Hugger Kit Adaptable
- Fan & Blades are UL Damp Location



**DAMP  
Location**



**Lamp Included  
Incandescent**



**Wall Mount Control  
Included  
WLC300**

## ENERGY INFORMATION at High Speed

Airflow <b>2,195</b> Cubic Feet Per Minute	Electricity Use <b>46.7</b> Watts (Excludes Lights)	Airflow Efficiency <b>47</b> Cubic Feet Per Minute Per Watt
---	--	--

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



# FIRE ISLAND



PIERCE PAXTON



FAN NUMBER	14-280-FD-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Burled Cherry
FAN LIGHT	Included
GLASS	Carved Scavo
DOWNROD	56
COMPATIBLE REMOTE CONTROLS: RMT007, WLC300	

- 14" Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 28"W x 23"H
- Downrods Sold Separately

- Glass Included
- 4C 40W Bulbs Included
- Wall Mount Control Included (WLC300)
- Not Hugger Kit Adaptable
- Fan & Blades are **UL Damp Location**



ENERGY INFORMATION at High Speed		
Airflow 2,195 Cubic Feet Per Minute	Electricity Use 46.7 Watts (Excludes Lights)	Airflow Efficiency 47 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



Wall Mount Control  
Included  
WLC300



Lamp Included  
Incandescent





F A N S

AIR-IONIZING

*Fan D'liers*





# INTRODUCING...

## *Air-Ionizing Fan D'Liers*



The remote-controlled multi-function chandelier that combines  
Lighting • Air Circulation • Air-Ionization  
All-In-One

*Good health is impossible to achieve breathing polluted air.  
So, how do we change that while indoors?*

### With Anions!

Anions (negatively charged ions) are odorless, tasteless, and invisible molecules that we inhale in abundance around certain environments such as near waterfalls, mountains, and ocean beaches. Think about how refreshed you feel at any of these popular getaway destinations! Negatively charged ions are believed to produce biochemical reactions that once reaching our bloodstream increases oxygen flow to the brain and levels of serotonin, which can effect one's energy as well as mood—positively. They may also reduce the amount of airborne particles that result in typical hypersensitivities such as throat irritation, coughing, and sneezing.

#### **What Air-Ionizing Fan D'Liers can do for you...**

- Removes smoke, molds, and fungi from the air
- Increases the flow of oxygen to the brain resulting in higher alertness, decreased drowsiness, and increased mental energy
- Used in treating Seasonal Affective Disorder and Attention Deficit Disorder
- Helps in alleviating depression, relieving stress, and increasing serotonin levels
- Helps to protect against germs in the air resulting in less irritation due to inhaling various particles and indoor pollutants





## ETESIAN



- 35-1/2"W x 40"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Fan Light 8E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

FAN NUMBER	36-329-FD-SN
MOTOR FINISH	Satin Nickel
FAN LIGHT	Included
GLASS	Clear Glass Outer White Glass Inner
DOWNROD	SN
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 7.1 to 8.6 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!



# AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION  
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



## ETESIAN



- 35-1/2"W x 40"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Fan Light 8E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

FAN NUMBER	36-329-FD-21
MOTOR FINISH	Burnished Russet
FAN LIGHT	Included
GLASS	Clear Glass Outer Cream Glass Inner
DOWNROD	21
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 7.1 to 8.6 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!





# AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION  
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



## EASTON



- 30-1/8"W x 40-1/2"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Fan Light 6C 7W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

FAN NUMBER	30-331-FD-13
MOTOR FINISH	English Bronze
FAN LIGHT	Included
GLASS	Clear Seeded
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 7.1 to 8.6 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!

# AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION  
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants





## LEVANTARA



- 34"W x 40-1/2"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Fan Light 8C 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)

FAN NUMBER	34-327-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Included
GLASS	White Shade
DOWNROD	CH
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 7.1 to 8.6 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!



# AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION  
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



## BOREA



- 32"W x 38"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Fan Light 5E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

FAN NUMBER	32-326-FD-SN
MOTOR FINISH	Satin Nickel
FAN LIGHT	Included
GLASS	White Frosted
DOWNROD	SN
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 7.1 to 8.6 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!





# AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION  
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



BRISA



- 34-3/4"W x 39"H
- Motor Size 104 x 114
- 18" Downrod Included
- Fan Light 8C 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)

FAN NUMBER	35-328-FD-13
MOTOR FINISH	English Bronze
FAN LIGHT	Included
GLASS	Off-White Shades
DOWNROD	13

COMPATIBLE REMOTE CONTROLS: RMT012

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent



## LIGHTING • AIR CIRCULATION • AIR-IONIZATION ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants

# AIR-IONIZING FAN D'LIERS



COROMELL



- 37-3/4"W x 51"H
- Motor Size 104 x 114
- 18" Downrod Included
- Fan Light 8C 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)

FAN NUMBER	38-330-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Included
GLASS	White Shades
DOWNROD	CH
COMPATIBLE REMOTE CONTROLS: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

Handheld Remote Control  
Included  
RMT012



Lamp Included  
Fluorescent








# SAVOY FANS

---

## CONTENTS

### TRADITIONAL

- 86 Alsace
- 88 Bristol
- 90 Indigo
- 92 Villamoura
- 93 Monarch







FAN NUMBER	52-840-5CN-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Included
DOWNROD	196

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 3-40W Candle Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Fans & Blades are **UL Damp Location**



**Lamp Included  
Incandescent**

Handheld Remote Control  
Included  
RMT005



**DAMP  
Location**

#### ENERGY INFORMATION at High Speed

Airflow 5,877 Cubic Feet Per Minute	Electricity Use 69.8 Watts (Excludes Lights)	Airflow Efficiency 84.2 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# ALSACE





FAN NUMBER	52-15-5WA-AG	52-15-5TK-16	52-15-545-45
MOTOR FINISH	Autumn Gold	Antique Copper	Aged Wood
BLADE FINISH	Walnut	Teak	Aged Wood
FAN LIGHT	Included	Included	Included
GLASS	Cream Marble	Cream Marble	White Etched
DOWNROD	AG	16	45

COMPATIBLE REMOTE CONTROLS: RMT006, WLC300, WLC400, WLC500, WLC600

- Motor Size 188 x 20
- 52" Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Fan Light Included
- Fan Light 2-50W Halogen Mini Cans Included
- Not Hugger Kit Adaptable
- Remote Control Included (RMT006)

Lamp Included  
Halogen



Hand Held Remote  
Included  
RMT006



#### ENERGY INFORMATION at High Speed

Airflow 5,339 Cubic Feet Per Minute	Electricity Use 70.4 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# BRISTOL







FAN NUMBER	52-850-5RV-7	52-850-5RV-56	52-850-5RV-TW
MOTOR FINISH	Ebony	New Tortoise Shell	Textured White
BLADE FINISH	Black / Chestnut	Chestnut / Walnut	White / Unfinished
OPTIONAL FAN LIGHT	FLGC-850-7	FLGC-850-56	FLGC-850-TW
GLASS	Cream Carved Marble	Cream Carved Marble	White Carved Marble
DOWNROD	FB	56	80

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light & Downrods Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Reversible Color Fan Blades Included

ENERGY INFORMATION at High Speed		
Airflow 5,200 Cubic Feet Per Minute	Electricity Use 74 Watts (Excludes Lights)	Airflow Efficiency 70 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FLGC-850-7  
OPTIONAL  
Fan Light



FLGC-850-56  
OPTIONAL  
Fan Light



FLGC-850-TW  
OPTIONAL  
Fan Light

# INDIGO




\*PICTURED WITH FLGC-850-56 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 148-153.



# VILLAMOURA



\*Pictured with FLGC-501-56 (Sold Separately).

FAN NUMBER	52-500-5WA-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Walnut
OPTIONAL FAN LIGHT	FLGC-501-56
GLASS	Cream Scavo
DOWNROD	56
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Fan Blades Included
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Not Hugger Kit Adaptable

## ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
6,214 Cubic Feet Per Minute	69.2 Watts (Excludes Lights)	89 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



FLGC-501-56  
OPTIONAL FAN LIGHT

\*PICTURED WITH FLGC-501-56 (OPTIONAL FAN LIGHT)



# MONARCH



FAN NUMBER	52-810-5WA-40
MOTOR FINISH	Walnut Patina
BLADE FINISH	Walnut
FAN LIGHT	Included
GLASS	Cream Carved Marble
DOWNROD	40
COMPATIBLE REMOTE CONTROLS: RMT006, WLC400	

- Motor Size 177 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades and Integrated Fan Light Included

- Additional Downrod Lengths Sold Separately
- Motor Accent Light 4C 10W Bulbs Included
- Fan Light 4C 40W Bulbs Included
- Hand Held Remote Control Included (RMT006)



**Lamp Included  
Incandescent**



**Hand Held Remote  
Included  
RMT006**

ENERGY INFORMATION at High Speed		
Airflow 5,482 Cubic Feet Per Minute	Electricity Use 73.7 Watts (Excludes Lights)	Airflow Efficiency 74 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		






# SAVOY FANS


## CONTENTS

### MAIN STREET

- 96 Braddock
- 100 Mystique
- 104 Banff
- 106 Peachtree
- 108 Sierra Madres
- 110 Barbour Island
- 112 Charleston
- 114 Logan
- 115 San Pablo
- 116 Wind Star
- 120 Salon Wind Star
- 122 Pine Harbor
- 124 First Value
- 126 Builder Specialty







FLG-101-187  
OPTIONAL FAN LIGHT

FAN NUMBER	52-100-5RV-187
MOTOR FINISH	Brushed Pewter
BLADE FINISH	Cherry / Chestnut
OPTIONAL FAN LIGHT	FLG-101-187
GLASS	Frosted Opal
DOWNROD	187
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600	

- Motor Size 172 x 14
- 52" Blade Span
- 12.5° Blade Pitch
- 3-Speed Reversible Motor

- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately

ENERGY INFORMATION at High Speed		
Airflow 4,917 Cubic Feet Per Minute	Electricity Use 59.6 Watts (Excludes Lights)	Airflow Efficiency 82.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



# BRADDOCK







FLG-101-213  
OPTIONAL FAN LIGHT

FAN NUMBER	52-100-5RV-213
MOTOR FINISH	English Bronze w/ Gold
BLADE FINISH	Cherry / Walnut
OPTIONAL FAN LIGHT	FLG-101-213
GLASS	Frosted Opal
DOWNROD	213
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600	

- Motor Size 172 x 14
- 52" Blade Span
- 12.5° Blade Pitch
- 3-Speed Reversible Motor

- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately


ENERGY INFORMATION at High Speed		
Airflow 3,396 Cubic Feet Per Minute	Electricity Use 85.2 Watts (Excludes Lights)	Airflow Efficiency 39.87 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





# BRADDOCK





FAN NUMBER	52-831-5RV-109	52-831-5RV-SN
MOTOR FINISH	Polished Nickel	Satin Nickel
BLADE FINISH	Chestnut / Teak	Chestnut / Silver
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	109	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades Included
- Integrated Fan Light Included
- 3-60 Watt Candle Bulbs Included
- Cover for Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 4,438 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 80.69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

# MYSTIQUE







FAN NUMBER	52-831-5RV-35	52-831-5RV-13
MOTOR FINISH	Byzantine Bronze	English Bronze
BLADE FINISH	Teak / Walnut	Chestnut / Teak
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	35	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600		

- Motor Size 153 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades Included
- Integrated Fan Light Included
- 3-60 Watt Candle Bulbs Included
- Cover for Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 4,438 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 80.69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

# MYSTIQUE





FAN NUMBER	52-854-5RV-234
MOTOR FINISH	Parisian Bronze
BLADE FINISH	Walnut / Beechwood
FAN LIGHT	Included
GLASS	Cream Textured
DOWNROD	234

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 20
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,709 Cubic Feet Per Minute	Electricity Use 69.5 Watts (Excludes Lights)	Airflow Efficiency 82.15 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		









FAN NUMBER	52P-614-5WA-13	52P-614-5WA-187
MOTOR FINISH	English Bronze	Brushed Pewter
BLADE FINISH	Walnut	Walnut
FAN LIGHT	Included	Included
GLASS	Cream Marble	White Marble
DOWNROD	13	187

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- Blades & Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**

ENERGY INFORMATION  
at High Speed

Airflow 4,913 Cubic Feet Per Minute	Electricity Use 60.21 Watts (Excludes Lights)	Airflow Efficiency 81.59 Cubic Feet Per Minute Per Watt
--	--	--


Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

# PEACHTREE







FAN NUMBER	52-CDC-5RV-13	52-CDC-5RV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut / Teak	White / Chestnut
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Fan Light 2C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)




**Lamp Included  
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,115 Cubic Feet Per Minute	Electricity Use 67 Watts (Excludes Lights)	Airflow Efficiency 76 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		

# SIERRA MADRES





FAN NUMBER	52-SCB-5RV-SN	52-SCB-5RV-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Teak / Walnut	Teak / Walnut
FAN LIGHT	Included	Included
GLASS	White Frosted	Cream Frosted
DOWNROD	SN	13

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**


ENERGY INFORMATION at High Speed		
Airflow 4,929 Cubic Feet Per Minute	Electricity Use 65.7 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		





# BARBOUR ISLAND





FAN NUMBER	52-411-5RV-SN	52-411-5RV-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Maple / Chestnut	Teak / Walnut
FAN LIGHT	Included	Included
GLASS	White Marble	Cream Marble
DOWNROD	SN	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600		

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- Fan Light 3C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included  
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow <b>4,585</b> Cubic Feet Per Minute	Electricity Use <b>63</b> Watts (Excludes Lights)	Airflow Efficiency <b>72.8</b> Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		




# CHARLESTON





# LOGAN



- Motor Size 172 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

## ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,230 Cubic Feet Per Minute	60 Watts (Excludes Lights)	87.2 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



**Lamp Included  
Incandescent**

# SAN PABLO



FAN NUMBER	52-860-5RV-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut / Beechwood
FAN LIGHT	Optional
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600	
COMPATIBLE FAN LIGHTS: FLG-247-13, FLC418-13, FLCC-1110-13,	


- Motor Size 177 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,230 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Light)	Airflow Efficiency 87.1 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

FAN LIGHT CHOICES Pg 148-153.



FAN NUMBER	52-830-5RV-187	52-830-5RV-129	52-830-545-45
MOTOR FINISH	Brushed Pewter	Espresso	Aged Wood
BLADE FINISH	Chestnut	Walnut	Aged Wood
FAN LIGHT	Optional	Optional	Optional
DOWNROD	187	129	45

COMPATIBLE FAN LIGHTS: FLG-1200 Series

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 14
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,971 Cubic Feet Per Minute	Electricity Use 65.3 Watts (Excludes Lights)	Airflow Efficiency 76.1 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FLG-1200-187  
OPTIONAL FAN LIGHT



FLG-1200-129  
OPTIONAL FAN LIGHT



FLG-1200-45  
OPTIONAL FAN LIGHT



# WIND STAR



\*PICTURED WITH FLG-1200-129 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 148-153.



FAN NUMBER	42-830-5RV-129	42-830-5RV-187
MOTOR FINISH	Espresso	Brushed Pewter
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Optional	Optional
DOWNROD	129	187

COMPATIBLE FAN LIGHTS: FLG-1200 Series

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 12
- 42" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 3,841 Cubic Feet Per Minute	Electricity Use 65.3 Watts (Excludes Lights)	Airflow Efficiency 76.13 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



FLG-1200-129  
OPTIONAL FAN LIGHT



FLG-1200-187  
OPTIONAL FAN LIGHT



# WIND STAR



FAN LIGHT CHOICES Pg 148-153.





FAN NUMBER	68-227-5HK-187	68-227-5WA-129
MOTOR FINISH	Brushed Pewter	Espresso
BLADE FINISH	Hickory	Walnut
FAN LIGHT	Optional	Optional
DOWNROD	187	129

COMPATIBLE FAN LIGHTS: FLG-1400 Series

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 212 x 25
- 68" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included

ENERGY INFORMATION  
at High Speed

Airflow 9,322 Cubic Feet Per Minute	Electricity Use 106.2 Watts (Excludes Lights)	Airflow Efficiency 88 Cubic Feet Per Minute Per Watt
--	--	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



FLG-1400-187  
OPTIONAL FAN LIGHT



FLG-1400-129  
OPTIONAL FAN LIGHT




# SALON WIND STAR



\*PICTURED WITH FLG-1400-129 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 148-153.



FAN NUMBER	52-SGC-5RV-13	52-SGC-5RV-SN	52-SGC-5RV-80
MOTOR FINISH	English Bronze	Satin Nickel	Matte White
BLADE FINISH	Walnut / Teak	Maple / Chestnut	White / Weathered Patina
FAN LIGHT	Optional	Optional	Optional
DOWNROD	13	SN	80
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600			
COMPATIBLE FAN LIGHTS: Concord Series, FLC418 Series, FLG-750, FLGC-1100 Series, Indigo Series			

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow <b>5,237</b> Cubic Feet Per Minute	Electricity Use <b>66.6</b> Watts (Excludes Lights)	Airflow Efficiency <b>79</b> Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		




# PINE HARBOR



FAN LIGHT CHOICES Pg 148-153.

# FIRST VALUE



FAN NUMBER	52-EUP-5RV-13WG	52-EUP-5RV-13	52-EUP-5RV-SN	52-EUP-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Included	Included	Included	Included
GLASS	Satin White Frosted	Cream Frosted	Satin White Frosted	Satin White Frosted
DOWNROD	13	13	SN	WH

**COMPATIBLE REMOTE CONTROLS:** RMT010, WLC500

- Motor Size 153 x 12
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Medium Base Socket 3-13W CFL Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

## ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,331 Cubic Feet Per Minute	58.8 Watts (Excludes Lights)	73.66 Cubic Feet Per Minute Per Watt



Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



**Lamp Included  
Fluorescent**

# FIRST VALUE



FAN NUMBER	52-ECM-5RV-13WG	52-ECM-5RV-13	52-ECM-5RV-SN	52-ECM-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Included	Included	Included	Included
GLASS	White Opal	Cream Marble	White Marble	White Marble
DOWNROD	13	13	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Medium Base Socket 2-13W CFL Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

Lamp Included  
Fluorescent



ENERGY INFORMATION at High Speed		
Airflow 5,208 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Lights)	Airflow Efficiency 86.81 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
Money-Saving Tip: Turn off fan when leaving room.





FAN NUMBER	52-FAN-5WA-13	52-FAN-5CN-SN	52-FAN-5W-SN	52-FAN-5W-WH
MOTOR FINISH	English Bronze	Satin Nickel	Satin Nickel	White
BLADE FINISH	Walnut	Chestnut	White	White
FAN LIGHT	Optional	Optional	Optional	Optional
DOWNROD	13	SN	SN	WH

**COMPATIBLE REMOTE CONTROLS:** RMT001, WLC300, WLC500, WLC600

**COMPATIBLE FAN LIGHTS:** Concord Series, FLC418 Series, FLG-750, FLGC-1100 Series, Indigo Series

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,274 Cubic Feet Per Minute	Electricity Use 69 Watts (Excludes Light)	Airflow Efficiency 76.4 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

# BUILDER SPECIALTY



FAN LIGHT CHOICES Pg 148-153.






# SAVOY FANS

## CONTENTS

### OUTDOOR LIVING

- 130 Trudy
- 132 Hyannis
- 134 Danville
- 136 Capri
- 137 Portico
- 138 Lancer
- 140 Lancer II
- 141 Chatsworth
- 142 Monticello
- 144 Nomad
- 146 Skyy





FAN NUMBER	52-135-5WA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut
FAN LIGHT	Included
GLASS	Clear Seeded
DOWNROD	13

#### COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 172 x 20
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Remote Control Included (RMT007)
- Additional Downrod Lengths Sold Separately
- All Weather Blades & Integrated Fan Light Included
- Fan Light 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Fans & Blades are **UL Wet Location**



**Lamp Included  
Incandescent**

**Handheld Remote Control  
Included  
RMT007**



**WET  
Location**

#### ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,301 Cubic Feet Per Minute	57.0 Watts (Excludes Lights)	92.99 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



# TRUDY







FAN NUMBER	52-624-5CN-13
MOTOR FINISH	English Bronze
BLADE FINISH	Chestnut
FAN LIGHT	Included
GLASS	Indian Cream Scavo
DOWNROD	13

COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades & Integrated Fan Light Included
- Medium Base Socket 13W CFL Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT010)
- Fans & Blades are **UL Damp Location**

Lamp Included  
Fluorescent

Handheld Remote Control  
Included  
RMT010




#### ENERGY INFORMATION at High Speed

Airflow 5,906 Cubic Feet Per Minute	Electricity Use 70.8 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.







FLG-110-04  
OPTIONAL FAN LIGHT



FLG-110-45  
OPTIONAL FAN LIGHT

FAN NUMBER	52-110-5BA-04	52-110-545-45
MOTOR FINISH	Dark Bamboo	Aged Wood
BLADE FINISH	Dark Bamboo	Aged Wood
OPTIONAL FAN LIGHT	FLG-110-04	FLG-110-45
GLASS	Cream Scavo	White Scavo
DOWNROD	04	45

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Fan Lights & Downrods Sold Separately
- All Weather Blades Included
- Fan, Fan Light & Blades are **UL Wet Location**
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed		
Airflow 5,304 Cubic Feet Per Minute	Electricity Use 68 Watts (Excludes Lights)	Airflow Efficiency 78 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		



# DANVILLE



\*PICTURED WITH FLG-110-04 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 153.

# CAPRI



FAN NUMBER	52-004-5CN-13
MOTOR FINISH	English Bronze
BLADE FINISH	Chestnut
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- All Weather Blades Included
- Fan Light Sold Separately
- Fan & Blades are **UL Wet Location**


ENERGY INFORMATION at High Speed		
Airflow 4,666.9 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 85 Cubic Feet Per Minute Per Watt
<small>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.</small>		



DAMP FAN LIGHT CHOICES Pg 148-153.



# PORTICO



FAN NUMBER	52-083-5RO-13
MOTOR FINISH	English Bronze
BLADE FINISH	Rosewood
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- All Weather Blades Included
- Fan Light Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Fan & Blades are **UL Wet Location**

DAMP FAN LIGHT CHOICES Pg 148-153.



ENERGY INFORMATION at High Speed		
Airflow 4,860 Cubic Feet Per Minute	Electricity Use 67.6 Watts (Excludes Lights)	Airflow Efficiency 71 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		





FAN NUMBER	52-SGO-5WA-13	52-SGO-5W-WH	52-SGO-5CN-FB
MOTOR FINISH	English Bronze	White	Flat Black
BLADE FINISH	Walnut	White	Chestnut
DOWNROD	13	WH	FB

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLG750, FLGC-1100, KP-FLGC-PF

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Fan Light Sold Separately
- All Weather Blades Included
- Dual Mounting System Included (Downrod & Hugger)
- Fans & Blades are **UL Wet Location**



**WET  
Location**

ENERGY INFORMATION at High Speed		
Airflow 5,701 Cubic Feet Per Minute	Electricity Use 67.2 Watts (Excludes Lights)	Airflow Efficiency 85 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

# LANCER



DAMP FAN LIGHT CHOICES Pg 148-153.



# LANCER II



FAN NUMBER	43-925-5WA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600	
COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLG-750, FLCG-1110-13	

- Motor Size 153 x 13
- 43" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Fan Light Sold Separately
- All Weather Blades Included
- Fan & Blades are **UL Wet Location**
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,375 Cubic Feet Per Minute	Electricity Use 57.1 Watts (Excludes Lights)	Airflow Efficiency 77 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
Money-Saving Tip: Turn off fan when leaving room.



DAMP FAN LIGHT CHOICES PG 148-153.



# CHATSWORTH



FAN NUMBER	52-515-50-40
MOTOR FINISH	Walnut Patina
BLADE FINISH	Oak
FAN LIGHT	Included
GLASS	Clear Beveled
DOWNROD	13
COMPATIBLE REMOTE CONTROLS: RMT007	

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Downrods Sold Separately
- All Weather Blades Included

- Fan Light 3C 40W Bulbs Included
- Coordinating Exterior Lanterns Available
- Fan, Blades & Fan Light are **UL Wet Location**
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT007)

Lamp Included  
Incandescent



Handheld Remote Control  
Included  
RMT007



ENERGY INFORMATION at High Speed		
Airflow 4,814 Cubic Feet Per Minute	Electricity Use 58 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		



FAN NUMBER	52-525-50-40
MOTOR FINISH	Walnut Patina
BLADE FINISH	Oak
FAN LIGHT	Included
GLASS	Clear Water
DOWNROD	40

#### COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 188 x 20
- 52" Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- All Weather Blades Included
- Fan Light Included
- Fan Light 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT007)



**Lamp Included  
Incandescent**

Hand Held Remote  
Included  
RMT007



**WET  
Location**

#### ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,721 Cubic Feet Per Minute	60 Watts (Excludes Lights)	78 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

# MONTICELLO







FAN NUMBER	52-EOF-5WA-13	52-EOF-5W-WH	52-EOF-5MB-FB
MOTOR FINISH	English Bronze	White	Flat Black
BLADE FINISH	Walnut	White	Matte Black
FAN LIGHT GLASS	Optional	Optional	Optional
DOWNROD	13	WH	FB


COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FL-524, FLG-750, FLGC-1100, KP-FLGC-PF

- Motor Size 172 x 14
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades Included
- Fan Light & Downrods Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Fans & Blades are **UL Wet Location**



ENERGY INFORMATION at High Speed		
Airflow 5,110 Cubic Feet Per Minute	Electricity Use 67 Watts (Excludes Lights)	Airflow Efficiency 76 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



DAMP FAN LIGHT CHOICES Pg 148-153.



FAN NUMBER	12-WF-SN	12-WF-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Solid Wood / Silver	Solid Wood / Beechwood

- DT 40 Motor
- 40° Adjustable Head Pitch (20° Up/20° Down)
- 120° Oscillation (60° Right/60° Left)
- 12" Solid Steel Protective Cage
- Hardwired Power

- 6' Cord Included
- Wall Mount System Included
- Fans & Blades are **UL Damp Location**
- Can Be Mounted in Inverted Position



ENERGY INFORMATION at High Speed		
Airflow <b>964</b> Cubic Feet Per Minute	Electricity Use <b>31.5</b> Watts (Excludes Lights)	Airflow Efficiency <b>306</b> Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		







# FAN ESSENTIALS

---

## CONTENTS

149 . . . . FAN LIGHT OPTIONS



154 . . . . . GLASS OPTIONS




155 . . . . . CONTROLS




157 . . . . . HANGING SYSTEMS



# FAN LIGHT OPTIONS



A.



B.



C.

A.  
FLGC-850-7  
Fan Light  
Ebony Finish  
3C 60W  
Cream Carved  
Marble Glass

B.  
FLGC-850-56  
Fan Light  
New Tortoise Shell Finish  
3C 60W  
Cream Carved  
Marble Glass

C.  
FLGC-850-TW  
Fan Light  
Textured White Finish  
3C 60W  
White Carved  
Marble Glass



D.



E.



F.



D.  
KP-FLGC-PF-13  
Fan Light  
English Bronze Finish  
1E 60W\*\*  
White Opal Glass

E.  
KP-FLGC-PF-WH  
Fan Light  
White Finish  
1E 60W\*\*  
White Opal Glass

F.  
KP-FLGC-PF-FB  
Fan Light  
Flat Black Finish  
1E 60W\*\*  
White Opal Glass

Indoor/Outdoor Fan Light **UL Damp Location**

\*\*Medium Base Socket - 13W CFL Bulbs Included



# FAN LIGHT OPTIONS



A.

A.  
FLGC-1110-13  
Fan Light  
English Bronze Finish  
8-1/4"W x 7"H  
1E 60W\*\*  
White Opal Glass

B.  
FLGC-1102-WH  
Fan Light  
White Finish  
8-1/4"W x 7"H  
1E 60W\*\*  
White Opal Glass

C.  
FLGC-1108-FB  
Fan Light  
Flat Black Finish  
8-1/4"W x 7"H  
1E 60W\*\*  
White Opal Glass



Indoor/Outdoor Fan Light **UL Damp Location**  
\*\*Medium Base Socket - 13W CFL Bulbs Included



B.



C.



D.

D.  
FL524-FB  
Fan Light  
Flat Black Finish  
8-1/4"W x 7"H  
2E 60W\*\*  
Satin White Glass

E.  
FL524-WH  
Fan Light  
White Finish  
8-1/4"W x 7"H  
2E 60W\*\*  
Satin White Glass

F.  
FL524-13  
Fan Light  
English Bronze Finish  
8-1/4"W x 7"H  
2E 60W\*\*  
Satin White Glass



Indoor/Outdoor Fan Light **UL Damp Location**  
\*\*Medium Base Socket - 13W CFL Bulbs Included



E.



F.

# FAN LIGHT OPTIONS



G.



H.



I.

G.  
FLC418-13

Fan Light  
English Bronze Finish  
4C 40W

H.  
FLC418-SN

Fan Light  
Satin Nickel Finish  
4C 40W

I.  
FLC419-WH

Fan Light  
White Finish  
4C 40W

\*Glass Sold Separately



J.



K.

J.  
FLG-101-213

Fan Light  
English Bronze  
W/ Gold Finish  
8-1/4"W x 7"H  
2E 60W\*\*  
Satin White Glass

K.  
FLG-101-187

Fan Light  
Brushed Pewter Finish  
8-1/4"W x 7"H  
2E 60W\*\*  
Satin White Glass



L.  
FLG-750-13

Fan Light  
English Bronze Finish  
1C9 75W\*\*\*  
White Frosted  
Halophane Glass




L.

\*\*Medium Base Socket - 13W CFL Bulbs Included

Indoor/Outdoor Fan Light **UL Damp Location**

\*\*\*Bulbs Included

# FAN LIGHT OPTIONS



A.


**A.**  
**FLG-1400-187**  
Fan Light  
Brushed Pewter Finish  
2 50W Halogen Mini Cans  
Included  
White Frosted Glass

\*Bulbs Included



B.

**B.**  
**FLG-1400-129**  
Fan Light  
Espresso Finish  
2 50W Halogen Mini Cans  
Included  
Cream Frosted Glass




C.

**C.**  
**FLG-1200-129**  
Fan Light  
Espresso Finish  
2 50W Halogen  
Mini Cans Included  
Cream Frosted Glass

\*Bulbs Included

**D.**  
**FLG-1200-187**  
Fan Light  
Brushed Pewter Finish  
2 50W Halogen  
Mini Cans Included  
White Frosted Glass



D.




E.

**E.**  
**FLG-1200-45**  
Fan Light  
Aged Wood Finish  
2 50W Halogen  
Mini Cans Included  
White Frosted Glass



# FAN LIGHT OPTIONS



**F.**  
**FLG-247-13**  
Fan Light  
English Bronze Finish  
2C 60W  
White Etched Glass

**G.**  
**FLGC-249-SN**  
Fan Light  
Satin Nickel Finish  
2C 60W  
White Marble Glass



**H.**  
**DANVILLE**  
**FLG-110-45**  
Fan Light  
UL Wet Location  
Aged Wood Finish  
3C 40W  
White Scavo Glass

**I.**  
**DANVILLE**  
**FLG-110-04**  
Fan Light  
UL Wet Location  
Dark Bamboo Finish  
3C 40W  
Cream Scavo Glass

Indoor/Outdoor Fan Light **UL Wet Location**  
\*\*Bulbs Included



**J.**  
**VILLAMOURA**  
**FLGC-501-56**  
Fan Light  
New Tortoise Shell Finish  
4C 60W  
Cream Scavo Glass

# GLASS



**GL232**  
2-1/8" x 4-7/8"W x 4-1/2"H  
White Ribbed Frost Glass



**GL605**  
2-1/8" x 4-7/8"W x 4-7/8"H  
White Marble Glass



**GL764**  
2-1/8" x 5-3/8"W x 4-3/4"H  
White Frost Glass



**GL764-CM**  
2-1/8" x 5-3/8"W x 4-3/4"H  
Cream Marble Glass



**GL770**  
2-1/8" x 5-3/8"W x 5-1/4"H  
Cream Ribbed Marble Glass



**GL772**  
2-1/8" x 5-1/2"W x 4-5/8"H  
White Marble Glass

# CONTROLS



## WLC300

### NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL

- Three Speed Fan Control
- On/Off Button With Full Range Light Dimming
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT001
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



## WLC400

### FULL FUNCTION FAN/LIGHT WALL MOUNT CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT006
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



## WLC500

### FOUR SPEED SLIDE FAN CONTROL

- Installs In Standard 2-wire Wall Switch
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



## WLC600

### FAN/LIGHT DUAL SLIDE FAN CONTROL

- Four Speed Fan Control
- Full Range Light Dimming
- Installs In Standard 3-wire Single Box Wall Switch
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



## WLC700

### NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off button with Full Range Light Dimming for Both Up & Down Light
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT005
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty

CONTROLS CONTINUED ON NEXT PAGE



# CONTROLS



## RMT001

### NON-REVERSE HAND HELD FAN/LIGHT CONTROL

- Three Speed Fan Control
- On/Off And Full Range Light Dimming
- Includes Hand Held Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC300
- Includes Wall Holster
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



## RMT005

### NON-REVERSE FAN/LIGHT HAND HELD CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Hand Held Remote and Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC700
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



## RMT006

### FULL FUNCTION FAN/LIGHT HAND HELD CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Hand Held Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC400
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



## RMT007

### NON-REVERSE HAND HELD FAN/LIGHT CONTROL (WET LOCATION)

- Three Speed Fan Control
- On/Off and Full Range Light Dimming
- Includes Hand Held Remote and Canopy Mounted Receiver
- Wet Location Rated Receiver For Use With Outdoor Fans
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



## RMT010

### NON-REVERSE HAND HELD FAN/LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off button For Light (Non Dimming)
- Includes Hand Hold Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance
- Transmitter Can Control Multiple Fans



## RMT011

### NON-REVERSE HAND HELD FAN/LIGHT CONTROL FOR CIRCULAIRE

- Three Speed Fan Control
- Separate On/Off Button With Full Range Dimming
- Includes Hand Hold Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance
- Transmitter Can Control Multiple Fans



## RMT012

### NON-REVERSE HAND HELD FAN/LIGHT/ ANION CONTROL FOR AIR IONIZING FAN D'IER

- Three Speed Fan Control
- Separate On/Off button For Light (Non Dimming)
- Separate button for Anion function



## RMT013

### NON-REVERSE HAND HELD FAN CONTROL FOR CIRCULAIRE III

- Three Speed Fan Control
- On/Off button With 3-Hour Timer
- Hand Held Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance

# HANGING SYSTEMS

- Downrod Lengths  
12", 18", 24", 36", 48", 60", 72"
- To order Downrods, use this sku #:  
DR-LENGTH-FINISH
- Circulaire Downrods, use this sku #:  
DR-LENGTHCA-FINISH
- Circulaire Downrod Lengths  
12", 18", 24", 36", 48", 60", 72"
- Use exact finish  
( ) Use this finish code



FINISHES		DR	HCF	SK	FINISHES		DR	HCF	SK
04	Dark Bamboo	*	(4)	(4)	129	Espresso	*	N/A	*
07	Ebony	(FB)	(FB)	(FB)	187	Brushed Pewter	*	N/A	*
11	Polished Chrome	(CH)	N/A	N/A	196	Reclaimed Wood	*	N/A	*
13	English Bronze	*	*	*	213	English Bronze w/Gold	(13)	(13)	(13)
16	Antique Copper	*	*	*	234	Parisian Bronze	*	N/A	N/A
21	Burnished Russet	*	N/A	N/A	242	Aged Steel	*	N/A	N/A
24	Horseshoe Black	(FB)	(FB)	(FB)	250	Mercury Black	*	N/A	N/A
35	Byzantine Bronze	*	N/A	*	323	Old Bronze	(OWB)	N/A	N/A
37	Walnut	234	N/A	N/A	AG	Autumn Gold	*	N/A	N/A
40	Walnut Patina	*	*	*	CH	Chrome	*	N/A	N/A
45	Aged Wood	*	N/A	*	FB	Flat Black	*	*	*
56	New Tortoise Shell	*	*	*	SN	Satin Nickel	*	N/A	*
80	Matte White	*	*	N/A	TW	Textured White	(80)	(TW)	(80)
109	Polished Nickel	*	N/A	*	WH	White / WT	*	*	*

HANGING SYSTEMS CONTINUED ON NEXT PAGE

# HANGING SYSTEMS



The Hugger kit was developed to place fans closer to the ceiling where more room is needed because of low ceiling applications.

Specify finish to match your needs.

52-HCF (Add finish code)



The Slope Ceiling adapter kit was developed to meet the needs in the industry for higher, more steeply angled vaulted ceilings (up to 45° angle).

Specify finish to match your needs.

52-SK (Add finish code)



# FAN FINISH GUIDE


04	DARK BAMBOO
07	EBONY
11	POLISHED CHROME
13	ENGLISH BRONZE
16	ANTIQUE COPPER
21	BURNISHED RUSSET
24	HORSHOE BLACK
35	BYZANTINE BRONZE
37	WALNUT
40	WALNUT PATINA
45	AGED WOOD
56	NEW TORTOISE SHELL
80	MATTE WHITE
109	POLISHED NICKEL
129	ESPRESSO
187	BRUSHED PEWTER
196	RECLAIMED WOOD
213	ENGLISH BRONZE W/ GOLD
234	PARISIAN BRONZE
242	AGED STEEL
250	MERCURY BLACK
323	OLD BRONZE
AG	AUTUMN GOLD
FB	FLAT BLACK
CH	CHROME
SN	SATIN NICKEL
SNB	SATIN NICKEL W/ BLACK
TW	TEXTURED WHITE
WH	WHITE

# SPECIFICATIONS

Fan Series	Motor Size	MOTOR PERFORMANCE											
		Low				Medium				High			
		RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**
Alsace	153x22mm	74	14.2	0.257	2166	116	32.7	0.393	3469	174	69.8	0.574	5877
Alsace Fan d'Ilier	120x20 mm	286	15.9	0.204	1119	389	26.2	0.259	1732	473	37	0.305	2374
Aviel 55"	153x22mm	73	14.5	0.268	2054	120	33.5	0.41	4140	180	71.8	0.598	7499
Aviel 58"	153x22mm	51	14	0.263	2357	89	32.8	0.404	4121	133	71.1	0.592	6565
Aviel 68"	153x22mm	58	14.5	0.268	2751	97	33.6	0.41	5420	148	71.6	0.596	8281
Banff	172*20	54	11	0.24	1989	115	37	0.45	3893	171	69.5	0.62	5709
Bancroft	153*22mm	73	12.8	0.249	2091.13	120	31.6	0.395	3499.9	173	70.9	0.588	5781.85
Barbour Island	153*15	60	9	0.216	1553	109	27.5	0.379	3227	174	65.7	0.587	4929
Bay St. Louis	90AL	500	8.2	0.195	848	991	23.9	0.297	1876	1081	46.7	0.407	2195
Big Canoe	172*17	50	14	0.26	2228	108	36	0.42	4045	160	70	0.61	5511
Borea	104x114mm	930	22.7	0.228	1291	1070	25.3	0.241	1461	1274	28.5	0.255	1580
Braddock	172*14	66	9.7	0.21	1867.83	120	29.4	0.36	3402.05	171	59.6	0.5	4916.8
Brisa	104x114mm	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Bristol	188*20	65	13.4	0.25	1815	107	33.3	0.401	3412	165	70.4	0.585	5339
Britton	172*17	59	12	0.31	1808	110	37	0.5	3965	167	73	0.6	5768
Builder Specialty	153*18	82	7.2	0.22	1258	129	28.1	0.34	3155	195	69	0.49	5274.85
Capri	172*17	67	12	0.21	1512	120	32	0.34	2784	161	55	0.45	4666.89
Charleston	153*15	65	12	0.22	1557	116	33	0.35	3117	165	63	0.5	4585
Chatsworth	172*20	88	19	0.35	2250	113	39	0.46	4072	162	58	0.47	4818
Circulaire	74*16mm	1340	51	0.515	2325.6	1435	60	0.565	2784.9	1557	81.3	0.675	3082.9
Circulaire	74*16	1100	70.8	0.588	2374	1350	77.4	0.642	3186	1520	85.2	0.73	3396
Caromell	104x114mm	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Danville	172*17	70	16	0.36	2448	111	35	0.49	3689	160	68	0.57	5304
Easton	104*114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Etesian	104x114mm	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Fire Island	90AL	500	8.2	0.195	848	991	23.9	0.297	1876	1081	46.7	0.407	2195
First Value Bowl Light	153*15	60	7.1	0.181	1316	122	27.9	0.358	3017	180	60	0.526	5208.89
First Value Down Light	153*12	58	10	0.2	1807	105	29	0.35	3210	163	58.8	0.49	4331.14
Cirard	153*18	66	9.7	0.21	1867.83	110	29.4	0.36	3002.05	160	59.6	0.5	4785.35
Hyannis	153*22	88	14.6	0.261	2089	136	32.8	0.393	3751	202	70.8	0.561	5906
Indigo	172*20	71	14.1	0.268	1898	114	34.1	0.423	3594	176	74	0.619	5200
Lancer II	153*13	100	11.2	0.211	1620	164	28.1	0.337	3059	230	57.1	0.472	4375
Lancer	153*15	70	9.8	0.22	2135	126	28.1	0.38	3801	191	67.2	0.58	5701
Levantara	104x114mm	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Logan	172*17	69	11	0.22	1959	131	32.5	0.38	3770	177	60	0.5	5230.5
Mistral	153*22mm	83	14.4	0.266	2080.81	135	33.3	0.409	3772.85	202	71.7	0.595	5993.47
Monarch	172*20	76	14.4	0.272	1801	124	34.5	0.427	3616	188	75.5	0.61	6111
Monticello	188*20	84	19	0.36	2268	128	45	0.48	3748	168	60	0.51	4721
Muir	140x28mm	60	13.9	0.283	1970	108	38	0.474	3475	162	82.7	0.697	5891
Mystique	153*17	68	12.6	0.3	1835	134	38	0.46	3847	176	55	0.55	4438
Nomad	172*14	65	8.5	0.18	1949	133	27	0.32	3956	184	67	0.42	5110.41
Olympic	188*22	70	11	0.35	2032	116	38	0.52	3523	160	78	0.65	5578
Peachtree	188*20	66	9.9	0.22	1720	119	31.2	0.39	3444	173	60.21	0.534	4913
Pine Harbor 52"	153*15	63	9.9	0.22	2151	111	28.4	0.38	3738	171	66.6	0.56	5237
Polaris	172*17	84	14	0.29	2316.25	134	28.2	0.38	3430.73	180	51.9	0.44	5089.27
Polaris Hugger	172*17	78	12	0.29	1775.17	118	28.3	0.38	2588.19	166	51.8	0.43	3787.22
Portico	172*17	64	10.8	0.225	1279	114	30.1	0.379	3051	183	67.6	0.564	4860
San Pablo	172*17	69	11	0.22	1959	131	32.5	0.38	3770	177	60	0.5	5230.5
Seaside	90AL	679	8.7	0.195	1361	996	23.6	0.294	2145	1091	48	0.414	2373
Shasta	188*18	55	13.9	0.276	1889	101	39.2	0.465	3831	150	79.1	0.664	6242
Sierra Madres	153*15	59	8.9	0.216	1490	107	27.5	0.381	3056	170	67	0.592	5115
Sky	74*16	1307	23.2	0.196	830	1446	23.3	0.206	926	1596	26.1	0.228	1035
Sleep Fan- Floor	74*16	1100	35.4	0.294	1187	1350	38.7	0.321	1593	1500	42.6	0.365	1698
Sleep Fan-Table	74*16	1307	23.2	0.196	830	1446	23.3	0.206	926	1596	26.1	0.228	1035
St. Simons	172*17	55	13	0.22	1979	110	34	0.38	3877	160	65	0.51	5432
Trudy	172*20	76	113	0.23	2091.4	128	30	0.35	3527.3	182	57	0.58	5300.6
Velocity	212 x 25	50	25	0.4	2175	100	53	0.56	4352	140	77.8	0.74	6866.72
Veyron	172*20	60	13.7	0.27	3046	100	30.7	0.39	5078	160	68.5	0.58	8125
Villamouira	172*17	72	9.5	0.227	1636	117	34.7	0.428	4208	170	69	0.596	6214
Wind Star 42"	153*12	73	11	0.2	1379	137	30	0.35	2474	196	49.5	0.49	3841
Wind Star 52"	172*14	65	12	0.22	1949	110	30	0.38	3756	155	65.3	0.53	4972
Wind Star 68"	212*25	31	11.6	0.298	2408	65	42.8	0.59	5615	108	106.2	0.926	9322
Zephyr	188*15	61	14.2	0.27	1536	99	33.3	0.412	3297	150	71.6	0.595	5334

\* If Fan Light included measurement B is to bottom of Fan Light, otherwise to bottom of switch housing.

\*\* Airflow is measured in cubic feet per minute (CFM).



# SPECIFICATIONS

DIMENSION			Blade Span	Blade Pitch	Included Downrod Length	UL Rated	CUL Rated	Fan Light Adaptable	Remote Control Adaptable	*Hugger Kit Adaptable	Limited Warranty	Page Number	Fan Series
A	B*	C											
9.87"	20.47"	12.01"	52"	12°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	64	Alsace (52-840)
11.15"	16.15"	29.92"	26"	13.5°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	86	Alsace ( 26-9536)
12.05"	17.7"	8.41"	55"	30.7°	8"	Yes	Yes	Included	Included (RMT005)	No	Lifetime	36	Ariel 55" (55-818)
12.05"	17.7"	8.41"	58"	30.7°	8"	Yes	Yes	Included	Included (RMT005)	No	Lifetime	32	Ariel 58" (58-818)
12.05"	17.7"	8.41"	68"	30.7°	8"	Yes	Yes	Included	Included (RMT005)	No	Lifetime	28	Ariel 68" (68-818)
12.36"	18.43"	12.87"	52"	12°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	104	Banff (52-854)
10.89"	17.57"	15.98"	52"	12°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	20	Bancroft (52-450)
11.2"	18.5"	11.5"	52"	12°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	110	Barbour Island (52-SCB)
13.7"	18.3"	17.1"	14"	21°	6'	Yes	Yes	Included	Included (WLC300)	No	Lifetime	68	Bay St. Louis (14-260)
11"	16.5"	12"	52"	14°	6'	Yes	Yes	Included	Included (WLC300)	Dual	Lifetime	62	Big Canoe (52P-620)
				12°	18"	Yes	No	Included	Included	No	Lifetime	80	Borea (32-326)
14"	16"	11"	52"	12.5°	6.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	96	Braddock (52-100)
				14°	18"	Yes	No	Included	Included	No	Lifetime	82	Brisa (35-328)
11.5"	19.5"	15"	52"	14°	7"	Yes	Yes	Included	Included (RMT006)	No	Lifetime	88	Bristol (52-15)
11.8"	16.5"	11"	52"	14°	6'	Yes	Yes	Included	Included (RMT001)	No	Lifetime	63	Britton (52-771)
11.5"	13.5"	11.5"	52"	12°	4"	Yes	Yes	Yes	Yes	Dual	Lifetime	126	Builder Specialty (52-FAN)
15"	16.7"	9.5"	52"	14°	6'	Yes	Yes	Yes	Yes	No	Lifetime	136	Capri (52-004)
10.8"	18.9"	12.5"	52"	12°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	112	Charleston (52-411)
14.5"	24.5"	13"	52"	14°	6'	Yes	Yes	Included	Included (RMT007)	No	Lifetime	141	Chatsworth (52-515)
15.85"	17.55"	13"	38"		4.5'	Yes	Yes	No	Included (RMT013)	No	Lifetime	4	Circulaire III (38-951)
			16"	20°	6'	Yes	Yes	Included	Included (RMT011)	No	Lifetime	6	Circulaire (50-950)
				14°	18"	Yes	No	Included	Included	No	Lifetime	83	Coromell (38-330)
16"	16.7"	13.4"	52"	14°	6'	Yes	Yes	Included	Yes	No	Lifetime	134	Danville (52-110)
				14°	18"	Yes	No	Included	Included (RMT012)	No	Lifetime	76	Easton (30-331)
				14°	18"	Yes	No	Included	Included	No	Lifetime	72	Elesian (36-329)
16.2"	20.8"	18.7"	14"	21°	6"	Yes	Yes	Included	Included (WLC300)	No	Lifetime	69	Fire Island (14-280)
10.9"	18.9"	11.1"	52"	12°	4.5'	Yes	No	Included	Yes	Dual	Lifetime	125	First Value Bowl (52-ECM)
11"	18.1"	10.9"	52"	12°	4.5'	Yes	No	Included	Yes	Dual	Lifetime	124	First Value Down Light (52-EUP)
13"	17"	9"	52"	13.5°	6.5'	Yes	Yes	Yes	Included (RMT007)	No	Lifetime	18	Girard (52-120)
11.65"	17.68"	10.71"	52"	12°	4.5'	Yes	Yes	Included	Included (RMT010)	No	Lifetime	132	Hyannis (52-624)
13"	20.5"	13"	52"	14°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	90	Indigo (52-850)
10.6"	13.7"	11.5"	43"	12°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	140	Lancer II (43-925)
11.2"	13.3"	11.5"	52"	12°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	138	Lancer (52-SCG)
				14°	18"	Yes	No	Included	Included	No	Lifetime	78	Levantara (34-327)
12.16"	18.35"	11.65"	52"	12°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	114	Logan (52-851)
10.04"	13.7"	6.97"	54"	13°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	22	Mistral (54-506)
14"	19.5"	14"	52"	14°	4.5'	Yes	Yes	Included	Included (RMT006)	Yes	Lifetime	94	Monarch (52-810)
16"	21.5"	11"	52"	14°	6'	Yes	Yes	Included	Included (RMT007)	No	Lifetime	142	Monticello (52-525)
11.88"	16.06"	6.85"	56"	13.5°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	44	Muir (56-870)
13"	20.3"	13.1"	52"	12°	6"	Yes	Yes	Included	Yes	Dual	Lifetime	100	Mystique (52-831)
12.6"	15"	10.9"	52"	12°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	144	Nomad (52-EOF)
15"	19.7"	10.25"	56"	14°	6"	Yes	Yes	Included	Included (WLC700)	No	Lifetime	60	Olympic (56-765)
15.1"	23.7"	11.8"	52"	14°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	106	Peachtree (52P-614)
12.4"	14.3"	12.8"	52"	12°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	122	Pine Harbor 52" (52-SCC)
12.4"	18.2"	8.88"	52"	14°	4.5'	Yes	Yes	Included	Included (RMT006)	Dual	Lifetime	50	Polaris (52-417)
6.7"	12.2"	8.88"	52"	14°	N/A	Yes	Yes	Included	Included (RMT006)	N/A	Lifetime	52	Polaris Hugger (52-417H)
14.5"	17"	10"	52"	14°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	137	Portico (52-083)
12.16"	13.38"	11.65"	52"	12°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	115	San Pablo (52-860)
14.4"	16.3"	18.5"	14"	21°	6"	Yes	Yes	Included	Included (RMT003)	No	Lifetime	66	Seaside (14-325)
14.5"	15.8"	11.8"	54"	14°	8"	Yes	Yes	Included	Included (WLC300)	No	Lifetime	58	Shasta (54-220)
12.6"	17.8"	12.9"	52"	12°	4.5'	Yes	Yes	Included	Yes	Dual	Lifetime	108	Sierra Madres (52-CDC)
				12°	15'-22"	N/A	Yes	Yes	Included	No	Lifetime	146	Sky (12-WF)
				18°	13'-20"	N/A	Yes	Yes	Included	No	Lifetime	13	Sleep Fan Floor (18-SF)
				12°	15'-22"	N/A	Yes	Yes	Included	No	Lifetime	14	Sleep Fan Table (12-SF)
13.5"	20"	11"	52"	14°	6"	Yes	Yes	Included	Yes	No	Lifetime	56	St. Simons (52P-646)
12"	23"	11"	52"	13.5°	6.5'	Yes	Yes	Included	Included (RMT007)	No	Lifetime	130	Trudy (52-135)
10.23"	19.72"	13.93"	60"	14°	6"	Yes	Yes	Included	Included (RMT007)	Dual	Lifetime	40	Velocity (60-820)
8.7"	15.93"	8.11"	72"	25°	4.5'	Yes	Yes	Included	Included (RMT005)	No	Lifetime	24	Veyron (72-429)
17"	21.5"	13.5"	52"	14°	6"	Yes	Yes	Included	Yes	No	Lifetime	92	Villamora (52-500)
11.2"	13.9"	10.67"	42"	14°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	118	Wind Star 42" (42-830)
11.2"	13.9"	10.67"	52"	14°	4.5'	Yes	Yes	Yes	Yes	Dual	Lifetime	116	Wind Star 52" (52-830)
11.9"	14.6"	12.8"	68"	14°	4.5'	Yes	Yes	Yes	Yes	Yes	Lifetime	120	Wind Star 68" (68-227)
14.1"	18.5"	11.8"	54"	14°	8"	Yes	Yes	Included	Included (RMT006)	No	Lifetime	54	Zephyr (54-471)

\*Dual Mount includes downrod & convertible canopy for hugger style.

Down Rod Length	Std	12"	18"	24"	36"	48"	60"	72"
Ceiling Height	8'	9'	10'	11'	12'	13'	14'	15'



# INDEX

---

12-SF-13.....	14	52-417H-3WA-13.....	52
12-SF-BRACKET-13.....	15	52-450-5CH-13.....	20
12-SF-BRACKET-SN.....	15	52-450-5SV-SN.....	20
12-SF-SN.....	14	52-500-5WA-56.....	92
12-WF-13.....	146	52-515-5O-40.....	141
12-WF-SN.....	146	52-525-5O-40.....	142
14-260-FD-16.....	68	52-624-5CN-13.....	132
14-280-FD-56.....	69	52-771-5BW-SN.....	63
14-325-FD-13.....	66	52-810-5WA-40.....	93
14-325-FD-SN.....	66	52-830-545-45.....	116
18-SF-ES-13.....	13	52-830-5RV-129.....	116
18-SF-ES-SN.....	13	52-830-5RV-187.....	116
18-SF-ES-WIB.....	13	52-831-5RV-109.....	100
26-9536-FD-196.....	64	52-831-5RV-13.....	102
30-331-FD-13.....	76	52-831-5RV-35.....	102
32-326-FD-SN.....	80	52-831-5RV-SN.....	100
34-327-FD-11.....	78	52-840-5CN-196.....	86
35-328-FD-13.....	82	52-850-5RV-56.....	90
36-329-FD-21.....	74	52-850-5RV-7.....	90
36-329-FD-SN.....	72	52-850-5RV-TW.....	90
38-330-FD-11.....	83	52-851-5RV-13.....	114
38-951-CA-13.....	4	52-854-5RV-234.....	104
42-830-5RV-129.....	118	52-860-5RV-13.....	115
42-830-5RV-187.....	118	52-CDC-5RV-13.....	108
43-925-5WA-13.....	140	52-CDC-5RV-SN.....	108
50-950-CA-13.....	6	52-ECM-5RV-13.....	125
50-950-CA-SN.....	8	52-ECM-5RV-13WG.....	125
52-004-5CN-13.....	136	52-ECM-5RV-SN.....	125
52-083-5RO-13.....	137	52-ECM-5RV-WH.....	125
52-100-5RV-187.....	96	52-EOF-5MB-FB.....	144
52-100-5RV-213.....	98	52-EOF-5W-WH.....	144
52-110-545-45.....	134	52-EOF-5WA-13.....	144
52-110-5BA-04.....	134	52-EUP-5RV-13.....	124
52-120-5CN-SN.....	18	52-EUP-5RV-13WG.....	124
52-120-5WA-13.....	18	52-EUP-5RV-SN.....	124
52-135-5WA-13.....	130	52-EUP-5RV-WH.....	124
52-15-545-45.....	88	52-FAN-5CN-SN.....	126
52-15-5TK-16.....	88	52-FAN-5W-SN.....	126
52-15-5WA-AC.....	88	52-FAN-5W-WH.....	126
52-411-5RV-13.....	112	52-FAN-5WA-13.....	126
52-411-5RV-SN.....	112	52-SCB-5RV-13.....	110
52-417-3SV-SN.....	50	52-SCB-5RV-SN.....	110
52-417-3WA-13.....	50	52-SCC-5RV-13.....	122
52-417H-3SV-SN.....	52	52-SCC-5RV-80.....	122

# INDEX

52-SGC-5RV-SN.....	122
52-SGO-5CN-FB.....	138
52-SGO-5W-WH.....	138
52-SGO-5WA-13.....	138
52P-614-5WA-13.....	106
52P-614-5WA-187.....	106
52P-620-5BC-13.....	62
52P-646-5RV-187.....	56
52P-646-5RV-323.....	56
54-220-5RV-13.....	58
54-220-5RV-CH.....	58
54-471-5CN-SN.....	54
54-471-5FB-250.....	54
54-506-313-129.....	22
54-506-3SV-CH.....	22
55-818-3CN-SN.....	36
55-818-3WA-35.....	38
56-765-5HK-213.....	60
56-870-3BK-SNB.....	48
56-870-3CN-35.....	44
56-870-3GR-242.....	46
58-818-5CN-SN.....	32
58-818-5WA-35.....	34
60-820-613-13.....	42
60-820-6SV-SN.....	40
68-227-5HK-187.....	120
68-227-5WA-129.....	120
68-818-2CN-SN.....	28
68-818-2WA-35.....	30
72-429-3CN-SN.....	24
72-429-3WA-13.....	26
FL524-13.....	150
FL524-FB.....	150
FL524-WH.....	150
FLC418-13.....	151
FLC418-SN.....	151
FLC419-WH.....	151
FLG-101-187.....	151
FLG-101-213.....	151
FLG-110-04.....	153
FLG-110-45.....	153
FLG-1200-129.....	152
FLG-1200-187.....	152

FLG-1200-45.....	152
FLG-1400-129.....	152
FLG-1400-187.....	152
FLG-247-13.....	153
FLG-750-13.....	151
FLGC-1102-WH.....	150
FLGC-1108-FB.....	150
FLGC-1110-13.....	150
FLGC-249-SN.....	153
FLGC-501-56.....	153
FLGC-850-56.....	149
FLGC-850-7.....	149
FLGC-850-TW.....	149
GL232.....	154
GL605.....	154
GL764.....	154
GL764-CM.....	154
GL770.....	154
GL772.....	154
KP-FLGC-PF-13.....	149
KP-FLGC-PF-FB.....	149
KP-FLGC-PF-WH.....	149
RMT001.....	156
RMT005.....	156
RMT006.....	156
RMT007.....	156
RMT010.....	156
RMT011.....	156
RMT012.....	156
RMT013.....	156
WLC300.....	155
WLC400.....	155
WLC500.....	155
WLC600.....	155
WLC700.....	155



3130 North Berkeley Lake Road NW ♦ Duluth, GA 30096  
 800 801 1621  
 TEL 404 890 7540 ♦ FAX 877 547 2869  
 SavoyHouse.com