




F A N S

2012 CATALOG

SAVOY PRESENTS CEILING FAN ART



OUR LATEST CEILING FAN DESIGNS ARE WORKS OF FUNCTIONAL ART IN A BREATH OF FRESH AIR. EACH FAN IS DESIGNED TO BRING COMFORT, ELEGANCE AND CHARM TO ANY DECOR.



INTRODUCING FIRST VALUE, A COLLECTION OF AMAZING STYLES UNPARALLELED IN SELECTION AND QUALITY AT UNBEATABLE PRICES.

A NEW VARIETY OF SALON FANS FOR LARGER INTERIOR SPACES OFFER AN OVERSIZED BLADE SPAN CREATING A MAJESTIC IMPRESSION TO COMPLEMENT TODAY'S HIGH VAULTED CEILING GREAT ROOMS.

OFFERING ELEMENTS, A CUSTOMER-FRIENDLY LAYOUT OF ALL OUR FAN STYLES WITH EACH LIGHT KIT AND BLADE CHOICE AVAILABLE. PROVIDING YOUR CUSTOMERS THE ABILITY TO CREATE A CUSTOMIZED FAN DESIGN TO PERFECTLY MATCH THEIR STYLE.

OUR NEW CATALOG SHOWCASES A WIDE ARRAY OF CONTEMPORARY STYLES TO CREATE DRAMATIC INTERIORS AS WELL AS THE NEW SAVOY HOUSE ORIGINAL FAN D'LIER DESIGN.


ENJOY THE TRULY AESTHETIC BEAUTY MIXED WITH CLEAN MODERN DESIGN ELEMENTS IN THESE NEW SAVOY HOUSE FANS. CREATED FOR YOU TO ENABLE YOU TO CREATE THE HOME OF YOUR DREAMS.



CONTENTS

TRANSITIONAL.....	4
FAN d'lier.....	24
CLASSIC.....	26
ELEMENTS	31
SALON.....	46
MAIN STREET.....	54
OUTDOOR Living	74
FAN ACCESSORIES	86
FAN LIGHT OPTIONS.....	87
GLASS	92
HANGING SYSTEMS.....	94
CONTROLS	96
SPECIFICATIONS.....	98
INDEX.....	100





Alphabetical Listing

Acropolis	80	Fire Island	25	Salon Barley Twist	49
Artesno	37	First Value	64	Salon Bristol	51
Asheville	79	Gossamer	33	Salon Indigo	50
Banff	57	Indigo	35	Salon Monarch	48
Barbour Island	62	Lancer	84	Salon Monterey	52
Barley Twist	38	Lancer II	85	Salon Wind Star	53
Bay St. Louis	25	Logan	56	San Fernando	39
Big Canoe	8	Macon	16	San Pablo	68
Bristol	29	McKinley	63	San Remo	17
Britton	14	Monarch	30	Santa Ana	13
Builder Specialty	72	Monticello	82	Sea Side	24
Capri	77	Nomad	83	Shasta	7
Charleston	59	Olympic	15	Sierra Madres	61
Chatsworth	81	Orion	19	Somerville	9
Chatwick	41	Ozark	60	St. Simons	18
Coyaba	40	Peachtree	58	Villamoura	28
Cumberland	36	Pine Harbor	69	Wind Star	66
Danville	78	Polaris	21	Zephyr	11
Empire	42	Portico	76		

TRANSITIONAL . . .



Today's INTERIORS
COMBINE BOTH
TRADITIONAL AND
CONTEMPORARY DESIGN
ELEMENTS FOR A MORE
ECLECTIC life style.

SAVOY HOUSE
TRANSITIONAL FANS
REPRESENT OUR LARGEST
CATEGORY PROVIDING
YOU A VAST SELECTION
OF DISTINCTIVE DESIGNS
TO PERSONALIZE YOUR
HOME AND OFFICE.










PIERCE PAXTON

SHASTA



FAN NUMBER	54-220-5RV-13	54-220-5RV-CH
MOTOR FINISH	English Bronze	Chrome
BLADE FINISH	Teak / Walnut	Rosewood / Maple
FAN LIGHT	Included	Included
GLASS	White Frosted Halophane	White Frosted Halophane
DOWNROD	13	CH
Compatible Remote Controls: RMT001		

- Motor Size 188 x 18
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 1G9 75W Bulb Included
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC 300)

ENERGY INFORMATION at High Speed		
Airflow 6,242 Cubic Feet Per Minute	Electricity Use 79.1 Watts (Excludes Lights)	Airflow Efficiency 78.9 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Wall Mount Control
Included
WLC300
Features on Page 96.



Lamp Included
Halogen

Big CANOE . . .

Big CANOE



FAN NUMBER	52P-620-5BC-13	52P-620-5WA-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Burled Cherry	Walnut
FAN LIGHT	Included	Included
GLASS	Tea Stained	White Opal Etched
DOWNROD	13	SN
Compatible Remote Controls: RMT001		

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)
- Wall Mount Remote Control Included (WLC300)



Lamp Included
Incandescent



Wall Mount Control
Included
WLC300
Features on Page 96.



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,511 Cubic Feet Per Minute	70 Watts (Excludes Lights)	78 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

SOMERVILLE



FAN NUMBER	54-274-5MP-CH	54-274-5TK-13	54-274-5WH-WH
MOTOR FINISH	Chrome	English Bronze	White
BLADE FINISH	Maple	Teak	White
FAN LIGHT	Included	Included	Included
GLASS	White Opal Etched	Cream Opal Etched	White Opal Etched
DOWNROD	CH	13	WH

Compatible Remote Controls: RMT001

- Motor Size 188 x 18
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)
- Wall Mount Remote Control Included (WLC 300)

ENERGY INFORMATION at High Speed		
Airflow 5,627 Cubic Feet Per Minute	Electricity Use 80 Watts (Excludes Lights)	Airflow Efficiency 70 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Wall Mount Control
Included
WLC300
Features on Page 96.



Lamp Included
Incandescent 



Zephyr



FAN NUMBER	54-471-5FB-250	54-471-5CN-SN
MOTOR FINISH	Mercury Black	Satin Nickel
BLADE FINISH	Flat Black	Chestnut
FAN LIGHT	Included	Included
GLASS	White	White
DOWNROD	250	SN
Compatible Remote Controls: RMT001		

- Motor Size 188 x 15
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 1G9 75W Halogen Bulb Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (RMT006)

ENERGY INFORMATION at High Speed		
Airflow 5,334 Cubic Feet Per Minute	Electricity Use 71.6 Watts (Excludes Lights)	Airflow Efficiency 74 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Hand Held Remote
Included
RMT006
Features on Page 97.



Lamp Included
Halogen







SANTA ANA



FAN NUMBER	52-490-5AS-13	52-490-5MP-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Ash	Maple
FAN LIGHT	Included	Included
GLASS	Cream Opal Etched	White Opal Etched
DOWNROD	13	SN
Compatible Remote Controls: RMT001		

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC300)

ENERGY INFORMATION at High Speed		
Airflow 5,356 Cubic Feet Per Minute	Electricity Use 68.9 Watts (Excludes Lights)	Airflow Efficiency 77 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Wall Mount Control
Included
WLC300
Features on Page 96.



Lamp Included
Incandescent 

BRITTON . . .



BRITTON



FAN NUMBER	52-771-5BW-SN	52-771-5TK-13	52-771-5WH-WH
MOTOR FINISH	Satin Nickel	English Bronze	White
BLADE FINISH	Beechwood	Teak	White
FAN LIGHT	Included	Included	Included
GLASS	White Opal Etched	Pale Cream	White Opal Etched
DOWNROD	SN	13	WH
Compatible Remote Controls: WLC300			

- Motor Size 172 x 17
- 52" Blade Span
- 14" Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT001)



**Hand Held Remote
Included
RMT001**
Features on Page 97.

ENERGY INFORMATION at High Speed		
Airflow 5,667 Cubic Feet Per Minute	Electricity Use 73 Watts (Excludes Lights)	Airflow Efficiency 77.6 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Olympic



FAN NUMBER	56-765-5HK-213
MOTOR FINISH	English Bronze w/ Gold
BLADE FINISH	Hickory
FAN LIGHT	Included
GLASS	Cream Frost
DOWNROD	13
Compatible Remote Controls: RMT005	

- Motor Size 188 x 22
- 56" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 6C 10W & 1E11 Halogen 100W Bulbs Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC700)

ENERGY INFORMATION at High Speed		
Airflow 5,578 Cubic Feet Per Minute	Electricity Use 78 Watts (Excludes Lights)	Airflow Efficiency 71.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		


**Wall Mount Control
Included
WLC700**
Features on Page 97.




**Lamp Included
Halogen**



MACON . . .



MAcon



FAN NUMBER	52P-604-5HK-13	52P-604-5WA-187
MOTOR FINISH	English Bronze	Brushed Pewter
BLADE FINISH	Hickory	Walnut
FAN LIGHT	Included	Included
GLASS	Cream Frost	White Frost
DOWNROD	13	187
Compatible Remote Controls: RMT001		

- Motor Size 153 x 15
- 52" Blade Span
- 12" Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Light Kit Included
- Light Kit 1J-Type 100W Halogen Bulb Included
- Dual Mounting System Included (Downrod & Hugger)
- Wall Mount Remote Control Included (WLC300)



**Lamp Included
Halogen**



**Wall Mount Control
Included
WLC300**
Features on Page 96.

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,078 Cubic Feet Per Minute	64.4 Watts (Excludes Lights)	78 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

SAN REMO



FAN NUMBER	52-252-5BW-244	52-252-5WA-SN
MOTOR FINISH	Copper Basin	Satin Nickel
BLADE FINISH	Beechwood	Walnut
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	244	SN
Compatible Remote Controls: RMT001		

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Wall Mount Remote Control Included (WLC300)

ENERGY INFORMATION at High Speed		
Airflow 6,028 Cubic Feet Per Minute	Electricity Use 67 Watts (Excludes Lights)	Airflow Efficiency 90 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Wall Mount Control
Included
WLC300
Features on Page 96.



Lamp Included
Incandescent 

ST. SIMONS . . .



ST. SIMONS



FAN NUMBER	52P-646-5RV-323	52P-646-5RV-187
MOTOR FINISH	Old Bronze	Brushed Pewter
BLADE FINISH	Oak / Walnut	Walnut / Teak
FAN LIGHT	Included	Included
GLASS	Cream Scavo	White Scavo
DOWNROD	323	187
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001		

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed		
Airflow 5,432 Cubic Feet Per Minute	Electricity Use 65 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



ORION



FAN NUMBER	54-660-5WA-25
MOTOR FINISH	Slate
BLADE FINISH	Walnut
FAN LIGHT	Included
GLASS	Cream Textured
DOWNROD	25
Compatible Remote Controls: RMT001	

- Motor Size 188 x 20
- 54" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC300)

ENERGY INFORMATION at High Speed		
Airflow 5,308 Cubic Feet Per Minute	Electricity Use 70 Watts (Excludes Lights)	Airflow Efficiency 75.8 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Wall Mount Control
Included
WLC300
Features on Page 96.



Lamp Included
Halogen







POLARIS



FAN NUMBER	52-417-3WA-13	52-417-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN
Compatible Remote Controls: RMT006		

- Motor Size 172 x 17
- 52" Blade Span
- 14" Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 11DE11 Halogen 100W Bulb Included
- Hugger Kit Adaptable
- Wall Mount Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included

ENERGY INFORMATION at High Speed		
Airflow 5,016 Cubic Feet Per Minute	Electricity Use 48 Watts (Excludes Lights)	Airflow Efficiency 104.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Hand Held Remote
Included
RMT006
Features on Page 97.



Lamp Included
Halogen







POLARIS HUGGER



FAN NUMBER	52-417H-3WA-13	52-417H-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN

Compatible Remote Controls: RMT006

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Light Kit Included
- Light Kit 1JDE11 Halogen 100W Bulb Included
- Wall Mount Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included

ENERGY INFORMATION at High Speed		
Airflow 4,915 Cubic Feet Per Minute	Electricity Use 50 Watts (Excludes Lights)	Airflow Efficiency 98.3 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Hand Held Remote
Included
RMT006
Features on Page 97.



Lamp Included
Halogen





THE FAN D' LIER – A SAVOY HOUSE EXCLUSIVE, COMBINING THE ELEGANCE OF A CHANDELIER WITH THE FUNCTIONALITY OF A CEILING FAN – OFFERS THE PERFECT SOLUTION FOR SMALLER LIVING SPACES SUCH AS PORCHES, MUD ROOMS AND HALF BATHS.

THIS DESIGN IS DISTINCTIVELY MORE MODERN WITH BOLD CONTEMPORARY DESIGNS AND FORWARD THINKING FLAIR.

STYLISH, DECORATIVE, ENERGY EFFICIENT AND SUITABLE FOR DAMP LOCATIONS, THE COMPACT FAN D' LIER IS SURE TO BECOME THE FOCAL POINT OF ANY ROOM AND THE HOME FASHION ORNAMENT OF THE 21ST CENTURY.


TAKE ONE FOR A SPIN IN YOUR OWN HOME AND IMPRESS ALL YOUR GUESTS!

SEA Side



14-325-FD-SN

SEA Side



14-325-FD-13



ENERGY INFORMATION at High Speed

Airflow 2,373 Cubic Feet Per Minute	Electricity Use 48 Watts (Excludes Lights)	Airflow Efficiency 49 Cubic Feet Per Minute Per Watt
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

Fan Number	Motor Finish	Blade Finish	Glass	Downrod
14-325-FD-SN	Satin Nickel			SN
14-325-FD-13	English Bronze			13


- 14" Blade Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 18-1/2"W X 11"H
- Additional Downrod Lengths Sold Separately

- Blades Included
- Dual Mounting System Included (Downrod & Hugger)
- Hand Held Remote Control Included (RMT007)
- **UL Damp Location Rated**



PIERCE PAXTON

BAY ST. LOUIS



14-260-FD-16

FIRE ISLAND



14-280-FD-56



Lamp Included
Incandescent



Wall Mount Control
Included

WLC300

Features on Page 96.



Fan Number	Motor Finish	Blade Finish	Glass	Downrod
14-260-FD-16	Antique Copper	Burled Cherry	Tinted Scavo	16
14-280-FD-56	New Tortoise Shell	Burled Cherry	Carved Scavo	56

Compatible Remote Controls: RMT001

ENERGY INFORMATION at High Speed

Airflow 2,195 Cubic Feet Per Minute	Electricity Use 46.7 Watts (Excludes Lights)	Airflow Efficiency 47 Cubic Feet Per Minute Per Watt
--	--	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

- 14" Blade Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 30"W x 19"H (Bay St. Louis) 28"W x 23"H (Fire Island)
- Downrods Sold Separately

- Glass Included
- 4C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Wall Mount Remote Control Included (WLC300)
- **UL Damp Location**

CLASSIC

...



Classic style that fits
your personality.
Today's CLASSIC includes
styles ranging from
Neo-Classic to
Turn-of-the-Century
Craftsman Mission to
Mid-Century Modern.

Savoy House Classic
Fans provide you a vast
assortment of styles
from which to choose
as well as,
elements, a mix and
match concept that
enables you to create
your own fan design.








PIERCE PAXTON

VillAMOURA



FAN NUMBER	52-500-5WA-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Walnut
FAN LIGHT	FLGC-501-56
GLASS	Cream Scavo
DOWNROD	56
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001	



FLGC-501-56
OPTIONAL FAN LIGHT

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
6,214 Cubic Feet Per Minute	69.2 Watts (Excludes Lights)	89 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

BRISTOL



FAN NUMBER	52-15-5WA-AG	52-15-5TK-16
MOTOR FINISH	Autumn Gold	Antique Copper
BLADE FINISH	Walnut	Teak
FAN LIGHT	Included	Included
GLASS	Cream Marble	Cream Marble
DOWNROD	AG	16
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001		

- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Light Kit Included
- Light Kit 2 50W Mini Cans Included
- Not Hugger Kit Adaptable
- Hand Held Mount Remote Control Included (RMT006)

ENERGY INFORMATION at High Speed		
Airflow 5,339 Cubic Feet Per Minute	Electricity Use 70.4 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

Hand Held Remote
Included
RMT006
Features on Page 97.




Lamp Included
Halogen



MONARCH . . .



MONARCH



FAN NUMBER	52-810-5CN-38	52-810-5WA-40	52-810-5BLK-7
MOTOR FINISH	Gunsmoke	Walnut Patina	Ebony
BLADE FINISH	Chestnut	Walnut	Black
FAN LIGHT	Included	Included	Included
GLASS	Ribbed Cream Marble	Cream Carved Marble	Ribbed Cream Marble
DOWNROD	38	40	FB
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			

- Motor Size 177 x 20
- 52" Blade Span
- 14" Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Motor Accent Light 4C 10W Bulbs Included
- Light Kit 4C 40W Bulbs Included
- Hand Held Mount Remote Control Included (RMT006)



Lamp Included
Incandescent



Hand Held Remote
Included
RMT006
Features on Page 97.

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,482 Cubic Feet Per Minute	73.7 Watts (Excludes Lights)	74 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

WELCOME TO THE LAND OF OPPORTUNITY! SAVOY
HOUSE PUTS YOU IN CONTROL BY PROVIDING
YOU THE FREEDOM TO BUILD THE PERFECT FAN FOR
EVERY ROOM IN YOUR HOME. CHOOSE YOUR
MOTOR AND THEN CUSTOMIZE THE
LOOK BY SELECTING FROM A VARIETY OF BLADE
FINISHES, LIGHT KIT OPTIONS AND GLASS CHOICES.
ACCOMPANYING PICTURES SHOW YOU EXACTLY
HOW MANY CHOICES ARE AVAILABLE AND HELP YOU
VISUALIZE THE COMPLETED LOOK WITH EASE. WITH
AN UNPARALLELED SELECTION, IMPECCABLE STYLE
AND UNCOMPROMISED VALUE ... THIS KIND OF
FREEDOM IS INDEED A BEAUTIFUL THING.





... GOSSAMER



GOSSAMER



FLGC-705-AG
OPTIONAL
LIGHT KIT



52-FB4-MA-WA
OPTIONAL FAN BLADE



FLGC-705-7
OPTIONAL
LIGHT KIT



52-FB4-MA-CN
OPTIONAL FAN BLADE



FLGC-705-52
OPTIONAL
LIGHT KIT



52-FB4-MA-PA
OPTIONAL FAN BLADE

FAN NUMBER	52-705-MO-AG	52-705-MO-7	52-705-MO-52
MOTOR FINISH	Autumn Gold	Ebony	Bark & Gold
BLADE FINISH	Walnut	Chestnut	Palomino
FAN LIGHT	FLGC-705-AG	FLGC-705-7	FLGC-705-52
GLASS	Cream Ribbed	Cream Ribbed	Cream Ribbed
DOWNROD	AG	FB	52
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			


Blade options shown on pages 44-45.

- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Blades, Light Kit & Downrods Sold Separately


ENERGY INFORMATION at High Speed		
Airflow 5,512 Cubic Feet Per Minute	Electricity Use 68.7 Watts (Excludes Lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		







Indigo



FLGC-850-7
OPTIONAL
LIGHT KIT



FLGC-850-56
OPTIONAL
LIGHT KIT



FLGC-850-TW
OPTIONAL
LIGHT KIT



52-FB4-MA-BK
OPTIONAL FAN BLADE



52-FB4-MA-PA
OPTIONAL FAN BLADE



52-FB4-MA-UN
OPTIONAL FAN BLADE

FAN NUMBER	52-850-M0-7	52-850-M0-56	52-850-M0-TW
MOTOR FINISH	Ebony	New Tortoise Shell	Textured White
BLADE FINISH	Black	Palomino	Natural
FAN LIGHT	FLGC-850-7	FLGC-850-56	FLGC-850-TW
GLASS	Cream Carved Marble	Cream Carved Marble	White Carved Marble
DOWNROD	FB	56	CM
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			

Blade options shown on pages 44-45.

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch

- 3-Speed Pull Chain Reversible Motor
- Blades, Light Kits & Downrods Sold Separately

ENERGY INFORMATION at High Speed		
Airflow 5,200 Cubic Feet Per Minute	Electricity Use 74 Watts (Excludes Lights)	Airflow Efficiency 70 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



CUMBERLAND . . .




PIERCE PAXTON

CUMBERLAND



FAN NUMBER	52-545-MO-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Teak
FAN LIGHT	
GLASS	
DOWNROD	56
Compatible Remote Controls: WLC400	



52-FB4-MA-TK
OPTIONAL FAN BLADE

Blade options shown on pages 44-45.

- Motor Size 172 x 17
- 52" Blade Span
- 13° Blade Pitch
- 3-Speed Reversible Motor

- Blades, Light Kits & Downrods Sold Separately
- Motor Accent Light 6C 10W Bulbs Included
- Not Hugger Kit Adaptable
- Full Function Hand Held Remote Control Included (RMT 006)



Hand Held Remote
Included
RMT006
Features on Page 97.



ENERGY INFORMATION at High Speed		
Airflow 4,012 Cubic Feet Per Minute	Electricity Use 59 Watts (Excludes Lights)	Airflow Efficiency 68 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



PIERCE PAXTON

FLGC-991-56
OPTIONAL LIGHT KIT



52-FB4-MA-RO
OPTIONAL FAN BLADE

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,108 Cubic Feet Per Minute	58 Watts (Excludes Lights)	88 Cubic Feet Per Minute Per Watt


Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

**Hand Held Remote
Included
RMT006
Features on Page 97.**



ARTESNO



FAN NUMBER	52-990-MO-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Rosewood
FAN LIGHT	FLGC-991-56
GLASS	Excavated
DOWNROD	56
Compatible Remote Controls: WLC400	

Blade options shown on pages 44-45.

- Blades, Light Kit & Downrods Sold Separately
- Motor Accent Light 6C 10W Bulbs Included
- Not Hugger Kit Adaptable
- Full Function Hand Held Remote Control Included (RMT 006)



BARLEY TWIST . . .



PIERCE PAXTON

BARLEY TWIST



FAN NUMBER	52-530-M0-10
MOTOR FINISH	Driftwood
BLADE FINISH	Chestnut
FAN LIGHT	Included
GLASS	Antique Marble
DOWNROD	10
Compatible Remote Controls: WLC300	



52-FB4-MA-CN
OPTIONAL FAN BLADE

Blade options shown on pages 44-45.

- Motor Size 172 x 20
- 52" Blade Span
- 13° Blade Pitch
- 3-Speed Reversible Motor
- Blades & Downrods Sold Separately
- Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Full Function Hand Held Remote Control Included (RMT 004)



Lamp Included
Incandescent



**Hand Held Remote
Included**
RMT004
Features on Page 97.

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,862 Cubic Feet Per Minute	58 Watts (Excludes Lights)	83 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

... SAN FERNANDO



SAN
FERNANDO



52-FB4-MA-WA
OPTIONAL FAN BLADE

FAN NUMBER	56-588-M0-22
MOTOR FINISH	Burnished Gold
BLADE FINISH	Walnut
FAN LIGHT	Included
GLASS	Cream Textured
DOWNROD	22
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001	

Blade options shown on pages 44-45.

- Motor Size 188 x 20
- 56" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Blades & Downrods Sold Separately
- Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable

ENERGY INFORMATION at High Speed		
Airflow 5,700 Cubic Feet Per Minute	Electricity Use 87.9 Watts (Excludes Lights)	Airflow Efficiency 64 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



Lamp Included
Incandescent 

Coyaba . . .

Coyaba



FAN NUMBER	55-600-MO-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Burled Cherry
FAN LIGHT	Included
GLASS	Cream Marble
DOWNROD	56
Compatible Remote Controls: WLC300	

Blade options shown on pages 44-45.

- Motor Size 188 x 20
- 55" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Blades & Downrods Sold Separately



Lamp Included
Incandescent



Hand Held Remote
Included
RMT001
Features on Page 97.

52-FB4-MA-BC
OPTIONAL FAN BLADE

- Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT 001)

ENERGY INFORMATION at High Speed


Airflow	Electricity Use	Airflow Efficiency
5,504 Cubic Feet Per Minute	77.6 Watts (Excludes Lights)	70 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.


Money-Saving Tip: Turn off fan when leaving room.



CHATWICK



KP-FLGC-1050-16
OPTIONAL LIGHT KIT



52-FB4-MA-TK
OPTIONAL FAN BLADE

FAN NUMBER	KP-52-105-MO-16
MOTOR FINISH	Antique Copper
BLADE FINISH	Teak
FAN LIGHT	KP-FLGC-1050-16
GLASS	Cream Marble
DOWNROD	16
Compatible Remote Controls: WLC500, WLC600	

- Motor Size 153 x 18
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

ENERGY INFORMATION at High Speed		
Airflow 4,883 Cubic Feet Per Minute	Electricity Use 64.7 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

Blade options shown on pages 44-45.

- Blades, Light Kit & Downrods Sold Separately
- Motor Accent Light 4C 10W Bulbs Included
- Light Kit Fits On The Respective Fan Only And Is Not Interchangeable



EMPIRE . . .



PIERCE PAXTON


EMPIRE



FAN NUMBER	KP-52-100-M0-52
MOTOR FINISH	Bark & Gold
BLADE FINISH	Palomino
FAN LIGHT	KP-FLGC-0238-52
GLASS	Cream Marble
DOWNROD	52
Compatible Remote Controls: WLC400, WLC500, WLC600, WLC700, RMT005, RMT006	



KP-FLGC-0238-52
OPTIONAL LIGHT KIT



52-FB4-MA-PA
OPTIONAL FAN BLADE

Blade options shown on pages 44-45.

- Motor Size 153 x 18
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Blades, Light Kit & Downrods Sold Separately
- Light Kit 4C 10W Bulbs Included
- Light Kit Fits On The Respective Fan Only And Is Not Interchangeable



ENERGY INFORMATION at High Speed		
Airflow 5,408 Cubic Feet Per Minute	Electricity Use 64.5 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



FAN BLADES – FB4 . . .

Blades specific to select fans. Please confirm compatibility of blade to motor selection.

Burled Cherry
52-FB4-MA-BC

Rosewood
52-FB4-MA-RO

Black
52-FB4-MA-BK

Teak
52-FB4-MA-TK

Beechwood
52-FB4-MA-BW

Natural
52-FB4-MA-UN

Chestnut
52-FB4-MA-CN

Walnut
52-FB4-MA-WA

Hickory
52-FB4-MA-HK

Palomino
52-FB4-MA-PA

... FAN BLADES – FB4

Blades specific to select fans. Please confirm compatibility of blade to motor selection.

Chestnut - Outdoor
52-FB4-OD-CN

Maple
52-FB4-MA-MP

Teak - Outdoor
52-FB4-OD-TK

Burnished Burled Cherry
52-FB4-SC-TBC

Wicker - Outdoor
52-FB4-OD-WI

Burnished Palomino
52-FB4-SC-TPA

Burnished Rosewood
52-FB4-SC-TRO

Burnished Walnut
52-FB4-SC-TWA

Burnished Beechwood
52-FB4-SC-TBW

SALON . . .



WHEN YOUR HOME HAS AN
IMPRESSIVE GREAT ROOM
OR FOYER, IT REQUIRES AN
EQUALLY IMPRESSIVE
CEILING FAN.

SAVOY HOUSE SALON FANS
PROVIDE YOU SIGNIFICANTLY
WIDER BLADE SPAN TO
BETTER FILL LARGER SPACES
IN TODAY'S HOMES.

SALON by SAVOY HOUSE...
GRAND SCALE PERFECTLY
SUITED FOR YOUR MOST
DRAMATIC INTERIORS.





SALON MONARCH . . .



SALON MONARCH



FAN NUMBER	68-810-5WA-40
MOTOR FINISH	Walnut Patina
BLADE FINISH	Walnut
FAN LIGHT	
GLASS	
DOWNROD	40
Compatible Light Kits: FLG-1400-129	
Compatible Remote Controls: WLC500, WLC600, WLC700, RMT005	

- Motor Size 212 x 25
- 68" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Light Kits & Downrods Sold Separately

- Blades Included
- Motor Accent Light 4C 10W Bulbs Included
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed		
Airflow 9,663 <small>Cubic Feet Per Minute</small>	Electricity Use 109.5 <small>Watts (Excludes Lights)</small>	Airflow Efficiency 88 <small>Cubic Feet Per Minute Per Watt</small>
<small>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.</small>		
<small>Money-Saving Tip: Turn off fan when leaving room.</small>		

... SALON BARLEY TWIST



PIERCE PAXTON

SALON BARLEY TWIST



FAN NUMBER	68-530-5CN-10
MOTOR FINISH	Driftwood
BLADE FINISH	Chestnut
FAN LIGHT	Included
GLASS	Antique Marble
DOWNROD	10
Compatible Remote Controls: WLC300	

- Motor Size 212 x 25
- 68" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Downrods Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT 001)

ENERGY INFORMATION at High Speed

Airflow 6,173 Cubic Feet Per Minute	Electricity Use 70 Watts (Excludes Lights)	Airflow Efficiency 88 Cubic Feet Per Minute Per Watt
--	--	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

Hand Held Remote
Included
RMT001
Features on Page 97.




Lamp Included
Incandescent 


SALON Indigo . . .



SALON
Indigo



FAN NUMBER	68-850-5PA-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Palomino
FAN LIGHT	FLGC-850-56
GLASS	Cream Carved Marble
DOWNROD	56
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001	



FLGC-850-56
OPTIONAL LIGHT KIT

- Motor Size 212 x 25
- 68" Blade Span
- 13° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Light Kit & Downrods Sold Separately
- Blades Included
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed		
Airflow 10,033 Cubic Feet Per Minute	Electricity Use 109.8 Watts (Excludes Lights)	Airflow Efficiency 91 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

... SALON BRISTOL



SALON BRISTOL



FAN NUMBER	GZ-68-15-5TK-16
MOTOR FINISH	Antique Copper
BLADE FINISH	Teak
FAN LIGHT	Included
GLASS	Cream Marble
DOWNROD	16
Compatible Remote Controls: WLC300	

- Motor Size 212 x 25
- 68" Blade Span
- 13° Blade Pitch
- 3-Speed Reversible Motor
- Downrods Sold Separately

- Blades & Integrated Light Kit Included
- Light Kit 2C 60W Included
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT 001)

ENERGY INFORMATION at High Speed		
Airflow 9,293 Cubic Feet Per Minute	Electricity Use 102.6 Watts (Excludes Lights)	Airflow Efficiency 90 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

Hand Held Remote
Included
RMT001
Features on Page 97.



Lamp Included
Incandescent 

SALON MONTEREY . . .



SALON MONTEREY



FAN NUMBER	68-CF-5HK-SN	68-CF-5TK-56	68-CF-5WA-OWB
MOTOR FINISH	Satin Nickel	New Tortoise Shell	Old Weathered Bronze
BLADE FINISH	Hickory	Teak	Walnut
FAN LIGHT			
GLASS			
DOWNROD	SN	56	OWB
Compatible Light Kits: FLG-1400 SERIES			
Compatible Remote Controls: WLC500, WLC600, RMT001			

- Motor Size 212 x 25
- 68" Blade Span
- 13.5° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kits Sold Separately
- Blades Included
- Hugger Kit Adaptable



ENERGY INFORMATION at High Speed		
Airflow 8,859 Cubic Feet Per Minute	Electricity Use 112 Watts (Excludes Lights)	Airflow Efficiency 79.1 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

... SALON Wind STAR

SALON Wind STAR



FAN NUMBER	68-227-5HK-187	68-227-5WA-129
MOTOR FINISH	Brushed Pewter	Espresso
BLADE FINISH	Hickory	Walnut
FAN LIGHT		
GLASS		
DOWNROD	187	129
Compatible Light Kits: FLG-1400 SERIES		
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006		

- Motor Size 212 x 25
- 68" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kits Sold Separately
- Blades Included
- Hugger Kit Adaptable

ENERGY INFORMATION at High Speed		
Airflow 9,322 Cubic Feet Per Minute	Electricity Use 106.2 Watts (Excludes Lights)	Airflow Efficiency 87.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



MAIN STREET . . .



A HOUSE ISN'T TRULY
A HOME ON ANY AMERICAN
MAIN STREET UNTIL A FAMILY
MAKES IT THEIR OWN.
EACH SELECTION IN THE DESIGN
PROCESS LEADS TO ANOTHER
COMPLETED PIECE OF THE
AMERICAN DREAM.

THAT'S WHY SAVOY HOUSE
OFFERS THIS WONDERFUL
COLLECTION OF FANS TO CELEBRATE
THE AMERICAN DREAM -
AND PROVIDE ALL HOMEOWNERS
ACCESS TO IMPECCABLE DESIGN.
THE MAIN STREET COLLECTION
CONSISTS OF UNIQUE,
SOPHISTICATED STYLES AND
BLADE FINISHES AT INCREDIBLE
VALUES.






LOGAN . . .



LOGAN




FAN NUMBER	52-851-5RV-13	52-851-5RV-SN	52-851-5RV-WH
MOTOR FINISH	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Beechwood	Maple / Rosewood	White / Weathered Patina
FAN LIGHT	Included	Included	Included
GLASS	Cream Marble	White Marble	White Marble
DOWNROD	13	SN	WH
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			

- Motor Size 172 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,266 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Lights)	Airflow Efficiency 88 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

BANff



FAN NUMBER	52-854-5RV-234	52-854-5RV-CH	52-854-5RV-WH
MOTOR FINISH	Parisian Bronze	Chrome	White
BLADE FINISH	Walnut / Beechwood	Maple / Rosewood	White / Weathered Patina
FAN LIGHT	Included	Included	Included
GLASS	Cream Textured	White Textured	White Textured
DOWNROD	234	CH	WH

Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001

- Motor Size 172 x 20
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Light Kit Included
- Light Kit 3C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 5,709 Cubic Feet Per Minute	Electricity Use 74 Watts (Excludes Lights)	Airflow Efficiency 77 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Lamp Included
Incandescent

PEACHTREE . . .



PEACHTREE



FAN NUMBER	52P-614-5WA-187	52P-614-5PA-56	52P-614-5WA-13
MOTOR FINISH	Brushed Pewter	New Tortoise Shell	English Bronze
BLADE FINISH	Walnut	Palomino	Walnut
FAN LIGHT	Included	Included	Included
GLASS	White Marble	Cream Marble	Cream Marble
DOWNROD	187	56	13
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			


- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Blades & Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,300 Cubic Feet Per Minute	Electricity Use 65.1 Watts (Excludes Lights)	Airflow Efficiency 81 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

CHARLESTON



FAN NUMBER	52-411-5RV-SN	52-411-5RV-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Chestnut / Maple	Walnut / Teak
FAN LIGHT	Included	Included
GLASS	White Marble	Cream Marble
DOWNROD	SN	13
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001		

- Motor Size 153 x 15
- 52" Blade Span
- 12" Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,585 Cubic Feet Per Minute	Electricity Use 63 Watts (Excludes Lights)	Airflow Efficiency 72.8 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Lamp Included
Incandescent 

OZARK . . .



OZARK



FAN NUMBER	52-855-5RV-56	52-855-5RV-SN	52-855-5RV-WH
MOTOR FINISH	New Tortoise Shell	Satin Nickel	White
BLADE FINISH	Chestnut / Hickory	Maple / Rosewood	White / Weathered Patina
FAN LIGHT	Included	Included	Included
GLASS	Cream Textured	White Textured	White Textured
DOWNROD	56	SN	WH
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			


- Motor Size 172 x 20
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,714 Cubic Feet Per Minute	Electricity Use 71 Watts (Excludes Lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

... SIERRA MADRES

SIERRA MADRES



FAN NUMBER	52-CDC-5RV-13	52-CDC-5RV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut / Teak	White / Chestnut
FAN LIGHT	Included	Included
GLASS	Cream Frosted	White Frosted
DOWNROD	13	SN
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001		

- Motor Size 153 x 15
- 52" Blade Span
- 12" Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Light Kit Included
- Light Kit 2C 60W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 5,020 Cubic Feet Per Minute	Electricity Use 71 Watts (Excludes Lights)	Airflow Efficiency 70 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Lamp Included
Incandescent 

BARBOUR Island . .



BARBOUR Island



FAN NUMBER	52-SGB-5RV-SN	52-SGB-5RV-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Walnut / Teak	Walnut / Teak
FAN LIGHT	Included	Included
GLASS	White Frosted	Cream Frosted
DOWNROD	SN	13

Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001

- Motor Size 153 x 15
- 52" Blade Span
- 12" Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,102 Cubic Feet Per Minute	Electricity Use 68 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

McKINLEY



FAN NUMBER	44-729-5RV-13	44-729-5RV-SN	44-729-5RV-WH
MOTOR FINISH	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Beechwood	Maple / Rosewood	White / Weathered Patina
FAN LIGHT	Included	Included	Included
GLASS	Cream Opal Etched	White Frosted	White Frosted
DOWNROD	13	SN	WH

Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001

- Motor Size 153 x 15
- 44" Blade Span
- 13.5° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,305 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Lights)	Airflow Efficiency 72 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Lamp Included
Incandescent 

FIRST VALUE . . .



FIRST VALUE



FAN NUMBER	52-EUP-5RV-13WG	52-EUP-5RV-13	52-EUP-5RV-SN	52-EUP-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Included	Included	Included	Included
GLASS	Satin White Frosted	Cream Frosted Ribbed	Satin White Frosted	Satin White Frosted
DOWNROD	13	13	SN	WH
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001				


- Motor Size 153 x 12
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Light Kit Included
- Medium Base Socket - 13W CFL Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 4,570 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Lights)	Airflow Efficiency 76.2 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FIRST VALUE



FAN NUMBER	52-ECM-5RV-13WG	52-ECM-5RV-13	52-ECM-5RV-SN	52-ECM-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Included	Included	Included	Included
GLASS	White Opal	Cream Marble	White Marble	White Marble
DOWNROD	13	13	SN	WH
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001				

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Integrated Light Kit Included
- Medium Base Socket - 13W CFL Bulbs Included
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,619 Cubic Feet Per Minute	Electricity Use 63.3 Watts (Excludes Lights)	Airflow Efficiency 72.9 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Lamp Included
Fluorescent

Wind STAR . . .



WindSTAR



FAN NUMBER	52-830-5RV-187	52-830-5RV-129
MOTOR FINISH	Brushed Pewter	Espresso
BLADE FINISH	Walnut / Chestnut	Walnut / Chestnut
FAN LIGHT		
GLASS		
DOWNROD	187	129
Compatible Light Kits: FLG-1200 SERIES		
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006		



FLG-1200-187
OPTIONAL FAN LIGHT



FLG-1200-129
OPTIONAL FAN LIGHT

- Motor Size 172 x 14
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,078 Cubic Feet Per Minute	Electricity Use 64 Watts (Excludes Lights)	Airflow Efficiency 79.3 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



WindSTAR



FLG-1200-187
OPTIONAL FAN LIGHT



FLG-1200-129
OPTIONAL FAN LIGHT


FAN NUMBER	42-830-5RV-129	42-830-5RV-187
MOTOR FINISH	Espresso	Brushed Pewter
BLADE FINISH	Walnut / Chestnut	Walnut / Chestnut
FAN LIGHT		
GLASS		
DOWNROD	129	187
Compatible Light Kits: FLG-1200 SERIES		
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006		

- Motor Size 153 x 12
- 42" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor


- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,425 Cubic Feet Per Minute	Electricity Use 61 Watts (Excludes Lights)	Airflow Efficiency 72.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





SAN PABLO



FAN NUMBER	52-860-5RV-13	52-860-5RV-SN	52-860-5RV-WH
MOTOR FINISH	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Beechwood	Maple / Rosewood	White / Weathered Patina
FAN LIGHT			
GLASS			
DOWNROD	13	SN	WH
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001			
Compatible Light Kits: Concord, Concord ES, FLC418 Series, FLGC-313-WH, FLGC-1100 Series, FLG-1200 Series, FLG-750			

- Motor Size 172 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,249 Cubic Feet Per Minute	Electricity Use 65.2 Watts (Excludes Lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

... PINE HARBOR



PINE HARBOR



FAN NUMBER	52-SGC-5RV-13	52-SGC-5RV-SN	52-SGC-5RV-80
MOTOR FINISH	English Bronze	Satin Nickel	Matte White
BLADE FINISH	Walnut / Teak	Maple / Chestnut	White / Weathered Patina
FAN LIGHT			
GLASS			
DOWNROD	13	SN	80

Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006

Compatible Light Kits: Concord, Concord ES, FLC418 Series, FLGC-313-WH, FLGC-1100 Series, FLG-1200 Series, FLGC-850 Series, FLGC-400 Series, FLG-750

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)


ENERGY INFORMATION at High Speed		
Airflow 5,693 Cubic Feet Per Minute	Electricity Use 67.5 Watts (Excludes Lights)	Airflow Efficiency 84 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



PINE HARBOR . . .



PINE HARBOR



FAN NUMBER	42-SGC-5RV-13	42-SGC-5RV-SN	42-SGC-5RV-80
MOTOR FINISH	English Bronze	Satin Nickel	Matte White
BLADE FINISH	Teak / Walnut	Chestnut / Maple	White / Weathered Patina
FAN LIGHT			
GLASS			
DOWNROD	13	SN	80
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006			
Compatible Light Kits: Concord, Concord ES, FLC418 Series, FLGC-313-WH, FLGC-1100 Series, FLG-1200 Series, FLGC-850 Series, FLGC-400 Series, FLG-750			

- Motor Size 153 x 15
- 42" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor


- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 4,742 Cubic Feet Per Minute	Electricity Use 59.5 Watts (Excludes Lights)	Airflow Efficiency 79.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



PINE HARBOR



FAN NUMBER	32-SGC-5RV-13	32-SGC-5RV-SN	32-SGC-5RV-80
MOTOR FINISH	English Bronze	Satin Nickel	Matte White
BLADE FINISH	Teak / Walnut	Chestnut / Maple	White / Weathered Patina
FAN LIGHT			
GLASS			
DOWNROD	13	SN	80

Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT006

Compatible Light Kits: Concord, Concord ES, FLC418 Series, FLGC-313-WH, FLGC-1100 Series, FLG-1200 Series, FLGC-850 Series, FLGC-400 Series, FLG-750


- Motor Size 153 x 10
- 32" Blade Span
- 22° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kit Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)






ENERGY INFORMATION at High Speed		
Airflow 2,086 Cubic Feet Per Minute	Electricity Use 46.1 Watts (Excludes Lights)	Airflow Efficiency 45.2 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



Builder Specialty.



Builder Specialty



FAN NUMBER	52-FAN-5WA-13	52-FAN-5CN-SN	52-FAN-5W-SN	52-FAN-5W-WH	52-FAN-5C-CM
MOTOR FINISH	English Bronze	Satin Nickel	Satin Nickel	White	Cream
BLADE FINISH	Walnut	Chestnut	White	White	Cream
FAN LIGHT					
GLASS					
DOWNROD	13	SN	SN	WH	CM
Compatible Remote Controls: WLC300, WLC500, WLC600, RMT001, RMT002					
Compatible Light kits: Concord, Concord ES, FLC418 Series, FLGC-313-WH, FLGC-1100 SERIES, FLG-1200 SERIES, FLGC-850 Series, FLGC-400 Series					

- Motor Size 153 x 18
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Light Kits Sold Separately
- Blades Included
- Dual Mounting System



ENERGY INFORMATION at High Speed		
Airflow 5,249 Cubic Feet Per Minute	Electricity Use 65.2 Watts (Excludes Lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



OUTDOOR LIVING

...



It is all part of today's
trend to expand our living
environments and there is
no better place to extend
our life styles than
outdoors.

Savoy House is pleased to
offer outdoor living, a
collection of beautifully
styled fans built to endure
the outdoor elements.

Distinctive designs,
sophisticated styling and a
variety of blade finishes to
enable you to expand your
living environment
to the great outdoors.





PORTICO . . .



PORTICO



FAN NUMBER	52-083-5R0-13	52-083-5WA-24
MOTOR FINISH	English Bronze	Horseshoe Black
BLADE FINISH	Rosewood	Walnut
FAN LIGHT		
GLASS		
DOWNROD	13	FB
Compatible Remote Controls: WLC500, WLC600, RMT007		

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Light Kit Sold Separately
- Dual Mounting System Included (Down Rod & Hugger)
- Fans & Blades are **UL Damp Location**
- All Weather Blades Included



ENERGY INFORMATION at High Speed		
Airflow 4,860 Cubic Feet Per Minute	Electricity Use 67.6 Watts (Excludes Lights)	Airflow Efficiency 71 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



Capri




FAN NUMBER	52-004-5WI-24	52-004-5CN-13
MOTOR FINISH	Horseshoe Black	English Bronze
BLADE FINISH	Wicker	Chestnut
FAN LIGHT		
GLASS		
DOWNROD	FB	13
Compatible Remote Controls: WLC500, WLC600, RMT007		

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Light Kit Sold Separately
- Dual Mounting System Included (Down Rod & Hugger)
- Fans & Blades are **UL Wet Location**


ENERGY INFORMATION at High Speed		
Airflow 3,465 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 63 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		




DANville . . .



DANville



FAN NUMBER	52-110-5BA-04
MOTOR FINISH	Dark Bamboo
BLADE FINISH	Dark Bamboo
FAN LIGHT	FLG-110-04
GLASS	Cream Scavo
DOWNROD	04
Compatible Remote Controls: WLC500, WLC600, RMT007	



FLG-110-04
OPTIONAL LIGHT KIT

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor

- Light Kits & Downrods Sold Separately
- Blades Included
- Fan, Light Kit & Blades are **UL Wet Location**
- Not Hugger Kit Adaptable



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,304 Cubic Feet Per Minute	68 Watts (Excludes Lights)	78 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.





PIERCE PAXTON

Asheville



FLG-009-56
OPTIONAL LIGHT KIT



52-FB4-OD-CN
OPTIONAL FAN BLADE

FAN NUMBER	52-009-MO-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Chestnut
FAN LIGHT	FLG-009-56
GLASS	Carved Cream
DOWNROD	56
Compatible Remote Controls: WLC500, WLC600, RMT007	

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch

- 3-Speed Pull Chain Reversible Motor
- Blades, Light Kit & Downrods Sold Separately
- Fan & Light Kit are **UL Damp Location**

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5,038 Cubic Feet Per Minute	63 Watts (Excludes Lights)	80 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



Acropolis . . .



PIERCE PAXTON



Acropolis

FAN NUMBER	52-520-5R0-52
MOTOR FINISH	Bark & Gold
BLADE FINISH	Rosewood
FAN LIGHT	Included
GLASS	Clear Seeded
DOWNROD	52

Coordinating Exterior Lanterns Available

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Downrods Sold Separately

- Blades & Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Fan, Blades & Light Kit are **UL Wet Location**
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT 007)



Lamp Included
Incandescent



Hand Held Remote
Included

RMT007
Features on Page 97.

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,937 Cubic Feet Per Minute	58 Watts (Excludes Lights)	85 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



PIERCE PAXTON

CHATSWORTH



FAN NUMBER	52-515-50-40	52-515-5R0-24
MOTOR FINISH	Walnut Patina	Horseshoe Black
BLADE FINISH	Oak	Rosewood
FAN LIGHT	Included	Included
GLASS	Clear Beveled	Clear Beveled
DOWNROD	40	FB

Coordinating Exterior Lanterns Available

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Downrods Sold Separately

- Blades & Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Fan, Blades & Light Kits are **UL Wet Location**
- Not Hugger Kit Adaptable

- Hand Held Remote Control Included (RMT 007)

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,814 Cubic Feet Per Minute	58 Watts (Excludes Lights)	83 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

Hand Held Remote
Included
RMT007
Features on Page 97.



Lamp Included
Incandescent



MONTICELLO . . .



PIERCE PAXTON

MONTICELLO



FAN NUMBER	52-525-50-40	52-525-5M-24
MOTOR FINISH	Walnut Patina	Horseshoe Black
BLADE FINISH	Oak	Mahogany
FAN LIGHT	Included	Included
GLASS	Clear Watered	Clear Watered
DOWNROD	40	FB

Coordinating Exterior Lanterns Available

- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Light Kit Included
- Light Kit 3C 40W Bulbs Included
- Fans, Blades & Light Kit are **UL Wet Location**
- Not Hugger Kit Adaptable
- Hand Held Remote Control Included (RMT 007)



Lamp Included
Incandescent



Hand Held Remote
Included

RMT007
Features on Page 97.

ENERGY INFORMATION at High Speed

Airflow Cubic Feet Per Minute	Electricity Use Watts (Excludes Lights)	Airflow Efficiency Cubic Feet Per Minute Per Watt
4,721	60	78




Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



... NOMAD

NOMAD



FAN NUMBER	52-EOF-5WA-13	52-EOF-5W-WH	52-EOF-5MB-FB
MOTOR FINISH	English Bronze	White	Flat Black
BLADE FINISH	Walnut	White	Matte Black
FAN LIGHT			
GLASS			
DOWNROD	13	WH	FB
Compatible Remote Controls: WLC500, WLC600, RMT007			
Compatible Light Kits: Crimson, FLGC-PF, FLGC-1100, Capri			

- Motor Size 172 x 14
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately


- Blades Included
- Light Kit & Downrods Sold Separately
- Dual Mount Hanging Included (Downrod & Hugger)
- Fan & Blades are **UL Wet Location**

ENERGY INFORMATION at High Speed		
Airflow 5,430 Cubic Feet Per Minute	Electricity Use 50.3 Watts (Excludes Lights)	Airflow Efficiency 108 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





LANCER



FAN NUMBER	52-SGO-5WA-13	52-SGO-5W-WH	52-SGO-5CN-FB
MOTOR FINISH	English Bronze	White	Flat Black
BLADE FINISH	Walnut	White	Chestnut
FAN LIGHT			
GLASS			
DOWNROD	13	WH	FB
Compatible Remote Controls: WLC500, WLC600, RMT007			
Compatible Light Kits: FL524, FLG-750, FLGC-1100, KP-FLGC-PF			

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Light Kit Sold Separately
- Blades Included
- Fan & Blades are **UL Wet Location**
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow Cubic Feet Per Minute	Electricity Use Watts (Excludes Lights)	Airflow Efficiency Cubic Feet Per Minute Per Watt
5,865	68.8	85
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



LANCER II



FAN NUMBER	43-925-5WA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut
FAN LIGHT	
GLASS	
DOWNROD	13
Compatible Remote Controls: RMT007	
Compatible Light Kits: FL524, FLG-750, FLGC-1100, KP-FLGC-PF	

- Motor Size 153 x 13
- 43" Blade Span
- 12° Blade Pitch
- 3-Speed Pull Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Light Kit Sold Separately
- Blades Included
- Fan & Blades are **UL Wet Location**
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 4,375 Cubic Feet Per Minute	Electricity Use 57.1 Watts (Excludes Lights)	Airflow Efficiency 76.6 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		




FAN ACCESSORIES




CONTENTS

FAN LIGHT OPTIONS	87
Glass	92
HANGING SYSTEMS	94
CONTROLS	96
SPECIFICATIONS	98


... FAN Light Options



FLGC-850-56




FLGC-850-7




THE INDIGO SERIES

FLGC-850-CM




FLGC-850-TW




FLGC-850-52

FIXTURE	FINISH	GLASS	BULBS
FLGC-850-CM	Cream	Cream Carved Marble	3C 40W
FLGC-850-56	New Tortoise Shell	Cream Carved Marble	3C 40W
FLGC-850-7	Ebony	Cream Carved Marble	3C 40W
FLGC-850-TW	Textured White	White Carved Marble	3C 40W
FLGC-850-WH**	White	White Carved Marble	3C 40W
FLGC-850-52	Bark & Gold	Cream Carved Marble	3C 40W


**FLGC-850-WH Not Shown




FLC418-SN



FLC419-WH




FLC418-56




FLC418-13


FIXTURE	FINISH	GLASS	BULBS
FLC418-13	English Bronze	Sold Separately	4C 40W
FLC418-SN	Satin Nickel	Sold Separately	4C 40W
FLC419-WH	White	Sold Separately	4C 40W
FLC418-56	New Tortoise Shell	Sold Separately	4C 40W



KP-FLGC-400-40



KP-FLGC-400-7




KP-FLGC-400-TW




KP-FLGC-400-56

FIXTURE	FINISH	GLASS	BULBS
KP-FLGC-400-56	New Tortoise Shell	Cream Marble	3C 40W
KP-FLGC-400-40	Walnut Patina	Cream Marble	3C 40W
KP-FLGC-400-7	Ebony	White Frosted	3C 40W
KP-FLGC-400-TW	Textured White	White Scavo	3C 40W




FLGC-400-CM




FLGC-400-WH

FIXTURE	FINISH	GLASS	BULBS
FLGC-400-CM	Cream	Cream Marble	2C 60W
FLGC-400-WH	White	White Marble	2C 60W

THE SALON FAN LIGHT



FLG-1400-187



FLG-1200-129








FLG-1400-129






FLG-1200-187

FIXTURE	FINISH	GLASS	BULBS
FLG-1400-187	Brushed Pewter	White Frosted	2G9 50W
FLG-1400-129	Espresso	Cream Frosted	2G9 50W
FLG-1200-187	Brushed Pewter	White Frosted	2G9 50W
FLG-1200-129	Espresso	Cream Frosted	2G9 50W

... FAN Light Options



FIXTURE	FINISH	GLASS	BULBS
FLG-247-13	English Bronze	White Etched	2C 60W
FLG-248-40	Walnut Patina	Cream Etched	2C 60W
FLGC-249-SN	Satin Nickel	White Marble	2C 60W
FLG-249-WT	White Textured	White Marble	2C 60W
FLG-247E-13	English Bronze	White Etched	TC 40W Fluorescent
FLG-249E-SN	Satin Nickel	White Marble	TC 40W Fluorescent
FLG-249E-WH	White	White Marble	TC 40W Fluorescent



FIXTURE	FINISH	GLASS	BULBS
FLGC-313-WH	White	White Swirl	3C 60W

FAN Light Options . . .

INDOOR-OUTDOOR LIGHT KITS

KP-FLGC-PF-WH



PIERCE PAXTON


FIXTURE	FINISH	GLASS	BULBS
KP-FLGC-PF-WH	White	White Opal	1E 60W**
KP-FLGC-PF-13	English Bronze	White Opal	1E 60W**
KP-FLGC-PF-FB	Flat Black	White Opal	1E 60W**

Indoor/Outdoor Light Kit **UL Damp Location** **Medium Base Socket - 13W CFL Bulbs Included

KP-FLGC-PF-13



KP-FLGC-PF-FB




FLGC-1110-13



FLGC-1102-WH






FLGC-1108-FB



FIXTURE	FINISH	GLASS	BULBS
FLGC-1102-WH	White	White Opal	1C 60W
FLGC-1108-FB	Flat Black	White Opal	1C 60W
FLGC-1110-13	English Bronze	White Opal	1C 60W


Indoor/Outdoor Light Kit **UL Damp Location**

... FAN Light Options



FIXTURE	FINISH	GLASS	BULBS
FL524-WH	White	Satin White	2E 60W**
FL524-FB	Flat Black	Satin White	2E 60W**
FL524-13	English Bronze	Satin White	2E 60W**

Indoor/Outdoor Light Kit **UL Damp Location** **Medium Base Socket - 13W CFL Bulbs Included




FIXTURE	FINISH	GLASS	BULBS
FLG-750-WH	White	Satin White	1G9 75W
FLG-750-FB	Flat Black	Satin White	1G9 75W
FLG-750-13	English Bronze	Satin White	1G9 75W

Indoor/Outdoor Light Kit **UL Damp Location**



GL604

2-1/8" x 4-5/8"W x 4-3/8"H
White Etched Swirl Glass



GL232

2-1/8" x 4-7/8"W x 4-1/2"H
White Ribbed Frost Glass



GL231

2-1/8" x 4-7/8"W x 4-1/2"H
Clear Ribbed Glass



GL605
2-1/8" x 4-7/8"W x 4-7/8"H
White Marble Glass



GL705
2-1/8" x 4-7/8"W x 5-1/2"H
White Opal Etched Glass



GL764
2-1/8" x 5-3/8"W x 4-3/4"H
White Frost Glass



GL764-CM
2-1/8" x 5-3/8"W x 4-3/4"H
Cream Marble Glass



GL770
2-1/8" x 5-3/8"W x 5-1/4"H
Cream Ribbed Marble Glass



GL772
2-1/8" x 5-1/2"W x 4-5/8"H
White Marble Glass



GL779
2-1/8" x 5-5/8"W x 5-3/8"H
White Etched Glass



GL780
2-1/8" x 5-1/2"W x 5-1/2"H
White Opal Etched Glass



GL780-CM
2-1/8" x 5-1/2"W x 5-1/2"H
Cream Opal Etched Glass

HANGING SYSTEMS . . .

- * Downrod Lengths
12", 18", 24", 36", 48", 60", 72"
- * To order downrods, use this sku #:
DR-LENGTH-FINISH
- * Use exact finish
() Use this finish code
- ** To order downrod with bamboo sleeve,
use DR-LENGTH-WS-FINISH

FINISHES		DR	HCF	SK
04**	Dark Bamboo	*	*	*
7	Ebony	(FB)	(FB)	(FB)
10	Driftwood	*	*	*
13	English Bronze	*	*	*
16	Antique Copper	*	*	*
22	Burnished Gold	*	*	*
24	Horseshoe Black	(FB)	(FB)	(FB)
25	Slate	*	*	*
38	Gunsmoke	*	*	*
40	Walnut Patina	*	*	*
52	Bark & Gold	*	*	*
56	New Tortoise Shell	*	*	*
80	Matte White	*	*	*
129	Espresso	*	N/A	N/A
187	Brushed Pewter	*	N/A	N/A

FINISHES		DR	HCF	SK
213	English Bronze w/Gold	(13)	(13)	(13)
234	Parisian Bronze	*	N/A	*
244	Copper Basin	*	N/A	N/A
247	Antique Cognac	*	N/A	N/A
250	Mercury Black	*	N/A	N/A
323	Old Bronze	*	N/A	N/A
AG	Autumn Gold	*	*	*
CM	Cream	*	*	*
CH	Chrome	*	*	*
FB	Flat Black	*	*	*
OWB	Old Weathered Bronze	*	*	*
SN	Satin Nickel	*	*	*
TW	Textured White	(CM)	(CM)	(CM)
WH	White / WT	*	*	*

... HANGING SYSTEMS




The Hugger kit was developed to place fans closer to the ceiling where more room is needed because of low ceiling applications.

Specify finish to match your needs.

Shown in Bark & Gold.

52-HCF (Add finish code)




The Slope Ceiling adapter kit was developed to meet the needs in the industry for higher, more steeply angled vaulted ceilings (up to 45° angle).

Specify finish to match your needs.

Shown in Bark & Gold.

52-SK (Add finish code)




Join two downrods to increase downrod length greater than 6 feet.

Specify finish to match your needs.

Shown in White.

52-COUPLER (Add finish code)

CONTROLS . . .




WLC300 NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL

- Three Speed Fan Control
- On/Off Button With Full Range Light Dimming
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT001
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



WLC400 FULL FUNCTION FAN/LIGHT WALL MOUNT CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT006
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty




WLC500 FOUR SPEED SLIDE FAN CONTROL

- Installs In Standard 2-wire Wall Switch
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



WLC600 FAN/LIGHT DUAL SLIDE FAN CONTROL

- Four Speed Fan Control
- Full Range Light Dimming
- Installs In Standard 3-wire Single Box Wall Switch
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



WLC700

NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off button with Full Range Light Dimming for Both Up & Down Light
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT005
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



RMT001

NON-REVERSE HAND HELD FAN/LIGHT CONTROL

- Three Speed Fan Control
- On/Off And Full Range Light Dimming
- Includes Hand Held Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC300
- Includes Wall Holster
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



RMT005

NON-REVERSE FAN/LIGHT HAND HELD CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Hand Held Remote and Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC700
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



RMT006

FULL FUNCTION FAN/LIGHT HAND HELD CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Hand Held Remote And Canopy Mounted Receiver
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- Compatible For Use With WLC400
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty



RMT007

NON-REVERSE HAND HELD FAN/LIGHT CONTROL (WET LOCATION)


- Three Speed Fan Control
- On/Off and Full Range Light Dimming
- Includes Hand Held Remote and Canopy Mounted Receiver
- Wet Location Rated Receiver For Use With Outdoor Fans
- Hand Held Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40 Foot Operating Distance
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

Specifications . . .

Fan Series	Motor Size	MOTOR PERFORMANCE											
		Low				Medium				High			
		RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**
Acropolis	172x20	63	13	0.370	1742	120	36	0.460	3963	160	58	0.500	4937
Artesno	172x17	63	8	0.310	1283	109	29	0.420	3457	156	58	0.510	5108
Asheville	172X20	72	13.9	0.246	1812	110	29.5	0.363	3116	167	63	0.526	5038
Banff	172X20	54	11	0.240	1989	115	37	0.450	3893	171	74	0.620	5709
Barbour Island	153x15	60	9	0.216	1553	109	27.5	0.379	3227	174	68	0.587	5102
Barley Twist	172x20	63	13	0.280	1648	106	32	0.400	3716	155	58	0.470	4862
Barley Twist 68"	212X25	42	18	0.350	2448	65	36	0.470	3647	102	70	0.550	6173
Bay St. Louis	90AL	500	8.2	0.195	848	991	23.9	0.297	1876	1081	46.7	0.407	2195
Big Canoe	172x17	50	14	0.260	2228	108	36	0.420	4045	160	70	0.610	5511
Bristol	188x20	65	13.4	0.250	1815	107	33.3	0.401	3412	165	70.4	0.585	5339
Bristol 68"	212X25	36	11.3	0.299	2393	70	35.6	0.534	5029	123	102.6	0.910	9293
Britton	172x17	59	12	0.310	1808	110	37	0.500	3965	167	73	0.600	5667
Builder Specialty	153x18	82	7.2	0.220	1258	129	28.1	0.340	3155	195	65.2	0.490	5249
Capri	172X17	67	12	0.210	1512	120	32	0.340	2784	161	55	0.450	3465
Charleston	153x15	65	12	0.220	1557	116	33	0.350	3117	165	63	0.500	4585
Chatsworth	172X20	88	19	0.350	2250	133	39	0.460	4072	162	58	0.470	4814
Chatwick	153X18	70	11.2	0.223	1591	122	30	0.368	3049	187	64.7	0.537	4883
Coyaba	188X20	58	13	0.263	1554	98	32.6	0.424	3209	155	77.6	0.647	5504
Cumberland	172X17	61	11	0.310	1574	110	30	0.440	2940	158	59	0.510	4012
Danville	172X17	70	16	0.360	2448	111	35	0.490	3689	160	68	0.570	5304
Empire	153X18	63	8.8	0.195	1472	118	28.9	0.363	3174	183	64.5	0.541	5408
Fire Island	90AL	500	8.2	0.195	848	991	23.9	0.297	1876	1081	46.7	0.407	2195
First Value Bowl Light	153x15	60	7.1	0.181	1316	122	27.9	0.358	3017	180	63.3	0.526	4619
First Value Down Light	153x12	58	10	0.200	1807	105	29	0.350	3210	163	60	0.490	4570
Gossamer	188x20	70	13.9	0.255	1813	111	30.7	0.385	3249	175	68.7	0.570	5512
Indigo	172x20	71	14.1	0.268	1898	114	34.1	0.423	3594	176	74	0.619	5200
Indigo 68"	212x25	49	18	0.398	3007	87	49.4	0.682	6088	137	109.8	0.976	10033
Lancer	153x15	70	9.8	0.220	2135	126	28.1	0.380	3801	191	68.8	0.580	5865
Lancer II	153x13	100	11.2	0.211	1620	164	28.1	0.337	3059	230	57.1	0.472	4375
Logan	172x17	69	11	0.220	1959	131	32.5	0.380	3770	177	60	0.500	5266
Macon	153x15	63	10	0.221	1590	104	26.2	0.349	3010	166	64.4	0.536	5078
McKinley	153x13	74	10.5	0.280	1435	143	28	0.430	2951	203	60	0.520	4305
Monarch	172x20	76	14.4	0.272	1801	124	34.5	0.427	3616	188	73.7	0.610	5482
Monarch 68"	212x25	39	18.1	0.391	2281	82	49.7	0.654	5520	132	109.5	0.975	9663
Monterey 68"	212x25	47	19.2	0.410	2998	81	52.8	0.686	5711	125	106.8	1.001	8859
Monticello	188x20	84	19	0.360	2268	128	45	0.480	3948	168	60	0.510	4721
Nomad	172x14	65	8.5	0.180	1949	133	27	0.320	3956	184	50.3	0.420	5430
Olympic	188x22	70	11	0.350	2032	116	38	0.520	3523	160	78	0.650	5578
Orion	188x20	63	15	0.340	2139	107	37	0.480	3670	150	70	0.580	5308
Ozark	172x20	58	10	0.220	1951	117	34	0.430	3779	174	71	0.600	5714
Peachtree	188x20	66	9.9	0.220	1720	119	31.2	0.390	3444	173	65.1	0.534	5300
Pine Harbor 32"	153x10	89	11	0.186	838	134	24.1	0.278	1402	185	46.1	0.384	2086
Pine Harbor 42"	153x15	88	10.8	0.213	1751	149	28.5	0.349	3245	209	59.5	0.493	4742
Pine Harbor 52"	153x15	63	9.9	0.220	2151	111	28.4	0.380	3738	171	67.5	0.560	5693
Polaris	172x17	70	12	0.280	1962	120	28	0.400	3304	165	48	0.420	5016
Polaris Hugger	172x17	69	12	0.290	1930	127	29	0.400	3200	170	50	0.440	4915
Portico	172x17	64	10.8	0.225	1279	114	30.1	0.379	3051	183	67.6	0.564	4860
San Fernando	188x20	55	11.7	0.264	1498	102	33.7	0.457	3462	170	87.9	0.730	5700
San Pablo	172x17	69	11	0.220	1959	131	32.5	0.380	3770	177	60	0.500	5564
San Remo	172x20	70	14.4	0.263	2255	112	34.6	0.407	3903	161	67	0.559	6028
Santa Ana	172x20	74	14.1	0.262	1714	117	33.9	0.407	3450	166	68.9	0.575	5356
Sea Side	90 AL	679	8.7	0.195	1361	996	23.6	0.294	2145	1091	48	0.414	2373
Shasta	188x18	55	13.9	0.276	1889	101	39.2	0.465	3831	150	79.1	0.664	6242
St. Simons	172x17	55	13	0.220	1979	110	34	0.380	3877	160	65	0.510	5432
Sierra Madres	153x15	59	8.9	0.216	1490	107	27.5	0.381	3056	170	71	0.592	5020
Somerville	188x18	56	16	0.330	1857	103	39	0.500	3524	158	80	0.640	5627
Villamora	172x17	72	9.5	0.227	1636	117	34.7	0.428	4208	170	69.2	0.596	6215
Wind Star 42"	153x12	73	11	0.200	1379	137	30	0.350	2474	196	61	0.490	4425
Wind Star 52"	172x14	65	12	0.220	1949	110	30	0.380	3756	155	64	0.530	5078
Wind Star 68"	212x25	31	11.6	0.298	2408	65	42.8	0.590	5615	108	106.2	0.926	9322
Zephyr	188x15	61	14.2	0.270	1536	99	33.3	0.412	3297	150	71.6	0.595	5334

* If light kit included measurement B is to bottom of light kit, otherwise to bottom of switch housing.

** Airflow is measured in cubic feet per minute (CFM).



... Specifications

DIMENSION			Blade Span	Blade Pitch	Blade Type	Included Downrod Length	Light Kit Adaptable	Remote Control Adaptable	*Hugger Kit Adaptable	Limited Warranty	Page Number	Fan Series
A	B*	C										
14"	23.5"	13.5"	52"	14°	Included	6"	Included	Included	No	Lifetime	80	Acropolis - (52-520)
15"	19"	15.5"	52"	14°	FB4	6"	Yes	Included	No	Lifetime	37	Artesno - (52-990)
14.4"	16.5"	12.8"	52"	14°	FB4	8"	Yes	Yes	No	Lifetime	79	Asheville - (52-009)
12.36"	18.43"	12.87"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	57	Banff - (52-854)
11.2"	18.5"	11.5"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	62	Barbour Island - (52-SGB)
17"	24"	15.3"	52"	13°	FB4	8"	Included	Included	No	Lifetime	38	Barley Twist - (52-530)
18.3"	24.8"	15.4"	68"	14°	Included	8"	Included	Included	No	Lifetime	49	Barley Twist 68" - (68-530)
13.7"	18.3"	17.1"	14"	21°	Included	6"	Included	Included	No	Lifetime	25	Bay St Louis - (14-260)
11"	16.5"	12"	52"	14°	Included	6"	Included	Included	Dual	Lifetime	8	Big Canoe - (52P-620)
11.5"	19.5"	15"	52"	14°	FB4	7"	Included	Yes	No	Lifetime	29	Bristol - (52-15)
13.6"	15.7"	15.4"	68"	13°	Included	7"	Included	Included	No	Lifetime	51	Bristol 68" - (68-15)
11.8"	16.5"	11"	52"	14°	Included	6"	Included	Included	No	Lifetime	14	Britton - (52-771)
11.5"	13.5"	11.5"	52"	12°	Included	4"	Yes	Yes	Yes	Lifetime	72	Builder Specialty - (52-FAN)
15"	16.7"	9.5"	52"	14°	FB4	6"	Yes	Yes	No	Lifetime	77	Capri - (52-004)
10.8"	18.9"	12.5"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	59	Charleston - (52-411)
14.5"	24.5"	13"	52"	14°	Included	6"	Included	Included	No	Lifetime	81	Chatsworth - (52-515)
14.5"	18.5"	13.5"	52"	12°	FB4	4.5"	Yes	Yes	Yes	Lifetime	41	Chatwick - (52-105)
14"	22"	12.5"	55"	14°	FB4	4.5"	Included	Included	Yes	Lifetime	40	Coyaba - (55-600)
13.7"	16.8"	15"	52"	13°	FB4	6"	Yes	Included	No	Lifetime	36	Cumberland - (52-545)
16"	16.7"	13.4"	52"	14°	Included	6"	Yes	Yes	No	Lifetime	78	Danville - (52-110)
15"	19"	13.5"	52"	12°	FB4	4.5"	Yes	Yes	Yes	Lifetime	42	Empire - (52-100)
16.2"	20.8"	18.7"	14"	21°	Included	6"	Included	Included	No	Lifetime	25	Fire Island - (14-280)
10.9"	18.9"	11.1"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	65	First Value Bowl Light - (52-ECM)
11"	18.1"	10.9"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	64	First Value Down Light - (52-EUP)
12.5"	18.5"	12"	52"	14°	FB4	4.5"	Yes	Yes	Yes	Lifetime	33	Gossamer - (52-705)
13"	20.5"	13"	52"	14°	FB4	4.5"	Yes	Yes	Yes	Lifetime	35	Indigo - (52-850)
13.1"	16"	13"	68"	13°	Included	4.5"	Yes	Yes	No	Lifetime	50	Indigo 68" - (68-850)
11.2"	13.3"	11.5"	52"	12°	Included	4.5"	Yes	Yes	Dual	Lifetime	84	Lancer - (52-SG0)
10.6"	13.7"	11.5"	43"	12°	Included	4.5"	Yes	Yes	Dual	Lifetime	85	Lancer II - (43-925)
12.16"	18.35"	11.65"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	56	Logan - (52-851)
10.9"	15.4"	11.4"	52"	12°	Included	4.5"	Included	Included	Dual	Lifetime	16	Macon - (52P-604)
10.79"	16.85"	9.68"	44"	13.5°	Included	4.5"	Included	Yes	Dual	Lifetime	63	McKinley - (44-729)
14"	19.5"	14"	52"	14°	FB4	4.5"	Yes	Yes	Yes	Lifetime	30	Monarch - (52-810)
13"	20.5"	15.4"	68"	14°	Included	4.5"	Yes	Yes	No	Lifetime	48	Monarch 68" - (68-810)
12.1"	14.5"	13.8"	68"	13.5°	Included	6"	Included	Yes	Yes	Lifetime	52	Monterey 68" - (68-CF)
16"	21.5"	11"	52"	14°	Included	6"	Included	Included	No	Lifetime	82	Monticello - (52-525)
12.6"	15"	10.9"	52"	12°	Included	4.5"	Yes	Yes	Dual	Lifetime	83	Nomad - (52-E0F)
15"	19.7"	10.25"	56"	14°	Included	6"	Included	Included	No	Lifetime	15	Olympic - (56-765)
11.2"	18.7"	11.1"	54"	14°	Included	8"	Included	Included	No	Lifetime	19	Orion - (54-660)
11.89"	18.42"	12.05"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	60	Ozark - (52-855)
15.1"	23.7"	11.8"	52"	14°	Included	4.5"	Included	Included	Dual	Lifetime	58	Peachtree - (52P-614)
12.1"	14.3"	12.8"	32"	22°	Included	4.5"	Yes	Yes	Dual	Lifetime	71	Pine Harbor 32" - (32-SGC)
12.1"	14.3"	12.8"	42"	14°	Included	4.5"	Yes	Yes	Dual	Lifetime	70	Pine Harbor 42" - (42-SGC)
12.4"	14.3"	12.8"	52"	12°	Included	4.5"	Yes	Yes	Dual	Lifetime	69	Pine Harbor 52" - (52-SGC)
12.4"	18.2"	8.88"	52"	14°	Included	4.5"	Yes	Yes	Dual	Lifetime	21	Polaris - (52-417)
6.7"	12.2"	8.88"	52"	14°	Included	N/A	Yes	Yes	N/A	Lifetime	23	Polaris (H) - (52-417H)
14.5"	17"	10"	52"	14°	FB4	4.5"	Yes	Yes	Yes	Lifetime	76	Portico - (52-083)
14"	23.4"	14"	56"	14°	FB4	8"	Included	Yes	No	Lifetime	39	San Fernando - (56-588)
12.16"	13.38"	11.65"	52"	12°	Included	4.5"	Yes	Yes	Dual	Lifetime	68	San Pablo - (52-860)
9.1"	15.4"	11.7"	52"	14°	Included	6"	Included	Included	Yes	Lifetime	17	San Remo - (52-252)
13.4"	17.7"	12.3"	52"	14°	Included	8"	Included	Included	No	Lifetime	13	Santa Ana - (52-490)
14.4"	16.3"	18.5"	14"	21°	Included	6"	No	Included	Dual	Lifetime	24	Sea Side - (14-325)
14.5"	15.8"	11.8"	54"	14°	Included	8"	Included	Included	No	Lifetime	7	Shasta - (54-220)
13.5"	20"	11"	52"	14°	Included	6"	Included	Yes	No	Lifetime	18	St. Simons - (52P-646)
12.6"	17.8"	12.9"	52"	12°	Included	4.5"	Included	Yes	Dual	Lifetime	61	Sierra Madres - (52-CDG)
12.28"	18.35"	12.6"	54"	14°	Included	6"	Included	Included	Dual	Lifetime	9	Somerville - (54-274)
17"	21.5"	13.5"	52"	14°	FB4	6"	Yes	Yes	No	Lifetime	28	Villamora - (52-500)
11.2"	13.9"	10.67"	42"	14°	Included	4.5"	Yes	No	Dual	Lifetime	67	Wind Star 42" - (42-830)
11.2"	13.9"	10.67"	52"	14°	Included	4.5"	Yes	No	Dual	Lifetime	66	Wind Star 52" - (52-830)
11.9"	14.6"	12.8"	68"	14°	Included	4.5"	Yes	Yes	Yes	Lifetime	53	Wind Star 68" - (68-227)
14.1"	18.5"	11.8"	54"	14°	Included	8"	Included	Included	No	Lifetime	11	Zephyr - (54-471)

*Dual Mount includes downrod & convertible canopy for hugger style.

Down Rod Length	Std	12"	18"	24"	36"	48"	60"	72"
Ceiling Height	8'	9'	10'	11'	12'	13'	14'	15'

INDEX . . .

14-260-FD-16.....	25	52-851-5RV-SN.....	56	52P-620-5BC-13.....	8	FLGC-400-CM.....	88
14-280-FD-56.....	25	52-851-5RV-WH.....	56	52P-620-5WA-SN.....	8	FLGC-400-WH.....	88
14-325-FD-13.....	24	52-854-5RV-234.....	57	52P-646-5RV-187.....	18	FLGC-705-7.....	33
14-325-FD-SN.....	24	52-854-5RV-CH.....	57	52P-646-5RV-323.....	18	FLGC-705-52.....	33
32-SGC-5RV-13.....	71	52-854-5RV-WH.....	57	52-SGB-5RV-13.....	62	FLGC-705-AG.....	33
32-SGC-5RV-80.....	71	52-855-5RV-56.....	60	52-SGB-5RV-SN.....	62	FLGC-850-7.....	87
32-SGC-5RV-SN.....	71	52-855-5RV-SN.....	60	52-SGC-5RV-13.....	69	FLGC-850-40.....	87
42-830-5RV-129.....	67	52-855-5RV-WH.....	60	52-SGC-5RV-80.....	69	FLGC-850-52.....	87
42-830-5RV-187.....	67	52-860-5RV-13.....	68	52-SGC-5RV-SN.....	69	FLGC-850-56.....	87
42-SGC-5RV-13.....	70	52-860-5RV-SN.....	68	52-SGO-5CN-FB.....	84	FLGC-850-CM.....	87
42-SGC-5RV-80.....	70	52-860-5RV-WH.....	68	52-SGO-5WA-13.....	84	FLGC-850-TW.....	87
42-SGC-5RV-SN.....	70	52-990-MO-56.....	37	52-SGO-5W-WH.....	84	FLGC-991-56.....	37
43-925-5WA-13.....	85	52-CDC-5RV-13.....	61	52-SK.....	95	FLGC-1102-WH.....	90
44-729-5RV-13.....	63	52-CDC-5RV-SN.....	61	54-220-5RV-13.....	7	FLGC-1108-FB.....	90
44-729-5RV-SN.....	63	52-COUPLER.....	95	54-220-5RV-CH.....	7	FLGC-1110-13.....	90
44-729-5RV-WH.....	63	52-ECM-5RV-13.....	65	54-274-5MP-CH.....	9		
52-004-5CN-13.....	77	52-ECM-5RV-13WH.....	65	54-274-5TK-13.....	9	GL231.....	92
52-004-5WI-24.....	77	52-ECM-5RV-SN.....	65	54-274-5WH-WH.....	9	GL232.....	92
52-009-MO-56.....	79	52-ECM-5RV-WH.....	65	54-471-5CN-SN.....	11	GL604.....	92
52-15-5TK-16.....	29	52-EOF-5MB-FB.....	83	54-471-5FB-250.....	11	GL605.....	93
52-15-5WA-AG.....	29	52-EOF-5WA-13.....	83	54-660-5WA-25.....	19	GL705.....	93
52-083-5RO-13.....	76	52-EOF-5W-WH.....	83	55-600-MO-56.....	40	GL764.....	93
52-083-5WA-24.....	76	52-EUP-5RV-13.....	64	56-588-MO-22.....	39	GL764-CM.....	93
52-110-5BA-04.....	78	52-EUP-5RV-13WH.....	64	56-765-5HK-213.....	15	GL770.....	93
52-252-5BW-244.....	17	52-EUP-5RV-SN.....	64	68-227-5HK-187.....	53	GL772.....	93
52-252-5WA-SN.....	17	52-EUP-5RV-WH.....	64	68-227-5WA-129.....	53	GL779.....	93
52-411-5RV-13.....	59	52-FAN-5C-CM.....	72	68-530-5CN-10.....	49	GL780.....	93
52-411-5RV-SN.....	59	52-FAN-5CN-SN.....	72	68-810-5WA-40.....	48	GL780-CM.....	93
52-417-3SV-SN.....	21	52-FAN-5WA-13.....	72	68-850-5PA-56.....	50	GZ-68-15-5TK-16.....	51
52-417-3WA-13.....	21	52-FAN-5W-SN.....	72	68-CF-5HK-SN.....	52		
52-417H-3SV-SN.....	23	52-FAN-5W-WH.....	72	68-CF-5TK-56.....	52	KP-52-100-MO-52.....	42
52-417H-3WA-13.....	23	52-FB4-MA-BC.....	44	68-CF-5WA-OWB.....	52	KP-52-105-MO-16.....	41
52-490-5AS-13.....	13	52-FB4-MA-BK.....	44			KP-FLGC-0238-52.....	42
52-490-5MP-SN.....	13	52-FB4-MA-BW.....	44	FL524-13.....	91	KP-FLGC-400-7.....	88
52-500-5WA-56.....	28	52-FB4-MA-CN.....	44	FL524-FB.....	91	KP-FLGC-400-40.....	88
52-515-50-40.....	81	52-FB4-MA-HK.....	44	FL524-WH.....	91	KP-FLGC-400-56.....	88
52-515-5RO-24.....	81	52-FB4-MA-MP.....	45	FLC418-13.....	87	KP-FLGC-400-TW.....	88
52-520-5RO-52.....	80	52-FB4-MA-PA.....	44	FLC418-56.....	87	KP-FLGC-1050-16.....	41
52-525-5M-24.....	82	52-FB4-MA-RA.....	44	FLC418-SN.....	87	KP-FLGC-PF-13.....	90
52-525-50-40.....	82	52-FB4-MA-TK.....	44	FLC419-WH.....	87	KP-FLGC-PF-FB.....	90
52-530-MO-10.....	38	52-FB4-MA-UN.....	44	FLG-009-56.....	79	KP-FLGC-PF-WH.....	90
52-545-MO-56.....	36	52-FB4-MA-WA.....	44	FLG-110-04.....	78		
52-705-MO-7.....	33	52-FB4-MA-WH.....	45	FLG-247-13.....	89	RMT001.....	97
52-705-MO-52.....	33	52-FB4-OD-CN.....	45	FLG-247E-13.....	89	RMT005.....	97
52-705-MO-AG.....	33	52-FB4-OD-TK.....	45	FLG-249E-SN.....	89	RMT006.....	97
52-771-5BW-SN.....	14	52-FB4-OD-WI.....	45	FLG-249E-WH.....	89	RMT007.....	97
52-771-5TK-13.....	14	52-FB4-SC-TBC.....	45	FLG-750-13.....	91		
52-771-5WH-WH.....	14	52-FB4-SC-TBW.....	45	FLG-750-FB.....	91	WLC300.....	96
52-810-5BLK-7.....	30	52-FB4-SC-TPA.....	45	FLG-750-WH.....	91	WLC400.....	96
52-810-5CN-38.....	30	52-FB4-SC-TRO.....	45	FLG-1200-129.....	88	WLC500.....	96
52-810-5WA-40.....	30	52-FB4-SC-TWA.....	45	FLG-1200-187.....	88	WLC600.....	96
52-830-5RV-129.....	66	52-HCF.....	95	FLG-1400-129.....	88	WLC700.....	97
52-830-5RV-187.....	66	52P-604-5HK-13.....	16	FLG-1400-187.....	88		
52-850-MO-7.....	35	52P-614-5WA-187.....	16	FLGC-248-40.....	89		
52-850-MO-56.....	35	52P-614-5PA-56.....	58	FLGC-249-SN.....	89		
52-850-MO-TW.....	35	52P-614-5WA-13.....	58	FLGC-249-WT.....	89		
52-851-5RV-13.....	56	52P-614-5WA-187.....	58	FLGC-313-WH.....	89		



F A N S

SAVOY HOUSE Lighting

3130 NORTH BERKELEY LAKE ROAD NW

DULUTH, GA 30096

P 800-801-1621 | F 706-654-1922

SAVOYHOUSE.COM