
SCHONBEK®


RIALTO 5048- ___ A




THIS DESIGN IS THE PROPRIETARY TRADEDRESS/TRADEMARKOF SWAROVSKILIGHTING, LTD.

8 Lights
Diameter: 18"
Body Length: 7-1/2"
Hanging Weight: 9 lbs.






All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.




INSULATION

PAD

CROSSBAR




1 Remove crossbar from light cluster and reflector. Attach to outlet box in ceiling.




3 Slide assembled parts - gallery ring together with chrome reflector (insulation pad above) and light cluster over thread attached to crossbar and secure with finial assembly. Make sure entire assembly is firmly against the ceiling. If the outlet box is not flush with ceiling, it may be necessary to adjust the thread attached to crossbar. Install bulbs and test power to insure proper wiring before hanging trim from fixture.





5048-___A PAGE 6 5048-___A






You will need 3 - G16-1/2 25 Watts Recommended 40 Watts Max You will need 5 - B10 25 Watts Recommended 40 Watts Max

Install bulbs and be sure to test fixture BEFORE trimming.

MIN 75°C SUPPLY CONDUCTORS



GALLERY RING

5 Hang all Crystal Chains "A" from every other hole in the gallery ring so that the metal accessories face outwards and so that the large jewels are on the upper end. Hook other end with small jewels into finial assembly pin holes.

