




LIGHTING FIXTURE COLLECTION 2011










www.tlighting.com tel: 626.430.8880

© 2011 TREND LIGHTING ®



## TP9608

### "Halo"


LARGE PENDANT  
 32" DIA. x 2.5" H  
 80" MAX DROP  
 8 x 4 WATT LED @ 80 LUMENS/WATT  
 NEUTRAL WHITE USER REPLACEABLE  
 50,000 Hr LED (INCL.)  
 DIMMABLE DRIVER  
 POLISHED STAINLESS STEEL  
 UL/CUL APPROVED



TP9603



TP9606



### TP9606

#### "Halo"

MEDIUM PENDANT

26" DIA. x 2.5" H

80" MAX DROP

6 x 4 WATT LED @ 80 LUMENS/WATT


NEUTRAL WHITE USER REPLACEABLE

50,000 Hr LED (INCL.)

DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED



### TP9603

#### "Halo"

SMALL PENDANT

16" DIA. x 2.5" H

80" MAX DROP

3 x 4 WATT LED @ 80 LUMENS/WATT

NEUTRAL WHITE USER REPLACEABLE

50,000 Hr LED (INCL.)

DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED



## TP9506

### "Constellation"

LARGE DECORATIVE PENDANT

33.5" DIA. x 60" H

6 x 4 WATT LED

@ 80 LUMENS/WATT


NEUTRAL WHITE USER REPLACEABLE

50,000 HR LED (INCL.)

DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED





## TP9504

### "Constellation"

SMALL DECORATIVE PENDANT

19.5" DIA. x 36" H

4 x 4 WATT LED

@ 80 LUMENS/WATT


NEUTRAL WHITE USER REPLACEABLE

50,000 Hr LED (INCL.)

DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED



TP9504

## TP9505

### "Constellation"

MEDIUM DECORATIVE PENDANT

23.5" DIA. x 60" H

5 x 4 WATT LED

@ 80 LUMENS/WATT


NEUTRAL WHITE USER REPLACEABLE

50,000 Hr LED (INCL.)


DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED




TP9505



## TP9514

### "Octave"

MEDIUM DECORATIVE CHANDELIER  
 17.5" DIA. x 60" H  
 4 x 4 WATT @ 80 LUMENS/WATT  
 NEUTRAL WHITE USER REPLACEABLE  
 50,000 Hr LED (INCL.)  
 DIMMABLE DRIVER  
 POLISHED STAINLESS STEEL  
 UL/CUL APPROVED



**TP9515****"Octave"**

LARGE DECORATIVE CHANDELIER

23.5" DIA. x 72" H

5 x 4 WATT LED

@ 80 LUMENS/WATT



NEUTRAL WHITE USER REPLACEABLE

50,000 Hr LED (INCL.)


DIMMABLE DRIVER

POLISHED STAINLESS STEEL

UL/CUL APPROVED









**TP8924****"Monaco"**

LARGE ROUND CHANDELIER

24" DIA. X 21" H

80" MAX DROP

8 X 40 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CLEAR RIBBON GLASS

POLISHED CHROME

UL/CUL APPROVED





**TP7945**

**"Carousel"**

CHANDELIER

25" DIA. x 80" H


18 x 25 WATT

120V MED BASE SOCKETS

3" DIA. TEA GLASS

BRUSHED NICKEL

UL/CUL APPROVED





**TP7940****"Cascade"**

CHANDELIER

25" DIA. x 65" H


15 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

3" DIA. TEA GLASS

POLISHED CHROME

UL/CUL APPROVED







**A800026-25-R**

(Shown)

**A800026-25-S**

**A800026-25-T**

**"Diamante"**

CHANDELIER

25" DIA. x 72" H

120" MAX DROP


25 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



R (Multi-Facet  
Round Crystal)



S (4-SIDED  
CUT CRYSTAL)



T (3-SIDED  
CUT CRYSTAL)

**A800026-9-R**

**A800026-9-S**

**A800026-9-T**

(Shown)

**“Diamante”**

CHANDELIER

14" DIA. x 24" H

80" MAX DROP


9 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



**A800026-16-R**

**A800026-16-S**

(Shown)

**A800026-16-T**

**“Diamante”**

CHANDELIER

19 1/2" DIA. x 46" H

80" MAX DROP


16 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



A800026-9-T



A800026-16-S



**A800126-36-R**

**A800126-36-S**

**A800126-36-T**

(Shown)

**“Diamante”**

CHANDELIER

30" DIA. x 16 1/2" H

96" MAX DROP


36 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



42 LIGHTS AVAILABLE BY

SPECIAL ORDER ONLY.

CALL FOR INFORMATION.



**A800126-25-R**

**A800126-25-S**

(Shown)

**A800126-25-T**

**"Diamante"**

CHANDELIER

25" DIA. X 14" H

80" MAX DROP


25 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



R (Multi-Facet  
Round Crystal)



S (4-SIDED  
CUT CRYSTAL)



T (3-SIDED  
CUT CRYSTAL)





A908026-25-S

## A908026-25-S

(Shown)

## A908026-25-T

### "Horizons II"

FLUSHMOUNT

23 1/2" L x 23 1/2" W x 17" H


25 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



A908026-9-S

## A908026-9-S

(Shown)

## A908026-9-T

### "Horizons I"

FLUSHMOUNT

14" L x 14" W x 14" H



9 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



S (4-SIDED  
CUT CRYSTAL)

T (3-SIDED  
CUT CRYSTAL)

## A900126-16-S

## A900126-16-T

(Shown)

### “Diamante”

CHANDELIER

18" L x 18" W x 10 1/2" H

80" MAX DROP


16 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



A900126-16-T

## A900126-9-S

(Shown)

## A900126-9-T

### “Diamante”

CHANDELIER

14" L x 14" W x 10 1/2" H

80" MAX DROP


9 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



A900126-9-S





**A900026-25-S**  
(Shown)

**A900026-25-T**

**"Icarus Falling"**

CHANDELIER

23 1/2" L x 23 1/2" W x 81" H

120" MAX DROP

25 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



36 AND 42 LIGHTS AVAILABLE  
BY SPECIAL ORDER ONLY.  
CALL FOR INFORMATION.



S (4-SIDED  
CUT CRYSTAL)



T (3-SIDED  
CUT CRYSTAL)

## A900026-9-S

## A900026-9-T

(Shown)

### "Icarus Falling"

CHANDELIER

14" L x 14" W x 24" H

80" MAX DROP


9 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



## A900026-16-S

## A900026-16-T

(Shown)

### "Icarus Falling"

CHANDELIER

18" L x 18" W x 44" H

96" MAX DROP


16 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/cUL APPROVED



A900026-9-T



A900026-16-T



## A800326-20-S

(Shown)

## A800326-20-T

### "Icarus"

CHANDELIER

25" DIA. x 67" H

96" MAX DROP


20 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



R (Multi-Facet  
Round Crystal)



S (4-SIDED  
CUT CRYSTAL)



T (3-SIDED  
CUT CRYSTAL)



## A800026-1-R

### "Solo"

CRYSTAL PENDANT

5" DIA. x 7 1/2" H

80" MAX DROP

1 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED MULTI FACET

CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



## A800026-1-S

### "Solo"

CRYSTAL PENDANT

5" DIA. x 7 1/2" H

80" MAX DROP

1 x 20 WATT HALOGEN (INCL.)


12V ELECTRONIC TRANSFORMER

HAND POLISHED 4-SIDED

CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



A800026-1-S

## A800026-1-T

### "Solo"

CRYSTAL PENDANT

5" DIA. x 7 1/2" H

80" MAX DROP

1 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED 3-SIDED

CUT CRYSTAL

POLISHED CHROME

UL/CUL APPROVED



A800026-1-T

## A800026-4-R

(Shown)

## A800026-4-S

## A800026-4-T

### "Quartet"

PENDANT

27 1/2" L x 5" D x 7 1/2" H

80" MAX DROP



4 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND POLISHED CUT CRYSTAL

BRUSHED NICKEL

UL/CUL APPROVED



A800026-4-R




tel: 626.480.8880

www.tlighting.com

© 2011 TREND LIGHTING ®

FC-22



### TP8937

#### "Waltz"

OVAL CHANDELIER

23" L x 12" W x 30" H

80" MAX DROP

3 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SUSPENDED CHAMPAGNE DUPIONI SILK SHADE

CRYSTAL BEAD ACCENTS

BRUSHED NICKEL FINISH

UL/CUL APPROVED




TP8936



TP8935


tel: 626.480.8880

www.tlighting.com



### TP8936 "Waltz"

ROUND CHANDELIER  
20" DIA. x 30" H  
80" MAX DROP  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
SUSPENDED CHAMPAGNE DUPIONI SILK SHADE  
CRYSTAL BEAD ACCENTS  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



### TP8935 "Waltz"

TALL CHANDELIER  
11" DIA. x 46" H  
80" MAX DROP  
2 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
SUSPENDED CHAMPAGNE DUPIONI SILK SHADE  
CRYSTAL BEAD ACCENTS  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED

© 2011 TREND LIGHTING ®






TP7019



TP7976



### TP7019

#### "Quantum"

PENDANT

15" DIA. x 18" H

80" MAX DROP

1 x 150 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

CLEAR/ FROSTED GROUND GLASS

BRUSHED NICKEL

UL/CUL APPROVED



### TP7976

#### "Pantages"

CHANDELIER

22" DIA. x 10" H

80" MAX DROP

6 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS


BRAIDED GLASS HAND-WOVEN SHADE

POLISHED CHROME FINISH

UL/CUL APPROVED



TP7975




TP7979

tel: 626.480.8880


www.tlighting.com

© 2011 TREND LIGHTING ®



### TP7975 "Pantages"

CHANDELIER  
36 1/2" L x 7 1/2" D x 10" H  
80" MAX DROP  
5 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
BRAIDED GLASS HAND-WOVEN SHADE  
POLISHED CHROME FINISH  
UL/CUL APPROVED



### TP7979 "Pantages"

CHANDELIER  
28 1/2" DIA. x 10" H  
80" MAX DROP  
9 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
BRAIDED GLASS HAND-WOVEN SHADE  
POLISHED CHROME FINISH  
UL/CUL APPROVED



TP4910



TW4911-C

## TP4910

### "Palace"

SMALL ROUND CHANDELIER

10" DIA. X 24" H

80" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

CLEAR ICICLE GLASS

POLISHED CHROME

UL/cUL APPROVED



## TW4911-C

### "Palace"

WALL SCONCE

H: 18 1/2" W: 10" EXT: 6"


120V G9 SOCKETS

2 x 40 WATT HALOGEN (INCL.)

CLEAR ICICLE GLASS

POLISHED CHROME

UL/cUL APPROVED





## TP6906-C

### "Pantino"

CHANDELIER

19" DIA. x 19 1/2" H

80" MAX DROP

4 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CLEAR CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6906-C



## TP4976

### "Palace"

RECTANGLE CHANDELIER

36 1/2" L x 9" D x 22" H

80" MAX DROP

6 x 60 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CLEAR ICICLE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP4976







## TP4937-M

### "Cassini"

CHANDELIER

32" DIA. x 42" H

80" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

AMBER AND CLEAR ICICLE GLASS

POLISHED CHROME

UL/cUL APPROVED



## TP4937-A

### "Cassini"

CHANDELIER

32" DIA. X 42" H

80" MAX DROP

6 X 40 WATT HALOGEN


(INCL.)

120V G9 SOCKETS

AMBER ICICLE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP4937-A

## TP4937-C

### "Cassini"

CHANDELIER

32" DIA. X 42" H

80" MAX DROP

6 X 40 WATT HALOGEN


(INCL.)

120V G9 SOCKETS

CLEAR ICICLE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP4937-C





## TP4939-C

### "Cassini"

CHANDELIER

29" DIA. x 40" H

120" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

CLEAR ICICLE GLASS

POLISHED CHROME

UL/CUL APPROVED





**TP4939-A****"Cassini"**

CHANDELIER

29" DIA. x 40" H

120" MAX DROP



6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

AMBER ICICLE GLASS

POLISHED CHROME

UL/cUL APPROVED





TP6920-6W

## TP6920-6W

### "Trapieze"

CHANDELIER

28" DIA. x 40 1/2" H

80" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

WHITE CORKSCREW GLASS

POLISHED CHROME

UL/cUL APPROVED



TP6920-6A

## TP6920-6A

### "Trapieze"

CHANDELIER

28" DIA. x 40 1/2" H

80" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

AMBER CORKSCREW GLASS

POLISHED CHROME

UL/cUL APPROVED



TP6

"Tra

CHAM

28" / 11" H

80"

6 x 6 LUGEN (INCL.)

120" E

WH

RUB GLASS

Pd

UL

50

40 1/2"







## TP6926-A

### "Terrazzo"

CHANDELIER

29" DIA. x 38" H

120" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

AMBER CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED



**TP6926-C****"Terrazzo"**

CHANDELIER

29" DIA. X 38" H

120" MAX DROP


6 X 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

CLEAR CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED







## TP6926-M

### "Terrazzo"

CHANDELIER

29" DIA. X 38" H

120" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

MULTI-COLORED CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED





## TP6900-W

### "Trapieze"

PENDANT

21" DIA. X 26" H

80" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

WHITE CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6900-W

## TP6900-A

### "Trapieze"

PENDANT

21" DIA. X 26" H

80" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

AMBER CORKSCREW GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6900-A



## TP7934

### "Park Avenue"

LARGE CHANDELIER

22" DIA. x 30" H

80" MAX DROP

12 x 60 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SEEDED SHAKER GLASS

POLISHED CHROME

UL/CUL APPROVED



## TP7936

### "Park Avenue"

SMALL CHANDELIER

15" DIA. x 25" H

80" MAX DROP

8 x 60 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SEEDED SHAKER GLASS

POLISHED CHROME

UL/CUL APPROVED



## TP7935

### "Park Avenue"

PENDANT

5" L x 5" W x 9" H

80" MAX DROP

12 x 60 WATT TYPE B

120V MED BASE SOCKETS

SEEDED SHAKER GLASS

POLISHED CHROME

UL/CUL APPROVED



## TP7937

### "Park Avenue"

CHANDELIER

16" L x 5" D x 10" H

80" MAX DROP


3 x 60 WATT TYPE B

120V MED BASE SOCKETS

SEEDED SHAKER GLASS

POLISHED CHROME

UL/CUL APPROVED



TP7936



TP7935



TP7937





TP6945-12

## TP6945-12

### "Hera"

CHANDELIER

23" DIA. x 10" H

80" MAX DROP

12 x 40 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6949

## TP6949

### "Hera"

LARGE FLUSHMOUNT

23" DIA. x 10 1/2" H


8 x 40 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

UL/CUL APPROVED



## TP6647

### "Hera"

SMALL FLUSHMOUNT

14 1/2" DIA. x 11" H


1 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

UL/CUL APPROVED



TP6647

## TW6947

### "Hera"

WALL SCONCE

H: 13 1/2" W: 14" EXT: 6"

3 x 25 WATT TYPE B


OR CFL EQUIVALENT

120V CANDELABRA BASE

SOCKETS

SATEEN WHITE GLASS

UL/CUL APPROVED



TW6947

## TP6649

### "Hera"

PENDANT

14 1/2" DIA. x 9 1/2" H

60" MAX DROP

1 x 100 WATT TYPE A



OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6649



TP6996



TW6997



TP6998

## TP6996

### "Aphrodite I"

MEDIUM FLUSHMOUNT

12" DIA. x 12" H


1 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

UL/CUL APPROVED



## TW6997

### "Aphrodite I"

WALL SCONCE

H: 11 1/2" W: 11" EXT: 4"


1 x 60 WATT TYPE B

120V CANDELABRA

BASE SOCKET

SATEEN WHITE GLASS

UL/CUL APPROVED



## TP6998

### "Aphrodite I"

MEDIUM PENDANT

12" DIA. x 11 1/2" H

60" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED





## TP6960-10

### "Aphrodite I"

CHANDELIER

17" DIA. x 29" H

96" MAX DROP

10 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



## TP6988

### "Aphrodite I"

SMALL PENDANT

9" DIA. x 11 1/2" H

60" MAX DROP

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



## TP6986

### "Aphrodite I"

SMALL FLUSHMOUNT


9" DIA. x 12" H

1 x 60 WATT TYPE A

120V MED BASE SOCKET

SATEEN WHITE GLASS

UL/CUL APPROVED



## TW6987

### "Aphrodite I"

WALL SCONCE

H: 11 1/2" W: 9" EXT: 9"

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6960-10



TP6988



TP6986



TW6987



TP6961

### TP6961

#### "Aphrodite II"

SMALL FLUSHMOUNT

15" DIA. x 16 1/2" H


8 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

UL/cUL APPROVED



TP6964

### TP6964

#### "Aphrodite II"

LARGE FLUSHMOUNT

18" DIA. x 16 1/2" H


8 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

UL/cUL APPROVED



## TP6960-8

### "Aphrodite II"

PENDANT

15" DIA. x 16" H

80" MAX DROP

8 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6960-8

## TP6965

### "Aphrodite II"

CHANDELIER

18" DIA. x 16" H

80" MAX DROP

8 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TP6965





TP6966

## TP6966

### "Aphrodite I"

LARGE FLUSHMOUNT

26" DIA. x 22" H


10 x 40 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

UL/cUL APPROVED



TP6967

## TP6967

### "Aphrodite I"

CHANDELIER

26" DIA. x 22" H

80" MAX DROP

10 x 40 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/cUL APPROVED



**TP6960-28****"Aphrodite I"**

CHANDELIER

26" DIA. X 45" H

120" MAX DROP

28 x 40 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED





TP8757



TP8755

## TP8757

### "Nightingale"

LARGE PENDANT

16" DIA. X 40" H

60" MAX DROP

2 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

CREAM COARSE LINEN SHADE

ANTIQUE BRONZE FINISH

UL/CUL APPROVED



## TP8755

### "Nightingale"

SMALL PENDANT

14" DIA. X 25" H

60" MAX DROP

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

CREAM COARSE LINEN SHADE

ANTIQUE BRONZE FINISH

UL/CUL APPROVED





## TP8756

### "Nightingale"

SMALL PENDANT

14" DIA. X 25" H

60" MAX DROP

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

CINNAMON BURLAP SHADE

ANTIQUÉ BRONZE FINISH

UL/CUL APPROVED



TP8756

## TP8758

### "Nightingale"

LARGE PENDANT

16" DIA. X 40" H

60" MAX DROP

2 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

CINNAMON BURLAP SHADE

ANTIQUÉ BRONZE FINISH

UL/CUL APPROVED




TP8758



TP6417




TP6413



**TP6417**  
**"Bangle"**

LARGE PENDANT  
19 1/2" DIA. x 7" H  
60" MAX DROP  
3 x 75 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
COCOA TWICE WOVEN LINEN SHADE  
MATTE GOLD FINISH  
UL/CUL APPROVED



**TP6413**  
**"Bangle"**


SMALL PENDANT  
16" DIA. x 7" H  
60" MAX DROP  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
COCOA TWICE WOVEN LINEN SHADE  
MATTE GOLD FINISH  
UL/CUL APPROVED



TP6412




TP6416



### TP6412 "Bangle"


SMALL FLUSHMOUNT  
16" DIA. x 7 1/2" H  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
COCOA TWICE WOVEN LINEN SHADE  
MATTE GOLD FINISH  
UL/CUL APPROVED



### TP6416 "Bangle"

LARGE FLUSHMOUNT  
19 1/2" DIA. x 7 1/2" H  
3 x 75 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
COCOA TWICE WOVEN LINEN SHADE  
MATTE GOLD FINISH  
UL/CUL APPROVED






TP7729



TP7929



### TP7729

#### "Prestige Lux"

PENDANT

21" DIA. x 28" H

80" MAX DROP

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CANDY GLASS

BRUSHED NICKEL FINISH

UL/CUL APPROVED



### TP7929

#### "Midas Lux"

PENDANT

21" DIA. x 28" H

80" MAX DROP

3 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

GOLD GLASS w/

PAINTED CHISELED RELIEF


BRUSHED NICKEL FINISH

UL/CUL APPROVED



BP9508

BP9709



### BP9508

BASICS BY TREND  
"Porvata"

PENDANT

19" DIA. x 8" H x 60" MAX DROP

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

WOOD VENEER SHADE

METALLIC SILVER FINISH

UL/CUL APPROVED



### BP9709

BASICS BY TREND  
"Harmony"

PENDANT

19" DIA. x 9" H x 60" MAX DROP

3 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

CRYSTAL BEADED SILVER SHEEN SHADE

METALLIC SILVER FINISH

UL/CUL APPROVED



TP7594

## TP7594

### "Butler"

SMALL FLUSHMOUNT

12" DIA. x 5 1/2" H

2 x 40 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7598

## TP7598

### "Butler"

MEDIUM FLUSHMOUNT

15 3/4" DIA. x 6 1/2" H

2 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7996

## TP7996

### "Butler"

FLUSHMOUNT

19 3/4" DIA. x 10 1/2" H

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/CUL APPROVED





## TP7595

### "Butler"

SMALL PENDANT

12" DIA. x 5" H

60" MAX DROP

2 x 40 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/cUL APPROVED



TP7595

## TP7599

### "Butler"

MEDIUM PENDANT

15 3/4" DIA. x 6" H

60" MAX DROP

2 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/cUL APPROVED



TP7599

## TP7997

### "Butler"

PENDANT

19 3/4" DIA. x 8" H

80" MAX DROP

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

COARSE CREAM LINEN SHADE

POLISHED CHROME

UL/cUL APPROVED



TP7997



TP7584

## TP7584

### "Apollo"

SMALL FLUSHMOUNT

14" DIA. x 9" H

2 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7587

## TP7587

### "Apollo"

LARGE FLUSHMOUNT

18" DIA. x 9" H

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7987

## TP7987

### "Apollo"

LARGE FLUSHMOUNT

18" DIA. x 12" H

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



## TP7586

### "Apollo"

SMALL PENDANT

14" DIA. x 7 1/2" H

60" MAX DROP

2 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7586

## TP7588

### "Apollo"

LARGE PENDANT

18" DIA. x 7 1/2" H

60" MAX DROP

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7588

## TP7989

### "Apollo"

LARGE PENDANT

18" DIA. x 9" H

80" MAX DROP

3 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TP7989





TP8964




TP8966

tel: 626.480.8880

www.tlighting.com


© 2011 TREND LIGHTING ®

FC-58



**TP8964**  
**"Mirabelle"**

CHANDELIER  
21" DIA. x 10" H  
80" MAX DROP  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
CAPIZ SHELL ACCENT  
POLISHED CHROME FINISH  
UL/CUL APPROVED




**TP8966**  
**"Mirabelle"**

FLUSHMOUNT  
21" DIA. x 11" H  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
CAPIZ SHELL ACCENT  
POLISHED CHROME FINISH  
UL/CUL APPROVED



tel: 626.480.8880

www.tlighting.com



## BP8945

BASICS BY TREND  
"Lux"

CHANDELIER

29" DIA. x 10 1/2" H

15"-45" OVERALL HEIGHT

INCLUDES:

3 PC x 12" STEM

1 PC x 6" STEM

ADD. 12" PIPE AVAILABLE (2 MAX)

5 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

2-TIER SHEER SNOW SHADE

BRUSHED NICKEL

UL/CUL APPROVED

© 2011 TREND LIGHTING ®



BP8942



BP8946




TP8957

### BP8942

BASICS BY TREND  
"Lux"


SMALL FLUSHMOUNT  
8" DIA. x 8 1/2" H  
1 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL  
UL/CUL APPROVED



### BP8946

BASICS BY TREND  
"Lux"

MEDIUM FLUSHMOUNT  
12" DIA. x 8 1/2" H  
1 x 75 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL  
UL/CUL APPROVED



### TP8957

"Lux"

LARGE FLUSHMOUNT  
21" DIA. x 10 1/2" H  
80" MAX DROP  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED






BP8948



BP8943



TP8955




### BP8948

BASICS BY TREND  
"Lux"

MEDIUM PENDANT  
12" DIA. x 8" H  
80" MAX DROP


1 x 100 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL  
UL/CUL APPROVED



### TP8955

"Lux"

LARGE PENDANT  
21" DIA. x 9" H  
80" MAX DROP  
3 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



### BP8943

BASICS BY TREND  
"Lux"

SMALL PENDANT  
8" DIA. x 7 1/2" H  
60" MAX DROP

1 x 60 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
2-TIER SHEER SNOW SHADE  
BRUSHED NICKEL  
UL/CUL APPROVED





TP7918-W




TP7905-W

tel: 626.480.8880

www.tlighting.com


© 2011 TREND LIGHTING ®

FC-62



**TP7918-W**  
**"Montego"**

OVAL CHANDELIER  
27" DIA. x 41" H  
105" MAX DROP  
1 x 150 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
SHEER PEARL RIBBON SHADE  
NATURAL SHELLS W/ CRYSTAL ACCENTS  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



**TP7905-W**  
**"Furies"**

PENDANT  
22" DIA. x 20" H  
80" MAX DROP  
1 x 75 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
SHEER PEARL RIBBON SHADE  
POLISHED CHROME FINISH  
UL/CUL APPROVED



TP7902-G




TP7902-W



TP7916-W



TP7916-G



### TP7902-W

SHEER PEARL RIBBON SHADE  
BRUSHED NICKEL FINISH

### TP7902-G

SHEER GOLD RIBBON SHADE  
ANTIQUÉ GOLD FINISH

**"Shanghai Round"**

PENDANT

18" DIA. x 17" H


80" MAX DROP

1 x 75 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

UL/CUL APPROVED



### TP7916-W

SHEER PEARL RIBBON SHADE  
BRUSHED NICKEL FINISH

### TP7916-G

SHEER GOLD RIBBON SHADE  
ANTIQUÉ GOLD FINISH

**"Shanghai Oval"**

PENDANT

27" DIA. x 16" H

80" MAX DROP

1 x 150 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

UL/CUL APPROVED



TP9209



TP9205

## TP9209

### "Astoria"

LARGE PENDANT

22" DIA. x 30" H

80" MAX DROP

3 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

3 TIER SHADE-IVORY KINWASHI

BRUSHED NICKEL

UL/cUL APPROVED



## TP9205

### "Astoria"

PENDANT

13 1/2" DIA. x 13" H

80" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

3 TIER SHADES-IVORY KINWASHI

BRUSHED NICKEL

UL/cUL APPROVED



## TP9208

### "Astoria"

LARGE PENDANT

22" DIA. X 30" H

80" MAX DROP

3 X 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKETS

3 TIER SHADE-BONE KINWASHI

BRUSHED NICKEL

UL/CUL APPROVED



TP9208

## TP9206

### "Astoria"

PENDANT

13 1/2" DIA. X 13" H

80" MAX DROP

1 X 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

3 TIER SHADE-BONE KINWASHI

BRUSHED NICKEL

UL/CUL APPROVED



TP9206





## TP4476

### "Orb"

PENDANT

17" DIA. x 25 1/2" H

80" MAX DROP


15 x 10 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

SPUN FILAMENT GLASS SHADES

BRUSHED NICKEL

UL/CUL APPROVED



## TP4479

### "Orb"

PENDANT

21" DIA. x 25 1/2" H

80" MAX DROP


24 x 10 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

SPUN FILAMENT GLASS SHADES

BRUSHED NICKEL

UL/CUL APPROVED



## TP6366-16

(Shown)

### "Galaxia"

CHANDELIER — LOW VOLTAGE

33" DIA. x 20 1/2" H

80" MAX DROP


16 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

CLEAR GLASS W/ SPUN FILAMENT

BRUSHED NICKEL

UL/cUL APPROVED



## TP6365-16

### "Galaxia"

CHANDELIER — INCANDESCENT

33" DIA. x 20 1/2" H

80" MAX DROP


16 x 25 WATT TYPE B

120V CANDELABRA BASE SOCKETS

CLEAR GLASS W/ SPUN FILAMENT

BRUSHED NICKEL

UL/ cUL APPROVED






tel: 626.480.8880

www.tlighting.com

© 2011 TREND LIGHTING ®

FC-68



## TP4956

### "Orion"

CHANDELIER

37" DIA. x 32 1/2" H

80" MAX DROP

12 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

CLEAR ICICLE GLASS AND

SPUN FILAMENT GLASS SHADES

POLISHED CHROME


UL/CUL APPROVED






tel: 626.480.8880

www.tlighting.com



### TP6950-12 (Shown) "Starburst"

CHANDELIER – LOW VOLTAGE  
32" DIA. x 32" H  
80" MAX DROP  
12 x 20 WATT HALOGEN (INCL.)  
12V ELECTRONIC TRANSFORMER  
SPUN FILAMENT GLASS SHADES  
CRATERED METALLIC ACCENTS  
POLISHED CHROME FINISH  
UL/cUL APPROVED



### TP6951-12 "Starburst"

CHANDELIER – INCANDESCENT  
32" DIA. x 32" H  
80" MAX DROP  
12 x 25 WATT TYPE B  
120V CANDELABRA BASE SOCKETS  
SPUN FILAMENT GLASS SHADES  
CRATERED METALLIC ACCENTS  
POLISHED CHROME FINISH  
UL/cUL APPROVED

© 2011 TREND LIGHTING ®





TP5902




TP5903

tel: 626.480.8880

www.tlighting.com


© 2011 TREND LIGHTING ®

FC-70



**TP5902**  
**"Deimos"**

PENDANT  
12" DIA. x 11" H  
80" MAX DROP  
1 x 60 WATT TYPE A  
120V MED BASE SOCKET  
BLOWN BLACK PEARL GLASS  
POLISHED CHROME FINISH  
UL/CUL APPROVED



**TP5903**  
**"Deimos"**

PENDANT  
16 1/2" DIA. x 15 1/2" H  
80" MAX DROP  
1 x 60 WATT TYPE A  
120V MED BASE SOCKET  
BLOWN BLACK PEARL GLASS  
POLISHED CHROME FINISH  
UL/CUL APPROVED




BP6067



BP6068

tel: 626.480.8880


www.tlighting.com



### BP6067

BASICS BY TREND  
"Oculus"

PENDANT  
13 1/2" DIA. x 9 1/2" H  
60" MAX DROP  
1 x 100 WATT TYPE A  
120V MED BASE SOCKET  
BLACK PEARL GLASS  
POLISHED CHROME  
UL/CUL APPROVED



### BP6068

BASICS BY TREND  
"Conic"

PENDANT  
17" DIA. x 13" H  
60" MAX DROP  
1 x 100 WATT TYPE A  
120V MED BASE SOCKET  
BLACK PEARL GLASS  
POLISHED CHROME  
UL/CUL APPROVED

© 2011 TREND LIGHTING ®



## TP4370

(Shown)

### "Celestial"

PENDANT

24" DIA.

80" MAX DROP


16 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND WOVEN ALUMINUM WIRE

BRUSHED NICKEL

UL/CUL APPROVED



## TP4372

### "Celestial"

PENDANT

18" DIA.

80" MAX DROP


7 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND WOVEN ALUMINUM WIRE

BRUSHED NICKEL

UL/CUL APPROVED



## TP4373

### "Celestial"

PENDANT

23 1/2" DIA. x 85" H

102" MAX DROP

10 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND WOVEN ALUMINUM

STRAND

SATIN SILVER

UL/CUL APPROVED



## BP6008

BASICS BY TREND

### "Luminary"

SMALL PENDANT

12" DIA. x 60" MAX DROP

1 x 60 WATT TYPE A

120V MED BASE SOCKET

HAND WOVEN ALUMINUM WIRE

METALLIC SILVER FINISH

UL/CUL APPROVED



## BP6009

BASICS BY TREND

### "Luminary"

LARGE PENDANT

15" DIA. x 60" MAX DROP


1 x 100 WATT TYPE A

120V MED BASE SOCKET

HAND WOVEN ALUMINUM WIRE

METALLIC SILVER FINISH

UL/CUL APPROVED



TP4373

BP6008


BP6009



TP4095



TP4096



TP6930

## TP4095

### "Distratto"

PENDANT

8" DIA.

80" MAX DROP

1 x 75 WATT TYPE A

120V MED BASE SOCKET

ENMESHED WIRE SHADE

POLISHED CHROME

UL/cUL APPROVED



## TP4096

### "Distratto"

PENDANT

12" DIA.

80" MAX DROP


1 x 100 WATT TYPE A

120V MED BASE SOCKET

ENMESHED WIRE SHADE

POLISHED CHROME

UL/cUL APPROVED



## TP6930

### "Rizado"

PENDANT

28" DIA. x 14" H

80" MAX DROP


12 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND WOVEN ALUMINUM STRAND

POLISHED CHROME

UL/cUL APPROVED



## TP4374

### "Snow"

PENDANT

23 1/2" DIA. x 46" H

80" MAX DROP


12 x 10 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

HAND WOVEN ALUMINUM STRAND

SATIN SILVER

UL/cUL APPROVED






tel: 626.480.8880

www.tlighting.com


© 2011 TREND LIGHTING ®

FC-76




**TP4907**  
**"Q Large Round"**

CHANDELIER  
30" DIA. X 7" H  
80" MAX DROP  
7 X 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
SANDBLASTED FROSTED ACRYLIC CUBE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



**TP4900-3**  
**"Q Trio"**


PENDANT  
25" L X 7" W X 8" H  
80" MAX DROP  
3 X 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
SANDBLASTED FROSTED ACRYLIC CUBE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



TP4900-3



TP4900-1




TP4908



### TP4900-1 "Q Single"

PENDANT  
7" L x 7" W x 45" MAX HEIGHT  
(THREE 12" STEMS INCLUDED)  
1 x 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
SANDBLASTED FROSTED ACRYLIC CUBE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



### TP4908 "Q Large"

CHANDELIER  
34" L x 16" W x 8" H  
80" MAX DROP  
8 x 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
SANDBLASTED FROSTED ACRYLIC CUBE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED






TP3955-W



TP3968-W



**TP3955-W**  
**"Pique Five"**

PENDANT  
21 1/2" DIA. x 65 1/2" H  
80" MAX DROP  
5 x 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
ECO SYNTHETIC WHITE PETAL SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



**TP3968-W**  
**"Pique Round"**

PENDANT  
19" DIA. x 19" H  
80" MAX DROP  
1 x 100 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
ECO SYNTHETIC WHITE PETAL SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



TP3951-W



TP3953-W



TP3979-W



### TP3951-W "Pique Single"

PENDANT  
10" DIA. x 10" H  
80" MAX DROP  
1 x 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
ECO SYNTHETIC WHITE  
PETAL SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED




### TP3979-W "Pique Oval"

PENDANT  
24" DIA. x 13 1/2" H  
80" MAX DROP  
1 x 150 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKET  
ECO SYNTHETIC WHITE  
PETAL SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



### TP3953-W "Pique Trio"

PENDANT  
18 3/4" DIA. x 36 1/2" H  
80" MAX DROP  
3 x 40 WATT TYPE A  
OR CFL EQUIVALENT  
120V MED BASE SOCKETS  
ECO SYNTHETIC WHITE  
PETAL SHADE  
BRUSHED NICKEL FINISH  
UL/CUL APPROVED



TP6300-1



TP6300-3

## TP6300-1

### "Phoenix"

PENDANT

8 1/2" DIA. x 7 1/2" H

80" MAX DROP

1 x 40 WATT TYPE B

OR CFL EQUIVALENT

120V MED BASE SOCKET

CLEAR ACRYLIC

SATIN SILVER

UL/CUL APPROVED



## TP6300-3

### "Phoenix"

PENDANT

16 3/4" DIA. x 34 1/2" H

80" MAX DROP

3 x 40 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CLEAR ACRYLIC

SATIN SILVER

UL/CUL APPROVED



**TP6300-5****"Phoenix"**

PENDANT

19 1/2" DIA. X 61 1/2" H

80" MAX DROP

5 X 40 WATT TYPE B


OR CFL EQUIVALENT

120V MED BASE SOCKETS

CLEAR ACRYLIC

SATIN SILVER


UL/CUL APPROVED







TP4389



TP4386

## TP4389

### "Scope"

PENDANT

27 1/2" L x 5" D x 11" H

80" MAX DROP


4 x 60 WATT TYPE A

120V MED BASE SOCKETS

CLEAR GLASS W/ MESH

BRUSHED NICKEL

UL/CUL APPROVED



## TP4386

### "Scope"

PENDANT

5" DIA. x 11" H

80" MAX DROP


1 x 60 WATT TYPE A

120V MED BASE SOCKET

CLEAR GLASS W/ MESH

BRUSHED NICKEL

UL/CUL APPROVED



## BP5020-4

BASICS BY TREND

**"Eternal"**

PENDANT

27" L x 5" D x 12" H

60" MAX DROP

4 x 60 WATT TYPE A

OR CFL EQUIVALENT


120V MED BASE SOCKET

CHROME GLASS W/

FROSTED ACCENTS

METALLIC SILVER FINISH

UL/CUL APPROVED



## BP5020-1

BASICS BY TREND

**"Eternal"**

PENDANT

5" DIA. x 12" H

60" MAX DROP

1 x 60 WATT TYPE A

OR CFL EQUIVALENT


120V MED BASE SOCKET

CHROME GLASS W/

FROSTED ACCENTS

METALLIC SILVER FINISH

UL/CUL APPROVED



## BP6059

BASICS BY TREND

**"Mystere"**

PENDANT

15 3/4" DIA. x 9 1/2" H

60" MAX DROP

1 x 100 WATT TYPE A

120V MED BASE SOCKET

CLEAR DIMPLED GLASS

POLISHED CHROME

UL/CUL APPROVED



BP5020-4

TREND



BP5020-1



BP6059




TP6269



TP5096



TP7965



### TP6269

#### "Equinox"

PENDANT

8" DIA. x 24" H

80" MAX DROP

2 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKETS

SATIN WHITE GLASS

BRUSHED NICKEL

UL/CUL APPROVED



### TP5096

#### "Fusion"

PENDANT

6 1/2" DIA. x 22 1/2" H

80" MAX DROP

1 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

WHITE ALABASTER GLASS

BRUSHED NICKEL/ CLEAR CRYSTAL

UL/CUL APPROVED



### TP7965

#### "Pirouette"

PENDANT

8" DIA. x 29" H

80" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

OPAL GLASS

POLISHED CHROME

UL/CUL APPROVED



BP7159



BP5336-W




BP5339-W

tel: 626.480.8880

www.tlighting.com

© 2011 TREND LIGHTING ®



### BP7159

BASICS BY TREND  
"Brella"

PENDANT

18" DIA. x 12" H x 60" MAX DROP

1 x 100 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

2-TIER SHEER SNOW SHADE

METALLIC SILVER FINISH

UL/CUL APPROVED



### BP5336-W

BASICS BY TREND  
"Allende"

SMALL PENDANT

10" DIA. x 60" MAX DROP

1 x 60 WATT TYPE A

OR CFL EQUIVALENT

120V MED BASE SOCKET

WHITE FINISH

UL/CUL APPROVED



### BP5339-W

BASICS BY TREND  
"Allende"

LARGE PENDANT

14" DIA. x 60" MAX DROP

1 x 100 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

WHITE FINISH

UL/CUL APPROVED





TP4355

## TP4355

### "Satellite"

PENDANT

32 1/2" L x 10 3/4" D x 1 1/2" H

60" MAX DROP


8 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

ACID ETCHED GLASS DIFFUSER

BRUSHED ALUMINUM

UL/CUL APPROVED



TP4425

## TP4425

### "Ice"

PENDANT

34 3/4" L x 5" D x 26" MAX DROP



5 x 20 WATT HALOGEN (INCL.)

12V ELECTRONIC TRANSFORMER

ACID ETCHED GLASS DIFFUSER

BRUSHED ALUMINUM

UL/CUL APPROVED



TP4336

## TP4336

### "Plano"

PENDANT

32" L x 5 1/2" D x 1 1/2" H

60" MAX DROP


6 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

ACID ETCHED GLASS

BRUSHED ALUMINUM

UL/CUL APPROVED



## TW4335

### "Plano"

WALL SCONCE

H: 6" W: 11 3/4" EXT: 5 1/2"



2 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

ACID ETCHED GLASS

BRUSHED ALUMINUM

UL/CUL APPROVED



TW4335

**TREND**

ADA Compliant Sconces



TW6600

## TW1055A-1

### "Generations"

ADA WALL SCONCE

H: 13 1/2" W: 5" EXT: 4"


PL26 ELECTRONIC BALLAST

4 PIN G24Q-3 BASE

WHITE GLASS SHADE

BRUSHED NICKEL

UL/CUL APPROVED



TW1055A-1



## TW6600

### "Finestra"

ADA WALL SCONCE

H: 15 1/2" W: 6" EXT: 4"


PL26 ELECTRONIC BALLAST

4 PIN G24Q-3 BASE

HOMESPUN LINEN SHADE

EXPRESSO/ BRUSHED NICKEL

UL/CUL APPROVED



## TW6306

### "Simpatico"

ADA WALL SCONCE

H: 13 1/2" W: 7" EXT: 4"


2 x PL18 ELECTRONIC BALLAST

4 PIN G24Q-2 BASE

WHITE GLASS SHADE

BRUSHED NICKEL

UL/CUL APPROVED



TW6306



TW6358

## TW6358

### "St Clare"

ADA WALL SCONCE

H: 20" W: 8" EXT: 4"


PL26 ELECTRONIC BALLAST


4 PIN G24Q-3 BASE

OFF-WHITE LINEN SHADE

POLISHED CHROME

UL/CUL APPROVED





TW7583

## TW7583

### "Apollo"

WALL SCONCE

H: 7 1/2" W: 12" EXT: 3 1/2"

1 x 60 WATT TYPE B



OR CFL EQUIVALENT

120V CANDELABRA BASE SOCKET

PEARL GLASS SHADE

POLISHED CHROME

UL/CUL APPROVED



TW6997

## TW6997

### "Aphrodite I"

WALL SCONCE


H: 11 1/2" W: 11" EXT: 4"

1 x 60 WATT TYPE B

120V CANDELABRA BASE SOCKET

SATEEN WHITE GLASS

UL/CUL APPROVED



TW6987

## TW6987

### "Aphrodite I"

WALL SCONCE

H: 11 1/2" W: 9" EXT: 9"

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

SATEEN WHITE GLASS

POLISHED CHROME

UL/CUL APPROVED



TW6947

## TW6947

### "Hera"

WALL SCONCE

H: 13 1/2" W: 14" EXT: 6"


3 x 25 WATT TYPE B

OR CFL EQUIVALENT

120V CANDELABRA BASE SOCKETS

SATEEN WHITE GLASS

UL/CUL APPROVED



## BW7155

BASICS BY TREND

### "Brella"

SWIVEL ARC WALL LAMP

20" H x 21" W

1 x 75 WATT ON-OFF TYPE A

OR CFL EQUIVALENT

12" SHEER SNOW/


SHANTUNG TWO TIER SHADE

24" CORD COVER

PLUG IN APPLICATION

BRUSHED NICKEL FINISH

UL/CUL APPROVED



## BW7105-S

BASICS BY TREND

METALLIC SILVER FINISH

## BW7105-W

BASICS BY TREND

WHITE FINISH

### "Pure"

SWIVEL ARC WALL LAMP

20" H x 21" W

1 x 75 WATT ON-OFF TYPE A


OR CFL EQUIVALENT

12" SMOOTH ALUMINUM SHADE

24" CORD COVER INCLUDED

PLUG IN APPLICATION

UL/CUL APPROVED



## BW8947

BASICS BY TREND

### "Lux"

WALL SCONCE

H: 13" W: 8" EXT: 11"

1 x 60 WATT TYPE A


OR CFL EQUIVALENT

120V MED BASE SOCKET

2-TIER SHEER SNOW SHADE

BRUSHED NICKEL

UL/CUL APPROVED







TW6907-C



TW6907-A

## **TW6907-A**

AMBER CORKSCREW GLASS

## **TW6907-C**

CLEAR CORKSCREW GLASS

**"Pantino"**

WALL SCONCE


H: 12 3/4" W: 10" EXT: 6"

2 x 40 WATT HALOGEN (INCL.)

120V G9 SOCKETS

POLISHED CHROME

UL/cUL APPROVED



## **TW4911-C**

**"Palace"**

WALL SCONCE

H: 18 1/2" W: 10" EXT: 6"


120V G9 SOCKETS

2 x 40 WATT HALOGEN (INCL.)

CLEAR ICICLE GLASS

POLISHED CHROME

UL/cUL APPROVED



TW4911-C



TW2432

## **TW2432**

**"Triumph"**

ADA WALL SCONCE

H: 36" W: 15" EXT: 4"

2 x 40 WATT TYPE B

OR CFL EQUIVALENT


120V MED BASE SOCKETS

OFF-WHITE LINEN \_ ROUND SHADE


11x3-15x4x12"

CLEAR CRYSTAL/POLISHED CHROME

UL/cUL APPROVED



## BULB MATRIX

|                                                                                     | TYPE                                                               | STANDARD WATTAGES         | BASE                                       | VOLTAGE               | LIFE EXPECTANCY                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------|--------------------------------------------|-----------------------|--------------------------------------|
|    | A<br>INCANDESCENT OR HALOGEN                                       | 25 TO 150                 | MEDIUM                                     | 110-120 VOLTS         | 1,000 TO 4,000 HRS                   |
|    | B<br>INCANDESCENT OR HALOGEN                                       | 25 TO 60                  | MEDIUM OR<br>CANDELABRA                    | 110-120 VOLTS         | 1,000 TO 4,000 HRS                   |
|    | T3 HALOGEN                                                         | 5, 10, 20                 | G4 BI-PIN                                  | 12 VOLTS              | AVG 2000 HRS<br>(4000 HRS AVAILABLE) |
|    | G9 HALOGEN                                                         | 25, 35, 40, 60            | G9 BI-PIN                                  | 110-120 VOLTS         | AVG 2000 HRS                         |
|    | T3 XENON<br>(ALTERNATE BULB FOR T3<br>HALOGEN)                     | 5, 10, 20                 | G4 BI-PIN                                  | 12 VOLTS              | 10,000 & 20,000 HRS                  |
|    | 4-PIN QUAD FLUORESCENT                                             | 13, 18, 26, 32            | G24Q-1, 2, 3                               | VARIES WITH BALLAST   | 10,000-12,000 HRS                    |
|  | TWIST TYPE CFL<br>(ALTERNATE BULB FOR<br>FROSTED TYPE A OR TYPE B) | VARIES BY<br>MANUFACTURER | MEDIUM                                     | 110-120 VOLTS         | AVG 8,000 HRS                        |
|  | LED<br>SINGLE OR MULTI-CLUSTER                                     | VARIES BY<br>MANUFACTURER | NONE<br>QUICK CONNECTOR<br>FOR REPLACEMENT | VARIES WITH<br>DRIVER | 50,000 USABLE HRS                    |

## FAQS

### ARE TREND FIXTURES DIMMABLE?

WITH THE EXCEPTION OF OUR FLUORESCENT SCONCES, ALL FIXTURES SHOWN CAN BE DIMMED WITH A PROPERLY RATED WALL SWITCH. FOR THOSE FIXTURES WITH AN ELECTRONIC TRANSFORMER, A DIMMER SWITCH DESIGNED FOR LOW-VOLTAGE ELECTRONIC TRANSFORMERS IS REQUIRED. OUR LED CHANDELIERS ARE DESIGNED TO BE DIMMED WITH NORMAL INCANDESCENT WALL DIMMERS.

### CAN TREND FIXTURES BE MODIFIED FOR CUSTOM APPLICATIONS?

TREND WELCOMES THE OPPORTUNITY TO PROVIDE QUOTATIONS ON CUSTOM FIXTURE REQUIREMENTS.

### ARE THERE ANY SPECIAL INSTALLATION REQUIREMENTS FOR HEAVY FIXTURES?

MANY OF OUR FIXTURES ARE HEAVIER IN NATURE DUE TO THE COMPONENTS USED. THESE MAY REQUIRE THE USE OF REINFORCED J-BOXES OR ADDITIONAL SUPPORT IN THE CEILING. WE RECOMMEND THESE TYPES OF FIXTURES TO ONLY BE INSTALLED BY A LICENSED ELECTRICIAN.

### CAN I INSTALL TREND FIXTURES ON AN ANGLED (SLOPED) CEILING?

THE MAJORITY OF OUR FIXTURES DO NOT REQUIRE A LEVEL MOUNTING SURFACE, HOWEVER WE RECOMMEND CONFIRMING WITH YOUR INSTALLER OR WITH TREND PRIOR TO INSTALLATION.

### WHAT IS A NEUTRAL WHITE LED BULB?

THIS IS A NEWER TYPE OF LED THAT OFFERS HIGHER LIGHT OUTPUT AND BETTER COLOR RENDITION THAN A COOL WHITE LED. THEY ARE EASY ON THE EYE AND AN EXCELLENT CHOICE FOR APPLICATIONS WHERE COLOR ACCURACY IS IMPORTANT.

### ARE MEDIUM BASE FLUORESCENT BULBS DIMMABLE?

THERE ARE MEDIUM BASE FLUORESCENT BULBS AVAILABLE ON THE MARKET THAT ARE DESIGNED FOR DIMMABLE APPLICATIONS, HOWEVER THEY DO NOT OPERATE EXACTLY THE SAME AS INCANDESCENT OR HALOGEN BULBS. THE DIMMING RANGE IS SOMEWHAT LIMITED. STANDARD FLUORESCENT BULBS SHOULD NOT BE OPERATED WITH A DIMMER SWITCH AS THEY MAY HUM, FLICKER, AND FAIL PREMATURELY.

#### **WHAT IS THE DIFFERENCE BETWEEN HALOGEN AND INCANDESCENT MEDIUM BASE BULBS?**

STARTING IN 2011 FOR CALIFORNIA (AND 2012 FOR THE REST OF THE US) STANDARD INCANDESCENT BULBS WILL BE PHASED OUT UNDER THE ENERGY INDEPENDENCE AND SECURITY ACT. HALOGEN BULBS, WHICH HAVE A LONGER LIFE SPAN AND ARE NEARLY 30% MORE ENERGY EFFICIENT, WILL BE ANOTHER ALTERNATIVE TO FLUORESCENTS. THEIR COLOR RENDITION AND ABILITY TO DIM ARE SUPERIOR TO FLUORESCENTS, AND THEY ARE MERCURY-FREE. 72 WATT BULBS WILL REPLACE THE STANDARD 100 WATT, 53, 43, AND 29 WILL REPLACE 75, 60, AND 40 RESPECTIVELY.

#### **WHAT IS THE DIFFERENCE BETWEEN HALOGEN AND XENON BULBS?**

TREND CURRENTLY EXCLUSIVELY USES OSRAM/SYLVANIA HALOSTAR LOW PRESSURE HALOGEN BULBS IN ITS FIXTURES. THESE EMIT A CRISP, WHITE LIGHT. XENON IS AN ALTERNATE BULB THAT MANY OF OUR CUSTOMERS USE AS IT OFFERS A MUCH LONGER LIFE SO IS IDEAL FOR APPLICATIONS WHERE BULB CHANGES CAN BE MORE DIFFICULT OR TIME-CONSUMING. XENON EMITS A LIGHT THAT IS CLOSER TO INCANDESCENT IN NATURE (WARM YELLOW IN COLOR).

## **GLOSSARY**

**ADA COMPLIANCE** (REFERS TO THE AMERICANS WITH DISABILITIES ACT): WALL MOUNTED FIXTURES INSTALLED BETWEEN 27" AND 80" OFF THE FINISHED FLOOR MUST PROTRUDE NO MORE THAN 4" INTO WALKS, HALLS, CORRIDORS, PASSAGEWAYS, OR AISLES.

**BALLAST:** AN ELECTRICAL COMPONENT USED TO CONTROL THE STARTING AND OPERATING VOLTAGE OF ELECTRICAL GAS DISCHARGE LIGHTS, SUCH AS FLUORESCENT OR NEON.

**BLOWN GLASS** (ALSO REFERRED TO AS HAND BLOWN OR MOUTH BLOWN): THE PROCESS OF TAKING MOLTEN GLASS ON THE END OF A BLOW PIPE AND WORKING IT INTO A BALL SO IT CAN BE BLOWN AND SHAPED. THE ARTISAN THEN SHAPES THE GLASS BY USING IRON TOOLS, SPINNING, PINCHING AND ROLLING OR PLACING THE BUBBLE OF GLASS INTO A HOLLOW MOLD AND CONTINUING TO BLOW UNTIL IT EXPANDS AND FILLS THE MOLD COMPLETELY. CAREFUL CONTROL MUST BE MAINTAINED TO MINIMIZE AIR BUBBLES, FRACTURES AND OTHER FLAWS. THIS PROCESS CREATES UNIQUE PATTERNS, THEREFORE NO TWO PIECES WILL BE EXACTLY ALIKE.

**CANOPY:** THE PORTION OF THE LIGHTING FIXTURE THAT ATTACHES DIRECTLY TO THE CEILING OR J-BOX AND CONCEALS THE MOUNTING AND ELECTRICAL CONNECTIONS.

**CHANDELIER:** A DECORATIVE LIGHTING FIXTURE THAT HOLDS MULTIPLE BULBS AND IS SUSPENDED FROM THE CEILING.

**CRYSTAL:** A HIGH QUALITY GLASS THAT HAS BEEN INFUSED WITH LEAD OXIDE AND IS HAND OR MACHINE CUT WITH VARIOUS FACETS. THE LEAD OXIDE GIVES THE MATERIAL A HIGHER RATE OF CLARITY AND REFRACTION THAN STANDARD GLASS. TREND ONLY USES THE FINEST CRYSTAL AND CAREFULLY SELECTS, INSPECTS, AND HAND-POLISHES ALL OUR CRYSTAL TO INSURE THAT IT IS OF THE FINEST QUALITY AND CLARITY.

**DIMMER:** A DEVICE USED TO ADJUST THE LIGHT OUTPUT OF A FIXTURE. FOR FIXTURES WITH LOW VOLTAGE ELECTRONIC TRANSFORMERS, A SWITCH RATED FOR THIS APPLICATION IS REQUIRED.

**DRIVER:** SIMILAR TO A TRANSFORMER, THESE ELECTRICAL COMPONENTS ARE USED TO POWER LED BULBS.

**FLUSHMOUNT:** A DECORATIVE LIGHTING FIXTURE THAT IS MOUNTED DIRECTLY TO THE CEILING OR J-BOX.

**J-BOX** (ALSO REFERRED TO AS JUNCTION BOX OR ELECTRICAL BOX): METAL OR PLASTIC BOX INSTALLED WITHIN WALLS OR CEILINGS WHICH CONTAIN LIVE ELECTRICAL CONNECTIONS.

**LINE VOLTAGE:** LAMPS THAT OPERATE AT 110-120 VOLTS AC (US STANDARD).

**LOW VOLTAGE:** LAMPS OPERATING AT 12 OR 24 VOLTS. THESE OFFER THE ADVANTAGE OF A MORE COMPACT DESIGN, ALLOWING THE FOCUS TO BE ON THE LIGHTING EFFECT, RATHER THAN THE LIGHT SOURCE. THERE IS ALSO THE ADDITIONAL ADVANTAGE OF LOWER OPERATING EXPENSES (HIGHER LIGHT OUTPUT PER WATT).

**MAX (MAXIMUM) DROP:** THE DISTANCE FROM THE CEILING SURFACE TO THE LOWEST POINT ON THE BOTTOM OF THE FIXTURE.

**PENDANT** (SOMETIMES REFERRED TO AS MONOPOINT): A SINGLE LIGHT DECORATIVE FIXTURE THAT IS SUSPENDED FROM THE CEILING.


**SCONCE:** A DECORATIVE LIGHTING FIXTURE THAT IS MOUNTED TO THE WALL.

**TEMPERED GLASS:** A SAFETY GLASS THAT IS 4 TO 5 TIMES STRONGER THAN STANDARD GLASS AND DOES NOT SHATTER INTO SHARP SHARDS WHEN BROKEN.


**TRANSFORMER:** AN ELECTRICAL COMPONENT USED TO CHANGE THE VOLTAGE (SEE "LINE VOLTAGE" AND/OR "LOW VOLTAGE").

**UL** (UNDERWRITERS LABORATORIES INC.): AN INDEPENDENT AGENCY THAT TESTS ELECTRICAL COMPONENTS AND EQUIPMENT FOR POTENTIAL HAZARDS. UL APPROVED MEANS THAT UL HAS TESTED THE DEVICE AND IT MEETS THEIR REQUIREMENTS FOR SAFETY. ALL TREND PRODUCTS ARE UL APPROVED AND LABELED.

**WATT:** A METHOD OF MEASURING ENERGY USAGE. WATTAGE REFERS TO THE AMOUNT OF ELECTRICAL POWER REQUIRED BY A DEVICE TO WORK PROPERLY.



TW1055A-1 FC-87



TW2432 FC-90



TP3951-W FC-79



TP3953-W FC-79



TP3955-W FC-78



TP3968-W FC-78




TP3979-W FC-79




TP4095 FC-74




TP4096 FC-74



TW4335 FC-87



TP4336 FC-86



TP4355 FC-86



TP4370 FC-72



TP4372 FC-72




TP4373 FC-73




TP4374 FC-75



TP4386 FC-82



TP4389 FC-82



TP4425 FC-86




TP4476 FC-66




TP4479 FC-66




TP4900-1 FC-77



TP4900-3 FC-77



TP4907 FC-76



TP4908 FC-77



TP4910 FC-26



TW4911-C FC-26, FC90




TP4937-A FC-29




TP4937-C FC-29




TP4937-M FC-28




TP4939-A FC-31



TP4939-C FC-30




TP4956 FC-68



TP4976 FC-27



BP5020-1 FC-83



BP5020-4 FC-83




TP5096 FC-84



BP5336-W FC-85



BP5339-W FC-85



TP5902 FC-70



TP5903 FC-70



BP6008 FC-73



BP6009 FC-73



BP6059 FC-83



BP6067 FC-71



BP6068 FC-71



TP6269 FC-84



TP6300-1 FC-80



TP6300-3 FC-80






TP6300-5 FC-81




TW6306 FC-87




TW6358 FC-87




TP6365-16 FC-67




TP6366-16 FC-67




TP6412 FC-51



TP6413 FC-50




TP6416 FC-51




TP6417 FC-50



TW6600 FC-87



TP6647 FC-41



TP6649 FC-41




TP6900-A FC-37




TP6900-W FC-37



TP6906-C FC-27



TW6907-A FC-90



TW6907-C FC-90



TP6920-6A FC-32



TP6920-6M FC-33



TP6920-6W FC-32




TP6926-A FC-34




TP6926-C FC-35




TP6926-M FC-36




TP6930 FC-74




TP6945-12 FC-40



TW6947 FC-41, FC88



TP6949 FC-40



TP6950-12 FC-69



TP6951-12 FC-69




TP6960-8 FC-45




TP6960-10 FC-43



TP6960-28 FC-47




TP6961 FC-44



TP6964 FC-44




TP6965 FC-45



TP6966 FC-46



TP6967 FC-46




TP6986 FC-43




TW6987 FC-43, FC-88




TP6988 FC-43



TP6996 FC-42




TW6997 FC-42, FC-88




TP6998 FC-42




TP7019 FC-24




BW7105-S FC-89



BW7105-W FC-89




BW7155 FC-89




BP7159 FC-85




TW7583 FC-88




TP7584 FC-56




TP7586 FC-57




TP7587 FC-56



TP7588 FC-57



TP7594 FC-54



TP7595 FC-55



TP7598 FC-54



TP7599 FC-55



TP7729 FC-52



TP7902-G FC-63




TP7902-W FC-63



TP7905-W FC-62



TP7916-G FC-63



TP7916-W FC-63



TP7918-W FC-62



TP7929 FC-52




TP7934 FC-38



TP7935 FC-39




TP7936 FC-39



TP7937 FC-39



TP7940 FC-11




TP7945 FC-10




TP7965 FC-84




TP7975 FC-25




TP7976 FC-24




TP7979 FC-25




TP7987 FC-56



TP7989 FC-57



TP7996 FC-54



TP7997 FC-55



TP8755 FC-48



TP8756 FC-49



TP8757 FC-48




TP8758 FC-49




TP8924 FC-9




TP8935 FC-23




TP8936 FC-23




TP8937 FC-22



BP8942 FC-60




BP8943 FC-61




BP8945 FC-59




BP8946 FC-60



BW8947 FC-89




BP8948 FC-61




TP8955 FC-61




TP8957 FC-60




TP8964 FC-58



TP8966 FC-58



TP9205 FC-64




TP9206 FC-65



TP9208 FC-65




TP9209 FC-64




TP9504 FC-5



TP9505 FC-5



TP9506 FC-4




BP9508 FC-53




TP9514 FC-6




TP9515 FC-7




TP9603 FC-3



TP9606 FC-3




TP9608 FC-2



BP9709 FC-53



A800026-1-R,-S,-T  
FC-21



A800026-4-R,-S,-T  
FC-21



A800026-9-R,-S,-T  
FC-13



A800026-16-R,-S,-T  
FC-13



A800026-25-R,-S,-T  
FC-12




A800126-25-R,-S,-T  
FC-15




A800126-36-R,-S,-T  
FC-14



A800326-20-S,-T  
FC-20




A900026-9-S,-T  
FC-19




A900026-16-S,-T  
FC-19




A900026-25-S,-T  
FC-18




A900126-9-S,-T  
FC-17



A900126-16-S,-T  
FC-17



A908026-9-S,-T  
FC-16



A908026-25-S,-T  
FC-16







**TREND LIGHTING CORPORATION®**

4821 4TH ST. IRWINDALE, CA 91706 • T: (626) 480-8880 • F: (626) 480-8850

SHOWROOMS: LAS VEGAS C-1089 • HIGH POINT H204 • DALLAS TM4931 • IRWINDALE, CA

[INFO@TLIGHTING.COM](mailto:INFO@TLIGHTING.COM)

[WWW.TLIGHTING.COM](http://WWW.TLIGHTING.COM)

**american  
lighting  
association**

All Designs and Images © 2011 Trend Lighting ® All Rights Reserved.

LIGHTING FIXTURE COLLECTION

022011

**\$20**