

TROY LIGHTING

Est. 1963

EXTERIOR COLLECTION
LANTERNS & LANDSCAPE

TABLE of CONTENTS

ALLEGHENY	68
AMHERST	50
ANDERSON'S FORGE	74
AQUA	120
ASPEN	92
BAMBOO	98
BARBOSA	72
BEACON HILL	62
BENNINGTON	118
BERMUDA	18
BLADE	102
BRISTOL	70
BRITANNIA	58
CAMERON	8
CAMPANILE	82
CARMEL	6
CHARLESTON	60
CIRCA 1910	138
COPPER MOUNTAIN	94
COTTAGE GROVE	146
DAYTON	114
DERBY	10
DEXTER	104
DISCUS	112
DORCHESTER	56
DOVER	76
DRAKE	20
EDISON	134
ETHOS	108
FRENCH QUARTER	2
GABLES	84
GENEVA	26
GUILD HALL	24
HENRY STREET	48
HIGHLAND PARK	144
HYANNIS PORT	126
KINETIC	106

LA GRANGE	90
LARCHMONT	36
LIBERTY	30
LOS FELIZ	86
LOS OLIVOS	80
LUCERNE	142
MARKHAM	32
MONTGOMERY	38
MORGAN HILL	78
NEWTON	34
NORFOLK	64
OLD TOWN	16
OWINGS MILL	66
OXFORD	42
PAMPLONA	88
PORTSMOUTH	128
POSTS & PIER MOUNTS	151
POTTER	46
PRESTON	44
PULLMAN	4
RALEIGH	132
RENNIE	54
ROTTERDAM	22
SAGAMORE	28
SAPPORO	96
SCARSDALE	122
SERENGETI	116
SHUTTERS	100
SOUTH STREET	140
STATION SQUARE	124
TOLEDO	136
TOWNSEND	14
VERONA	148
VIBE	110
VINTAGE	12
WILMINGTON	130
WRIGHT	52

ENVIRONMENTAL SERIES	
BAMBOO	153
BARBOSA	153
BENNINGTON	154
BERMUDA	154
BLADE	155
CAMERON	155
COTTAGE GROVE	156
DAYTON	156
DERBY	157
DEXTER	157
DISCUS	158
DOVER	158
DRAKE	159
ETHOS	159
FRENCH QUARTER	160
GABLES	160
HENRY STREET	161
HIGHLAND PARK	161
KINETIC	163
LARCHMONT	163
LIBERTY	164
LOS OLIVOS	164
NEWTON	165
PAMPLONA	166
POTTER	166
RALEIGH	167
RENNIE	167
SAGAMORE	168
SAPPORO	168
SERENGETI	169
SHUTTERS	169
VERONA	170
VIBE	171
VINTAGE	171
WRIGHT	172
LANDSCAPE LIGHTING	173-200
NUMERICAL INDEX	Gatefold
VISUAL INDEX	Inside Back Cover

LANTERN SIZE ICONS

Lanterns featured in the Exterior Collection have an **XS**, **S**, **M**, **L**, **XL** or **XXL** next to the model number. These icons indicate the size of the lantern in relationship to the other lanterns in the individual collection.





FRENCH QUARTER

2



TROY LIGHTING EXTERIOR



B2961 S WALL

5½"W 19"H 7½"P 12½" TCD

MM: 140 W 483 H 191 P 318 TCD

1 - 60W CAND



B2962 M WALL

7"W 24"H 9½"P 16" TCD

MM: 144 W 610 H 241 P 406 TCD

2 - 60W CAND

B2963 L WALL

10"W 34½"H 13½"P 22½" TCD

MM: 254 W 876 H 343 P 572 TCD

4 - 60W CAND



F2966 M PENDANT

7"W 20½"H

MM: 144 W 521 H

2 - 60W CAND

F2967 L PENDANT

10"W 29"H

MM: 254 W 737 H

4 - 60W CAND



P2965 L POST

10"W 30"H

MM: 254 W 762 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear

FINISH

Aged Pewter

ENVIRONMENTAL SERIES

See page 160





B3191 **S** WALL

6½"W 13¼"H 4¾"P 8½" TCD

MM: 165 W 337 H 121 P 216 TCD

2 - 60W CAND



B3192 **M** WALL

8¼"W 16¾"H 6¼"P 10¾" TCD

MM: 210 W 425 H 159 P 273 TCD

2 - 60W CAND



B3193 **L** WALL

10"W 20¼"H 7½"P 13¼" TCD

MM: 254 W 514 H 191 P 337 TCD

3 - 60W CAND



METALWORK

Solid Brass

GLASSWARE

Clear

FINISH

English Bronze





B3331 S WALL

10"W 14¼"H 11¾"P 9¾" TCD

MM: 254 W 362 H 298 P 248 TCD

1 - 60W CAND



B3332 M WALL

13"W 18¼"H 14¾"P 12" TCD

MM: 330 W 464 H 375 P 305 TCD

1 - 60W CAND

B3333 L WALL

16"W 22¼"H 17¾"P 14¼" TCD

MM: 406 W 565 H 451 P 362 TCD

1 - 100W MED



F3337 L PENDANT

16"W 22½"H

MM: 406 W 572 H

1 - 100W MED



P3335 L POST

16"W 21½"H

MM: 406 W 546 H

1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Opal White

FINISH

Graphite



TROY LIGHTING EXTERIOR

**B3411 S WALL**

6¼"W 10¼"H 5¾"P 5¾"TCO

MM: 159 W 260 H 146 P 146 TCO

1 - 60W MED

**B3412 M WALL**

8½"W 16¾"H 9"P 4½"TCO

MM: 216 W 425 H 229 P 114 TCO

1 - 100W MED

B3413 L WALL

10½"W 20½"H 11"P 5½"TCO

MM: 267 W 521 H 279 P 140 TCO

3 - 60W CAND

**B3414 XL WALL**

12½"W 24¾"H 13"P 6¾"TCO

MM: 317 W 629 H 330 P 171 TCO

4 - 60W CAND

F3417 L PENDANT

10½"L 9¼"W 18½"H

MM: 267 L 235 W 470 H

3 - 60W CAND

METALWORK

Aluminum

GLASSWARE

Marbleized White

FINISH

Bronze

Available with **Coastal** finish option. Add -C suffix after finish.

Two year limited finish warranty.

Specify finish after catalog

number, i.e., B3414-C

ENVIRONMENTAL SERIES

See page 155

**MADE IN USA****P3415 L POST**

10½"L 9¼"W 21½"H

MM: 267 L 235 W 546 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



B3281 S WALL

5¾"W 17½"H 7"P 10½"TC
MM: 146 W 445 H 178 P 267 TCD
1 - 60W CAND

B3282 M WALL

7¾"W 23"H 9¼"P 13½"TC
MM: 197 W 584 H 235 P 343 TCD
1 - 100W MED

B3283 L WALL

10"W 29¼"H 11½"P 17½"TC
MM: 254 W 743 H 292 P 445 TCD
1 - 100W MED



F3287 M PENDANT

7¾"W 22¼"H
MM: 197 W 565 H
1 - 100W MED



P3285 M POST

7¾"W 26¼"H
MM: 197 W 667 H 203 P
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Cast Aluminum

GLASSWARE

Clear Seeded
w/ Antique Ivory Candle

FINISH

Antique Iron

ENVIRONMENTAL SERIES

See page 157



TROY LIGHTING EXTERIOR



B2971 S WALL

7"W 16"H 4"P 8½" TCD ADA

MM: 178 W 406 H 102 P 216 TCD

2 - 60W CAND



B2972 M WALL

9"W 20"H 5"P 10" TCD

MM: 229 W 508 H 127 P 254 TCD

2 - 60W CAND



B2973 L WALL

11"W 24"H 5"P 11" TCD

MM: 279 W 610 H 127 P 279 TCD

3 - 60W CAND



METALWORK

Hand-Forged Iron

GLASSWARE

Clear

FINISH

Vintage Bronze

ENVIRONMENTAL SERIES

See page 171



TROY LIGHTING EXTERIOR



METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Clear

FINISH

NB Natural Bronze

B9620NB **S** WALL

6½"W 13"H 7¾"P 5¼"TC D

MM 165 W 330 H 197 P 133 TCD

1 - 100W MED

B9621NB **M** WALL

9¼"W 33"H 11¾"P 13¼"TC D

MM 235 W 838 H 298 P 337 TCD

3 - 60W CAND

B9622NB **L** WALL

11"W 39½"H 15¼"P 14¼"TC D

MM 279 W 1003 H 387 P 362 TCD

3 - 60W CAND

B9623NB **XL** WALL

13½"W 47"H 17"P 17½"TC D

MM 343 W 1194 H 432 P 445 TCD

4 - 60W CAND

B9624NB **XXL** WALL

17"W 56"H 21¼"P 19"TC D

MM 432 W 1422 H 540 P 483 TCD

5 - 40W CAND

F9627NB **L** PENDANT

11"W 28"H

MM 279 W 711 H

3 - 60W CAND

F9628NB **XL** PENDANT

13½"W 34"H

MM 343 W 864 H

4 - 60W CAND

P9625NB **L** POST

11"W 27"H

MM 279 W 686 H

3 - 60W CAND

P9626NB **XL** POST

13½"W 31½"H

MM 343 W 800 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



B9360NB **M** WALL

10½"W 16"H 11"P 2½" TCD
MM 267 W 406 H 279 P 64 TCD
1 - 60W CAND



B9361NB **L** WALL

12½"W 18½"H 13"P 2½" TCD
MM 318 W 470 H 330 P 64 TCD
1 - 60W MED



F9362NB **M** PENDANT

10½"W 16"H 53¾" MAX HT
MM 267 W 406 H 1365 MAX HT
1 - 60W CAND

F9363NB **L** PENDANT

12½"W 18"H 55¾" MAX HT
MM 318 W 457 H 1416 MAX HT
1 - 60W MED
PENDANTS INCLUDE 1-6", 1-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 1-305, 1-457

METALWORK

Hand-Forged Iron and Cast Iron

GLASSWARE

Clear Seeded w/ Amber
Cylinder

FINISH

NB Natural Bronze



Incandescent

Dark Sky Qualified



P9364NB **L** POST

12½"W 22"H 17½"P
MM 318 W 559 H 445 P
1 - 60W MED

POST SOLD SEPARATELY, PG 151, 152





B3201 **S** WALL

6¼"W 12"H 3¾"P 6"TCD ADA
MM: 159 W 305 H 95 P 152 TCD
1 - 60W CAND



B3202 **M** WALL

8½"W 13½"H 4¼"P 6¾"TCD
MM: 216 W 343 H 108 P 171 TCD
2 - 60W CAND



C3200 CEILING

14¼"W 5¾"H
MM 362 W 146 H
2 - 60W MED



B3203 **L** WALL

10½"W 16½"H 5"P 8¼"TCD
MM: 267 W 419 H 127 P 210 TCD
3 - 60W CAND

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

Aged Pewter

ENVIRONMENTAL SERIES

See page 154



TROY LIGHTING EXTERIOR



B3391 S WALL

5½"W 9"H 4½"P 4½" TCD
MM: 140 W 229 H 114 P 114 TCD
1 - 60W CAND



B3392 M WALL

7"W 14"H 6½"P 7" TCD
MM: 178 W 356 H 165 P 178 TCD
1 - 100W MED



B3393 L WALL

7"W 19"H 6½"P 9¾" TCD
MM: 178 W 483 H 165 P 248 TCD
1 - 100W MED

METALWORK

Aluminum

GLASSWARE

Opal White

FINISH

Bronze

Available with **Coastal** finish option. Add -C suffix after finish.
Two year limited finish warranty.

Specify finish after catalog number, i.e., B3392-C

ENVIRONMENTAL SERIES

See page 159



MADE IN USA



TROY LIGHTING EXTERIOR



B3321 S WALL

6½"W 8"H 3¾"P 4"TCD ADA
MM: 165 W 203 H 95 P 102 TCD
1 - 60W CAND



B3322 M WALL

8"W 9¼"H 4½"P 4½"TCD
MM: 203 W 235 H 114 P 114 TCD
2 - 60W CAND



B3323 L WALL

10"W 11½"H 5¾"P 5¾"TCD
MM: 254 W 292 H 146 P 146 TCD
2 - 60W CAND

METALWORK

Solid Brass

GLASSWARE

Opal White

FINISH

Aged Brass



TROY LIGHTING EXTERIOR



B2031EB S WALL

8½"W 12"H 7½"P 4½" TCD
MM 216 W 305 H 191 P 114 TCD
1 - 100W MED

B2032EB M WALL

10¾"W 15½"H 10¼"P 6" TCD
MM 273 W 394 H 260 P 152 TCD
2 - 60W CAND

B2033EB L WALL

14½"W 20"H 13¼"P 8" TCD
MM 368 W 508 H 337 P 203 TCD
3 - 60W CAND



F2037EB M PENDANT

10¾"W 15½"H 9½"D
MM 273 W 394 H 241 D
2 - 60W CAND

F2038EB L PENDANT

14½"W 20½"H 10¾"D
MM 368 W 521 H 273 D
3 - 60W CAND



P2035EB M POST

10¾"W 18½"H 9½"D
MM 273 W 470 H 241 D
2 - 60W CAND

P2036EB L POST

14½"W 23½"H 10¾"D
MM 368 W 597 H 273 D
3 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Clear Seeded

FINISH

EB English Bronze



TROY LIGHTING EXTERIOR



BCD89970R **S** WALL

6"W 18½"H 8"P 10"TCD
MM 152 W 470 H 203 P 254 TCD
1 - 100W MED

BCD89910R **S** WALL

6"W 23¾"H 9½"P 10¾"TCD
MM 152 W 603 H 241 P 273 TCD
1 - 100W MED

BCD89940R **M** WALL

8"W 32"H 11½"P 12¾"TCD
MM 203 W 813 H 292 P 324 TCD
2 - 60W CAND

BCD89920R **L** WALL

10"W 37"H 13"P 15½"TCD
MM 254 W 940 H 330 P 394 TCD
4 - 60W CAND

BCD89930R **XL** WALL

13"W 46"H 16¾"P 18½"TCD
MM 330 W 1168 H 425 P 470 TCD
4 - 60W CAND

FCD89960R **M** PENDANT

8"W 28"H
MM 203 W 711 H
2 - 60W CAND

PCD89950R **M** POST

8"W 30½"H
MM 203 W 775 H
2 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

CCD89900R CEILING

14"W 9"H
MM 356 W 229 H
2 - 60W MED

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Clear Seeded

FINISH

OR Old Rust



TROY LIGHTING EXTERIOR



B3292 **S** WALL

8¼"W 18"H 9¼"P 4" TCD
MM: 210 W 457 H 235 P 102 TCD
1 - 60W CAND



B3293 **M** WALL

10"W 22¾"H 11½"P 5¼" TCD
MM: 254 W 572 H 292 P 133 TCD
1 - 100W MED

B3294 **L** WALL

12½"W 26½"H 13½"P 5½" TCD
MM: 318 W 673 H 343 P 140 TCD
1 - 100W MED



F3297 **M** PENDANT

10"W 20"H
MM: 254 W 508 H
1 - 100W MED



P3295 **M** POST

10"W 22¾"H
MM: 254 W 514 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded
w/ Amber Cylinder

FINISH

Centennial Rust

ENVIRONMENTAL SERIES

See page 168



TROY LIGHTING EXTERIOR

**B2361CR S WALL**

7"W 11½"H 7¾"P 3½"TCD

MM 178 W 292 H 197 P 89 TCD

1 - 60W MED

**B2362CR M WALL**

10½"W 16"H 12"P 4¼"TCD

MM 267 W 406 H 305 P 108 TCD

1 - 100W MED

B2363CR L WALL

13"W 19¾"H 14¼"P 5"TCD

MM 330 W 502 H 362 P 127 TCD

1 - 100W MED

**F2367CR M PENDANT**

10½"W 14½"H

MM 267 W 368 H

1 - 100W MED

**P2364CR M POST**

10½"W 15½"H 14½"P

MM 267 W 394 H 368 P

1 - 100W MED

PM9468-LIBERTY POST ONLY

3"W 96"H

MM 76 W 2438 H

METALWORK

Aluminum

FINISH**CR** Centennial Rust**ENVIRONMENTAL SERIES**

See page 164



Incandescent

Dark Sky Qualified



TROY LIGHTING EXTERIOR



B2351WB S POCKET

8½"W 13¾"H 4"P 10" TCD ADA
MM 216 W 349 H 102 P 254 TCD
1 - 60W CAND



B2352WB S WALL

8½"W 19¾"H 11¾"P 3¾" TCD
MM 216 W 502 H 298 P 95 TCD
2 - 60W CAND

B2353WB M WALL

10¼"W 24¼"H 15¼"P 5" TCD
MM 260 W 616 H 387 P 127 TCD
3 - 60W CAND

B2354WB L WALL

12¼"W 29¼"H 17¾"P 5½" TCD
MM 311 W 743 H 451 P 140 TCD
4 - 60W CAND



F2358WB M PENDANT

10¼"W 20¾"H
MM 260 W 527 H
3 - 60W CAND



P2355WB M POST

10¼"W 23"H
MM 260 W 584 H
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

WB Weathered Bronze



TROY LIGHTING EXTERIOR



CCD90000BZ CEILING

12¾"W 5¾"H
MM 324 W 146 H
2 - 60W MED

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

OBZ Old Bronze

ENVIRONMENTAL SERIES

See page 165



BCD90070BZ **S** POCKET

5"W 17½"H 5"P 10¼"TC
MM 127 W 445 H 127 P 260 TCD
1 - 60W CAND

BCD90080BZ **M** POCKET

8¾"W 19½"H 5½"P 11¾"TC
MM 222 W 495 H 140 P 298 TCD
2 - 60W CAND

BCD90090BZ **L** POCKET

11"W 23¾"H 7"P 14½"TC
MM 279 W 603 H 178 P 368 TCD
3 - 60W CAND



BCD90010BZ **S** WALL

7"W 17½"H 6¼"P 11"TC
MM 178 W 445 H 159 P 279 TCD
2 - 60W CAND

BCD90020BZ **M** WALL

8¾"W 23"H 9"P 19"TC
MM 222 W 584 H 229 P 483 TCD
2 - 60W CAND

BCD90050BZ **L** WALL

11"W 26¾"H 9¾"P 20"TC
MM 279 W 679 H 248 P 508 TCD
3 - 60W CAND



FCD90040BZ **M** PENDANT

8¾"W 18¾"H 5½"D
MM 222 W 476 H 140 D
2 - 60W CAND



PCD90030BZ **M** POST

8¾"W 20¾"H 5½"D
MM 222 W 527 H 140 D
2 - 60W CAND

PCD90060BZ **L** POST

11"W 23"H 7½"D
MM 279 W 584 H 191 D
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



B3211 **S** WALL

6"W 18¾"H 7¾"P 12¾" TCD
MM: 152 W 476 H 197 P 324 TCD
2 - 60W CAND



B3212 **M** WALL

8"W 25"H 9¾"P 17¼" TCD
MM: 203 W 635 H 248 P 438 TCD
3 - 60W CAND

B3213 **L** WALL

10"W 31½"H 11¼"P 21½" TCD
MM: 254 W 800 H 286 P 546 TCD
4 - 60W CAND



F3217 **M** PENDANT

8"W 23½"H
MM: 203 W 597 H
3 - 60W CAND



P3215 **M** POST

8"W 25¼"H
MM: 203 W 641 H
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

Aged Pewter

ENVIRONMENTAL SERIES

See page 163



TROY LIGHTING EXTERIOR



NR Natural Rust

B(CD)9130 S WALL METAL TOP

6½"W 13½"H 7¾"P 8¼"TC
MM 165 W 343 H 197 P 210 TCD
1 - 100W MED

B(CD)9131 M WALL METAL TOP

8¼"W 16"H 9½"P 9¼"TC
MM 210 W 406 H 241 P 235 TCD
1 - 100W MED

B(CD)9134 L WALL METAL TOP

10¼"W 19½"H 12¼"P 11"TC
MM 260W 495 H 311 P 279 TCD
3 - 60W CAND

B(CD)9137 XL WALL METAL TOP

12¼"W 23½"H 14¼"P 15"TC
MM 311 W 597 H 362 P 381 TCD
4 - 60W CAND

B(CD)9140 XXL WALL METAL TOP

14¼"W 25¾"H 16¼"P 14¼"TC
MM 362 W 654 H 413 P 362 TCD
4 - 60W CAND



NAB Natural Aged Brass

B(CD)8950 S WALL GLASS TOP

6½"W 13½"H 7¾"P 8¼"TC
MM 165 W 343 H 197 P 210 TCD
1 - 100W MED

B(CD)8951 M WALL GLASS TOP

8¼"W 16"H 9½"P 9¼"TC
MM 210 W 406 H 241 P 235 TCD
1 - 100W MED

B(CD)8954 L WALL GLASS TOP

10¼"W 19½"H 12¼"P 11"TC
MM 260W 495 H 311 P 279 TCD
3 - 60W CAND

B(CD)8957 XL WALL GLASS TOP

12¼"W 23½"H 14¼"P 15"TC
MM 311 W 597 H 362 P 381 TCD
4 - 60W CAND

B(CD)8960 XXL WALL GLASS TOP

14¼"W 25¾"H 16¼"P 14¼"TC
MM 362 W 654 H 413 P 362 TCD
4 - 60W CAND

METALWORK

Solid Brass

GLASSWARE

Clear or

CD Clear Seeded

FINISH

CI Charred Iron

NAB Natural Aged Brass

NR Natural Rust

Specify finish after catalog
number, i.e., **BCD8950CI**



MADE IN USA



CI Charred Iron

F(CD)9133 M PENDANT METAL TOP

8¼" w 16" h
MM 210 w 406 h
1 - 100W MED

F(CD)9136 L PENDANT METAL TOP

10¼" w 20¾" h
MM 260 w 527 h
3 - 60W CAND

F(CD)9139 XL PENDANT METAL TOP

12¼" w 24½" h
MM 311 w 622 h
4 - 60W CAND

F(CD)9142 XXL PENDANT METAL TOP

14¼" w 23¾" h
MM 362 w 603 h
4 - 60W CAND



NAB Natural Aged Brass

F(CD)8953 M PENDANT GLASS TOP

8¼" w 16" h
MM 210 w 406 h
1 - 100W MED

F(CD)8956 L PENDANT GLASS TOP

10¼" w 20¾" h
MM 260 w 527 h
3 - 60W CAND

F(CD)8959 XL PENDANT GLASS TOP

12¼" w 24½" h
MM 311 w 622 h
4 - 60W CAND

F(CD)8962 XXL PENDANT GLASS TOP

14¼" w 23¾" h
MM 362 w 603 h
4 - 60W CAND

METALWORK

Solid Brass

GLASSWARE

Clear or

CD Clear Seeded

FINISH

CI Charred Iron

NAB Natural Aged Brass

NR Natural Rust

Specify finish after catalog number, i.e., FCD9139**CI**



MADE IN USA



CI Charred Iron

P(CD)9132 M POST METAL TOP

8¼"W 18"H
MM 210 W 457 H
1 - 100W MED

P(CD)9135 L POST METAL TOP

10¼"W 21¾"H
MM 260 W 552 H
3 - 60W CAND

P(CD)9138 XL POST METAL TOP

12¼"W 25½"H
MM 311 W 648 H
4 - 60W CAND

P(CD)9141 XXL POST METAL TOP

14¼"W 31½"H
MM 362 W 800 H
4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



NR Natural Rust

P(CD)8952 M POST GLASS TOP

8¼"W 18"H
MM 210 W 457 H
1 - 100W MED

P(CD)8955 L POST GLASS TOP

10¼"W 21¾"H
MM 260 W 552 H
3 - 60W CAND

P(CD)8958 XL POST GLASS TOP

12¼"W 25½"H
MM 311 W 648 H
4 - 60W CAND

P(CD)8961 XXL POST GLASS TOP

14¼"W 31½"H
MM 362 W 800 H
4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Clear or

CD Clear Seeded

FINISH

CI Charred Iron

NAB Natural Aged Brass

NR Natural Rust

Specify finish after catalog number, i.e., **PCD8655CI**



MADE IN USA



TROY LIGHTING EXTERIOR



NR Natural Rust



CI Charred Iron



B(CD)8930 M WALL

10"W 20"H 11¾"P 12¼" TCD

MM 254 W 508 H 298 P 311 TCD

2 - 60W CAND

B(CD)8933 L WALL

13¼"W 27¾"H 15¾"P 17½" TCD

MM 337 W 705 H 400 P 445 TCD

3 - 60W CAND

F(CD)8932 M PENDANT

10"W 17¾"H

MM 254 W 451 H

2 - 60W CAND

F(CD)8935 L PENDANT

13¼"W 24"H

MM 337 W 610 H

3 - 60W CAND

P(CD)8931 M POST

10"W 19¾"H

MM 254 W 502 H

2 - 60W CAND

P(CD)8934 L POST

13¼"W 29"H

MM 337 W 737 H

3 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Clear or

CD Clear Seeded

FINISH

CI Charred Iron


NR Natural Rust

Specify Seeded Glass and

finish, i.e., BCD8933CI



MADE IN USA



TROY LIGHTING EXTERIOR



CI Charred Iron



NR Natural Rust



B(CD)8940 S WALL

7¼"W 15¾"H 10"P 8½"TC
MM 184 W 400 H 254 P 216 TCD
2 - 60W CAND

B(CD)8943 M WALL

9¼"W 20"H 12½"P 10"TC
MM 235 W 508 H 318 P 254 TCD
3 - 60W CAND

B(CD)8946 L WALL

13"W 26¼"H 16¾"P 11½"TC
MM 330 W 667 H 425 P 292 TCD
4 - 60W CAND

F(CD)8945 M PENDANT

9¼"W 19"H
MM 235 W 483 H
3 - 60W CAND

F(CD)8948 L PENDANT

13"W 26¼"H
MM 330 W 667 H
4 - 60W CAND

P(CD)8944 M POST

9¼"W 20"H
MM 235 W 508 H
3 - 60W CAND

P(CD)8947 L POST

13"W 31"H
MM 330 W 787 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Clear or

CD Clear Seeded

FINISH

CI Charred Iron

NR Natural Rust

Specify Seeded Glass and
finish, i.e., BCD9466CI



MADE IN USA



TROY LIGHTING EXTERIOR



Convertible with long
or short tail

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

Fired Iron

ENVIRONMENTAL SERIES

See page 166

B2951 **M** WALL

11"W 33¼"H 13"P 9½" TCD

(22"H SHORT TAIL)

MM: 279 W 845 H 330 P 241 TCD

(559 MM H SHORT TAIL)

1 - 100W MED

B2952 **L** WALL

14"W 39½"H 16¼"P 11½" TCD

(27"H SHORT TAIL)

MM: 356 W 1003 H 413 P 292 TCD

(686 MM H SHORT TAIL)

3 - 60W CAND

F2956 **L** PENDANT

14"W 16¾"H

MM: 356 W 425 H

3 - 60W CAND

P2955 **L** POST

14"W 20½"H 17¾"P

MM: 356 W 521 H 451 P

3 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



B2010CI **S** POCKET

7¼"W 15"H 5¾"P 10" TCD
MM 184 W 381 H 146 P 254 TCD
2 - 60W CAND



B2011CI **S** WALL

7¼"W 18½"H 6¼"P 5" TCD
MM 184 W 470 H 159 P 127 TCD
2 - 60W CAND

B2012CI **M** WALL

8½"W 23"H 7½"P 6" TCD
MM 216 W 584 H 191 P 152 TCD
3 - 60W CAND

B2013CI **L** WALL

11"W 26¾"H 9¼"P 7½" TCD
MM 279 W 679 H 235 P 191 TCD
4 - 60W CAND



F2017CI **M** PENDANT

9"W 19¼"H
MM 229 W 489 H
3 - 60W CAND

F2018CI **L** PENDANT

11"W 23¼"H
MM 279 W 591 H
4 - 60W CAND



P2015CI **M** POST

9"W 22¼"H
MM 229 W 565 H
3 - 60W CAND

P2016CI **L** POST

11"W 27¼"H
MM 279 W 692 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

CI Colonial Iron

ENVIRONMENTAL SERIES

See page 161



TROY LIGHTING EXTERIOR



B(CD)3431 S WALL

6½"W 10¾"H 7¾"P 2½" TCD

MM: 165 W 273 H 197 P 64 TCD

1 - 100W MED A15

B(CD)3432 M WALL

8½"W 13"H 9¾"P 2½" TCD

MM: 216 W 330 H 248 P 64 TCD

1 - 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

B(CD)3433 L WALL

10½"W 16½"H 11½"P 3" TCD

MM: 267 W 419 H 292 P 76 TCD

4 - 60W CAND

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

F(CD)3437 L PENDANT

10½"W 12"H 60" MAX HT

MM: 267 W 305 H

4 - 60W CAND

PENDANT INCLUDES 1-6", 2-12", 1-18"

STEM AND HANG-STRAIGHT CANOPY.

MM 1-152, 1-305, 1-457

P(CD)3435 L POST

10½"W 15"H

MM: 267 W 381 H

4 - 60W CAND

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Clear or

CD Clear Seeded

FINISH

River Valley Rust

Available with *Coastal* finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., BCD3433-C

LAMP INFORMATION

LB40-12 Twelve-pack 40W Cand-Base Early Electric Lamps

LB60-6 Six-pack 60W Med Base Early Electric Lamps



MADE IN USA



TROY LIGHTING EXTERIOR



B3241 **S** WALL

8"W 10¾"H 9½"P 5½" TCD
MM: 203 W 273 H 241 P 140 TCD
1 - 100W MED



B3242 **M** WALL

10"W 13½"H 11¾"P 6¾" TCD
MM: 254 W 343 H 298 P 171 TCD
1 - 100W MED

B3243 **L** WALL

12"W 16"H 14"P 8" TCD
MM: 305 W 406 H 356 P 203 TCD
1 - 100W MED



F3247 **L** PENDANT

12"W 14½"H
MM: 305 W 368 H
1 - 100W MED



P3245 **L** POST

12"W 16¾"H
MM: 305 W 425 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Opal White

FINISH

Antique Brass

ENVIRONMENTAL SERIES

See page 172



TROY LIGHTING EXTERIOR



B3251 S WALL

8"W 10¾"H 9½"P 5½" TCD

MM: 203 W 273 H 241 P 140 TCD

1 - 100W MED

B3252 M WALL

10"W 13½"H 11¾"P 6¾" TCD

MM: 254 W 343 H 298 P 171 TCD

1 - 100W MED

B3253 L WALL

12"W 16"H 14"P 8" TCD

MM: 305 W 406 H 356 P 203 TCD

1 - 100W MED



F3257 L PENDANT

12"W 14¾"H

MM: 305 W 375 H

1 - 100W MED



P3255 L POST

12"W 17¼"H

MM: 305 W 438 H

1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Opal White

FINISH

Antique Brass

ENVIRONMENTAL SERIES

See page 167



TROY LIGHTING EXTERIOR



METALWORK

Solid Brass

GLASSWARE

Clear

FINISH

EB English Bronze

B9492EB S POCKET

7½"W 13¾"H 4¼"P 8"TCD

MM 191 W 349 H 108 P 203 TCD

2 - 60W CAND

B9494EB M POCKET

11¼"W 20¼"H 6¼"P 11½"TCD

MM 286 W 514 H 159 P 292 TCD

2 - 60W CAND

B9490EB S WALL

7½"W 16¼"H 8½"P 10¼"TCD

MM 191 W 413 H 216 P 260 TCD

2 - 60W CAND

B9491EB S WALL

7½"W 22½"H 8"P 15"TCD

MM 191 W 572 H 203 P 381 TCD

2 - 60W CAND

B9493EB M WALL

11¼"W 30½"H 11½"P 21½"TCD

MM 286 W 775 H 292 P 546 TCD

3 - 60W CAND

B9495EB L WALL

14"W 37"H 14½"P 25¾"TCD

MM 356 W 940 H 368 P 654 TCD

4 - 60W CAND

F9498EB M PENDANT

11¼"W 21"H

MM 286 W 533 H

3 - 60W CAND

F9499EB L PENDANT

14"W 26"H

MM 356 W 660 H

4 - 60W CAND

P9496EB M POST

11¼"W 25"H

MM 286 W 635 H

3 - 60W CAND

P9497EB L POST

14"W 29"H

MM 356 W 737 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR

**B1381EB S WALL**

6½"W 14"H 7¼"P 2½" TCD

MM 165 W 356 H 184 P 64 TCD

1 - 100W MED

**B1382EB M WALL**

9¼"W 18½"H 10"P 2¾" TCD

MM 235 W 470 H 254 P 70 TCD

3 - 60W CAND

**F1386EB M PENDANT**

9¼"W 18½"H

MM 235 W 470 H

3 - 60W CAND

**B1383EB L WALL**

12"W 25"H 12¾"P 4½" TCD

MM 305 W 635 H 324 P 114 TCD

4 - 60W CAND

F1387EB L PENDANT

12"W 25"H

MM 305 W 635 H

4 - 60W CAND

P1384EB M POST

9¼"W 21¼"H

MM 235 W 540 H

3 - 60W CAND

P1385EB L POST

12"W 26"H

MM 305 W 660 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Clear Seeded

FINISH**EB** English Bronze



TROY LIGHTING EXTERIOR



B9501HB M WALL

8½"W 15"H 4"P 7½" TCD ADA
MM 216 W 381 H 102 P 191 TCD
1 - 60W CAND



B9502HB L WALL

12"W 20"H 5"P 9¾" TCD
MM 305 W 508 H 127 P 248 TCD
2 - 60W CAND

METALWORK

Solid Brass

GLASSWARE

Antique Clear

FINISH

HB Heritage Bronze



TROY LIGHTING EXTERIOR



B3420 S TALL WALL

5¼"W 13"H 3¾"P 7"TCO ADA
MM: 133 W 330 H 95 P 178 TCO
1 - 60W CAND



B3421 S WALL

7¼"W 12¾"H 4"P 7"TCO ADA
MM: 184 W 324 H 102 P 178 TCO
1 - 60W CAND



B3422 M WALL

9¼"W 16¼"H 4¼"P 9"TCO
MM: 235 W 413 H 108 P 229 TCO
2 - 60W CAND



B3423 L WALL

11¼"W 19¾"H 5¼"P 9¾"TCO
MM: 286 W 502 H 133 P 248 TCO
3 - 60W CAND

METALWORK

Solid Brass

GLASSWARE


Clear Seeded

FINISH

Heirloom Brass



MADE IN USA



TROY LIGHTING EXTERIOR



B3261 S WALL

8"W 8"H 3"P 4" TCD ADA
MM: 203 W 203 H 76 P 102 TCD
1 - 40W CAND



B3262 M WALL

10"W 10"H 3½"P 5" TCD ADA
MM: 254 W 254 H 89 P 127 TCD
2 - 40W MED



B3263 L WALL

13"W 13"H 4½"P 6½" TCD
MM: 330 W 330 H 114 P 165 TCD
2 - 60W MED

APPLICATIONS

Wall or Ceiling Mount

METALWORK

Solid Brass

GLASSWARE

Frosted Pressed Prismatic

FINISH

Marine Bronze



TROY LIGHTING EXTERIOR



B9461NB **S** WALL

7½"W 15½"H 8"P 2½" TCD
MM 191 W 394 H 203 P 64 TCD
1 - 60W CAND



B9462NB **M** WALL

8¾"W 18½"H 9"P 2¾" TCD
MM 222 W 470 H 229 P 70 TCD
2 - 60W CAND

B9463NB **L** WALL

10"W 21"H 11½"P 2½" TCD
MM 254 W 533 H 292 P 64 TCD
3 - 60W CAND



F9466NB **M** PENDANT

8¾"W 18"H
MM 222 W 457 H
2 - 60W CAND

F9467NB **L** PENDANT

10"W 21½"H
MM 254 W 546 H
3 - 60W CAND



P9465NB **L** POST

10"W 20¼"H
MM 254 W 514 H XX P
3 - 60W CAND

PM9468-OWINGS POST ONLY

3"W 96"H
MM 76 W 2438 H



P9464NB **M** DOUBLE POST

21"W 17¾"H 8¾"D
MM 533 W 451 H 222 D
4 - 60W CAND

PM9468-OWINGS POST ONLY

3"W 96"H
MM 76 W 2438 H

METALWORK


Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

NB Natural Bronze



TROY LIGHTING EXTERIOR



B3221 **M** WALL

13"W 13"H 13½"P 3" TCD
MM: 330 W 330 H 343 P 76 TCD
1 - 60W MED TORPEDO

B3222 **L** WALL

16¼"W 15½"H 16¾"P 3½" TCD
MM: 413 W 394 H 425 P 89 TCD
1 - 100W MED
OPTIONAL EARLY ELECTRIC LAMPS SHOWN



F3228 **M** PENDANT

13"W 20½"H 62½" MAX HT
MM: 330 W 521 H 1588 MAX HT
1 - 60W MED

F3229 **L** PENDANT

16¼"W 22¾"H 64¾" MAX HT
MM: 413 W 578 H 1645 MAX HT
1 - 100W MED
OPTIONAL EARLY ELECTRIC LAMPS SHOWN
PENDANTS INCLUDE 1-6", 2-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457

METALWORK

Hand-Forged Iron

GLASSWARE

Historic Clear Jar

FINISH

Centennial Rust

LB60-6 Six-pack 60W Med
Base Early Electric Lamps



Incandescent
Dark Sky Qualified



TROY LIGHTING EXTERIOR



B9441NB S WALL

7½"W 13½"H 8¾"P 6"TCD
MM 191 W 343 H 222 P 152 TCD
1 - 100W MED



B9442NB M WALL

10½"W 18¾"H 11¾"P 8¾"TCD
MM 267 W 464 H 298 P 210 TCD
3 - 60W CAND

B9443NB L WALL

12¾" 21¼"H 14¼"P 11½"TCD
MM 324 W 540 H 362 P 292 TCD
4 - 60W CAND



F9446NB L PENDANT

12¾"W 23½"H
MM 324 W 597 H
4 - 60W CAND



P9444NB M POST

10½"W 17"H
MM 267 W 432 H
3 - 60W CAND

P9445NB L POST

12¾"W 19"H
MM 324 W 483 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

NB Natural Bronze



TROY LIGHTING EXTERIOR



B3311 S WALL

5¼"W 9½"H 7¼"P 2¾"TCO
MM: 133 W 241 H 184 P 70 TCO
1 - 100W MED



B3312 M WALL

8¼"W 15"H 11"P 4"TCO
MM: 210 W 381 H 279 P 102 TCO
3 - 60W CAND

B3313 L WALL

10¼"W 19½"H 14¼"P 6½"TCO
MM: 260 W 495 H 362 P 165 TCO
4 - 60W CAND
OPTIONAL EARLY ELECTRIC LAMPS SHOWN



B3315 M EXTENDED WALL

8¼"W 15"H 22¼"P 4"TCO
MM: 210 W 381 H 565 P 102 TCO
3 - 60W CAND
OPTIONAL EARLY ELECTRIC LAMPS SHOWN



C3310 CEILING

15"W 7¾"H
MM 381 W 197 H
2 - 60W MED
OPTIONAL EARLY ELECTRIC LAMPS SHOWN



F3317 M PENDANT

8¼"W 16¾"H
MM: 210 W 425 H
3 - 60W CAND



P3316 M POST

8¼"W 19¼"H
MM: 210 W 489 H
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152
OPTIONAL EARLY ELECTRIC LAMPS SHOWN

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

Barbosa Bronze

ENVIRONMENTAL SERIES

See page 153

LAMP INFORMATION

LB40-12 Twelve-pack 40W
Cand-Base Early Electric Lamps

LB60-6 Six-pack 60W Med
Base Early Electric Lamps



TROY LIGHTING EXTERIOR



B1460AI **S** WALL

5¼"W 11½"H 6½"P 4½" TCD

MM 133 W 292 H 165 P 114 TCD

1 - 100W MED



B1461AI **S** WALL

5¼"W 15¾"H 8"P 3" TCD

MM 133 W 400 H 203 P 76 TCD

1 - 100W MED

B1462AI **M** WALL

7"W 20¾"H 9¾"P 5½" TCD

178 W 527 H 248 P 140 TCD

1 - 100W MED

B1463AI **L** WALL

9"W 24"H 12"P 6½" TCD

MM 229 W 610 H 305 P 165 TCD

1 - 100W MED



F1467AI **M** PENDANT

7"W 16"H

MM 178 W 406 H

1 - 100W MED

F1468AI **L** PENDANT

9"W 18½"H

MM 229 W 470 H

1 - 100W MED



P1464AI **M** POST

7"W 18"H

MM 178 W 457 H

1 - 100W MED

P1465AI **L** POST

9"W 21"H

MM 229 W 533 H

1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Ivory Seeded

FINISH

AI Antique Iron



**BCD8970NB S** WALL

6¾"W 15¼"H 8½"P 8¾"TCD
 MM 171 W 387 H 216 P 222 TCD
 1 - 100W MED

**BCD8971NB M** WALL

8½"W 22¾"H 11½"P 11"TCD
 MM 216 W 578 H 292 P 279 TCD
 3 - 60W CAND

**BCD8974NB L** WALL

11½"W 30¼"H 15¼"P 14"TCD
 MM 292 W 768 H 387 P 356 TCD
 4 - 60W CAND

**FCD8973NB M** PENDANT

8½"W 19½"H
 MM 216 W 495 H
 1 - 100W MED

**PCD8972NB M** POST

8½"W 21½"H
 MM 216 W 546 H
 1 - 100W MED
 POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

NB Natural Bronze

ENVIRONMENTAL SERIES

See page 158



TROY LIGHTING EXTERIOR



METALWORK

Solid Brass

GLASSWARE

Clear Seeded

FINISH

NR Natural Rust

B1278NR **M** POCKET

10"W 15½"H 4¼"P 10¼" TCD

MM 254 W 394 H 108 P 260 TCD

1 - 60W MED

B1279NR **L** POCKET

13"W 20"H 5½"P 13" TCD

MM 330 W 508 H 140 P 330 TCD

2 - 60W CAND

B1271NR **M** WALL

10"W 30¾"H 13½"P 13¾" TCD

254 W 781 H 343 P 349 TCD

2 - 60W CAND

B1272NR **L** WALL

13"W 37¾"H 16½"P 16½" TCD

MM 330 W 959 H 419 P 419 TCD

3 - 60W CAND

B1273NR **XL** WALL

15"W 46"H 19"P 21" TCD

MM 381 W 1168 H 483 P 533 TCD

4 - 60W CAND

F1276NR **L** PENDANT

13"W 27"H

MM 330 W 686 H

3 - 60W CAND

F1277NR **XL** PENDANT

15"W 32½"H

MM 381 W 826 H

4 - 60W CAND

P1274NR **L** POST

13"W 28"H

MM 330 W 711 H

3 - 60W CAND

P1275NR **XL** POST

15"W 32½"H

MM 381 W 826 H

4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



C23700I CEILING

13"W 5¾"H
MM 330 W 146 H
2 - 60W MED

METALWORK
Hand-Forged Iron

GLASSWARE
Clear Seeded

FINISH
OI Old Iron

ENVIRONMENTAL SERIES
See page 164



B23710I S WALL

7½"W 14½"H 6¼"P 11" TCD
MM 191 W 368 H 159 P 279 TCD
1 - 60W MED



B23720I S WALL

8¾"W 15¼"H 9½"P 4" TCD
MM 222 W 387 H 241 P 102 TCD
1 - 60W MED

B23730I M WALL

10½"W 20½"H 12¾"P 5" TCD
MM 267 W 521 H 324 P 127 TCD
3 - 60W CAND

B23740I L WALL

13½"W 25¾"H 18½"P 8½" TCD
MM 343 W 654 H 470 P 216 TCD
4 - 60W CAND



F23770I M PENDANT

11¾"W 20"H
MM 298 W 508 H
3 - 60W CAND

F23780I L PENDANT

14¼"W 25¼"H
MM 362 W 641 H
4 - 60W CAND



P23750I M POST

11¾"W 23"H
MM 298 W 584 H
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



B5001CB **S** WALL

8"W 17"H 10¼"P 9½"TC
MM 203 W 432 H 260 P 241 TCD
1 - 60W MED



B5002CB **M** WALL

11"W 22¼"H 13¾"P 13½"TC
MM 279 W 565 H 349 P 343 TCD
2 - 60W CAND

B5003CB **L** WALL

13¾"W 28¼"H 17"P 15"TC
MM 349 W 718 H 432 P 381 TCD
3 - 60W CAND



B5004CB **XL** WALL

16¾"W 35½"H 20½"P 20½"TC
MM 425 W 902 H 521 P 521 TCD
4 - 60W CAND

F5008CB **L** PENDANT

13¾"W 23½"H
MM 349 W 597 H
3 - 60W CAND

F5009CB **XL** PENDANT

16¾"W 27½"H
MM 425 W 699 H
4 - 60W CAND



P5006CB **L** POST

14"W 24"H
MM 356 W 610 H
3 - 60W CAND

P5007CB **XL** POST

16¾"W 28"H
MM 425 W 711 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK


Hand-Forged Iron
and Aluminum

GLASSWARE

Clear Seeded

FINISH

CB Campanile Bronze



TROY LIGHTING EXTERIOR



C9900CG LARGE CEILING

14"W 8½"H
MM 356 W 216 H
2 - 60W MED

C9909CG XL CEILING

18"W 10¾"H
MM 457 W 273 H
3 - 60W MED

METALWORK

Hand-Forged Iron

GLASSWARE

Champagne Mist

FINISH

CG Charred Gold

ENVIRONMENTAL SERIES

See page 160



B9901CG **S** WALL

6½"W 16"H 9½"P 9" TCD
MM 165 W 406 H 241 P 229 TCD
1 - 100W MED

B9902CG **M** WALL

9½"W 20"H 12"P 13" TCD
MM 241 W 508 H 305 P 330 TCD
3 - 60W CAND

B9903CG **L** WALL

12½"W 27"H 15½"P 16" TCD
MM 318 W 686 H 394 P 406 TCD
4 - 60W CAND



F9907CG **M** PENDANT

9½"W 23"H
MM 241 W 584 H
3 - 60W CAND

F9908CG **L** PENDANT

12½"W 27½"H
MM 318 W 699 H
4 - 60W CAND



P9905CG **M** POST

9½"W 23"H
MM 241 W 584 H
3 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



METALWORK
Hand-Forged Iron
GLASSWARE
Clear Seeded
FINISH
OBZ Old Bronze



B96300BZ **S** WALL

7½"W 15½"H 9¼"P 5¾"TCD
MM 191 W 394 H 235 P 146 TCD
1 - 100W MED



B96310BZ **S** WALL

7½"W 21"H 9¾"P 19"TCD
MM 191 W 533 H 248 P 483 TCD
1 - 100W MED

B96320BZ **M** WALL

10"W 28¼"H 10"P 26¼"TCD
MM 254 W 718 H 254 P 667 TCD
3 - 60W CAND

B96330BZ **L** WALL

13½"W 35½"H 16"P 33½"TCD
MM 343 W 902 H 406 P 851 TCD
4 - 60W CAND



F96350BZ **L** PENDANT

13½"W 27¼"H
MM 343 W 692 H
4 - 60W CAND



P96360BZ **M** POST

10"W 29¼"H
MM 254 W 743 H
3 - 60W CAND

P96340BZ **L** POST

13½"W 34"H
MM 343 W 864 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152



TROY LIGHTING EXTERIOR



BCD91200BZ **S** WALL

6"W 12¼"H 7"P 7¾" TCD
MM 152 W 311 H 178 P 197 TCD
1 - 100W MED



BCD91210BZ **M** WALL

6"W 19"H 8"P 5½" TCD
MM 152 W 483 H 203 P 140 TCD
1 - 100W CAND

BCD91220BZ **L** WALL

10"W 30¼"H 12¼"P 6¼" TCD
MM 254 W 768 H 311 P 159 TCD
4 - 60W CAND



FCD91240BZ **L** PENDANT

10"W 25"H
MM 254 W 635 H
4 - 60W CAND



PCD91230BZ **L** POST

10"W 26¾"H
MM 254 W 679 H
4 - 60W CAND
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

OBZ Old Bronze

ENVIRONMENTAL SERIES

See page 166



TROY LIGHTING EXTERIOR



BCD90100BZ **M** WALL

9½"W 20½"H 11"P 10½" TCD
MM 241 W 521 H 279 P 267 TCD
1 - 60W CAND



BCD90110BZ **L** WALL

16"W 26½"H 18½"P 14½" TCD
MM 406 W 673 H 470 P 368 TCD
1 - 100W MED



FCD90130BZ **L** PENDANT

16"W 26½"H
MM 406 W 673 H
1 - 100W MED

FCD90140BZ **XL** PENDANT

20"W 30"H
MM 508 W 762 H
1 - 100W MED



PCD90120BZ **L** POST

16"W 27"H
MM 406 W 686 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded (CD)

FINISH

OBZ Old Bronze



TROY LIGHTING EXTERIOR



B9250NB **S** WALL

6"W 11¼"H 7½"P 2½" TCD
MM 152 W 286 H 191 P 64 TCD
1 - 100W MED



B9253NB **M** WALL

8½"W 16½"H 10½"P 4½" TCD
MM 216 W 419 H 267 P 114 TCD
1 - 100W MED



C9251NB CEILING

13 ½"W 6 ¼"H
MM 343 W 159 H
2 - 60W MED



F9255NB **M** PENDANT

8½"W 17½"H
MM 216 W 445 H
1 - 100W MED



P9252NB **M** POST

8½"W 20"H
MM 216 W 508 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Seeded Amber Etched

FINISH

NB Natural Bronze





B3271 S WALL

6¼"W 10½"H 3¼"P 5¼" TCD ADA
MM: 159 W 267 H 83 P 133 TCD
1 - 60W CAND



B3272 M WALL

8¾"W 14¼"H 4½"P 7¼" TCD
MM: 222 W 362 H 114 P 184 TCD
2 - 40W CAND



B3273 L WALL

11¼"W 18¼"H 5½"P 9¼" TCD
MM: 286 W 464 H 140 P 235 TCD
2 - 60W MED

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Silver Mica

FINISH

Copper Mountain Bronze



TROY LIGHTING EXTERIOR



B2601 M WALL

5"W 17½"H 6"P 10½" TCD

MM: 127 W 445 H 152 P 267 TCD

1 - 60W MED



B2603 L WALL

5"W 26"H 6"P 13½" TCD

MM: 127 W 660 H 152 P 343 TCD

1 - 60W MED

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal

FINISH

Sapporo Silver

ENVIRONMENTAL SERIES

See page 168



TROY LIGHTING EXTERIOR



B1853BB **M** WALL

5¾"W 16½"H 3½"P 6¼"TCO ADA
MM 146 W 419 H 89 P 159 TCO
1 - 50W GU10

 Incandescent Dark Sky
Full Cut-Off



B1851BB **M** WALL

5½"W 14"H 5¾"P 7"TCO
MM 140 W 356 H 146 P 178 TCO
1 - 60W MED



B1852BB **L** WALL

5½"W 19"H 5¾"P 9½"TCO
MM 140 W 483 H 146 P 241 TCO
1 - 60W MED

METALWORK

Hand-Forged Iron

GLASSWARE

Bamboo Glass

FINISH

BB Bamboo Bronze with
Natural Slate

ENVIRONMENTAL SERIES

See page 153



TROY LIGHTING EXTERIOR



B3301 **S** WALL

7¼"W 11"H 4"P 5½" TCD ADA
MM: 184 W 279 H 102 P 140 TCD
1 - 60W CAND

B3302 **M** WALL

9"W 13¾"H 5"P 7" TCD
MM: 229 W 349 H 127 P 178 TCD
1 - 60W MED

B3303 **L** WALL

11"W 17"H 5¾"P 6¾" TCD
MM: 279 W 432 H 146 P 171 TCD
2 - 60W MED

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal

FINISH

Forged Iron

ENVIRONMENTAL SERIES

See page 169



TROY LIGHTING EXTERIOR



B4017FI S WALL

4½"W 13"H 4"P 6½" TCD ADA
MM 114 W 330 H 102 P 165 TCD
1 - 60W MED

B4016FI M WALL

4½"W 15"H 5"P 6" TCD
MM 114 W 381 H 127 P 152 TCD
1 - 100W MED

B4015FI L WALL

4¾"W 20½"H 5¾"P 9½" TCD
MM 121 W 521 H 146 P 241 TCD
1 - 100W MED



F4018FI M PENDANT

6½"W 16"H 65¾" MAX HT
MM 165 W 406 H 1670 MAX HT
1 - 100W MED

F4019FI L PENDANT

7"W 20½"H 70¼" MAX HT
MM 178 W 521 H 1784 MAX HT
1 - 100W MED

PENDANTS INCLUDE 1-6", 2-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal

FINISH

FI Forged Iron

ENVIRONMENTAL SERIES

See page 155



**BL3341 S** WALL

6"W 13½"H 2"P 6¾" TCD ADA
 MM: 152 W 343 H 51 P 171 TCD
 8-1.2W LED LIGHT ENGINE - DIMMABLE
 (12W TOTAL CONSUMPTION)

BZ Bronze**BL3342 M** WALL

7"W 16½"H 2"P 8¼" TCD ADA
 MM: 178 W 419 H 51 P 210 TCD
 12-1.2W LED LIGHT ENGINE - DIMMABLE
 (17W TOTAL CONSUMPTION)

SA Satin Aluminum**BL3343 L** WALL

8"W 20"H 2"P 10" TCD ADA
 MM: 203 W 508 H 51 P 254 TCD
 16-1.2W LED LIGHT ENGINE - DIMMABLE
 (22W TOTAL CONSUMPTION)

WT Satin White**METALWORK**

Aluminum

DIFFUSER

Frosted White Acrylic

FINISH**SA** Satin Aluminum**BZ** Bronze**WT** Satin White


Available with **Coastal** finish
 option. Add -C suffix after finish.
 Two year limited finish warranty.

Specify finish after catalog
 number, i.e., BL3342**BZ-C**

ENVIRONMENTAL SERIES

See page 157

**MADE IN USA**



TROY LIGHTING EXTERIOR



Reversible for Left / Right applications

BL3381 **S** WALL

4½"W 15"H 4"P 7½"TCO ADA
MM: 114 W 381 H 102 P 191 TCO
8-1.2W LED LIGHT ENGINE - DIMMABLE
(12W TOTAL CONSUMPTION)

BL3382 **M** WALL

4½"W 19"H 4"P 9½"TCO ADA
MM: 114 W 483 H 102 P 241 TCO
8-1.2W LED LIGHT ENGINE - DIMMABLE
(12W TOTAL CONSUMPTION)



BL3383 **M** WALL

7½"W 15"H 4"P 7½"TCO ADA
MM: 191 W 381 H 102 P 191 TCO
16-1.2W LED LIGHT ENGINE - DIMMABLE
(22W TOTAL CONSUMPTION)

BL3384 **L** WALL

7½"W 19"H 4"P 9½"TCO ADA
MM: 191 W 483 H 102 P 241 TCO
16-1.2W LED LIGHT ENGINE - DIMMABLE
(22W TOTAL CONSUMPTION)

METALWORK

Aluminum

FINISH

BZ Bronze

WT Satin White

Available with **Coastal** finish option. Add -C suffix after finish.
Two year limited finish warranty.

Specify finish after catalog number, i.e., BL3383**BZ-C**

ENVIRONMENTAL SERIES

See page 163



MADE IN USA



TROY LIGHTING EXTERIOR



BL3401 S WALL

4½"W 15"H 3½"P 10"TCD ADA
MM: 114 W 381 H 89 P 254 TCD
8-1.2W LED LIGHT ENGINE - DIMMABLE
(12W TOTAL CONSUMPTION)



BL3402 M WALL

4½"W 19½"H 3¾"P 13½"TCD ADA
MM: 114 W 495 H 95 P 343 TCD
16-1.2W LED LIGHT ENGINE - DIMMABLE
(22W TOTAL CONSUMPTION)



BL3403 L WALL

4½"W 25¼"H 4¾"P 17"TCD
MM: 114 W 641 H 121 P 432 TCD
16-1.2W LED LIGHT ENGINE - DIMMABLE
(22W TOTAL CONSUMPTION)

METALWORK

Aluminum

FINISH

BZ Bronze

WT Satin White

Available with **Coastal** finish option. Add -C suffix after finish.
Two year limited finish warranty.

Specify finish after catalog number, i.e., BL3403**BZ-C**

ENVIRONMENTAL SERIES

See page 159



MADE IN USA



TROY LIGHTING EXTERIOR



BA Brushed Aluminum



ARB Architectural Bronze

B6061 M WALL

5½"W 11"H 6"P 5¾" TCD

MM 140 W 279 H 152 P 146 TCD

1 - 100W MED

B6062 L WALL

5½"W 16¼"H 6"P 8½" TCD

MM 140 W 413 H 152 P 216 TCD

1 - 100W MED



F6067 M PENDANT

6½"W 10¾"H 60½" OAH

MM 165 W 273 W 1537 OAH

1 - 100W MED

PENDANTS INCLUDE 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY. MM 1-152, 2-305, 1-457



P6066 M POST

6½"W 15¼"H

MM 165 W 387 H

1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Aluminum

GLASSWARE

Matte Opal

FINISH

ARB Architectural Bronze

BA Brushed Aluminum

Specify finish after catalog number, i.e., B6062**BA**

ENVIRONMENTAL SERIES

See page 171



TROY LIGHTING EXTERIOR



B2731 S WALL

6¾"W 10"H 4"P 5" TCD ADA
MM 171 W 254 H 102 P 127 TCD
1 - 60W CAND



B2732 M WALL

9¾"W 14"H 5"P 7" TCD
MM 248 W 356 H 127 P 178 TCD
2 - 60W MED



B2733 L WALL

13½"W 18¼"H 6¾"P 9½" TCD
MM 343 W 464 H 171 P 241 TCD
2 - 60W MED

METALWORK

Hand-Worked Wrought Iron

SHADE

Satin Stainless Steel

GLASSWARE

Opal White

FINISH


Graphite

ENVIRONMENTAL SERIES

See page 158



TROY LIGHTING EXTERIOR




BL3361 **S** WALL

7½"W 11¾"H 2½"P 5¾"TCD ADA
MM: 191 W 298 H 64 P 146 TCD
8-1.2W LED LIGHT ENGINE - DIMMABLE
(12W TOTAL CONSUMPTION)



BL3362 **M** WALL

9"W 16½"H 2½"P 8¾"TCD ADA
MM: 229 W 419 H 64 P 210 TCD
12-1.2W LED LIGHT ENGINE - DIMMABLE
(17W TOTAL CONSUMPTION)



METALWORK

Aluminum

FINISH

SA Satin Aluminum with
Iridescent White Glass

BZ Bronze with Iridescent
Honey Glass

Available with **Coastal** finish
option. Add -C suffix after finish.
Two year limited finish warranty.

Specify finish after catalog
number, i.e., B3362**BZ-C**

ENVIRONMENTAL SERIES

See page 156



MADE IN USA

BL3363 **L** WALL

10"W 21¼"H 2½"P 10½"TCD ADA
MM: 254 W 540 H 64 P 267 TCD
16-1.2W LED LIGHT ENGINE - DIMMABLE
(22W TOTAL CONSUMPTION)



TROY LIGHTING EXTERIOR



B3161 **S** WALL

4½"W 12"H 4"P 6" TCD ADA

MM: 114 W 305 H 102 P 152 TCD

1 - 60W MED



B3162 **M** WALL

6"W 12"H 4"P 6" TCD ADA

MM: 152 W 305 H 102 P 152 TCD

1 - 60W MED



B3163 **L** WALL

8"W 16"H 5"P 8" TCD

MM: 203 W 406 H 127 P 203 TCD

2 - 60W MED

METALWORK

Hand-Forged Iron

GLASSWARE

Marbled Honey

FINISH

Painted Bronze Leaf

ENVIRONMENTAL SERIES

See page 169



TROY LIGHTING EXTERIOR



B1351FBZ **M** WALL

9"W 12"H 4½"P 6" TCD

MM 229 W 305 H 114 P 152 TCD

2 - 60W CAND

B1352FBZ **L** WALL

13½"W 15¼"H 6"P 7¼" TCD

MM 343 W 387 H 152 P 184 TCD

2 - 60W MED



F1357FBZ **M** PENDANT

9¾"W 12"H 61½" MAX HEIGHT

MM 248 W 305 H 1562 MAX HEIGHT

1 - 100W MED

F1358FBZ **L** PENDANT

13½"W 15¼"H 65" MAX HEIGHT

MM 343 W 387 H 1651 MAX HEIGHT

3 - 60W CAND

PENDANTS INCLUDE 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.

MM 1-152, 2-305, 1-457



C1350FBZ CEILING

15"W 7"H

MM 381 W 178 H

2 - 60W MED

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal / Clear Seeded

FINISH

FBZ Forged Bronze

ENVIRONMENTAL SERIES

See page 154



TROY LIGHTING EXTERIOR

**B5011FI S WALL**

6¾"W 14"H 3½"P 7" TCD ADA
MM 171 W 356 H 89 P 178 TCD
2 - 60W MED

**B5012FI M WALL**

6¾"W 17"H 3½"P 8½" TCD ADA
MM 171 W 432 H 89 P 216 TCD
2 - 60W MED

B5013FI L WALL

6¾"W 21"H 3½"P 10¼" TCD ADA
MM 171 W 533 H 89 P 260 TCD
3 - 60W MED

**C5010FI M CEILING**

7¼"W 8¾"H
MM 184 W 222 H
1 - 100W MED

**F5014FI M PENDANT**

7½"W 12"H
MM 191 W 305 H
1 - 100W MED

**P5015FI M POST**

7½"W 15¾"H
MM 191 W 400 H
1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Worked Wrought Iron

GLASSWARE

White Art Glass

FINISH

FI French Iron



TROY LIGHTING EXTERIOR



B9471FBK S WALL

7"W 14½"H 4"P 9¾" TCD ADA
MM 178 W 368 H 102 P 248 TCD
1 - 60W CAND



B9472FBK M WALL

10"W 20½"H 5½"P 14¼" TCD
MM 254 W 521 H 140 P 362 TCD
2 - 60W CAND

B9473FBK L WALL

12"W 24½"H 6½"P 17¼" TCD
MM 305 W 622 H 165 P 438 TCD
3 - 60W CAND

WALL FIXTURES INCLUDE

MIRROR BACKPLATE



F9476FBK M PENDANT

10"W 21"H
MM 254 W 533 H
3 - 60W CAND

F9477FBK L PENDANT

12"W 25¾"H
MM 305 W 654 H
4 - 60W CAND



P9474FBK M POST

10"W 23½"H
MM 254 W 597 H
3 - 60W CAND

P9475FBK L POST

12"W 28¾"H
MM 305 W 730 H
4 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Heritage Seeded

FINISH

FBK Forged Black

STATION SQUARE

124



TROY LIGHTING EXTERIOR



B1411NR S WALL

7"W 13¾"H 8"P 8½" TCD
MM 178 W 349 H 203 P 216 TCD
1 - 100W MED



B1412NR M WALL

8¾"W 17¼"H 9½"P 10½" TCD
MM 222 W 438 H 241 P 267 TCD
1 - 100W MED

B1413NR L WALL

11½"W 22"H 12½"P 13" TCD
MM 292 W 559 H 318 P 330 TCD
1 - 100W MED



F1417NR M PENDANT

8¾"W 19½"H
MM 222 W 495 H
1 - 100W MED

F1418NR L PENDANT

11½"W 24"H
MM 292 W 610 H
1 - 100W MED



P1414NR M POST

8¾"W 19½"H
MM 222 W 495 H
1 - 100W MED

P1415NR L POST

11½"W 24"H
MM 292 W 610 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

NR Natural Rust



TROY LIGHTING EXTERIOR



B1881HPB S WALL

5¼"W 15¼"H 7"P 7¾" TCD

MM 133 W 387 H 178 P 197 TCD

1 - 60W MED



B1882HPB M WALL

6½"W 19¾"H 8½"P 9¾" TCD

MM 165 W 502 H 216 P 248 TCD

1 - 100W MED

B1883HPB L WALL

8"W 24"H 10½"P 12" TCD

MM 203 W 610 H 267 P 305 TCD

1 - 100W MED



F1887HPB S PENDANT

5¼"W 12½"H

MM 133W 318 H

1 - 60W MED

F1888HPB M PENDANT

6½"W 16¼"H

MM 165 W 413 H

1 - 100W MED



P1885HPB M POST

6½"W 18¼"H

MM 165 W 464 H

2 - 60W CAND

P1886HPB L POST

8"W 21½"H

MM 203 W 546 H

3 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

HPB Hyannis Port Bronze



TROY LIGHTING EXTERIOR



B1871BB **S** WALL

9"W 11¼"H 10"P 5½" TCD
MM 229 W 286 H 254 P 140 TCD
1 - 60W MED

B1872BB **M** WALL

10¼"W 13½"H 11½"P 5½" TCD
MM 260 W 343 H 292 P 140 TCD
1 - 100W MED

B1873BB **L** WALL

12½"W 16¼"H 13¾"P 6¾" TCD
MM 318 W 413 H 349 P 171 TCD
1 - 100W MED



F1877BB **M** PENDANT

10¼"W 12"H
MM 260 W 305 H
1 - 100W MED

F1878BB **L** PENDANT

12½"W 14¾"H
MM 318 W 375 H
1 - 100W MED



P1875BB **M** POST

10¼"W 13½"H
MM 260 W 343 H
1 - 100W MED

P1876BB **L** POST

12½"W 16¾"H
MM 318 W 425 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged Iron

GLASSWARE

Clear Seeded

FINISH

BB Boston Bronze w/
Rust Accents



TROY LIGHTING EXTERIOR



B1865NR S WALL

5½"W 12"H 7"P 2½" TCD
MM 140 W 305 H 178 P 64 TCD
1 - 60W MED



B1866NR M WALL

6¾"W 14½"H 8¼"P 2½" TCD
MM 171 W 368 H 210 P 64 TCD
1 - 100W MED



F1860NR S PENDANT

5½"W 9½"H 59" MAX HT
MM 140 W 241 H 1498 MAX HT
1 - 60W MED

F1862NR M PENDANT

6¾" 12"H 61½" MAX HT
MM 171 W 305 H 1562 MAX HT
1 - 100W MED
PENDANTS INCLUDE 1-6", 2-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457



C1863NR S CEILING

5½"W 12½"H
MM 140 W 318 H
1 - 60W MED

C1864NR M CEILING

6¾"W 15"H
MM 171 W 381 H
1 - 100W MED

METALWORK


Cast Aluminum

GLASSWARE

Clear Seeded

FINISH

NR Nautical Rust



TROY LIGHTING EXTERIOR



B2941 **S** WALL

6½"W 13¼"H 8"P 2½" TCD
MM: 165 W 337 H 203 P 64 TCD
1 - 60W MED



B2942 **M** WALL

10"W 19"H 11½"P 3" TCD
MM: 254 W 483 H 292 P 76 TCD
1 - 100W MED



F2946 **S** PENDANT

6½"W 11¾"H 60¾" MAX HT
MM 165 W 298 H 1543 MAX HT
1 - 60W MED

F2947 **M** PENDANT

10"W 17"H 66" MAX HT
MM 254 W 432 H 1676 MAX HT
1 - 100W MED
PENDANTS INCLUDE 1-6", 2-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457



F2948 ISLAND

48"L 10"W 17½"H 66½" MAX HT
MM: 1219 L 254 W 445 H 1689 MAX HT
3- 60W MED
INCLUDES 1-6", 2-12", 1-18" STEM AND
HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457

APPLICATIONS

Interior / Exterior

METALWORK

Wrought Iron and Aluminum

FINISH

Old Silver

ENVIRONMENTAL SERIES

See page 167



TROY LIGHTING EXTERIOR



B2300AB **S** WALL

9¼"W 11¼"H 9¾"P 2½" TCD
MM 235 W 286 H 248 P 64 TCD
1 - 60W MED TORPEDO

B2301AB **M** WALL

12¼"W 13"H 12½"P 2½" TCD
MM 311 W 330 H 318 P 64 TCD
1 - 60W MED



F2307AB **S** PENDANT

9¼"W 7¼"H 58¼" MAX HT
MM 235 W 184 H 1480 MAX HT
1 - 60W MED TORPEDO

F2308AB **M** PENDANT

12¼"W 8¾"H 59¾" MAX HT
MM 311 H 222 W 1518 MAX HT
1 - 60W MED
PENDANTS INCLUDE 1-6", 2-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 2-305, 1-457



B2303AB **M** EXTENDED WALL

12¼"W 14¾"H 22½"P 4½" TCD
MM 311 W 375 H 572 P 114 TCD
1 - 60W MED



P2305AB **M** POST

12¼"W 11½"H 17"P
MM 311 W 292 H 432 P
1 - 60W MED

PM9468-EDISON POST ONLY

3"W 96"H
MM 76 W 2438 H

METALWORK

Wrought Iron and Aluminum

GLASSWARE

Opal White

FINISH

AB Americana Bronze



TROY LIGHTING EXTERIOR



B2771 M WALL

11"W 14¾"H 12½"P 2½" TCD

MM: 279 W 375 H 318 P 64 TCD

1 - 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

B2772 L WALL

14"W 17¼"H 16¾"P 3" TCD

MM: 356 W 438 H 425 P 76 TCD

1 - 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

F2773 M PENDANT/SEMI-FLUSH

11"W 6¾"H 56" MAX HT

MM: 279 W 171 H 1422 MAX HT

1 - 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

F2774 L PENDANT/SEMI-FLUSH

14"W 6¾"H 56" MAX HT

MM: 356 W 171 H 1422 MAX HT

1 - 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

PENDANTS INCLUDE 1-6", 2-12", 1-18"

STEM AND HANG-STRAIGHT CANOPY.

MM 1-152, 2-305, 1-457

F2776 M ISLAND

51"L 14"W 10¼"H 59½" MAX HT

MM: 1295 L 356 W 260 H 1511 MAX HT

3- 100W MED

OPTIONAL EARLY ELECTRIC LAMPS SHOWN

INCLUDES 1-6", 2-12", 1-18" STEM AND

HANG-STRAIGHT CANOPY.

MM 1-152, 2-305, 1-457

APPLICATIONS

Interior / Exterior

METALWORK

Wrought Iron and Aluminum

FINISH

Old Silver



Incandescent

Dark Sky Qualified

LAMP INFORMATION

LB60-6 Six-pack 60W Med Base
Early Electric Lamps

CIRCA 1910

138



TROY LIGHTING EXTERIOR



B92700R M WALL

8¼"W 8¼"H 10"P 2½" TCD

MM 210 W 210 H 254 P 64 TCD

1 - 100W MED

B92710R L WALL

12"W 10"H 12½"P 2½" TCD

MM 305 W 254 H 318 P 64 TCD

1 - 100W MED



F92730R L PENDANT

12"W 9½"H 45½" MAX HT

MM 305 W 241 H 1041 MAX HT

1 - 100W MED

PENDANTS INCLUDE 1-6", 1-12", 1-18"

STEM AND HANG-STRAIGHT CANOPY.

MM 1-152, 1-305, 1-457

139



P92720R L POST

12"W 20½"H 17"P

MM 305 W 521 H 432 P

1 - 100W MED

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged and Cast Iron

FINISH

OR Old Rust



Incandescent

Dark Sky Qualified

SHOWN WITH GLOBE-STYLE

MEDIUM BASE BULB, NOT

INCLUDED.





OG Old Galvanized



OR Old Rust

B9390 **S** WALL

9¾"W 10¼"H 10½"P 2½" TCD
MM 248 W 260 H 267 P 64 TCD
1 - 60W MED

B9391 **M** WALL

13½"W 12"H 14"P 2½" TCD
MM 343 W 305 H 356 P 64 TCD
1 - 75W MED

B9392 **L** WALL

16½"W 14¼"H 18"P 2½" TCD
MM 419 W 362 H 457 P 64 TCD
1 - 100W MED



F9395 **S** PENDANT

9¾"W 6½"H 43" MAX HT
MM 248 W 165 H 1092 MAX HT
1 - 60W MED

F9396 **M** PENDANT

13½"W 8¼"H 45" MAX HT
MM 343 W 210 H 1143 MAX HT
1 - 75W MED

F9397 **L** PENDANT

16½"W 10¼"H 47" MAX HT
MM 419 W 260 H 1194 MAX HT
1 - 100W MED
PENDANTS INCLUDE 1-6", 1-12", 1-18"
STEM AND HANG-STRAIGHT CANOPY.
MM 1-152, 1-305, 1-457



P9393 **M** POST

13½"W 17"H 18"P
MM 343 W 432 H 457 P
1 - 75W MED

P9394 **L** POST

16½"W 20½"H 21"P
MM 419 W 521 H 533 P
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Hand-Forged and Cast Iron

GLASSWARE

Antique Pressed Prismatic

FINISH

OG Old Galvanized

OR Old Rust



Incandescent

Dark Sky Qualified

Specify finish after catalog
number, i.e., B9390**OR**





B9881SBZ **S** WALL

6½"W 14"H 6¾"P 3½" TCD
MM 165 W 356 H 171 P 89 TCD
1 - 100W MED



B9882SBZ **M** WALL

8"W 16"H 9"P 3¾" TCD
MM 203 W 406 H 229 P 95 TCD
1 - 100W MED

B9883SBZ **L** WALL

10"W 19¾"H 10¾"P 4" TCD
MM 254 W 502 H 273 P 102 TCD
1 - 100W MED



F9886SBZ **M** PENDANT

8"W 14¼"H
MM 203 W 362 H
1 - 100W MED

F9887SBZ **L** PENDANT

10"W 18¼"H
MM 254 W 464 H
1 - 100W MED



P9885SBZ **L** POST

10"W 19"H 15"P
MM 254 W 483 H 381 P
1 - 100W MED

PM9468-LUCERNE POST ONLY

3"W 96"H
MM 76 W 2438 H

METALWORK

Hand-Forged Iron

GLASSWARE

Iridescent Honey

FINISH

SBZ Statuary Bronze



TROY LIGHTING EXTERIOR



BIH69100B **M** WALL

8"W 12¾"H 9½"P 4¼" TCD
MM 203 W 324 H 241 P 108 TCD
1 - 100W MED



BIH69140B **L** WALL

10"W 15½"H 12"P 6½" TCD
MM 254 W 394 H 305 P 165 TCD
1 - 100W MED



FIH69130B **M** PENDANT

8"W 11"H
MM 203 W 279 H
1 - 100W MED



CIH69180B CEILING

13 ½"W 8 ½"H
MM 343 W 216 H
2 - 60W MED



PIH69110B **M** POST

8"W 14½"H
MM 203 W 368 H
1 - 100W MED

PIH69150B **L** POST

10"W 17¼"H
MM 254 W 438 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

METALWORK

Solid Brass

GLASSWARE

Iridescent Honey

FINISH

OB Oil Rubbed Bronze

ENVIRONMENTAL SERIES

See page 161



TROY LIGHTING EXTERIOR



B3081CB S WALL

7"W 15¼"H 9"P 8½"TCD
MM 178 W 387 H 229 P 216 TCD
1 - 60W MED



B3082CB M WALL

9"W 19¾"H 10¾"P 11¾"TCD
MM 229 W 502 H 273 P 298 TCD
1 - 100W MED

B3083CB L WALL

11½"W 24½"H 12¾"P 11½"TCD
MM 292 W 622 H 311 P 292 TCD
1 - 100W MED



C3080CB CEILING

13"W 6¼"H
MM 330 W 159 H
2 - 60W MED



F3086CB M PENDANT

9"W 19¾"H
MM 229 W 502 H
1 - 100W MED

F3087CB L PENDANT

11½"W 24½"H
MM 292 W 622 H
1 - 100W MED



P3084CB M POST

9"W 22"H
MM 229 W 559 H
1 - 100W MED

P3085CB L POST

11½"W 29"H
MM 292 W 737 H
1 - 100W MED
POST SOLD SEPARATELY, PG 151, 152

CONSTRUCTION

Composite

GLASSWARE

Clear Seeded
w/ Amber Scavo

FINISH

CB Cottage Bronze

ENVIRONMENTAL SERIES

See page 156



TROY LIGHTING EXTERIOR



ABZ Antique Bronze



BZ Bronze



BCD6890 S WALL

7½"W 13¾"H 9¼"P 6" TCD
MM 191 W 349 H 235 P 152 TCD
1 - 100W MED

BCD6891 L WALL

11½"W 22"H 14"P 7" TCD
MM 292 W 559 H 356 P 178 TCD
2 - 60W CAND

BCD6830 M WALL

7½"W 18"H 9"P 11½" TCD
MM 191 W 457 H 229 P 292 TCD
1 - 100W MED

BCD6831 L WALL

11½"W 25"H 13"P 19" TCD
MM 292 W 635 H 330 P 483 TCD
2 - 60W CAND

BCD6834 XL WALL

16"W 35"H 17"P 25" TCD
MM 406 W 889 H 432 P 635 TCD
3 - 60W CAND

BCD6836 XXL WALL

19"W 43½"H 21"P 31½" TCD
MM 483 W 1105 H 533 P 800 TCD
4 - 60W CAND

METALWORK

Cast Aluminum

GLASSWARE

Clear Seeded

FINISH

ABZ Antique Bronze

BZP Bronze Patina

BZ Bronze

MB Matte Black

Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish,

i.e., BCD6836**MB-C**

ENVIRONMENTAL SERIES

See page 170



**FINISHED AND
ASSEMBLED IN USA**



BZP Bronze Patina

FCD6895 XL PENDANT

16" W 26" H

MM 406 W 660 H

3 - 60W CAND



MB Matte Black

PCD6832 L POST

11½" W 27" H

MM 292 W 686 H

2 - 60W CAND

PCD6835 XL POST

16" W 34" H

MM 406 W 864 H

3 - 60W CAND

POST SOLD SEPARATELY, PG 151, 152

METALWORK

Cast Aluminum

GLASSWARE

Clear Seeded

FINISH

ABZ Antique Bronze

BZP Bronze Patina

BZ Bronze

MB Matte Black

Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish,

i.e., BCD6836**MB-C**

ENVIRONMENTAL SERIES

See page 170



**FINISHED AND
ASSEMBLED IN USA**

CAST ALUMINUM POSTS

Troy cast aluminum posts are finely detailed to add an extra measure of sophistication and elegance.



PM4946

8½"W x 68¾"H
MM 216 W 1746 H



P8681

10"W x 73¼"H
MM 254 W 1861 H



P8683-84

12"W x 84"H
MM 305 W 2134 H

P8683-96

12"W x 96"H
MM 305 W 2438 H

P8683-120

12"W x 120"H
MM 305 W 3048 H

ALUMINUM POSTS AVAILABLE in Troy standard painted finishes and new, two year limited warranty Coastal finishes (BZ, MB, WT and River Valley Rust).

When ordering, include collection names with catalog number for proper finishing. For Coastal finish, add -C suffix.

Example: P8683-84-MB-C

SOLID BRASS POST

Troy solid brass posts will not rust when exposed to the elements. Available in 84" lengths.



PM4945

3"DIA x 84"H
MM 76 W 2134 H

AVAILABLE IN
SOLID BRASS AND
PATINA FINISHES

EXTRUDED ALUMINUM POSTS

Troy extruded aluminum posts are offered with a smooth surface or a fluted detail, and will not rust when exposed to the elements. Available in 84" lengths.



P8682

3"DIA x 84"H
MM 76 W 2134 H



PM4945-A

3"DIA x 84"H
MM 76 W 2134 H



SOLID BRASS PIER MOUNT

Troy solid brass pier mount is designed to be used with any of the solid brass series of outdoor fixtures.



AVAILABLE IN
SOLID BRASS AND
PATINA FINISHES

PM4948

5½"W x 2¼"H

MM 140 W 57 H

CAST ALUMINUM PIER MOUNTS

Troy cast aluminum pier mounts are sculpted for that finishing touch.



PM8680

6"W x 3½"H

MM 152 W 89 H



PM4942

8"W x 4"H

MM 203 W 102 H



PM4941

8½"W x 3¾"H

MM 216 W 95 H



PM8420

8½"W x 8¾"H

MM 216 W 222 H



PM8685

9"W x 4½"H

MM 229 W 114 H


SURFACE MOUNT POST ADAPTER

When ordering, include collection names with catalog number for proper finishing. For Coastal finish, add -C suffix.
Example:
PM4941MB-C

ALUMINUM POSTS AVAILABLE

in Troy standard painted finishes and new, two year limited warranty Coastal finishes (BZ, MB, WT and River Valley Rust).

ENVIRONMENTAL SERIES



LED, FLUORESCENT,
ENERGY STAR, TITLE 24
& DARK SKY COMPLIANT

ENVIRONMENTAL SERIES

BAMBOO	153
BARBOSA	153
BENNINGTON	154
BERMUDA	154
BLADE	155
CAMERON	155
COTTAGE GROVE	156
DAYTON	156
DERBY	157
DEXTER	157
DISCUS	158
DOVER	158
DRAKE	159
ETHOS	159
FRENCH QUARTER	160
GABLES	160
HENRY STREET	161
HIGHLAND PARK	161
KINETIC	163
LARCHMONT	163
LIBERTY	164
LOS OLIVOS	164
NEWTON	165
PAMPLONA	166
POTTER	166
RALEIGH	167
RENNIE	167
SAGAMORE	168
SAPPORO	168
SERENGETI	169
SHUTTERS	169
VERONA	170
VIBE	171
VINTAGE	171
WRIGHT	172



TITLE 24



ENERGY STAR



FLUORESCENT
DARK SKY
COMPLIANT



COASTAL
COATING

The Environmental Series from Troy Lighting combines the exquisite designs of our hand-crafted lanterns with fluorescent options that comply with Energy Star requirements and LED options that meet Title 24/2008 standards. With the advent of Title 24 in California, energy efficient motion controlled fluorescent and high-efficacy LED lighting have become mandatory for exterior lighting fixtures. Troy offers several LED exterior collections that are Title 24 compliant.

Environmental concerns regarding light pollution have resulted in the enforcement of dark sky regulations by various cities, counties, and home owner associations.

Troy Lighting's Environmental Series offers an expanded selection of lantern's are now available with Energy Star certification. Energy Star lanterns that are supplied with an integral photocell that automatically illuminates the lanterns at dusk, and turns off the lanterns at dawn. Dark sky complaint lanterns are available with incandescent or fluorescent lamp options.

In order to maintain the beauty of our lanterns, the lamps are hidden behind richly colored art, opal, frosted seeded and hand-tinted glass.



This icon indicates that select fixtures are available in Troy's durable Coastal coated finish. This finish is a product of Troy's R&D coupled with the installation of a state-of-the-art powder coat finishing line at our City of Industry, California manufacturing facility. As a result, Troy is offering the Coastal coating on select products finished in the USA. The finish will allow your Troy Lighting fixtures maintain their attractive appearance over an extended period of time, even when installed in difficult coastal environments. Coastal coated products carry a limited two year finish warranty.



LANDSCAPE LIGHTING


LED SERIES	174 – 178
FLOOD LIGHTS	179 – 181
PATH LIGHTS	182 – 188
DECK LIGHT	189
PAVER	189
STEP LIGHTS	190 – 191
WELL LIGHTS	193 – 194
UNDERWATER LIGHTS	195
TRANSFORMERS	196 – 197
ACCESSORIES	198 – 199
LANDSCAPE FINISHES	200
LAMPS	200

Create the ultimate outdoor environment by combining the finest exterior lanterns from Troy Lighting with the ultimate in landscape lighting from Troy Landscape Lighting. Landscape lighting will dramatically enhance your home or project, as well as provide safe illumination for passage and security.

Troy Landscape Lighting designs, engineers, and manufactures performance grade solid brass and stainless steel landscape lighting fixtures for residential and commercial environments.

Our products are developed to incorporate the latest LED and low voltage technology into products that are durable, long-lasting, and aesthetically pleasing. Troy offers a complete line of flood, path, deck, paver, step, well, and underwater lighting, as well as a complete selection of transformers and accessories.

Troy Landscape Lighting's UL listed fixtures are offered in a variety of natural patinas and powder coated finishes.



TROY™

Landscape Lighting

A Division of Troy-CSL Lighting, Inc.

BAMBOO



METALWORK

Hand-Forged Iron

GLASSWARE

Bamboo Glass

FINISH

BB Bamboo Bronze with Natural Slate

DESCRIPTION / DIMENSIONS

INCANDESCENT

FLUORESCENT

WALL

MEDIUM WALL

5½"W 14"H 5¾"P 7"TCO

BF1851BB

1 - 18W GU24



LARGE WALL

5½"W 19"H 5¾"P 9½"TCO

BF1852BB

1 - 26W GU24



MEDIUM WALL

B1853BB

5¾"W 16½"H 3½"P 6¼"TCO ADA 1 - 50W GU10



Full Cut-Off



Energy Star w/ Photocell



Full Cut-Off Incandescent Dark Sky

For metric dimensions, see page 99



B1853BB

BARBOSA

153



METALWORK

Hand-Forged Iron

GLASSWARE

Amber Mist

FINISH

Barbosa Bronze

DESCRIPTION / DIMENSIONS

FLUORESCENT

WALL

SMALL WALL

5¼"W 10"H 7¼"P 3½"TCO

BF3311

1 - 18W GU24



MEDIUM WALL

8¼"W 14¾"H 11"P 4¾"TCO

BF3312

1 - 26W GU24



LARGE WALL

10¼"W 20"H 14¼"P 6"TCO

BF3313

1 - 26W GU24



EXTENDED WALL

MEDIUM WALL

8¼"W 15"H 22¼"P 4¾"TCO

BF3315

1 - 26W GU24

PENDANT

MEDIUM PENDANT

8¼"W 16¾"H

FF3317

1 - 26W GU24

POST

MEDIUM POST

8¼"W 19¼"H

PF3316

1 - 26W GU24

POST SOLD SEPARATELY, PG 151, 152

CEILING

CEILING

15"W 7¾"H

CF3310

2 - 13W GU24



Energy Star w/ Photocell

For metric dimensions, see page 73



METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal / Clear Seeded

FINISH

FBZ Forged Bronze

DESCRIPTION / DIMENSIONS FLUORESCENT

WALL LAMP INCLUDED

MEDIUM WALL BF1351FBZ

9"W 12"H 4½"P 6"TCD 1 - 13W GU24

LARGE WALL BF1352FBZ

13½"W 15¼"H 6"P 7¼"TCD 1 - 18W GU24

PENDANT

MEDIUM PENDANT FF1357FBZ

9¾"W 12"H 61½" MAX HEIGHT 1 - 18W GU24

LARGE PENDANT FF1358FBZ

13½"W 15¼"H 65" MAX HEIGHT 1 - 26W GU24

PENDANTS INCLUDE 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.

For metric dimensions, see page 119

BERMUDA



METALWORK

Hand-Forged Iron

GLASSWARE

Frosted Seeded

FINISH

Aged Pewter

DESCRIPTION / DIMENSIONS FLUORESCENT

WALL LAMP INCLUDED

SMALL POCKET BF3201

6¼"W 12"H 3¾"P 6"TCD ADA 1 - 13W GU24

MEDIUM WALL BF3202

8½"W 13½"H 4¼"P 6¾"TCD 1 - 18W GU24

LARGE WALL BF3203

10½"W 16½"H 5"P 8¼"TCD 1 - 26W GU24

CEILING

CEILING CF3200

14¼"W 5¾"H 2 - 13W GU24



Energy Star w/ Photocell

For metric dimensions, see page 19

BLADE



METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Matte Opal

FINISH

FI French Iron

DESCRIPTION / DIMENSIONS

FLUORESCENT

WALL

LAMP INCLUDED

MEDIUM WALL

BF4016FI

4½"W 15"H 5"P 6"TC

1 - 18W GU24

LARGE WALL

BF4015FI

4¾"W 20½"H 5¾"P 9½"TC

1 - 26W GU24

PENDANT

MEDIUM PENDANT

FF4018FI

6½"W 16"H 59½" MAX HEIGHT

1 - 18W GU24

LARGE PENDANT

FF4019FI

7"W 20½"H 62½" MAX HEIGHT

1 - 26W GU24

PENDANTS INCLUDE 1-6", 1-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.

For metric dimensions, see page 103

CAMERON



METALWORK

Aluminum

GLASSWARE

Marbleized White

FINISH

Bronze

Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., B3414-C

ENVIRONMENTAL SERIES

See page 155



MADE IN USA

DESCRIPTION / DIMENSIONS

FLUORESCENT

WALL

LAMP INCLUDED

SMALL WALL

BF3411

6¼"W 10¼"H 5¾"P 5¾"TC

1 - 13W GU24

MEDIUM WALL

BF3412

8½"W 16¾"H 9"P 4½"TC

1 - 26W GU24

LARGE WALL

BF3413

10½"W 20½"H 11"P 5½"TC

1 - 32W GU24

XL WALL

BF3414

12"W 24¾"H 13"P 6¾"TC

1 - 42W GU24

PENDANT

LARGE PENDANT

FF3417

10½"L 9¼"W 18½"H

1 - 32W GU24

POST

LARGE POST

PF3415

10½"L 9¼"W 21½"H

1 - 32W GU24

POST SOLD SEPARATELY, PG 151, 152



Energy Star w/ Photocell

For metric dimensions, see page 9



METALWORK

Composite

GLASSWARE

Clear Seeded w/ Amber

Scavo

FINISH

CB Cottage Bronze

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL 7"W 15¼"H 9"P 8½"TCO	BF3081CB 1 - 13W GU24
MEDIUM WALL 9"W 19¾"H 10¾"P 11¾"TCO	BF3082CB 1 - 18W GU24
LARGE WALL 11½"W 24½"H 12¼"P 11½"TCO	BF3083CB 1 - 26W GU24
PENDANT	
MEDIUM PENDANT 9"W 19¾"H	FF3086CB 1 - 18W GU24
LARGE PENDANT 11½"W 24½"H	FF3087CB 1 - 26W GU24
POST	
MEDIUM POST 9"W 22"H	PF3084CB 1 - 18W GU24
LARGE POST 11½"W 29"H	PF3085CB 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	

CEILING

LARGE CEILING 13"W 6¼"H	CF3080CB 2 - 13W GU24
-----------------------------------	---------------------------------



Energy Star w/ Photocell

For metric dimensions, see page 147

DAYTON



METALWORK

Aluminum

FINISH

SA Satin Aluminum with
Iridescent White Glass

BZ Bronze with Iridescent
Honey Glass



Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., B3362**BZ-C-T**



MADE IN USA

DESCRIPTION / DIMENSIONS

WALL	LED INCLUDED
SMALL WALL 7½"W 11¾"H 2½"P 5¾"TCO ADA	BL3361 8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)
MEDIUM WALL 9"W 16½"H 2½"P 8¼"TCO ADA	BL3362 12-1.2W LEDS - DIMMABLE (17W TOTAL CONSUMPTION)
LARGE WALL 10"W 21¼"H 2½"P 10½"TCO ADA	BL3363 16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)



Title 24 w/ Photocell

For metric dimensions, see page 115

DERBY



METALWORK

Cast Aluminum

GLASSWARE

Frosted Seeded

FINISH

Antique Iron

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL	BF3281
5¾"W 17½"H 7"P 10½"TCO	1 - 18W GU24
MEDIUM WALL	BF3282
7¾"W 23"H 9¼"P 13½"TCO	1 - 26W GU24
LARGE WALL	BF3283
10"W 29¼"H 11½"P 17½"TCO	1 - 32W GU24
PENDANT	
MEDIUM PENDANT	FF3287
7¾"W 22¼"H	1 - 26W GU24
POST	
MEDIUM POST	PF3285
7¾"W 26¼"H	1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell

For metric dimensions, see page 11

DEXTER

157



METALWORK

Aluminum

DIFFUSER

Frosted White Acrylic

FINISH

SA Satin Aluminum

BZ Bronze

WT Satin White



Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., BL3342**BZ-C-T**



MADE IN USA

DESCRIPTION / DIMENSIONS

WALL	LED INCLUDED
SMALL WALL	BL3341
6"W 13½"H 2"P 6¾"TCO ADA	8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)
MEDIUM WALL	BL3342
7"W 16½"H 2"P 8¼"TCO ADA	12-1.2W LEDS - DIMMABLE (17W TOTAL CONSUMPTION)
LARGE WALL	BL3343
8"W 20"H 2"P 10"TCO ADA	16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)



Title 24 w/ Photocell

For metric dimensions, see page 105



METALWORK

Hand-Worked Wrought Iron

SHADE

Satin Stainless Steel

GLASSWARE

Opal

FINISH

Graphite

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
MEDIUM WALL	BF2732
9¾"W 14"H 5"P 7"TC	2 - 13W GU24
LARGE WALL	BF2733
13½"W 18¼"H 6¾"P 9½"TC	2 - 18W GU24

For metric dimensions, see page 113

DOVER



METALWORK

Hand-Forged Iron

GLASSWARE

Amber Mist

FINISH

NB Natural Bronze

DESCRIPTION / DIMENSIONS

FLUORESCENT DARK SKY

WALL	LAMP INCLUDED
SMALL WALL	BF8970NB
6¾"W 15¼"H 8½"P 8¾"TC	1 - 13W GU24
MEDIUM WALL	BF8971NB
8½"W 22¾"H 11½"P 11"TC	1 - 18W GU24
LARGE WALL	BF8974NB
11½"W 30¼"H 15¼"P 14"TC	1 - 26W GU24

PENDANT

MEDIUM PENDANT	FF8973NB
8½"W 19½"H	1 - 18W GU24

POST

MEDIUM POST	PF8972NB
8½"W 21½"H	1 - 18W GU24

POST SOLD SEPARATELY, PG 151, 152



Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 77



METALWORK

Aluminum

GLASSWARE

Matte Opal

FINISH

Bronze



Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., B3392-C-T



MADE IN USA

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
------	---------------

MEDIUM WALL 7"W 14"H 6½"P 7"TCO	BF3392 1 - 18W GU24
------------------------------------	-------------------------------



LARGE WALL 7"W 19"H 6½"P 9¾"TCO	BF3393 1 - 26W GU24
------------------------------------	-------------------------------



WALL	LED INCLUDED
------	--------------

SMALL WALL 5½"W 9"H 4½"P 4½"TCO	BL3391 8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)	BL3391-T	TITLE 24
------------------------------------	--	-----------------	-----------------

MEDIUM WALL 7"W 14"H 6½"P 7"TCO	BL3392 12-1.2W LEDS - DIMMABLE (17W TOTAL CONSUMPTION)	BL3392-T	TITLE 24
------------------------------------	---	-----------------	-----------------

LARGE WALL 7"W 19"H 6½"P 9¾"TCO	BL3393 16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)	BL3393-T	TITLE 24
------------------------------------	---	-----------------	-----------------



Energy Star w/ Photocell



Title 24 w/ Photocell

For metric dimensions, see page 21

ETHOS

159



METALWORK

Aluminum

FINISH

BZ Bronze

WT Satin White



Available with **Coastal** finish option. Add -C suffix after finish. Two year limited finish warranty.

Specify finish after catalog number, i.e., BL3403BZ-C-T



MADE IN USA

DESCRIPTION / DIMENSIONS

WALL	LED INCLUDED
------	--------------

SMALL WALL 4½"W 15"H 3½"P 10"TCO ADA	BL3401 8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)	BL3401-T	TITLE 24
---	--	-----------------	-----------------

MEDIUM WALL 4½"W 19½"H 3¾"P 13½"TCO ADA	BL3402 16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)	BL3402-T	TITLE 24
--	---	-----------------	-----------------

LARGE WALL 4½"W 25¼"H 4¾"P 17"TCO	BL3403 16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)	BL3403-T	TITLE 24
--------------------------------------	---	-----------------	-----------------



Title 24 w/ Photocell

For metric dimensions, see page 109

FRENCH QUARTER



METALWORK
Hand-Forged Iron

GLASSWARE
Frosted Clear

FINISH
Aged Pewter

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL 5½"W 19"H 7½"P 12½" TCD	BF2961 1 - 13W GU24
MEDIUM WALL 7"W 24"H 9½"P 16" TCD	BF2962 1 - 18W GU24
LARGE WALL 10"W 34½"H 13½"P 22½" TCD	BF2963 1 - 26W GU24
PENDANT	
MEDIUM PENDANT 7"W 20½"H	FF2966 1 - 18W GU24
LARGE PENDANT 10"W 29"H	FF2967 1 - 26W GU24
POST	
LARGE POST 10"W 30"H	PF2965 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell

For metric dimensions, see page 3

160

GABLES



METALWORK
Hand-Forged Iron

GLASSWARE
Champagne Mist

FINISH
CG Charred Gold

DESCRIPTION / DIMENSIONS

FLUORESCENT DARK SKY

WALL	LAMP INCLUDED
SMALL WALL 6½"W 16"H 9½"P 9" TCD	BF9901CG 1 - 18W GU24
MEDIUM WALL 9½"W 20"H 12"P 13" TCD	BF9902CG 1 - 26W GU24
LARGE WALL 12½"W 27"H 15½"P 16" TCD	BF9903CG 1 - 26W GU24
PENDANT	
MEDIUM PENDANT 9½"W 23"H	FF9907CG 1 - 26W GU24
LARGE PENDANT 12½"W 27½"H	FF9908CG 1 - 26W GU24
POST	
MEDIUM POST 9½"W 23"H	PF9905CG 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	
CEILING	
LARGE CEILING 14"W 8½"H	CF9900CG 2 - 13W GU24
XL CEILING 18"W 10¾"H	CF9909CG 2 - 18W GU24



Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 85

HENRY STREET



METALWORK
Hand-Forged Iron

GLASSWARE
Amber Mist

FINISH
CI Colonial Iron

DESCRIPTION / DIMENSIONS

FLUORESCENT

WALL

LAMP INCLUDED

POCKET

BF2010CI



7¼"W 15"H 5¾"P 10" TCD

1 - 13W GU24

SMALL WALL

BF2011CI



7¼"W 18½"H 6¼"P 5" TCD

1 - 13W GU24

MEDIUM WALL

BF2012CI



8½"W 23"H 7½"P 6" TCD

1 - 18W GU24

LARGE WALL

BF2013CI



11"W 26¾"H 9¼"P 7½" TCD

1 - 26W GU24

PENDANT

MEDIUM PENDANT

FF2017CI

9"W 19¼"H

1 - 18W GU24

LARGE PENDANT

FF2018CI

11"W 23¼"H

1 - 26W GU24

POST

MEDIUM POST

PF2015CI

9"W 22¼"H

1 - 18 GU24

LARGE POST

PF2016CI

11"W 27¼"H

1 - 26W GU24

POST SOLD SEPARATELY, PG 151, 152



Energy Star w/ Photocell

For metric dimensions, see page 49

HIGHLAND PARK

161



METALWORK
Solid Brass

GLASSWARE
Iridescent Honey

FINISH
OB Oil Rubbed Bronze

DESCRIPTION / DIMENSIONS

FLUORESCENT

FLUORESCENT DARK SKY

WALL

LAMP INCLUDED

MEDIUM WALL

BFIH69100B



BFIH69100B-D



8"W 12¾"H 9½"P 4¼" TCD

1 - 18W GU24

LARGE WALL

BFIH69140B



BFIH69140B-D



10"W 15½"H 12"P 6½" TCD

1 - 26W GU24

PENDANT

MEDIUM PENDANT

FFIH69130B

8"W 11"H

1 - 18W GU24

POST

MEDIUM POST

PFIH69110B

8"W 14½"H

1 - 18W GU24

LARGE POST

PFIH69150B

10"W 17¼"H

1 - 26W GU24

POST SOLD SEPARATELY, PG 151, 152

CEILING

CEILING

CFIH69180B

13½"W 8½"H

1 - 26W GU24




Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 145



TROY LIGHTING EXTERIOR



METALWORK

Aluminum

FINISH

BZ Bronze

WT Satin White



Available with **Coastal** finish option. Add -C suffix after finish.

Two year limited finish warranty.

Specify finish after catalog number, i.e., BL3383**BZ-C-T**



MADE IN USA

DESCRIPTION / DIMENSIONS

WALL	LED INCLUDED		
SMALL WALL	BL3381	BL3381-T	TITLE 24
4½"W 15"H 4"P 7½"TCD ADA	8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)		
MEDIUM WALL	BL3382	BL3382-T	TITLE 24
4½"W 19"H 4"P 9½"TCD ADA	8-1.2W LEDS - DIMMABLE (12W TOTAL CONSUMPTION)		
MEDIUM WALL	BL3383	BL3383-T	TITLE 24
7½"W 15"H 4"P 7½"TCD ADA	16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)		
LARGE WALL	BL3384	BL3384-T	TITLE 24
7½"W 19"H 4"P 9½"TCD ADA	16-1.2W LEDS - DIMMABLE (22W TOTAL CONSUMPTION)		

TITLE 24 Title 24 w/ Photocell

For metric dimensions, see page 107

LARCHMONT

163



METALWORK

Hand-Forged Iron

GLASSWARE

Frosted Seeded

FINISH

Aged Pewter

DESCRIPTION / DIMENSIONS

FLUORESCENT

WALL	LAMP INCLUDED	
SMALL WALL	BF3211	
6"W 18¾"H 7¾"P 12¾"TCD	1 - 13W GU24	
MEDIUM WALL	BF3212	
8"W 25"H 9¾"P 17¼"TCD	1 - 18W GU24	
LARGE WALL	BF3213	
10"W 31½"H 11¼"P 21½"TCD	1 - 26W GU24	
PENDANT		
MEDIUM PENDANT	FF3217	
8"W 23½"H	1 - 18W GU24	
POST		
MEDIUM POST	PF3215	
8"W 25¼"H	1 - 18W GU24	
POST SOLD SEPARATELY, PG 151, 152		



Energy Star w/ Photocell

For metric dimensions, see page 37

**METALWORK**

Aluminum

FINISH**CR** Centennial Rust

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL 7"W 11½"H 7¾"P 3½" TCD	BF2361CR 1 - 18W GU24
MEDIUM WALL 10½"W 16"H 12"P 4¼" TCD	BF2362CR 1 - 26W GU24
LARGE WALL 13"W 19¾"H 14¼"P 5" TCD	BF2363CR 1 - 26W GU24
PENDANT	
MEDIUM PENDANT 10½"W 14½"H	FF2367CR 1 - 26W GU24
POST	
MEDIUM POST 10½"W 15½"H 14½"P	PF2364CR 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 31

LOS OLIVOS

**METALWORK**

Hand-Forged Iron

GLASSWARE

Amber Mist

FINISH**OI** Old Iron

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL 7½"W 14½"H 6¼"P 11" TCD	BF2371OI 1 - 13W GU24
SMALL WALL 8¾"W 15¼"H 9½"P 4" TCD	BF2372OI 1 - 18W GU24
MEDIUM WALL 10½"W 20½"H 12¾"P 5" TCD	BF2373OI 1 - 26W GU24
LARGE WALL 13½"W 25¾"H 18½"P 8½" TCD	BF2374OI 1 - 26W GU24
PENDANT	
MEDIUM PENDANT 11¾"W 20"H	FF2377OI 1 - 26W GU24
LARGE PENDANT 14¼"W 25¼"H	FF2378OI 1 - 26W GU24
POST	
MEDIUM POST 11¾"W 23"H	PF2375OI 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	
CEILING	
CEILING 13"W 5¾"H	CF2370OI 2 - 18W GU24



Energy Star w/ Photocell

For metric dimensions, see page 81



METALWORK
Hand-Forged Iron

GLASSWARE
Amber Mist

FINISH
OBZ Old Bronze

DESCRIPTION / DIMENSIONS

FLUORESCENT DARK SKY

WALL	LAMP INCLUDED		
SMALL POCKET 5"W 17½"H 5"P 10¼"TCO	BF9007OBZ 1 - 13W GU24		
MEDIUM POCKET 8¾"W 19½"H 5½"P 11¾"TCO	BF9008OBZ 2 - 13W GU24		
LARGE POCKET 11"W 23¾"H 7"P 14½"TCO	BF9009OBZ 2 - 18W GU24		
SMALL WALL 7"W 17½"H 6¼"P 11"TCO	BF9001OBZ 1 - 18W GU24		BF9001OBZ-D 
MEDIUM WALL 8¾"W 23"H 9"P 19"TCO	BF9002OBZ 1 - 18W GU24		BF9002OBZ-D 
LARGE WALL 11"W 26¾"H 9¾"P 20"TCO	BF9005OBZ 1 - 26W GU24		BF9005OBZ-D 
PENDANT			
MEDIUM PENDANT 8¾"W 18¾"H 5½"D	FF9004OBZ 1 - 18W GU24		
POST			
MEDIUM POST 8¾"W 20¾"H 5½"D	PF9003OBZ 1 - 18W GU24		
LARGE POST 11"W 23"H 7½"D	PF9006OBZ 1 - 26W GU24		
POST SOLD SEPARATELY, PG 151, 152			
CEILING			
CEILING 12¾"W 5¾"H	CF9000OBZ 2 - 13W GU24		

 Energy Star w/ Photocell  Fluorescent Dark Sky

For metric dimensions, see page 35



METALWORK
Hand-Forged Iron

GLASSWARE
Amber Mist

FINISH
OBZ Old Bronze

DESCRIPTION / DIMENSIONS

FLUORESCENT DARK SKY

WALL	LAMP INCLUDED
SMALL WALL 6"W 12¼"H 7"P 7¾"TCO	BF91200BZ 1 - 13W GU24
MEDIUM WALL 6"W 19"H 8"P 5½"TCO	BF91210BZ 1 - 13W GU24
LARGE WALL 10"W 30¼"H 12¼"P 6¼"TCO	BF91220BZ 1 - 26W GU24
PENDANT	
LARGE PENDANT 10"W 25"H	FF91240BZ 1 - 26W GU24
POST	
LARGE POST 10"W 26¾"H	PF91230BZ 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 89

POTTER



METALWORK
Hand-Forged Iron

GLASSWARE
Amber Mist

FINISH
Fired Iron

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
MEDIUM WALL 11"W 33¼"H 13"P 9½"TCO (22"H SHORT TAIL)	BF2951 1 - 18W GU24
LARGE WALL 14"W 39½"H 16¼"P 11½"TCO (27"H SHORT TAIL)	BF2952 1 - 26W GU24
PENDANT	
LARGE PENDANT 14"W 16¾"H	FF2956 1 - 26W GU24
POST	
MEDIUM POST 14"W 20½"H 17¾"P	PF2955 1 - 26W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell

For metric dimensions, see page 47

RALEIGH



APPLICATION

Interior / Exterior

METALWORK

Wrought Iron and Aluminum

FINISH

Old Silver

DESCRIPTION / DIMENSIONS

WALL	LAMP/LED INCLUDED	
SMALL WALL 6½"W 13¼"H 8"P 2½"TCO	BF2941 1 - 18W GU24	BL2941 4/1.2W LEDs, DIMMABLE 5.5W TOTAL
MEDIUM WALL 10"W 19"H 11½"P 3"TCO	BF2942 1 - 26W GU24	BL2942 8/1.2W LEDs, DIMMABLE 11W TOTAL
PENDANT		
SMALL PENDANT 6½"W 11¾"H 60¾"MAX HT	FF2946 1 - 18W GU24	FL2946 4/1.2W LEDs, DIMMABLE 5.5W TOTAL
MEDIUM PENDANT 10"W 17"H 66"MAX HT	FF2947 1 - 26W GU24	FL2947 8/1.2W LEDs, DIMMABLE 11W TOTAL

PENDANTS INCLUDE 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.

ISLAND

MEDIUM ISLAND 48"L 10"W 17½"H 66½"MAX HT	FF2948 3 - 26W GU24
--	-------------------------------

ISLAND INCLUDES 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.



Energy Star w/ Photocell



Fluorescent Dark Sky

For metric dimensions, see page 133

RENNIE



METALWORK

Solid Brass

GLASSWARE

Opal White

FINISH

Antique Brass

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL 8"W 10¾"H 9½"P 5½"TCO	BF3251 1 - 18W GU24
MEDIUM WALL 10"W 13½"H 11¾"P 6¾"TCO	BF3252 1 - 26W GU24
LARGE WALL 12"W 16"H 14"P 8"TCO	BF3253 1 - 32W GU24
PENDANT	
LARGE PENDANT 12"W 14¾"H	FF3257 1 - 32W GU24
POST	
LARGE POST 12"W 17¼"H	PF3255 1 - 32W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell

For metric dimensions, see page 55



METALWORK

Hand-Forged Iron

GLASSWARE

Amber Mist

FINISH

Centennial Rust

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
MEDIUM WALL	BF3293
10"W 22¾"H 11½"P 5¼"TCO	1 - 18W GU24
LARGE WALL	BF3294
12½"W 26½"H 13½"P 5"TCO	1 - 26W GU24
PENDANT	
MEDIUM PENDANT	FF3297
10"W 20"H	1 - 18W GU24
POST	
MEDIUM POST	PF3295
10"W 22¾"H	1 - 18W GU24

POST SOLD SEPARATELY, PG 151, 152



Energy Star w/ Photocell

For metric dimensions, see page 29

SAPPORO



METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Opal White

FINISH

Sapporo Silver

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL	BF2601
5"W 17½"H 6"P 10½"TCO	1 - 13W GU24
LARGE WALL	BF2603
5"W 26"H 6"P 13½"TCO	1 - 18W GU24

For metric dimensions, see page 97



METALWORK

Hand-Forged Iron

GLASSWARE

Marbled Honey Glass

FINISH

Painted Bronze Leaf

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL	BF3161
4½"W 12"H 4"P 6"TCO ADA	1 - 13W GU24
MEDIUM WALL	BF3162
6"W 12"H 4"P 6"TCO ADA	1 - 18W GU24
MEDIUM WALL	BF3163
8"W 16"H 5"P 8"TCO	1 - 26W GU24

For metric dimensions, see page 117

SHUTTERS

169



METALWORK

Hand-Worked Wrought Iron

GLASSWARE

Etched Opal

FINISH

Forged Iron

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL	BF3301
7¼"W 11"H 4"P 5½"TCO ADA	1 - 13W GU24
MEDIUM WALL	BF3302
9"W 13¾"H 5"P 7"TCO	1 - 18W GU24
LARGE WALL	BF3303
11"W 17"H 5¾"P 6¾"TCO	1 - 18W GU24

For metric dimensions, see page 101



METALWORK

Cast Aluminum

GLASSWARE

Frosted Seeded

FINISH

ABZ Antique Bronze

BZP Bronze Patina

BZ Bronze

MB Matte Black



Available with **Coastal** finish option. Add -C suffix after finish.

Two year limited finish warranty.

Specify finish,

i.e., BFCD6836**MB-C**



**FINISHED AND
ASSEMBLED IN USA**

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL OPEN BOTTOM	BFCD6890
7½"W 13¾"H 9¼"P 6"TCD	1 - 13W GU24
LARGE OPEN BOTTOM	BFCD6891
11½"W 22"H 14"P 7"TCD	1 - 18W GU24
MEDIUM WALL	BFCD6830
7½"W 18"H 9"P 11½"TCD	1 - 13W GU24
LARGE WALL	BFCD6831
11½"W 25"H 13"P 19"TCD	1 - 18W GU24
XL WALL	BFCD6834
16"W 35"H 17"P 25"TCD	1 - 32W GU24
XXL WALL	BFCD6836
19"W 43½"H 21"P 31½"TCD	1 - 42W GU24
PENDANT	
XL PENDANT	FFCD6895
16"W 26"H	1 - 32W GU24
POST	
LARGE POST	PFCD6832
11½"W 27"H	1 - 18W GU24
XL POST	PFCD6835
16"W 34"H	1 - 32W GU24
POST SOLD SEPARATELY, PG 151, 152	

For metric dimensions, see pages 149, 150



METALWORK

Aluminum

GLASSWARE

Matte Opal

FINISH

BA Brushed Aluminum

ARB Architectural Bronze

Specify finish,

i.e., BF6062**BA**

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
MEDIUM WALL	BF6061
5½"W 11"H 6"P 5¾"TC	1 - 18W GU24
LARGE WALL	BF6062
5½"W 16¼"H 6"P 8½"TC	1 - 18W GU24
PENDANT	
MEDIUM PENDANT	FF6067
6½"W 10¾"H 59¾"OAH	1 - 18W GU24
PENDANTS INCLUDE 1-6", 2-12", 1-18" STEM AND HANG-STRAIGHT CANOPY.	
POST	
MEDIUM POST	PF6066
6½"W 15¼"H	1 - 18W GU24
POST SOLD SEPARATELY, PG 151, 152	

For metric dimensions, see page 111

VINTAGE

171



METALWORK

Hand-Forged Iron

GLASSWARE

Frosted Clear

FINISH

Vintage Bronze

DESCRIPTION / DIMENSIONS

WALL	LAMP INCLUDED
SMALL WALL	BF2971
7"W 16"H 4"P 8½"TC	1 - 18W GU24
MEDIUM WALL	BF2972
9"W 20"H 5"P 10"TC	2 - 13W GU24
LARGE WALL	BF2973
11"W 24"H 5"P 11"TC	2 - 18W GU24

For metric dimensions, see page 131

**METALWORK**

Solid Brass

GLASSWARE

Opal White

FINISH

Antique Brass

*DESCRIPTION / DIMENSIONS**FLUORESCENT*

WALL	LAMP INCLUDED
SMALL WALL 8"W 10¾"H 9½"P 5½"TCD	BF3241 1 - 18W GU24
MEDIUM WALL 10"W 13½"H 11¾"P 6¾"TCD	BF3242 1 - 26W GU24
LARGE WALL 12"W 16"H 14"P 8"TCD	BF3243 1 - 32W GU24
PENDANT	
LARGE PENDANT 12"W 14½"H	FF3247 1 - 32W GU24
POST	
LARGE POST 12"W 16¾"H	PF3245 1 - 32W GU24
POST SOLD SEPARATELY, PG 151, 152	



Energy Star w/ Photocell

For metric dimensions, see page 53


LANDSCAPE LIGHTING



FLOOD, PATHWAY, STEP, PAVER, WELL
DECK & UNDERWATER LIGHTING



10W LED FLOOD



R-F600B-NAZ FLOOD


METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- 10 watt 2850°K LED
- 3 optics included: 25°, 45° and 65°
- Direct burial driver, full output from 10 – 15 volts eliminating voltage drop calculations (below)
- Solid die-cast brass luminaire
- ½" NPS knuckle with ABS stake included for quick installation
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- Fixture can be mounted upright or upside down
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 50W
- Shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately

174

3W LED FLOOD



R-F461B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- MR16 LED (3.2W, 3000°K, CRI>75 LED included)
- Solid die-cast brass luminaire
- ½" NPS knuckle with ABS stake included for quick installation
- Borosilicate convex lens
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- 12 volt UL 1838 listed luminaire is safe for wet locations
- Fixed GU5.3 socket with lamp support for longer socket life
- Adjustable shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately



R-G241B-LEDNAZ *PATH*

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- 3 watt high power LED, 3.2 watt energy consumption
- 50,000 hour rated life
- LED with integral internal driver, replaceable lamp
- 3,000°K color temperature
- 5 foot light circle with standard riser
- 7/8" dia. solid brass riser
- Suitable for use with standard landscape transformers
- More fixtures per run, lower wattage transformer requirement
- Bi-pin type G4/GU5.3 with stainless steel spring.
- Solid Brass
- Optical acrylic lens
- 25' of 18 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately
- Shipped w/ Quick-Stake and Gel Connectors

175

3.5W LED STEP LIGHT



R-S11B-NAZ *SURFACE MOUNT*


METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

S11 is a unique surface mount step light that does not require a recessed box.

- 3.5 watt LED with on-board driver; full output from 10-15volts eliminating voltage drop calculations
- 2850°K color temperature
- Surface mount
- Solid Brass housing
- Heat and impact resistant glass
- 100% sealed luminaire for high exposure areas
- 25' of 18awg SPT2-W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

2W LED DECK LIGHT



R-D1115B-LED-NAZ DECK LIGHT



METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- 2 watt LED, 2850°K with on-board driver; full output from 10-15 volts eliminating voltage drop calculations
- Solid die-cast brass luminaire
- Easy-to-Install mounting plate with leveling line
- Twist and lock installation to mounting plate with $\pm 30^\circ$ adjustment
- Natural antique bronze patina finish (NAZ), standard
- Frosted glass lens
- 100% sealed luminaire for high exposure areas
- 12 volt UL 1838 listed luminaire is safe for wet locations
- 25' of 18 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

176

2W LED WALL/STEP/DECK/PAVER



R-P155- (METAL) -LED- (FINISH)

METALWORK

FINISH

B Brass

NAZ

Natural Antique Bronze

UFB

Unfinished Brass

C Copper

UFC

Unfinished Copper

SS Stainless Steel

UFSS

Unfinished Stainless Steel

- 2 watt LED, 2850°K with on-board driver; full output from 10-15 volts eliminating voltage drop calculations
- Four in-stock Quick Ship finishes: NAZ (Natural Antique Bronze), UFSS (Unfinished Stainless Steel), UFB (Unfinished Brass), and UFC (Unfinished Copper)
- Frosted glass lens providing even illumination
- 25' 18 AWG SPT-2W cable
- Removable mounting plate for multiple mounting options: Surface mount, up mount, masonry wedge and under cap mount.
- Stainless steel luminaire fixture housing for years of outdoor service
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 10W
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

10W LED WELL LIGHT

Reversible angle or flat-cut composite sleeve



R-W100-NAZ WELL LIGHT

MATERIALS Composite / Brass

FINISH **NAZ** Natural Antique Bronze

- 10W LED, 2850°K
- 3 optics included: 25°, 45° and 65°
- Direct burial driver, full output from 10 – 15 volts eliminating voltage drop calculations (below)
- Solid die-cast brass LED housing
- Reversible angle or flat-cut composite sleeve, brown only
- Potted luminaire to limit water and insect intrusion
- Natural antique bronze patina finish (NAZ), standard
- 25' 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately



In-line driver included

177


2.5W LED UNDERWATER LIGHT



R-UW34S

METALWORK Stainless steel w/ stainless steel bracket and removable shroud

- 2.5W LED, 2850°K with PMMA optic; on-board driver, full output from 10-15 volts eliminating voltage drop calculations
- Die cast stainless steel w/ adjustable stainless steel swivel bracket and removable shroud
- 3 foot maximum depth
- Stainless Steel finish & clear tempered glass
- Pre-wired w/ 25' of 18 AWG cord, includes gel connectors
- Requires low voltage power supply, ordered separately



10W LED WELL LIGHT with COVER



R-W100-C-NAZ WELL LIGHT


MATERIALS Composite / Brass
Solid Brass Cover

FINISH **NAZ** Natural Antique Bronze

- 10W LED, 2850°K
- 3 optics included: 25°, 45° and 65°
- Direct burial driver, full output from 10 – 15 volts eliminating voltage drop calculations (below)
- Solid die-cast brass LED housing
- Reversible angle or flat-cut composite sleeve, brown only
- Potted luminaire to limit water and insect intrusion
- Natural antique bronze patina finish (NAZ), standard
- 25' 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately



In-line driver
included





R-F451B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- MR16 lamp (20W, 36° [BAB] included)
- Solid die-cast brass luminaire
- ½" NPS knuckle with ABS stake included for quick installation
- Borosilicate convex lens
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 50W
- Fixed GU5.3 socket with lamp support for longer socket life
- Adjustable shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately

179

MR16 FLOOD



R-F423B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- MR16 lamp (20W, 36° [BAB] included)
- Solid die-cast brass luminaire
- Sleek design with soft edges
- ½" NPS knuckle with ABS stake included for quick installation
- Borosilicate convex lens
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 50W
- Fixed GU5.3 socket with lamp support for longer socket life
- Adjustable shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately

MR16 / BI-PIN FLOOD





Bi-pin Medium



Bi-pin Wide



MR16



R-F302B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- MR16 or T4 bi-pin lamp (35W, 36° [FMW] MR16 and 35W T4 included)
- Solid die-cast brass luminaire
- Two oval reflectors included with the fixture for wide and medium distribution
- Sleek design with soft edges
- ½" NPS knuckle with ABS stake included for quick installation
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- Fixture can be mounted upright or upside down
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 50W
- Fixed GU5.3/6.35 socket
- Shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately

180

MR11 / BI-PIN FLOOD





Bi-pin Medium



Bi-pin Wide



MR11



R-F71B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- MR11 or T3 bi-pin lamp (20W, 30° [FTD] MR11 and 20W T3 included)
- Solid die-cast brass luminaire
- Two oval reflectors included with the fixture for wide and medium distribution
- Sleek design with soft edges
- ½" NPS knuckle with ABS stake included for quick installation
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- Natural antique bronze patina finish (NAZ), standard
- Fixture can be mounted upright or upside down
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 20W
- Fixed G4/GZ4 socket
- Shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately





R-F136B-NAZ FLOOD

METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- PAR36 lamp (35W, WFL included)
- Solid die-cast brass
- ½" NPS knuckle with ABS stake included for quick installation
- Uses PAR36 screw terminal lamps
- Large easy to adjust knuckle (can be tightened with a ¼" hex key)
- Potted knuckle to limit water and insect intrusion into luminaire
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 50W
- Natural antique bronze patina finish (NAZ), standard
- Honeycomb anti-glare filter included
- Adjustable shroud is lockable with hex key (included)
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Optional cast brass or powder coated cast aluminum stake
- Requires low voltage power supply, ordered separately




ADJUSTABLE BEAM PATH LIGHT



182


QUICKLY CHANGE THE CIRCLE OF LIGHT

Something new to the industry is here at Troy Landscape Lighting! The Adjustable Path Light allows the user to easily change the circle of light by simply sliding the adjustable thumb trigger up or down. Using a standard riser, the circle of light changes in diameter from smaller to larger. Once the right setting is achieved, tighten the screw to lock it in place. The adjustable field of light will accommodate changing path widths and wider areas at path intersections. Improve the safety and aesthetics of your pathways with the Troy Adjustable Path Light.



TROY LIGHTING EXTERIOR

ADJUSTABLE BEAM PATH LIGHT



R-G267 (METAL) - (FINISH) PATH


METALWORK	B	Brass
	C	Copper / Brass †
FINISH	NAZ	Natural Antique Bronze

† Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY

- T3 bi-pin lamp (20W included)
- Easy adjustment of the diameter of light without changing fixture shade height
- Lock adjustment by tightening the knob screw
- Beam will not change diameter after you relamp the fixture
- Accomodates different path widths and garden areas with same fixture and same height
- 25' of 18 AWG SPT-2W cable included
- All Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options

183



R-G264 (METAL) - (FINISH) PATH

METALWORK	B	Brass
	C	Copper / Brass †
FINISH	UFC	Unfinished Copper

† Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY

- T3 bi-pin lamp (20W included)
- Easy adjustment of the diameter of light without changing fixture shade height
- Lock adjustment by tightening the knob screw
- Beam will not change diameter after you relamp the fixture
- Accomodates different path widths and garden areas with same fixture and same height
- 25' of 18 AWG SPT-2W cable included
- All Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options

ADJUSTABLE BEAM PATH LIGHT



184

R-G231S(METAL) - 20(FINISH) *SMOOTH SHADE (SHOWN)*

METALWORK

A	Aluminum †	NAZ	Natural Antique Bronze
B	Brass		
C	Copper/Brass ‡		

STANDARD FINISH

R-G231D(METAL) - 20(FINISH) *DIMPLED SHADE*

METALWORK

A	Aluminum †	NAZ	Natural Antique Bronze
B	Brass		

STANDARD FINISH

- † Aluminum available w/ Powder Coat Finishes ONLY
 - ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY
- Dimpled Shade not available in Solid Copper

- T3 bi-pin lamp (20W included)
- Easy adjustment of the diameter of light without changing fixture shade height
- Lock adjustment by tightening the knob screw
- Beam will not change diameter after you relamp the fixture
- Accommodates different path widths and garden areas with same fixture and same height
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options



R-G21S(METAL) - 20(FINISH) SMOOTH SHADE (SHOWN)

METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	
C Copper/Brass ‡	

R-G21D(METAL) - 20(FINISH) DIMPLED SHADE

METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	

- † Aluminum available w/ Powder Coat Finishes ONLY
 ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY
 Dimpled Shade not available in Solid Copper

- T3 bi-pin lamp (20W included)
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options

185



R-G221S(METAL) - 20(FINISH) SMOOTH SHADE

METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	
C Copper/Brass ‡	


R-G221D(METAL) - 20(FINISH) DIMPLED SHADE (SHOWN)

METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	

- † Aluminum available w/ Powder Coat Finishes ONLY
 ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY
 Dimpled Shade not available in Solid Copper

- T3 bi-pin lamp (20W included)
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options



R-G820(METAL) - 20(FINISH)


METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	
C Copper/Brass ‡	

Optional finish **UFC** Unfinished Copper shown

- † Aluminum available w/ Powder Coat Finishes ONLY
- ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY

- T3 bi-pin lamp (20W included)
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- 1/2" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options



R-G828(METAL) - 20(FINISH)

METALWORK	STANDARD FINISH
B Brass	NAZ Natural Antique Bronze
C Copper/Brass ‡	

- ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY

- T3 bi-pin lamp (20W included)
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- 1/2" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options



R-G132B - 20(FINISH)

METALWORK	STANDARD FINISH
B Brass	NAZ Natural Antique Bronze

Optional finish **NAP** Natural Autumn Patina shown

- T3 bi-pin lamp (20W included)
 - 25' of 18 AWG SPT-2W cable included
 - All Solid Brass
 - G4/GU5.3 socket with stainless steel spring
 - ½" NPS solid brass stem with ABS stake included for quick installation
 - Optional cast brass or powder coated cast aluminum stake
 - Direct-bury wire connectors included
 - Requires low voltage power supply, ordered separately
- NOTE: See page 200 for finish options


187



R-G243B - 20(FINISH)

METALWORK	STANDARD FINISH
B Brass	NAZ Natural Antique Bronze

- T3 bi-pin lamp (20W included)
 - 25' of 18 AWG SPT-2W cable included
 - All Solid Brass
 - G4/GU5.3 socket with stainless steel spring
 - ½" NPS solid brass stem with ABS stake included for quick installation
 - Optional cast brass or powder coated cast aluminum stake
 - Direct-bury wire connectors included
 - Requires low voltage power supply, ordered separately
- NOTE: See page 200 for finish options



R-G128S(METAL) - 20(FINISH) *SMOOTH SHADE*

METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	
C Copper/Brass ‡	

R-G128D(METAL) - 20(FINISH) *DIMPLED SHADE (SHOWN)*



METALWORK	STANDARD FINISH
A Aluminum †	NAZ Natural Antique Bronze
B Brass	

Optional finish **NAS** Natural Antique Brass shown

- † Aluminum available w/ Powder Coat Finishes ONLY
 - ‡ Solid Copper finished in NOC, UFC and Powder Coat Finishes ONLY
- Dimpled Shade not available in Solid Copper

- T3 bi-pin lamp (20W included)
- 25' of 18 AWG SPT-2W cable included
- Aluminum, all Solid Brass or Copper Shade and Riser with Solid Brass lamp housing. See finish notes
- G4/GU5.3 socket with stainless steel spring
- ½" NPS riser with ABS stake included for quick installation
- Optional cast brass or powder coated cast aluminum stake
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

NOTE: See page 200 for finish options



R-D1115B-NAZ DECK LIGHT


METALWORK Brass

FINISH **NAZ** Natural Antique Bronze

- T3 bi-pin lamp (10W included)
- Easy-to-Install mounting plate with leveling line
- Twist and lock installation to mounting plate with $\pm 30^\circ$ adjustment
- Solid die-cast brass luminaire
- Sleek design with soft edges
- Natural antique bronze patina finish (NAZ)
- Frosted glass lens
- 100% sealed luminaire for high exposure areas
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 10W
- 25' of 18 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

For LED option, see page 176

10W WALL/STEP/DECK/PAVER





NAZ

UFB

UFSS

UFC



R-P155(METAL) - (FINISH)

METALWORK

FINISH

B Brass

NAZ

Natural Antique Bronze

UFB

Unfinished Brass

C Copper

UFC

Unfinished Copper

SS Stainless Steel

UFSS

Unfinished Stainless Steel

- 10W Xenon Festoon lamp models available
- Four in-stock Quick Ship finishes
- Sleek design with soft edges
- Pull out socket for easy re-lamping
- Frosted glass light lens to protect lamp and socket while providing even illumination
- 25' 18 AWG SPT-2W cable
- Removable mounting plate for multiple mounting options: Surface mount, up mount, masonry wedge and under cap mount.
- Stainless steel luminaire fixture housing for years of outdoor service
- 12 volt UL 1838 listed luminaire is safe for wet locations up to 10W
- Direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

For LED option, see page 176

SHORT STEP LIGHT



13



14




18

R-S9B - (COVER) - (FINISH)

METALWORK		COVER		STANDARD FINISH
B	Brass	13	Louver	NAZ Natural Antique Bronze
		14	Window	
		18	Grille	

- T3 bi-pin lamp (10W included)
- Recessed mount
- Solid Brass housing with a choice of three Solid Brass covers
- Heat and impact resistant glass
- Bi-pin type G4/GU5.3 with stainless steel spring.
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately






15



16





17

R-S10B - (COVER) - (FINISH)


METALWORK		COVER		STANDARD FINISH
B	Brass	15	Louver	NAZ Natural Antique Bronze
		16	Window	
		17	Grille	

- T3 bi-pin lamp (2 - 10W included)
- Recessed mount
- Solid Brass housing with a choice of three Solid Brass covers
- Heat and impact resistant glass
- Bi-pin type G4/GU5.3 with stainless steel spring.
- 25' of 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately





TROY LIGHTING EXTERIOR



R-W200P WELL LIGHT

- PAR36 lamp (35W, WFL included)
- Composite sleeve, black only
- Stainless steel adjustable gimbal ring
- Reversible angle or flat-cut openings. Use flat-cut opening for use with guards listed below.
- Optional covers shown
- 25' 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately



BG Cast Brass Guard w/ Glass Lens
*Opens for cleaning with a quarter turn.
Shown removed, below.*




DG



PG

MODEL		STANDARD FINISH	
DG	Debris Guard Glass Lens	NAZ	Natural Antique Bronze
BG	Cast Brass Guard w/ Glass Lens	NAZ	Natural Antique Bronze
PG	Plastic Guard		Black Only

BRASS / COMPOSITE WELL LIGHT



R-W319B - NAZ

METALWORK

B Brass


STANDARD FINISH

NAZ Natural Antique Bronze

- MR16 lamp (20W, 36° [BAB] included)
- One piece molded composite housing
- Solid brass grate w/ stainless hardware
- Clear tempered glass lens w/ silicone gasket
- Bi-pin type G4/GU5.3 with stainless steel spring
- 25' 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

194

BRASS / COMPOSITE WELL LIGHT



R-W321B - NAZ

METALWORK

B Brass

STANDARD FINISH

NAZ Natural Antique Bronze

- MR16 lamp (20W, 36° [BAB] included)
- One piece molded composite housing
- Solid brass ring w/ stainless hardware
- Clear tempered glass lens w/ silicone gasket
- Bi-pin type G4/GU5.3 with stainless steel spring
- 25' 16 AWG SPT-2W cable and direct-bury wire connectors included
- Requires low voltage power supply, ordered separately

STAINLESS STEEL UNDERWATER LIGHT



R-UW51S


METALWORK

Stainless steel with cast stainless steel stabilizing base and removable shroud

- MR16 lamp (35W, 36° [FMW] included)
- Die cast stainless steel housing and cast stainless steel stabilizing base
- Stainless steel swivel arm and removable shroud
- 3 foot maximum depth
- Clear glass with silicone gasket
- Stainless Steel finish
- Bi-pin type G4/GU5.3 with stainless steel lamp clip
- Pre-wired with 25ft of 18 AWG cord, includes gel connectors
- Requires low voltage power supply, ordered separately

Note: Not approved for use in swimming pools or spas.

Use only with UL listed pond transformer.





- 95% regulation – provides lower voltage drop from no load to full load.
- Higher Efficiency – lower heat and greater energy saving.
- Up to 15V multi-tap secondary on all wattage models.
- Output voltages: 12/13/14/15 volts.
- Transformer can be loaded up to the maximum rating on each tap and does not require derating.
- Epoxy encapsulated transformer results in silent operation, and greater reliability.
- Auto-resetting in-line primary overload protection.
- In-line secondary magnetic breaker(s) to protect against short circuit in the lighting system.
- Extra-large terminal blocks will accommodate up to eight 10 AWG flexible wire.
- Optional photocell and timer sockets, which allow the addition of a timer and/or a photocell at anytime.
- Limited current timer receptacle accommodates all types of timers regardless of timer wattage capacity, allowing the timer contacts to last longer.
- Limited current photocell plug accommodates all types of photocells regardless of wattage capacity, thus enabling remote photocells to be run at long distances with a pair of small gauge wires.
- Primary current loop allows measurement of the primary amperage under full load, which must be performed upon completion of installation.
- Complies with article 411, National Electric Code.
- UL 1838 approved transformer

196

MODEL	WATTAGE	COMMON	SECONDARY VOLTAGE	LENGTH X WIDTH X DEPTH			MM: LENGTH X WIDTH X DEPTH		
R-TS3M1215	300W	One tap	12,13,14,15V	17"	5¼"	5¼"	432	133	133
R-TS6M1215	600W	Two taps	12,13,14,15V	17"	6½"	6¼"	432	165	159
R-TS9M1215	900W	Three taps	12,13,14,15V	17¼"	8"	6¾"	438	203	171
R-TS12M1215	1200W	Four taps	12,13,14,15V	17¼"	8"	6¾"	438	203	171

Note: 300W maximum per tap.



PC101

120v Photocell



PC102

120v Photocell



T100

24 hr. Plug in timer



T102

24 hr. Digital timer

MODEL	ITEM	DESCRIPTION
R-PC101	PHOTOCELL	10" Wire for transformer mounting
R-PC102	PHOTOCELL	120" Wire for remote mounting
R-T100	ANALOG TIMER	2 Events, Manual On/Off
R-T102	DIGITAL TIMER	12 Events, Manual On/Off

TRANSFORMER - BUILT-IN TIMER & PHOTOCELL



- Compact design landscape transformer
- Black composite housing
- Built-in timer and photocell
- 120V input voltage
- Two models: 100W and 150W
- Equipped with secondary circuit breaker
- Supplied with 6-foot cord and plug
- Complies with article 411, National Electric Code.
- UL 1838 approved transformer

MODEL	WATTAGE	SECONDARY VOLTAGE	LENGTH X WIDTH X DEPTH			MM: LENGTH X WIDTH X DEPTH		
R-TS100M12	100W	12V	6 ⁵ / ₁₆ "	4 ¹ / ₄ "	3 ⁵ / ₈ "	160	408	92
R-TS150M12	150W	12V	6 ⁵ / ₁₆ "	4 ¹ / ₄ "	3 ⁵ / ₈ "	160	408	92


197

11.7V ELECTRONIC TRANSFORMERS



- 120V primary / 11.7V secondary
- Short circuit protection
- Overload protection
- Automatic reset
- RFI filter
- Separate enclosure required for remote installations
- Dimmable with an Electronic Low Voltage dimmer

MODEL	WATTAGE	LENGTH X WIDTH X DEPTH			MM: LENGTH X WIDTH X DEPTH		
ELVT-IV2	60W Class II	2 ¹ / ₁₆ "	1 ⁵ / ₁₆ "	1 ³ / ₁₆ "	52	33	21
ELVT-75	75W	2 ¹ / ₁₆ "	1 ⁵ / ₁₆ "	1 ³ / ₁₆ "	52	33	21



R-UVHB

UNIVOLT WIRING HUB

- Allows fewer wire connections in the field = less voltage loss because of fewer connections.
- Helps equalize voltage to each fixture = improved lamp life, consistent color and light output
- Keeps wire connections in a serviceable location.
- UniVolt wiring system is easy to install and understand resulting in a better system installation.
- UniVolt is fused for protection from over wattage and excess amperage. If this one fuse fails it also allows the rest of the system to work.
- UniVolt includes one 20 Amp fuse and two spares.
- Dark brown ABS construction blends with the surrounding landscape.
- UniVolt accomodates the addition of fixtures as the landscape matures and requires more fixtures.
- UniVolt is supplied with a metal piece in the cap so that it can be buried in the turf and located with the metal detector.
- UniVolt's cap has locations for field identification.
- UniVolt is supplied with direct bury wire connectors.

LENSES, LOUVERS & CLIPS




HL
Hex Louver



OC
Lens Mounting
Clip




LSL
Linear Spread
Lens



SIL
Soft Imaging
Lens

MODEL	DESCRIPTION
ADL	Amber
BDL	Blue
CB	Cool Blue
FRL	Frosted
GDL	Green
HL	Hex Louver
LSL	Linear Spread Lens
OC	Lens Mounting Clip
RDL	Red
SIL	Soft Imaging Lens
VDL	Violet

Snap on 1/2" Adapter



STAKES

- Standard composite stake with 1/2" NPS fixture mount, solid composite construction
- Allows easy fixture mounting before or after installation in ground (R-A3 ONLY)
- May be installed in the ground before mounting fixture (R-A3 ONLY)

MODEL	DESCRIPTION
R-A3	Standard Composite Stake
R-A3A	Aluminum Stake Powder Coat
R-A3B	Natural Solid Brass Stake



MODEL	STRAP LENGTH
TM12	12" / 305
TM24	24" / 610
TM36	36" / 914
TM48	48" / 1219
TM60	60" / 1524
TM72	72" / 1829

TREE MOUNT & STRAP

- Eliminates tree damage
- 1" / 25mm black strap with buckle
- Die cast construction with 3 fixture mounting holes
- Box designed to house optional 60W or 75W, 120V to 12V transformer (Model ELVT-IV2 or ELVT-75)



MODEL	DIMENSIONS
B3	1 3/8" W 4 1/2" L 1 3/4" H 35 W 114 L 44 H

DOWNLIGHT MOUNT

- Solid Brass
- Attach to wall, ceiling or tree
- Complete with mounting screws and hardware



MODEL	LENGTH
FHE6	6" / 152
FHE9	9" / 229
FHE12	12" / 305

STEM EXTENSION

- Solid Brass w/ 1/2" female thread on one end and 1/2" nipple on the other end
- Increases beam spread on path lights
- Raise the fixture above the foliage
- See page 200 for available finishes



MODEL	DIMENSIONS
B1	2 1/2" dia. / 64

CANOPY

- Solid Brass w/ 1/2" female thread
- See page 200 for available finishes

LANDSCAPE FINISHES

Natural Patinas

Natural Antique Bronze (NAZ) is the Standard finish. Other Natural Patina finishes and Powder Coat finishes are available for an extra charge.

Troy Landscape Lighting Natural Patinas are chemically etched finishes available on Solid Brass and Solid Copper fixtures only. The chemical etching accelerates the natural aging and weathering that copper and brass experience when used outdoors. These finishes will continue to develop and richen over time. They begin with an "N". Unfinished Brass and Unfinished Copper are just as described - unfinished. The metal will oxidize and darken with age.

Powder Coat Finishes

Troy Landscape Lighting powder coat finish colors are available on all fixtures for an additional charge. The powder coat finish is baked on at 400° over a primer pre-coat for both chip and weather resistance. All powder coat finishes begin with a "P".

STANDARD FINISH ON SOLID BRASS



NAZ
NATURAL ANTIQUE BRONZE

NATURAL PATINA FINISHES ON SOLID BRASS



NAP
NATURAL AUTUMN PATINA



NAR
NATURAL RUST



NAS
NATURAL ANTIQUE BRASS



NOC
NATURAL OLD COPPER



UFB
UNFINISHED BRASS

NATURAL PATINA FINISHES ON SOLID COPPER



NOC
NATURAL OLD COPPER



UFC
UNFINISHED COPPER

POWDER COAT FINISHES ALL METAL FIXTURES



PAB
AGED BRONZE



PBZ
BRONZE



PDV
DARK VERDI



POC
OLD COPPER



PRI
RUSTY IRON




PSD
SAND



PTB
TEXTURED BLACK



PWB
TEXTURED WEATHERED BROWN



PTW
TEXTURED WHITE

LAMPS

MODEL NO	TYPE	WATTAGE	VOLTAGE	DESCRIPTION
R-L-MR16-BAB	MR-16	20 W	12 V	36° BEAM SPREAD
R-L-MR16-BAB-60	MR-16	20 W	12 V	60° BEAM SPREAD
R-L-MR16-FMT	MR-16	35 W	12 V	12° BEAM SPREAD
R-L-MR16-FMW	MR-16	35 W	12 V	36° BEAM SPREAD
R-L-MR16-FMW-60	MR-16	35 W	12 V	60° BEAM SPREAD
R-L-MR16-EXT	MR-16	50 W	12 V	12° BEAM SPREAD
R-L-MR16-EXN	MR-16	50 W	12 V	36° BEAM SPREAD
R-L-MR16-FNV-60-C	MR-16	50 W	12 V	60° BEAM SPREAD
R-L-PAR-FL30	PAR36	20 W	12 V	FLOOD
R-L-PAR-WFL35	PAR36	35 W	12 V	WIDE FLOOD
R-L-PAR-WFL50	PAR36	50 W	12 V	WIDE FLOOD
R-L-JCB-10U	T3 G4	10 W	12 V	FROSTED
R-L-JCB-20U	T3 G4	20 W	12 V	FROSTED
R-L-JCB-35U	T3 G4	35 W	12 V	FROSTED
R-L-FEST-10	FESTOON	10 W	12 V	CLEAR
R-L-FEST-10U	FESTOON	10 W	12 V	FROSTED
L-134	T4 GY6.35	50 W	12 V	CLEAR
L-225	LED MR-16	3 W	12 V	3000°K



ALLEGHENY
68



AMHERST
50



ANDERSON'S FORGE
74



AQUA
120



ASPEN
92



BAMBOO
98, 153



BARBOSA
72, 153



BEACON HILL
62



BENNINGTON
118, 154



BERMUDA
18, 154



BLADE
102, 155



BRISTOL
70



BRITANNIA
58



CAMERON
8, 155



CAMPANILE
82



CARMEL
6



CHARLESTON
60



CIRCA 1910
138



COPPER MOUNTAIN
94



COTTAGE GROVE
146, 156



DAYTON
114, 156



DERBY
10, 157



DEXTER
104, 157



DISCUS
112, 158



DORCHESTER
56



DOVER
76, 158



DRAKE
20, 159



EDISON
134



ETHOS
108, 159



FRENCH QUARTER
2, 160



GABLES
84, 160



GENEVA
26



GUILD HALL
24



HENRY STREET
48, 161



HIGHLAND PARK
144, 161



HYANNIS PORT
126



KINETIC
106, 163



LA GRANGE
90



LARCHMONT
36, 163



LIBERTY
30, 164



LOS FELIZ
86



LOS OLIVOS
80, 164



LUCERNE

142



MARKHAM

32



MONTGOMERY

38



MORGAN HILL

78



NEWTON

34, 165



NORFOLK

64



OLD TOWN

16



OWINGS MILL

66



OXFORD

42



PAMPLONA

88, 166



PORTSMOUTH

128



POSTS & PIERS

151



POTTER

46, 166



PRESTON

44



PULLMAN

4



RALEIGH

132, 167



RENNIE

54, 167



ROTTERDAM

22



SAGAMORE

28, 168



SAPPORO

96, 168



SCARSDALE

122



SERENGETI

116, 169



SHUTTERS

100, 169



SOUTH STREET

140



STATION SQUARE

124



TOLEDO

136



TOWNSEND

14



VERONA

148, 170



VIBE

110, 171



VINTAGE

12, 171



WILMINGTON

130



WRIGHT

52, 172



LANDSCAPE

173 - 200



INDEX

1271	79	2300	135	3215	37, 163	3422	63	8955	41	9396	141	ELVT-75	197
1272	79	2301	135	3217	37, 163	3423	63	8956	40	9397	141	ELVT-IV2	197
1273	79	2303	135	3221	69	3431	50	8957	39	9441	71	F136	181
1274	79	2305	135	3222	69	3432	50	8958	41	9442	71	F302	180
1275	79	2307	135	3228	69	3433	50	8959	40	9443	71	F423	179
1276	79	2308	135	3229	69	3435	50	8960	39	9444	71	F451	179
1277	79	2351	33	3241	53, 172	3437	50	8961	41	9445	71	F461	174
1278	79	2352	33	3242	53, 172	4015	103, 155	8962	40	9446	71	F600	174
1279	79	2353	33	3243	53, 172	4016	103, 155	8970	77, 158	9461	67	F71	180
1350	119	2354	33	3245	53, 172	4017	103	8971	77, 158	9462	67	FHE12	199
1351	119, 154	2355	33	3247	53, 172	4018	103, 155	8972	77, 158	9463	67	FHE6	199
1352	119, 154	2358	33	3251	55, 167	4019	103, 155	8973	77, 158	9464	67	FHE9	199
1357	119, 154	2361	31, 164	3252	55, 167	4941	152	8974	77, 158	9465	67	FRL	198
1358	119, 154	2362	31, 164	3253	55, 167	4942	152	8990	27	9466	67	G128	188
1381	59	2363	31, 164	3255	55, 167	4945	151	8991	27	9467	67	G132	187
1382	59	2364	31, 164	3257	55, 167	4946	151	8992	27	9468	31, 67, 135, 143	G21	185
1383	59	2367	31, 164	3261	65	4948	152	8993	27	9471	123	G221	185
1384	59	2370	81,	3262	65	5001	83	8994	27	9472	123	G231	184
1385	59	2371	81, 164	3263	65	5002	83	8995	27	9473	123	G241	175
1386	59	2372	81, 164	3271	95	5003	83	8996	27	9474	123	G243	187
1387	59	2373	81, 164	3272	95	5004	83	8997	27	9475	123	G264	183
1411	125	2374	81, 164	3273	95	5006	83	9000	35, 165	9476	123	G267	183
1412	125	2375	81, 164	3281	11, 157	5007	83	9001	35, 165	9477	123	G820	186
1413	125	2377	81, 164	3282	11, 157	5008	83	9002	35, 165	9490	57	G828	186
1414	125	2378	81, 164	3283	11, 157	5009	83	9003	35, 165	9491	57	GDL	198
1415	125	2601	97, 168	3285	11, 157	5010	121	9004	35, 165	9492	57	HL	198
1417	125	2603	97, 168	3287	11, 157	5011	121	9005	35, 165	9493	57	LB40-12	73
1418	125	2731	113, 158	3292	29	5012	121	9006	35, 165	9494	57	LB60-6	73, 137
1460	75	2732	113, 158	3293	29, 168	5013	121	9007	35, 165	9495	57	LSL	198
1461	75	2733	113, 158	3294	29, 168	5014	121	9008	35, 165	9496	57	OC	198
1462	75	2771	137	3295	29, 168	5015	121	9009	35, 165	9497	57	P155	176, 189
1463	75	2772	137	3297	29, 168	6061	111, 171	9010	91	9498	57	PC101	196
1464	75	2773	137	3301	101, 169	6062	111, 171	9011	91	9499	57	PC102	196
1465	75	2774	137	3302	101, 169	6066	111, 171	9012	91	9501	61	PG	193
1467	75	2776	137	3303	101, 169	6067	111, 171	9013	91	9502	61	RDL	198
1468	75	2941	133, 167	3310	73, 153	6830	149, 170	9014	91	9620	15	S10	191
1851	99, 153	2942	133, 167	3311	73, 153	6831	149, 170	9120	89, 166	9621	15	S11	175
1852	99, 153	2946	133, 167	3312	73, 153	6832	150, 170	9121	89, 166	9622	15	S9	190
1853	99, 153	2947	133, 167	3313	73, 153	6834	149, 170	9122	89, 166	9623	15	SIL	198
1860	131	2948	133, 167	3315	73, 153	6835	150, 170	9123	89, 166	9624	15	T100	196
1862	131	2951	47, 166	3316	73, 153	6836	149, 170	9124	89, 166	9625	15	T102	196
1863	131	2952	47, 166	3317	73, 153	6890	149, 170	9130	39	9626	15	TM12	199
1864	131	2955	47, 166	3321	23	6891	149, 170	9131	39	9627	15	TM24	199
1865	131	2956	47, 166	3322	23	6895	150, 170	9132	41	9628	15	TM36	199
1866	131	2961	3, 160	3323	23	6910	145, 161	9133	40	9630	87	TM48	199
1871	129	2962	3, 160	3331	7	6911	145, 161	9134	39	9631	87	TM60	199
1872	129	2963	3, 160	3332	7	6913	145, 161	9135	41	9632	87	TM72	199
1873	129	2965	3, 160	3333	7	6914	145, 161	9136	40	9633	87	TS100M12	197
1875	129	2966	3, 160	3335	7	6915	145, 161	9137	39	9634	87	TS12M1215	196
1876	129	2967	3, 160	3337	7	6918	145, 161	9138	41	9635	87	TS150M12	197
1877	129	2971	13, 171	3341	105, 157	8420	152	9139	40	9636	87	TS3M1215	196
1878	129	2972	13, 171	3342	105, 157	8680	152	9140	39	9881	143	TS6M1215	196
1881	127	2973	13, 171	3343	105, 157	8681	151	9141	41	9882	143	TS9M1215	196
1882	127	3080	147, 156	3361	115, 156	8682	151	9142	40	9883	143	UVHB	198
1883	127	3081	147, 156	3362	115, 156	8683	151	9250	93	9885	143	UW34	177
1885	127	3082	147, 156	3363	115, 156	8685	152	9251	93	9886	143	UW51	195
1886	127	3083	147, 156	3381	107, 163	8930	43	9252	93	9887	143	VDL	198
1887	127	3084	147, 156	3382	107, 163	8931	43	9253	93	9900	85, 160	W100	177, 178
1888	127	3085	147, 156	3383	107, 163	8932	43	9255	93	9901	85, 160	W200	193
2010	49, 161	3086	147, 156	3384	107, 163	8933	43	9270	139	9902	85, 160	W319	194
2011	49, 161	3087	147, 156	3391	21, 159	8934	43	9271	139	9903	85, 160	W321	194
2012	49, 161	3161	117, 169	3392	21, 159	8935	43	9272	139	9905	85, 160		
2013	49, 161	3162	117, 169	3393	21, 159	8940	45	9273	139	9907	85, 160		
2015	49, 161	3163	117, 169	3401	109, 159	8943	45	9360	17	9908	85, 160		
2016	49, 161	3191	5	3402	109, 159	8944	45	9361	17	9909	85, 160		
2017	49, 161	3192	5	3403	109, 159	8945	45	9362	17	A3	199		
2018	49, 161	3193	5	3411	9, 155	8946	45	9363	17	ADL	198		
2031	25	3200	19, 154	3412	9, 155	8947	45	9364	17	B3	199		
2032	25	3201	19, 154	3413	9, 155	8948	45	9390	141	BDL	198		
2033	25	3202	19, 154	3414	9, 155	8950	39	9391	141	BG	193		
2035	25	3203	19, 154	3415	9, 155	8951	39	9392	141	BI	199		
2036	25	3211	37, 163	3417	9, 155	8952	41	9393	141	CD	198		
2037	25	3212	37, 163	3420	63	8953	40	9394	141	D1115	176, 189		
2038	25	3213	37, 163	3421	63	8954	39	9395	141	DG	193		

TROY LIGHTING

Est. 1963

A Division of Troy-CSL Lighting, Inc.

14508 Nelson Avenue
City of Industry, CA 91744

www.Troy-Lighting.com

T: 626.336.4511 F: 626.330.4266

sales@TroyCSL.com

C-TEXTE1-12

