

TROY LIGHTING

Est.1963



INTERIOR

2016

CONTENTS

ACE	73	FULTON	36	QUANTUM	112
ACME	152	GOTHAM	155	RISE & SHINE	39
AMÉLIE	137	IDLEWILD	103	SHELTER	59
ANDROMEDA	77	INSIGHT	13	SIENA	132
ATHENA	121	LIBRARY	110	SILHOUETTE	9
ATOMIC	92	LUXEMBOURG	143	SILVERLAKE	162
BOTTEGA	115	MADDOX	50	STIX	145
BUXTON	45	MCCOY	42	STREET ART	107
CALLIOPE	5	MERITAGE	52	VAULT	167
CANARY WHARF	158	MITCHEL FIELD	99	VILLAGE TAVERN	148
CAROUSEL	141	MONTPARNASSE	125	VINEYARD	28
CHRYSLIS	56	MURPHY	33	VIOLA	129
CODA	20	NEBULA	86	VORTEX	165
DINNER DATE	65	NUAGE	61	ZERO GRAVITY	89
DRAGONFLY	16	ODYSSEY	81	LAMPS	176
EPIC	1	OUTER BANKS	24	INDEX	Inside Back Cover
EQUILIBRIUM	69	PEARL STREET	163		
FLYBOY	95	PIERRE	118		



The Troy Lighting Interior Collection catalog incorporates Digimarc® on selected images to provide instant access to enlightening information about our company, fixture designs, and manufacturing processes. View our latest videos and other extra content on smartphones and tablets with the Digimarc® Discover free app. Look for images with  in the table of contents.

Download the Digimarc® Discover app from iTunes® or Google Play™. Launch the app and focus your device's camera on the Digimarc-enabled image, and watch our content come to life.



TROY LIGHTING



F5327

30" w 42" h

mm: 762 w 1067 h

Canopy: 6" w 3/4" d

mm: 152 w 19 d

8 - 40W G9 included



F5326

24" w 33¾" h
mm: 610 w 857 h

Canopy: 5¼" w ¾" h
mm: 133 w 19 h

6 - 40W G9 included



METALWORK

Hand-worked Iron with
Polished Chrome Detail

GLASSWARE

Plated Topaz

FINISH

Forged Iron

SUSPENSION

10' Aircraft Cable

B5321

10" w 16" h 6½" p 7¼" tcd
 mm: 254 w 406 h 165 p 184 tcd
 Back plate: 8¼" w 10¾" h ½" d
 mm: 210 w 273 h 13 d
 2 - 40W G9 included



F5325

18" w 25¼" h
 mm: 457 w 641 h
 Canopy: 5¼" w ¾" d
 mm: 133 w 19 d
 4 - 40W G9 included



METALWORK
 Hand-worked Iron with
 Polished Chrome Detail
 GLASSWARE
 Plated Topaz
 FINISH
 Forged Iron
 SUSPENSION
 10' Aircraft Cable



CALLIOPE

F4866

42" w 14¼" h
mm: 1067 w 362 h

Canopy: 5½" w 1" d
mm: 140 w 25 d

8 - 60W cand base

STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not
included in measurements.

Use of stem is optional.



CALLIOPE



B4862

9" w 13" h 6" p 6½" tcd
mm: 229 w 330 h 152 p 165 tcd
Back plate: 6½" w 12¼" h ¾" d
mm: 165 w 311 h 19 d
2 - 60W cand base



F4865

34" w 12" h
mm: 864 w 305 h
Canopy: 5½" w 1" d
mm: 140 w 25 d
6 - 60W cand base

STEM-TO-CHAIN SUSPENSION
12" / 305 mm stem not
included in measurements.
Use of stem is optional.



SHADE

Hardback Linen

METALWORK

Hand-worked Iron

FINISH

Rustic Gold Leaf

CALLIOPE

F4863

17¾" w 6½" h
mm: 451 w 165 h

Canopy: 5½" w 1" d
mm: 140 w 25 d

1 - 60W med base

STEM-TO-CHAIN SUSPENSION

4½" / 114 mm stem not
included in measurements.
Use of stem is optional.



F4864

26" w 8½" h
mm: 660 w 216 h

Canopy: 5½" w 1" d
mm: 140 w 25 d

4 - 60W cand base

STEM-TO-CHAIN SUSPENSION

8½" / 216 mm stem not
included in measurements.
Use of stem is optional.



SHADE

Hardback Linen

METALWORK

Hand-worked Iron

FINISH

Rustic Gold Leaf



SILHOUETTE

F5215 Gold Leaf
F5255 Silver Leaf
25" w 24¼" h
mm: 635 w 616 h
Canopy: 9" w 1" d
mm: 229 w 25 d
1 - 100W med



SILHOUETTE



F5216 Gold Leaf
F5256 Silver Leaf
25½" w 19¾" h
mm: 648 w 502 h
Canopy: 9½" w 1" d
mm: 241 w 25 d
1 - 100W med


METALWORK
Hand-worked Iron
GLASSWARE
Gloss Opal
FINISH
Gold Leaf
Silver Leaf
SUSPENSION
10' Aircraft Cable

SILHOUETTE

F5213 Gold Leaf
F5253 Silver Leaf
16" w 23" h
mm: 406 w 584 h
Canopy: 6½" w 1" d
mm: 165 w 25 d
1 - 100W med



F5214 Gold Leaf
F5254 Silver Leaf
18" w 21" h
mm: 457 w 533 h
Canopy: 8" w 1" d
mm: 203 w 25 d
1 - 100W med



METALWORK
Hand-worked Iron
GLASSWARE
Gloss Opal
FINISH
Gold Leaf
Silver Leaf
SUSPENSION
10' Aircraft Cable





BL4891

8" w 15" h 4¾" p 3" tcd
mm: 203 w 381 h 121 p 76 tcd

Back plate: 6" w 1¼" d
mm: 152 w 32 d

1 - 8W LED included
300 lm 2700°K ±50°K 90 CRI
120V/277V, incandescent,
ELV dimming

FL4897

16" w 18" h 6" d 68" max ht
mm: 406 w 457 h 152 d 1727 max ht

Canopy: 7" w 2" d
mm: 178 w 51 d

1 - 28W LED included
1820 lm 2700°K ±50°K 90 CRI
120V/277V, incandescent,
ELV dimming



FL4895

8" w 9¾" h 3" d 61" max ht
mm: 203 w 248 h 76 d 1549 max ht

Canopy: 6" w 2" d
mm: 152 w 51 d

1 - 8W LED included
300 lm 2700°K ±50°K 90 CRI
120V/277V, incandescent,
ELV dimming



FL4896

12" w 13¾" h 4½" d 63" max ht
mm: 305 w 349 h 114 d 1600 max ht

Canopy: 6" w 2" d
mm: 152 w 51 d

1 - 10W LED included
650 lm 2700°K ±50°K 90 CRI
120V/277V, incandescent,
ELV dimming

SHADE

Perforated Metal

METALWORK

Hand-worked Iron

FINISH

Modern Bronze with
Gold Leaf and Silver

SUSPENSION

Includes 4 stems with
hang-straight canopy
1-6", 2-12", 1-18"
mm: 1-152, 2-305, 1-457



DRAGONFLY



METALWORK

Hand-crafted Iron with Aluminum

FINISH

Bronze with Satin Leaf

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base Early Electric Lamps

LB-3W-12 12-pack 3W cand base Early Electric LED Lamps
180 lm 2200K 120V

F5278

72" w 51" h 72¼ max ht
mm: 1829 w 1295 h 1835 max ht

Canopy: 8" w ¾" d
mm: 203 w 19 d

12 - 60W cand

Shown with optional 40W
LB-40 Early Electric lamps

DRAGONFLY

B5271

4½" w 41½" h 3"p 20¾" tcd ADA
mm: 114 w 1054 h 76 p 527 tcd

Backplate: 4½" w ¾" d
mm: 114 w 19 d

1 - 60W cand

Shown with optional 40W
LB-40 Early Electric lamps

F5276

44" w 31¼" h 80" max ht
mm: 1118 w 794 h 2032 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

8 - 60W cand

Shown with optional 40W
LB-40 Early Electric lamps



DRAGONFLY



F5277

60" w 42 $\frac{3}{4}$ " h 70" max ht
mm: 1524 w 1086 h 1778 max ht

Canopy: 7" w $\frac{3}{4}$ " d
mm: 178 w 19 d

10 - 60W cand

Shown with optional 40W
LB-40 Early Electric lamps

METALWORK

Hand-crafted Iron with Aluminum

FINISH

Bronze with Satin Leaf

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base Early Electric Lamps

LB-3W-12 12-pack 3W cand base Early Electric LED Lamps
180 lm 2200K 120V





F5468

24" w 29" h
mm: 610 w 737 h

Canopy: 5½" w 1" d
mm: 140 w 25 d

8 - 60W cand

STEM-TO-CHAIN SUSPENSION

10" / 254 mm stem not included
in measurements.

Use of stem is optional.

METALWORK

Hand-worked Iron

SHADE

Hardback Shade

FINISH

Antique Copper Leaf

F5465

25¾" w 13¾" h
mm: 654 w 349 h

Canopy: 5½" w 1" d
mm: 140 w 25 d

5 - 60W cand

STEM-TO-CHAIN SUSPENSION

8" / 203 mm stem not included
in measurements.

Use of stem is optional.





B5462

9½" w 11" h 5"p 5" tcd
 mm: 241 w 279 h 127 p 127 tcd
 Backplate: 4¼" w 7" h ¾" d
 mm: 108 w 178 h 19 d
 2 - 40W cand

F5463

18" w 12" h
 mm: 457 w 305 h
 Canopy: 5½" w 1" d
 mm: 140 w 25 d
 3 - 60W cand

STEM-TO-CHAIN SUSPENSION
 6" / 152 mm stem not included
 in measurements.
 Use of stem is optional.



METALWORK
 Hand-worked Iron
 SHADE
 Hardback Shade
 FINISH
 Antique Copper Leaf





F4756

35" l 35" w 27½" h min 76" max ht
mm: 889 l 889 w 699 h min 1930 max ht

Canopy: 6" w 2" d
mm: 152 w 51 d

13 - 60W med base

Shown with optional 6W
Early Electric LED Lamps

GLASSWARE

Smoke Glass

METALWORK

Hand-worked Wrought Iron

FINISH

Shipyard Bronze

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base Early Electric Lamps

LB-6W-6 6-pack 6W med base Early Electric LED Lamps
400 lm 2200K 120V

F4753

8" l 8" w 10¼" h 89" max ht
mm: 203 l 203 w 260 h 2261 max ht

Canopy: 6" w 1" d
mm: 152 w 25 d

1 - 60W med base

Shown with optional 6W
Early Electric LED Lamps

F4755

24¼" l 24¼" w 23" h min 76" max ht
mm: 616 l 616 w 584 h min 1905 max ht

Canopy: 6" w 1" d
mm: 152 w 25 d

7 - 60W med base

Shown with optional 6W
Early Electric LED Lamps





B4751

8½" w 16¾" h 8½" p 3" tcd
mm: 216 w 425 h 216 p 76 tcd

Back plate: 6" w ¾" d
mm: 152 w 19 d

1 - 60W med base

Shown with optional 6W
Early Electric LED Lamps

F4754

17" l 17" w 18" h min 76" max ht
mm: 432 l 432 w 457 h min 1905 max ht

Canopy: 6" w 1" d
mm: 152 w 25 d

3 - 40W med base

Shown with optional 6W
Early Electric LED Lamps

GLASSWARE

Smoke Glass

METALWORK

Hand-worked Wrought Iron

FINISH

Shipyard Bronze

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base
Early Electric Lamps

LB-6W-6 6-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V



VINEYARD

F4857

22½" w 33" h
mm: 572 w 838 h

Canopy: 5¼" w ¾" d
mm: 133 w 19 d

8 - 60W cand base

STEM-TO-CHAIN SUSPENSION

10" / 254 mm stem not
included in measurements.
Use of stem is optional.



METALWORK

Hand-worked
Iron

FINISH

Rusty Iron with
Salvaged Wood

OPTIONAL LAMP INFORMATION

LB-40-FT-12 12-pack 40W cand base Early Electric Lamps Flame Tip

TROY LIGHTING

F4856

18½" w 28½" h
mm: 470 w 724 h

Canopy: 5¼" w ¾" d
mm: 133 w 19 d

6 - 60 cand base

STEM-TO-CHAIN SUSPENSION

8½" / 216 mm stem not
included in measurements.
Use of stem is optional.





B4852

8¼" w 13" h 4" p ADA 6½" tcd
mm: 210 w 330 h 102 p 165 tcd

Back plate: 7" w 13" h ½" d
mm: 178 w 330 h 13 d

2 - 60 cand base



F4855

13½" w 21" h
mm: 343 w 533 h

Canopy: 5¼" w ¾" d
mm: 133 w 19 d

3 - 60 cand base

STEM-TO-CHAIN SUSPENSION

6¾" / 171 mm stem not
included in measurements.
Use of stem is optional.

METALWORK

Hand-worked
Iron

FINISH

Rusty Iron with
Salvaged Wood

OPTIONAL LAMP INFORMATION

LB-40-FT-12 12-pack 40W cand base Early Electric Lamps Flame Tip

F4858

26¼" w 16" h
mm: 667 w 406 h

Canopy: 5¼" w ¾" d
mm: 133 w 19 d

6 - 60 cand base

STEM-TO-CHAIN SUSPENSION

6½" / 165 mm stem not
included in measurements.
Use of stem is optional.



METALWORK

Hand-worked Iron

FINISH

Rusty Iron with Salvaged Wood

OPTIONAL LAMP INFORMATION

LB-40-FT-12 12-pack 40W cand base
Early Electric Lamps
Flame Tip



F4907

32" w 33" h
mm: 813 w 838 h

Canopy: 4½" w ½" d
mm: 114 w 13 d

1 - 60W med base



F4904

9" w 33" h
mm: 229 w 838 h

Canopy: 4½" w ½" d
mm: 114 w 13 d

1 - 60W med base



F4906

24" w 28" h
mm: 610 w 711 h
Canopy: 4½" w ½" d
mm: 114 w 13 d
1 - 60W med base



F4905

13½" w 40" h
mm: 343 w 1016 h
Canopy: 4½" w ½" d
mm: 114 w 13 d
1 - 60W med base



GLASSWARE

Hand-blown Seeded Glass

METALWORK

Hand-worked Iron

FINISH

Vintage Iron with Manila Rope
and Rustic Wood

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base Early
Electric Lamps

LB-6W-6 6-pack 6W med base Early
Electric LED Lamps
400 lm 2200K 120V





F4555
10" w 21" h
mm: 254 w 533 h
Canopy: 6" w 1½" h
mm: 152 w 38 h
1 - 100W med base



F4556
13" w 26½" h
mm: 330 w 673 h
Canopy: 7" w 1½" h
mm: 178 w 38 h
1 - 100W med base



F4554
7" w 15" h
mm: 178 w 381 h
Canopy: 5" w 1½" h
mm: 127 w 38 h
1 - 60W med base

GLASSWARE
Opal White
METALWORK
Hand-carved Wood
and Wrought Iron
FINISH
Rusty Iron with
Salvaged Wood
SUSPENSION
10' Aircraft Cable



F4553

12¼" w 27½" h
mm: 311 w 699 h
Canopy: 7" w 1½" h
mm: 178 w 38 h
1 - 100W med base



F4552

9½" w 20¾" h
mm: 241 w 527 h
Canopy: 6" w 1½" h
mm: 152 w 38 h
1 - 100W med base



F4551

6½" w 15¾" h
mm: 165 w 400 h
Canopy: 5" w 1½" h
mm: 127 w 38 h
1 - 60W med base

GLASSWARE

Opal White

METALWORK

Hand-carved Wood
and Wrought Iron

FINISH

Rusty Iron with
Salvaged Wood

SUSPENSION

10' Aircraft Cable



F5265

32" w 25 $\frac{3}{4}$ " h
mm: 813 w 654 h

Canopy: 6 $\frac{3}{4}$ " w $\frac{3}{4}$ " d
mm: 171 w 19 d

5 - 60W med



RISE & SHINE



F5263

18" w 15¼" h

mm: 457 w 387 h

Canopy: 5½" w ¾" d

mm: 140 w 19 d

3 - 60W med



F5264

26" w 20¾" h

mm: 660 w 527 h

Canopy: 5½" w ¾" d

mm: 140 w 19 d

4 - 60W med

METALWORK

Hand-worked Iron

FINISH

Rust Patina

TROY LIGHTING





B5421

10" w 12½" h 11"p 3¼" tcd
mm: 254 w 318 h 279 p 83 tcd

Backplate: 4½" w 6" h ¾" d
mm: 114 w 152 h 19 d

1 - 60W med

Shown with optional 60W
med base Early Electric lamps



F5427

34" w 18¼" h
mm: 864 w 464 h

Canopy: 6" w ¾" d
mm: 152 w 19 d

4 - 60W med

Lamps not included in
measurement

Shown with optional 60W
med base Early Electric lamps

METALWORK

Hand-worked Iron

FINISH

Vintage Bronze

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base Early Electric Lamps

LB-6W-6 6-pack 6W med base Early Electric LED Lamps
400 lm 2200K 120V

F5422

14" w 5¾" h 10' max ht
mm: 356 w 146 h 3048 max ht

Canopy: 8" w ¾" d
mm: 203 w 19 d

1 - 60W med

Lamps not included in
measurement

Shown with optional 60W
med base Early Electric lamps

F5424

46" w 20" h
mm: 1168 w 508 h

Canopy: 10" l 5" w ¾" d
mm: 254 l 127 w 19 d

2 - 60W med

Lamps not included in
measurement

Shown with optional 60W
med base Early Electric lamps

METALWORK

Hand-worked Iron

FINISH

Vintage Bronze

SUSPENSION

10' Fabric-covered Cord

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base Early Electric Lamps

LB-6W-6 6-pack 6W med base Early Electric LED Lamps
400 lm 2200K 120V





F4466

25½" w 17½" h
mm: 648 w 445 h

Canopy: 5¼" w 1¼" h
mm: 133 w 32 h

6 - 60W cand base





F4465

22¼" w 33¾" h
mm: 565 w 857 h

Canopy: 5¼" w 1¼" h
mm: 133 w 32 h

8 - 60W cand base

SHADE

Hardback Linen

METALWORK

Hand-worked Wrought Iron

FINISH

Vintage Bronze

B4462

8¾" w 13" h 5" p 6½" tcd
 mm: 222 w 330 h 127 p 165 tcd
 Back plate: 8¾" w 12¾" h ½" d
 mm: 222 w 324 h 13 d
 2 - 40W cand base



F4464

18" w 27" h
 mm: 457 w 686 h
 Canopy: 5¼" w 1¼" h
 mm: 133 w 32 h
 6 - 60W cand base





C4460

13" w 8¾" h

mm: 330 w 222 h

Canopy: 9½" w ¾" h

mm: 241 w 19 h

3 - 60W cand base



F4463

13" w 20½" h

mm: 330 w 521 h

Canopy: 5¼" w 1¼" h

mm: 133 w 32 h

3 - 60W cand base



SHADE

Hardback Linen

METALWORK

Hand-worked Wrought Iron

FINISH

Vintage Bronze





F5346

20" w 46½" h
mm: 508 w 1181 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

6 - 60W cand

Shown with optional 40W
Early Electric Lamps

GLASSWARE

Clear Glass

METALWORK

Hand-worked Iron

FINISH

Textured Bronze

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base Early Electric Lamps

LB-3W-12 12-pack 3W cand base Early Electric LED Lamps
180 lm 2200K 120V

F5344

15½" w 35½" h
mm: 394 w 902 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

4 - 60W cand

Shown with optional 40W
Early Electric Lamps



B5342

8" w 12¾" h 4"p 7¼" tcd
mm: 203 w 328 h 102 p 184 tcd

Backplate: 8" w 11" h ½" d
mm: 203 w 279 h 13 d

2 - 60W cand

GLASSWARE

Clear Glass

METALWORK

Hand-worked Iron

FINISH

Textured Bronze

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base
Early Electric Lamps

LB-3W-12 12-pack 3W cand base
Early Electric LED Lamps
180 lm 2200K 120V



F4319

30 $\frac{1}{4}$ " w 33 $\frac{3}{4}$ " h
mm: 768 w 857 h

Canopy: 6" w $\frac{3}{4}$ " h
mm: 152 w 19 h

9 - 60W cand base

GLASSWARE

Mercury-plated and
Clear Crystal

METALWORK

Hand-worked
Wrought Iron

FINISH

Graphite

F4315

12½" w 20¼" h
mm: 318 w 514 h

Canopy: 6" w ¾" h
mm: 152 w 19 h

3 - 60W cand base



F4317

25" w 28¾" h
mm: 635 w 730 h

Canopy: 6" w ¾" h
mm: 152 w 19 h

6 - 60W cand base





C4310

20" w 16¼" h
mm: 508 w 413 h
Canopy: 12¾" w ¾" h
mm: 324 w 19 h
4 - 60W cand base



B4312

12¼" w 14¾" h 5¾" p 4¾" tcd
mm: 311 w 375 h 146 p 121 tcd
Back plate: 5" w 10¼" h ¾" d
mm: 127 w 260 h 19 d
2 - 60W cand base



F4316

20" w 26" h
mm: 508 w 660 h
Canopy: 6" w ¾" h
mm: 152 w 19 h
6 - 60W cand base

GLASSWARE

Mercury-plated and
Clear Crystal

METALWORK

Hand-worked
Wrought Iron

FINISH

Graphite



CHRYSA LIS



F5298

21 $\frac{1}{4}$ " w 21" l 34 $\frac{3}{4}$ " h
mm: 540 w 533 l 883 h

Canopy: 5 $\frac{3}{4}$ " w 3 $\frac{3}{4}$ " d
mm: 146 w 19 d

8 - 60W cand

STEM-TO-CHAIN SUSPENSION

6" / 152 mm stem not included
in measurements.

Use of stem is optional.

METALWORK

Hand-crafted Iron
and Stainless

FINISH

Cottage Bronze
with Polished Stainless
and Gold Leaf

CHRYSA LIS

B5291

8" w 18" h 5½"p 9" tcd
mm: 203 w 457 h 140 p 229 tcd

Backplate: 5" w 15" h ½" d
mm: 127 w 381 h 13 d

1 - 60W cand

F5294

17¼" w 17" l 28¼" h
mm: 438 w 432 l 718 h

Canopy: 4¾" w ¾" d
mm: 121 w 19 d

4 - 60W cand

STEM-TO-CHAIN SUSPENSION

6" / 152 mm stem not included
in measurements.

Use of stem is optional.



METALWORK

Hand-crafted Iron
and Stainless

FINISH

Cottage Bronze
with Polished Stainless
and Gold Leaf





F4771

12½" w 21½" h
mm: 318 w 546 h

Canopy: 6" w 1¼" d
mm: 152 w 32 d

1 - 100W med base

Shown with optional 60W
Early Electric Lamps



F4773

12½" w 13¾" h
mm: 318 w 349 h

Canopy: 6" w 1¼" d
mm: 152 w 32 d

1 - 100W med base

Shown with optional 60W
Early Electric Lamps



F4772

12" w 14¼" h
mm: 305 w 362 h

Canopy: 6" w 1¼" d
mm: 152 w 32 d

1 - 100W med base

Shown with optional 60W
Early Electric Lamps

METALWORK

Hand-worked Wrought Iron

FINISH

Revolution Bronze

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base
Early Electric Lamps

LB-6W-6 6-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V



F4215

41¼" w 48¼" h
 mm: 1048 w 1226 h
 Canopy: 6" w 1½" h
 mm: 152 w 38 h
 5 - 60W med base



GLASSWARE

Clear Glass,
 Frosted Inside

METALWORK

Hand-crafted Iron

FINISH

Vintage Bronze



F4214

31½" w 40½" h
mm: 800 w 1029 h
Canopy: 6" w 1½" h
mm: 152 w 38 h
4 - 60W med base

B4211

5" w 10¼" h 6" p 2½" tcd
 mm: 127 w 260 h 152 p 64 tcd
 Canopy: 5" w ¾" d
 mm: 127 w 19 d
 1 - 50W G9 included



F4213

26¾" w 34¾" h
 mm: 679 w 883 h
 Canopy: 6" w 1½" h
 mm: 152 w 38 h
 3 - 60W med base



GLASSWARE

Clear Glass,
 Frosted Inside

METALWORK

Hand-crafted Iron

FINISH

Vintage Bronze



DINNER DATE


F4698

55" w 31½" h 82¼" max ht
mm: 1397 w 800 h 2089 max ht

Canopy: 6" w 1¼" d
mm: 152 w 32 d

8 - 60W cand base

40W LB-40 Early Electric
Lamps included



DD1



DD2



DD3



DD4



DD5



DD6

DINNER DATE



B4691

7½" w 19½" h 5"p 15¼" tcd
mm: 191 w 495 h 127 p 387 tcd

Back plate: 5¼" w 1¼" d
mm: 133 w 32 d

1 - 60W cand base

40W LB-40 Early Electric
Lamps included



GLASSWARE

Ceramic Plates with Artistic Print

METALWORK

Hand-worked Wrought Iron

FINISH

Dark Bronze with Antique Brass

SUSPENSION

Includes 4 stems with
hang-straight canopy

1-6", 2-12" & 1-18"

mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-3W-12 12-pack 3W cand base
Early Electric LED Lamps
180 lm 2200K 120V

F4696

42" w 24¼" h 75" max ht
mm: 1062 w 616 h 1905 max ht

Canopy: 6" w 1¼" d
mm: 152 w 32 d

6 - 60W cand base

40W LB-40 Early Electric
Lamps included

DINNER DATE

F4692

42" w 6¾" h 57½" max ht
mm: 1067 w 171 h 1461 max ht

Canopy: 6" w 1¼" d
mm: 152 w 32 d

2 - 60W cand base

40W LB-40 Early Electric
Lamps included



F4694

42" w 15¼" h 66" max ht
mm: 1067 w 387 h 1676 max ht

Canopy: 6" w 1¼" d
mm: 152 w 32 d

4 - 60W cand base

40W LB-40 Early Electric
Lamps included



GLASSWARE

Ceramic Plates with Artistic Print

METALWORK

Hand-worked Wrought Iron

FINISH

Dark Bronze with Antique Brass

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-3W-12 12-pack 3W cand base Early Electric
LED Lamps; 180 lm 2200K 120V



EQUILIBRIUM

F5317

44" w 21½" h 62¼" max ht
mm: 1118 w 546 h 1581 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

9 - 60W cand

Shown with optional 40W
Early Electric Lamps



EQUILIBRIUM



F5316

38" w 21" h 61 $\frac{3}{4}$ " max ht
mm: 965 w 533 h 1568 max ht

Canopy: 6" w $\frac{3}{4}$ " d
mm: 152 w 19 d

7 - 60W cand

Shown with optional 40W
Early Electric Lamps

METALWORK

Hand-worked Iron

GLASSWARE

Plated Topaz

FINISH

Textured Bronze and Brushed Brass

SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base Early Electric Lamps

LB-3W-12 12-pack 3W cand base Early Electric LED Lamps
180 lm 2200K 120V

B5311

5" w 29" h 7"p 13¾" tcd
mm: 127 w 737 h 178 p 349 tcd

Backplate: 4½" w 6" h ¾" d
mm: 114 w 152 h 19 d

1 - 60W cand

Shown with optional 40W
Early Electric Lamps



F5315

31" w 43" h 83¾" max ht
mm: 787 w 1092 h 2127
max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

5 - 60W cand

Shown with optional 40W
Early Electric Lamps



F5314

6" w 8¼" h 57" max ht
mm: 152 w 210 h 1448 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

1 - 60W cand

Shown with optional 40W
Early Electric Lamps



METALWORK

Hand-worked Iron

GLASSWARE

Plated Topaz

FINISH

Textured Bronze and Brushed Brass

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base
Early Electric Lamps

LB-3W-12 12-pack 3W cand base
Early Electric LED Lamps
180 lm 2200K 120V



B5301

5¼" w 9" h 6¼" p 4½" tcd
mm: 133 w 229 h 159 p 114 tcd

Backplate: 5¼" w 9" h ¾" d
mm: 133 w 229 h 19 d

1 - 40W G9 included



F5307

49½" w 14¼" h 60" max ht
mm: 1257 w 362 h 1524 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

4 - 40W G9 included



F5306

50" w 10¼" h 54½" max ht
mm: 1270 w 260 h 1384 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

10 - 40W G9 included



METALWORK

Hand-worked Iron

GLASSWARE

Gloss Opal

FINISH

Textured Bronze and
Brushed Brass

SUSPENSION


Includes 4 stems with
hang-straight canopy
1-6", 2-12" & 1-18"
mm: 1-152, 2-305, 1-457

F5303

27 $\frac{3}{4}$ " w 6 $\frac{1}{2}$ " h 52 $\frac{3}{4}$ " max ht
mm: 705 w 165 h 1340 max ht

Canopy: 6" w $\frac{3}{4}$ " d
mm: 152 w 19 d

6 - 40W G9 included




F5304

37 $\frac{3}{4}$ " w 9" h 54 $\frac{1}{4}$ " max ht
mm: 959 w 229 h 1378 max ht

Canopy: 6" w $\frac{3}{4}$ " d
mm: 152 w 19 d

8 - 40W G9 included



METALWORK

Hand-worked Iron

GLASSWARE

Gloss Opal

FINISH

Textured Bronze and
Brushed Brass

SUSPENSION

Includes 4 stems with
hang-straight canopy

1-6", 2-12" & 1-18"

mm: 1-152, 2-305, 1-457



ANDROMEDA

F4827

56" w 44" h 93" max ht
mm: 1422 w 1118 h 2362 max ht

Canopy: 7" w 3/4" d
mm: 178 w 19 d

16 - 50W G9 included





B4822

5¼" w 19¼" h 6¼" p 9¾" tcd
mm: 133 w 489 h 159 p 248 tcd

Back plate: 5¼" w ¾" d
mm: 133 w 19 d

2 - 50W G9 included



F4826

42" w 37½" h 91" max ht
mm: 1067 w 946 h 2311 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

12 - 50W G9 included



GLASSWARE

Clear Glass,
Frosted Inside

METALWORK

Hand-worked
Wrought Iron

FINISH

Carbide Black and
Polished Nickel

SUSPENSION

Includes 4 stems with
hang-straight canopy
1-6", 2-12", 1-18"
mm: 1-152, 2-305, 1-457

F4824

5" w 7¼" h
mm: 127 w 184 h

Canopy: 6" w ¾" d
mm: 152 w 19 d

1 - 25W G9 included

SUSPENSION

10' / 3048 mm wire included

F4825

42" w 29½" h 78½" max ht
mm: 1067 w 749 h 1994 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

8 - 50W G9 included



GLASSWARE
Clear Glass,
Frosted Inside

METALWORK
Hand-worked
Wrought Iron

FINISH
Carbide Black and
Polished Nickel

SUSPENSION
Includes 4 stems with
hang-straight canopy
1-6", 2-12", 1-18"
mm: 1-152, 2-305, 1-457



F4298

47" w 54½" h 103¾" max ht

mm: 1194 w 1384 h 2635 max ht

Canopy: 7" w ¾" d

mm: 178 w 19 d

9 - 60W med base

Shown with optional 60W

Early Electric Lamps





F4294

9" w 12½" h

mm: 229 w 318 h

Canopy: 6" w ¾" d

mm: 152 w 19 d

Includes 10' cloth-covered cord

1 - 60W med base

Shown with optional 60W

LB-60-T10 Early Electric Lamp



F4297

35½" w 38½" h 87¾" max ht

mm: 902 w 978 h 2229" max ht

Canopy: 7" w ¾" d

mm: 178 w 19 d

5 - 60W med base

Shown with optional 60W

LB-60 Early Electric Lamps

GLASSWARE

Plated Smoked

METALWORK

Hand-worked Wrought Iron

FINISH

Carbide Black and Polished Nickel

SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-60-T10-12 12-pack 60W med base
Early Electric Lamps

LB-6W-5.5-12 12-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V

F4293

7" w 10 $\frac{3}{4}$ " h

mm: 178 w 273 h

Canopy: 6" w $\frac{3}{4}$ " d

mm: 152 w 19 d

Includes 10' cloth-covered cord

1 - 60W med base

Shown with optional 60W

LB-60 Early Electric Lamp



B4291

7" w 15 $\frac{3}{4}$ " h 9" p 3 $\frac{3}{4}$ " tcd

mm: 178 w 400 h 229 p 95 tcd

Back plate: 5" w 7 $\frac{1}{4}$ " h $\frac{3}{4}$ " d

mm: 127 w 184 h 19 d

1 - 60W med base

Shown with optional 60W

LB-60 Early Electric Lamp



F4299

44" l 9" w 33" h 82 $\frac{1}{4}$ " max ht

mm: 1118 l 229 w 838 h 2089 max ht

Canopy: 7" w $\frac{3}{4}$ " d

mm: 178 w 19 d

3 - 60W med base

Shown with optional 60W

LB-60-T10 Early Electric Lamps



F4296

29" w 34½" h 83¾" max ht
mm: 737 w 876 h 2127 max ht

Canopy: 7" w ¾" d
mm: 178 w 19 d

4 - 60W med base

Shown with optional 60W
LB-60-T10 Early Electric Lamps

F4295

24" w 29" h 78¼" max ht
mm: 610 w 737 h 1988 max ht

Canopy: 6" w ¾" d
mm: 152 w 19 d

4 - 60W med base

Shown with optional 60W
LB-60 Early Electric Lamps



GLASSWARE

Plated Smoked

METALWORK

Hand-worked Wrought Iron

FINISH

Carbide Black and Polished Nickel

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-60-T10-12 12-pack 60W med base
Early Electric Lamps

LB-6W-5.5-12 12-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V

LB-60-6 6-pack 60W med base
Early Electric Lamps

LB-6W-6 6-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V



NEBULA



B4282

12 $\frac{3}{4}$ " w 24" h 5 $\frac{1}{2}$ " p 15 $\frac{1}{2}$ " tcd
mm: 324 w 610 h 140 p 394 tcd

Back plate: 6" w $\frac{3}{4}$ " h
mm: 152 w 19 h

2 - 20W G9 included



F4287

41" w 25 $\frac{3}{4}$ " h 65 $\frac{3}{4}$ " max ht
mm: 1041 w 654 h 1670 max ht

Canopy: 7" w 1" h
mm: 178 w 25 h

25 - 20W G9 included



C4280

32" w 13¾" h
mm: 813 w 349 h
Canopy: 7" w 1" h
mm: 178 w 25 h
13 - 20W G9 included



F4286

36" w 22" h 62" max ht
mm: 914 w 559 h 1575 max ht
Canopy: 7" w 1" h
mm: 178 w 25 h
25 - 20W G9 included



GLASSWARE

Opal White

METALWORK

Hand-worked
Wrought Iron

FINISH

Carbide Black and
Polished Nickel

SUSPENSION

Includes 4 stems with
hang-straight canopy

1-6", 2-12" & 1-18"

mm: 1-152, 2-305, 1-457



ZERO GRAVITY

FL4817

32" w 29¼" h
mm: 813 w 743 h
Canopy: 5½" w ¾" d
mm: 140 w 19 d
1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V incandescent dimming

BL4811

7" w 4½" h 8¼" p 2¾" tcd
mm: 178 w 108 h 210 p 70 tcd
Back plate: 5¼" w ¾" d
mm: 133 w 19 d
1 - 12W LED included
840 lm 2700°K ±50°K 90 CRI
120V incandescent dimming



ZERO GRAVITY



FL4815

18¼" w 17½" h
mm: 464 w 445 h
Canopy: 5½" w ¾" d
mm: 140 w 19 d
1 - 12W LED included
840 lm 2700°K ±50°K 90 CRI
120V incandescent dimming

METALWORK

Hand-worked
Wrought Iron

FINISH

Carbide Black and
Polished Nickel



FL4816

25¼" w 24" h
mm: 641 w 610 h
Canopy: 5½" w ¾" d
mm: 140 w 19 d
1 - 12W LED included
840 lm 2700°K ±50°K 90 CRI
120V incandescent dimming





C4254PB (shown)

C4804PN

48" w 10½" h

mm: 1219 w 267 h

Canopy: 11¾" w ½" h

mm: 298 w 13 h

16 - 1.7W LED included

1800 lm 2700°K ±100°K 85 CRI

120V/277V incandescent dimming



B4251PB

B4801PN (shown)

14¼" w 21¾" h 4¼" p 11" tcd

mm: 362 w 552 h 108 p 279 tcd

Back plate: 5½" w ½" d

mm: 140 w 13 d

8 - 1.7W LED included

900 lm 2700°K ±100°K 85 CRI

120V/277V incandescent dimming

C4253PB

C4803PN (shown)

36¼" w 8¼" h
mm: 921 w 210 h

Canopy: 8¾" w ½" h
mm: 222 w 13 h

16 - 1.7W LED included
1800 lm 2700°K ±100°K 85 CRI
120V/277V incandescent dimming



C4252PB (shown)

C4802PN

25" w 5¾" h
mm: 635 w 146 h

Canopy: 6" w ½" h
mm: 152 w 13 h

8 - 1.7W LED included
900 lm 2700°K ±100°K 85 CRI
120V/277V incandescent dimming

FINISH

Polished Brass
with Matte Black

Polished Nickel
with Matte Black



F4703

12¾" w 13¼" h
mm: 324 w 337 h

Canopy: 8½" w 2" d
mm: 216 w 51 d

1 - 100W med base



F4708

40" w 15¾" h
mm: 1016 w 400 h

Canopy: 8½" w 2" d
mm: 216 w 51 d

1 - 150W med base



METALWORK

Hand-worked Iron,
Brass and Aluminum

FINISH

Antique Silver with
Vintage Aluminum
and Aged Brass

SUSPENSION

10' Aircraft Cable

FLY BOY



C4700

12¾" w 12½" h
mm: 324 w 318 h

Canopy: 8½" w 2" d
mm: 216 w 51 d

1 - 100W med base



F4707

32" w 12½" h
mm: 813 w 318 h

Canopy: 8½" w 2" d
mm: 216 w 51 d

1 - 100W med base

F4705

18" w 9" h

mm: 457 w 229 h

Canopy: 7" w 1½" d

mm: 178 w 38 d

1 - 60W med base



B4701

9" w 10½" h 4" p 5¼" tcd

mm: 229 w 267 h 102 p 133 tcd

Back plate: 7" w 9" h ½" d

mm: 178 w 229 h 13 d

1 - 60W cand base



F4706

26" w 10¼" h

mm: 660 w 260 h

Canopy: 7" w 1½" d

mm: 178 w 38 d

1 - 100W med base

METALWORK

Hand-worked Iron,
Brass and Aluminum

FINISH

Antique Silver with
Vintage Aluminum
and Aged Brass

SUSPENSION

10' Aircraft Cable



B4721

10" w 14" h 5" p 7" tcd
mm: 254 w 356 h 127 p 178 tcd

Back plate: 4½" w 8" h ¾" d
mm: 114 w 203 h 19 d

1 - 12W LED included
840 lm 2700°K ±50°K 90 CRI
120V/277V incandescent dimming



F4726

40" w 29½" h 78¼" max ht
mm: 1016 w 749 h 1988 max ht

Canopy: 8" w 2¼" d
mm: 203 w 57 d

1 - 29W LED included
2030 lm 2700°K ±50°K 90 CRI
120V/277V universal dimming



C4720

18" w 8¾" h
mm: 457 w 222 h

Canopy: 12¼" w ¾" d
mm: 311 w 19 d

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V/277V incandescent dimming



GLASSWARE

Clear Fluted Glass,
Frosted Inside

METALWORK

Hand-worked Iron
and Aluminum

FINISH

Vintage Aluminum with
Parisian Silver Leaf

SUSPENSION

Includes 4 stems with
hang-straight canopy
1-6", 2-12" & 1-18"
mm: 1-152, 2-305, 1-457

F4725

32" w 23½" h 72¼" max ht
mm: 813 w 597 h 1835 max ht

Canopy: 8" w 2¼" d
mm: 203 w 57 d

1 - 23W LED included
1610 lm 2700°K ±50°K 90 CRI
120V/277V universal dimming

F4724

26" w 9½" h 58¼" max ht
mm: 660 w 241 h 1480 max ht

Canopy: 6" w 2" d
mm: 152 w 51 d

1 - 23W LED included
1610 lm 2700°K ±50°K 90 CRI
120V/277V universal dimming

F4723

18" w 13¾" h 62½" max ht
mm: 457 w 349 h 1588 max ht

Canopy: 6" w 2" d
mm: 152 w 51 d

1 - 17W LED included
1190 lm 2700°K ±50°K 90 CRI
120V/277V universal dimming



GLASSWARE

Clear Fluted Glass,
Frosted Inside

METALWORK

Hand-worked Iron
and Aluminum

FINISH

Vintage Aluminum with
Parisian Silver Leaf

SUSPENSION

Includes 4 stems with
hang-straight canopy

1-6", 2-12" & 1-18"

mm: 1-152, 2-305, 1-457



F4736

40" w 23¾" h
 mm: 1016 w 603 h
 Canopy: 8" w 2¼" d
 mm: 203 w 57 d
 1 - 29W LED included
 2030 lm 2700°K ±50°K 90 CRI
 120V/277V universal dimming

B4731

10¾" w 11¼" h 11" p 8¼" tcd
 mm: 273 w 286 h 279 p 210 tcd
 Back plate: 6" w ¾" d
 mm: 152 w 19 d
 1 - 4.5W LED included
 300 lm 2700°K ±100°K 80 CRI
 120V incandescent dimming





C4730

11" w 5½" h
mm: 279 w 140 h

Canopy: 10¾" w ¾" d
mm: 273 w 19 d

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V/277V incandescent dimming

F4735

32" w 19½" h
mm: 813 w 495 h

Canopy: 8" w 2¼" d
mm: 203 w 57 d

1 - 29W LED included
2030 lm 2700°K ±50°K 90 CRI
120V/277V universal dimming



GLASSWARE

Frosted Safety Glass Lens;
Clear Fluted Glass Diffuser,
Frosted Inside

METALWORK

Hand-worked Iron and Aluminum

FINISH

Aviation Gray and Vintage Aluminum

SUSPENSION

10' Aircraft Cable

F4733

18" w 11" h
 mm: 457 w 279 h
 Canopy: 6" w 2" d
 mm: 152 w 51 d
 1 - 12W LED included
 840 lm 2700°K ±50°K 90 CRI
 120V/277V universal dimming

F4734

26" w 15¾" h
 mm: 660 w 400 h
 Canopy: 6" w 2" d
 mm: 152 w 51 d
 1 - 17W LED included
 1190 lm 2700°K ±50°K 90 CRI
 120V/277V universal dimming



GLASSWARE

Frosted Safety Glass Lens;
 Clear Fluted Glass Diffuser,
 Frosted Inside

METALWORK

Hand-worked Iron
 and Aluminum

FINISH

Aviation Gray
 and Vintage Aluminum

SUSPENSION

10' Aircraft Cable



F4764

18" w 20" h

mm: 457 w 508 h

Canopy: 5¾" w 1¼" h

mm: 146 w 32 h

4 - 60W cand base



F4766

32" w 35" h

mm: 813 w 889 h

Canopy: 6½" w 1¼" d

mm: 165 w 32 d

6 - 60W med base





B4762

8" w 15" h 3½" p 7½" tcd
mm: 203 w 381 h 89 p 191 tcd
Back plate: 5" w 12" h ¾" d
mm: 127 w 305 h 19 d
2 - 60W cand base



C4760

18" w 8½" h
mm: 457 w 216 h
Canopy: 11" w 1¼" d
mm: 279 w 32 d
4 - 60W cand base



F4765

25" w 28" h
mm: 635 w 711 h
Canopy: 6½" w 1¼" d
mm: 165 w 32 d
5 - 60W med base

METALWORK

Hand-worked
Wrought Iron

FINISH

Weathered Galvanized
with Street Art Interior





F5243

20¼" w 11¼" h 69" max ht
mm: 514 w 286 h 1752 max ht

Canopy: 6½" w ¾" h
mm: 165 w 19 h

1 - 100W med



F5245

28" w 15" h 63¾" max ht
mm: 711 w 381 h 1619 max ht

Canopy: 6½" w ¾" h
mm: 165 w 19 h

1 - 100W med

METALWORK

Hand-worked Iron

GLASSWARE

Gloss Opal

FINISH

Copper Patina Exterior,
Silver Leaf Interior

SUSPENSION

Includes 4 stems with
hang-straight canopy

1-6", 2-12" & 1-18"

mm: 1-152, 2-305, 1-457



F5237

15¼" w 41½" h
mm: 387 w 1054 h
Canopy: 6" w 1" h
mm: 152 w 25 h
6 - 60W cand



B5234

8" w 12½" h 4" p 6½" tcd ADA
mm: 203 w 318 h 102 p 165 tcd
Back plate: 5¾" w 11½" h ½" d
mm: 146 w 292 h 13 d
2 - 60W cand

GLASSWARE

Opal

METALWORK

Hand-worked Iron

FINISH

Gold Leaf

F5236

13" w 34½" h
mm: 330 w 877 h
Canopy: 5" w ¾" h
mm: 127 w 19 h
3 - 60W cand



F5235

9" w 22½" h
mm: 229 w 572 h
Canopy: 5" w ¾" h
mm: 127 w 19 h
1 - 100W med



GLASSWARE

Opal

METALWORK

Hand-worked Iron

FINISH

Gold Leaf



F5288

22" w 45¼" h

mm: 559 w 1149 h

Canopy: 6¼" w 1" h

mm: 159 w 25 h

8 - 60W cand





B5282

8¼" w 14" h 4¾" p 7" tcd
 mm: 210 w 356 h 121 p 178 tcd
 Back plate: 7" w 14" h ½" d
 mm: 178 w 356 h 13 d
 2 - 60W cand



F5284

16½" w 32½" h
 mm: 419 w 826 h
 Canopy: 6¼" w 1" h
 mm: 159 w 25 h
 6 - 60W cand

GLASSWARE

Clear Glass

METALWORK

Hand-worked Iron

FINISH

Gold Leaf and
 Textured Bronze





METALWORK
Hand-worked Iron
FINISH
Distressed Gold Leaf

F5506
36" w 45½" h
mm: 914 w 1155 h
Canopy: 5" w 1" h
mm: 127 w 25 h
8 - 60W cand



B5502

10¼" w 23¾" h 5¼" p 16½" tcd
mm: 260 w 603 h 133 p 419 tcd

Back plate: 4¾" w ¾" h
mm: 121 w 19 h

1 - 60W cand



F5505

29¾" w 37¾" h
mm: 755 w 956 h

Canopy: 5" w ¾" h
mm: 127 w 19 h

6 - 60W cand

METALWORK

Hand-worked Iron

FINISH

Distressed Gold Leaf



ATHENA

F4887

36" w 41" h

mm: 914 w 1041 h

Canopy: 7" w 1" d

mm: 178 w 25 d

10 - 60W cand base



ATHENA



F4886

29½" w 35½" h
mm: 749 w 902 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

8 - 60W cand base

GLASSWARE

Crystal

METALWORK

Hand-worked Iron

FINISH

Silver Leaf with
Polished Nickel Accents

F4885

18" w 30½" h
mm: 457 w 775 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

4 - 60W cand base



B4882

12¼" w 23" h 5¾" p 15¾" tcd
mm: 311 w 584 h 146 p 400 tcd

Back plate: 5½" w ¾" d
mm: 140 w 19 d

2 - 60W cand base

GLASSWARE

Crystal

METALWORK

Hand-worked Iron

FINISH

Silver Leaf with
Polished Nickel Accents



F4577

44" w 52" h

mm: 1118 w 1321 h

Canopy: 6" w 1" h

mm: 152 w 25 h

15 - 40W cand base





F4576

34½" w 40" h
mm: 870 w 1016 h

Canopy: 6" w 1" h
mm: 152 w 1 h

10 - 60W cand base

GLASSWARE

Clear Crystal and Glass

METALWORK

Hand-worked Wrought Iron

FINISH

Antique Silver Leaf

B4571

4½" w 18" h 8½" p 10½" tcd
mm: 114 w 457 h 216 p 267 tcd

Back plate: 4" w 7¼" h ¾" d
mm: 102 w 184 h 19 d

1 - 60W cand base



F4575

28" w 33" h
mm: 711 w 838 h

Canopy: 5" w 1" h
mm: 127 w 25 h

5 - 60W cand base



GLASSWARE
Clear Crystal
and Glass

METALWORK
Hand-worked
Wrought Iron

FINISH
Antique Silver Leaf



B5361

9" w 17¼" h 4½" p 12" tcd
mm: 229 w 451 h 114" 305 tcd

Canopy: 4¾" w ½" d
mm: 121 w 13 d

1 - 60W cand



F5367

37½" w 45¼" h
mm: 953 w 1149 h

Canopy: 6" w 1" h
mm: 152 w 25 h

12 - 60W cand





F5365

21½" w 26½" h
mm: 546 w 673 h

Canopy: 5¼" w 1" h
mm: 133 w 25 h

5 - 60W cand



F5366

27½" w 33½" h
mm: 699 w 851 h

Canopy: 5¼" w 1" h
mm: 133 w 25 h

8 - 60W cand

GLASSWARE

Handmade Venetian glass

METALWORK

Hand-worked Iron

FINISH

Distressed Gold Leaf





F4746

42" w 45¼" h

mm: 1067 w 1149 h

Canopy: 7" w 1¼" d

mm: 178 w 32 d

12 - 60W cand base

GLASSWARE

Antique Mirrored Crystal

METALWORK

Hand-worked Iron and
Cast Aluminum

FINISH

Vienna Bronze

B4742

14" w 20¼" h 5¾"p 8½" tcd
mm: 356 w 514 h 146 p 216 tcd

Back plate: 4½" w 1¼" d
mm: 114 w 6 d

2 - 60W cand base



F4745

32" w 38" h
mm: 813 w 965 h

Canopy: 6½" w 1¼" d
mm: 165 w 32 d

8 - 60W cand base





F4743

21¼" w 24¼" h
mm: 540 w 616 h

Canopy: 5" w 1¼" d
mm: 127 w 32 d

4 - 60W cand base



F4744

26½" w 30¾" h
mm: 673 w 781 h

Canopy: 6¼" w 1¼" d
mm: 159 w 32 d

6 - 60W cand base

GLASSWARE

Antique Mirrored Crystal

METALWORK

Hand-worked Iron and
Cast Aluminum

FINISH

Vienna Bronze





B4541

8" w 18½" h 4½" p 11¼" tcd
mm: 203 w 470 h 114 p 286 tcd
Back plate: 7¼" w 14¼" h ½" d
mm: 184 w 362 h 13 d
1 - 60W cand base

GLASSWARE
Clear Crystal
METALWORK
Hand-worked
Wrought Iron
FINISH
Provence Rust



F4546

22" w 44¼" h
mm: 559 w 1124 h
Canopy: 6" w ¾" h
mm: 152 w 19 h
6 - 60W cand base

F4544

12" w 25¼" h
mm: 305 w 641 h

Canopy: 6" w ¾" h
mm: 152 w 19 h

4 - 60W cand base

F4545

16¼" w 33¼" h
mm: 413 w 845 h

Canopy: 6" w ¾" h
mm: 152 w 19 h

5 - 60W cand base



GLASSWARE

Clear Crystal

METALWORK

Hand-worked
Wrought Iron

FINISH

Provence Rust



F4538

32½" w 38" h
mm: 826 w 965 h

Canopy: 5" w ¾" h
mm: 127 w 19 h

8 - 60W cand base

METALWORK

Hand-carved Wood
and Wrought Iron

FINISH

Distressed Gold Leaf Wood
Napoleon Bronze Metal



B4532

11¼" w 22¾" h 6"p 13½" tcd
mm: 286 w 578 h 152 p 343 tcd

Canopy: 4¾" w ¾" h
mm: 121 w 19 h

2 - 60W cand base



F4536

24¾" w 32" h
mm: 629 w 813 h

Canopy: 5" w ¾" h
mm: 127 w 19 h

6 - 60W cand base

METALWORK

Hand-carved Wood
and Wrought Iron

FINISH

Distressed Gold Leaf Wood
Napoleon Bronze Metal



CAROUSEL

F4836

25" w 43" h

mm: 635 w 1092 h

Canopy: 5¼" w 1" d

mm: 133 w 25 d

9 - 60W cand base



CAROUSEL



B4832

7¾" w 12¼" h 5"p 6" tcd
mm: 197 w 311 h 127 p 152 tcd
Back plate: 6½" w 12" h ¾" d
mm: 165 w 305 h 19 d
2 - 60W cand base

SHADE

Hardback Linen

METALWORK

Hand-worked Iron

FINISH

Provence Bronze



F4835

17½" w 33½" h
mm: 445 w 851 h
Canopy: 5¼" w 1" d
mm: 133 w 25 d
3 - 60W cand base

CAROUSEL

F4837

24" w 28½" h
mm: 610 w 724 h

Canopy: 5¼" w 1" d
mm: 133 w 25 d

6 - 60W cand base



SHADE

Hardback Linen

METALWORK

Hand-worked Iron

FINISH

Provence Bronze





B5331

8¼" w 12¼" h 4½" p 6¼" tcd
 mm: 210 w 311 h 114" 159 tcd
 Backplate: 6½" w 12¼" h ½" d
 mm: 165 w 311 h" 13 d
 2 - 60W cand

F5337

32" w 31¾" h
 mm: 813 w 806 h
 Canopy: 6" w 1" h
 mm: 152 w 25 h
 8 - 60W cand





F5335

18¼" w 25¾" h
mm: 464 w 654 h

Canopy: 5¼" w 1" h
mm: 133 w 25 h

4 - 60W cand



F5336

24" w 28¾" h
mm: 610 w 730 h

Canopy: 5¼" w 1" h
mm: 133 w 25 h

6 - 60W cand

METALWORK


Hand-worked Iron

FINISH

Antique Gold Leaf



VILLAGE TAVERN



B4842

7¾" w 11" h 4"p ADA 5½" tcd
mm: 197 w 279 h 102 p 140 tcd

Back plate: 7¼" w 11" h ½" d
mm: 184 w 279 h 13 d

2 - 60W cand base

Shown with optional 40W
Early Electric Lamps

METALWORK

Hand-worked Iron

FINISH

Old Tavern Iron

OPTIONAL LAMP INFORMATION

LB-60-6	6-pack 60W med base Early Electric Lamps
LB-6W-12	12-pack 6W med base Early Electric LED Lamps 400 lm 2200K 120V
LB-40-12	12-pack 40W med base Early Electric Lamps
LB-3W-12	12-pack 3W med base Early Electric LED Lamps 180 lm 2200K 120V

F4847

22" w 32" h
mm: 559 w 813 h

Canopy: 5¼" w ¾" d
mm: 133 w 19 d

8 - 60W cand base

Shown with optional 40W
Early Electric Lamps

STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not
included in measurements.
Use of stem is optional.





F4844

7" w 14½" h

mm: 178 w 368 h

Canopy: 5¼" w ¾" d

mm: 133 w 19 d

1 - 60W med base

Shown with optional 60W
Early Electric Lamps

STEM-TO-CHAIN SUSPENSION

6" / 152 mm stem not included in
measurements. Use of stem is optional.



F4846

18" w 25½" h

mm: 457 w 648 h

Canopy: 5¼" w ¾" d

mm: 133 w 19 d

6 - 60W cand base

STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not included
in measurements. Use of stem is
optional.

VILLAGE TAVERN



C4840

13" w 9½" h

mm: 330 w 241 h

Canopy: 12¾" w 1" h

mm: 324 w 25 h

3 - 60W cand base

Shown with optional 40W
Early Electric Lamps



F4848

25" w 16½" h

mm: 635 w 419 h

Canopy: 5¼" w ¾" d

mm: 133 w 19 d

6 - 60W cand base

STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not

included in measurements.

Use of stem is optional.



METALWORK

Hand-worked Iron

FINISH

Old Tavern Iron

OPTIONAL LAMP INFORMATION

LB-60-6	6-pack 60W med base Early Electric Lamps
LB-6W-12	12-pack 6W med base Early Electric LED Lamps 400 lm 2200K 120V
LB-40-12	12-pack 40W med base Early Electric Lamps
LB-3W-12	12-pack 3W med base Early Electric LED Lamps 180 lm 2200K 120V





C3890

8½" w 7¼" h
mm: 216 w 184 h

Canopy: 6½" w 1" h
mm: 159 w 25 h

1 - 100W med base

CL3890

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V incandescent dimming



F3898

32" w 18¼" h
mm: 813 w 464 h

Canopy: 5" w 1" d
mm: 127 w 25 d

1 - 100W med base

FL3898

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V incandescent dimming

GLASSWARE
Clear Pressed Glass
METALWORK
Solid Aluminum
FINISH
Aged Silver

C3891

12½" w 10¾" h
mm: 318 w 273 h

Canopy: 10" w 1" h
mm: 254 w 25 h

1 - 100W med base

CL391

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V incandescent dimming



F3897

22" w 13" h
mm: 559 w 330 h

Canopy: 5" w 1" d
mm: 127 w 25 d

1 - 100W med base

FL3897

1 - 18W LED included
1260 lm 2700°K ±50°K 90 CRI
120V incandescent dimming



GLASSWARE
Clear Pressed Glass
METALWORK
Solid Aluminum
FINISH
Aged Silver



F4426

51¾" w 53½" h
mm: 1314 w 1359 h

Canopy: 6" w 1¼" d
mm: 152 w 32 d

20 - 40W med base

Shown with optional 40W
Early Electric Lamps





B4421

5½" w 19" h 7¾" p 4¼" tcd
mm: 140 w 483 h 197 p 108 tcd

Back plate: 5¼" w 8¾" h ¾" d
mm: 133 w 222 h 19 d

1 - 60W med base

Shown with optional 60W
Early Electric Lamp

F4425

38¼" w 38" h
mm: 972 w 965 h

Canopy: 6" w 1¼" d
mm: 152 w 32 d

12 - 60W med base

Shown with optional 60W
Early Electric Lamps



GLASSWARE

Smoked Glass

METALWORK

Hand-worked Wrought Iron

FINISH

Aged Silver

OPTIONAL LAMP INFORMATION

LB-60-T10-12 12-pack 60W med base
Early Electric Lamps

LB-6W-5.5-12 12-pack 6W med base
Early Electric LED Lamps;
400 lm 2200K 120V

LB-40-T10-12 12-pack 40W med base
Early Electric Lamps

LB-3W-5.5-12 12-pack 3W med base
Early Electric LED Lamps;
180 lm 2200K 120V





B4242

14" w 16" h 14½" p 3" tcd
mm: 356 w 406 h 368 p 76 tcd

Back plate: 6" w 1¼" d
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W
Early Electric Lamps



F4248

44" l 14" w 14½" h 63¾" max ht
mm: 1118 l 356 w 368 h 1619 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

2 - 60W med base

Shown with optional 60W
Early Electric Lamps



GLASSWARE

Smoked Glass

METALWORK

Hand-worked

Wrought Iron

FINISH

Aged Silver

OPTIONAL LAMP INFORMATION

LB-60-T10-12 12-pack 60W med base Early Electric Lamps

LB-6W-5.5-12 12-pack 6W med base Early Electric LED Lamps
400 lm 2200K 120V

LB-40-T10-12 12-pack 40W med base Early Electric Lamps

LB-3W-5.5-12 12-pack 3W med base Early Electric LED Lamps
180 lm 2200K 120V

F4247

36½" w 34½" h 8¾" max ht
mm: 927 w 876 h 2127 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

5 - 60W med base

Shown with optional 60W
Early Electric Lamps



B4241

11½" w 14½" h 13" p 3" tcd
mm: 292 w 368 h 330 p 76 tcd

Back plate: 6" w 1¼" d
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W
Early Electric Lamps



APPLICATION

Indoor / Outdoor

GLASSWARE

Clear Pressed Glass

METALWORK

Hand-crafted Iron

FINISH

Burnt Sienna

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base
Early Electric Lamps

LB-6W-6 6-pack 6W med base
Early Electric LED Lamps
400 lm 2200K 120V

F4243

11½" w 11" h 60¼" max ht
mm: 292 w 279 h 1530 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

1 - 60W med base

Shown with optional 60W
Early Electric Lamps



F4244

14" w 13" h 62¼" max ht
mm: 356 w 330 h 1581 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

1 - 60W med base

Shown with optional 60W
Early Electric Lamps



F4246

30" w 23" h 72¼" max ht
mm: 762 w 584 h 1835 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

3 - 60W med base

Shown with optional 60W
Early Electric Lamps

APPLICATION

Indoor / Outdoor

GLASSWARE

Clear Pressed Glass

METALWORK

Hand-crafted Iron

FINISH

Burnt Sienna

SUSPENSION

Includes 4 stems with hang-straight canopy
1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

OPTIONAL LAMP INFORMATION

LB-60-6 6-pack 60W med base Early
Electric Lamps

LB-6W-6 6-pack 6W med base Early
Electric LED Lamps
400 lm 2200K 120V

F5225

12" w 24" h
mm: 305 w 610 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

1 - 60W cand



F5224

8" w 16¼" h
mm: 203 w 413 h

Canopy: 5½" w ¾" d
mm: 140 w 19 d

1 - 60W cand



GLASSWARE

Clear Glass

METALWORK

Hand-worked Iron

FINISH

French Iron



B4351

6" w 11" h 7" p 2¾" tcd
mm: 152 w 279 h 178 p 70 tcd

Back plate: 5¼" w 1¼" d
mm: 133 w 32 d

1 - 100W med base

F4358

10½" w 13¾" h 63½" max ht
mm: 267 w 349 h 1613

Canopy: 6" w 1¼" h
mm: 152 w 32 h

1 - 100W med base



F4357

8¼" w 11" h 60¾" max ht
mm: 210 w 279 h 1543 max ht

Canopy: 5¼" w 1¼" h
mm: 133 w 32 h

1 - 100W med base

APPLICATION

Indoor / Outdoor

GLASSWARE

Clear Pressed Glass, Frosted Inside

METALWORK

Solid Aluminum

FINISH

Charred Zinc

SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457

PEARL STREET

B4352

8¼" w 13¾" h 9¾" p 2¾" tcd
mm: 210 w 349 h 248 p 70 tcd

Back plate: 5¼" w 1¼" d
mm: 133 w 32 d

1 - 100W med base

F4359

40" l 10½" w 15½" h 65¼" max ht
mm: 1016 l 267 w 394 h 1657 max ht

Canopy: 6" w 1¼" h
mm: 152 w 32 h

2 - 100W med base



APPLICATION

Indoor / Outdoor

GLASSWARE

Clear Pressed Glass, Frosted Inside

METALWORK

Solid Aluminum

FINISH

Charred Zinc

SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12" & 1-18"; mm: 1-152, 2-305, 1-457



B4261

5" w 11½" h 6" p 2¼" tcd
 mm: 127 w 292 h 152 p 57 tcd
 Back plate: 4¼" w 6" d
 mm: 108 w 152 d
 1 - 12W LED included
 840 lm 2700°K ±100°K 90 CRI
 120V incandescent dimming



F4264

12¼" w 23½" h 69¼" max ht
 mm: 311 w 597 h 1759 max ht
 Canopy: 5¼" w 1" h
 mm: 133 w 25 h
 1 - 18W LED included
 1250 lm 2700°K ±100°K 90 CRI
 120V incandescent dimming

APPLICATION

Indoor / Outdoor

SHADE

Perforated Metal

METALWORK

Solid Aluminum

FINISH

Bronze with Painted
 Galvanized Shade

SUSPENSION

Includes 4 stems with
 hang-straight canopy
 1-6", 2-12" & 1-18"
 mm: 1-152, 2-305, 1-457

F4262

5" w 11" h 67¼" max ht
 mm: 127 w 279 h 1708 max ht
 Canopy: 5¼" w 1" h
 mm: 133 w 25 h
 1 - 12W LED included
 840 lm 2700°K ±100°K 90 CRI
 120V incandescent dimming

F4263

9" w 21½" h 67¼" max ht
 mm: 229 w 546 h 1708 max ht
 Canopy: 5¼" w 1" h
 mm: 133 w 25 h
 1 - 18W LED included
 1250 lm 2700°K ±100°K 90 CRI
 120V incandescent dimming



APPLICATION
 Indoor / Outdoor
 SHADE
 Perforated Metal
 METALWORK
 Solid Aluminum
 FINISH
 Bronze with Painted
 Galvanized Shade
 SUSPENSION
 Includes 4 stems with
 hang-straight canopy
 1-6", 2-12" & 1-18"
 mm: 1-152, 2-305, 1-457



B4232

11" w 9¼" h 4" p ADA
mm: 279 w 235 h 102 p
Back plate: 4¾" h 4¾" w 1" d
mm: 121 h 121 w 25 d
2 - 60W cand base
Shown with optional
40W Early Electric Lamps



B4231

4¾" w 9¼" h 4" p ADA
mm: 121 w 235 h 102 p
Back plate: 4¾" h 4¾" w 1" d
mm: 121 h 121 w 25 d
1 - 60W cand base
Shown with optional
40W Early Electric Lamps



B4234

23¾" w 9¼" h 4" p ADA
mm: 603 w 235 h 102 p
Back plate: 4¾" h 4¾" w 1" d
mm: 121 h 121 w 25 d
4 - 60W cand base
Shown with optional
40W Early Electric Lamps



B4233

17" w 9¼" h 4" p ADA
mm: 432 w 235 h 102 p
Back plate: 4¾" h 4¾" w 1" d
mm: 121 h 121 w 25 d
3 - 60W cand base
Shown with optional
40W Early Electric Lamps

GLASSWARE

Clear Pressed Glass,
Frosted Inside

METALWORK

Hand-crafted Iron

FINISH

Aged Pewter

OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base
Early Electric Lamps

LB-3W-12 12-pack 3W med base
Early Electric LED Lamps
180 lm 2200K 120V

L A M P S

Early Electric Incandescent Lamps



60W

LB-60

2.25"OD x 5.5" MOL
mm: 57 x 136
60W, 130V
E26 Med Base

ORDER:

LB60-6 (6 pack)
LB60-48 (48 pack)



40W

LB-40

1" x 3.625" MOL
25 x 92 mm
40W, 130V
E12 Cand Base

ORDER:

LB40-12 (12 pack)



40W Flame Tip

LB-40-FT

1" x 3.625" MOL
mm 25 x 92
40W, 130V
E12 Cand Base

ORDER:

LB40-FT-12 (12 pack)

Early Electric LED Lamps



6W

LB-6W-LED

2.25"OD x 5.5" MOL
mm: 57 x 136
6W 120V LED
2200k 400 lumens
E26 Med Base

ORDER:

LB6W-6 (6 pack)
LB6W-5.5-12 (12 pack)



3W

LB-3W-LED

1" x 3.625" MOL
mm 25 x 92
3W 120V LED
2200k 180 lumens
E12 Cand Base

ORDER:

LB3W-12 (12 pack)

The wattage listed for each fixture is the maximum safe capacity. Government standards restrict the availability of traditional incandescent lamps. Decorative incandescent lamps will continue to be available, as well as medium-base halogen lamps, LEDs, and CFLs as energy-efficient alternatives.

ALL FIXTURES IN
THIS CATALOG ARE



INDEX

3890	153	4310	55	4694	68	4773	60	4895	15	5306	75
3891	154	4312	55	4696	67	4801	93	4896	15	5307	74
3897	154	4315	54	4698	66	4802	94	4897	14	5311	72
3898	153	4316	55	4700	97	4803	94	4904	34	5314	72
4211	64	4317	54	4701	98	4804	93	4905	35	5315	72
4213	64	4319	53	4703	96	4811	90	4906	35	5316	71
4214	63	4351	163	4705	98	4815	91	4907	34	5317	70
4215	62	4352	164	4706	98	4816	91	5213	12	5321	4
4231	167	4357	163	4707	97	4817	90	5214	12	5325	4
4232	167	4358	163	4708	96	4822	79	5215	10	5326	3
4233	167	4359	164	4720	101	4824	80	5216	11	5327	2
4234	167	4421	157	4721	100	4825	80	5224	162	5331	146
4241	160	4425	157	4723	102	4826	79	5225	162	5335	147
4242	159	4426	156	4724	102	4827	78	5234	113	5336	147
4243	161	4460	49	4725	101	4832	143	5235	114	5337	146
4244	161	4462	48	4726	100	4835	143	5236	114	5342	52
4246	161	4463	49	4730	105	4836	142	5237	113	5344	52
4247	160	4464	48	4731	104	4837	144	5243	111	5346	51
4248	159	4465	47	4733	106	4840	151	5245	111	5361	130
4251	93	4466	46	4734	106	4842	149	5253	12	5365	131
4252	94	4532	140	4735	105	4844	150	5254	12	5366	131
4253	94	4536	140	4736	104	4846	150	5255	10	5367	130
4254	93	4538	139	4742	134	4847	149	5256	11	5421	43
4261	165	4541	137	4743	135	4848	151	5263	41	5422	44
4262	166	4544	138	4744	135	4852	31	5264	41	5424	44
4263	166	4545	138	4745	134	4855	31	5265	40	5427	43
4264	165	4546	137	4746	133	4856	30	5271	18	5462	23
4280	88	4551	38	4751	27	4857	29	5276	18	5463	23
4282	87	4552	38	4753	26	4858	32	5277	19	5465	22
4286	88	4553	38	4754	27	4862	7	5278	17	5468	21
4287	87	4554	37	4755	26	4863	8	5282	117	5502	120
4291	84	4555	37	4756	25	4864	8	5284	117	5505	120
4293	84	4556	37	4760	109	4865	7	5288	116	5506	119
4294	83	4571	128	4762	109	4866	6	5291	58	LB-40	168
4295	85	4575	128	4764	108	4882	124	5294	58	LB-40-FT	168
4296	85	4576	127	4765	109	4885	124	5298	57	LB-3W-LED	168
4297	83	4577	126	4766	108	4886	123	5301	74	LB-60	168
4298	82	4691	67	4771	60	4887	122	5303	76	LB-6W-LED	168
4299	84	4692	68	4772	60	4891	14	5304	76		

The wattage listed for each fixture is the maximum safe capacity. Government standards restrict the availability of traditional incandescent lamps.

ALL FIXTURES IN
THIS CATALOG ARE



TROY LIGHTING




TROY LIGHTING

Est. 1963

A Division of Troy-CSL Lighting, Inc.

14508 Nelson Avenue
City of Industry, CA 91744
www.Troy-Lighting.com
T: 626.336.4511 F: 626.330.4266



782042131835

Copyright © 2016 Troy-CSL Lighting, Inc.