


catalog
27



access lighting

access
LIGHTING

WHERE EXCLUSIVITY MEETS AFFORDABILITY



Access Lighting has an energy and an awareness of self that far outweighs previous years. It seems appropriate that in our 25th year of business, in the exciting world of lighting, our sense of purpose, our identity, our vision for the future, is so perfectly clear.

We believe that our strength lies in our ability to create a symphony of luminary possibilities. Pairing cutting-edge technology and current designs, at a price point that makes high-fashion lighting accessible to a multitude of people - this in a nutshell is the Access Lighting mission.

As you peruse our catalog 27, we hope that you will sense the care that has been taken to carefully curate a collection which reflects the current direction of lighting designs. Low profile, linear lines abound as a result of the outstanding technological advancements in luminary sources, namely LED.

A variety of lifestyle images have been incorporated to stir your imagination with the possibilities both in residential and commercial applications, whilst enlarged images bring the details in our product to life. Detailed descriptions reflect the personality of each product, revealing the inspirational elements to the development of this year's collection.

We believe that this is the most comprehensive and exciting release in the history of Access Lighting. From whimsical to transitional, practical to unusual – we present catalog 27.

Sincerely,

Harry Rosenblatt
Chairman and CEO

starting on page

03

FAMILIES

starting on page

93

SPOTLIGHTS

starting on page

113

CEILING

114

CHANDELIERS

123

PENDANTS

205

MIDI PENDANTS

247

MINI PENDANTS

273

SEMI-FLUSH

279

FLUSH-MOUNTS

starting on page

311

WALL

310

SCONCES AND VANITIES

367

LED MIRRORS

369

TASK LIGHTING

starting on page

375

EXTERIOR

starting on page

405

InteLED MODULES

starting on page

410

PORTABLES

starting on page

412

INDEX

CUSTOM CAPABILITIES

At Access Lighting we take pride in catering to our customers design requirements. With our UL / ETL approved conversion center we are able to adapt our fixtures to fit your unique lamping needs.

By constantly researching and investing in a wide variety of cutting edge technology, we offer a vast number of distinctive selections.

Countless hours are spent on designing and debating our product range and you will see the results of this throughout our catalogue. We understand each client has their own set of requirements and we will make every effort to find what works best for you.

All modifications are completed in our own facility so there are regular progress reports and no delays.

Whether you are looking for dimming fluorescent, emergency backups or the latest in LED technology, Access Lighting will deliver the best solution, on time and within your budget.



ICONOGRAPHY

The following icons are used throughout the catalog to assist in labeling identifying characteristics of each fixture



Fixtures bearing these marks are certified by these accredited testing laboratories, assuring the construction and electrical components meet or exceed all safety requirements.



Access Lighting is a proud Energy Star Partner and all fixtures bearing this mark have been tested and certified as Energy Star compliant.



Fixtures bearing this symbol meet or exceed the requirements of a 4" projection to comply with the American Disability Act.



Fixtures bearing this symbol are coated with a durable process suitable for use in high Saline conditions and installations that incur severe weather conditions.



Fixtures bearing this symbol are part of a family, related product on Pg # as shown in the box.



Assembled in the USA with US electronics and imported parts

To identify the various lamping options available

LED fixtures are highlighted in Green

Fluorescent fixtures are highlighted in Blue

Quick reference Lumen equivalencies
LED vs Incandescent

Incandescent	Lumens	LED	Lumens
60w	800	10.8w	1265
100w	1600	13w	1520

Detailed lamp specifications can be found on page 286

FAMILIES







LAYERS | COLLECTION

Lift your spirits, and dress up any room with the stunning Layers Collection. The contrasting coupling of a round frame topped with square layers, and inset with horizontal lines, brings texture to the forefront. Stark white upon white, an industrial chrome set on white, or regal gold upon white provides a multitude of applications in a variety of locales. This extensive collection allows for perfect pairing in your open space.



Layers Large Pendant

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 18"	H 6.3"	oah 12 to 123"	Certification	CETL Ceiling Dry	ETL
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied				
50906-WH/___	5Lt x 26w	GU-24	LED or Fluorescent			10ft Cord & Cable				
50906LEDD-WH/___ Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps, 10ft Cord & Cable				






Layers Medium Pendant

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 14" H 6.3" oah 12 to 123"		Certification	CETL Ceiling Dry 	
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied
50904-WH/___				3Lt x 26w	GU-24	LED or Fluorescent			10ft Cord
50904LEDD-WH/___	Dimmable			1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps, 10ft Cord





50903-WH/CH



50903-WH/WH



50903-WH/GLD

Layers Small Pendant

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 11" H 6.3" oah 12 to 123"		Certification	CETL Ceiling Dry 	
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied
50903-WH/___				1Lt x 26w	GU-24	LED or Fluorescent			10ft Cord
50903LEDD-WH/___	Dimmable			1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps, 10ft Cord 



50902-WH/GLD



50902-WH/CH



50902-WH/WH

Layers Large Flush-Mount

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 21.5" H 6.3"		Certification	CETL Ceiling Damp 		
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied	
50902-WH/___				6Lt x 26w	GU-24	LED or Fluorescent				
50902LEDD-WH/___ Dimmable				1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps	





50901-WH/GLD



50901-WH/CH



50901-WH/WH

Layers Medium Flush-Mount

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 18" H 6.3"		Certification	CETL Ceiling Damp 		
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied	
50901-WH/___				4Lt x 26w	GU-24	LED or Fluorescent				
50901LEDD WH/___ Dimmable				1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps	





50900-WH/WH



50900-WH/GLD




50900-WH/CH

Layers Small Flush-Mount

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	D 14.25" H 6.3"		Certification	CETL Ceiling Damp 		
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied	
50900-WH/___				4Lt x 26w	GU-24	LED or Fluorescent				
50900LEDD WH/___ Dimmable				1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps	



50907-WH/WH



50907-WH/GLD



50907-WH/CH

Layers Wall Fixture

Finish	WH/CH	WH/GLD	WH/WH	Dimensions	H 7.9" W 12.6" Ext 6.75"		Certification	CETL Wall Damp 	
Model				Wattage	Base	Type	Kelvin	NomLumen	Supplied
50907-WH/___				2Lt x 36w	E-12	LED or Fluorescent			
50907LEDD WH/___ Dimmable				1Lt x 16w	Module	90CRI LED	3000k	1650Lm	Lamps 





GLAM | COLLECTION

Smoke and mirrors absolutely do make a splash, as can you with the Glam Collection. This striking smoked mirrored glass collection, recalls contemporary retro. Illuminated, the Glam Collection reveals charming crystal balls that sparkle beneath the glass shades. Glamorize your rooms with the Glam Collection.



Glam Mirror Glass with Crystal

Finish CH Glass MIR		Supplied Lamps, 10ft Cord				Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 52116-CH/MIR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" oah 12 to 123"
B 52117-CH/MIR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	D 10" H 4.75" oah 12 to 123"
C 52118-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 14" H 4.75" oah 12 to 123"



Glam Flush-Mount and Chandelier

Finish CH Glass MIR							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 52119-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 22.8" H 5.5"	Lamps
B 52120-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 22.8" H 5.5" oah 12.5 to 50.5"	Lamps, Rods 6"16"22", 10ft Cord



A 52111-CH/MIR



B 52112-CH/MIR



C 52113-CH/MIR



C 52114-CH/MIR

Glam Mirror Glass with Crystal Vanity Fixture

Finish CH Glass MIR		Supplied Lamps			Certification CETL Wall Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 52111-CH/MIR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" L 4.75" Ext 6.5"
B 52112-CH/MIR	2Lt x 48w	G9	G9 Xenon	2900k	1480Lm	H 4.75" L 14.5" Ext 6.5"
C 52113-CH/MIR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	H 4.75" L 24" Ext 6.5"
D 52114-CH/MIR	4Lt x 48w	G9	G9 Xenon	2900k	2960Lm	H 4.75" L 33.5" Ext 6.5"





AERO | COLLECTION

Already overwhelmingly successful in a multitude of applications, the Aero collection has, through demand, expanded to include an impactful 19" and 21" flush mount. Clean contemporary lines permit Aero the flexibility of use for design driven kitchens or living rooms to upscale closets.



Aero Chromium Ring Drum Cable Pendant

Finish CH Glass OPL	Dimensions D 15.7" H 5.5" oah 12 to130"		Certification CETL Ceiling Damp 			
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied
20673-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	10ft of Cable & Cord
C20673CHOPLEN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	Lamps, 10ft of Cable & Cord
20673LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps, 10ft of Cable & Cord





A 20670-CH/OPL



B 20671-CH/OPL



C 20672-CH/OPL

Aero Chromium Ring Flush-Mount

Finish CH Glass OPL					Certification CETL Ceiling Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20670-CH/OPL	1Lt x 75w	E-26	A-19 Medium Base	2700k	1100Lm	D 10" H 4"
	C20670CHOPLEN1126B	1Lt x 26w	GU-24	Spiral Fluorescent	2700k	1710Lm	D 10" H 4" Lamps
	20670LEDD Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 10" H 4" Lamps 
B	20671-CH/OPL	2Lt x 60w	E-26	A-19 Medium Base	2700k	1600Lm	D 12.5" H 4"
	C20671CHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 12.5" H 4" Lamps
	20671LEDD Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 12.5" H 4" Lamps 
C	20672-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	D 15.7" H 4.75"
	C20672CHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 15.7" H 4.75" Lamps
	20672LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 15.7" H 4.75" Lamps 



A 20676-CH/OPL



B 20677-CH/OPL

Aero Chromium Ring Flush-Mount

Finish CH Glass OPL					Certification CETL Ceiling Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20676-CH/OPL	3Lt x 75w	E-26	A-19 Medium Base	2700k	3057Lm	D 19.5" H 4.4"
	C20676CHOPLN1318B	3Lt x 18w	GU-24	Spiral Fluorescent	2700k	3750Lm	D 19.5" H 4.4" Lamps
	20676LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 4.4" Lamps 
B	20677-CH/OPL	4Lt x 75w	E-26	A-19 Medium Base	2700k	4400Lm	D 21.5" H 4.4"
	C20677CHOPLN1418B	4Lt x 18w	GU-24	Spiral Fluorescent	2700k	5000Lm	D 21.5" H 4.4" Lamps
	20677LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 21.5" H 4.4" Lamps 





OPTIX | COLLECTION

Strength and aesthetic beauty are perfectly paired in the acrylic Optix Collection. In addition, the LED light source and adjustable heads form a winning solution for a multitude of applications.



A 63978LEDD-CH/ACR



B 63979LEDD-CH/ACR

Optix LED Flush-Mount

Finish CH Diffuser ACR		Supplied Lamps				Certification CETL Ceiling Damp 	
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 63978LEDD-CH/ACR Dimmable		3Lt x 4w	Module	90CRI LED	3000k	1200Lm	D 14" H 5.5" oah 5.5"
B 63979LEDD-CH/ACR Dimmable		5Lt x 4w	Module	90CRI LED	3000k	2000Lm	D 15.8" H 5.5" oah 5.5"



A 63971LEDD-CH/ACR



B 63973LEDD-CH/ACR



C 63974LEDD-CH/ACR



D 63975LEDD-CH/ACR

Optix LED Wall Vanity Fixture

Finish CH Diffuser ACR		Supplied Lamps				Certification CETL Wall Damp 	
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	63971LEDD-CH/ACR Dimmable	1Lt x 4w	Module	90CRI LED	3000k	400Lm	H 4.75" W 4.75" Ext 5.5"
B	63973LEDD-CH/ACR Dimmable	3Lt x 4w	Module	90CRI LED	3000k	1200Lm	H 4.75" W 19" Ext 5.5"
C	63974LEDD-CH/ACR Dimmable	4Lt x 4w	Module	90CRI LED	3000k	1600Lm	H 4.75" W 26" Ext 5.5"
D	63975LEDD-CH/ACR Dimmable	5Lt x 4w	Module	90CRI LED	3000k	2000Lm	H 4.75" W 36" Ext 5.5"



Optix LED Spotlight Pendant

Finish MC Diffuser ACR		Supplied Lamps, Rods 6"16"22", 10ft Cord			Certification CETL Ceiling Dry 		
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	63053LEDD-MC/ACR Dimmable	3Lt x 4w	Module	90CRI LED	3000k	1200Lm	H 6" oah 13 to 51" W 28"
B	63054LEDD-MC/ACR Dimmable	4Lt x 4w	Module	90CRI LED	3000k	1600Lm	H 6" oah 13 to 51" W 36"
C	63055LEDD-MC/ACR Dimmable	5Lt x 4w	Module	90CRI LED	3000k	2000Lm	H 6" oah 13 to 51" W 51"





METEOR | COLLECTION

The meteor collection is out of this world with a 3-dimensional effect generated by the curved acrylic medium. Soft pillows of light appear to be suspended in this LED collection that intrigues the onlooker. Equipped with a multitude of LED modules, Meteor lends itself well to placement over a nook table, dining room in pairs or triplets, or as an inviting entry piece.



A 70080LEDD-BSL/ACR

B 70081LEDD-BSL/ACR

C 70082LEDD-BSL/ACR

Meteor LED Flush-Mount with Prismatic Lens

Finish BSL Diffuser ACR		Supplied Lamps			Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 70080LEDD-BSL/ACR Dimmable	9Lt x 3w	Module	85CRI LED	3000k	1440Lm	D 13.25" H 3" oah 3"
B 70081LEDD-BSL/ACR Dimmable	12Lt x 3w	Module	85CRI LED	3000k	1920Lm	D 18" H 4.5" oah 4.5"
C 70082LEDD-BSL/ACR Dimmable	16Lt x 3w	Module	85CRI LED	3000k	2560Lm	D 23" H 4.5" oah 4.5"



A 70083LEDD-BSL/ACR



B 70084LEDD-BSL/ACR

Meteor LED Pendant with Prismatic Lens

Finish BSL Diffuser ACR		Supplied Lamps, 10ft Aircraft Cable and Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 70083LEDD-BSL/ACR Dimmable	12Lt x 3w	Module	85CRI LED	3000k	1920Lm	D 18" H 4.5" oah 10 to 125"
B 70084LEDD-BSL/ACR Dimmable	16Lt x 3w	Module	85CRI LED	3000k	2560Lm	D 23" H 4.5" oah 10 to 125"





TITANIUM | COLLECTION

Metal meets glass in this geometrically inspired collection. Titanium instills an instant aura of raw strength captured in an attention demanding, architectural body of steel which emits a stunning circle of light. Titanium, light empowered,



62317-BS/FST

Titanium 6 - Light Cable Chandelier

Finish BS Glass FST		Supplied Lamps, 10ft Aircraft Cable and Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
62317-BS/FST	6Lt x 100w	R7s	J-78 Halogen	2900k	9900Lm	D 28" H 3" oah 10 to 120" W 2.25"



A 62315-BS/FST



B 62316-BS/FST

Titanium Pendant

Finish BS Glass FST		Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 62315-BS/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 3" oah 10 to 49" L 35.4"
B 62316-BS/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 3" oah 10 to 49" W 2.75" L 47.2"



A 62311-BS/FST



B 62312-BS/FST

Titanium Wall Vanity Fixture, Floating cover for non centered J-boxes

Finish BS Glass FST		Supplied Lamps			CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 62311-BS/FST	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 2.75" L 12" Ext 4"
B 62312-BS/FST	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 2.75" L 23.6" Ext 4"



PULSAR | COLLECTION

A veritable gem, pulsar has a unique appearance that is both interesting and pleasing to the eye. Between 800 and 2000 lumens (model dependent) is reflected off a stunning gold or silver concave shade fashioning a dramatic light output. Pulsar is fully dimmable with a standard incandescent dimmer.



70072LEDD-WH/GLD



70072LEDD-WH/SILV

Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

Finish WH/GLD WH/SILV	Supplied Lamps				CETL Wall/Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
70072LEDD-WH/___ Dimmable	1Lt x 7w	Module	85CRI LED	3000k	810Lm	D 11.75" Ext 7"




A 70073LEDD-WH/SILV

B 70074LEDD-WH/GLD

Pulsar Gold or Silver Leaf Reflective LED Pendant

Finish WH/GLD WH/SILV			Supplied Lamps		CETL Wall Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A 70073LEDD-WH/___ Dimmable	1Lt x 16.8w	Module	85CRI LED	3000k	1350Lm	D 17" H 8" oah	14 to 128"
B 70074LEDD-WH/___ Dimmable	1Lt x 18w	Module	85CRI LED	3000k	2025Lm	D 24" H 9" oah	15 to 129"





NIMBUS | COLLECTION

The organic shape of the Nimbus collection is notably on point with design trends. The stark contrast of the opal glass outlined with chrome keeps this collection distinctly contemporary. Aircraft cable with grip lock adjustability sustains the minimalist features of Nimbus.



A 20686-CH/OPL



B 20687-CH/OPL

Nimbus Abstract Glass Flush-Mount and Aircraft Cable Pendant

Finish CH Glass OPL								CETL Ceiling Damp 
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20686-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	H 4.5" W 16.5" L 17.7"	
	C20686CHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	H 4.5" W 16.5" L 17.7"	Lamps
	20686LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	H 4.5" W 16.5" L 17.7"	Lamps
B	20687-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	10ft Aircraft Cable and Cord
	C20687CHOPLEN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	Lamps, 10ft Aircraft Cable and Cord
	20687LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	Lamps, 10ft Aircraft Cable and Cord







PEBBLE | COLLECTION

A far cry from commonplace, Pebble brings an artistic flair to any setting. Gently stepped opal glass in a soft triangular shape suggests texture, challenging smooth contemporary lines that are the anticipated norm. Pebble turns ordinary into extraordinary.



A 20688-CH/OPL



B 20689-CH/OPL

Pebble Abstract Glass Flush-Mount and Cable Pendant

Finish CH Glass OPL							CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20688-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	D 19.5" H 3.5"
	C20688CHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 19.5" H 3.5" Lamps
	20688LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 3.5" Lamps
B	20689-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	D 19.5" H 4.7" oah 11 to 125" 10ft Aircraft Cable and Cord
	C20689CHOPLEN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	D 19.5" H 4.7" oah 11 to 125" Lamps, 10ft Aircraft Cable and Cord
	20689LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 4.7" oah 11 to 125" Lamps, 10ft Aircraft Cable and Cord







NIDO | COLLECTION

Crafted by a Spanish artisan, the spectacular Nido Collection is a timeless beauty. Glass shades fashioned into a modern oblong form, are delicately suspended from a low profile rod in an extensive range of semi-flush and pendant luminaires. Detailed elements, including canopies and back plates that mimic the contour of the glass shades equip this collection with unrivaled style and grace.



63951-ORB/FST



63951-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

Finish MC ORB Glass FST		Supplied Lamps				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63951-___/FST	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	W 6" L 10" Ext 3.5"



D 63962-MC/FST



B 63958-MC/FST



A 63957-MC/FST



C 63959-MC/FST

Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

Finish MC ORB Glass FST		Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods)					CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A 63957-___/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 4" oah 11 to 35" W 5" L 32"	
B 63958-___/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 4" oah 11 to 35" W 5" L 42.5"	
C 63959-___/FST	5Lt x 100w	R7s	J-78 Halogen	2900k	8250Lm	H 4" oah 11 to 35" W 5" L 53.5"	
D 63962-___/FST	6Lt x 100w	R7s	J-78 Halogen	2900k	9900Lm	H 4" oah 11 to 35" W 3" L 29.25"	



A 63953-MC/FST



B 63960-ORB/FST




C 63961-ORB/FST

Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

Finish MC ORB Glass FST		Supplied Lamps				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 63953-___/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 3.75" L 14.25" W 14.25"
B 63960-___/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5" W 5" L 32" Ext 5"
C 63961-___/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 5" W 3" L 42" Ext 5"





FLUX | COLLECTION

Retro vintage and industrial in nature, Flux is a mod twist on an old favorite. Chrome or brushed bronze finishes paired with clear or smoked glass, allows for seamless placement in either a contemporary or transitional settings. Inclusive, replica vintage Edison bulbs allow for that retro, “Menlo Park” look. Bring home your application by pairing Flux with the right mix of vintage or industrial furniture and accessories.



A 55542-BRZ



B 55543-CH

Flux Vintage Lamped Chandeliers

Finish BRZ CH		Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 55542-	16Lt x 40w	E-26	T-14 Incandescent	2700k	2160Lm	D 24" H 24" oah 24 to 36"
B 55543-	16Lt x 40w	E-26	T-14 Incandescent	2700k	2160Lm	D 24" H 19" oah 19 to 36"



A 55545-ANCK/CLR



B 55546-DBRZ/AMB



C 55547-ANCK/CLR

Flux Vintage Lamped Pendant

Finish ANCK Glass CLR		Finish DBRZ Glass AMB SMK					CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied	
A 55545-___/___	1Lt x 60w	E-26	ST-18 Incandescent	2700k	200Lm	D 7.5" H 10.25" oah 17 to 56.25"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter	
B 55546-___/___	1Lt x 60w	E-26	ST-18 Incandescent	2700k	200Lm	D 13" H 15.25" oah 21.25 to 61.25"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter	
C 55547-___/___	3Lt x 60w	E-26	ST-18 Incandescent	2700k	600Lm	D 15" H 17.1" oah 24 to 63.1"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter	



AERIA | COLLECTION

Aeria has an allure of its own, with chrome weaved baskets encircled with delicate clear glass globes. Place multiple 7 light clusters over a long dining table or the 5 light pendant with an attractive organic canopy on a stairwell. Aeria, options abound.



A 52076-CH/CLR



B 52078-CH/CLR

Aeria Metal Foil Pendants, Encapsulated in Clear Glass

Finish CH Glass CLR		Supplied Lamps, 10Ft Co-Axial Cable				CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 52076-CH/CLR	5Lt x 20w	G4	Bi-Pin Halogen	2900k	1500Lm	D 14" H 4" oah 12 to 115"
B 52078-CH/CLR	1Lt x 20w	G4	Bi-Pin Halogen	2900k	300Lm	D 4" H 4" oah 12 to 115"



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

Finish CH Glass CLR		Supplied Lamps, 10Ft Co-Axial Cable				CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52077-CH/CLR	7Lt x 20w	G4	Bi-Pin Halogen	2900k	2100Lm	D 12" H 4" oah 12 to 115"



E 52085CH/CLR



A 52081-CH/CLR



D 52084-CH/CLR



C 52083-CH/CLR



B 52082-CH/CLR

Aeria Vanity Series, Metal Foil in Glass

Finish CH Glass CLR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A 52081-CH/CLR	1Lt x 40w	G9	G9 Halogen	2900k	480Lm	H 4.75" L 4.75"	Ext 5.5"
B 52082-CH/CLR	2Lt x 40w	G9	G9 Halogen	2900k	960Lm	H 4.75" L 12.5"	Ext 5.5"
C 52083-CH/CLR	3Lt x 40w	G9	G9 Halogen	2900k	1440Lm	H 4.75" L 20.5"	Ext 5.5"
D 52084-CH/CLR	4Lt x 40w	G9	G9 Halogen	2900k	1920Lm	H 4.75" L 28.3"	Ext 5.5"
E 52085-CH/CLR	5Lt x 40w	G9	G9 Halogen	2900k	2400Lm	H 4.75" L 36"	Ext 5.5"





PRIZM | COLLECTION

A contemporary slant on traditional crystal, Prizm is dazzling, aesthetically pleasing, eye-candy. Crystal squares paired with modern chrome will upgrade and glamorize your bathroom space, whilst the three light semi-flush makes a wonderful addition to a dressing room or closet. Prizm-design with style!



Prizm Semi Flush

Finish CH Glass CCL		Supplied Lamps				CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23924-CH/CCL	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	D 20" H 11" oah 11"



A 23920-CH/CCL



B 23921-CH/CCL



C 23922-CH/CCL



D 23923-CH/CCL

Prizm Crystal Vanity & Wall Fixture, Mountable Up or Down

Finish CH Glass CCL		Supplied Lamps				CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 23920-CH/CCL	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 4.75" oah 4.75" L 4.6" Ext 5"
B 23921-CH/CCL	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 4.75" oah 4.75" L 20" Ext 5"
C 23922-CH/CCL	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 4.75" oah 4.75" L 28" Ext 5"
D 23923-CH/CCL	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 4.75" oah 4.75" L 36" Ext 5"





SOHO | COLLECTION

The urban, hip, Soho Collection embraces loft living and the lighter side of industrial design. Three edgy hues transform the look and feel to this “on fleek” collection with a sleek glossy white or infinitely rawer brushed silver and rice white.

Soho is a statement in design and clearly defines a space with grip-lock adjustable aircraft cables and a retro spin on a powerful modern design. Counter, nook, entry way or a 3 piece configuration-the options with Soho are infinite.



23765-BSL



23765-RIC



23765-GWH

SoHo Reflective Illumination Pendant

Finish BSL GWH RIC		Supplied 10ft of Cable & Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23765-___	3Lt x 60w	E-26	A-19 Medium Base			D 18.75" H 10.5" oah 16 to 130.5"





23764-GWH



23764-BSL



23764-RIC

SoHo Reflective Illumination Flush-Mount

Finish BSL GWH RIC						CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23764-__	3Lt x 60w	E-26	A-19 Medium Base			D 18.75" H 10.5"



RA | COLLECTION

Ra incorporates cutting edge LED technology and a wonderful blend of soft opal glass set in a brushed steel shade. Equipped with both an up and down light Ra illuminates the surface and lower glass, while the upper glass enhances the ambience with an easy glow. The wall sconce prompts thoughts of ancient times, starkly contrasting with obvious present day materials and LED light.



Ra LED Pendant and Wall Sconce

Finish BRZ BS Diffuser ACR

CETL Ceiling Dry 


	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	70028LED-___/ACR	2Lt x 5w+1w	MODULE	85CRI LED	3200k	650Lm	D 2.2" H 17.5" oah 25 to 140"	Lamps, 10Ft Clear Cord
B	70029LED-___/ACR	2Lt x 5w+1w	MODULE	85CRI LED	3200k	650Lm	D 2.2" H 17.5" oah 17.5" Ext 5"	Lamps





ORION | COLLECTION

Orion puts contemporary in its best light. Simple, unadorned and understated, Orion is functional, easily blending into the background, always allowing the design elements in your application to shine.



50163-BS/OPL

Orion Aircraft Cable Pendant

Finish BS Glass OPL	Dimensions D 19" H 3.9" oah 10 to 123"					CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied
50163-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base			10ft of Cable & Cord
C50163BSOPLN1218BQ	2Lt x 18w	GU-24	Quad Fluorescent	2700k	2500Lm	Lamps,10ft of Cable & Cord
50163LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps,10ft of Cable & Cord 



A 50160-WH/OPL



B 50161-WH/OPL



C 50162-WH/OPL

Orion Flush-Mount

Finish WH Glass OPL							CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50160-WH/OPL	2Lt x 60w	E-26	A-19 Medium Base		D 10.75" H 3.75"	
	C50160WHOPLEN1118BQ	1Lt x 18w	GU-24	Quad Fluorescent	2700k 1250Lm	D 10.75" H 3.75"	Lamps
	50160LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k 1515Lm	D 10.75" H 3.75"	Lamps 
B	50161-WH/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 13.25" H 4"	
	C50161WHOPLEN1218BQ	2Lt x 18w	GU-24	Quad Fluorescent	2700k 2500Lm	D 13.25" H 4"	Lamps
	50161LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k 1515Lm	D 13.25" H 4"	Lamps 
C	50162-WH/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 19" H 4.5"	
	C50162WHOPLEN1218BQ	2Lt x 18w	GU-24	Quad Fluorescent	2700k 2500Lm	D 19" H 4.5"	Lamps
	50162LEDD-WH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k 3057Lm	D 19" H 4.5"	Lamps 





A 50120-BS/OPL



B 50121-BS/OPL

Tara Flush-Mount

Finish BS Glass OPL							CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied	
A	50120-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	D 14" H 4.75"	
	C50120BSOPLEN1218BS 	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 14" H 4.75"	Lamps
	50120LEDD-BS/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 14" H 4.75"	Lamps 
B	50121-BS/OPL	3Lt x 75w	E-26	A-19 Medium Base			D 18" H 4.75"	
	C50121BSOPLEN1226BS	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	D 18" H 4.75"	Lamps
	50121LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 18" H 4.75"	Lamps 

TARA | COLLECTION

It's the little details that make all the difference, and the details are perfectly depicted in the Tara Collection. Contemporary style is obvious, with modern metal accents in all the right places, and in stark contrast to the frosted opal glass with clear openings. The solid rod hanging mechanism and energy efficient options make Tara an obvious choice for commercial applications. Place Tara over a nook table or on a staircase landing, and instantly bring artful, stylish design to your space.




A 50123-BS/OPL



B 50124-BS/OPL

Tara Pendant

Finish BS Glass OPL						CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50123-BS/OPL	3Lt x 75w	E-26	A-19 Medium Base		D 18" H 4.75" oah 13 to 50.75"	Rods 6"16"22", 10ft Cord, Slope Adapter
	C50123BSOPLN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
	50123LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
B	50124-BS/OPL	5Lt x 60w	E-26	A-19 Medium Base		D 24" H 4.75" oah 13 to 50.75"	Rods 6"16"22", 10ft Cord, Slope Adapter
	C50124BSOPLN1418B	4Lt x 18w	GU-24	Spiral Fluorescent	2700k	5000Lm	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
	50124LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter



FAMILIES





ALTUM | COLLECTION

The exceptional design element of Altum lies in the indented channels in the glass. The lateral indent is perfectly centered between two layers commanding a feeling of balance and order. An outer indent on the bottom of the glass provides dimension and further enhances the overall design elements. Aircraft cable that suspends the pendant version of Altum, is understated and draws further attention to this show stopping glass. Energy efficient pendant options, including LED and a variety of sizes and matching flush mounts make Altum a designer's choice.



A 50186-WH/OPL



B 50187-WH/OPL

Altum Flush-Mount

Finish WH Glass OPL						CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50186-WH/OPL	1Lt x 60w	E-26	A-19 Medium Base		D 10.25" H 3.1"	
	C50186WHOPLEN1118B	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	Lamps
	50186LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps 
B	50187-WH/OPL	2Lt x 60w	E-26	A-19 Medium Base		D 12.5" H 3.5"	
	C50187WHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	Lamps
	50187LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps 



A 50188-WH/OPL



B 50189-WH/OPL

Altum Flush-Mount

Finish WH Glass OPL							CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied	
A	50188-WH/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 15.75" H 3.75"		
	C50188WHOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 15.75" H 3.75"	Lamps
	50188LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 15.75" H 3.75"	Lamps 
B	50189-WH/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 19.5" H 3.9"		
	C50189WHOPLEN1313B	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	D 19.5" H 3.9"	Lamps
	50189LEDD-WH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 3.9"	Lamps 




A 50190-WH/OPL

B 50191-WH/OPL

Altum Aircraft Cable Pendant

Finish BS Glass OPL							CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50190-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 15.75" H 3.4" oah 10 to 120"	10ft of Cable & Cord
	C50190BSOPLN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k 2500Lm	D 15.75" H 3.4" oah 10 to 120"	Lamps, 10ft of Cable & Cord
	50190LEDD-BS/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k 1515Lm	D 15.75" H 3.4" oah 10 to 120"	Lamps, 10ft of Cable & Cord 
B	50191-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base		D 19.5" H 4" oah 10 to 120"	10ft of Cable & Cord
	C50191BSOPLN1313B	3Lt x 13w	GU-24	Spiral Fluorescent	2700k 2700Lm	D 19.5" H 4" oah 10 to 120"	Lamps, 10ft of Cable & Cord
	50191LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k 3057Lm	D 19.5" H 4" oah 10 to 120"	Lamps, 10ft of Cable & Cord 





AQUARIUS | COLLECTION

Cast your mind back to the late 1960's, early 70's and the hit musical "Hair", there you will find the inspiration for the Aquarius Collection. A whimsical metal panel placed upon clear edged, center frosted glass, designed to take you back to an era when shiny metals and geometric shapes were all the rage. Aquarius is a revival of some of those elements, yet clearly updated. Pendant, large or small, perhaps a wall sconce, all available in halogen or energy efficient CFL or LED. – "Aquarius, far out"



Aquarius Adjustable Glass & Metal Pendant

Finish BS Glass CLR						CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50107-BS/CLR	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 2" oah 8 to 47" W 10" L 29.5"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter



50110-BS/CLR

Aquarius Glass & Metal Pendant

Finish BS Glass CLR						CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50110-BS/CLR	10Lt x 40w	G9	G9 Halogen	2900k	4800Lm	H 2" oah 8 to 47" W 12" L 30"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
C50110BSCLREH3418Q	4Lt x 18w	G24q-2	Quad Fluorescent	2700k	5000Lm	H 2" oah 8 to 47" W 12" L 30"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter



B 62095-BS/FST

A 50108-BS/CLR

Aquarius Glass & Metal Pendant

Finish BS Glass CLR

CETL Ceiling Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50108-BS/CLR	8Lt x 40w	G9	G9 Halogen	2900k	3840Lm	H 2" oah 8 to 47" W 12" L 24"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
	C50108BSCLREH3418Q	4Lt x 18w	G24q-2	Quad Fluorescent	2700k	5000Lm	H 2" oah 8 to 47" W 12" L 24"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
B	62095-BS/FST	1Lt x 100w	R7s	J-118 Halogen	2900k	1650Lm	H 15" oah 15" L 8" Ext 3" 	Lamps
	C62095BSFSTEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	H 15" oah 15" L 8" Ext 3" 	Lamps
	62095LED-BS/FST	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 15" oah 15" L 8" Ext 3" 	Lamps







HELIUS | COLLECTION

Take your lighting to new heights with the Helius Collection. Helius is distinguishable by its extremely low profile, circular frosted glass, surrounded by clear glass and accented with a ring of metal, all beautifully illuminated by a central light source. Perfect for an open plan space, Helius offers multi local light sources including; pendant, flush, semi-flush and sconce.



A 50481-BS/CFR

B 50484-BS/CFR

Helius Pendant and Semi-Flush with Clear Plate Glass and Frosted Center

Finish BS Glass CFR							CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 50481-BS/CFR	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 12" H 8"	Lamps
B 50484-BS/CFR	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 20" H 4" oah 10 to 50"	Lamps, Rods 6"16"22", 10ft Cord



A 50480-BS/CFR



B 50483-BS/CFR

Helius Flush-Mount with Clear Plate Glass and Frosted Center

Finish BS Glass CFR			Supplied Lamps		CETL  50480 Ceiling Damp 50483 Wall Dry		
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	50480-BS/CFR	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 12" H 4" oah 4"
	50480LEDD Dimmable	1Lt x 13w	GX-53	85CRI LED	3000k	1200Lm	D 12" H 4" oah 4"
B	50483-BS/CFR	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 4.5" L 12" Ext 6.75"





IRON | COLLECTION

The iron collection brings strength and character to any room. Cylindrical opal glass is boldly wrapped in a metal mesh screen and suspended in a tri metal basket. Iron is sensational in a 3 or 5 grouping over a kitchen counter. Pair this combination with an entry way flush mount and sconces on either side of a fireplace to create an unrivaled, strong, contemporary destination. Iron, bold and beautiful to the core.



20738-BS/OPL

Iron Pendant

Finish BS Glass OPL	Supplied Rods 6"16"22", 10ft Cord, Slope Adapter					CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
20738-BS/OPL	1Lt x 100w	E-26	A-19 Medium Base			D 6.1" H 12" oah 20 to 58"
C20738BSOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 6.1" H 12" oah 20 to 58"



A 50130-BS/FST



B 50131-BS/FST

Iron Flush-Mount

Finish BS Glass FST							CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied	
A	50130-BS/FST	1Lt x 100w	E-26	A-19 Medium Base			D 12" H 4"	
	C50130BSFSTEN1213BS 	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	D 12" H 4"	Lamps
	50130LEDD-BS/FST Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 12" H 4"	Lamps 
B	50131-BS/FST	2Lt x 75w	E-26	A-19 Medium Base			D 16" H 4"	
	C50131BSFSTEN1218BS 	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 16" H 4"	Lamps
	50131LEDD-BS/FST Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 16" H 4"	Lamps 



B 50562-BS/OPL
Shown with
optional extra
SCR50562
Mesh Sleeve

B 50562-BS/OPL



A 20739-BS/OPL

Iron Wall Fixture

Finish BS Glass OPL			20739 CUL Wall Dry  			50562 CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20739-BS/OPL	2Lt x 60w	E-26	A-19 Medium Base		H 11.75" L 10" Ext 4"	
	C20739BSOPLN1218BS 	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	Lamps
	20739LEDD-BS/OPL Dimmable	1Lt x 16w	Module	80CRI LED	3000k	1650Lm	Lamps
B	50562-BS/OPL	1Lt x 60w	E-26	A-19 Medium Base		H 14.5" L 4.3" Ext 4"	
	C50562BSOPLN1113BS 	1Lt x 13w	GU-24	Spiral Fluorescent	2700k	900Lm	Lamps





SATURN | COLLECTION

Simply heavenly, the Saturn collection, named for its multiple layered rings, uses depth and artistic elements to enhance a basic cylindrical collection. The Contemporary Saturn Series, is applauded for detailed components including a stepped brushed steel frame, bound with geometrical fitters, and set against an acid frosted glass. The allure of Saturn lies in the complex engineering of Saturn marking this collection as a focal point. The sensational, energy efficient LED light source takes Saturn beyond the outer limits.



50090-BS/FST

Saturn Pendant with Concentric Metal Rings

Finish BS Glass FST	Supplied Lamps, Rods 6"16"22", 10ft Cord					CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50090-BS/FST	1Lt x 300w	R7s	J-118 Halogen	2900k	5000Lm	D 19" H 5" oah 11 to 50"
50090LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19" H 5" oah 11 to 50"





50091-BS/FST

Saturn Flush-Mount with Concentric Metal Rings

Finish BS Glass FST		Supplied Lamps			CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50091-BS/FST	1Lt x 75w	G9	G9 Halogen	2900k	1050Lm	D 9.5" H 4.5"
C50091BSFSTEN1113BS 	1Lt x 13w	GU-24	Spiral Fluorescent	2700k	900Lm	D 9.5" H 4.5"
50091LEDD-BS/FST Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 9.5" H 4.5" 



50092-BS/FST

Saturn Flush-Mount with Concentric Metal Rings

Finish BS Glass FST		Supplied Lamps			CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50092-BS/FST	1Lt x 150w	R7s	J-118 Halogen	2900k	2600Lm	D 14.5" H 5.5"
C50092BSFSTEN1213BS 	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	D 14.5" H 5.5"
50092LEDD-BS/FST Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 14.5" H 5.5" 





PHOEBE | COLLECTION

Put down the wine glasses and bring the party to your space with the martini inspired Phoebe Collection. The pendant sports thick, clear, curved glass capped with a stepped brushed steel top and hung on a solid brushed steel rod. The covered light source, halogen or LED, maintains the detail with a fitted metal trim and chunky thumb screws. The stunning wall sconce extends from the wall making a dramatic statement, whilst the vanities are impactful with a frosted glass seemingly suspended incrementally in the middle of the clear glass.



50441-BS/8CL

Phoebe Pendant

Finish BS Glass 8CL		Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50441-BS/8CL	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 13.5" H 4" oah 12 to 50"
50441LEDD Dimmable	1Lt x 13w	GX-53	85CRI LED	3000k	1200Lm	D 13.5" H 4" oah 12 to 50"



50444-BS/8CL

Phoebe Pendant


Finish BS Glass 8CL		Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50444-BS/8CL	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 19" H 4" oah 12 to 50"
50444LEDD Dimmable	1Lt x 13w	GX-53	85CRI LED	3000k	1200Lm	D 19" H 4" oah 12 to 50"



50443-BS/8CL

Phoebe Pendant

Finish BS Glass 8CL		Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50443-BS/8CL	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	D 10" H 4" oah 12 to 50" W 3.5" L 33.75"
50443LEDD Dimmable	3Lt x 13w	GX-53	85CRI LED	3000k	3600Lm	D 10" H 4" oah 12 to 50" W 3.5" L 33.75"



50511-CH/8CL




Phoebe Wall Fixture Incorporating Thick Bent Glass

Finish CH Glass 8CL		Supplied Lamps				CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
50511-CH/8CL	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 12" oah 12" L 6.5" Ext 6"



A 62091-BS/12C



B 62092-BS/12C



C 62093-BS/12C



D 62099-BS/12C

Phoebe Wall Vanity Fixture with Thick Panel Glass, Full Size Backplate to J-Box

Finish BS Glass 12C		Supplied Lamps				CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 62091-BS/12C	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 5" L 12.75" Ext 6.25"
B 62092-BS/12C	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 5" L 23" Ext 6.25"
C 62093-BS/12C	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5" L 33.25" Ext 6.25"
D 62099-BS/12C	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 5" L 43.5" Ext 6.25"





AZTEC | COLLECTION

You just can't go wrong with the Aztec Collection. This classic design is made more interesting with double metal rings, set apart with metal standoff's and hung with a four arm configuration. The availability of a pendant, semi-flush and multi flush mount options, makes this collection open configuration friendly. In addition the GU24 bulb, delivers an energy efficient collection too.



B 20457GU-BS/WHT



A 20456GU-BS/WHT



C 20458GU-BS/WHT

Aztec Flush-Mount

Finish BS Glass WHT						CUL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20456GU-BS/WHT	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	D 14" H 4" oah 4"
	20456LEDD Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 14" H 4" oah 4" Lamps 
B	20457GU-BS/WHT	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	D 17" H 4.5" oah 4.5"
	20457LEDD Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 17" H 4.5" oah 4.5" Lamps 
C	20458GU-BS/WHT	4Lt x 13w	GU-24	Spiral Fluorescent	2700k	3600Lm	D 21.5" H 5" oah 5"
	20458LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 21.5" H 5" oah 5" Lamps 



Aztec Chain Supported Bowl Pendant

Finish BS Glass WHT		Supplied 6ft Chain,10ft Cord				CUL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
20463GU-BS/WHT	5Lt x 26w	GU-24	Spiral Fluorescent	2700k	8550Lm	D 25" H 25.75" oah 28.75 to 97.75"



A 20460GU-BS/WHT



B 20462GU-BS/WHT

Aztec Semi Flush Bowl and Chain Suspended Pendant

Finish BS Glass WHT							CUL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	20460GU-BS/WHT	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	D 17" H 17.5" oah 17.5"
	C20460BSWHTEN1140C	1Lt x 40w	G10q	2CT6 Fluorescent	2700k	2800Lm	D 17" H 17.5" oah 17.5"
B	20462GU-BS/WHT	5Lt x 13w	GU-24	Spiral Fluorescent	2700k	4500Lm	D 21" H 23.5" oah 26.5 to 95.5" 6ft Chain, 10ft Cord
	C20462BSWHTEN1158C	1Lt x 58w	G10q	2CT6 Fluorescent	2700k	3700Lm	D 21" H 23.5" oah 26.5 to 95.5" 6ft Chain, 10ft Cord



A 20452GU-BS/WHT



B 20453GU-BS/WHT



C 20454GU-BS/WHT

Aztec Wall Vanity Fixture with Full Size Backplate to Cover J-Box

Finish BS Glass WHT						CUL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 20452GU-BS/WHT	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	H 4.5" L 24" Ext 6"
B 20453GU-BS/WHT	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	H 4.5" L 36" Ext 6"
C 20454GU-BS/WHT	4Lt x 13w	GU-24	Spiral Fluorescent	2700k	3600Lm	H 4.5" L 48" Ext 6"

SPOTLIGHTS







B 63054LEDD-MC/ACR



A 63053LEDD-MC/ACR



C 63055LEDD-MC/ACR

Optix LED Pendant Spotlight

Finish MC Diffuser ACR		Supplied Lamps, Rods 6"16"22", 10ft Cord					CETL Ceiling Dry 
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	63053LEDD-MC/ACR Dimmable	3Lt x 4w	Module	90CRI LED	3000k	1200Lm	H 6" oah 13 to 51" W 28"
B	63054LEDD-MC/ACR Dimmable	4Lt x 4w	Module	90CRI LED	3000k	1600Lm	H 6" oah 13 to 51" W 36"
C	63055LEDD-MC/ACR Dimmable	5Lt x 4w	Module	90CRI LED	3000k	2000Lm	H 6" oah 13 to 51" W 51"





Versahl 4 - Light Adjustable Spotlight Pendant

Finish MC Glass		Supplied Lamps, Slope Adapter			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63004ET-MC	4Lt x 50w	GU-5.3	MR-16 Halogen	2900k	2056Lm	H 5" oah 23 to 39" L 27.75"



Versahl Spotlight

Finish MC	Supplied Lamps, Slope Adapter				CETL Ceiling Wall Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63021-MC	1Lt x 35w	GU-5.3	MR-16 Halogen	2900k	360Lm	H 14" oah 14" W 4"
63021LED-MC	1Lt x 5.5w	GU-5.3	MR-16 LED	3000k	346Lm	H 14" oah 14" W 4"



Versahl 3 - Light Semi-Flush Spotlight

Finish MC		Supplied Lamps, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63013ET-MC	3Lt x 50w	GU-5.3	MR-16 Halogen	2900k	1542Lm	H 13" W 4" L 21.25"



Versahl 5 - Light Semi-Flush Spotlight

Finish MC		Supplied Lamps, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63015ET-MC	5Lt x 35w	GU-5.3	MR-16 Halogen	2900k	1800Lm	H 13.5" oah 13.5" W 4" L 72"



Versahl 3 - Light Ceiling Offset Spotlight

Finish MC		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63023ET-MC	3Lt x 50w	GU-5.3	MR-16 Halogen	2900k	1542Lm	H 9" oah 9" W 6" L 36"
63023LED-MC	3Lt x 5.5w	GU-5.3	MR-16 LED	3000k	1038Lm	H 9" oah 9" W 6" L 36"



Versahl 4 - Light Ceiling Offset Spotlight

Finish MC		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63024ET-MC	4Lt x 50w	GU-5.3	MR-16 Halogen	2900k	2056Lm	H 11.5" L 56"
63024LED-MC	4Lt x 5.5w	GU-5.3	MR-16 LED	3000k	1384Lm	H 11.5" L 56"





Mirage 1 - Light Swivel Spot

Finish BRZ BS		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52220-__	1Lt x 50w	GU-10	MR-16 Halogen	2900k	550Lm	D 6" H 5.63"



Mirage 3 - Light Cluster Spot

Finish BRZ BS		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52221-__	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	D 10" H 8"



Mirage 4 - Light G Cluster Spot

Finish BRZ BS		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52222-__	4Lt x 50w	GU-10	MR-16 Halogen	2900k	2200Lm	D 18" H 6"



Mirage 4 - Light Pendant

Finish BRZ BS		Supplied Lamps, Rods 6"16"22", 10ft Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52224-__	4Lt x 50w	GU-10	MR-16 Halogen	2900k	2200Lm	H 6" oah 12 to 52" W 4.7" L 40"



Mirage 3 - Light Pendant

Finish BRZ BS		Supplied Lamps, Rods 6"16"22", 10ft Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52223-__	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	H 6" oah 12 to 52" W 3" L 33"



Mirage 6 - Light Semi-Flush with Articulating Arms

Finish BRZ BS		Supplied Lamps				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52226-__	6Lt x 50w	GU-10	MR-16 Halogen	2900k	3300Lm	H 5" W 3" L 24.5 + 24.5"





A 52103-BS



B 52133-BS

Cobra Spotlight Cluster

Finish BS					CETL Ceiling Dry 		
	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	52103-BS	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	D 10" H 4"
B	52133-BS	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	D 12" H 4.75"



A 52203-BS



B 52205-BS

Cobra 3 - Light Semi-Flush and Pendant Curved Bar Spotlight

Finish BS							CETL Ceiling/Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 52203-BS	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	H 5.5" L 27"	
B 52205-BS	3Lt x 50w	GU-10	MR-16 Halogen	2900k	1650Lm	H 3.75" oah 10 to 50" L 27"	Rods 6"16"22", 10ft Cord, Slope Adapter



A 52204-BS



B 52206-BS

Cobra 4 - Light Semi-Flush and Pendant Curved Bar Spotlight

Finish BS							CETL Ceiling/Wall Dry 	
	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	52204-BS	4Lt x 50w	GU-10	MR-16 Halogen	2900k	2200Lm	H 5.5" L 33"	
B	52206-BS	4Lt x 50w	GU-10	MR-16 Halogen	2900k	2200Lm	H 3.75" oah 10 to 50" L 33"	Rods 6"16"22", 10ft Cord, Slope Adapter





Viper Off-Set Semi Flush

Finish BS		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52043-BS	6Lt x 35w	GU-10	MR-16 Halogen	2900k	1920Lm	H 9" L 31 + 31"



Viper Semi-Flush with Articulating Arm

Finish BS		Supplied Lamps			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52042-BS	5Lt x 35w	GU-10	MR-16 Halogen	2900k	1600Lm	H 10" L 35.5 + 16"





52030-BS

Comet 3 - Light Semi Flush

Finish BS Glass OPL		Supplied Slope Adapters			CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52030-BS/OPL	3Lt x 35w	GU-10	MR-16 Halogen	2900k	960Lm	H 13.2" L 21"



52034-BS

Comet 3 - Light Off Set Semi-Flush

Finish BS Glass OPL					CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52034-BS/OPL	3Lt x 35w	GU-10	MR-16 Halogen	2900k	960Lm	H 10" L 35"



52031-BS

Comet 5 - Light Semi Flush

Finish BS Glass OPL					CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52031-BS/OPL	5Lt x 35w	GU-10	MR-16 Halogen	2900k	1600Lm	H 13.2" L 71"




52035-BS

Comet 4 - Light Off Set Semi-Flush

Finish BS Glass OPL					CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
52035-BS/OPL	4Lt x 35w	GU-10	MR-16 Halogen	2900k	1280Lm	H 13.75" L 53.5"

CHANDELIERS





A 55542-BRZ



B 55543-CH



Flux Vintage Lamped Chandeliers

Finish BRZ CH		Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 55542- ____	16Lt x 40w	E-26	T-14 Incandescent	2700k	2160Lm	D 24" H 24" oah 24 to 36"
B 55543- ____	16Lt x 40w	E-26	T-14 Incandescent	2700k	2160Lm	D 24" H 19" oah 19 to 36"



62317-BS/FST



Titanium 6 - Light Cable Chandelier

Finish BS Glass FST						CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
62317-BS/FST	6Lt x 100w	R7s	J-78 Halogen	2900k	9900Lm	D 28" H 3" oah 10 to 120" W 2.25"	Lamps, 10ft Aircraft Cable and Cord





52120-CH/MIR



Glam Chandelier

Finish CH Glass MIR							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
52120-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 22.8" H 5.5" oah 12.5 to 50.5"	Lamps, Rods 6"16"22", 10ft Cord





23980-CH/OPL

Nitrogen Cable Chandelier with Articulating Rings

Finish CH Glass OPL						CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23980-CH/OPL	15Lt x 40w	G9	G9 Halogen	2900k	7200Lm	D 38" H 5 to 38" oah 12 to 120"	Lamps, 10ft of Cable & Cord





A 50465-BS/FST



B 50466-BS/FST

Oracle Cable Ring Glass Chandelier

Finish BS Glass FST

CETL Ceiling Dry 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A	50465-BS/FST	6Lt x 50w	G9	G9 Halogen	2900k	3600Lm	D 22" H 3" oah 10 to 120"	Lamps, 10ft of Cable & Cord
B	50466-BS/FST	8Lt x 50w	G9	G9 Halogen	2900k	4800Lm	D 28" H 3" oah 10 to 120"	Lamps, 10ft of Cable & Cord



63962-ORB/FST




63962-MC/FST



Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

Finish MC ORB Glass FST							CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
63962-___/FST	6Lt x 100w	R7s	J-78 Halogen	2900k	9900Lm	H 4" oah 11 to 35" W 3" L 29.25"	Lamps, 2 Rod Combinations (Telescopic and 6" Rods)

PENDANTS





FLOAT | COLLECTION

Seemingly effortlessly hung from the sky, the Float Suspension Collection is light and airy. Fully adjustable with an enclosed grip-lock system, the extremely low profile Float has phenomenal LED light output.



A 63963LEDD-SILV/ACR



B 63964LEDD-SILV/ACR

Float LED Pendant

Finish SILV Diffuser ACR						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 63963LEDD-SILV/ACR Dimmable	1Lt x 22w	Module	85CRI LED	2800-3200K	2200Lm	H 2.75" oah 10 to 120" L 36"	Lamps, 10ft of Cable & Cord
B 63964LEDD-SILV/ACR Dimmable	1Lt x 30w	Module	85CRI LED	2800-3200K	3000Lm	H 2.75" oah 10 to 120" L 48"	Lamps, 10ft of Cable & Cord





AVIATOR | COLLECTION

Soar to new heights with solid state LED technology perfectly packaged in a stunning geometrically inspired pendant. The Aviator Collection embraces the latest lighting trends, effortlessly providing light from minimalist bars. Aviator-trending now.



63965LEDD-CH/ACR

Aviator LED Pendant

Finish CH Diffuser ACR							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
63965LEDD-CH/ACR Dimmable	3Lt x 8w	Module	85CRI LED	2800-3200K	2100Lm	D 34" H 2.5" oah 10 to 50"	Lamps, Rods 6"16"22", 10ft of Cable & Cord





A 20664-BS/FST



B 20665-BS/FST



STEALTH | COLLECTION

The seductive contours and low profile of the stealth collection make this energy efficient number a spirited addition to a minimalist contemporary environment.

Stealth Spherical Pendants

Finish BS Glass FST							Certification CUL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 20664-BS/FST	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	D 16.5" H 5.5" oah 13.5 to 50"	Rods 6"16"22", 10ft Cord, Slope Adapter
B 20665-BS/FST	5Lt x 13w	GU-24	Spiral Fluorescent	2700k	4500Lm	D 23.5" H 5.5" oah 13.5 to 50"	Rods 6"16"22", 10ft Cord, Slope Adapter





D 12" H 16.5"

ESSENCE | COLLECTION

Copper, dubbed an essential element for both one's health and a myriad of domestic, industrial and high tech applications, is back on the scene. Whether brushed or full gloss, the allure of copper is irrefutable. The Essence Collection lends itself to settings from the nostalgic to hard core contemporary always warmed with a touch of copper.



28092-BCP

Essence Metal Cone Pendant

Finish BCP						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
28092-BCP	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 12" H 16.5" oah 24.5 to 136.5"	10ft Cord





A 28090-SCP



B 28091-SCP



oah 18 to 130"

A D 8" H 10"



oah 20 to 132"

B D 11.75" H 12"

Essence Metal Dome Pendant

Finish SCP						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 28090-SCP	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 8" H 10" oah 18 to 130"	10ft Cord
B 28091-SCP	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 11.75" H 12" oah 20 to 132"	10ft Cord





A 70064LEDD-SCP/ACR



B 70065LEDD-BCP/ACR



Essence Metal Dome Pendant

Finish SCP BCP

Certification CETL Ceiling Dry 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	70064LEDD-SCP Dimmable	1Lt x 8w	Module	85CRI LED	3000k	800Lm	D 6" H 5" oah 12 to 120"	Lamps, 10ft Cord,
B	70065LEDD-BCP Dimmable	1Lt x 5w	Module	85CRI LED	3000k	500Lm	D 4.75" H 4.75" oah 12 to 120"	Lamps, 10ft Cord,



METALICO | COLLECTION

Further enhancing our stunning collection of pendants is the Metalico Pendant. A beautifully crafted curved metal cone is encased in a clear glass with divergent lines that task the mind to unravel the mystery. Set on a clear cord these sleek and stylish pendants speaks for itself.



50147-RGLD/CLR



50147-CH/CLR



D 5" H 7"

Metalico Pendant

Finish CH RGLD Glass CLR						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50147-___/CLR	1Lt x 40w	G9	G9 Halogen	2900k	480Lm	D 5" H 7" oah 13 to 120"	Lamps, 10ft Clear Cord





50145-CH/CLR



D 16" H 11"

Metalico Pendant

Finish CH Glass CLR						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50145-CH/CLR	1Lt x 100w	E-26	A-19 Incandescent			D 16" H 11" oah 16 to 133"	10ft of Cable & Cord





B 70031LED-CH/CLR

PULSE | COLLECTION

Charming in every sense of the word, Pulse is an attractive design with an exposed metal heat sync encased in smoked glass. An alternative Pulse pendant with a metal cone shade, makes Pulse a must for industrial or loft settings.



A 70030LED-CH/CLR

Pulse LED Pendants

Finish CH Glass CLR							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 70030LED-CH/CLR	1Lt x 7w	Module	85CRI LED	3200k	720Lm	D 4.4" H 12.5" oah 18 to 133"	Lamps, 10Ft Clear Cord
B 70031LED-CH/CLR	1Lt x 7w	Module	85CRI LED	3200k	720Lm	D 10.75" H 7" oah 12 to 128"	Lamps, 10Ft Clear Cord





A 23435-WH/OPL



B 23436-BL/OPL



C 23437-BRZ/OPL

CHUCKI | COLLECTION

Available with or without an inner glass shade Chuki's attraction lies in the contrast between the metal spokes on the outer shade and the smoother inner shade or bulb. The timeless elements of Chuki make this transitional piece adaptable to multiple applications.



Chuki Metal Ribbed Pendant with Opal Glass Shade

Finish BL BRZ WH Glass OPL

Certification CETL Ceiling Damp

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	23435-___/OPL	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm	D 15" H 18.5" oah 24 to 140"	10ft Cord (black with BL and BRZ, white with WH)
B	23436-___/OPL	1Lt x 75w	E-26	A-19 Incandescent	2700k	1100Lm	D 11.5" H 14.5" oah 22 to 135"	10ft Cord (black with BL and BRZ, white with WH)
C	23437-___/OPL	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 8" H 11" oah 17 to 130"	10ft Cord (black with BL and BRZ, white with WH)





A 23771-WD/NAT



KOBU | COLLECTION

Organic meets contemporary in the Japanese inspired Kobu collection. The red cord adds a pop of color in contrast to the natural wood shade. Place Kobu alone over a nook table or in pairs of three over a coffee table in a quiet corner.



B 23775-WD/NAT

Kobu Real Wood Dome Pendant

Finish WD/NAT						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 23771-WD/NAT	1Lt x 60w	E-26	G-40 Incandescent			D 13" H 12" oah 18 to 130"	10Ft Red Linen Coated Cord
B 23775-WD/NAT	1Lt x 60w	E-26	G-40 Incandescent			D 16" H 15" oah 21 to 130"	10Ft Red Linen Coated Cord





A 23773-WD/NAT



B 23774-WD/NAT



A D 14" H 18"

oah 24 to 140"



B D 9.75" H 18"

oah 24 to 138"

Kobu Real wood Ball Pendant

Finish WD/NAT						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 23773-WD/NAT	1Lt x 60w	E-26	G-40 Incandescent			D 14" H 18" oah 24 to 140"	10Ft Red Linen Coated Cord
B 23774-WD/NAT	1Lt x 60w	E-26	60/T8 Incandescent			D 9.75" H 18" oah 24 to 138"	10Ft Red Linen Coated Cord



ASTRO | COLLECTION

This is a stunning dome pendant with two color combinations. For a cool, stark application the outer white/inner silver combination is a natural choice. In contrast, the outer black/inner gold combination is warm and inviting. Regardless of your choice Astro is a focal point extraordinaire.



B 23767-MBL/GLD



A 23766-GWH/SILV



Astro Dome Pendant

Finish GWH/SILV MBL/MGL						Certification CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 23766-___/___	1Lt x 100w	E-26	G-40 Incandescent	2700k	1150Lm	D 19" H 11" oah 17 to 130"	10Ft Black Linen Coated Cord
B 23767-___/___	1Lt x 100w	E-26	G-40 Incandescent	2700k	1150Lm	D 16" H 8" oah 14 to 130"	10Ft Black Linen Coated Cord





A 50180-BS/OPL



oah 18 to 133"

A D 15" H 11.8"



oah 19 to 134"

B D 18" H 12.8"



B 50181-BS/OPL

CALISTO | COLLECTION

Calisto's paper thin glass and distinctive shaped, line glass, bring to mind visions of the traditional Japanese lantern. To further add to the Zen like qualities of this simple, subtle pendant is the crisp white, unadorned finish on the glass shade. Calisto, bringing calm to a crazy world.


Callisto Ribbed OPL Glass Pendant

Finish BS Glass OPL		Supplied 10ft of Clear Cord			Certification CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	50180-BS/OPL	2Lt x 60w	E-26	A-19 Incandescent		D 15" H 11.8" oah 18 to 133"
	C50180BSOPLN1213B	2Lt x 13w	GU-24	Spiral Fluorescent	2700k 1800Lm	D 15" H 11.8" oah 18 to 133"
B	50181-BS/OPL	3Lt x 60w	E-26	A-19 Incandescent		D 18" H 12.8" oah 19 to 134"
	C50181BSOPLN1313B	3Lt x 13w	GU-24	Spiral Fluorescent	2700k 2700Lm	D 18" H 12.8" oah 19 to 134"




METALICA | COLLECTION

Affectionately termed the “paperclip pendant”, Metalica is whimsical, and quite striking. The 10’ adjustable cord, and G9 bulb make for easy installation and maintenance. Stand alone, or terrific when hung in three’s, Metalica sets a beguiling tone in discerning applications.



23633-BS



D 16" H 16"

oah 22 to 120"

Metalica Cable Pendant

Finish BS						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23633-BS	1Lt x 75w	G9	G9 Halogen	2900k	1050Lm	D 16" H 16" oah 22 to 120"	Lamps, 10ft of Cable & Cord





INDIUM | COLLECTION

Bold in design, magnificent in function, this 39w beauty puts out 3100 nominal lumens. The detail to design is apparent in the corners which have been rounded to soften Indium and add an artistic element to this stunning pendant. A sloped ceiling adaptor and a variety of rod lengths provide Indium with the flexibility for success.

31012-BS/OPL



Indium Pendant

Finish BS Glass OPL							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
31012-BS/OPL	1Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3100Lm	oah 10 to 50" L 35.5" W 4"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's





THESIS | COLLECTION

Thesis leaves one awestruck by the decorative capabilities of glass. The juxtaposition of the crisp white, gently curved glass, pierced by a square chrome rod, is unexpected and aesthetically pleasing. The use of glass to transform a simple functional pendant into a work of art – quite brilliant!

31017-CH/FST



L 45.5" x W 12"

oah 12 to 50"

Thesis Pendant

Finish CH Glass FST							Certification CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
31017-CH/FST	2Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	6200Lm	oah 11 to 51" L 45.5" W 12"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's





23770-RED



23770-BL

MAGNETO | COLLECTION

Function truly meets form with the whimsical Magneto magnetized pendant. Acute angle adjustment of the shade, is made possible as you slide the magnetic cup to the desired angle on the metal shade. Using a silver tipped G40 bulb says MOD, while an LED bulb portrays green living. Either way, be it a red, white or black magneto- you've chosen one fabulous conversation piece.



23770-WH

Magneto Adjustable Angle Pendant

Finish BL RED WH						Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23770-___	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 13.8" H 13.8" oah 20 to 120"	8ft of Cable & Cord






A 50548-BS/OPL



B 50549-BS/OPL

DEZI | COLLECTION

Fluorescent never presented so well, before the introduction of the Dezi three and four light bar pendant. Clear cord that is fully adjustable further enhances the features to Dezi making this collection a winning energy efficient option.



Dezi Bar Pendant

Finish BS Glass CLOP			Supplied Lamps, 10Ft Clear Cord			Certification CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 50548-BS/CLOP	3Lt x 18w	GU-24	Quad Fluorescent	2700k	3750Lm	H 13.5" oah 20 to 140" L 23"
B 50549-BS/CLOP	4Lt x 18w	GU-24	Quad Fluorescent	2700k	5000Lm	H 13.5" oah 20 to 140" L 36"



HELIX | COLLECTION
Raw aluminum strips encasing a cylindrical glass shade, immediately communicate an authentic, contemporary aura. With an energy efficient fluorescent option, Helix spans two worlds with both residential and commercial potential. Permeate the scene with a contemporary influence beside a bed, over a counter, on a stairwell, or simply over a nook table. Helix, contemporary to the core.



A 23425-ALU/OPL



B 23426-ALU/OPL



A D 10.75 H 12"

B D 13.25 H 15"

Helix Pendant

Finish ALU Glass OPL		Supplied 10ft of Clear Cord				Certification CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	23425-ALU/OPL	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm
	C23425ALUOPLEN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm
B	23426-ALU/OPL	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm
	C23426ALUOPLEN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm





DECO BALL | COLLECTION

Retrolicious-the Deco Ball is a true design diva with retro routes. Two sizes, and two lamping options, expand the functionality of the Deco Ball exponentially. The energy efficient fluorescent “minor” Deco Ball, is perfect setting the scene in a coffee shop. While the larger Deco Ball is ideal in multiples over a kitchen counter or work area. Deck out your space with the Deco Ball.



A D 8" H 6"

B D 14" H 10"

DecoBall Ball Pendant

Finish BS		Supplied Rods 6"16"22", 10ft Cord, Slope Adapter				Certification CETL Ceiling Dry 	
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	23636-BS	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 8" H 8" oah 16 to 52"
	C23636BSEN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 8" H 8" oah 16 to 52"
B	23637-BS	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm	D 14" H 14" oah 18 to 56"
	C23637BSEN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 14" H 14" oah 18 to 56"



A 50903-WH/GLD



B 50904-WH/WH



C 50906-WH/CH

Layers Large Pendant

Finish WH/CH WH/GLD WH/WH

Certification CETL Ceiling 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50903-WH/___	1Lt x 26w	GU-24	LED or Fluorescent			D 11" H 6.3" oah 12 to 123"	10ft Cord
	50903LEDD-WH/___ Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 11" H 6.3" oah 12 to 123"	10ft Cord
B	50904-WH/___	3Lt x 26w	GU-24	LED or Fluorescent			D 14" H 6.3" oah 12 to 123"	10ft Cord & Cable
	50904LEDD-WH/___ Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 14" H 6.3" oah 12 to 123"	Lamps, 10ft Cord & Cable
C	50906-WH/___	5Lt x 26w	GU-24	LED or Fluorescent			D 18" H 6.3" oah 12 to 123"	10ft Cord & Cable
	50906LEDD-WH/___ Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 18" H 6.3" oah 12 to 123"	Lamps, 10ft Cord & Cable



23765-GWH



23765-BSL



23765-RIC



oah 16 to 135"

D 18.75" H 10.5"



SoHo Reflective Illumination Pendant

Finish BSL GWH RIC

CETL Ceiling Dry 

Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23765-___	3Lt x 60w	E-26	A-19			D 18.75" H 10.5" oah 16 to 130.5"	10ft of Cable & Cord



Nimbus Abstract Glass Aircraft Cable Pendant

Finish CH Glass OPL						CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
20687-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	10ft Aircraft Cable and Cord
C20687CHOPLN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	Lamps, 10ft Aircraft Cable and Cord
20687LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	H 4.5" oah 11 to 125" W 16.5" L 17.7"	Lamps, 10ft Aircraft Cable and Cord





Pebble Abstract Glass Cable Pendant

Finish CH Glass OPL							CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
20689-CH/OPL	3Lt x 60w	E-26	A-19 Medium Base	2700k	2400Lm	D 19.5" H 4.7" oah 11 to 125"	10ft Aircraft Cable and Cord
C20689CHOPLN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	D 19.5" H 4.7" oah 11 to 125"	Lamps, 10ft Aircraft Cable and Cord
20689LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 4.7" oah 11 to 125"	Lamps, 10ft Aircraft Cable and Cord







23072-BS/WH

23072-BRZ/WH



Noya Cable Pendant

Finish	BRZ BS Glass WHT		Supplied Rods 6"16"22", 10ft Cord, Slope Adapter			CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23072-___/WHT	4Lt x 60w	E-26	A-19 Incandescent			D 18" H 28" oah 36 to 74"
C23072xxxWHTEN1326B	3Lt x 26w	GU-24	Spiral Fluorescent	2700k	5130Lm	D 18" H 28" oah 36 to 74"



23073-BS/WH



23073-BRZ/WH



D 24"

oah 36 to 74"



Noya Cable Pendant

Finish	BRZ BS Glass WHT		Supplied			CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23073-___/WHT	4Lt x 60w	E-26	A-19 Incandescent			D 24" H 28" oah 36 to 74"
C23073xxxWHTEN1326B	3Lt x 26w	GU-24	Spiral Fluorescent	2700k	5130Lm	D 24" H 28" oah 36 to 74"



23074-BS/WH



Pg 276



Noya Cable Pendant

Finish	BRZ BS Glass WHT		Supplied Rods 6"16"22", 10ft Cord, Slope Adapter			CUL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
23074-BRZ BS/WHT	5Lt x 60w	E-26	A-19 Incandescent	2700k	4000Lm	D 28" oah 39.5 to 78"
C23074xxxWHTEN1326B	3Lt x 26w	GU-24	Spiral Fluorescent	2700k	5130Lm	D 28" oah 39.5 to 78"



A 50107-BS/CLR



B 50108-BS/CLR



C 50110-BS/CLR



Aquarius Glass & Metal Pendant

Finish BS Glass CLR		Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter					CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A 50107-BS/CLR	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 2" oah 8 to 47" W 10" L 29.5"	
B 50108-BS/CLR	8Lt x 40w	G9	G9 Halogen	2900k	3840Lm	H 2" oah 8 to 47" W 12" L 24"	
	C50108BSCLREH3418Q	G24q-2	Quad Fluorescent	2700k	5000Lm	H 2" oah 8 to 47" W 12" L 24"	
C 50110-BS/CLR	10Lt x 40w	G9	G9 Halogen	2900k	4800Lm	H 2" oah 8 to 47" W 12" L 30"	
	C50110BSCLREH3418Q	G24q-2	Quad Fluorescent	2700k	5000Lm	H 2" oah 8 to 47" W 12" L 30"	



C 50444-BS/8CL



A 50441-BS/8CL



B 50443-BS/8CL

Phoebe Pendant

Finish BS Glass 8CL		Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter				CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A	50441-BS/8CL	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 13.5" H 4" oah 12 to 50"
	50441LEDD Dimmable	1Lt x 13w	GX-53	85CRI LED	3000k	1200Lm	D 13.5" H 4" oah 12 to 50"
B	50443-BS/8CL	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	D 10" H 4" oah 12 to 50" W 3.5" L 33.75"
	50443LEDD Dimmable	3Lt x 13w	GX-53	85CRI LED	3000k	3600Lm	D 10" H 4" oah 12 to 50" W 3.5" L 33.75"
C	50444-BS/8CL	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 19" H 4" oah 12 to 50"
	50444LEDD Dimmable	1Lt x 13w	GX-53	85CRI LED	3000k	1200Lm	D 19" H 4" oah 12 to 50"





A 70083LEDD-BSL/ACR

B 70084LEDD-BSL/ACR

Pg 26



Meteor LED Pendant with Prismatic Lens


Finish BSL Diffuser ACR		Supplied Lamps, 10ft Aircraft Cable and Cord				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 70083LEDD-BSL/ACR Dimmable	12Lt x 3w	Module	85CRI LED	3000k	1920Lm	D 18" H 4.5" oah 10 to 125"
B 70084LEDD-BSL/ACR Dimmable	16Lt x 3w	Module	85CRI LED	3000k	2560Lm	D 23" H 4.5" oah 10 to 125"



A D 18" H 4.5"



B D 23" H 4.5"



B 52077-CH/CLR




C 52078-CH/CLR




A 52076-CH/CLR



A D 14" H 4"



B D 12" H 4"



C D 4" H 4"

Pg 46



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

Finish CH Glass CLR		Supplied Lamps, 10Ft Co-Axial Cable				CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 52076-CH/CLR	5Lt x 20w	G4	Bi-Pin Halogen	2900k	1500Lm	D 14" H 4" oah 12 to 115"
B 52077-CH/CLR	7Lt x 20w	G4	Bi-Pin Halogen	2900k	2100Lm	D 12" H 4" oah 12 to 115"
C 52078-CH/CLR	1Lt x 20w	G4	Bi-Pin Halogen	2900k	300Lm	D 4" H 4" oah 12 to 115"



B 62316-BS/FST



A 62315-BS/FST




Titanium Pendant

Finish BS Glass FST		Supplied Lamps, Rods 6"16"22" , 10ft Cord, Slope Adapter				CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 62315-BS/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	oah 10 to 49" L 35.4"
B 62316-BS/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	oah 10 to 49" W 2.75" L 47.2"



A 63957-MC/FST



A L 32" x W 5"



B L 42.5" x W 5"



C L 53.5" x W 5"



Nido Chandelier and Pendants's, Heavy Molded Frosted Glass supported with Spring Steel Clips

Finish MC ORB Glass FST		Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods)					CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	
A 63957-___/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	oah 11 to 35" L 32" W 5"	
B 63958-___/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	oah 11 to 35" L 42.5" W 5"	
C 63959-___/FST	5Lt x 100w	R7s	J-78 Halogen	2900k	8250Lm	oah 11 to 35" L 53.5" W 5"	



D 15.7" H 5.5"



Aero Chromium Ring Drum Cable Pendant

Finish CH Glass OPL	Dimensions D 15.7" H 5.5" oah 12 to 130"				Certification CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied
20673-CH/OPL	3Lt x 60w	E-26	E-26	2700k	2400Lm	10ft of Cable & Cord
C20673CHOPLN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	Lamps, 10ft of Cable & Cord
20673LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps, 10ft of Cable & Cord






A 50190-BS/OPL



A D 15.75" H 3.4" oah 10 to 120"



B D 19.5" H 4" oah 10 to 120"



B 50191-BS/OPL



Altum Aircraft Cable Pendant

Finish BS Glass OPL

CETL Ceiling Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50190-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base			D 15.75" H 3.4" oah 10 to 120"	10ft of Cable & Cord
	C50190BSOPLEN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	D 15.75" H 3.4" oah 10 to 120"	Lamps, 10ft of Cable & Cord
	50190LEDD-BS/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 15.75" H 3.4" oah 10 to 120"	Lamps, 10ft of Cable & Cord 
B	50191-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base			D 19.5" H 4" oah 10 to 120"	10ft of Cable & Cord
	C50191BSOPLEN1313B	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	D 19.5" H 4" oah 10 to 120"	Lamps, 10ft of Cable & Cord
	50191LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 19.5" H 4" oah 10 to 120"	Lamps, 10ft of Cable & Cord 





70073LEDD-WH/SILV



70074LEDD-WH/GLD



Pulsar Gold or Silver Leaf Reflective LED Pendant

Finish	WH/GLD	WH/SILV	Supplied Lamps				Supplied Lamps	ETL
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions		
70073LEDD-WH/___ Dimmable	1Lt x 16.8w	Module	85CRI LED	3000k	1350Lm	D 17" H 8" oah 14 to 128"		
70074LEDD-WH/___ Dimmable	1Lt x 18w	Module	85CRI LED	3000k	2025Lm	D 24" H 9" oah 15 to 129"		





A 50123-BS/OPL



B 50124-BS/OPL

B D 24" H 4.75"



Tara Semi-Flush or Pendant

Finish BS Glass OPL

CETL Ceiling Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	50123-BS/OPL	3Lt x 75w	E-26	A-19 Medium Base			D 18" H 4.75" oah 13 to 50.75"	Rods 6"16"22", 10ft Cord, Slope Adapter
	C50123BSOPLN1226B	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	D 18" H 4.75" oah 13 to 50.75"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
	50123LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 18" H 4.75" oah 13 to 50.75"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
B	50124-BS/OPL	5Lt x 60w	E-26	A-19 Medium Base			D 24" H 4.75" oah 13 to 50.75"	Rods 6"16"22", 10ft Cord, Slope Adapter
	C50124BSOPLN1418B	4Lt x 18w	GU-24	Spiral Fluorescent	2700k	5000Lm	D 24" H 4.75" oah 13 to 50.75"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter
	50124LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 24" H 4.75" oah 13 to 50.75"	Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter





Helius Pendant with Clear Plate Glass and Frosted Center

Finish BS Glass CFR						CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50484-BS/CFR	1Lt x 150w	R7s	J-78 Halogen	2900k	2600Lm	D 20" H 4" oah 10 to 50"	Lamps, Rods 6"16"22", 10ft Cord





A 55545-ANCK/CLR



B 55546-ANCK/CLR



A D 7.5" H 10.25"



B D 13" H 15.25"



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter						CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	1Lt x 60w	E-26	ST-18 Incandescent	2700k	200Lm	D 7.5" H 10.25" oah 17 to 56.25"
B	1Lt x 60w	E-26	ST-18 Incandescent	2700k	200Lm	D 13" H 15.25" oah 21.25 to 61.25"



RESERVED




D 15" H 17.1"
55547-ANCK/CLR

55547-DBRZ/SMK



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter						CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
55547-ANCK/CLR	3Lt x 60w	E-26	ST-18 Incandescent	2700k	600Lm	D 15" H 17.1" oah 24 to 63.1"
55547-DBRZ/AMB						
55547-DBRZ/SMK						



Orion Aircraft Cable Pendant

Finish BS Glass OPL	Dimensions D 19" H 3.9" oah 10 to 123"					CETL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied
50163-BS/OPL	3Lt x 60w	E-26	A-19 Medium Base			10ft of Cable & Cord
C50163BSOPLN1218BQ	2Lt x 18w	GU-24	Quad Fluorescent	2700k	2500Lm	Lamps,10ft of Cable & Cord
50163LEDD-BS/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps,10ft of Cable & Cord





B 20463GU-BS/WH



A D 21" H 23.5"

oah 26.5" to 95.5"



oah 28.75" to 97.75"

B D 25" H 25.75"



A 20462GU-BS/WH



Aztec Semi Flush Bowl and Chain Suspended Pendant

Finish BS Glass WHT		Supplied 6ft Chain, 10ft Cord				CUL Ceiling Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	20462GU-BS/WHT	5Lt x 13w	GU-24	Spiral Fluorescent	2700k	4500Lm
	C20462BSWHTEN1158C	1Lt x 58w	G10q	2CT6 Fluorescent	2700k	3700Lm
B	20463GU-BS/WHT	5Lt x 26w	GU-24	Spiral Fluorescent	2700k	8550Lm





Nitrogen Ball Pendants

Finish BS Glass OPL		Supplied Rods 6"16"22", 10ft Cord, Slope Adapter					CETL Ceiling Dry 
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A	23950-BS/OPL	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	D 9" H 8" oah 16 to 53"
	C23950BSOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 9" H 8" oah 16 to 53"
B	23951-BS/OPL	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm	D 12" H 10.5" oah 17 to 55"
	C23951BSOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 12" H 10.5" oah 17 to 55"
C	23952-BS/OPL	1Lt x 100w	E-26	A-19 Incandescent	2700k	1600Lm	D 14" H 12" oah 20 to 57"
	C23952BSOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	D 14" H 12" oah 20 to 57"





Pure Cold Cathode Fluorescent Pendant

Finish BS Glass CLR

Certification CETL Ceiling Dry 

Dimensions D 5.25" H 16.4" oah 23 to 130"

Included Lamps, 10ft Cord,

Model	Wattage	Base	Type	Kelvin	Lumen
23762-BS/CLR	1Lt x 18w	GX-53	CCFL Cold Cathode Fluorescent	2700k	800Lm



Iron Pendant

Finish BS Glass OPL

Certification CUL Ceiling Dry 

Dimensions D 6.1" H 12" oah 20 to 58"

Included Rods 6"16"22", 10ft Cord, Slope Adapter (C20738BSOPLN1118BS includes Lamps)

Model	Wattage	Base	Type	Kelvin	Lumen
20738-BS/OPL	1Lt x 100w	E-26	A-19 Incandescent		
C20738BSOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm

Pg 76





Aire Silk Glass Pendant

Finish BS Glass OPL	Certification CETL Ceiling Dry
----------------------------	---------------------------------------

Dimensions D 8.25" H 7" oah 13 to 127"

Included 10ft Cord

Model	Wattage	Base	Type	Kelvin	Lumen
50169-BS/OPL	1Lt x 60w	E-26	A-19		



Proteus Cable Suspended Pendant

Finish BS Glass FRC	Certification CETL Ceiling Dry 
----------------------------	---

Dimensions D 5" H 9" oah 15 to 125"
--

Included 10ft of Cable & Cord

Model	Wattage	Base	Type	Kelvin	Lumen
50514-BS/FRC	1Lt x 60w	E-26	A-19 Incandescent		





oah 20 to 120"

D 4.4" H 14.75"

Gyro Pendant

Finish BS Glass CLOP **Certification** CETL Ceiling Dry 

Dimensions D 4.4" H 14.75" oah 20 to 120"

Included Lamps, 10ft Cord

Model	Wattage	Base	Type	Kelvin	Lumen
52062-BS/CLOP	1Lt x 60w	G9	G9 Halogen	2900k	800Lm



Icicle Fused Clear & Opal Glass Pendant

Finish CH Glass CLOP		Certification CETL Ceiling Dry			
Dimensions D 4.25" H 9.5" oah 15 to 130"					
Included Lamps, 10ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
50543-CH/CLOP	1Lt x 40w	G9	G9 Halogen	2900k	480Lm



Ra LED Pendant

Finish BRZ BS Glass ACR		Certification CETL Ceiling Dry 			
Dimensions D 2.2" H 17.5" oah 25 to 140"					
Included Lamps, 10ft Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
70028LED-___/ACR	2Lt x 5w+1w	MODULE	85CRI LED	3200k	650Lm



Onyx Steel Wrap Pendant

Finish BS Glass OPL		Certification CETL Ceiling Dry			
Dimensions D 3" H 8" oah 14 to 130" W 4.5"					
Included 10ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
50501-BS/OPL	1Lt x 60w	E-12	B-10 Incandescent		



Basik Square Glass Pendant

Finish BS ORB Glass OPL		Certification CUL Ceiling Dry			
Dimensions H 9" oah 15 to 120" W 4" L 4"					
Included Rods 6"16"22", 10ft Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
23638-___/OPL	1Lt x 100w	E-26	A-19 Incandescent		





Glam Mirror Glass with Crystal

Finish CH Glass MIR		Supplied Lamps, 10ft Cord				Certification CETL Ceiling Dry
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
A 52116-CH/MIR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" oah 12 to 123"
B 52117-CH/MIR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	D 10" H 4.75" oah 12 to 123"
C 52118-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 14" H 4.75" oah 12 to 123"





Retro Ball Pendant

Finish BRZ BS CH		Certification CETL Ceiling Dry 			
Dimensions D 5" H 6" oah 12 to 127"					
Included 10ft of Black Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
52102-__	1Lt x 50w	GU-10	PAR-36 ESD 111 Halogen		



Tomahawk Steel Pendant

Finish BRZ BS		Certification CETL Ceiling Dry			
Dimensions D 4.4" H 11" oah 17 to 135"					
Included 10ft Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
52070-__	1Lt x 60w	E-26	A-19 Incandescent		



oah 9 to 120"

L 2.75" x W 2.75" H 3.25"



Astor Crystal Pendant

Finish BS CH Glass FCL		Certification CETL Ceiling Dry			
Dimensions L 2.75" W 2.75" H 3.25" oah 9 to 120"					
Included Lamps, 12ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
23905-___/FCL	1Lt x 40w	G9	G9 Halogen	2900k	480Lm



oah 9 to 120"

D 3.6" x H 3.2"



Glas_e Crystal Pendant

Finish CH Glass FCL		Certification CETL Ceiling Dry 			
Dimensions D 3.6" H 3.2" oah 9 to 120"					
Included Lamps, 12ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
23905SP-CH/FCL	1Lt x 40w	G9	G9 Halogen	2900k	480Lm



AMB



BLK



WH



23733-BS/WHT



Adele Glass Pendant

Finish BS Glass AMB BLK WHT		Certification CETL Ceiling Dry			
Dimensions D 3.25" H 6.5" oah 14 to 126"					
Included 10ft Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
23733-BS__	1Lt x 60w	E-26	A-19 Incandescent		





Canopy D 10" D 3" H 12"



Spartan Pendant

Finish BS Glass CLM		Certification CETL Ceiling Dry 			
Dimensions D 3" H 12" oah 18 to 84" Canopy D 10"					
Included Lamps, 6ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
50526-BS/CLM	3Lt x 35w	GU-10	MR-16 Halogen	2900k	960Lm



Spartan Pendant

Finish BS Glass CLM		Certification CETL Ceiling Dry 			
Dimensions D 3" H 12" oah 18 to 84" Canopy D 4.5"					
Included Lamps, 6ft of Clear Cord					
Model	Wattage	Base	Type	Kelvin	Lumen
50525-BS/CLM	1Lt x 35w	GU-10	MR-16 Halogen	2900k	320Lm

MIDI PENDANTS







28004 Inari Silk Martini Glass Pendant

Charming cone shaped glass provides a subtle twist on everyday lighting in a variety of finishes for any setting.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28004	1 Incandescent	C Cord	BS	AMB	COB	D 7" H 6.25"
	2 Fluorescent 	R Rod	ORB	RED	WHT	


Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28004	1	C	BS	COB	28004-1C-BS/COB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





28011-1C-BS/RUSKY



28011-1C-BS/ASKY

28011 Merlot glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated by incandescent or fluorescent lighting.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28011	1 Incandescent	C Cord	BS	ASKY	RUSKY	D 3.5" H 8"
	2 Fluorescent 	R Rod	ORB			

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28011	1	R	BS	ASKY	28011-1C-BS/ASKY

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for **R type** Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for **C type** Cord Suspension
Dimensions D 5.25" H 1.4"





28012-1C-BS/ICA

28012 Inari Silk champagne glass pendant

An array of designs presented in variety of colors and textures, the Inari collection accents and elevates any room for any occasion.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28012	1 Incandescent	C Cord	BS	AMST	ASKY	D 5" H 9"
	2 Fluorescent 	R Rod	ORB	BLUSKY	BRST	
				CRM	ICA	
				MYA	OPL	
				RED	WHST	

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28012	1	C	BS	AMST	28012-1C-BS/AMST

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





Wicker Finish



28018-1C-BS/WAMB

28018 Inari Silk bordeaux glass pendant

Elongated dome shape offers a refined diffusion of downward light, gently illuminated by incandescent or fluorescent lighting.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28018	1 Incandescent	C Cord	BS	AMB	COB	D 5.25" H 7.5"
	2 Fluorescent 	R Rod	ORB	OPL	RED	
				WAMB	WRED	
				WWHT		

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28018	1	C	BS	WAMB	28018-1C-BS/WAMB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for **R type** Rod Suspension
Dimensions **D 5.25" H 1.4"**



Canopy for **C type** Cord Suspension
Dimensions **D 5.25" H 1.4"**





28022-1C-BS/LGR

28022 Cone glass pendant

Elegant lime-green light brings a colorful and vibrant accent to any traditional or modern setting.

Model	Lamping	Suspension	Finish	Glass	Dimensions
28022	1 Incandescent	C Cord	BS	LGR	D 5.5" H 6.5"
	2 Fluorescent 	R Rod	ORB		

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28022	1	C	BS	LGR	28022-1C-BS/LGR

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 




Canopy for **R type** Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for **C type** Cord Suspension
Dimensions D 5.25" H 1.4"






28023-1C-BS/PLMFB

28023 Brandy FireBird glass pendant

Eye-catching beauty and elegant design fills an atmosphere with a brilliant hue and embraces ingenuity with its eclectic variety.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28023	1 Incandescent	C Cord	BS	AMBFB	ASKY	D 6" H 9"
	2 Fluorescent 	R Rod	ORB	LGRFB	PLMFB	
				RUSKY	WHTFB	



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28023	1	C	BS	PLMFB	28023-1C-BS/PLMFB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for **R type** Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for **C type** Cord Suspension
Dimensions D 5.25" H 1.4"





SDS



AMS



28024-1C-BS/BRS

28024 Cabernet glass pendant

A reminiscence of Marble Stone fusing into each other, gives the Cabernet series a unique Earthy feel for blending into most all discerning interiors.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28024	1 Incandescent	C Cord	BS	AMS	BRS	D 4.9" H 12"
	2 Fluorescent 	R Rod	ORB	SDS		

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28024	1	C	BS	AMS	28024-1C-BS/AMS

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





CLRD

CLAM



28033-1C-BS/CLOP

28033 Glass n Glass cylinder pendant

Fresh bold design that enthalls with vivid colors enhanced by a transparent protective outer glass shield.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28033	1 Incandescent	C Cord	BS	CLAM	CLOP	D 4.5" H 10"
	2 Fluorescent 	R Rod	ORB	CLRD		

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28033	1	C	BS	CLAM	28033-1C-BS/CLAM

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"

Certification Ceiling Dry CUL 





AMB



RED



28030-1C-BS/OPL

28030 Cylinder glass pendant

Cylindrical design creates a spectacular exhibition of descending light. Complimented by a assortment of colors.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28030	1 Incandescent	C Cord	BS	AMB	OPL	D 4" H 10"
	2 Fluorescent 	R Rod	ORB	RED		

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28030	1	C	BS	AMB	28030-1C-BS/AMB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





28069-1C-ORB/AMB



28069-1C-BS/OPL

28069 Sherry glass pendant

This graceful design displays a charming dome shaped glass and adds contrast and depth to any room.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28069	1 Incandescent	C Cord	BS	AMB	OPL	D 4.5" H 6"
	2 Fluorescent 	R Rod	ORB			

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28069	1	C	BS	AMB	28069-1C-BS/AMB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





28070-1C-BS/AMB



28070-1C-BS/WHT

28070 Cognac glass pendant

This unique elongated glass allows for a spectacular display of light. Creating a simply delicate, defined and functional scheme in a modern-day presence.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28070	1 Incandescent	C Cord	BS	AMB	WHT	D 4.75" H 10.25"
	2 Fluorescent 	R Rod	ORB			

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28070	1	C	BS	AMB	28070-1C-BS/AMB

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





28078-1C-BS/PLC



28078-1C-BS/PLS

28078 Chianti glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated in incandescent or fluorescent lighting.

Model	Lamping	Suspension	Finish	Glass		Dimensions
28078	1 Incandescent	C Cord	BS	PLC	PLS	D 4.75" H 7.25"
	2 Fluorescent 	R Rod	ORB			

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28078	1	C	BS	PLC	28078-1C-BS/PLC

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-20	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-20	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB
2R	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"







28088-1C-BS/WHTLN

2 8 0 8 5 | 7 | 8 Japanese lantern glass pendant's

Delicate white etched Glass shades reminiscent of age old Japanese paper lanterns, multiple pendant options to suite most applications

Model	Lamping	Suspension	Finish	Glass	Dimensions
28085	1 Incandescent	C Cord	BS	WHTLN	D 8" H 8"
28087	2 Fluorescent 	R Rod	ORB		D 10" H 10"
28088					D 12" H 12"

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28088	1	C	BS	WHTLN	28088-1C-ORB/WHTLN

Suspension System and Lamping Specifications

	Wattage	Type	Base	Kelvin	Lumen	Included
1C	1Lt x 100w	A-19	E-26			12ft Clear Cord with BS Black Cord with ORB
1R	1Lt x 100w	A-19	E-26			Rods 6"16"22", 10ft Cord, Integral Slope Adapter
2C	1Lt x 18w 	Spiral	GU-24	2700k	1250Lm	12ft Clear Cord with BS Black Cord with ORB, Lamps
2R	1Lt x 18w	Spiral	GU-24	2700k	1250Lm	Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Certification Ceiling Dry CUL 



(s) 28085 D 8"

H 8"



(m) 28087 D 10"



(l) 28088 D 12"

H 12"



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"

MIDI PENDANT COMPONENT SYSTEM

- A selection of corded and rod suspensions in Incandescent and Fluorescent lamping options.
- Multi light bars and circular canopies.
- Compatible mouth blown glass shades in a variety of finishes.



Julia Fluorescent Rod Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

Model	Wattage	Type	Base	Kelvin	Lumen
23086FC-__	1Lt x 18w	Spiral	GU-24	2700k	1250Lm

Certification Ceiling Dry CUL  



Tali Fluorescent Cord Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

Model	Wattage	Type	Base	Kelvin	Lumen
23088FC-__	1Lt x 18w	Spiral	GU-24	2700k	1250Lm

Certification Ceiling Dry CUL  



Shava Fluorescent Cord Pendant

Finish BS

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord, Lamps, Spider ring and pins

Model	Wattage	Type	Base	Kelvin	Lumen
23091-__	1Lt x 18w	Spiral	GU-24	2700k	1250Lm

Certification Ceiling Dry CUL 



Janine Incandescent Rod Pendant

Finish BS ORB					
Canopy Dimensions: D 5.25" H 1.4"					
Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter					
Model	Wattage	Type	Base	Kelvin	Lumen
23087FC-__	1Lt x 100w	A-19	E-26		
Certification Ceiling Dry CUL 					



Sydney Incandescent Cord Pendant

Finish BS ORB					
Canopy Dimensions: D 5.25" H 1.4"					
Included 12ft Clear Cord with BS Black Cord with ORB					
Model	Wattage	Type	Base	Kelvin	Lumen
23089FC-__	1Lt x 100w	A-19	E-26		
Certification Ceiling Dry CUL 					



Ami Adjustable Incandescent Cord Pendant

Finish BS Adjustable fitter for balancing uneven Shades					
Canopy Dimensions: D 5.25" H 1.4"					
Included 12ft Clear Cord and Cable					
Model	Wattage	Type	Base	Kelvin	Lumen
23095-BS	1Lt x 100w	A-19	E-26		
Certification Ceiling Dry CUL 					

52023 Trinity 3 Light Incandescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB

Model	Wattage	Type	Base	Kelvin	Lumen
52023FC-__	3Lt x 60w	A-19	E-26		

Certification Ceiling Dry CUL 



52026 Qudra 3 Light Fluorescent Bar Pendant

Finish BS

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB, Lamps

Model	Wattage	Type	Base	Kelvin	Lumen
52026-__	 3Lt x 18w	Spiral	GU-24	2700k	3750Lm

Certification Ceiling Dry CUL 



52027 Qudra 4 Light Fluorescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 36" W 2" with floating J-Box cover

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

Model	Wattage	Type	Base	Kelvin	Lumen
52027-__	 4Lt x 18w	Spiral	GU-24	2700k	5000Lm

Certification Ceiling Dry CUL 



2 3 1 0 4 Inari Silk Martini Midi
Pendant Glass Shade

Finish	AMB COB RED WHT
Dimensions	D 7" H 6.25"



AMB



COB



RED



WHT



2 3 1 1 1 Merlot Midi
Pendant Glass Shade

Finish	ASKY RUSKY
Dimensions	D 3.5" H 8"



ASKY




RUSKY



23112

Inari Silk Champagne Midi
Pendant Glass Shade

Finish	AMST ASKY BRST ICA MYA OPL RED WHST
Dimensions	D 5" H 9"



ASKY



BRST



AMST



ICA



MYA



OPL



RED



WHST



**2 3 1 1 8 Inari Silk Pinot Midi
Pendant Glass Shade**

Finish	AMB COB OPL RED WAMB WRED WWHT
Dimensions	D 5.25" H 7.5"



23118 Mat Glass Finishes






23118 Wicker Textured Glass Finishes



23123

Brandy FireBird Midi
 Pendant Glass Shade

Finish	AMBFB ASKY LGRFB PLMFB RUSKY REDFB WHTFB
Dimensions	D 6" H 9"



2 3 1 2 4 Cabernet Midi
Pendant Glass Shade

Finish	AMS BRS SDS
Dimensions	D 4.9" H 12"



H 12"

D 4.9"

Stone Glass Finish

AMS



BRS



SDS



9 7 0 G G Cognac Midi
Pendant Glass Shade

Finish	AMB WHT
Dimensions	D 4.75" H 10.25"



H 10.25"

D 4.75"

AMB



WHT



2 3 1 3 0 **Cylinder Midi
Pendant Glass Shade**

Finish	AMB OPL RED RUSKY
Dimensions	D 4" H 10"

RUSKY



H 10"

D 4"

AMB



OPL



RED



2 3 1 3 3 **Glass in Glass Midi
Cylinder Pendant Shade**

Finish	CLAM CLCB CLOP CLRD
Dimensions	D 4.5" H 10"

CLCB



H 10"

D 4.5"

CLAM



CLOP



CLRD



2 3 1 2 2 Inari Silk Flute Midi
Pendant Glass Shade

Finish	LGR
Dimensions	D 5.5" H 6.5"



LGR



9 6 9 S T Sherry Midi
Pendant Glass Shade

Finish	AMB OPL
Dimensions	D 4.5" H 6"



AMB




OPL



9 7 8 S T Chianti Midi
Pendant Glass Shade

Finish	PLS PLC
Dimensions	D 4.7" H 7"



PLS



PLC



MINI PENDANTS







BLC



CRY



MTL



ORO



23218UJ-BRZ/MTL



23218UJ-0-BRZ/MTL

23218UJ Cavo Italian Wire Glass Pendant

Finish BRZ BS Glass BLC CRY MTL ORO

CETL Ceiling Dry 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	23218UJ-0_/_	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	D 4.75" H 8.5" oah 14 to 120"	Lamp, 10ft Co-Axial Cable
B	23218UJ-_/_	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	D 4.75" H 8.5" oah 14 to 120"	Lamp, 10ft Co-Axial Cable, 87105UJ Canopy





52072UJ-0-BS/CCL



52072UJ-BS/CCL

52072UJ Matrix Laser Etched Inner Glass with Clear Outer Glass Shade Pendant

Finish BS Glass CCL

CETL Ceiling Dry



	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	52072UJ-0-BS/CCL	1Lt x 20w	G-4	MR-11	2900k	240Lm	D 3.3" H 9.8" oah 15 to 125"	Lamp, 10ft Co-Axial Cable
B	52072UJ-BS/CCL	1Lt x 20w	G-4	MR-11	2900k	240Lm	D 3.3" H 9.8" oah 15 to 125"	Lamp, 10ft Co-Axial Cable, 87105UJ Canopy





52075UJ-0-BS/CCL

52075UJ-1-BS/CCL

52075UJ Raindrop Orb Glass Pendant

Finish BS Glass CCL

CETL Ceiling Dry 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A	52075UJ-0-BS/CCL	1Lt x 20w	G-4	JC Bi-Pin	2900k	300Lm	D 3.5" H 3.5" oah 10 to 120"	Lamp, 10ft Co-Axial Cable
B	52075UJ-1-BS/CCL	1Lt x 20w	G-4	JC Bi-Pin	2900k	300Lm	D 3.5" H 3.5" oah 10 to 120"	Lamp, 10ft Co-Axial Cable, 87105UJ Canopy





52001-RGLD



52001-BRZ



52001-BS



52001UJ-0-BS



52001-BS

52001UJ Odyssey Steel Bullet Pendant

Finish BRZ BS RGLD

CETL Ceiling Dry



Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
52001UJ-0-__	1Lt x 35w	GU-5.3	MR-16	2900k	360Lm	D 2" H 9.25" oah 15 to 120"	Lamp, 10ft Co-Axial Cable
52001UJLED-0-__	1Lt x 5.5w	GU-5.3	MR-16	3000k	346Lm	D 2" H 9.25" oah 15 to 120"	Lamp, 10ft Co-Axial Cable
52001-__	1Lt x 35w	GU-5.3	MR-16	2900k	360Lm	D 2" H 9.25" oah 15 to 120"	Lamp, 10ft Co-Axial Cable, 87106UJ Canopy
52001LED-__	1Lt x 5.5w	GU-5.3	MR-16	3000k	346Lm	D 2" H 9.25" oah 15 to 120"	Lamp, 10ft Co-Axial Cable, 87106UJ Canopy



52052UJ-BS



52052UJ-BRZ



52052UJ-0-BRZ

52052UJ-BRZ


52052UJ Apollo Steel Cone Pendant

Finish BRZ BS

CETL Ceiling Dry 

Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
52052UJ-0-__	1Lt x 50w	GU-5.3	MR-16	2900k	514Lm	D 3" H 18" oah 24 to 120"	Lamp, 10ft Co-Axial Cable
52052UJ-__	1Lt x 50w	GU-5.3	MR-16	2900k	514Lm	D 3" H 18" oah 24 to 120"	Lamp, 10ft Co-Axial Cable, 87107UJ Canopy





96918-0-BS/OPL

96918-BS/OPL

97918-BS/OPL



96918-BS/OPL

Herme's Square Cube Glass Pendant

Finish BRZ BS Glass AMB OPL							CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 96918-0-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	W 3" L 3" H 3.5" oah 9 to 124"	Lamp, 10ft Co-Axial Cable
B 96918-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	W 3" L 3" H 3.5" oah 9 to 124"	Lamp, 10ft Co-Axial Cable, 87105UJ Canopy
C 97918-___/___	1Lt x 40w	G-9	G-9 Halogen	2900k	480Lm	W 3" L 3" H 3.5" oah 9 to 124"	Lamp, 10ft Clear Cord, Canopy





94019 Mania Cone Glass Pendant

Finish BRZ BS Glass COB FST RED		Dimensions D 4" H 5" oah 11 to 125"					CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied	
A 94019UJ-0-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	Lamp, 10ft Clear Cord with BS, Black Cord with BRZ	
B 94019UJ-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy	
C 94019LED-___/___	1Lt x 5w	Module	LED 85 CRI	3000k	462Lm	Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, Driver, Canopy	





94932UJ-BS/WHTLN



A 94932UJ-0-BS/WHTLN



B 94932UJ-BS/WHTLN

94932 Anari Cylinder Glass Pendant

Finish BRZ BS Glass AMB BLKLN BLULN COB OPL PLM REDLN WHTLN						Dimensions D 3" H 10" oah 16 to 130"	CETL Ceiling Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Supplied	
A 94932UJ-0-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	Lamp, 10ft Clear Cord with BS, Black Cord with BRZ	
B 94932UJ-___/___	1Lt x 35w	GY-6.35	JC Bi-Pin	2900k	600Lm	Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy	



MINI PENDANT COMPONENT SYSTEM

- A selection of Line and Low Voltage pendant assemblies.
- Multiple lamping options LED, Line Voltage Halogen and Low voltage Halogen.
- All Low Voltage Halogen incorporate the Uni-Jack fitter for use in all UJ canopies.
- Compatible Mini pendant glass shades.



Zeta 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

Model	Wattage	Base	Type	Kelvin	Lumen
903UJ-__	1Lt x 35w	GY 6.35	JC	2900k	600Lm

Certification Ceiling Dry CETL 



Tungsten LED Pendant

Projected downlight and 3/4 glass illumination

Finish BRZ BS

Canopy Dimensions: D 4.5" H 2"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamp

Model	Wattage	Base	Type	Kelvin	Lumen
70012LED-__	1Lt x 5w	Module	LED	3000k	462Lm

Certification Ceiling Dry CETL 



903UJ-BRZ



70012LED-BS



Omega 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

Model	Wattage	Type	Base	Kelvin	Lumen
908UJ-__	1Lt x 35w	JC	GY 6.35	2900k	600Lm

Certification Ceiling Dry CETL



Omega LV 120v Halogen Pendant

Line Voltage does no transformer required

Finish BRZ BS

Canopy Dimensions: D 4.5" H 1"

Included 10ft Clear Coated Cord, Lamp

Model	Wattage	Type	Base	Kelvin	Lumen
9032LV-__	1Lt x 40w	JCD	G-9	2900k	480Lm

Certification Ceiling Dry CETL



Xi 12v Halogen Pendant

Low profile fitter to highlight glass shade

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

Model	Wattage	Type	Base	Kelvin	Lumen
909UJ-__	1Lt x 35w	JC	GY 6.35	2900k	600Lm

Certification Ceiling Dry CETL 

87105FCUJ Flat Low Profile Uni-Jack System Mono-Pod

Class-2 transformer included for mounting within the J-Box

Finish Available: BRZ BS

Dimensions: D 4.3" H 0.4"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 



BS



BRZ

87106UJ Dome Shaped Surface Canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 4.5" H 3"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 



BS



BRZ

87107UJ Sphere shaped surface canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 5" H 1.75"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 



BS



BRZ



87120UJ Three Port Round

Transformer incorporated within the canopy

Finish Available: BRZ BS

Dimensions: D 12" W 1.5"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 

87121UJ Five Port Round

Transformer incorporated within the canopy

Finish Available: BRZ BS


Dimensions: D 18" W 1.5"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 



87203UJ Uni-Jack Plug

Compatible with all Uni-Jack canopies and pendant assemblies

Finish Available: BRZ BS

Plug Dimensions: D 0.6" H .9"

Maximum Wattage: 50w



87122UJ Three Port Bar

Transformer incorporated within the canopy

Finish Available: BRZ BS


Dimensions: L 36" W 1.5"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL 



8 9 1 1 9 **Mania Conical Mini
Pendant Glass Shade**

Finish	COB FST RED	
Dimensions	D 4" H 5"	
Fitter	22mm	
Compatible with the following mini pendants Pg 265 -266		
70012LED	903RT	908RT
909UJ	906RT	9032LV



9 1 8 S T **Hermes Square Mini
Pendant Glass Shade**

Finish	OPL AMB	
Dimensions	W 3" x 3" H 3.5"	
Fitter	22mm	
Compatible with the following mini pendants Pg 265 -266		
	903RT	908RT
909UJ	906RT	9032LV



937IT

Cavo Italian Wire Mini
Pendant Glass Shade

Finish	CRY BLC ORO MTL
Dimensions	D 4.75" H 8.5"
Fitter	Requires three prong spider ring
Compatible with the following mini pendant	

909UJ



CRY



BLC



ORO



MTL



9 3 2 V

Inari Cylinder
Pendant Glass Shade

Finish	AMB COB OPL WHTLN BLULN REDLN BLKLN PLM	
Dimensions	D 3" H10"	
Fitter	Requires three prong spider ring	
Compatible with the following mini pendants Pg 265 -266		
70012LED	903RT	908RT
909UJ	906RT	9032LV



AMB



BLKLN



BLULN



COB



OPL



PLM



REDLN



WHTLN



9 4 6 W J Studio C Mini
Pendant Glass

Finish	COB JADE SMK	
Dimensions	D 4" H 4.5"	
Fitter	22mm	
Compatible with the following mini pendants Pg 265 -266		
903RT	908RT	909UJ
906RT	9032LV	



JADE



SMK




COB




9 7 9 W J Sphere Etched Glass
Shade

Finish	BLKLN BLULN REDLN WHTLN	
Dimensions	D 5" H 3.5"	
Fitter	22mm	
Compatible with the following mini pendants Pg 265 -266		
903RT	908RT	909UJ
906RT	9032LV	



REDLN



WHTLN



BLULN



BLKLN



SEMI-FLUSH







Prizm Semi Flush

Finish CH Glass CCL					Certification CETL Ceiling Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23924-CH/CCL	3Lt x 60w	G9	G9 Hgn	2900k	2400Lm	D 20" H 11"	Lamps



H 17.5"

D 17"



Aztec Semi Flush Bowl

Finish BS Glass WHT					Certification CUL Ceiling Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
20460GU-BS/WHT	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	D 17" H 17.5"	
C20460BSWHTEN1140C	1Lt x 40w	G10q	2CT6 Circline	2700k	2800Lm	D 17" H 17.5"	



23071-BRZ/WHT



H 17"

D 17"

23071-BS/WHT



Noya Cable Semi-Flush

Finish BRZ BS Glass WHT					Certification CUL Ceiling Dry 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
23071-___/WHT	3Lt x 60w	E-26	A-19	2700k	2400Lm	D 17" H 17"	
C23071xxxWHTEN1313B	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	D 17" H 17"	Lamps



Helius Semi-Flush

Finish BS Glass CFR					Certification CETL Ceiling Dry 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
50481-BS/CFR	1Lt x 150w	R7s	J-78 Hgn	2900k	2600Lm	D 12" H 8"	Lamps





A 63960-MC/FST



B 63961-ORB/FST



A L 32"

H 5"



B L 42"

H 5"



Pg 41

Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

Finish MC ORB Glass FST						CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
A 63960-___/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5" W 5" L 32" Ext 5"	Lamps
B 63961-___/FST	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 5" W 5" L 42" Ext 5"	Lamps

FLUSH-MOUNTS





20680-CH/OPL



20681-CH/OPL

Splash Flush-Mount

Finish CH Glass OPL		Dimensions D 10.25" H 3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20680-CH/OPL	2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20680CHOPLN1126B	1Lt x 26w	GU-24	Spiral PL	2700k	1710Lm	Lamps
20680LEDD-CH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



Splash Flush-Mount

Finish CH Glass OPL		Dimensions D 12.5" H 3.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20681-CH/OPL	2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20681CHOPLN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20681LEDD-CH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



20682-CH/OPL



20683-CH/OPL

Splash Flush-Mount

Finish CH Glass OPL		Dimensions D 16" H 4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20682-CH/OPL	3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20682CHOPLN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20682LEDD-CH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



Splash Flush-Mount

Finish CH Glass OPL		Dimensions D 17.5" H 5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20683-CH/OPL	3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20683CHOPLN1313B	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
20683LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp





Pg 35



20686-CH/OPL

Nimbus Abstract Glass Flush-Mount

Finish CH Glass OPL		Dimensions L 17.7" W 16.5" H 4.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20686-CH/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20686CHOPLN1218B		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20686LEDD-CH/OPL	Dimmable 	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp



Pg 37



20688-CH/OPL

Pebble Abstract Glass Flush-Mount

Finish	CH Glass OPL	Dimensions D 19.5" H 3.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20688-CH/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20688CHOPLN1218B		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20688LEDD-CH/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp



20780LEDD-WH/ACR

Catch - LED Round Flush-Mount (small)

Finish	WH Glass ACR	Dimensions D 11" H 4.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20780LEDD-WH/ACR	Dimmable	1Lt x 15w	Module	80CRI LED	3000k	1100Lm	Lamps

Certification CETL Ceiling Damp



20781LEDD-WH/ACR

Catch - LED Round Flush-Mount (large)

Finish WH Glass ACR		Dimensions D 16" H 4.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20781LEDD-WH/ACR Dimmable		1Lt x 22w	Module	80CRI LED	3000k	1800Lm	Lamps

Certification CETL Ceiling Damp



FLUSH-MOUNT



20770LEDD-SILV/ACR



20771LEDD-WH/CR

Strike - LED Round Flush-Mount (small)

Finish	SILV WH Diffuser ACR		Dimensions D 7" H 1.5"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20770LEDD-___/ACR Dimmable	1Lt x 12w	Module	85CRI LED	3000k	1064Lm	Lamps
Certification CETL Ceiling Damp						

Strike - LED Round Flush-Mount (large)

Finish	SILV WH Diffuser ACR		Dimensions D 9.5" H 1.5"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20771LEDD-___/ACR Dimmable	1Lt x 16w	Module	85CRI LED	3000k	1290Lm	Lamps
Certification CETL Ceiling Damp						



20772LEDD-SILV/ACR



20773LEDD-WH/ACR

Strike - LED Square Flush-Mount (small)

Finish	SILV WH Diffuser ACR		Dimensions L 7" W 7" H 1.5"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20772LEDD-___ACR Dimmable	1Lt x 12w	Module	85CRI LED	3000k	1064Lm	Lamps
Certification CETL Ceiling Damp						

Strike - LED Square Flush-Mount (large)

Finish	SILV WH Diffuser ACR		Dimensions L 9.5" W 9.5" H 1.5"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20773LEDD-___/ACR Dimmable	1Lt x 16w	Module	85CRI LED	3000k	1290Lm	Lamps
Certification CETL Ceiling Damp						



20775LEDD-BRZ/OPL



20776LEDD-BS/OPL

Solid - LED Round Solid Glass Flush-Mount (small)

Finish BRZ BS Glass OPL		Dimensions D 9" H 3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20775LEDD-___/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp 						

Solid - LED Round Solid Glass Flush-Mount (large)

Finish BRZ BS Glass OPL	Dimensions D 11" H 3.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20776LEDD-___/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp 						



20782LEDD-WH/ACR



20783LEDD-WH/ACR

Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (small)

Finish WH Diffuser ACR		Dimensions D 5.5" H 1"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20782LEDD-WH/ACR Dimmable	1Lt x 7w	Module	80CRI LED	3000k	460Lm	Lamps
Certification CETL Ceiling Damp  						

Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (large)

Finish	WH Diffuser ACR	Dimensions D 7.25" H 1"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20783LEDD-WH/ACR Dimmable		1Lt x 11.5w	Module	80CRI LED	3000k	740Lm	Lamps
Certification		CETL Ceiling Damp					



20779LEDD-WH/ACR

20779LEDD-SAT/ACR

20779LEDD-BRZ/ACR

Link LED Round Flush-Mount

Finish BRZ SAT WH Diffuser ACR		Dimensions D 7.5" H 2.4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20779LEDD-___/ACR Dimmable	1Lt x 12w	Module	80CRI LED	3200k	1200Lm	Lamps
Certification CETL Ceiling Damp 						



20742LEDD-BS

20742LEDD-WH

Ares LED Flush or Wall Mount

Finish BS WH		Dimensions D 5.25" H 3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20742LEDD-___ Dimmable	1Lt x 13w	GX-53	80CRI LED	3000k	1200Lm	Lamps
Certification CETL Ceiling Damp 						



20747GU-WH/FST



20747GU-SAT/FST

TomTom Flush-Mount

Finish SAT WH Glass FST		Dimensions D 16.5" H 3.5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20747GU-___/FST	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	
C20747xxxFSTEH3226Q	2Lt x 26w	G24q-3	Quad PL	2700k	3420Lm	
20747LEDD-___/FST Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp 





Pg 25



Meteor LED Flush-Mount with Prismatic Lens

Finish BSL Diffuser ACR	Dimensions D 13.25" H 3"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
70080LEDD-BSL/ACR Dimmable	9Lt x 3w	Module	85CRI LED	3000k	1440Lm	Lamps

Certification CETL Ceiling Damp



Pg 25



Meteor LED Flush-Mount with Prismatic Lens

Finish BSL Diffuser ACR	Dimensions D 18" H 4.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
70081LEDD-BSL/ACR Dimmable	12Lt x 3w	Module	85CRI LED	3000k	1920Lm	Lamps

Certification CETL Ceiling Damp



Pg 25



Meteor LED Flush-Mount with Prismatic Lens

Finish BSL Diffuser ACR	Dimensions D 23" H 4.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
70082LEDD-BSL/ACR Dimmable	16Lt x 3w	Module	85CRI LED	3000k	2560Lm	Lamps

Certification CETL Ceiling Damp



50079-BRZ/OPL

Conga Flush-Mount

Finish	Dimensions D 12" H 4.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50079-___/OPL	1Lt x 100w	E-26	A-19	2700k	1600Lm	
C50079xxxOPLN1213BS	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
50079LEDD-___/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



50080-BS/OPL

Conga Flush-Mount

Finish	Dimensions D 16" H 4.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50080-___/OPL	2Lt x 75w	E-26	A-19	2700k	2200Lm	
C50080xxxOPLN1218BS	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
50080LEDD-___/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



50081-BRZ/OPL

Conga Flush-Mount

Finish	Dimensions D 19" H 5.25"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50081-___/OPL	3Lt x 75w	E-26	A-19	2700k	3300Lm	
C50081xxxOPLN1226BS	2Lt x 26w	GU-24	Spiral PL	2700k	3420Lm	Lamps
50081LEDD-___/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp						



70072LEDD-WH/GLD



70072LEDD-WH/SILV



Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

Finish	WH/GLD WH/SILV		Supplied Lamps			CETL Wall/Ceiling Dry 	
Model		Wattage	Base	Type	Kelvin	NomLumen	Dimensions
70072LEDD-WH/___ Dimmable		1Lt x 7w	Module	85CRI LED	3000k	810Lm	D 11.75" Ext 7"



Glam Flush-Mount

Finish	CH Glass MIR					Certification CETL Ceiling Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
52119-CH/MIR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	D 22.8" H 5.5"	Lamps



63978LEDD-CH/ACR

Optix LED Flush-Mount

Finish CH Diffuser ACR	Supplied Lamps				Certification CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63978LEDD-CH/ACR Dimmable	3Lt x 4w	Module	90CRI LED	3000k	1200Lm	D 14" H 5.5" oah 5.5"



63979LEDD-CH/ACR

Optix LED Flush-Mount

Finish CH Diffuser ACR	Supplied Lamps				Certification CETL Ceiling Damp 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions
63979LEDD-CH/ACR Dimmable	5Lt x 4w	Module	90CRI LED	3000k	2000Lm	D 15.8" H 5.5" oah 5.5"



50900-WH/CH



Layers Flush-Mount Small

Finish WH/CH WH/GLD WH/WH		Dimensions D 14.25" H 6.3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50900-__/_	4Lt x 26w	GU-24	LED or PL			
50900LEDD-__/_ Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



50901-WH/CH



Layers Flush-Mount Medium

Finish WH/CH WH/GLD WH/WH		Dimensions D 18" H 6.3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50901-__/_	4Lt x 26w	GU-24	LED or PL			
50901LEDD-__/_ Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp						



50902-WH/CH



Layers Flush-Mount Large

Finish WH/CH WH/GLD WH/WH		Dimensions D 21.5" H 6.3"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50902-__/_	6Lt x 26w	GU-24	LED or PL			
50902LEDD-__/_ Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp						





Aztec Flush-Mount

Finish BS Glass WHT	Dimensions D 14" H 4"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20456GU-BS/WHT	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
20456LEDD-BS/WHT Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 						



Aztec Flush-Mount

Finish BS Glass WHT	Dimensions D 17" H 4.5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20457GU-BS/WHT	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	
20457LEDD-BS/WHT Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 						



Aztec Flush-Mount

Finish BS Glass WHT	Dimensions D 21.5" H 5"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20458GU-BS/WHT	4Lt x 13w	GU-24	Spiral PL	2700k	3600Lm	
20458LEDD-BS/WHT Dimmable 	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CUL Ceiling Damp 						



Saloris Acrylic Flush-Mount

Finish BS Diffuser ACR	Dimensions D 17" H 4"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20740-BS/ACR	1Lt x 22w+32w	G10q	T-9 PL	3000k	3900Lm	Lamps
C20740BSACREN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20740LEDD-BS/ACR Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 						



20624-WH/OPL



20625-BS/OPL

Cobalt Flush-Mount

Finish	BS WH Glass OPL	Dimensions D 11" H 3.6"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20624-___/OPL		1Lt x 100w	E-26	A-19	2700k	1600Lm	
20624GU-___/OPL		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
C20624___OPLN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
20624LEDD-___/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 							

Cobalt Flush-Mount

Finish	BS WH Glass OPL	Dimensions D 13" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20625-___/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
20625GU-___/OPL		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
C20625___OPLN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20625LEDD-___/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 							



20626-BS/OPL

Saloris Acrylic Flush-Mount

Finish	BS Diffuser ACR	Dimensions D 23.25" H 5.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20741-BS/ACR		1Lt x 32w+40w	G10q	T-9 PL	3000k	4600Lm	Lamps
C20741BSACREN1313B		3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
20741LEDD-BS/ACR Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp 							

Cobalt Flush-Mount

Finish	BS WH Glass OPL	Dimensions D 15" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20626-___/OPL		2Lt x 75w	E-26	A-19	2700k	2200Lm	
20626GU-___/OPL		3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	
C20626___OPLN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20626LEDD-___/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CUL Ceiling Damp 							



20650-BS/OPL



20651-ORB/OPL

Strata Flush-Mount

Finish BS ORB Glass OPL		Dimensions D 10" H 3.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20650-___/OPL		1Lt x 60w	E-26	A-19	2700k	800Lm	
C20650___OPL	N113BS 	1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	Lamps
20650LEDD-___/OPL	Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 							

Strata Flush-Mount

Finish	BS ORB Glass OPL	Dimensions D 14" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20651-___/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20651___OPL	N1218BS	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20651LEDD-___/OPL	Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification		CUL Ceiling Damp					



20652-BS/OPL



Strata Flush-Mount

Finish BS ORB Glass OPL		Dimensions D 16" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20652-___/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20652___OPL	N1218BS	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20652LEDD-___/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp							

Zenon Flush-Mount

Finish BS Glass OPL		Dimensions D 12" H 3.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20661-BS/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
20661GU-BS/OPL		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
C20661BSOPL	N1213BS	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
20661LEDD-BS/OPL	Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp							



20724-BS/OPL



20725-ORB/OPL

Atom Flush-Mount

Finish BS ORB Glass OPL		Dimensions D 10.5" H 3.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20724-___/OPL		1Lt x 100w	E-26	A-19	2700k	1600Lm	
C20724xxxOPLN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
20724LEDD-___/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp							

Atom Flush-Mount

Finish BS ORB Glass OPL		Dimensions D 12.5" H 3.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20725-___/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20725xxxOPLN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20725LEDD-___/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Damp 							



20726-BS/OPL

Zenon Flush-Mount

Finish BS Glass OPL		Dimensions D 16" H 3.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20662-BS/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
20662GU-BS/OPL		3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	
C20662BSOPLN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
20662LEDD-BS/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CUL Ceiling Damp 							

Atom Flush-Mount

Finish BS ORB Glass OPL		Dimensions D 14" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20726-___/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20726xxxOPLN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20726LEDD-___/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CUL Ceiling Damp 							



Altum Flush-Mount

Finish	WH Glass OPL	Dimensions D 10.25" H 3.1"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50186-WH/OPL	1Lt x 60w	E-26	A-19	2700k	800Lm	
C50186WHOPLEN1118B	1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	Lamps
50186LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



Altum Flush-Mount

Finish	WH Glass OPL	Dimensions D 12.5" H 3.5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50187-WH/OPL	2Lt x 60w	E-26	A-19	2700k	1600Lm	
C50187WHOPLEN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
50187LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



Altum Flush-Mount

Finish	WH Glass OPL	Dimensions D 15.75" H 3.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50188-WH/OPL	3Lt x 60w	E-26	A-19	2700k	2400Lm	
C50188WHOPLEN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
50188LEDD-WH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp						



Altum Flush-Mount

Finish	WH Glass OPL	Dimensions D 19.5" H 3.9"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50189-WH/OPL	3Lt x 60w	E-26	A-19	2700k	2400Lm	
C50189WHOPLEN1313B	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
50189LEDD-WH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp						



Tara Flush-Mount

Finish BS Glass OPL		Dimensions D 14" H 4.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50120-BS/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C50120BSOPLN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
50120LEDD-BS/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp							



Tara Flush-Mount

Finish BS Glass OPL		Dimensions D 18" H 4.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50121-BS/OPL		3Lt x 75w	E-26	A-19	2700k	3300Lm	
C50121BSOPLN1226BS		2Lt x 26w	GU-24	Spiral PL	2700k	3420Lm	Lamps
50121LEDD-BS/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp							



FLUSH-MOUNT



Pg 19



Aero Flush-Mount

Finish	CH Glass OPL	Dimensions D 10" H 4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20670-CH/OPL	1Lt x 75w	E-26	A-19	2700k	1100Lm	
C20670CHOPLN1126B	1Lt x 26w	GU-24	Spiral PL	2700k	1710Lm	Lamps
20670LEDD-CH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp 



Pg 19



Aero Flush-Mount

Finish	CH Glass OPL	Dimensions D 12.5" H 4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20671-CH/OPL	2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20671CHOPLN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20671LEDD-CH/OPL Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp 



Pg 19



Aero Flush-Mount

Finish	CH Glass OPL	Dimensions D 15.7" H 4.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20672-CH/OPL	3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20672CHOPLN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
20672LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp 



Pg 19



Aero Flush-Mount

Finish	CH Glass OPL	Dimensions D 19.5" H 4.4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
20676-CH/OPL	3Lt x 75w	E-26	A-19	2700k	3300Lm	
C20676CHOPLN1318B	3Lt x 18w	GU-24	Spiral PL	2700k	3750Lm	Lamps
20676LEDD-CH/OPL Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp 



Aero Chromium Ring Flush-Mount

Finish CH Glass OPL					Certification CETL Ceiling Damp 		
Model	Wattage	Base	Type	Kelvin	NomLumen	Dimensions	Supplied
20677-CH/OPL	4Lt x 75w	E-26	E-26	2700k	4400Lm	D 21.5" H 4.4"	
C20677CHOPLEN1418B	4Lt x 18w	GU-24	Spiral Fluorescent	2700k	5000Lm	D 21.5" H 4.4"	Lamps
20677LEDD Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	D 21.5" H 4.4"	Lamps





Vision Flush-Mount

Finish	BS Glass FST		Dimensions L 6" W 6" H 3.25"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50029-BS/FST	1Lt x 60w	G9	G9 Hgn	2900k	800Lm	Lamps
Certification		CETL Ceiling Damp				

Certification CETL Ceiling Damp 



Vision Flush-Mount

Finish	BS Glass FST		Dimensions				L 9.5" W 9.5" H 3.25"	
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied		
50030-BS/FST	1Lt x 200w	R7s	J-118 Hgn	2900k	3200Lm	Lamps		
C50030BSFSTE3213Q	2Lt x 13w	G24q-1	Quad PL	2700k	1800Lm	Lamps		
50030LEDD-BS/FST Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps		

Certification CETL Ceiling Damp 



Vision Flush-Mount

Finish	BS Glass FST		Dimensions L 11.8" W 11.8" H 3.25" Ext 3.25"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied	
50031-BS/FST	1Lt x 200w	R7s	J-118 Hgn	2900k	3200Lm	Lamps	
C50031BSFSTE3218Q	2Lt x 18w	G24q-2	Quad PL	2700k	2500Lm	Lamps	
50031LEDD-BS/FST Dimmable 	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps	

Certification CETL Ceiling Damp 



Vision Flush-Mount

Finish	BS Glass FST		Dimensions L 15.75" W 15.75" H 3.25" Ext 3.25"			
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50032-BS/FST	2Lt x 150w	R7s	J-118 Hgn	2900k	5200Lm	Lamps
C50032BSFSTE3226Q	2Lt x 26w	G24q-3	Quad PL	2700k	3420Lm	Lamps
50032LEDD-BS/FST Dimmable 	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp 




Vision Flush-Mount

Finish	BS Glass FST	Dimensions L 11.8" W 6.75" H 3.25" Ext 3.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50033-BS/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50033BSFSTEH3118Q		1Lt x 18w	G24q-2	Quad PL	2700k	1250Lm	Lamps
50033LED-BS/FST		1Lt x 13w	Module	85CRI LED	3000k	1520Lm	Lamps
Certification CETL Ceiling Damp 							

Vision Flush-Mount

Finish	BS Glass FST	Dimensions L 15.5" W 10" H 3.25" Ext 3.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50034-BS/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50034BSFSTEH3218Q		2Lt x 18w	G24q-2	Quad PL	2700k	2500Lm	Lamps
50034LED-BS/FST		1Lt x 13w	Module	85CRI LED	3000k	1520Lm	Lamps
Certification CETL Ceiling Damp 							



Vision Flush-Mount

Finish	BS Glass FST	Dimensions L 18" W 18" H 5.1" Ext 5.1"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50035-BS/FST		2Lt x 150w	R7s	J-118 Hgn	2900k	5200Lm	Lamps
C50035BSFSTEH3226Q		2Lt x 26w	G24q-3	Quad PL	2700k	3420Lm	Lamps
50035LEDD-BS/FST Dimmable		1Lt x36w	Module	85CRI LED	3000k	4000Lm	Lamps
Certification CETL Ceiling Damp 							



Top View

Ark Fluorescent with Rear Glass Diffusers for Backlight Projection

Finish BS Glass FST Dimensions L 38.25" W 8" H 4.5" Canopy L 9.9" W 4.5" H 1.4"

Model	Wattage	Type	Base	Kelvin	Lumen	Included
31026-BS/FST	2Lt x 39w	T-5 HO	Bi-Pin	3000k	6200Lm	Lamps

Certification CETL Ceiling Wall Damp 



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 26.5" W 5.2" H 4" Canopy L 22.9" W 4.4" H 1.4"

Model	Wattage	Type	Base	Kelvin	Lumen	Included
31027-BS/FST	1Lt x 24w	T-5 HO	Bi-Pin	3000k	1750Lm	Lamps

Certification CETL Ceiling Wall Damp 



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 38.25" W 5.25" H 4" Canopy L 34.6" W 4.25" H 1.4"

Model	Wattage	Type	Base	Kelvin	Lumen	Included
31029-BS/FST	1Lt x 39w	T-5 HO	Bi-Pin	3000k	3100Lm	Lamps

Certification CETL Ceiling Wall Damp 



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST		Dimensions L 26.5" W 9.5" H 4" Canopy: L 22.9" W 4.4" H 1.4"				
Model	Wattage	Type	Base	Kelvin	Lumen	Included
31028-BS/FST	2Lt x 24w	T-5 HO	Bi-Pin	3000k	3500Lm	Lamps

Certification CETL Ceiling Wall Damp 



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST		Dimensions L 38.25" W 9.9" H 4" Canopy: L 34.6" W 6.75" H 1.4"				
Model	Wattage	Type	Base	Kelvin	Lumen	Included
31030-BS/FST	2Lt x 39w	T-5 HO	Bi-Pin	3000k	6200Lm	Lamps

Certification CETL Ceiling Wall Damp 



VisionRound Flush-Mount

Finish BS Glass FST		Dimensions D 10" H 3.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50036-BS/FST		1Lt x 150w	R7s	J-78 Hgn	2900k	2600Lm	Lamps
50036LEDD-BS/FST Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp 							



VisionRound Flush-Mount

Finish BS Glass FST		Dimensions D 11.75" H 3.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50037-BS/FST		1Lt x 200w	R7s	J-118 Hgn	2900k	3200Lm	Lamps
50037LEDD-BS/FST Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CETL Ceiling Damp 							



VisionRound Flush-Mount

Finish	BS Glass FST	Dimensions D 15.75" H 3.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50038-BS/FST		2Lt x 150w	R7s	J-78 Hgn	2900k	5200Lm	Lamps
50038LEDD-BS/FST	Dimmable 	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CETL Ceiling Damp 							



Iron Flush-Mount

Finish BS Glass FST		Dimensions D 12" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50130-BS/FST		1Lt x 100w	E-26	A-19	2700k	1600Lm	
C50130BSFSTEN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
50130LEDD-BS/FST Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps



Saturn Flush-Mount with Concentric Metal Rings

Finish	BS Glass FST	Dimensions D 9.5" H 4.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50091-BS/FST		1Lt x 75w	G9	G9 Hgn	2900k	1050Lm	Lamps
C50091BSFSTEN1113BS		1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	Lamps
50091LEDD-BS/FST Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



Saturn Flush-Mount with Concentric Metal Rings

Finish	BS Glass FST	Dimensions D 14.5" H 5.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50092-BS/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50092BSFSTEN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
50092LEDD-BS/FST Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



VisionRound Flush-Mount

Finish	BS Glass FST	Dimensions D 16" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50131-BS/FST		2Lt x 75w	E-26	A-19		5200Lm	
C50131BSFSTEN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
50131LEDD-BS/FST Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp



23764-BSL



SoHo Reflective Illumination Flush-Mount

Finish	BSL GWH RIC	Dimensions D 18.75" H 10.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
23764-__		3Lt x 60w	E-26	A-19			

Certification CETL Ceiling Damp

FLUSH-MOUNT



Orion Flush-Mount

Finish	WH Glass OPL	Dimensions D 10.75" H 3.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50160-WH/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
C50160WHOPLN1118BQ		1Lt x 18w	GU-24	Quad PL	2700k	1250Lm	Lamps
50160LEDD-WH/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



Orion Flush-Mount

Finish	WH Glass OPL	Dimensions D 13.25" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50161-WH/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C50161WHOPLN1218BQ		2Lt x 18w	GU-24	Quad PL	2700k	2500Lm	Lamps
50161LEDD-WH/OPL Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Damp



Orion Flush-Mount

Finish	WH Glass OPL	Dimensions D 19" H 4.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50162-WH/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C50162WHOPLN1218BQ		2Lt x 18w	GU-24	Quad PL	2700k	2500Lm	Lamps
50162LEDD-WH/OPL Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Damp



Vega Flush-Mount

Finish	WH Glass OPL	Dimensions L 8" W 8" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20656-WH/OPL		1Lt x 100w	E-26	A-19	2700k	1600Lm	
C20656WHOPLN1118BS		1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	Lamps

Certification CUL Ceiling Damp



Luna Flush-Mount

Finish	BS Glass WHT	Dimensions D 13.5" H 3"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50069-BS/WHT		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50069BSWHTEN1213BQ		2Lt x 13w	GU-24	Quad PL	2700k	1800Lm	Lamps

Certification CETL Ceiling Damp 



Luna Flush-Mount

Finish	BS Glass WHT	Dimensions D 17.25" H 4.3"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50070-BS/WHT		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50070BSWHTEN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps

Certification CETL Ceiling Damp 



Vega Flush-Mount

Finish	WH Glass OPL	Dimensions L 11" W 11" H 5.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20657-WH/OPL		2Lt x 60w	E-26	A-19	2700k	1600Lm	
C20657WHOPLEN1118BS		1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	Lamps

Certification CUL Ceiling Damp 



Vega Flush-Mount

Finish	WH Glass OPL	Dimensions L 14" W 14" H 6.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
20658-WH/OPL		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C20658WHOPLEN1126BS		1Lt x 26w	GU-24	Spiral PL	2700k	1710Lm	Lamps


Certification CUL Ceiling Damp 



23019-BS/ALB



23020-CH/WH



Mona Flush-Mount

Finish BS CH RU WH Glass ALB WH		Dimensions D 12" H 4.25"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
23019-_/__	2Lt x 60w	E-12	B-10	2700k	1600Lm	
23019GU-_/__	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
C23019__EN1213BS	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
23019LEDD-_/__ Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Dry 						

Mona Flush-Mount

Finish BS CH RU WH Glass ALB WH		Dimensions D 16" H 4.5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
23020-_/__	3Lt x 60w	E-26	A-19	2700k	2400Lm	
23020GU-_/__	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	
C23020__EN1226BS	2Lt x 26w	GU-24	Spiral PL	2700k	3420Lm	Lamps
23020LEDD-_/__ Dimmable	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps
Certification CUL Ceiling Dry 						



23021-BS/ALB



Mona Flush-Mount

Finish BS CH RU WH Glass ALB WH		Dimensions D 20" H 5.5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
23021-_/__	4Lt x 60w	E-26	A-19	2700k	3200Lm	
23021GU-_/__	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	
C23021__EN1226BS	2Lt x 26w	GU-24	Spiral PL	2700k	3420Lm	Lamps
23021LEDD-_/__ Dimmable	1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps
Certification CUL Ceiling Dry 						





23022-BS/TEX

Linen Flush-Mount

Finish BS Glass TEX		Dimensions D 12" H 4.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
23022-BS/TEX		2Lt x 60w	E-26	A-19	2700k	1600Lm	
C23022BSTEKEN1213BS		2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	Lamps
23022LEDD-BS/TEX Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Dry 



23023-BS/TEX

Linen Flush-Mount

Finish	BS Glass TEX	Dimensions D 15.5" H 4.75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
23023-BS/TEX		3Lt x 60w	E-26	A-19	2700k	2400Lm	
C23023BSTEKEN1218BS		2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	Lamps
23023LEDD-BS/TEX Dimmable		1Lt x 15w	Module	90CRI LED	3000k	1515Lm	Lamps

Certification CETL Ceiling Dry 



23024-BS/TEX

FLUSH-MOUNT

Linen Flush-Mount

Finish BS Glass TEX		Dimensions D 20" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
23024-BS/TEX		4Lt x 60w	E-26	A-19	2700k	3200Lm	
C23024BSTEKEN1318BS		3Lt x 18w	GU-24	Spiral PL	2700k	3750Lm	Lamps
23024LEDD-BS/TEX Dimmable		1Lt x 30w	Module	90CRI LED	3000k	3057Lm	Lamps

Certification CETL Ceiling Dry 



50020-CH/FST



Nimbus Flush-Mount

Finish CH SAT WH Glass FST	Dimensions D 8.25" H 3.25"					
Model	Wattage	Base	Type	Kelvin	Lumen	Supplied
50020-___/FST	1Lt x 75w	R7s	J-78 Hgn	2900k	1050Lm	Lamps
Certification CETL Ceiling Damp 						



50041-SAT/FST



Nimbus Flush-Mount

Finish CH SAT WH Glass FST		Dimensions D 12.5" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50041-___/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50041xxx/FSTEN1113BS		1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	Lamps
Certification CETL Ceiling Damp 							



50046-CH/ALB



Nimbus Flush-Mount

Finish	CH SAT WH Glass ALB	Dimensions D 12.5" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50046-___/ALB		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50046xxxALBEN1113BS		1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	Lamps
Certification CETL Ceiling Damp 							



50049-WH/FST



Nimbus Flush-Mount

Finish CH SAT WH Glass FST		Dimensions D 16" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50049-___/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50049xxx	FSTEN1313BS 	3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
Certification CETL Ceiling Damp 							



50050-SAT/ALB

Nimbus Flush-Mount

Finish CH SAT WH Glass ALB		Dimensions D 16.25" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50050-___/ALB		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50050__ALBEN1313BS		3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
Certification CETL Ceiling Damp 							



Cirrus Flush-Mount

Finish SAT Glass FST		Dimensions D 8.25" H 3"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50060-SAT/FST		1Lt x 75w	R7s	J-78 Hgn	2900k	1050Lm	Lamps
Certification		CETL Ceiling Damp 					



Cirrus Flush-Mount

Finish SAT Glass FST		Dimensions D 12.25" H 4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50061-SAT/FST		1Lt x 150w	R7s	J-118 Hgn	2900k	2600Lm	Lamps
C50061SATFSTEN1113BS		1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	Lamps
Certification CETL Ceiling Damp 							



Cirrus Flush-Mount

Finish SAT Glass FST		Dimensions D 16" H 5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied
50063-SAT/FST		1Lt x 200w	R7s	J-118 Hgn	2900k	3200Lm	Lamps
C50063SATFSTEN1313BS		3Lt x 13w	GU-24	Spiral PL	2700k	2700Lm	Lamps
Certification CETL Ceiling Damp 							

FLUSH-MOUNT



Lithium Flush-Mount

Finish	BS Glass FST						Dimensions	L 12" W 12" H 3"			
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied				
50127-BS/FST		1Lt x 100w	R7s	J-118 Hgn	2900k	1650Lm	Lamps				
Certification CETL Ceiling Damp 											



Helius Flush-Mount

Finish	BS Glass CFR						Dimensions	D 12" H 4"			
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied				
50480-BS/CFR		1Lt x 150w	R7s	J-78 Hgn	2900k	2600Lm					
50480LEDD-BS/CFR Dimmable		1Lt x 13w	GX-53	80CRI LED	3000k	1200Lm	Lamps				
Certification CETL Ceiling Damp 											



63951-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

Finish	MC ORB Glass FST						Dimensions	L 10" W 6" Ext 3.5"			
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied				
63951-___/FST		1Lt x 100w	R7s	J-78 Hgn	2900k	1650Lm	Lamps				
Certification CETL Ceiling Dry 											




63953-MC/FST

Nido 3 - Light Wall or Ceiling Fixture

Finish	MC ORB Glass FST						Dimensions	L 14.25" W 14.25" Ext 3.75"			
Model		Wattage	Base	Type	Kelvin	Lumen	Supplied				
63953-___/FST		3Lt x 100w	R7s	J-78 Hgn	2900k	4950Lm	Lamps				
Certification CETL Ceiling Dry 											

WALL FIXTURES & VANITIES







70038LEDD-CH/OPL



70037LEDD-CH/OPL

CHIC | COLLECTION



Graced with long lines, and adorned with simple metal accents, the Chic Collection has endless applications. Corridors, bathrooms, or sconce requirements, will be exceeded by the classy sophistication of this breath taking collection.



70039LEDD-CH/OPL

Chic LED Wall Vanity Fixture

Finish CH Glass OPL		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 70037LEDD-CH/OPL Dimmable	1Lt x 12w	Module	85CRI LED	3000k	630Lm	H 13" W 4.5" Ext 3.75"	L 6.5" W 4.75" Ext 0.5"
B 70038LEDD-CH/OPL Dimmable	1Lt x 30w	Module	85CRI LED	3000k	1652Lm	H 5" W 24" Ext 3.25"	L 5" W 7" Ext 0.75"
C 70039LEDD-CH/OPL Dimmable	1Lt x 12w	Module	85CRI LED	3000k	633Lm	H 13" W 4.25" Ext 4.5"	L 4.5" W 4.5" Ext 0.5"



70036LEDD-CH/OPL


Chic LED Wall Vanity Fixture

Finish CH Glass OPL		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70036LEDD-CH/OPL Dimmable	2Lt x 17w	Module	85CRI LED	3000k	2021.4Lm	H 5" W 26" Ext 3"	L 5" W 7" Ext 0.75"



Chic LED Wall Vanity Fixture

Finish CH Glass OPL			Supplied Lamps				CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 70034LEDD-CH/OPL Dimmable	1Lt x 12w	Module	85CRI LED	3000k	766.9Lm	H 12.75" W 4.75" Ext 3.5"	L 6.5" W 4.75" Ext 0.5"
B 70035LEDD-CH/OPL Dimmable	1Lt x 25w	Module	85CRI LED	3000k	1576.7Lm	H 5" W 19" Ext 3.75"	L 5" W 7" Ext 1"





C 62245LEDD-CH/ACR



A 62243LEDD-CH/ACR

LINEAR | COLLECTION

Linear, so named for its straight, sleek lines, represents a clean and precise form of design that lends itself perfectly to an LED light source. An additional exciting touch is fashioned through the acrylic layering that adds depth to this fabulous bathroom vanity.



B 62244LEDD-CH/ACR

Linear Wall Vanity Fixture

Finish CH Glass ACR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62243LEDD-CH/ACR Dimmable	1Lt x 18w	Module	85CRI LED	3000k	1800Lm	H 5" W 18.25" Ext 4.25"	L 4.25" W 8" Ext 1.5"
B 62244LEDD-CH/ACR Dimmable	1Lt x 24w	Module	85CRI LED	3000k	2400Lm	H 5" W 24" Ext 4.25"	L 4.25" W 8" Ext 1.5"
C 62245LEDD-CH/ACR Dimmable	1Lt x 30w	Module	85CRI LED	3000k	3000Lm	H 5" W 30" Ext 4.25"	L 4.25" W 8" Ext 1.5"



50566-BS/OPL

50566-ORB/OPL

Aqueous Wall and Vanity Fixture

Finish BS ORB	Glass OPL	Dimensions L 4.3" H 11.25" Ext 5.9" Back-Plate: L 5.9" W 4.25" H 1.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
50566-___/OPL	1Lt x 18w	2G11	FT18DL	3000k	1200Lm	Lamps
Certification Wall Damp Location CETL						



50567-BS/OPL

50567-ORB/OPL

Aqueous Wall and Vanity Fixture

Finish BS ORB	Glass OPL	Dimensions L 4.3" H 22" Ext 5.9" Back-Plate: L 5.9" W 4.25" H 1.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
50567-___/OPL	2Lt x 18w	2G11	FT18DL	3000k	2400Lm	Lamps
Certification Wall Damp Location CETL						



Aqueous Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 5" H 11.25" Ext 4.5" Back-Plate: H 6" W 4.2" Ext 1.4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
70032LED-BS/OPL	1Lt x 8w	Module	85CRILED	3000k	558Lm	Lamps
Certification Wall Damp Location CETL						



Aqueous Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 5" H 21.1" Ext 4.5" Back-Plate: H 6" W 4.2" Ext 1.4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
70033LED-BS/OPL	2Lt x 8w	Module	85CRILED	3000k	1116Lm	Lamps
Certification Wall Damp Location CETL						



Aqueous Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 4.75" H 12" Ext 4" Back-Plate: D 5" H 0.88"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20441-BS/OPL		1Lt x 60w	E-26	B-10			
C20441BSOPLN1113BS		1Lt x 13w	GU-24	Spiral	2700k	900Lm	Lamps

Certification Wall Damp Location CETL  



Aqueous Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 4.75" H 20.5" Ext 4" Back-Plate: D 5" H 0.88"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20442-BS/OPL		2Lt x 60w	E-26	A-19			
C20422BSOPLN1213BS		2Lt x 13w	GU-24	Spiral	2700k	1800Lm	Lamps

Certification Wall Damp Location CETL  



20435-BS/OPL



20435-ORB/OPL

Cobalt Wall and Vanity Fixture

Finish BS ORB	Glass OPL	Dimensions L 5" H 12.2" Ext 4" Back-Plate: D 5" H .75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20435-___/OPL		1Lt x 60w	E-26	B-10			
C20435___OPLN1113B		1Lt x 13w	GU-24	Spiral	2700k	900Lm	Lamps

Certification Wall Damp Location CUL  



20436-BS/OPL



20436-ORB/OPL

Cobalt Wall and Vanity Fixture

Finish BS ORB	Glass OPL	Dimensions L 5" H 18.5" Ext 4" Back-Plate: D 5" H .75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20436-___/OPL		2Lt x 60w	E-26	B-10			
C20436___OPLN1213B		2Lt x 13w	GU-24	Spiral	2700k	1800Lm	Lamps

Certification Wall Damp Location CUL  



Lynx Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions D 4.75" L 4.5" H 16" Ext 4" Back-Plate: D 5" H 0.88"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
50564-BS/OPL	2Lt x 40w	G9	G-9 Hgn	2900k	960Lm	Lamps

Certification Wall Damp Location CETL 



A 50165-CH/OPL



B 50166-CH/OPL

Aire Wall Sconce and Vanity Fixture

Finish CH	Glass OPL					
Model	Wattage	Base	Type	Dimensions		
A 50165-CH/OPL	1Lt x 60w	E-12	B10	H 6.7"	L 8.25"	Ext 4.1"
B 50166-CH/OPL	1Lt x 60w	E-26	B10	H 6.5"	L 11.8"	Ext 5.75"

Certification Wall Damp Location CETL 



70029LED-BRZ/ACR



70029LED-BS/ACR

Pg 57

Ra LED Wall Fixture

Finish BRZ BS Glass ACR	Dimensions D 2.2" H 17.5" Ext 5" Back-Plate: D 4.3" Ext 0.7					
Model	Wattage	Base	Type	Kelvin	Lumen	Included
70029LED-___/ACR	2Lt x 5+1w	MODULE	85CRILED	3200k	650Lm	Lamps

Certification Wall Damp CETL 



50562-BS/OPL
shown with optional extra SCR-50

Pg 78

Iron Wall Fixture with On/Off Switch, optional Mesh Sleeve SCR-50

Finish BS	Glass OPL	Dimensions L 4.3" H 14.5" Ext 4" Back-Plate: L 11.5" W 4.25" H .9"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
50562-BS/OPL	1Lt x 60w	E-26	A-19			
C50562BSOPLN1113BS 	1Lt x 13w	GU-24	Spiral	2700k	900Lm	Lamps

Certification Wall Damp CETL 



Oracle Wall & Vanity

Finish	BS	Glass	OPL	Dimensions L 4.25" H 11.75" Ext 3.75" Canopy: L 4.4" W 4.4" H .75"						
Model	Wattage		Base	Type	Kelvin	Lumen	Included			
50565-BS/OPL	1Lt x 60w		E-12	B-10						

Certification Wall Dry Location CETL  



Sentinel Wall Vanity Fixture

Finish	SAT	Glass	FST	Dimensions L 7.5" H 8" Ext 3.5" Canopy: L 7.5" H 8" H .25"						
Model	Wattage		Base	Type	Kelvin	Lumen	Included			
62081-SAT/FST	1Lt x 150w		R7s	J-78 Hgn	2900k	2600Lm	Lamps			

Certification Wall Dry Location CETL  



Phoebe Wall Fixture

Finish	CH	Glass	8CL	Dimensions L 6.5" H 12" Ext 6" Back-Plate: D 5.5" H .25"						
Model	Wattage		Base	Type	Kelvin	Lumen	Included			
50511-CH/8CL	1Lt x 100w		R7s	J-78	2900k	1650Lm	Lamps			


Certification Wall Dry Location CETL 



Helius Wall Sconce

Finish	BS	Glass	CFR	Dimensions L 12" H 4.5" Ext 6.75" Back-Plate: L 9.75" W 4.25" H .75"						
Model	Wattage		Base	Type	Kelvin	Lumen	Included			
50483-BS/CFR	1Lt x 100w		R7s	J-78	2900k	1650Lm	Lamps			

Certification Wall Dry Location CETL 



A 70060LED-CH/GREY



MAXIME CHANET Designer
The Heart & Soul of Design...



B 70061LED-CH/GREY



C 70062LED-CH/GREY

LED Faucet LED Wall Art Faucet

Finish CH Glass GREY		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 70060LED-CH/GREY	1Lt x 1w	Module	85CRI LED	3000k	55Lm	H 8" L 8" Ext 5"	L 6.25" W 6.25" Ext 1.5"
B 70061LED-CH/GREY	3Lt x 1w	Module	85CRI LED	3000k	165Lm	H 8" L 23.5" Ext 5"	L 22.5" W 6.25" Ext 1"
C 70062LED-CH/GREY	7Lt x 1w	Module	85CRI LED	3000k	385Lm	H 10.5" L 59" Ext 5"	L 57.9" W 9.5" Ext 1"



Nite Dimmable LED Wall Fixture

Finish	CH	Glass	OPL	Dimensions H 11" W 4.25" Ext 5.5"			Back-Plate: L 4.25" W 4.25" Ext 1.5"		
Model				Wattage	Base	Type	Kelvin	Lumen	Included
50568LEDD-CH/OPL				1Lt x 10w	Module	85CRI LED	3000k	800Lm	Lamps

Certification Wall Damp Location CETL 



180 deg
Articulating LED Wand

Sabre LED Wall Fixture with Articulating LED Wand

Finish SAT	Diffuser ACR	Dimensions H 26" Canopy D 4.5" Ext 2.8"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
70026LED-SAT		10Lt x 1w	Module	85CRI LED	3000k	700Lm	Lamps

Certification Wall Damp Location CETL  



70025LED-BL



Blue LED strip available on request



70025LED-SAT

Sail LED Wall Washer

Finish BL SAT		Supplied Lamps					CETL Wall Dry  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70025LED-___	2Lt x 5w+1Lt x 4w	Module	85CRI LED	3000k	640Lm	H 10" W 9" L 7" Ext 3"	L 4.25" W 4.25" Ext 0.5"



62242-BS/OPL



62242-BRZ/OPL

Nitrous Wall

Finish BRZ BS Glass OPL							CETL Wall Dry  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
62242-___/OPL	2Lt x 60w	E-26	B-10 Incandescent			H 16" L 5.5" Ext 4"	L 5" W 5" Ext .25"



A 62229-BS/LFR



B 62230-BS/LFR

Neon Wall Vanity Fixture

Finish BS Glass LFR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	62229-BS/LFR	1Lt x 150w	R7s	J-118 Halogen	2900k	2600Lm	H 12" W 12.25" Ext 4.5"
	C62229BSLFREN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	L 7.1" W 11.1" Ext 2.25"
B	62230-BS/LFR	1Lt x 150w	R7s	J-118 Halogen	2900k	2600Lm	H 16" L 8" Ext 4.5"
	C62230BSLFREN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	L 4.75" W 15" Ext 1.4"



A 62104-BS/OPL



B 62105-BS/OPL

Argon Wall Vanity Fixture

Finish BS Glass OPL		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	62104-BS/OPL	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 5.25" L 12" Ext 3.25"
	C62104BSOPLN1113BS 	1Lt x 13w	GU-24	Spiral Fluorescent	2700k	900Lm	L 9.88" W 4.25" Ext 0.75"
	62104LED-BS/OPL	1Lt x 10.8w	Module	85CRI LED	3000k	1265Lm	L 9.88" W 4.25" Ext 0.75"
B	62105-BS/OPL	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 5.25" L 22.5" Ext 3.5"
	C62105BSOPLN1226BS 	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	L 19.75" W 4.25" Ext 1"
	62105LED-BS/OPL	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	L 19.75" W 4.25" Ext 1"



20417-BS/ALB

20417-ORB/ALB

Mona Wall Sconce

Finish BS ORB	Glass ALB	Dimensions L 12" H 6" Ext 4.25" Canopy: L 9.6" W 4.75" H .9"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20417-___/ALB		1Lt x 60w	E-26	A-19			
C20417___ALBEN1118BS		1Lt x 18w	GU-24	Spiral	2700k	1250Lm	Lamps

Certification Wall Dry Location CUL  



20414-SAT/FST

20414-RU/FST

Thebes Wall Sconce

Finish RU SAT	Glass FST	Dimensions L 15.75" H 4" Ext 4.75" Canopy: L 15.75" W 4" H .9"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20414-___/FST		1Lt x 150w	R7s	J-78	2900k	2600Lm	Lamps

Certification Wall Dry Location CETL 



20635-SAT/ALB

20635-ORB/ALB

Crest Wall Sconce

Finish ORB SAT	Glass ALB	Dimensions L 13" H 6.5" Ext 4" Canopy: L 6.4" W 13" H 0.4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20635-___/ALB		2Lt x 60w	E-26	A-19			
C20635___ALBEN1118BS		1Lt x 18w	GU-24	Spiral	2700k	1250Lm	Lamps
20635LED-___/ALB		1Lt x 10.8w	Module	LED	3000k	1265Lm	Lamps

Certification Wall Dry Location CUL  



Zenon Wall Sconce

Finish BS	Glass OPL	Dimensions L 12.5" H 5.6" Ext 3.3" Canopy: L 7.5" W 3.5" H 1.5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20660-BS/OPL		1Lt x 60w	E-26	A-19			
C20660BSOPLN1118BS		1Lt x 18w	GU-24	Spiral	2700k	1250Lm	Lamps

Certification Wall Dry Location CUL  



A 50182-BS/OPL



C 50184-BS/OPL



B 50183-BS/OPL



D 50185-BS/OPL

Tabo Wall Vanity Fixture

Finish BS Glass OPL

CETL Wall Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	50182-BS/OPL	1Lt x 60w	E-12	B-10 Incandescent	2700k	800Lm	H 7.25" L 4.9" Ext 5.9"	L 9.88" Ext 0.75"
B	50183-BS/OPL	2Lt x 60w	E-12	B-10 Incandescent	2700k	1600Lm	H 11.8" L 4.9" Ext 5.9"	L 9.88" Ext 0.75"
C	50184-BS/OPL	2Lt x 60w	E-12	B-10 Incandescent	2700k	1600Lm	H 15.5" L 4.9" Ext 5.9"	L 9.88" Ext 0.75"
D	50185-BS/OPL	2Lt x 60w	E-12	B-10 Incandescent	2700k	1600Lm	H 19.5" L 4.9" Ext 5.9"	L 9.88" Ext 0.75"



Krypton Wall Fixture

Finish BS	Glass OPL	Dimensions L 12" H 12" Ext 3.5" Canopy: L 15.6" W 7.6" H .25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
53340-BS/OPL		2Lt x 60w	E-26	A-19			
C53340BSOPLN1226B		2Lt x 26w	GU-24	Spiral	2700k	3420Lm	Lamps

Certification Wall Damp Location CETL  



Krypton Wall Fixture

Finish BS	Glass OPL	Dimensions L 8.25" H 16" Ext 3" Canopy: L 15.6" W 7.6" H .25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
53341-BS/OPL		2Lt x 60w	E-26	A-19	2700k	1640Lm	
C53341BSOPLN1226B		2Lt x 26w	GU-24	Spiral	2700k	3420Lm	Lamps


Certification Wall Damp Location CETL  



Nitrous Wall and Vanity fixture

Finish BS	Glass FST	Dimensions L 12" H 12" Ext 3.5" Canopy: L 9.1" W 10" H 0.88"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
62215-BS/FST		1Lt x 100w	R7s	J-78	2900k	1650Lm	Lamps
C62215BSFSTEH3126Q		1Lt x 26w	G24q-3	Quad	2700k	1710Lm	

Certification Wall Damp Location CETL  



Nitrous Wall and Vanity Fixture

Finish BS	Glass FST	Dimensions L 11" H 6.4" Ext 3.4" Canopy: L 7.2" W 5" H .75"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
62216-BS/FST		1Lt x 100w	R7s	J-78	2900k	1650Lm	Lamps

Certification Wall Damp Location CETL  



Prong Dimmable Wall and Vanity Fixture

Finish BS	Glass WHT	Dimensions L 7.1" H 12.5" Ext 3.75" Canopy: L 11.25" W 6.75" H .5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20446-BS/WHT		2Lt x 60w	E-26	A-19			
C20446BSWHTEN1218B		2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20446LEDD-BS/WHT		1Lt x 16w	Module	80CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL  



Prong Dimmable Wall and Vanity Fixture

Finish BS	Glass WHT	Dimensions L 12" H 7.1" Ext 4" Canopy: L 6.75" W11.25" H .5"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20447-BS/WHT		2Lt x 60w	E-26	A-19			
C20447BSWHTEN1218B		2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20447LEDD-BS/WHT		1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL  



Vector Dimmable Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 9" H 11.25" Ext 4" Canopy: L 10.25" W 8.25" H 0.2"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20451-BS/OPL		2Lt x 13w	GU-24	Spiral	2700k	1800Lm	Lamps
20451LEDD-BS/OPL		1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL  



Cobalt Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 10.25" H 11.5" Ext 4" Canopy: L 10.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
20445-BS/OPL		2Lt x 13w	GU-24	Spiral	2700k	1800Lm	Lamps

Certification Wall Damp Location CUL  



Artemis Wall Fixture

Finish BS	Glass OPL	Dimensions L 10" H 11" Ext 4" Canopy: L 11" W 10" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20439-BS/OPL	2Lt x 60w	E-26	B-10			
C20439BSOPLN1218BS	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20439LEDD-BS/OPL	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL



Artemis Wall Fixture

Finish BS	Glass OPL	Dimensions L 10" H 11" Ext 4" Canopy: L 11" W 10" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20440-BS/OPL	2Lt x 60w	E-26	B-10			
C20440BSOPLN1218BS	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20440LEDD-BS/OPL	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL



Pg 78



Iron Wall Sconce

Finish BS	Glass OPL	Dimensions L 10" H 11.75" Ext 4" Canopy: L 10.2" W 9" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20739-BS/OPL	2Lt x 60w	E-26	A-19	2700k	1640Lm	
C20739BSOPLN1218BS	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20739LEDD-BS/OPL	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp Location CUL



Pg 71



Aquarius Glass & Metal Wall Fixture

Finish BS	Glass FST	Dimensions L 8" H 15" Ext 3" Canopy: L 12.6" W 5.25" H 2.4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
62095-BS/FST	1Lt x 100w	R7s	J-118	2900k	1650Lm	Lamps
C62095BSFSTEN1218B	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
62095LED-BS/FST	1Lt x 13w	Module	85CRILED	3000k	1520Lm	Lamps

Certification Wall Damp Location CETL





Metro Wall Fixture

Finish BS	Glass OPL	Dimensions W 8.25" H 14" Ext 4" Canopy: L 12.4" W 4.75" H 2.25"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
62218-BS/OPL		1Lt x 100w	R7s	J-78	2900k	1650Lm	Lamps
C62218BSOPLN1218BS		2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
62218LED-BS/OPL		1Lt x 13w	Module	85CRILED	3000k	1520Lm	Lamps

Certification Wall Damp Location CETL  



Sierra Wall and Vanity Fixture

Finish BS	Diffuser ACR	Dimensions W 5.5" H 15.5" Ext 4" Canopy: L 15.5" W 5.5" H .9"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
31025-BS/ACR		1Lt x 24w	2G11	FT24DL	3000k	1800Lm	Lamps

Certification Wall Damp Location CETL  



Bo Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 5.75" H 19.25" Ext 4" Canopy: L 5.1" W 18.5" H 1.4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
62235-BS/OPL		2Lt x 60w	E-12	B-10			
C62235BSOPLN1218BQ		2Lt x 18w	GU-24	Quad	2700k	2500Lm	
62235LED-BS/OPL		1Lt x 13w	Module	85CRILED	3000k	1520Lm	Lamps

Certification Wall Damp Location CETL  



Bo Wall and Vanity Fixture

Finish BS	Glass OPL	Dimensions L 5.75" H 12" Ext 4" Canopy: L 5.1" W 11" H 1.4"					
Model		Wattage	Base	Type	Kelvin	Lumen	Included
62236-BS/OPL		1Lt x 100w	R7s	J-118	2900k	1650Lm	Lamps
C62236BSOPLN1118Q		1Lt x 18w	G24q-2	Quad	2700k	1250Lm	
62236LED-BS/OPL		1Lt x 10.8w	Module	85CRILED	3000k	1265Lm	Lamps

Certification Wall Damp Location CETL  



Oxygen Wall and Vanity Fixture

Finish BS	Glass CKF	Dimensions L 7.25" H 14.5" Ext 3.25" Canopy: L 12.88" W 4.75" H 0.75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
62060-BS/CKF	1Lt x 150w	R7s	J-118	2900k	2600Lm	Lamps
C62060BSCKFEH3218Q	2Lt x 18w	G24q-2	Quad	2700k	2500Lm	Lamps
62060LEDD-BS/CKF	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

CETL Wall Damp  



Radon Wall and Vanity Fixture

Finish BS	Glass CKF	Dimensions L 5.5" H 11.5" Ext 3.75" Canopy: L 7.75" W 4.5" H .88"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
62055-BS/CKF	1Lt x 100w	R7s	J-78	2900k	1650Lm	Lamps
C62055BSCKFEN1118BS	1Lt x 18w	GU-24	Spiral	2700k	1250Lm	Lamps
62055LED-BS/CKF	1Lt x 10.8w	Module	85CRILED	3000k	1265Lm	Lamps

CETL Wall Damp  



62050-BS/CKF



62050-BS/OPL

Radon Wall Fixture

Finish BS	Glass CKF OPL	Dimensions L 8.5" H 13.75" Ext 2.75" Canopy: L 14.25" W 8.5" H .4"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
62050-BS/___	1Lt x 100w	R7s	J-118	2900k	1650Lm	Lamps
C62050BS___EN1126Q	2Lt x 26w	G24q-3	Quad	2700k	3420Lm	
62050LEDD-BS/___	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp  



Radon Wall Fixture

Finish BS	Glass CKF	Dimensions L 7.75" H 8" Ext 2.5" Canopy: L 4.75" W 6.88" H .75"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
62054-BS/CKF	1Lt x 100w	R7s	J-78	2900k	1650Lm	Lamps
C62054BSCKFEN1113Q	1Lt x 13w	GU-24	Quad	2700k	900Lm	
62504LEDD-BS/CKF	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Damp  



20415-OPL



20415-ALB



Daphne Wall Sconce, included with BS and WH Knobs

Finish BS	Glass ALB OPL	Dimensions L 5.5" H 11.75" Ext 4" Canopy: L 8.5" W 4" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20415-___	1Lt x 100w	E-26	A-19			
C20415___EN1126BS	1Lt x 26w	GU-24	Spiral	2700k	1710Lm	Lamps
20415LED-___	1Lt x 10.8w	Module	85CRILED	3000k	1265Lm	Lamps

Certification Wall Damp Location CUL  

Artemis Wall Sconce

Finish BS	Glass OPL	Dimensions L 7.5" H 12.25" Ext 4" Canopy: L 12.25" W 7.4" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20416-BS/OPL	2Lt x 60w	E-26	A-19			
C20416BSOPLN1218BS	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20416LEDD-BS/OPL	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Dry Location CUL  



Cobalt Wall Sconce

Finish BS	Glass OPL	Dimensions W 6.25" H 11" Ext 4" Canopy: L 11" W 6.2" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20421-BS/OPL	1Lt x 60w	E-26	A-19			
C20421BSOPLN1113B	1Lt x 13w	GU-24	Spiral	2700k	900Lm	Lamps

Certification Wall Dry Location CUL  



Artemis Wall Sconce

Finish SAT	Glass OPL	Dimensions L 11.5" H 10.5" Ext 4" Canopy: L 11.4" W 10.4" H .5"				
Model	Wattage	Base	Type	Kelvin	Lumen	Included
20420-SAT/OPL	2Lt x 60w	E-26	A-19			
C20420SATOPLEN1218BS	2Lt x 18w	GU-24	Spiral	2700k	2500Lm	Lamps
20420LEDD-SAT/OPL	1Lt x 16w	Module	90CRILED	3000k	1650Lm	Lamps

Certification Wall Dry Location CUL  





A 63971LEDD-CH/ACR



B 63973LEDD-CH/ACR



C 63974LEDD-CH/ACR



D 63975LEDD-CH/ACR

Pg 22



Optix Dimmable LED Wall Vanity Fixture

Finish CH Glass ACR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 63971LEDD-CH/ACR Dimmable	1Lt x 4w	Module	90CRI LED	3000k	400Lm	H 4.75" W 4.75" Ext 5.5"	L 4.75" W 4.75" Ext 0.75"
B 63973LEDD-CH/ACR Dimmable	3Lt x 4w	Module	90CRI LED	3000k	1200Lm	H 4.75" W 19" Ext 5.5"	L 4.75" W 19" Ext 0.75"
C 63974LEDD-CH/ACR Dimmable	4Lt x 4w	Module	90CRI LED	3000k	1600Lm	H 4.75" W 26" Ext 5.5"	L 4.75" W 26" Ext 0.75"
D 63975LEDD-CH/ACR Dimmable	5Lt x 4w	Module	90CRI LED	3000k	2000Lm	H 4.75" W 36" Ext 5.5"	L 4.75" W 36" Ext 0.75"



A 52081-CH/CLR



B 52082-CH/CLR



C 52083-CH/CLR



D 52084-CH/CLR



E 52085CH/CLR

Pg 48



Aeria Metal Foil in Glass Vanity

Finish CH Glass CLR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 52081-CH/CLR	1Lt x 40w	G9	G9 Halogen	2900k	480Lm	H 4.75" L 4.75" Ext 5.5"	L 4.75" W 4.75" Ext 1.25"
B 52082-CH/CLR	2Lt x 40w	G9	G9 Halogen	2900k	960Lm	H 4.75" L 12.5" Ext 5.5"	L 12.5" W 4.6" Ext 0.9"
C 52083-CH/CLR	3Lt x 40w	G9	G9 Halogen	2900k	1440Lm	H 4.75" L 20.5" Ext 5.5"	L 20.5" W 4.5" Ext 0.9"
D 52084-CH/CLR	4Lt x 40w	G9	G9 Halogen	2900k	1920Lm	H 4.75" L 28.3" Ext 5.5"	L 28.3" W 4.6" Ext 0.9"
E 52085-CH/CLR	5Lt x 40w	G9	G9 Halogen	2900k	2400Lm	H 4.75" L 36" Ext 5.5"	L 36" W 4.5" Ext 0.9"



A 52111-CH/MIR



B 52112-CH/MIR



C 52113-CH/MIR



D 52114-CH/MIR

Pg 15



Glam Mirror Glass with Crystal Vanity Fixture

Finish CH Glass MIR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 52111-CH/MIR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" L 4.75" Ext 6.5"	L 4.75" W 4.75" Ext 1"
B 52112-CH/MIR	2Lt x 48w	G9	G9 Xenon	2900k	1480Lm	H 4.75" L 14.5" Ext 6.5"	L 14.5" W 4.75" Ext 1"
C 52113-CH/MIR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	H 4.75" L 24" Ext 6.5"	L 24" W 4.75" Ext 1"
D 52114-CH/MIR	4Lt x 48w	G9	G9 Xenon	2900k	2960Lm	H 4.75" L 33.5" Ext 6.5"	L 33.5" W 4.75" Ext 1"



Evia Crystal Vanity Fixture

Finish CH Glass CRY		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62286-CH/CRY	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" L 4.75" Ext 3.75"	L 4.75" W 4.75" Ext 0.9"
B 62287-CH/CRY	2Lt x 48w	G9	G9 Xenon	2900k	1480Lm	H 4.75" L 11" Ext 3.75"	L 11" W 4.75" Ext 0.9"
C 62288-CH/CRY	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	H 4.75" L 18.75" Ext 3.75"	L 18.75" W 4.75" Ext 0.9"
D 62289-CH/CRY	4Lt x 48w	G9	G9 Xenon	2900k	2960Lm	H 4.75" L 26" Ext 3.75"	L 26" W 4.75" Ext 0.9"
E 62290-CH/CRY	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	H 4.75" L 33" Ext 3.75"	L 33" W 4.75" Ext 0.9"



A 62280-CH/CLFR



B 62281-CH/CLFR



C 62282-CH/CLFR



D 62283-CH/CLFR



E 62284-CH/CLFR

Sophie Square Etched Crystal Vanity Fixture

Finish CH Glass CLFR		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62280-CH/CLFR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.75" L 4.75" Ext 3.75"	L 4.75" W 4.75" Ext 0.75"
B 62281-CH/CLFR	2Lt x 48w	G9	G9 Xenon	2900k	1480Lm	H 4.75" L 11" Ext 3.75"	L 11" W 4.75" Ext 0.9"
C 62282-CH/CLFR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	H 4.75" L 18.75" Ext 3.75"	L 18.75" W 4.75" Ext 0.9"
D 62283-CH/CLFR	4Lt x 48w	G9	G9 Xenon	2900k	2960Lm	H 4.75" L 26" Ext 3.75"	L 26" W 4.75" Ext 0.9"
E 62284-CH/CLFR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	H 4.75" L 33" Ext 3.75"	W 4.75" Ext 0.9"



A 23920-CH/CCL



B 23921-CH/CCL



C 23922-CH/CCL



D 23923-CH/CCL



Prizm Crystal Vanity Fixture & Wall

Finish CH Glass CCL		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 23920-CH/CCL	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 4.75" L 4.6" Ext 5"	L 4.75" W 4.75" Ext 0.75"
B 23921-CH/CCL	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 4.75" L 20" Ext 5"	L 20" W 4.75" Ext 0.75"
C 23922-CH/CCL	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 4.75" L 28" Ext 5"	L 28" W 4.75" Ext 0.75"
D 23923-CH/CCL	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 4.75" L 36" Ext 5"	L 35.9" W 4.75" Ext 0.75"



A 23925-CH/CLR



B 23926-CH/CLR



C 23927-CH/CLR



D 23928-CH/CLR



E 23929-CH/CLR

Bubbles Solid Crystal Vanity with Opal glass Downlight

Finish CH Glass CLR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 23925-CH/CLR	1Lt x 48w	G9	G9 Xenon	2900k	740Lm	H 4.25" L 5" Ext 4.5"	L 5" W 4.25" Ext 0.9"
B 23926-CH/CLR	2Lt x 48w	G9	G9 Xenon	2900k	1480Lm	H 4.25" L 12" Ext 4.5"	L 12" W 4.25" Ext 0.9"
C 23927-CH/CLR	3Lt x 48w	G9	G9 Xenon	2900k	2220Lm	H 4.25" L 19" Ext 4.5"	L 19" W 4.25" Ext 0.9"
D 23928-CH/CLR	4Lt x 48w	G9	G9 Xenon	2900k	2960Lm	H 4.25" L 26" Ext 4.5"	L 26" W 4.25" Ext 0.9"
E 23929-CH/CLR	5Lt x 48w	G9	G9 Xenon	2900k	3700Lm	H 4.25" L 33" Ext 4.5"	L 33" W 4.25" Ext 0.9"



A 23910-CH/FCL



B 23911-CH/FCL



C 23912-CH/FCL



Glas_e Sphere Crystal Vanity Fixture


Finish CH Glass FCL		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 23910-CH/FCL	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 5.25" L 4.75" Ext 5.25"	L 4.4" W 4.4" Ext 1"
B 23911-CH/FCL	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 5.25" L 25" Ext 5.25"	L 23.6" W 1.5" Ext 1"
C 23912-CH/FCL	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 5.25" L 34" Ext 5.25"	L 32.5" W 1.5" Ext 1"



A 23916-CH/FCL



B 23917-CH/FCL



C 23918-CH/FCL



Glas_e Square Crystal Vanity Fixture

Finish CH Glass FCL		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 23916-CH/FCL	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 5.25" L 4.75" Ext 5.25"	L 4.4" W 7.4" Ext 0.5"
B 23917-CH/FCL	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 5.25" L 25" Ext 5.25"	L 23.6" W 1.5" Ext 1"
C 23918-CH/FCL	4Lt x 60w	G9	G9 Halogen	2900k	3200Lm	H 5.25" L 34" Ext 5.25"	L 32.5" W 1.5" Ext 1"



A 62258-CH/FST



B 62259-CH/FST



C 62260-CH/FST



D 62262-CH/FST

Nitro Bent Glass Wall Vanity Fixture

Finish CH Glass FST		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62258-CH/FST	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 5" L 6.5" Ext 3"	L 5.6" W 4.5" Ext 1.75"
B 62259-CH/FST	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 5" L 15.9" Ext 3"	L 14.5" W 4.5" Ext 0.6"
C 62260-CH/FST	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5" L 24.5" Ext 3"	L 23.5" W 4.5" Ext 0.6"
D 62262-CH/FST	5Lt x 100w	R7s	J-78 Halogen	2900k	8250Lm	H 5" L 42.5" Ext 3"	L 41.5" W 4.5" Ext 0.6"



A 62291-BS/OPL



B 62292-BS/OPL



C 62293-BS/OPL



D 62294-BS/OPL




E 62295-BS/OPL

Nitro2 Wall Vanity Fixture

Finish BRZ BS Glass OPL		Supplied Lamps					CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 62291-___/OPL	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 5.25" L 6.9" Ext 3.75"	L 6" W 5.1" Ext 0.9"	
B 62292-___/OPL	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 5.25" L 16" Ext 3.75"	L 15" W 5.1" Ext 0.9"	
C 62293-___/OPL	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5.25" L 25.2" Ext 3.75"	L 24" W 5.1" Ext 0.9"	
D 62294-___/OPL	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 5.25" L 34.25" Ext 3.75"	L 33.25" W 5.1" Ext 0.9"	
E 62295-___/OPL	5Lt x 100w	R7s	J-78 Halogen	2900k	8250Lm	H 5.25" L 48.75" Ext 3.75"	L 48" W 5.1" Ext 0.9"	



A 62251-CH/OPL



B 62252-CH/OPL



C 62253-CH/OPL




D 62254-CH/OPL

Styx Wall Vanity Fixture with Floating J-Box Cover


Finish CH Glass OPL		Supplied Lamps					CETL Wall Dry  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62251-CH/OPL	1Lt x 75w	R7s	J-78 Halogen	2900k	1050Lm	H 4.4" L 9.4" Ext 4"	L 6.25" W 4.75" Ext 1.4" J-Box Cover Plate 4.3" x 4.3"
B 62252-CH/OPL	2Lt x 75w	R7s	J-78 Halogen	2900k	2100Lm	H 1.6" L 23.25" Ext 4"	L 23.25" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3"
C 62253-CH/OPL	3Lt x 75w	R7s	J-78 Halogen	2900k	3150Lm	H 1.6" L 35" Ext 4"	L 34.9" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3"
D 62254-CH/OPL	4Lt x 75w	R7s	J-78 Halogen	2900k	4200Lm	H 1.6" L 46.5" Ext 4"	L 46.5" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3"



A 50175-BS/OPL



B 50177-BS/OPL



C 50178-BS/OPL

Archi Wall Vanity Fixture

Finish BS Glass OPL

CETL Wall Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
A	50175-BS/OPL	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	H 8.75" L 4.7" Ext 4.5"	L 5.9" W 4.75" Ext 0.9"	
	C50175BSOPLN1113B	1Lt x 13w	GU-24	Spiral Fluorescent	2700k	900Lm	H 8.75" L 4.7" Ext 4.5"	L 5.9" W 4.75" Ext 0.9"	Lamps
B	50177-BS/OPL	3Lt x 60w	E-26	A-19 Incandescent	2700k	2400Lm	H 8.75" L 18.3" Ext 4.5"	L 1.4" W 4.75" Ext 0.9"	
	C50177BSOPLN1313B	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	H 8.75" L 18.3" Ext 4.5"	L 1.4" W 4.75" Ext 0.9"	Lamps
C	50178-BS/OPL	4Lt x 60w	E-26	A-19 Incandescent	2700k	3200Lm	H 8.75" L 24.4" Ext 4.5"	L 22.5" W 4.75" Ext 0.9"	
	C50178BSOPLN1413B	4Lt x 13w	GU-24	Spiral Fluorescent	2700k	3600Lm	H 8.75" L 24.4" Ext 4.5"	L 22.5" W 4.75" Ext 0.9"	Lamps



A 53302-BS/OPL



B 53303-BS/OPL



C 53304-BS/OPL

Cosmos Wall Vanity Fixture Mountable up or Down with Full Size Back-Plate

Finish BS Glass OPL		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 53302-BS/OPL	2Lt x 40w	G9	G9 Halogen	2900k	960Lm	H 6.4" L 18" Ext 4" 	L 17" W 4.4" Ext 1"
B 53303-BS/OPL	3Lt x 40w	G9	G9 Halogen	2900k	1440Lm	H 6.75" L 24" Ext 4.6"	L 24" W 4.4" Ext 1.2"
C 53304-BS/OPL	4Lt x 40w	G9	G9 Halogen	2900k	1920Lm	H 6.75" L 36" Ext 8"	L 36" W 4.4" Ext 1.2"



A 63811-19-CH/FST



B 63813-19-CH/FST



C 63815-19-MC/FST



63811-19-CH/RED



63811-19-MC/COB

Sydney Mania Glass Wall Vanity Fixture

Finish CH MC Glass COB FST RED		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 63811-19-_/__	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 9" L 7.5" Ext 5"	D 5" Ext 1.25"
B 63813-19-_/__	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 9" L 22" Ext 5"	D 5" Ext 1.25"
C 63815-19-_/__	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 9" L 32" Ext 5"	D 5" Ext 1.25"



A 63811-20-CH/OPL



B 63813-20-CH/OPL



C 63815-20-MC/OPL

Sydney Thea Glass Wall Vanity Fixture

Finish CH MC Glass OPL		Supplied Lamps					CETL Wall Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 63811-20-_/__	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 8.5" L 7.5" Ext 4.5"	D 5" Ext 1.25"	
B 63813-20-_/__	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 8.5" L 22.5" Ext 4.5"	D 5" Ext 1.25"	
C 63815-20-_/__	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 8.5" L 32.5" Ext 4.5"	D 5" Ext 1.25"	



A 63811-18-CH/OPL



B 63813-18-CH/OPL



C 63815-18-MC/OPL



63811-18-CH/AMB

Sydney Herme's Glass Wall Vanity Fixture

Finish CH MC Glass AMB OPL		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 63811-18-_/__	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 7.5" L 7.5" Ext 5"	D 5" Ext 1.25"
B 63813-18-_/__	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 7.5" L 22" Ext 5"	D 5" Ext 1.25"
C 63815-18-_/__	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 7.5" L 32" Ext 5"	D 5" Ext 1.25"



A 63811-46-CH/OPL



B 63813-46-MC/OPL



C 63815-46-CH/OPL

Sydney Cone Glass Wall Vanity Fixture

Finish CH MC Glass OPL		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 63811-46-_/__	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 7" L 7.5" Ext 4.5"	D 5" Ext 1.25"
B 63813-46-_/__	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 7" L 22" Ext 4.5"	D 5" Ext 1.25"
C 63815-46-_/__	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 7" L 32" Ext 4.5"	D 5" Ext 1.25"



A 63811-47-CH/OPL



B 63813-47-MC/OPL



C 63815-47-MC/OPL

Sydney Tube Glass Wall Vanity Fixture

Finish CH MC Glass AMB OPL		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 63811-47-_/__	1Lt x 60w	G9	G9 Halogen	2900k	800Lm	H 7.5" L 7.5" Ext 4.5"	D 5" Ext 1.25"
B 63813-47-_/__	3Lt x 60w	G9	G9 Halogen	2900k	2400Lm	H 7.5" L 22" Ext 4.5"	D 5" Ext 1.25"
C 63815-47-_/__	5Lt x 60w	G9	G9 Halogen	2900k	4000Lm	H 7.5" L 32" Ext 4.5"	D 5" Ext 1.25"



A 20452GU-BS/WHT




B 20453GU-BS/WHT



C 20454GU-BS/WHT

Aztec Wall Vanity Fixture with Full Size Back-Plate

Finish BS Glass WHT								CUL Wall Damp 
	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	20452GU-BS/WHT	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	H 4.5" L 24" Ext 6"	L 24" W 4.5" Ext 0.9"
B	20453GU-BS/WHT	3Lt x 13w	GU-24	Spiral Fluorescent	2700k	2700Lm	H 4.5" L 36" Ext 6"	L 36" W 4.5" Ext 0.9"
C	20454GU-BS/WHT	4Lt x 13w	GU-24	Spiral Fluorescent	2700k	3600Lm	H 4.5" L 48" Ext 6"	L 48" W 4.5" Ext 0.9"



A 62256-BS/FST



B 62257-BS/FST

Plasma Wall Vanity Fixture

Finish BS Glass FST			Supplied Lamps					CETL Wall Damp  	
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A	62256-BS/FST	2Lt x 100w	R7s	J-118 Halogen	2900k	3300Lm	W 24" L 7" Ext 3"	L 21" W 4.5" Ext 1.75"	
	C62256BSFSTEH3218Q	2Lt x 18w	G24q-2	Quad Fluorescent	2700k	2500Lm	W 24" L 7" Ext 3"	L 21" W 4.5" Ext 1.75"	
B	62257-BS/FST	3Lt x 100w	R7s	J-118 Halogen	2900k	4950Lm	W 36" L 7" Ext 3"	L 33.1" W 4.5" Ext 1.75"	
	C62257BSFSTEN1313Q	3Lt x 13w	G24q-1	Quad Fluorescent	2700k	2700Lm	W 36" L 7" Ext 3"	L 33.1" W 4.5" Ext 1.75"	



A 23901-BS/OPL



B 23903-CH/OPL



C 23904-BS/OPL

Frisco Wall Vanity Fixture

Finish BS CH Glass OPL

CETL Wall Damp 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	23901-__/OPL	1Lt x 60w	E-26	A-19 Incandescent	2700k	800Lm	H 6" L 5" Ext 6.5"	L 6" W 4.6" Ext 0.6"
	C23901xxOPLN1118BS 	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	H 6" L 5" Ext 6.5"	L 6" W 4.6" Ext 0.6"
B	23903-__/OPL	3Lt x 60w	E-26	A-19 Incandescent	2700k	2400Lm	H 7.5" L 26" Ext 6.5"	D 4.75" L 26.25" W 2" Ext 0.88"
	C23903xxOPLN1318BS 	3Lt x 18w	GU-24	Spiral Fluorescent	2700k	3750Lm	H 7.5" L 26" Ext 6.5"	D 4.75" L 26.25" W 2" Ext 0.88"
C	23904-__/OPL	4Lt x 60w	E-26	A-19 Incandescent	2700k	3200Lm	H 7.5" L 35" Ext 6.5"	D 4.75" L 35" W 2" Ext 0.88"
	C23904xxOPLN1418BS 	4Lt x 18w	GU-24	Spiral Fluorescent	2700k	5000Lm	H 7.5" L 35" Ext 6.5"	D 4.75" L 35" W 2" Ext 0.88"



A 31006LEDD-BS/OPL



B 31007LEDD-BS/OPL

Vail Wall Vanity Fixture

Finish BS Glass OPL			Supplied Lamps				CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 31006LEDD-BS/OPL Dimmable	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 3.5" L 18.5" Ext 3.5"	D 4.4" L 14.5" W 3" Ext 1.25"
B 31007LEDD-BS/OPL Dimmable	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 3.5" L 22.5" Ext 3.5"	D 4.4" L 18.75" W 3" Ext 1.25"



A 31000-BS/OPL



B 31001-BS/OPL

Vail Wall Vanity Fixture

Finish BS Glass OPL					Supplied Lamps		CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A	31000-BS/OPL	1Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	1750Lm	H 4.25" L 25.5" Ext 3.25"	D 4.4" L 25.5" W 3" Ext 1.25"
	31000LEDD-BS/OPL	1Lt x 26w	Module	85CRI LED	3000k	3040Lm	H 4.25" L 25.5" Ext 3.25"	D 4.4" L 25.5" W 3" Ext 1.25"
B	31001-BS/OPL	1Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3100Lm	H 4.25" L 37.5" Ext 3.25"	D 4.4" L 37.5" W 3" Ext 1.25"
	31001LEDD-BS/OPL	1Lt x 40w	Module	85CRI LED	3000k	4560Lm	H 4.25" L 37.5" Ext 3.25"	D 4.4" L 37.5" W 3" Ext 1.25"



A 31002-BS/OPL



B 31003-BS/OPL

Vail Wall Vanity Fixture


Finish (31002 BS) (31003 BS CH) Glass OPL					Supplied Lamps		CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A	31002-BS/OPL	1Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	1750Lm	H 4.25" L 30.25" Ext 3.25"	D 4.4" L 25.6" W 3" Ext 1.25"
	31002LEDD-BS/OPL	1Lt x 26w	Module	85CRI LED	3000k	3040Lm	H 4.25" L 30.25" Ext 3.25"	D 4.4" L 25.6" W 3" Ext 1.25"
B	31003-__/OPL	1Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3100Lm	H 4.25" L 42" Ext 3.25"	D 4.4" L 37.5" W 3" Ext 1.25"
	31003LEDD-__/OPL	1Lt x 40w	Module	85CRI LED	3000k	4560Lm	H 4.25" L 42" Ext 3.25"	D 4.4" L 37.5" W 3" Ext 1.25"



A 62067-BS/FST



B 62068-BS/FST



C 62069-BS/FST



D 62070-BS/FST

Mercury Wall Vanity Fixture

Finish BS Glass FST		Supplied Lamps					CETL Wall Dry  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62067-BS/FST	2Lt x 40w	G9	G9 Halogen	2900k	960Lm	H 5.25" L 15" Ext 2.75"	W 12.75" L 4" Ext .25"
B 62068-BS/FST	3Lt x 40w	G9	G9 Halogen	2900k	1440Lm	H 5.25" L 22.25" Ext 2.75"	W 20.25" L 4" Ext .25"
C 62069-BS/FST	4Lt x 40w	G9	G9 Halogen	2900k	1920Lm	H 5.25" L 29" Ext 2.75"	W 25.5" L 4" Ext .25"
D 62070-BS/FST	5Lt x 40w	G9	G9 Halogen	2900k	2400Lm	H 5.25" L 36.25" Ext 2.75"	W 34.25" L 4" Ext .25"



A 62091-BS/12C



B 62092-BS/12C



C 62093-BS/12C



D 62099-BS/12C



Phoebe Wall Vanity Fixture with Full Size Back-Plate

Finish BS Glass 12C		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 62091-BS/12C	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 5" L 12.75" Ext 6.25"	L 12" W 4.4" Ext 1.5"
B 62092-BS/12C	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 5" L 23" Ext 6.25"	L 22.25" W 4.4" Ext 0.75"
C 62093-BS/12C	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 5" L 33.25" Ext 6.25"	L 32.25" W 4.4" Ext 0.75"
D 62099-BS/12C	4Lt x 100w	R7s	J-78 Halogen	2900k	6600Lm	H 5" L 43.5" Ext 6.25"	L 42.5" W 4.4" Ext 2.4"



A 62061-SC/FST



B 62062-SC/FST

Roto Wall Vanity Fixture with Full Size Back-Plate

Finish SC Glass FST			Supplied Lamps					CETL Wall Dry  	
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A	62061-SC/FST	1Lt x 100w	R7s	J-118 Halogen	2900k	1650Lm	H 5.5" L 12" Ext 4"	L 6" W 4.25" Ext 0.75"	
	C62061SCFSTEN1118Q	1Lt x 18w	G24q-2	Quad Fluorescent	2700k	1250Lm	H 5.5" L 12" Ext 4"	L 6" W 4.25" Ext 0.75"	
B	62062-SC/FST	2Lt x 100w	R7s	J-118 Halogen	2900k	3300Lm	H 5.5" L 24" Ext 4"	L 18" W 4.25" Ext 1.1"	
	C62062SCFSTEH3226Q	2Lt x 26w	G24q-3	Quad Fluorescent	2700k	3420Lm	H 5.5" L 24" Ext 4"	L 18" W 4.25" Ext 1.1"	



A 53313-BS/CKF



B 53314-BS/CKF

Nara Bent Glass Checkered Frosted Vanity Wall Fixture

Finish BS Glass CKF								CETL Wall Damp  
	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	53313-BS/CKF	3Lt x 60w	E-12	B-10 Incandescent	2700k	2400Lm	H 7" L 30.5" Ext 4"	L 8.25" W 4.5" Ext 0.75"
B	53314-BS/CKF	4Lt x 60w	E-12	B-10 Incandescent	2700k	3200Lm	H 7" L 40.5" Ext 4"	L 8.25" W 4.5" Ext 0.75"



A 62041-BS/CKF



B 62042-BS/CKF



C 62043-BS/CKF

Helium Wall Vanity Fixture

Finish BS Glass CKF		Supplied Lamps					CETL Wall Damp		
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A	62041-BS/CKF	1Lt x 100w	R7s	J-118 Halogen	2900k	1650Lm	H 4.75" L 12.5" Ext 3.5"	L 12.1" W 4.6" Ext 0.75"	
	C62041BSCKFEN1113BQ	1Lt x 13w	GU-24	Quad Fluorescent	2700k	900Lm	H 4.75" L 12.5" Ext 3.5"	L 12.1" W 4.6" Ext 0.75"	
B	62042-BS/CKF	2Lt x 100w	R7s	J-118 Halogen	2900k	3300Lm	H 4.75" L 24.5" Ext 4.25"	L 23.5" W 4.6" Ext 0.6"	
	C62042BSCKFEN1226BS	 2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	H 4.75" L 24.5" Ext 4.25"	L 23.5" W 4.6" Ext 0.6"	
	62042LED-BS/CKF	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 4.75" L 24.5" Ext 4.25"	L 23.5" W 4.6" Ext 0.6"	
C	62043-BS/CKF	2Lt x 100w	R7s	J-118 Halogen	2900k	3300Lm	H 4.75" L 32" Ext 5"	L 31.5" W 4.75" Ext 0.75"	
	C62043BSCKFEH12245	2Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3500Lm	H 4.75" L 32" Ext 5"	L 31.5" W 4.75" Ext 0.75"	
	62043LEDD-BS/CKF	1Lt x 26w	Module	85CRI LED	3000k	3040Lm	H 4.75" L 32" Ext 5"	L 31.5" W 4.75" Ext 0.75"	



B 62233-BS/LFR



A 62231-BS/LFR



C 62234-BS/LFR




Neon Wall Vanity Fixture

Finish BS Glass LFR		Supplied Lamps					CETL Wall Damp 	
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	62231-BS/LFR	1Lt x 150w	R7s	J-118 Halogen	2900k	2600Lm	H 6.3" L 16" Ext 4.5"	L 5.4" W 10.5" Ext 1.4"
	C62231BSLFREN1218B	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	H 6.3" L 16" Ext 4.5"	L 5.4" W 10.5" Ext 1.4"
B	62233-BS/LFR	2Lt x 100w	R7s	J-118 Halogen	2900k	3300Lm	H 6.3" L 24" Ext 4.5"	L 19.25" W 5.4" Ext 1.4"
	C62233BSLFREN1213BS 	2Lt x 13w	GU-24	Spiral Fluorescent	2700k	1800Lm	H 6.3" L 24" Ext 4.5"	L 19.25" W 5.4" Ext 1.4"
C	62234-BS/LFR	3Lt x 100w	R7s	J-78 Halogen	2900k	4950Lm	H 6.3" L 32" Ext 4.5"	L 27.4" W 5.4" Ext 0.88"
	C62234BSLFREN1218BS 	2Lt x 18w	GU-24	Spiral Fluorescent	2700k	2500Lm	H 6.3" L 32" Ext 4.5"	L 27.4" W 5.4" Ext 0.88"



A 62051-BS/CKF



A 62051-BS/CKF



B 62052-BS/CKF



C 62053-BS/CKF

Pg 332



Oxygen Wall Vanity Fixture

Finish CH Glass CKF		Supplied Lamps					CETL Wall Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	62051-CH/CKF	1Lt x 100w	R7s	J-118 Halogen	2900k	1650Lm	H 6.75" L 13.75" Ext 3.25"
	C62051CHCKFEN1118Q	1Lt x 18w	G24q-2	Quad Fluorescent	2700k	1250Lm	H 6.75" L 13.75" Ext 3.25"
B	62052-CH/CKF	2Lt x 150w	R7s	J-118 Halogen	2900k	5200Lm	H 6.75" L 25.25" Ext 4.25"
	C62052CHCKFEN1226BS 	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	H 6.75" L 25.25" Ext 4.25"
	62052LED-CH/CKF	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 6.75" L 25.25" Ext 4.25"
C	62053-CH/CKF	2Lt x 150w	R7s	J-118 Halogen	2900k	5200Lm	H 6.75" L 33.5" Ext 4.75"
	C62053CHCKFEN1226BS 	2Lt x 26w	GU-24	Spiral Fluorescent	2700k	3420Lm	H 6.75" L 33.5" Ext 4.75"
	62053LEDD-CH/CKF	1Lt x 26w	Module	85CRI LED	3000k	3040Lm	H 6.75" L 33.5" Ext 4.75"



A 30110-BS/FST



B 30111-BS/FST

Tahoe Wall & Ceiling Fixture with Full Size Back-Plate

Finish BS Glass FST		Supplied Lamps					CETL Wall Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 30110-BS/FST	2Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3500Lm	H 2.55" W 6.1" L 24.25"	L 24.2" W 4.2" Ext 2.25"	
B 30111-BS/FST	2Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	6200Lm	H 2.55" W 6.1" L 36"	L 36" W 4.2" Ext 2.25"	



A 31004-BS/OPL



B 31005-BS/OPL

Aspen Wall Vanity Fixture

Finish BS Glass OPL		Supplied Lamps					CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 31004-BS/OPL	1Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	1750Lm	H 4.25" L 29.5" Ext 4"	D 4.4" L 24.1" W 2.6" Ext 1.25"	
B 31005-BS/OPL	1Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3100Lm	H 4.5" L 41.5" Ext 4.75"	D 4.4" L 35.9" W 2.6" Ext 1.25"	



A 31021-BS/ACR



B 31022-BS/ACR

Sierra Wall Vanity Fixture with Full Size Back-Plate

Finish BS Diffuser ACR		Supplied Lamps					CETL Wall Ceiling Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 31021-BS/ACR	2Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3500Lm	H 4" L 24.75" Ext 2.5"	L 22.1" W 3.9" Ext 0.4"
B 31022-BS/ACR	2Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	6200Lm	H 4" L 36.75" Ext 2.5"	L 34.1" W 3.9" Ext 0.4"



A 31032-BS/ACR



B 31033-BS/ACR

Sequoia Ceiling & Wall Fixture with Full Size Back-Plate

Finish BS Diffuser ACR		Supplied Lamps					CETL Wall Ceiling Damp  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 31032-BS/ACR	2Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3500Lm	H 3.62" W 5.5" L 25.25" Ext 3.62"	L 24.9" W 5.25" Ext 0.6"
B 31033-BS/ACR	2Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	6200Lm	H 3.62" W 5.5" L 37" Ext 3.62"	L 36.75" W 5.25" Ext 0.6"



A 62311-BS/FST

B 62312-BS/FST

Pg 30



Titanium Wall Vanity Fixture

Finish BS Glass FST		Supplied Lamps					CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 62311-BS/FST	1Lt x 100w	R7s	J-78 Halogen	2900k	1650Lm	H 2.75" L 12" Ext 4"	L 6.4" W 2" Ext 0.9"	
B 62312-BS/FST	2Lt x 100w	R7s	J-78 Halogen	2900k	3300Lm	H 2.75" L 23.6" Ext 4"	L 13.5" W 2" Ext 0.75"	



A 31010-BS/OPL




B 31011-CH/OPL

Geneva Wall Vanity Fixture

Finish BS CH Glass OPL		Supplied Lamps					CETL Wall Damp  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
A 31010-__/OPL	1Lt x 24w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	1750Lm	H 4" L 24.5" Ext 3.5"	D 4.4" L 25.6" W 2.25" Ext 1.25"	
B 31011-__/OPL	1Lt x 39w	Bi-Pin	T-5 HO Linear Fluorescent	3000k	3100Lm	H 4" L 36.6" Ext 3.5"	D 4.4" L 37.4" W 2.25" Ext 1.25"	

LED MIRRORS






70085LEDD-MIR

SPA | COLLECTION

Luxuriate in the privacy of your own bathroom with your own resort worthy mirror. The SPA Collection, an anti-fog mirror, illuminated via solid state LEDs, is equipped with a blue lit button for ease of access in the dark. Turn your ordinary bathroom into an extraordinary bathroom with SPA...so much more than just a mirror.



70086LEDD-MIR



D 24.5"



W 28.5"

H 28.5"

Spa Round LED Anti-Fog Mirror, Electronic On/Off Switch and Touch Dimmer

Finish MIR		Supplied Lamps					CETL Wall Damp 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 70085LEDD-MIR Dimmable	1Lt x 20w	Module	85CRI LED	2800k	3009Lm	D 24.5" Ext 2.5"	D 22" Ext 2"
B 70086LEDD-MIR Dimmable	1Lt x 30w	Module	85CRI LED	2800k	4420Lm	H 28.5" W 28.5" Ext 2.5"	H 26" W 26" Ext 2"

TASK LIGHTING





70017LED-CH/CRM



70017LED-BRZ/CRM



Cyprus LED and Fluorescent Wall Lamp with 4-Way On/Off Switch


Finish BRZ CH Linen Shade CRM							CETL Wall Dry 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
70017LED-___/CRM	1Lt x 18w	GU-24	Spiral Fluorescent	2700k	1250Lm	H 14.25" L 15.25" Ext 9"	L 5.25" W 4.4" Ext 1.5"	Lamps
	1Lt x 3w	Module	85CRI LED	3500k	165Lm			



70020LED-CH/OPL

NITE | COLLECTION

Let Nite keep you on task with bedside activities. This attractive LED bedside lamp offers 3 settings for ambiance, task lighting, or a combination of the two. Alternatively, keep your bedroom a sanctuary without the task light. Nite, a wonderful bedroom addition both visually and functionally.



Nite LED Wall Fixture

Finish BRZ CH Glass OPL		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70020LED-___/OPL	1Lt x 10w + 1Lt x 3w	Module	85CRI LED	2800-3200K	940Lm	H 16" W 5" Ext 6.5"	L 7" W 5" Ext 1.5"



70003LED-BS



70003LED-BRZ

Epiphanie Gooseneck Wall Lamp with On/Off Switch. Hardwiring or Plug-In

Finish BRZ BS		Supplied Lamps, Cord and Plug					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70003LED-__	1Lt x 3w	Module	85CRI LED	3500k	165Lm	H 16.7" W 16" L 5"	D 5" Ext 0.9"



62089-BS



62089-BRZ

LED Gooseneck Wall Lamp with On/Off Switch. Hardwiring or Plug-In

Finish BRZ BS		Supplied Lamps, Cord and Plug					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
62089-__	1Lt x 1w	Module	85CRI LED	4700k	65Lm	D 5" H 16.7" Ext 1.7"	D 5" Ext 0.9"



70018LED-CH



70018LED-BRZ

Cyprus2 LED Plug-In Headboard Lamp

Finish BRZ CH		Supplied Lamps, Cord and Plug-Driver					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70018LED-___	1Lt x 3w	Module	85CRI LED	3200k	360Lm	D 3.15" H 4.6" Ext 5"	D 3.15" Ext 1.4"



Illuminated switch, turns blue when the lamp is in the off position for easy location in the dark

Unagi LED Gooseneck Headboard Lamp

Finish BRZ CH		Supplied Lamps, Cord and Plug-Driver				CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions
70019LED-___	1Lt x 3w	Module	85CRI LED	3200k	360Lm	D 1.75" L 12.6"



62088-BS



62088-BRZ

Odyssey Wall Mounted Task Lamp with On/Off switch

Finish BRZ BS		Supplied Lamps					CETL Wall Dry 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
62088-__	1Lt x 35w	GU-10	MR-16 Halogen	2900k	320Lm	H 26" W 6.25" L 5 To 20"	L 4.9" W 4.9" Ext 0.75"

EXTERIOR







A 20376MG-SAT/FST

ZEN | COLLECTION

Both the ying and the yang can be found in the simplicity of the Zen Collection. A total balance of linear elements that together create a oneness we like to call Zen. This is no illusion, purely light and vertical lines freeing the mind of clutter.



B 20377MG-BRZ/FST



C 20378MG-BRZ/FST



Zen Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass FST 						CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions
A 20376MG-___/FST	1Lt x 60w	E-26	A-19	2700k	800Lm	H 12" W 6" Ext 5.25"
B 20377MG-___/FST	2Lt x 60w	E-26	A-19	2700k	1600Lm	H 18" W 6" Ext 5.25"
C 20378MG-___/FST	2Lt x 60w	E-26	A-19	2700k	1600Lm	H 26" W 6" Ext 5.25"



20367MG-BRZ/OPL



L 4.25" Ext 5.6"

H 11.9"

Nyz Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass OPL		Supplied Lamps					CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20367MG-___/OPL	1Lt x 18w	2G11	FT18DL Fluorescent	3000k	1200Lm	H 11.9" L 4.25" Ext 5.6"	L 6" W 4.25" Ext 1.9"



B 20361-ALU/OPL

EOS | COLLECTION

Bring instant curbside appeal to your home with the Eos Collection. The beauty of Eos lies in the simple, unadorned lines. The downward light projection provides both general illumination and simple path lighting. A fluorescent alternative couples design with energy efficiency.



A 20360-ALU/OPL



H 11.5"

D 3" Shade Ext 4.5"



H 18.5"

D 3" Shade Ext 4.5"

Eos Wet Location Wall Fixture

Finish ALU BRZ Glass OPL

CUL Wall Wet 

	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	20360-___/OPL	1Lt x 60w	E-26	A-19	2700k	800Lm	H 11.5" Ext 4.5"	D 5" Ext 0.5"
B	20361-___/OPL	2Lt x 60w	E-26	A-19	2700k	1600Lm	H 18.5" Ext 4.5"	D 5" Ext 0.5"



Eclipse Wall Fixture

Finish SAT Glass OPL

							CUL Wall Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions		
20449-SAT/OPL	1Lt x 75w	E-26	A-19			H 14" L 9.25" Ext 4"	L 9.25" W 4.6" Ext 1"		
C20449SATOPLEN1113BS	 1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	H 14" L 9.25" Ext 4"	L 9.25" W 4.6" Ext 1"		



Brick Wet Location Wall Fixture

Glass OPL

							CUL Wall Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions		
20450-OPL	1Lt x 75w	E-26	A-19			H 10.25" L 5.5" Ext 4"	L 9.6" W 4.6" Ext 1"		
C20450OPLN1113BS	 1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	H 10.25" L 5.5" Ext 4"	L 9.6" W 4.6" Ext 1"		



The 180 Wet Location Wall Fixture

Finish SAT Glass OPL							CETL Wall Wet  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20397-SAT/OPL	1Lt x 100w	E-26	A-19			H 5.5" W 10" Ext 4"	H 5" W 9"



Oblong Wet Location Wall Fixture

Finish WH Glass OPL							CETL Wall Wet  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20395-WH/OPL	1Lt x 100w	E-26	A-19			H 10" W 7" Ext 3.5"	L 9.6" W 4.6" Ext 1"



20290-BL/FST



20290-SAT/FST



20290-WH/FST

Ext 3.5"

W 4.25" L 8.25"

Nauticus Wet Location Bulkhead

Finish BL SAT WH Glass FST							CUL Wall Ceiling Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied	
20290-___/FST	1Lt x 60w	E-26	A-19			W 4.25" L 8.25" Ext 3.5"	L 8" W 4.4" Ext 1"		
C20290___FSTEN1113BS	 1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	W 4.25" L 8.25" Ext 3.5"	L 8" W 4.4" Ext 1"	Lamps	



20294-BL/FST



20294-SAT/FST



D 7" Ext 4"
20294-WH/FST

D 7"

Nauticus Wet Location Bulkhead

Finish BL SAT WH Glass FST							CUL Wall Ceiling Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied	
20294-___/FST	1Lt x 60w	E-26	A-19			D 7" Ext 4"	D 7" Ext 1"		
C20294___FSTEN1113BS	 1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	D 7" Ext 4"	D 7" Ext 1"	Lamps	



Nauticus Wet Location Bulkhead

Finish BL SAT WH Glass FST							CUL Wall Ceiling Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied	
20292-___/FST	1Lt x 100w	E-26	A-19			W 6.5" L 11" Ext 4.75"	L 10.6" W 6.5" Ext 1"		
C20292___FSTEN1118BS	 1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	W 6.5" L 11" Ext 4.75"	L 10.6" W 6.5" Ext 1"	Lamps	



Nauticus Wet Location Bulkhead

Finish BL SAT WH Glass FST							CUL Wall Ceiling Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied	
20296-___/FST	1Lt x 100w	E-26	A-19			D 9.5" Ext 5"	D 9.5" Ext 1"		
C20296___FSTEN1118BS	 1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	D 9.5" Ext 5"	D 9.5" Ext 1"	Lamps	



Nauticus Wet Location Bulkhead

Finish BL SAT WH Glass FST							CUL Wall Ceiling Wet		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied	
20291-___/FST	1Lt x 60w	E-26	A-19			H 4.25" L 8.25" Ext 3.5"	L 8" W 4.4" Ext 1"		
C20291___FSTEN1113BS	1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	H 4.25" L 8.25" Ext 3.5"	L 8" W 4.4" Ext 1"	Lamps	



MicroMoon Marine Grade Wet Location Ceiling or Wall Fixture

Finish BRZ SAT Glass FST			Supplied Lamps				CETL Wall Ceiling Wet	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
20337MG-___/FST	1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	D 5" H 5"	D 4.4" Ext 1.5"	



20355MG-SAT/FST



D 12" Ext 5"
20355MG-BRZ/FST

D 12" H 5"

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

Finish BRZ SAT Glass FST 							CETL Wall Ceiling Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20355MG-___/FST	1Lt x 60w	E-26	A-19			D 12" Ext 5"	L 5" W 4.6"	
C20355MGxxxFSTEN1118BS 	1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	D 12" Ext 5"	L 5" W 4.6"	Lamps
20355LEDDMG-___/FST	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 12" Ext 5"	L 5" W 4.6"	Lamps 



20356MG-BRZ/FST




D 15.75" Ext 5.5"
20356MG-SAT/FST

H 5.5"

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

Finish BRZ SAT Glass FST 							CETL Wall Ceiling Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20356MG-___/FST	2Lt x 60w	E-26	A-19			D 15.75" Ext 5.5"	L 5" W 4.6"	
C20356MGxxxFSTEN1218BS 	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	D 15.75" Ext 5.5"	L 5" W 4.6"	Lamps
20356LEDDMG-___/FST	1Lt x 15w	Module	90CRI LED	3000k	1515Lm	D 15.75" Ext 5.5"	L 5" W 4.6"	Lamps 

EXTERIOR



20370MG-SAT/FST



H 16.25"

L 6.5" Ext 6"
20370MG-BRZ/FST

Nyami Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass FST 							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20370MG-___/FST	2Lt x 60w	E-26	A-19			H 16.25" L 6.5" Ext 6"	L 7" W 4.5"	
C20370MGxxxFSTEN1218BS 	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	H 16.25" L 6.5" Ext 6"	L 7" W 4.5"	Lamps
20370LEDMG-___/FST	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 16.25" L 6.5" Ext 6"	L 7" W 4.5"	Lamps



20362-SAT/OPL



L 11.5"

W 10.25" Ext 4"

Artemis Wet Location Wall Fixture

Finish BRZ SAT Glass OPL		Supplied Lamps					CUL Wall Wet  	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
20362-___/OPL 	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	W 10.25" L 11.5" Ext 4"	L 11.5" W 10.4" Ext 0.4"	



20333MG-BRZ/RFR



20333MG-SAT/RFR

H 13"

L 7" Ext 5"

Neptune Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass RFR 							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20333MG-___/RFR	1Lt x 75w	E-26	A-19			H 13" L 7" Ext 5"	H 7" W 4.6"	
C20333MGxxxRFREN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	H 13" L 7" Ext 5"	H 7" W 4.6"	Lamps
20333LEDMG-___/RFR	1Lt x 10.8w	Module	85CRI LED	3000k	1265Lm	H 13" L 7" Ext 5"	H 7" W 4.6"	Lamps



20335MG-SAT/RFR



20335MG-BRZ/RFR

L 8.25"

W 8.25" Ext 4.75"

Neptune Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass RFR 							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20335MG-___/RFR	1Lt x 60w	E-26	A-19			W 8.25" L 10.5" Ext 4.75"	L 7" W 4.6"	
C20335MGxxxRFREN1118BS 	1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	W 8.25" L 10.5" Ext 4.75"	L 7" W 4.6"	Lamps
20335LEDMG-___/RFR	1Lt x 10.8w	Module	85CRI LED	3000k	1265Lm	W 8.25" L 10.5" Ext 4.75"	L 7" W 4.6"	Lamps



W 6.5"

L 10.6" Ext 4.25"

Poseidon Wet Location Bulkhead

Finish SS Glass FST							CETL Wall Wet	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20301-SS/FST	1Lt x 60w	E-26	A-19	2700k	800Lm	W 6.5" L 10.6" Ext 4.25"	L 8.5" W 5" Ext 0.5"	
C20301SSFSTEN1118BS 	1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	W 6.5" L 10.6" Ext 4.25"	L 8.5" W 5" Ext 0.5"	Lamps
20301LED-SS/FST	1Lt x 10.8w	Module	85CRI LED	3000k	1265Lm	W 6.5" L 10.6" Ext 4.25"	L 8.5" W 5" Ext 0.5"	Lamps



20373-BRZ/OPL



W 5.25"

L 14.6" Ext 4.2"

20373-SAT/OPL

Tyro Wet Location Wall Fixture

Finish BRZ SAT Glass OPL							CUL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20373-___/OPL	1Lt x 100w	E-26	A-19			W 5.25" L 14.6" Ext 4.2"	L 13.75" W 4.2" Ext 0.4"	
C20373xxxOPLN1118B	1Lt x 18w	GU-24	Spiral PL	2700k	1250Lm	W 5.25" L 14.6" Ext 4.2"	L 13.75" W 4.2" Ext 0.4"	Lamps



20330-SAT/FST

Oden Wet Location Wall Fixture

Finish BL SAT Glass FST							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20330-___/FST	2Lt x 60w	E-26	A-19			H 10.25" L 10.25" Ext 4.75"	L 10.25" W 10.25" Ext 1.2"	
C20330xxxFSTEN1218BS 	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm	H 10.25" L 10.25" Ext 4.75"	L 10.25" W 10.25" Ext 1.2"	Lamps
20330LED-___/FST	1Lt x 13w	Module	85CRI LED	3000k	1520Lm	H 10.25" L 10.25" Ext 4.75"	L 10.25" W 10.25" Ext 1.2"	Lamps



20375MG-SAT/FST



D 6.6" Ext 4"
20375MG-BRZ/FST

Nymph Marine Grade Wet Location Wall Fixture

Finish BRZ SAT Glass FST 		Supplied Lamps				CETL Wall Wet  		
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
20375MG-___/FST	1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	D 6.6" Ext 4"	D 4.5" Ext 0.4"	
20375LEDMG-___/FST	1Lt x 10.8w	Module	85CRI LED	3000k	1265Lm	D 6.6" Ext 4"	D 4.5" Ext 0.4"	



A 20300-BRZ/RFR



A 20300-SAT/RFR



B 20302-BRZ/RFR



B 20302-SAT/RFR

Poseidon Wet Location Bulkhead

Finish BRZ BL SAT Glass RFR							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
A 20300-___/RFR	1Lt x 60w	E-26	A-19			H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	
	 C20300xxxRFREN1118BS	GU-24	Spiral PL	2700k	1250Lm	H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	Lamps
	20300LED-___/RFR	Module	85CRI LED	3000k	1265Lm	H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	Lamps
B 20302-___/RFR	1Lt x 60w	E-26	A-19			H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	
	 C20302xxxRFREN1118BS	GU-24	Spiral PL	2700k	1250Lm	H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	Lamps
	20302LED___/RFR	Module	85CRI LED	3000k	1265Lm	H 10.75" L 7.25" Ext 5.5"	L 4.6" W 4.6" Ext 0.5"	Lamps



A 20342-SAT/RFR



B 20343-BRZ/RFR



C 20344MG-SAT/RFR

Poseidon Wet Location Bulkhead

Finish BRZ SAT Glass RFR

Dimensions H 16.75" L 6" Ext 5.3" Backplate L 7" W 4.5" Ext 0.5"


20344 Supplied in a Marine Grade Finish



CETL Wall Wet



	Model	Wattage	Base	Type	Kelvin	NomLumen
A	20342-___/RFR	2Lt x 60w	E-26	A-19		
	C20342___RFREN1218BS 	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm
	20342LED-___/RFR	1Lt x 13w	Module	85CRI LED	3000k	1520Lm
B	20343-___/RFR	2Lt x 60w	E-26	A-19		
	C20343___RFREN1218B	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm
	20343LED-___/RFR	1Lt x 13w	Module	85CRI LED	3000k	1520Lm
C	20344MG-___/RFR	2Lt x 60w	E-26	A-19		
	C20344MG___RFREN1218BS 	2Lt x 18w	GU-24	Spiral PL	2700k	2500Lm
	20344LEDMG-___/RFR	1Lt x 13w	Module	85CRI LED	3000k	1520Lm



H 16.75"

L 6" Ext 5.3"

EXTERIOR



23063LEDMG-SAT/CLR



23063LEDMG-BRZ/CLR

W 4.75" Ext 2.75"

L 7.2"

Archer Marine Grade Wet Location LED Wallwasher

Finish	BRZ SAT Glass CLR		Supplied Lamps				CETL Wall Wet  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
23063LEDMG-___/CLR	2Lt x 4.5w	Module	85CRI LED	3000k	770Lm	W 4.75" L 7.2" Ext 2.75"	L 7.2" W 4.75" Ext 0.4"



23062LEDMG-SAT/CLR



23062LEDMG-BRZ

W 4.75" Ext 2.75"

L 7.2"

Archer Marine Grade Wet Location LED Wallwasher

Finish	BRZ SAT Glass CLR		Supplied Lamps				CETL Wall Wet  
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
23062LEDMG-___/CLR	1Lt x 4.5w	Module	85CRI LED	3000k	385Lm	W 4.75" L 7.2" Ext 2.75"	L 7.2" W 4.75" Ext 0.4"



A 20346-BRZ/ACR



B 20347-SAT/ACR



Kraken Wet Location Wall Fixture

Finish BRZ SAT Glass ACR		Supplied Lamps					CETL Wall Wet 	
	Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A	20346-__ACR	2Lt x 24w	Bi-Pin	T-5 H/O	3000k	3500Lm	H 26" L 10" Ext 5.7"	L 6.2" W 4.4"
B	20347-___/ACR	2Lt x 24w	Bi-Pin	T-5 H/O	3000k	3500Lm	H 26" L 10" Ext 5.7"	L 6.2" W 4.4"

H 26"

EXTERIOR



23064LEDMG-SAT



23064LEDMG-BRZ

W 5.25" Ext 2.5"

L 5.25"

ZyZx Marine Grade Wet Location LED Wallwasher

Finish	BRZ SAT			Supplied Lamps			CETL Wall Wet		
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions		Backplate Dimensions
23064LEDMG-__		2Lt x 3.5w	Module	85CRI LED	3000k	280Lm	H 5.25" L 5.25" Ext 2.5"		L 5.25" W 5.25" Ext 1"



23061MGLED-SAT



23061MGLED-BRZ

W 5.25" Ext 3"

L 5.25"

ZyZx Marine Grade Wet Location LED Wallwasher

Finish	BRZ SAT			Supplied Lamps			CETL Wall Wet		
Model		Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions		Backplate Dimensions
23061LEDMG-__		1Lt x 3.5w	Module	85CRI LED	3000k	140Lm	W 5.25" L 5.25" Ext 3"		W 5.25" Ext 1"

SLANT | COLLECTION

Defined architectural angles mark this outdoor wall washer as a serious player. A low profile and LED light source brand Slant for both residential and commercial applications.



20786LED-WH



W 6.38 Ext 3.85"

H 9"




Slant DLC Certified Wet Location Wall Fixture with Day-Night Sensor

Finish BL WH		Supplied Lamps				CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions
20786LED-__	1Lt x 20w	Module	80CRI LED	4500k	1400Lm	H 9" W 6.38" Ext 3.85"



SQUARE | COLLECTION

These perfectly four-sided outdoor luminaire conveys a cool, stylish image. Two versions, adjustable or fixed, allow for the dramatic distribution of light on the mounting surface. Square, for those with out of the box thinking.



A 20398LED-SAT



H 3.1"

W 5" Ext 5"



B 20399LED-WH
(with adjustable louvers)



H 4.25"

20399LED-BRZ

W 4.25" Ext 4.25"

Square Wet Location LED Wall Fixture

Finish BRZ SAT WH		Supplied Lamps					CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
A 20398LED-___	1Lt x 6w	Module	85CRI LED	3000k	480Lm	H 3.1" W 5" Ext 5"	H 4" W4"
B 20399LED-___	1Lt x 6w	Module	85CRI LED	3000k	480Lm	H 4.25" W 4.25" Ext 4.25"	H 4" W4"



20350MG-BRZ/CLR



20350MG-SAT/CLR

Ext 4.2"

KO Marine Grade Wet Location Halogen Spotlight

Finish BRZ SAT Glass CLR		Supplied Lamps		CETL Wall Wet			
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20350MG-___/CLR	1Lt x 35w	GU-10	MR-16 Hgn	2900k	320Lm	H 4.25" Ext 4.2"	D 4.2" Ext 1.5"
20350LEDMG-___/CLR	1Lt x 5.5w	GU-5.3	MR-16 LED	3000k	346Lm	H 4.25" Ext 4.2"	D 4.2" Ext 1.5"



20351MG-SAT/CLR



20351MG-BRZ/CLR

Ext 4 to 6"

KO Marine Grade Wet Location Halogen Spotlight

Finish BRZ SAT Glass CLR		Supplied Lamps		CETL Wall Wet			
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20351MG-___/CLR	1Lt x 35w	GU-10	MR-16 Hgn	2900k	320Lm	H 4" Ext 4 to 6"	D 4.2" Ext 1.5"
20351LEDMG-___/CLR	1Lt x 5.5w	GU-5.3	MR-16 LED	3000k	346Lm	H 4" Ext 4 to 6"	D 4.2" Ext 1.5"



70063LED-BRZ

FIN | COLLECTION

LED in both form and function, the Fin is designed with LED performance in mind. The heat sync has been artistically integrated into the design of this exceptional outdoor wall washer.



D 5.1"

H 7.5"

Ext 8"



70063LED-SAT

Fin LED Wet Location Spotlight

Finish BRZ SAT		Supplied Lamps				CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
70063LED-__	1Lt x 7w	Module	85CRI LED	2800-3200K	600Lm	H 7.5" Ext 8"	D 5.1" Ext 1.5"

EXTERIOR



23026MG-BRZ/CLR



23026MG-SAT/CLR

Myra Marine Grade Wet Location Wall Washer

Finish BRZ SILV Glass CLR 		Supplied Lamps					CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
23026MG-___/CLR	2Lt x 50w	GU-10	MR-16 Hgn	2900k	110Lm	H 6.5" Ext 5"	D 4.5" Ext 0.6"



23025MG-BRZ/CLR



23025MG-SAT/CLR

Myra Marine Grade Wet Location Adjustable Spotlight

Finish BRZ SILV Glass CLR 		Supplied Lamps					CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
23025MG-___/CLR	1Lt x 50w	GU-10	MR-16 Hgn	2900k	550Lm	L 3.75" Ext 5"	D 4.5" Ext 0.6"



KO Marine Grade Wet Location Halogen Spotlight

Finish BRZ SAT Glass CLR		Supplied Lamps					CETL Wall Wet
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20352MG-___/CLR	2Lt x 35w	GU-10	MR-16 Hgn	2900k	520Lm	H 6.5" Ext 4"	D 4.2" Ext 1.5"
20352LEDMG-___/CLR	2Lt x 5.5w	GU-5.3	MR-16 LED	3000k	692Lm	H 6.5" Ext 4"	D 4.2" Ext 1.5"



Poseidon Marine Grade Wet Location Wall Washer

Finish BRZ SAT Glass CLR		Supplied Lamps					CETL Wall Wet
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20385MG-___/CLR	2Lt x 35w	GU-5.3	MR-16 Hgn	2900k	720Lm	H 9" Ext 4.8"	D 4.5" Ext 1.5"



Poseidon Wet Location Wallwasher

Finish BRZ SAT Glass CLR							CUL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20364___/CLR	2Lt x 60w	E-26	PAR 30			L 12.25" Ext 7"	D 4.75" Ext 0.4"	
C20364___CLREN1213B	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	L 12.25" Ext 7"	D 4.75" Ext 0.4"	Lamps




Poseidon Wet Location Wallwasher

Finish BL BRZ SAT							CUL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20363-___	1Lt x 60w	E-26	PAR 30			L 6" Ext 7"	D 4.75" Ext 0.4"	
C20363___EN1113B	1Lt x 13w	GU-24	Spiral PL	2700k	900Lm	L 6" Ext 7"	D 4.75" Ext 0.4"	Lamps



20389MG-SAT/CLR



20389MG-BRZ/CLR

Ext 8.4"

Trident Marine Grade Wet Location Wall Washer

Finish BRZ SAT Glass CLR 							CETL Wall Wet 	
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	Supplied
20389MG___/CLR	2Lt x 75w	E-26	PAR 30			H 14" Ext 8.4"	L 6.9" W 4.25" Ext 0.25"	
C20389MG___CLREN1213B	2Lt x 13w	GU-24	Spiral PL	2700k	1800Lm	H 14" Ext 8.4"	L 6.9" W 4.25" Ext 0.25"	Lamps



20444-SAT




20444-BRZ

Ext 6.9"

Poseidon Damp location wall washer, for use in covered installations

Finish: BRZ SAT		Certification: Wall only Damp Location CUL 						
Model	Wattage	Type	Base	Lumen	Kelvin	Dimensions	Back-Plate	Included
20444-___	2Lt x 60w	A-19	E-26			H 12" Ext 6.9"	D 4.75" H .5"	
C20444___EN1213BS 	2Lt x 13w	Spiral	GU-24	1800Lm	2700k	H 12" Ext 6.9"	D 4.75" H .5"	Lamps



LedOrb Wet Location LED Wall Fixture

Finish SAT Glass ACR		Supplied Lamps					CETL Wall Wet  	Ext 2.5"
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions	
20394LED-SAT/ACR	1Lt x 12w	Module	85CRI LED	3000k	500Lm	D 7.75" Ext 2.5"	D 6" Ext 1.5"	



20785LED-BL



H 10"

W 11.5" Ext 9.25"


Guardian Wet Location Security Spotlight

Finish BL WH		Supplied Lamps					CETL Wall Wet 
Model	Wattage	Base	Type	Kelvin	NomLumen	Fixture Dimensions	Backplate Dimensions
20785LED-__	2Lt x 10.5w	Module	80CRI LED	4000k	1200Lm	H 10" W 11.5" Ext 9.25"	L 4" W 5"

InteLED

Building Blocks of Light

COVE | UNDERCABINET | WALL GRAZING | DISPLAY | TOE KICKS



InteLED

Building Blocks of Light

The InteLED modular system is an ideal lighting solution for multiple applications such as coves and sots, backlighting displays and bookshelves, under cabinet and step lighting. For applications that require low maintenance, energy consumption, and low operating temperatures. With it's high lumen output and long life, InteLED is the answer.



A 780LED-STR-ALU

B 781LED-STR-ALU

C 782LED-STR-ALU

D 783LED-STR-ALU

FEATURES: 120v System

- Extruded aluminium frame with frosted polycarbonate lens
- Integrated Driver
- High Lumen output 70 Lpw
- Consistent Color 3000k or 4000k
- Seamless light output
- Smooth dimming
- Simple Plug and Play



The secret behind IntelLED's spot free light diffusion is our tightly spaced LED's ensuring a controlled light output and eliminates traditional hot spots on Stone or shiny surfaces.

BENEFITS:

- Simple and affordable solution for many lighting applications
- The modules can be used singularly or in multiples
- Non-Dimming applications up to 48' feet
- Fully dimmable when using recommended dimmers up to 24 feet



IntelLED LED modules

Available in warm 3000k and cool 4000k

Finish: ALU		Certification Ceiling Dry Location CETL 								
		3000k Warm White						4000k Cool White		
Model	Wattage	Type	Base	Kelvin	Total Lumen	Nominal Lumen	Kelvin	Total Lumen	Nominal Lumen	Dimensions
A 780LEDSTR-ALU	5w	LED	Module	3000k	350Lm	70Lm P/w	4000k	400Lm	80Lm per watt	L 12" W .86" H 1.38"
B 781LEDSTR-ALU	10w	LED	Module	3000k	700Lm	70Lm P/w	4000k	805Lm	80.5Lm per watt	L 23.75" W .86" H 1.38"
C 782LEDSTR-ALU	14w	LED	Module	3000k	1100Lm	78.5Lm P/w	4000k	1265Lm	90Lm per watt	L 39.5" W .86" H 1.38"
D 783LEDSTR-ALU	18w	LED	Module	3000k	1400Lm	78Lm P/w	4000k	1610Lm	89Lm per watt	L 47" W .875" H 1.38"

784PWB-WHT Hardwire connection box with On/Off switch
Can be mounted between modules or at either end of the track run.

Included with Romex connector

Finish: WH

Dimensions: H 1" L 4.75" W 2.6"

Certification Ceiling Dry CETL



785PWC-WHT 3ft Power Cord including Plug

Finish: WH

Dimensions: L 36"

Certification Ceiling Dry CETL



786PWC-WHT 6ft Power Cord including Plug

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL



789SPC-WHT 6ft Power Cord with In-Line ON/Off Switch

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL



795SPC-WHT 6ft Power Cord with In-Line Dimmer Switch

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL

787CON-WHT 12” Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 12”

Certification Ceiling Dry CUL

792CON-WHT 6” Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 6”

Certification Ceiling Dry CUL

793CON-WHT 9” Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 9”

Certification Ceiling Dry CUL

794CON-WHT 60” Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 60”

Certification Ceiling Dry CUL



788BCON Butt connector, for seamless connections between modules

Finish: WH

Certification Ceiling Dry CETL



Included accessories included with all LED module's

Hardwire connector to power the system

788CONN Butt connector for joining modules

Mounting Brackets

Moly plugs and screws







PBLU



PNK

tut•chi

Tu-ch-ee
adjective

LED touch light; touchable;
irresistible to touch

synonym

tremendous, phenomenal
remarkable, exceptional

Tut Chi - the irresistible LED
touch lamp whose use is
only limited by your imagination.



SILV



WHT

Tut Chi General purpose touch controlled LED lantern, battery operated 3 AA cells for more than 38 hours of continuous use. Batteries not Included.

Finish: PBLU PNK SILV WHT **Diffuser:** ACR

Model	Wattage	Type	Base	Kelvin	Lumen	Dimensions	Included
70007LED-____/ACR	12Lt x .2w	LED	Module	4000k	100Lm	D 4.2" H 8"	Lamps

INDEX

MODEL	PG#	Model	PG#	MODEL	PG#	MODEL	PG#
20290	382	20377	377	20457	89 290	20688	37 281
20291	384	20378	377	20458	89 290	20689	37 169
20292	383	20385	401	20460	91 276	20724	293
20294	382	20389	403	20462	91 191	20725	293
20296	383	20394	404	20463	90 191	20726	293
20300	390	20395	381	20624	291	20738	76 194
20301	388	20397	381	20625	291	20739	78 328
20302	390	20398	397	20626	291	20740	290
20330	389	20399	397	20635	326	20741	291
20333	387	20414	326	20650	292	20742	284
20335	387	20415	333	20651	292	20747	284
20337	384	20416	333	20652	292	20770	282
20342	391	20417	326	20656	304	20771	282
20343	391	20420	333	20657	305	20772	282
20344	391	20421	333	20658	305	20773	282
20346	393	20435	319	20660	326	20775	283
20347	393	20436	319	20661	292	20776	283
20350	398	20439	330	20662	293	20779	284
20351	398	20440	330	20664	129	20780	281
20352	401	20441	319	20665	129	20781	281
20355	385	20442	319	20670	18 296	20782	283
20356	385	20444	403	20671	18 296	20783	283
20360	379	20445	329	20672	18 296	20785	404
20361	379	20446	329	20673	17 180	20786	395
20362	386	20447	329	20676	19 296	23019	306
20363	402	20449	380	20677	19 297	23020	306
20364	402	20450	380	20680	280	23021	306
20367	378	20451	329	20681	280	23022	307
20370	386	20452	92 354	20682	280	23023	307
20373	388	20453	92 354	20683	280	23024	307
20375	389	20454	92 354	20686	35 281	23025	400
20376	377	20456	89 290	20687	35 168	23026	400

MODEL	PG#	Model	PG#	MODEL	PG#	MODEL	PG#
23061	394	23767	149	28069	229	50034	299
23062	392	23770	159	28070	231	50035	299
23063	392	23771	145	28078	233	50036	302
23064	394	23773	147	28085	236	50037	302
23071	276	23774	147	28087	236	50038	302
23072	171	23775	145	28088	236	50041	308
23073	172	23901	355	28090	133	50046	308
23074	173	23903	355	28091	133	50049	308
23086FC	237	23904	355	28092	131	50050	309
23087FC	238	23905	203	30110	364	50060	309
23088FC	237	23910	342	30111	364	50061	309
23089FC	238	23911	342	31000	357	50063	309
23091	237	23912	342	31001	357	50069	305
23095	238	23916	343	31002	357	50070	305
23104	240	23917	343	31003	357	50079	286
23111	240	23918	343	31004	364	50080	286
23112	241	23920	51 340	31005	364	50081	286
23118	242	23921	51 340	31006	356	50090	80
23122	246	23922	51 340	31007	356	50091	81 303
23123	243	23923	51 340	31010	366	50092	81 303
23124	244	23924	50 275	31011	366	50107	69 174
23130	245	23925	341	31012	155	50108	71 174
23132	0	23926	341	31017	157	50110	70 174
23133	245	23927	341	31021	365	50120	62 295
23218	249	23928	341	31022	365	50121	62 295
23425	163	23929	341	31025	331	50123	63 184
23426	163	23950	193	31026	300	50124	63 184
23435	143	23951	193	31027	300	50127	310
23436	143	23952	193	31028	301	50130	77 302
23437	143	23980	119	31029	300	50131	77 303
23633	153	28004	211	31030	301	50145	139
23636	165	28011	213	31032	365	50147	137
23637	165	28012	215	31033	365	50160	60 304
23638	199	28018	217	50020	308	50161	60 304
23733	205	28022	219	50029	298	50162	60 304
23762	194	28023	221	50030	298	50163	59 190
23764	55 303	28024	223	50031	298	50165	320
23765	53 167	28030	227	50032	298	50166	320
23766	149	28033	225	50033	299	50169	195

MODEL	PG#	Model	PG#	MODEL	PG#	MODEL	PG#
50175	347	50900	10 289	52118	13 201	62067	358
50177	347	50901	9 289	52119	14 287	62068	358
50178	347	50902	8 289	52120	14 117	62069	358
50180	151	50903	7 166	52133	105	62070	358
50181	151	50904	6 166	52203	106	62081	321
50182	327	50906	5 166	52204	107	62088	374
50183	327	50907	11	52205	106	62089	372
50184	327	52001	255	52206	107	62091	87 359
50185	327	52023	239	52220	101	62092	87 359
50186	65 294	52026	239	52221	101	62093	87 359
50187	65 294	52027	239	52222	102	62095	71 330
50188	66 294	52030	111	52223	103	62099	87 359
50189	66 294	52031	112	52224	102	62104	325
50190	67 181	52034	111	52226	103	62105	325
50191	67 181	52035	112	53302	348	62215	328
50441	83 175	52042	109	53303	348	62216	328
50443	85 175	52043	109	53304	348	62218	331
50444	84 175	52052	257	53313	360	62229	325
50465	121	52062	197	53314	360	62230	325
50466	121	52070	202	53340	328	62231	362
50480	74 310	52072	251	53341	328	62233	362
50481	73 277	52075	253	55542	43 114	62234	362
50483	74 321	52076	46 177	55543	43 114	62235	331
50484	73 185	52077	47 177	55545	44 187	62236	331
50501	199	52078	46 177	55546	44 187	62242	324
50511	86 321	52081	48 336	55547	44 189	62243	317
50514	195	52082	48 336	62041	361	62244	317
50525	208	52083	48 336	62042	361	62245	317
50526	207	52084	48 336	62043	361	62251	346
50543	198	52085	48 336	62050	332	62252	346
50548	161	52102	202	62051	363	62253	346
50549	161	52103	105	62052	363	62254	346
50562	78 320	52111	15 337	62053	363	62256	354
50564	320	52112	15 337	62054	332	62257	354
50565	321	52113	15 337	62055	332	62258	344
50566	318	52114	15 337	62060	332	62259	344
50567	318	52116	13 201	62061	360	62260	344
50568	323	52117	13 201	62062	360	62262	344

MODEL	PG#	Model	PG#	MODEL	PG#	MODEL	PG#
62280	339	63813-47	353	70007	411	87107UJ	267
62281	339	63815-19	349	70012	265	87120UJ	268
62282	339	63815-20	350	70017	370	87121UJ	268
62283	339	63815-18	351	70018	373	87122UJ	268
62284	339	63815-46	352	70019	373	87203UJP	268
62286	338	63815-47	353	70020	371	89119	269
62287	338	63951	39 310	70025	324	903UJ	265
62288	338	63953	41 310	70026	323	908UJ	266
62289	338	63957	40 179	70028	57 198	909UJ	266
62290	338	63958	40 179	70029	57 320	918ST	269
62291	345	63959	40 179	70030	141	932V	271
62292	345	63960	41 278	70031	141	946WJ	272
62293	345	63961	41 278	70032	318	969ST	246
62294	345	63962	40 122	70033	318	970GG	244
62295	345	63963	125	70034	315	978ST	246
62311	30 366	63964	125	70035	315	979WJ	272
62312	30 366	63965	127	70036	314	9032LV	266
62315	29 178	63971	22 335	70037	313	94019	261
62316	29 178	63973	22 335	70038	313	94046	0
62317	28 115	63974	22 335	70039	313	94918	0
63004	97	63975	22 335	70060	322	94932	263
63013	98	63978	21 288	70061	322	96918	259
63015	98	63979	21 288	70062	322	97119	0
63021	97	780STR	407	70063	399	97918	0
63023	99	781STR	407	70064	135		
63024	99	782STR	407	70065	135		
63053	23 95	783STR	407	70072	32 287		
63054	23 95	784PWB	408	70073	33 183		
63055	23 95	785PWC	408	70074	33 183		
63811-19	349	786PWC	408	70080	25 285		
63811-20	350	787CON	409	70081	25 285		
63811-18	351	788CON	409	70082	25 285		
63811-46	352	789SPC	408	70083	26 176		
63811-47	353	792CON	409	70084	26 176		
63813-19	349	793CON	409	70085	368		
63813-20	350	794CON	409	70086	368		
63813-18	351	795SPC	408	87105FCUJ	267		
63813-46	352	70003	372	87106UJ	267		



Fixture Finish Codes

ALU	Aluminum	DBRZ	Distressed Bronze	RU	Rust
ANCK	Antique Nickle	GWH	Gloss White	SAT	Satin
BCHR	Black Chrome	MC	Mat Chrome	SC	Satin Chrome
BCP	Brushed Copper	MIR	Mirror	SCP	Shiny Copper
BL	Black	ORB	Oil Rubbed Bronze	SILV	Silver
BRZ	Bronze	PB	Polished Bronze	SS	Stainless Steel
BS	Brushed Steel	PBLU	Powder Blue	WD/NAT	Natural Wood
BSL	Brushed Silver	PNK	Pink	WH	White
CH	Chrome	RED	Red	WH/GLD	White with Gold Leaf
CRM	Cream	RGLD	Rose Gold	WH/SILV	White with Silver Leaf
		RIC	Rice		

Glass Finish Codes

8CL	8mm Clear
12CL	12mm Clear
ACR	White Acrylic
ALB	Alabaster Glass
AMB	Amber
AMFBF	Amber Firebird
AMM	Amber Marble
AMST	Amber Stone
ASKY	Amber Sky
BLC	Black and White
BLK	Black
BLKLN	Black Lined
BLU	Blue
BLULN	Blue Lined
BRST	Brown Stone
CCL	Crystal Clear
CFR	Clear Frosted
CKF	Checkered Frosted
CLAM	Clear+Amber

CLCB	Clear+Cobalt
CLOP	Clear+Opal
CLR	Clear
CLRD	Clear+Red
COB	Cobalt
COG	Cognac
CRM	Cream Linen Shade
CRY	Crystal
FCL	Frosted & Clear
FST	Frosted
ICA	Inca
LFR	Line Frosted
LGR	Lime Green
LGRFB	Light Green Firebird
MIR	Mirror
MTL	Metal
MYA	Maya
OPL	Opal
ORO	Gold
PLC	Purple Cloud

PLM	Plum
PLMFB	Plum Firebird
PLS	Purple Swirl
RED	Red
REDLN	Red Lined
REDFB	Red Firefird
RFR	Ribbed Frosted
RUSKY	Red Sky
SMK	Smoke
TEX	Textured
WAMB	Wicker Amber
WH	White
WHST	White Stone
WHT	White
WHTFB	White Firebird
WHTLN	White Lined
WRD	Wire Glass
WRED	Wicker Red
WWHT	Wicker White

HEADQUARTERS:

1200 Valencia Avenue
Tustin, CA 92780 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADEMART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA



www.accesslighting.com



\$15.00

Catalog 27 © 2015/16 All Rights Reserved