




access
LIGHTING

POWERFUL SOLUTIONS IN ILLUMINATION

CATALOG 27.3



As we look to the future, we believe that Access Lighting is poised to seize the year in 2017. Our January 2017 Collection is both more extensive and larger in scale than ever before. We have also spread our wings to incorporate a number of new finishes, textures, and further developed our crystal offering.

On the technology front, we are fortunate to be well-versed in the latest LED trends and can now accommodate an array of Kelvin Temperatures and dedicated LED modules or screw in LED bulbs.

Most importantly, we continue to strive to improve our Customer Service, maintain the quality of our products, and to ship within 48 hours. We always bear in mind that at the end of the day, our relationship with our customers remains our utmost concern.

Thank you for your continued support!



www.accesslighting.com

LIGHTING FAMILIES	4-43
PENDANTS	44-62
"IT'S IN THE BOX" - SSL PENDANTS	63-73
SPOTLIGHTS	74-77
FLUSH MOUNTS	78-88
WALL/VANITY	89-97
EXTERIOR	98-119
PORTABLES - TASKWERX	120-125
INDEX	126-127

FAMILIES





MAGARI

Magari loosely defined as "must have this" enchants like few lighting collections. Powered with LED modules this superb crystal collection incorporates vanities, Aircraft Cable hung pendants and flush mounts. The largest flush mount spans 21" expanding the possibilities.



62359LEDD-MSS/CRY



62358LEDD-MSS/CRY

Magari Dimmable Round Crystal Pendants

Finish: MSS		Glass: CRY		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62358LEDD-MSS/CRY	27.5w	80CRI LED	SSL	3000k	2350Lm	15"D 5.1"H 0.A.H 8-126"	
62359LEDD-MSS/CRY	33w	80CRI LED	SSL	3000k	2820Lm	18"D 5.1"H 0.A.H 8-126"	



62355LEDD-MSS/CRY



62356LEDD-MSS/CRY



62357LEDD-MSS/CRY

Magari Dimmable Round Crystal Flush Mounts

Finish: MSS	Glass: CRY	Included: LED Module			Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62355LEDD-MSS/CRY	27.5w	80CRI LED	SSL	3000k	2350Lm	15"D 5.1"H
62356LEDD-MSS/CRY	33w	80CRI LED	SSL	3000k	2820Lm	18"D 5.1"H
62357LEDD-MSS/CRY	38.5w	80CRI LED	SSL	3000k	3290Lm	21"D 5.1"H



62351LEDD-CH/CRY



62353LEDD-CH/CRY




62354LEDD-CH/CRY

Magari Dimmable Wall/Vanity Fixtures

Finish: MSS	Glass: CRY	Included: LED Module			Certification: CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62351LEDD-CH/CRY	1Lt x 5.5w	80CRI LED	SSL	3000k	470Lm	6.3"W 5.1"H 3"Ext
62353LEDD-CH/CRY	3Lt x 5.5w	80CRI LED	SSL	3000k	1410Lm	24.4"W 5.1"H 3"Ext
62354LEDD-CH/CRY	4Lt x 5.5w	80CRI LED	SSL	3000k	1880Lm	33.5"W 5.1"H 3"Ext

OPULENCE


There is no beginning or end to the magical balls of light that compose the OPULENCE Collection. This unique collection consists of a new twelve light Sputnik inspired chandelier, a ten light pendant, a semi-flush and four harmonious vanities.



62327LEDDL-CH/CLR

Opulence Glitter Glass Chandelier

Finish: CH	Glass: CLR	Included: Lamps, 10ft of Cable & Cord LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62327LEDDL-CH/CLR	12Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	5400Lm	D 31" O.A.H 29-120"
62327-CH/CLR	12Lt x 40w	G9 Halogen	G9	2900k	5760Lm	



Opulence Glitter Glass Pendant and Semi-Flush

Finish: CH	Glass: CLR	Included: Lamps, (62326 10ft of Cable & Cord) LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Ceiling Dry Location (62325 Damp) Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62325LEDDL-CH/CLR	6Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	2700Lm	D 30.7" H 6.3"
62325-CH/CLR	6Lt x 40w	G9 Halogen	G9	2900k	2880Lm	
62326LEDDL-CH/CLR	10Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	4500Lm	D 22.8" O.A.H 29-140"
62326-CH/CLR	10Lt x 40w	G9 Halogen	G9	2900k	4800Lm	



62321LEDDL-MSS/CLR



62322LEDDL-MSS/CLR



62323LEDDL-MSS/CLR



62324LEDDL-MSS/CLR

Opulence Glitter Glass Wall/Vanity Fixtures

Finish: MSS	Glass: CLR	Included: Lamps LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62321LEDDL-MSS/CLR	1Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	450Lm	H 4.3" W 4.7" Ext 5"
62321-MSS/CLR	1Lt x 40w	G9 Halogen	G9	2900k	480Lm	
62322LEDDL-MSS/CLR	2Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	900Lm	H 4.3" W 12.6" Ext 5"
62322-MSS/CLR	2Lt x 40w	G9 Halogen	G9	2900k	960Lm	
62323LEDDL-MSS/CLR	3Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	1350Lm	H 4.3" W 20.5" Ext 5"
62323-MSS/CLR	3Lt x 40w	G9 Halogen	G9	2900k	1440Lm	
62324LEDDL-MSS/CLR	4Lt x 4.5w	Replaceable G9 LED Bulbs	G9	3000k	1800Lm	H 4.3" W 28.4" Ext 5"
62324-MSS/CLR	4Lt x 40w	G9 Halogen	G9	2900k	1920Lm	

AFFLUENCE

A stunning collection of LED and crystal, perfectly paired. AFFLUENCE suggests a myriad of application options graced with style, loaded with technology.




62454LEDD-CH/CCL



62455LEDD-CH/CCL

Affluence Dimmable LED Ring Pendants

Finish: CH		Glass: CCL		Included: LED Module, 10ft of Cable & Cord		Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62454LEDD-CH/CCL	28.8w	80CRI LED	SSL	3000k	1500Lm	D 15.7" H 2.6" O.A.H 15-120"	
62455LEDD-CH/CCL	43.2w	80CRI LED	SSL	3000k	2070Lm	D 23.7" H 2.6" O.A.H 15-20"	



62458LEDD-CH/CCL

Affluence Dimmable LED Dual Ring Pendant

Finish: CH		Glass: CCL		Included: LED Module, 10ft of Cable & Cord		Certification: CUL Ceiling Dry Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62458LEDD-CH/CCL	28.8w + 43.2w	80CRI LED	SSL	3000k	3456Lm	D 23.6" H 2.6" O.A.H 15-120"




62457LEDD-CH/CCL

Affluence Dimmable LED Bar Pendant

Finish: CH		Glass: CCL		Included: LED Module, 10ft of Cable & Cord		Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62457LEDD-CH/CCL	19.2w	80CRI LED	SSL	3000k	920Lm	W 32" H 2.6" O.A.H 15-120"	



62450LEDD-CH/CCL



62451LEDD-CH/CCL

Affluence Dimmable LED Bar Vanities

Finish: CH	Glass: CCL	Included: LED Module			Certification: CUL Wall Dry Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62450LEDD-CH/CCL	14.4w	80CRI LED	SSL	3000k	690Lm	H 4.75" W 24" Ext 4"
62451LEDD-CH/CCL	19.2w	80CRI LED	SSL	3000k	920Lm	H 4.75" W 32" Ext 4"



62340LEDDLDP-MSS/SMAMB



62341LEDDLDP-MSS/SMAMB



62342LEDDLDP-MSS/SMAMB

D'or

This captivating collection brings hand crafted glass evoking warmth sensations and a charm of its own. Each piece of glass is chromed on the outside, and hand painted on the inside. Lines are individually etched into the glass, allowing hints of gorgeous gold tones to percolate through the exterior.

D'or Dimmable Pendants

Finish: MSS	Glass: SMAMB	Included: Replaceable A19 LED Bulbs, 10ft Clear Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62340LEDDLDP-MSS/SMAMB	1Lt x 9w	Replaceable A19 LED Bulbs	E26	3000k	800Lm	7.8"D 8.5"H O.A.H 10-129"
62341LEDDLDP-MSS/SMAMB	3Lt x 9w	Replaceable A19 LED Bulbs	E26	3000k	2400Lm	14.25"D 8.5"H O.A.H 10-129"
62342LEDDLDP-MSS/SMAMB	5Lt x 9w	Replaceable A19 LED Bulbs	E26	3000k	4000Lm	20.5"D 8.5"H O.A.H 10-129"



62345LEDDL-P-MSS/SMAMB



62346LEDDL-P-MSS/SMAMB



62347LEDDL-P-MSS/SMAMB



62348LEDDL-P-MSS/SMAMB

D'or Dimmable Wall/Vanity Fixtures

Finish: MSS	Glass: SMAMB	Included: Replaceable A19 LED Bulbs			Certification: CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62345LEDDL-P-MSS/SMAMB	1Lt x 4.5w	Replaceable A19 LED Bulbs	G9	3000k	450Lm	4.7"W 5.1"H 5.5"Ext
62346LEDDL-P-MSS/SMAMB	3Lt x 4.5w	Replaceable A19 LED Bulbs	G9	3000k	1350Lm	22"W 5.1"H 5.5"Ext
62347LEDDL-P-MSS/SMAMB	4Lt x 4.5w	Replaceable A19 LED Bulbs	G9	3000k	1800Lm	31"W 5.1"H 5.5"Ext
62348LEDDL-P-MSS/SMAMB	5Lt x 4.5w	Replaceable A19 LED Bulbs	G9	3000k	2250Lm	39.25"W 5.1"H 5.5"Ext



62496LEDD-CH/OPL

ATOMISER

Inspired by the delicate conveyor of perfume, delivers a quintessential contemporary look that is timeless. Sporting dedicated SSL modules, ATOMISER incorporates a full range of product including vanities, pendants and a semi-flush mount.



62495LEDD-CH/OPL

Atomiser Dimmable Flush Mount and Pendant


Finish: CH	Glass: OPL	Included: LED Module, 10ft Cord; Rods 6"16"22"			Certification: CUL Ceiling Damp Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62495LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	43"W 0.A.H 14.5-52.5"	
62496LEDD-CH/OPL	6Lt x 4w	90CRI LED	SSL	3000k	2400Lm	24"D 8" H	



62491LEDD-CH/OPL



62492LEDD-CH/OPL



62493LEDD-CH/OPL



62494LEDD-CH/OPL

Atomiser Dimmable Wall/Vanity Fixtures

Finish: CH	Glass: OPL	Included: LED Module				Certification: CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62491LEDD-CH/OPL	1Lt x 4w	90CRI LED	SSL	3000k	400Lm	5"W 5.5"H	6"Ext
62492LEDD-CH/OPL	3Lt x 4w	90CRI LED	SSL	3000k	1200Lm	27"W 5.5"H	6"Ext
62493LEDD-CH/OPL	4Lt x 4w	90CRI LED	SSL	3000k	1600Lm	35"W 5.5"H	6"Ext
62494LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	41"W 5.5"H	6"Ext

CLASSIC

Step back in time and turn your thoughts to the Golden age of Hollywood film, there you will find the inspiration for the CLASSIC collection. Bathe in the even glow of LED light captured in this timeless look powered by 21st century technology. CLASSIC, where cutting edge performance embraces definitive design.



62477LEDD-CH/OPL

62476LEDD-CH/OPL

Classic Dimmable LED Chandelier and Pendant

Finish: CH	Glass: OPL	Included: LED Module, 6" 16" 22" Rods, 10ft of cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62476LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	O.A.H 14.5-52.5" W 43"
62477LEDD-CH/OPL	7Lt x 4w	90CRI LED	SSL	3000k	2800Lm	D 25.5" O.A.H 29-140"



62471LEDD-CH/OPL



62473LEDD-CH/OPL



62474LEDD-CH/OPL



62475LEDD-CH/OPL

Classic Dimmable LED Wall/Vanity Fixtures

Finish: CH	Glass: OPL	Included: LED Module			Certification: CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62471LEDD-CH/OPL	1Lt x 4w	90CRI LED	SSL	3000k	400Lm	H 4.75" W 4.75" Ext 4"
62473LEDD-CH/OPL	3Lt x 4w	90CRI LED	SSL	3000k	1200Lm	H 4.75" W 22" Ext 4"
62474LEDD-CH/OPL	4Lt x 4w	90CRI LED	SSL	3000k	1600Lm	H 4.75" W 28.5" Ext 4"
62475LEDD-CH/OPL	5Lt x 4w	90CRI LED	SSL	3000k	2000Lm	H 4.75" W 36" Ext 4"



LINEAR

Expanding on our already successful LINEAR collection are two models that truly reflect the phenomenal attributes of solid state lighting. The gentle curves of the single acrylic band bring movement and an artistic element to a fully functional luminaire. The more architecturally inspired double Linear suggests defined lines, length and of course offers double the lumen output.

63980LEDD-CH/ACR

63981LEDD-CH/ACR

Linear Dimmable Pendants

Finish: CH	Glass: ACR	Included: LED Module, 10ft cable			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63980LEDD-CH/ACR	1Lt x 18w	90CRI LED	SSL	3000k	1870Lm	3"H 36.75"W O.A.H 10-125"
63981LEDD-CH/ACR	2Lt x 19w	90CRI LED	SSL	3000k	4000Lm	3"H 3"L 35.5"W O.A.H 10-125"



62243LEDD-CH/ACR



62244LEDD-CH/ACR




62245LEDD-CH/ACR

Linear Dimmable Wall/Vanity Fixtures

Finish: CH	Glass: ACR	Included: LED Module			Certification: CUL Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62243LEDD-CH/ACR	2Lt x 9w	85CRI LED	SSL	3000k	1800Lm	H 5" W 18.25" Ext 4.25"
62244LEDD-CH/ACR	2Lt x 12w	85CRI LED	SSL	3000k	2400Lm	H 5" W 24" Ext 4.25"
62245LEDD-CH/ACR	2Lt x 15w	85CRI LED	SSL	3000k	3000Lm	H 5" W 30" Ext 4.25"

ETERNAL

Circular movement and infinite light are skillfully captured in the rings of the ETERNAL Collection. There is no sense of where that light begins or ends, or even a hint of the source. Solid state lighting adeptly placed for ideal output.




Eternal Dimmable Pendant and Wall Mount

Finish: WH		Glass: ACR		Included: LED Module, 10ft Cable (63982)		Certification: CUL Ceiling/Wall Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
63982LEDD-WH/ACR	52w	90CRI LED	SSL	3000k	5780Lm	23.6"D O.A.H 5-125"	
63983LEDD-WH/ACR	12w	90CRI LED	SSL	3000k	1230Lm	12.5"H 9.88"D 2.25"Ext	

RIPPLE

Akin to birds captured in mid-flight or the gentle swell of water in the Ocean, RIPPLE moves beyond lighting into its future where form is as relevant as function. Dedicated solid state lighting, ease of adjustability, finished in a thoroughly modern flat white.



Ripple Dimmable Pendants and Wall Mount

Finish: WH	Glass: ACR	Included: LED Module, 10ft cord (excluding 63986)			Certification: CUL Ceiling/Wall Damp Location		UL LISTED
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
63984LEDD-WH/ACR	28w	90CRI LED	SSL	3000k	3080Lm	39.4"W 0.A.H 6-125"	
63985LEDD-WH/ACR	3Lt x 12w	90CRI LED	SSL	3000k	3740Lm	37.5"W 0.A.H 10-134"	
63986LEDD-WH/ACR	12w	90CRI LED	SSL	3000k	1320Lm	4.7"H 16.6"W 3.1"Ext	UL LISTED



50940LEDD-GRY/ACR

RADIANT

A halo of light emanates from the artfully placed LED light source.



50940LEDD-WH/ACR



50940LEDD-BRK/ACR

Radiant Dimmable Pendants

Finish: BRK GRY WH		Glass: ACR		Included: LED Module, 10ft Cord		Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
50940LEDD-_/ACR	30w	80CRI LED	SSL	3000k	800Lm	4.25"H 17.75"D O.A.H 9-126"	



50939LEDD-WH/ACR



50939LEDD-BRK/ACR



50939LEDD-GRY/ACR

Radiant Dimmable Flush Mounts

Finish: BRK GRY WH		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
50939LEDD-_/ACR	30w	80CRI LED	SSL	3000k	800Lm	5"H 17.5"D	




EPIC

Texture, dimension and a touch of nostalgia can all be found in the extensive EPIC Collection. Mesh wrapped metal allows for soft diffusion of nostalgia bulbs, while a unique cable clip keeps the cables stream lined and adds detail.



Epic Round Pendants


Finish: BL	Glass:	Included: A19 Vintage LED Bulbs, 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50927LEDDL-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	19.7"D 10"H O.A.H 13-131"
50927-BL	5Lt x 60w	A19	E26	2700k	4000Lm	
50928LEDDL-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	23.6"D 12"H O.A.H 15-133"
50928-BL	5Lt x 60w	A19	E26	2700k	4000Lm	
50929LEDDL-BL	6Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	2700Lm	27.6"D 13.8"H O.A.H 17-135"
50929-BL	6Lt x 60w	A19	E26	2700k	2280Lm	



50924-BL




50923-BL



50922-BL

Epic Dimmable Round Semi-Flush Mounts

Finish: BL	Glass:	Included: A19 Vintage LED Bulbs			Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50922LEDDL-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	19.7"D 10"H
50922-BL	5Lt x 60w	A19	E26	2700k	4000Lm	
50923LEDDL-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	23.6"D 12"H
50923-BL	5Lt x 60w	A19	E26	2700k	4000Lm	
50924LEDDL-BL	6Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	2280Lm	27.6"D 13.8"H
50924-BL	6Lt x 60w	A19	E26	2700k	4800Lm	



50920-BL



50921-BL

Epic Dimmable Square Semi-Flush Mounts

Finish: BL	Glass:	Included: A19 Vintage LED Bulbs			Certification: CUL Ceiling Damp Location		UL US LISTED
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
50920LEDDL-P-BL	4Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1520Lm	16"W 16"L 13"H	
50920-BL	4Lt x 60w	A19	E26	2700k	3200Lm		
50921LEDDL-P-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	20"W 20"L 15"H	
50921-BL	5Lt x 60w	A19	E26	2700k	4000Lm		





50925-BL



50926-BL

Epic Dimmable Square Pendants

Finish: BL	Glass:	Included: A19 Vintage LED Bulbs				Certification : CUL Ceiling Damp Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50925LEDDL-P-BL	4Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1520Lm	16"W 16"L 13"H O.A.H 16-134"
50925-BL	4Lt x 60w	A19	E26	2700k	3200Lm	
50926LEDDL-P-BL	5Lt x 5w	A19 Vintage LED Bulbs	E26	2200k	1900Lm	20"W 20"L 15"H O.A.H 18-136"
50926-BL	5Lt x 60w	A19	E26	2700k	4000Lm	

MULTIS

MULTIS – brings a new twist to multi light pendant suspensions with its bent wire tube. This tubing adds a touch of artistic flair that also results in a unique distribution of the pendants. Details abound with this collection that has clear glass surrounding a delicate cylindrical mesh.



63987-BCH/CLR



63988-BCH/CLR

Multis Pendants

Finish: BCH	Glass: CLR	Included: 10ft Black Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63987-BCH/CLR	1Lt x 60w	A19	E26	2700k	800Lm	11.8"H 5.1"D O.A.H 13-134"
63988-BCH/CLR	3Lt x 60w	A19	E26	2700k	2400Lm	11.8"H 19.3"D O.A.H 13-134"



Multis Pendants

Finish: BCH	Glass: CLR	Included: 10ft Black Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63989-BCH/CLR	5Lt x 60w	A19	E26	2700k	4000Lm	11.8"H 23.2"D O.A.H 13-134"

NIDO

Crafted by a Spanish artisan, the spectacular NIDO Collection is a timeless beauty. Glass shades fashioned into a modern oblong form, are delicately suspended from a low profile rod in an extensive range of semi-flush and pendant luminaires. Detailed elements, including canopies and back plates that mimic the contour of the glass shades equip this collection with unrivaled style and grace.



63962LEDD-MC/FST



63960LEDD-ORB/FST



63961LEDD-ORB/FST

Nido Chandelier and Semi-Flush Mounts

Included: Lamps or LED Modules
(63962 2 Rod Combinations, Slope Adapter)
LEDD indicates a LED fixture with dimming capabilities

Certification: C ETL US Dry Location
(63960/1 Wall/Ceiling) (63962 Ceiling only) 

Finish: MC ORB	Glass: FST					
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63960LEDD-_/FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	H 5" W 5" L 32"
63960-_/FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	
63961LEDD-_/FST	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	H 5" W 3" L 42"
63961-_/FST	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm	
63962LEDD-_/FST	6Lt x 8w	90CRI LED	SSL	3000k	4500Lm	H 11 to 35" W 3" L 29.25"
63962-_/FST	6Lt x 100w	J-78 Halogen	R7s	2900k	9900Lm	



63957LEDD-MC/FST



63958LEDD-ORB/FST



63959LEDD-MC/FST

Nido Pendants

Finish: MC ORB	Glass: FST	Included: Lamps or LED Modules 2 Rod Combinations, Slope Adapter) LEDD indicates a LED fixture with dimming capabilities			Certification: C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63957LEDD-_/FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	O.A.H 11-35" W 5" L 32"
63957-_/FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm	
63958LEDD-_/FST	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	O.A.H 11-35" W 5" L 42.5"
63958-_/FST	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm	
63959LEDD-_/FST	5Lt x 8w	90CRI LED	SSL	3000k	3750Lm	O.A.H 11-35" W 5" L 53.5"
63959-_/FST	5Lt x 100w	J-78 Halogen	R7s	2900k	8250Lm	



63951LEDD-MC/FST



63951LEDD-ORB/FST



63953LEDD-MC/FST

Nido Wall and Ceiling

Finish: MC ORB	Glass: FST	Included: Lamps or LED Module LEDD indicates a LED fixture with dimming capabilities			Certification: C ETL US Wall/Ceiling Dry Location		 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
63951LEDD-__/_FST	1Lt x 8w	90CRI LED	SSL	3000k	750Lm	H 3.5" L 10" Ext 3.5"	
63951-__/_FST	1Lt x 100w	J-78 Halogen	R7s	2900k	1650Lm		
63953LEDD-__/_FST	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	H 3.75" W 6" L 14.25"	
63953-__/_FST	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm		



28095LEDD-CH

ESSENCE

The Access Lighting Essence Collection lends itself to settings from the nostalgic to hard core contemporary. Select copper to add a warm touch to your room or opt for chrome when a modern, sleek look is what you seek.




28096LEDD-CH

Essence Dimmable LED Pendants

Finish: CH		Included: LED Module, 10ft Cable & Cord			Certification : C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28095LEDD-CH	14.4w	85CRI LED	SSL	3000k	1800Lm	D 15" O.A.H 10-124"
28096LEDD-CH	24w	85CRI LED	SSL	3000k	3000Lm	D 24" O.A.H 12-124"



28090-SCP



28091-SCP
(inside silver finish)



28091-BCP

Essence Dome Pendants

Finish: 28090 SCP 28091 BCP SCP

Included: 28090-10ft Cord Black 28091-10ft Cord Clear

Certification: C ETL US Ceiling Dry Location



Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28090-SCP	1Lt x 60w	A-19	E-26	2700k	800Lm	D 8" H 10" O.A.H 18-130"
28091__	1Lt x 60w	A-19	E-26	2700k	800Lm	D 11.75" H 12" O.A.H 20-132"



Essence Dimmable LED Pendants

Finish: 70064 SCP 70065 BCP

Included: LED Modules, 10ft Cord

Certification: C ETL US Ceiling Dry Location



Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
70064LEDD-SCP	8w	85CRI LED	SSL	3000k	800Lm	D 6" H 5" O.A.H 12-120"
70065LEDD-BCP	5w	85CRI LED	SSL	3000k	500Lm	D 4.75" H 4.75" O.A.H 12-120"



Essence Copper Dome Pendant

Finish: BCP

Included: 10ft Cord

Certification: C ETL US Ceiling Dry Location



Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28092-BCP	1Lt x 60w	A-19	E-26	2700	800Lm	D 12" H 16.5 O.A.H 20-136"



Essence Pendants

Finish: SCP	Glass:	Included: Replaceable A19 LED Bulbs, 10ft clear cord				Certification: C ETL US Ceiling Dry Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28093LEDDL-SCP	1Lt x 10w	Replaceable A19 LED Bulbs	E26	3000k	800Lm	6.5"D 11.5"H O.A.H 12-130"
28093-SCP	1Lt x 75w	A19	E26	2700k	1100Lm	
28094LEDDL-SCP	1Lt x 10w	Replaceable A19 LED Bulbs	E26	3000k	800Lm	6.5"D 9"H O.A.H 12-130"
28094-SCP	1Lt x 75w	A19	E26	2700k	1100Lm	

PENDANTS








62332LEDD-CH/ACR

DIMENSIONS

A central beam of LED light is gloriously splayed through stacked acrylic slices, evoking a phenomenal holographic effect.



62333LEDD-CH/ACR

Dimensions Dimmable LED Acrylic Pendants

Finish: CH	Diffuser: ACR	Included: LED Module, 10ft of Cable & Cord			Certification: CUL Ceiling Dry Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62332LEDD-CH/ACR	21.6w	80CRI LED	SSL	3000k	2160Lm	D 21.7" H 12" O.A.H 16-130"	
62333LEDD-CH/ACR	21.6w	80CRI LED	SSL	3000k	2160Lm	D 24" H 12" O.A.H 16-130"	



62330LEDD-CH/ACR



62331LEDD-CH/ACR

Dimensions Dimmable LED Acrylic Pendant

Finish: CH	Diffuser: ACR	Included: LED Module, 10ft of Cable & Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62330LEDD-CH/ACR	21.6w	80CRI LED	SSL	3000k	2160Lm	D 16" H 12" O.A.H 16-130"
62331LEDD-CH/ACR	21.6w	80CRI LED	SSL	3000k	2160Lm	D 17" H 12" O.A.H 16-130"



ORACLE

A vision to behold the timeless ORACLE collection is further enhanced with the addition of dedicated LED modules. The frosted glass set in a contemporary brushed steel frame, lends itself well to the crisp white, 3000 kelvin, LED light source. ORACLE forms sensational circles of light effortlessly balanced in midair. ORACLE - Circ de Luminaire.



50465LEDD-BS/FST



50466LEDD-BS/FST

Oracle Dimmable LED Cable Ring Glass Chandeliers

Finish: BS	Glass: FST	Included: LED Modules, 10ft of Cable & Cord			Certification: C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50465LEDD-BS/FST	37.8w	80CRI LED	SSL	3000k	4180Lm	D 22" H 3" O.A.H 10-120"
50466LEDD-BS/FST	50.4w	80CRI LED	SSL	3000k	5610Lm	D 28" H 3" O.A.H 10-120"

PIXIE DUST

Sprinkle a touch of pastel colored PIXIE DUST, capture it in mid-flight and there you have the delightful effect of the mirrored glass speckled with a touch of color to create a magical effect.



62460-CH/MUL

Pixie Dust Pendant

Finish: CH		Diffuser: MUL		Included: 10ft Cord		Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62460-CH/MUL	1Lt x 60w	A-19	E-26	2700k	800Lm	D 4.7" H 10" O.A.H 15-130"	

GLOW

An extraordinary mirrored copper glass shade that defines ambiance and style. Like a living, breathing entity, GLOW emits a warmth that is almost palpable. An Edison retro bulb paired with the sleek contemporary texture and shape of GLOW, fashions a thought-provoking luminaire that will attract the most discerning buyer.



28102-BCP/CP

28101-BCP/CP

Glow Dimmable Pendants

Finish: BCP	Glass: CP	Included: Replaceable A19 LED Bulbs, 10ft of Cable & Cord)			Certification: C ETL US Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
28101LEDDL-BCP/CP	1Lt x 10w	Replaceable A19 LED Bulbs	E26	3000k	800Lm	D 10" H 10" O.A.H 15-130"
28101-BCP/CP	1Lt x 60w	A19	E26	2700k	800Lm	
28102LEDDL-BCP/CP	1Lt x 10w	Replaceable A19 LED Bulbs	E26	3000k	800Lm	D 12" H 12" O.A.H 17-132"
28102-BCP/CP	1Lt x 100w	A19	E26	2700k	1600Lm	





50938-BL/CLR



50937-BL/CLR

SIMPLICITE

Light source exposed, the simple mid-size pendant continues to hold its popularity. SIMPLICITE brings a range of well-priced mid-sized glass pendants in 5 different shapes. Predominantly available in two finished, smoked and bubbled clear, Simplicity is a stand-alone or lends itself well to a pendant cluster.

Simplicity Pendants

Finish: BL	Glass: CLR	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50937-BL/CLR	1Lt x 60w	A19	E26	2700k	800Lm	D 9" H 10" O.A.H 13-131"
50938-BL/CLR	1Lt x 60w	A19	E26	2700k	800Lm	D 11" H 11.5" O.A.H 14-132"



50935-BCH/MIR

Simplicite Pendant

Finish: BCH	Glass: MIR	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50935-BCH/MIR	1Lt x 60w	A19	E26	2700k	800Lm	D 7" H 11" O.A.H 14-132"



50936-BCH/MIR

Simplicite Pendant

Finish: BCH	Glass: MIR	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
50936-BCH/MIR	1Lt x 60w	A19	E26	2700k	800Lm	D 9.5" H 12.2" O.A.H 15-133"



Simplicite Pendants

Finish: BCH	Glass: CLR SMK	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63990-BCH/___	1Lt x 60w	A19	E26	2700k	800Lm	D 11.75" H 10.88" O.A.H 14-131"



Simplicite Pendants

Finish: BCH	Glass: SMK	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63991-BCH/SMK	1Lt x 60w	A19	E26	2700k	800Lm	D 9.1" H 10.13" O.A.H 13-132"
63992-BCH/SMK	1Lt x 60w	A19	E26	2700k	800Lm	D 11.75" H 13.25" O.A.H 16-134"





23777- SBL/WH

NOSTALGIA

Iconic, Nostalgic, Classic – these are the cornerstone of the NOSTALGIA collection. Available in flat or shiny black, an inner gold or white finish fashions a completely different expression. Three classic shapes are available in this collection.

23777-MBL/MGL

23777- SBL/WH

Nostalgia Pendants

Finish: SBL/WH MBL/MGL		Glass:		Included: 10ft Cord		Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
23777- _/_/_	1Lt x 60w	A19	E26	2700k	800Lm	D 13.8" H 11" O.A.H 14-132"	





23776-MBL/MGL

23776-SBL/WH

23776-SBL/WH

Nostalgia Pendants

Finish: SBL/WH MBL/MGL	Glass:	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
23776-__/_	1Lt x 60w	A19	E26	2700k	800Lm	D 12" H 12" O.A.H 15-133"



23778-MBL/MGL

23778-SBL/WH

23778-MBL/MGL

Nostalgia Pendants

Finish: SBL/WH MBL/MGL	Glass:	Included: 10ft Cord			Certification: CUL Ceiling Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
23778-__/_	1Lt x 60w	A19	E26	2700k	800Lm	D 10" H 10.5" O.A.H 13-131"

“IT’S IN THE BOX”

SSL LEDD
LAMP AND SOCKET

A-19 LEDD
LAMP



“IT’S IN THE BOX” SIMPLIFIED PENDANT PURCHASING

Instantly gratify your customer with Access Lighting's Pendant Program called, “IT’S IN THE BOX”. Focus all of your attention on your customer and leave the details to us. Simply assist your customer in selecting the glass shape and color, hardware finish and light source. Now rest assured that the LED bulb or dedicated LED module they selected will be packaged with the shade and hardware – IT’S IN THE BOX!



28011-1C-BS/RUSKY

28011 Merlot glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated by LED, incandescent or fluorescent lighting.

Model	Lamping	Suspension	Finish	Glass
28011	1 Incandescent	C Cord R Rod	BS ORB	RUSKY
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28011	1	C	BS	RUSKY	28011-1C-BS/RUSKY

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



28012-1C-BS/ICA

28012 Inari Silk champagne glass pendant

An array of designs presented in variety of colors and textures, the Inari collection accents and elevates any room for any occasion.

Model	Lamping	Suspension	Finish	Glass	
28012	1 Incandescent	C Cord R Rod	BS ORB	MYA	BRST
	2 Fluorescent			RED	ICA
	3 LEDD Lamp			WHST	OPL
	4 SSL LEDD				



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28012	1	C	BS	ICA	28012-1C-BS/ICA

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6\"/>



Wicker Finish



WAMB

WRED

WWHT



28018-1C-BS/WAMB

28018 Inari Silk bordeaux glass pendant

Elongated dome shape offers a refined diffusion of downward light, gently illuminated by LED, incandescent or fluorescent lighting.

Model	Lamping	Suspension	Finish	Glass	
28018	1 Incandescent	C Cord R Rod	BS ORB	AMB	COB
	2 Fluorescent			OPL	RED
	3 LEDD Lamp			WAMB	WRED
	4 SSL LEDD			WWHT	



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28018	1	C	BS	WAMB	28018-1C-BS/WAMB

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



AMB



COB



RED



WHT




28004-3C-BS/AMB

28004 Inari Silk Martini Glass Pendant

Charming cone shaped glass provides a subtle twist on everyday lighting in a variety of finishes for any setting.

Model	Lamping	Suspension	Finish	Glass
28004	1 Incandescent	C Cord R Rod	BS ORB	AMB
	2 Fluorescent			COB
	3 LEDD Lamp			RED
	4 SSL LEDD			WHT



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28004	3	C	BS	AMB	28004-3C-BS/AMB

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



WHTFB



AMBFB



RUSKY



28023-1C-BS/WHTFB

28023 Brandy FireBird glass pendant

Eye-catching beauty and elegant design fills an atmosphere with a brilliant hue and embraces ingenuity with its eclectic variety.

Model	Lamping	Suspension	Finish	Glass
28023	1 Incandescent	C Cord R Rod	BS ORB	AMBFB RUSKY WHTFB
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28023	1	C	BS	PLMFB	28023-1C-BS/WHTFB

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



BRS



SDS



AMS



28024-1C-BS/BRS

28024 Cabernet glass pendant



A reminiscence of Marble Stone fusing into each other, gives the Cabernet series a unique Earthy feel for blending into most all discerning interiors.

Model	Lamping	Suspension	Finish	Glass
28024	1 Incandescent	C Cord R Rod	BS ORB	AMS
	2 Fluorescent			SDS
	3 LEDD Lamp			BRS
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28024	1	C	BS	BRS	28023-1C-BS/BRS

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter




28030 Cylinder glass pendant

Cylindrical design creates a spectacular exhibition of descending light.

Complimented by a assortment of colors.

Model	Lamping	Suspension	Finish	Glass
28030	1 Incandescent	C Cord R Rod	BS ORB	AMB OPL RED
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



28030-1C-BS/OPL

Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28030	1	C	BS	OPL	28030-1C-BS/OPL

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



CLAM



CLOP



CLRD




28033-1C-BS/CLOP

28033 Glass 'n Glass cylinder pendant

Fresh bold design that enthralls with vivid colors enhanced by a transparent protective outer glass shield.

Model	Lamping	Suspension	Finish	Glass
28033	1 Incandescent	C Cord R Rod	BS ORB	CLAM CLRD CLOP
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28033	1	C	BS	CLOP	28033-1C-BS/CLOP

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included

LEDD indicates a LED fixture with dimming capabilities



C Type
Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type
Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



28069-1C-ORB/AMB



28069-1C-BS/OPL

28069 Sherry glass pendant

This graceful design displays a charming dome shaped glass and adds contrast and depth to any room.

Model	Lamping	Suspension	Finish	Glass
28069	1 Incandescent	C Cord R Rod	BS ORB	AMB OPL
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28069	1	C	BS	OPL	28069-1C-BS/OPL

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included



Cord Suspension

C Type
12ft Clear Cord with BS
Black Cord with ORB



Stem Suspension

R Type
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter



28070-1C-BS/AMB




28070-1C-BS/WHT

28070 Cognac glass pendant

This unique elongated glass allows for a spectacular display of light. Creating a simply delicate, defined and functional scheme in a modern-day presence.

Model	Lamping	Suspension	Finish	Glass
28070	1 Incandescent	C Cord R Rod	BS ORB	AMB WHT
	2 Fluorescent			
	3 LEDD Lamp			
	4 SSL LEDD			



Example for selecting model choice with lamping, suspension, finish and glass color

Model	Lamp Type	Suspension	Finish	Glass Finish	Completed SKU
28070	1	C	BS	WHT	28070-1C-BS/WHT

Lamping Specifications

	Wattage	Base	Type	Kelvin	Lumen	Lamps
1	1Lt x 100w	E-26	A-19			
2	1Lt x 18w 	GU-24	Spiral	2700k	1250Lm	Included
3	1Lt x 10w	E-26	A-19 LED Bulb	3000k	800Lm	Included
4	1Lt x 12w	SSL	90CRI LED	3000k	880Lm	Included



C Type

Cord Suspension
12ft Clear Cord with BS
Black Cord with ORB



R Type

Stem Suspension
Rods 6"16"22", 10ft Cord,
Integral Slope Adapter

LEDD indicates a LED fixture with dimming capabilities

SPOTLIGHTS







63063LEDD-BRZ



63064LEDD-BS

SLEEK

See functional lighting put its best foot forward with the SLEEK collection. Vertical and rotational head adjustment, along with telescopic rods, all packaged in a sleek low profile design. SLEEK defining the concept of form + function.



63065LEDD-BS

Sleek Dimmable LED Pendant Spotlights

Finish: BRZ BS

Included: LED Modules, Telescopic Rods, Slope Adapter

Certification: C ETL US Ceiling Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63063LEDD-__	3Lt x 4w	80CRI LED	SSL	3000k	1350Lm	O.A.H 19.75-30" W 23"
63064LEDD-__	4Lt x 4w	80CRI LED	SSL	3000k	1800Lm	O.A.H 19.75-30" W 33"
63065LEDD-__	5Lt x 4w	80CRI LED	SSL	3000k	2250Lm	O.A.H 19.75-30" W 43"



Sleek Dimmable LED Semi-Flush Spotlights

Finish: BRZ BS

Included: LED Modules

Certification: C ETL US Ceiling Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
63066LEDD-__	3Lt x 4w	80CRI LED	SSL	3000k	1350Lm	H 7" W 23"
63067LEDD-__	4Lt x 4w	80CRI LED	SSL	3000k	1800Lm	H 7" W 33"
63068LEDD-__	5Lt x 4w	80CRI LED	SSL	3000k	2250Lm	H 7" W 43"

FLUSH MOUNTS



BELAGGIO

This stunning piece is a gorgeous addition to a lighting staple, the flush mount. Diffused smoked glass surrounds an inner opal glass powered by a dedicated LED module. Available in two sizes.



50198LEDD-OPL/SMK



50199LEDD-OPL/SMK

Belaggio Dimmable Flush Mounts

Finish:	Glass: OPL/SMK	Included: LED Module				Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
50198LEDD-OPL/SMK	8.5w	80CRI LED	SSL	3000k	600Lm	8.1" D 2.6" H	
50199LEDD-OPL/SMK	9.5w	80CRI LED	SSL	3000k	800Lm	12" D 3" H	

SOLERO

SOLERO is a simple and affordable solution to contemporary style. Powered with an energy efficient fluorescent or LED GU24 bulb SOLERO has an acrylic diffuser and is certified damp location. 4 size options, with the largest a phenomenal 24" diameter. SOLERO is to shine, priced to please.



20464LEDD-BRZ/ACR



20465GU-BS/ACR



20466GU-BS/ACR



20467LEDD-BRZ/ACR

Solero Dimmable Acrylic Flush Mounts

Finish: BRZ BS	Glass: ACR	Included: LED Module	Certification: CUL Ceiling Damp Location 			
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20464LEDD-_/ACR	15w	90Plus CRI LED	SSL	3000k	800Lm	D 12" H 3.5"
20464GU-_/ACR	1Lt x 13w		GU-24			
20465LEDD-_/ACR	20w	90Plus CRI LED	SSL	3000k	1200Lm	D 14" H 4"
20465GU-_/ACR	2Lt x 13w		GU-24			
20466LEDD-_/ACR	30w	90Plus CRI LED	SSL	3000k	2000Lm	D 18" H 6"
20466GU-_/ACR	3Lt x 13w		GU-24			
20467LEDD-_/ACR	35w	90Plus CRI LED	SSL	3000k	2400Lm	D 24" H 6"
20467GU-_/ACR	6Lt x 13w		GU-24			

SOLERO OVAL

A wonderful addition to our existing collection, the SOLERO OVAL is a grand 32 plus inches in width, 90 CRI, and available in brushed steel or bronze. Look for the balance of the SOLERO collection in bronze too.



20468LEDD-BRZ/ACR



20468LEDD-BS/ACR

Solero Oval Dimmable Acrylic Flush Mounts

Finish: BRZ BS		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20468LEDD-___/ACR	40w	90CRI LED	SSL	3000k	2945Lm	W 32.5" L 18.25" H 4.5"	

STRIKE 2.0

These striking flush mounts are a home run! Contemporary, low profile design. Illuminate the bathroom, foyer, hallway, basement, kitchen or pantry. Heavy hitting solid-state technology, square or round, in bronze, satin or white finish. You can't strike out with this winner.



20800LEDD-SILV/ACR



20800LEDD-BRZ/ACR



20800LEDD-WH/ACR

Strike 2.0 Dimmable LED Round Flush Mounts

Finish: BRZ SILV WH		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20800LEDD-_/ACR	12w	90CRI LED	SSL	3000k	960Lm	D 7" H 1.5"	



20801LEDD-SILV/ACR



20801LEDD-BRZ/ACR



20801LEDD-WH/ACR

Strike 2.0 Dimmable LED Round Flush Mounts

Finish: BRZ SILV WH		Glass: ACR	Included: LED Module			Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20801LEDD-___/ACR	16w	90CRI LED	SSL	3000k	1280Lm	D 9.5" H 1.5"	



20802LEDD-SILV/ACR



20802LEDD-BRZ/ACR



20802LEDD-WH/ACR

Strike 2.0 Dimmable LED Square Flush Mounts

Finish: BRZ SILV WH		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20802LEDD-_/ACR	12w	90CRI LED	SSL	3000k	960Lm	7"W 7"L 1.5"H	



20803LEDD-SILV/ACR



20803LEDD-BRZ/ACR



20803LEDD-WH/ACR

Strike 2.0 Dimmable LED Square Flush Mounts

Finish: BRZ SILV WH		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20803LEDD-___/ACR	16w	90CRI LED	SSL	3000k	1280Lm	9.5"W 9.5"L 1.5"H	

LINK PLUS

Link, the perfect go-to flush mount when designer style, price point and energy-efficiency are of the utmost importance. LINK, bringing design, technology and affordability together as one.



20805LEDD-SILV/ACR



20805LEDD-BRZ/ACR



20805LEDD-WH/ACR

Link Plus Dimmable LED Flush Mounts

Finish: BRZ SAT WH		Glass: ACR		Included: LED Module		Certification: CUL Ceiling Damp Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20805LEDD-_/ACR	12w	90CRI LED	SSL	3000k	960Lm	D 7.5" H 2.4"	

COBALT

A neutral classic contemporary flush-mount, COBALT has been further enhanced with a dedicated LED module. This tried and trusted number provides all the ingredients for success in a multitude of applications.



20064LEDD-WH/OPL



20065LEDD-WH/OPL



20066LEDD-WH/OPL

Cobalt Dimmable LED Flush Mounts


Finish: WH		Glass: OPL		Included: LED Module			Certification: CUL Ceiling Wet Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions		
20064LEDD-WH/OPL	12w	90Plus CRI LED	SSL	3000k	1000Lm	D 11" H 3.6"		
20065LEDD-WH/OPL	16w	90Plus CRI LED	SSL	3000k	1590Lm	D 13" H 4"		
20066LEDD-WH/OPL	24w	90Plus CRI LED	SSL	3000k	2200Lm	D 15" H 5"		

WEST END

Curved glass artfully encased in sleek metal is the essence to the WEST END Collection. An extensive offering of wall mounts is perfectly paired with unique square flush mounts and an oblong wall sconce. Dedicated solid state lighting, 90CRI, 3000kelvin.



62486LEDDB-BS/OPL
Wall or Flush Mount



62485LEDD-BS/OPL
Wall or Flush Mount



62484LEDD-BRZ/OPL
Wall



62484LEDD-BS/OPL
Wall



West End Dimmable Wall Mounts/Flush Mounts

Finish: BRZ BS		Glass: OPL		Included: LED Module		Certification: CUL Wall/Ceiling Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62484LEDD-_/OPL	17w	90CRI LED	SSL	3000k	1200Lm	10"W 10"H 4"Ext	
62485LEDD-_/OPL	20w	90CRI LED	SSL	3000k	1600Lm	12.5"W 12.5"H 4"Ext	
62486LEDD-_/OPL	34w	90CRI LED	SSL	3000k	2400Lm	15"W 15"H 4"Ext	

WALL/VANITIES



62487LEDD-BRZ/OPL

62487LEDD-BS/OPL

62488LEDD-BS/OPL


62488LEDD-BRZ/OPL

West End Dimmable Wall Mounts

Finish: BRZ BS		Glass: OPL		Included: LED Module, Floating Canopy		Certification: CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62487LEDD-_/OPL	17w	90CRI LED	SSL	3000k	1200Lm	17"W 3"H 4"Ext	
62488LEDD-_/OPL	31.5w	90CRI LED	SSL	3000k	2400Lm	27"W 3"H 4"Ext	



62489LEDD-BS/OPL



62489LEDD-BRZ/OPL

West End Dimmable Wall Mounts

Finish: BRZ BS	Glass: OPL	Included: LED Module, Floating Canopy			Certification: CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62489LEDD-_/OPL	48.5w	90CRI LED	SSL	3000k	3600Lm	39"W 3"H 4"Ext

FJORD

Long and narrow, free of hardware the FJORD Collection is modern lighting to the core. Clean lines, unadorned, Fjords attraction lies in its simplicity. Dedicated SSL, 90 CRI.



62480LEDD-BS/OPL



62481LEDD-BS/OPL



Fjord Dimmable Wall/Vanity Fixtures

Finish: BS CH	Glass: OPL	Included: LED Module, Floating Canopy			Certification: CUL Wall Damp Location			
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions		
62480LEDD-_/OPL	17w	90CRI LED	SSL	3000k	1200Lm	15"W 2.2"H 3.5"Ext		
62481LEDD-_/OPL	20w	90CRI LED	SSL	3000k	1600Lm	19"W 2.2"H 3.5"Ext		



62482LEDD-BS/OPL



62483LEDD-BS/OPL



Fjord Dimmable Wall/Vanity Fixtures

Finish: BS CH	Glass: OPL	Included: LED Module, Floating Canopy			Certification: CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62482LEDD-___/OPL	31.5w	90CRI LED	SSL	3000k	2400Lm	25.5"W 2.2"H 3.5"Ext
62483LEDD-___/OPL	41.5w	90CRI LED	SSL	3000k	3200Lm	36"W 2.2"H 3.5"Ext

ELEMENTARY

“Elementary, my dear Watson.”
Perfect for every project. Simple, square lines, unadorned white glass. There is nothing elaborate about this ELEMENTARY luminaire, except its simplistic lines.



20419LEDDL-P-BS/OPL

Elementary Dimmable Wall Sconce

Finish: BS	Glass: OPL	Included: Replaceable A-19 LED Bulb			Certification: CUL Wall Damp Location			
Model	Wattage	Type	Base	Kelvin	NomLumen	7.25"W 9"H Ext 4"		
20419LEDDL-P-BS/OPL	1Lt x 11w	Replaceable A-19 LED Bulb	E-26	3000k	800Lm			
20419-BS/OPL	1Lt x 100w	A-19	E-26	2700k	800Lm			

RYDER

Discerning lighting enthusiast will gravitate to the RYDER Collection. Seamless mitered glass sheets simply adorned with modern accents fashions a contemporary luminaire that is LED to boot.



62461LEDD-CH/OPL

HIGH
QUALITY
MITERED
GLASS



62463LEDD-CH/OPL



62464LEDD-CH/OPL

Ryder Dimmable Vanity

Finish: CH	Glass: OPL	Included: LED Module				Certification: CUL Wall Damp Location	 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62461LEDD-CH/OPL	27.8w	90CRI LED	SSL	3000k	1173Lm	18.25"W 5"H 3"Ext	
62463LEDD-CH/OPL	36.3w	90CRI LED	SSL	3000k	1563Lm	23.25"W 5"H 3"Ext	
62464LEDD-CH/OPL	39.5w	90CRI LED	SSL	3000k	1612Lm	26.25"W 5"H 3"Ext	

NITRO 2


Back and better than ever NITRO 2 returns to the scene fully decked out with LED modules. This phenomenally successful series truly shines with crisp white LED light illuminating opal glass, dramatically set against a brushed steel frame. Clean lines and solid-state lighting make NITRO 2 a winning number.



62292LEDD-BS/OPL



62291LEDD-BS/OPL



62293LEDD-BS/OPL



62294LEDD-BS/OPL




62295LEDD-BS/OPL

Nitro 2 Wall/Vanity Fixture

Finish: BS		Glass: OPL		Included: Lamps or LED Module LEDD indicates a LED fixture with dimming capabilities		Certification : C ETL US Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
62291LEDD-BS/OPL	1Lt x 8w	90CRI LED	SSL	3000k	750Lm	H 5.25" L 6.9" Ext 3.75"	
62291-BS/OPL	1Lt x 100w	J-78 Halogen	R7s	2900k	1650Lm		
62292LEDD-BS/OPL	2Lt x 8w	90CRI LED	SSL	3000k	1500Lm	H 5.25" L 16" Ext 3.75"	
62292-BS/OPL	2Lt x 100w	J-78 Halogen	R7s	2900k	3300Lm		
62293LEDD-BS/OPL	3Lt x 8w	90CRI LED	SSL	3000k	2250Lm	H 5.25" L 25.2" Ext 3.75"	
62293-BS/OPL	3Lt x 100w	J-78 Halogen	R7s	2900k	4950Lm		
62294LEDD-BS/OPL	4Lt x 8w	90CRI LED	SSL	3000k	3000Lm	H 5.25" L 34.25" Ext 3.75"	
62294-BS/OPL	4Lt x 100w	J-78 Halogen	R7s	2900k	6600Lm		
62295LEDD-BS/OPL	5Lt x 8w	90CRI LED	SSL	3000k	3750Lm	H 5.25" L 48.75" Ext 3.75"	
62295-BS/OPL	5Lt x 100w	J-78 Halogen	R7s	2900k	8250Lm		

WAVE

Wave goodbye to antiquated technology and embrace the future in vanity lighting. WAVE'S soft curved diffusers pair design with state-of-the-art LED modules for perfect light distribution.



62296LEDD-BS/OPL



62296LEDD-BRZ/OPL



62297LEDD-BRZ/OPL



62298LEDD-BS/OPL



62299LEDD-BS/OPL

Wave Dimmable LED Wall/Vanity Fixture

Finish: BRZ BS	Glass: OPL	Included: LED Module			Certification : CUL Wall Damp Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
62296LEDD-__/_OPL	1Lt x 9w	85CRI LED	SSL	3000k	800Lm	H 4.4" W 9" Ext 2.9"
62297LEDD-__/_OPL	3Lt x 9w	85CRI LED	SSL	3000k	2400Lm	H 4.4" W 27" Ext 2.9"
62298LEDD-__/_OPL	4Lt x 9w	85CRI LED	SSL	3000k	3200Lm	H 4.4" W 36" Ext 2.9"
62299LEDD-__/_OPL	5Lt x 9w	85CRI LED	SSL	3000k	4000Lm	H 4.4" W 45" Ext 2.9"

EXTERIOR





20059LEDDMG-SAT



20061LEDDMG-BRZ



20057LEDDMG-BRZ



20058LEDDMG-SAT

360

360 is an “all-rounder”, complete with geometrically inspired designs and innovative LED technology. Four sizes are available in a Marine Grade oil rubbed bronze or satin finish.

360 Dimmable Outdoor Marine Grade LED Wall Mounts

Finish: BRZ SAT	Glass:	Included: LED Module			Certification: CUL Wall Damp Location		UL LISTED	ANCHOR	ADA
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions			
20057LEDDMG-__	12w	80CRI LED	SSL	3000k	900Lm	10"H	7"W	Ext 2.3"	
20058LEDDMG-__	16w	80CRI LED	SSL	3000k	1400Lm	13"H	9.5"W	Ext 2.3"	
20059LEDDMG-__	12w	80CRI LED	SSL	3000k	1200Lm	16"H	8"W	Ext 2.3"	
20061LEDDMG-__	12w	80CRI LED	SSL	3000k	900Lm	12"H	6"W	Ext 2.3"	



CILINDRO EXTERIOR

Cylindrical opal glass set against a curved metal back plate forms a lovely outdoor fixture with clean, elegant contemporary lines. Dedicated SSL, 3000k, and 90CRI make this as much an interior option.



20067LEDD-BS/OPL



20068LEDD-BS/OPL



20069LEDD-BS/OPL

Cilindro Exterior Dimmable Wall Mounts

Finish: BS	Glass: OPL	Included: LED Module				Certification: CUL Wall Wet Location		
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions		
20067LEDD-BS/OPL	8w	90CRI LED	SSL	3000k	640Lm	12.38"H	4.38"W	3.75"Ext
20068LEDD-BS/OPL	12w	90CRI LED	SSL	3000k	960Lm	15.38"H	4.38"W	3.75"Ext
20069LEDD-BS/OPL	16w	90CRI LED	SSL	3000k	1280Lm	18.38"H	4.38"W	3.75"Ext



ULKO EXTERIOR

Don't be surprised if you feel compelled to place Ulko indoors too. This wet rated, clearly contemporary outdoor LED flush mount, is ultra-attractive, 90 CRI, and CEC compliant.



20070LEDD-WH/ACR



20071LEDD-SILV/ACR



20072LEDD-SILV/ACR

Ulko Exterior Dimmable Flush Mounts


Finish: SILV WH	Glass: ACR	Included: LED Module			Certification: CUL Ceiling Wet Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20070LEDD-_/ACR	11w	90CRI LED	SSL	3000k	700Lm	5.5"D 1"H
20071LEDD-_/ACR	14w	90CRI LED	SSL	3000k	900Lm	7"D 1"H
20072LEDD-_/ACR	19w	90CRI LED	SSL	3000k	1200Lm	9"D 1"H

THE VERTICAL

Strong geometric lines, make THE VERTICAL a standout in the rugged outdoors. LED technology caters to the low profile simplicity of this artsy luminaire. Light reflected off the mounting surface, creates drama that will enhance curbside appeal. THE VERTICAL or BI-VERTICAL – upscale indoors or out.



20045LEDDMG-BRZ/ACR



20045LEDDMG-SAT/ACR



20045LEDDMG-BL/ACR

Vertical Marine Grade Wet Location Dimmable LED Wall Fixture

Finish: BL BRZ SAT		Glass: ACR		Included: LED Module		Certification : CUL Ceiling Wet Location				
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions				
20045LEDDMG-___/ACR	12.4w	90CRI LED	SSL	3000k	985Lm	11"H 4.33" W Ext 3.4"				



20047LEDMG-BL/ACR



20047LEDMG-SAT/ACR



20047LEDMG-BRZ/ACR

BI-VERTICAL

Bi-Vertical Marine Grade Wet Location LED Wall Fixture 120-277v

Finish: BL BRZ SAT	Glass: ACR	Included: LED Module			Certification: CUL Ceiling Wet Location		  
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20047LEDMG-_/ACR	24W	90CRI LED	SSL	3000k	1200Lm	17.5" H 4.33"W Ext 3.4"	

TRILOGY

TRILOGY is the outdoor luminaire that will bring both design and technology to your space. Pure LED light is reflected off the back plate providing unobtrusive ambient lighting that is fresh and welcoming.



20056LEDDMG-SAT



20056LEDDMG-BRZ



20055LEDDMG-BRZ

Trilogy Dimmable Outdoor Marine Grade Wall Fixture

Finish: BRZ SAT	Glass:	Included: LED Module			Certification: CUL Ceiling Wet Location					
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions				
20055LEDDMG-__	15w	80CRI LED	SSL	3000k	1200Lm	12”H 7”W Ext 3.7”				
20056LEDDMG-__	20w	80CRI LED	SSL	3000k	1600Lm	16”H 9.6”W Ext 3.7”				

ADAPT

ADAPT provides flexibility to the standard wall pack with the ability to adjust the angle of the light. Clean, architectural lines, packed with LED technology makes this exterior element adaptable to your outdoor living space.



Adapt Wet Location Adjustable Wall Pack Universal Voltage 120 - 277v

Finish: BL BRZ WH	Glass:	Included: LED Module				Certification :CUL Ceiling Wet Location 
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20789LED-__	30w	80CRI LED	SSL	4000k	2500Lm	H 7.25" W 6.25" Ext 3-8"

MIST

Bring contemporary sophistication and LED technology to your outdoor space with the MIST Collection. Solid-state lighting protected in a marine grade finish of satin, black or bronze. Square textured glass suggestive of rain is set against an oblong back plate.



20043LEDDMG-SAT/CLR



20043LEDDMG-BRZ/CLR



20043LEDDMG-BL/CLR

MIST Marine Grade Wet Location Art Glass Dimmable LED Wall Fixture

Finish: BL BRZ SAT		Glass: CLR		Included: LED Module		Certification : CUL Wall Wet Location   	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20043LEDDMG-___/CLR	14.7w	90CRI LED	SSL	3000k	1160Lm	H 5.82" W 4.33" Ext 2"	

AVANTE

Go forward, feel confident and assured, knowing that you have selected a stylish contemporary luminaire with cutting-edge technology when you say “AVANTE”. The pleasing circular shape is complimented by the subtle curve of the shade and half-moon cut out in the lower metal work. Dark sky lighting with style - AVANTE.



20044LEDDMG-BL/OPL



20044LEDDMG-SAT/OPL



20044LEDDMG-BRZ/OPL

Avante Marine Grade Wet Location Wall Dimmable LED Fixture

Finish: BL BRZ SAT		Glass: OPL		Included: LED Module		Certification : CUL Wall Wet Location				
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions				
20044LEDDMG-__/_/OPL	13.5w	90CRI LED	SSL	3000k	1220Lm	Dia 8.66" Ext 2.75"				

NEPTUNE

Rectangular sophistication with a geometrically inspired metal decoration defines NEPTUNE. Marine grade, and available in two different finishes, a contemporary satin or transitional bronze, certain to cater to your design requirements. Total shade illumination is achieved with ribbed frosted glass. Select from three different lamping sources; LED, fluorescent or incandescent to meet your application needs. NEPTUNE, warm and welcoming with contemporary style.



20012LEDDMGLP-BRZ/RFR




20012LEDDMGLP-SAT/RFR

Neptune Marine Grade Wet Location Wall Fixture

Finish: BRZ SAT	Glass: RFR	Included: Replaceable A-19 LED Bulb, Spiral Fluorescent LEDD indicates a LED fixture with dimming capabilities			Certification : CUL Wall Wet Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20012LEDDMGLP-__/_CLR	1Lt x 9w	Replaceable A-19 LED Bulb	E-26	3000k	800Lm	H 13" L 7" Ext 5"
20012MG-__/_RFR	1Lt x 75w	A-19	E-26	2700k	1100Lm	H 13" L 7" Ext 5"
C20012MG-__/_RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	H 13" L 7" Ext 5"

MONTREAL


There is a quiet sophistication to this unusual outdoor light. Perhaps the aesthetic attraction lies in the pleasing curves of MONTREAL, low profile appearance of this unique outdoor luminaire? Regardless, MONTREAL with multi-directional LED light distribution is boutique outdoor lighting at its best!



20048LEDMG-BL/FST



20046LEDDMG-BL/FST



20046LEDDMG-BL/FST



20046LEDDMG-BRZ/FST


Montreal Marine Grade Wet Location LED Wall Fixture

Finish: BL BRZ SAT		Glass: FST		Included: LED Module LEDD indicates a LED fixture with dimming capabilities		Certification: CUL Ceiling Wet Location   	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20046LEDDMG-___/FST	27w	90CRI LED	SSL	3000k	700Lm	W 11.96" H 2.48" Ext 3.46"	
20048LEDMG-___/FST	30w	90CRI LED	SSL	3000k	900Lm	W 18" H 3.5" Ext 3.46"	

SQUARE

HIP TO BE SQUARE.


These perfectly four-sided outdoor luminaires convey a cool, stylish image. Two versions, adjustable or fixed, allow for the dramatic distribution of light on the mounting surface. SQUARE, for those with out of the box thinking.



20398LEDMG-SAT



20399LEDMG-WH
Adjustable Louvers



20398LEDMG-BRZ



20399LEDMG-BL
Adjustable Louvers

Square Marine Grade Wet Location LED Wall Fixtures (20399 Adjustable Louvers)

Finish: BL BRZ SAT WH

Included: LED Module

Certification: C ETL US Wall Wet Location




Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20398LEDMG-_____	6w	80CRI LED	SSL	3000k	480Lm	H 3.1" W 5" Ext 5
20399LEDMG-_____	6w	80CRI LED	SSL	3000k	480Lm	H 4.25" W 4.25" Ext 4.25"

CURVE

A softer counterpart to the well-received SQUARE series can easily be found in CURVE. This architectural LED piece walks the line between form and function boasting four marine grade finishes with adjustable louvers.




20399LEDMGRND-WH



20399LEDMGRND-BRZ



20399LEDMGRND-SAT



20399LEDMGRND-BL

Curve Marine Grade Wet Location LED Wall Fixture with Adjustable Louvers

Finish: BL BRZ SAT WH		Glass:		Included: LED Module		Certification : C ETL US Wall Wet Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20399LEDMGRND-_____	6w	80CRI LED	SSL	3000k	480Lm	H 4.4" W 6" Ext 5"	

DESTINATION

DESTINATION provides you with the opportunity to convert your entrance or outdoor space to a memorable location. Ribbed frosted glass set against a metal background, and minimally adorned with a metal band, bring the smooth curves and dimensional ridges of the shade to the forefront.



20041MG-BRZ/RFR



20041MG-SAT/RFR



20041MG-BL/RFR

Destination Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT		Glass: RFR		Included: LED Module		Certification : CUL Wall Wet Location   	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20041LEDMG-__/_/RFR	8w	90CRI LED	SSL	3000k	677Lm		
20041MG-__/_/RFR	1Lt x 60w	A-19	E-26			H 9.84" W 7.24" Ext 4.72"	

PIER

A popular design can be found in PIER, but exceptional metal work, and extreme attention to detail separate this LED, marine grade luminaire from its counterparts.



20042MG-SAT/RFR



20042MG-BL/RFR



20042MG-BRZ/RFR

Pier Marine Grade Wet Location Wall Fixture

Finish: BL BRZ SAT		Glass: RFR		Included: LED Module		Certification: CUL Wall Wet Location   	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions	
20042LEDMG-___/RFR	8w	90CRI LED	SSL	3000k	677Lm	H 9.84" W 7.24" Ext 4.72"	
20042MG-___/RFR	1Lt x 60w	A-19	E-26				

BERMUDA

Design and purpose meet in the marine grade BERMUDA luminaire. Graced with a ribbed frosted glass enclosed in a stylish metal cage, the attributes continue with the multitude of lamping options. Select incandescent, LED or fluorescent. Available in black, bronze or satin and two different sizes, BERMUDA will make waves in any application.



20010LEDDMGLP-BL/RFR



20010LEDDMGLP-BRZ/RFR




20010LEDDMGLP-SAT/RFR

Bermuda Marine Grade Wet Location Bulkhead

Finish: BL BRZ SAT		Glass: RFR		Included: Replaceable A-19 LED Bulb, Spiral Fluorescent LEDD indicates a LED fixture with dimming capabilities		Certification: CUL Wall Wet Location  
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20010LEDDMGLP-__/_RFR	1Lt x 9w	Replaceable A-19 LED Bulb	E-26	3000k	800Lm	H 10.5" L 7" Ext 5"
20010MG-__/_RFR	1Lt x 60w	A-19	E-26	2700k	800Lm	H 10.5" L 7" Ext 5"
C20010MG-__RFREN1118B	1Lt x 18w	Spiral Fluorescent	GU-24	2700k	1250Lm	H 10.5" L 7" Ext 5"



20030LEDDMGLP-BRZ/RFR



20030LEDDMGLP-SAT/RFR

Bermuda Marine Grade Wet Location Bulkhead

Finish: BRZ SAT	Glass: RFR	Included: Replaceable A-19 LED Bulbs, Spiral Fluorescent LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Wall Wet Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20030LEDDMGLP-__ /RFR	2Lt x 9w	Replaceable A-19 LED Bulbs	E-26	3000k	1600Lm	H 16.75" L 6" Ext 5.3"
20030MG-__ /RFR	2Lt x 60w	A-19	E-26	2700k	1600Lm	H 16.75" L 6" Ext 5.3"
C20030MG-__ RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	H 16.75" L 6" Ext 5.3"

NEVIS

This wet location bulkhead has stylish half moon rings at the top and bottom of the frame, adorning ribbed frosted glass. NEVIS is available in two outdoor finishes, two sizes and lamping options including incandescent and energy saving LED or fluorescent. NEVIS, a bulkhead flaunting style.



20011LEDDMGLP-BRZ/RFR



20011LEDDMGLP-SAT/RFR

Nevis Marine Grade Wet Location Bulkhead

Finish: BRZ SAT	Glass: RFR	Included: Replaceable A-19 LED Bulb, Spiral Fluorescent LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Wall Wet Location  	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20011LEDDMGLP-__ /RFR	1Lt x 9w	Replaceable A-19 LED Bulb	E-26	3000k	800Lm	H 10.5" L 7" Ext 5"
20011MG-__ /RFR	1Lt x 60w	A-19	E-26	2700k	800Lm	H 10.5" L 7" Ext 5"
C20011MG-__ RFREN1118B	1Lt x 18w	Spiral Fluorescent	GU-24	2700k	1250Lm	H 10.5" L 7" Ext 5"



20031LEDDMGLP-SAT/RFR



20031LEDDMGLP-BRZ/RFR

Nevis Marine Grade Wet Location Bulkhead

Finish: BRZ SAT		Glass: RFR	Included: Replaceable A-19 LED Bulbs, Spiral Fluorescent LEDD indicates a LED fixture with dimming capabilities			Certification: CUL Wall Wet Location  
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
20031LEDDMGLP-__ /RFR	2Lt x 9w	Replaceable A-19 LED Bulbs	E-26	3000k	1600Lm	H 16.75" L 6" Ext 5.3"
20031MG-__ /RFR	2Lt x 60w	A-19	E-26	2700k	1600Lm	H 16.75" L 6" Ext 5.3"
C20031MG-__ RFREN1218B	2Lt x 18w	Spiral Fluorescent	GU-24	2700k	2500Lm	H 16.75" L 6" Ext 5.3"



- High Intensity LED
- Quality Construction
- Sleek Modern Designs
- Designed for Everyday Living

TASKWERX

*“Please don’t mistake me for just another task light
I am built to perform and I am designed with incomparable standards”*

TaskWerx brings a truly comprehensive approach to task lighting. Designed for everyday living, TaskWerx is equipped with the latest solid-state lighting technology, ease of adjustability, and visually pleasing designs. The TaskWerx collection is fully dimmable, exceptionally engineered, the FLEX, URBAN, LINEAR, and REACH models all have high-grade copper joints ensuring seamless operation and durability.

REACH

The 360 degree rotational capacity along with LED technology and dimming capabilities makes REACH an easy pick. Pair REACH with its wall counterpart, bringing functionality and LED technology to every nook and cranny.



TaskWerx Reach Dimmable LED Task Lamps

Finish: BRZ BS		Included: LED Module, Plug-in Cord, Wall Mounts Can Be Hardwired			Certification: CUL Dry Location 	
Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
72003LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 26" W 7" L 19"
72004LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 20" W 7" L 28"

FLEX

The beauty of FLEX lies in its willingness to meet your directional needs. In addition FLEX is constructed to ensure that your select position is maintained with no sagging or drooping. Performance is the motto for this fully dimmable LED task light.

Wall version available too.



TaskWerx Flex Gooseneck Dimmable LED Task Lamps

Finish: BRZ BS

Included: LED Module, Plug-in Cord, Wall Mounts Can Be Hardwired

Certification: CUL Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
72001LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 28" W 7" L 25"
72002LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 25" W 7" L 10"



URBAN

This hip table top luminaire, is solid to the core and designed for the chic, contemporary, task minded user. Modern, geometric lines, the latest in LED technology and quality construction will stand up to the task at hand and meet the design elements demanded of this stand-out task light.

TaskWerx Urban Dimmable LED Task Lamp

Finish: BRZ BS

Included: LED Module, Plug-in Cord

Certification : CUL Table Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
72005LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 14" W 7" L 26"






TaskWerx Linear Dimmable LED Task Lamp

Finish: BRZ BS

Included: LED Module, Plug-in Cord

Certification : CUL Table Dry Location 

Model	Wattage	Type	Base	Kelvin	NomLumen	Dimensions
72006LEDD-__	6.3w	83CRI LED	SSL	3000k	600Lm	O.A.H 14" W 7" L 26"



INDEX

MODEL #	PAGE #
20010LEDMG	116
20010MG	116
C20010MG	116
20011LEDMG	118
20011MG	118
C20011MG	118
20012LEDMG	110
20012MG	110
C20012MG	110
20030LEDMG	117
20030MG	117
C20030MG	117
20031LEDMG	119
20031MG	119
C20031MG	119
20041LEDMG	114
20041MG	114
20042LEDMG	115
20042MG	115
20043LEDDMG	108
20044LEDDMG	109
20045LEDDMG	104
20046LEDDMG	111
20047LEDMG	105
20048LEDMG	111
20055LEDDMG	106
20056LEDDMG	106
20057LEDDMG	99
20058LEDDMG	99
20059LEDDMG	99
20061LEDDMG	99
20064LEDD	87
20065LEDD	87
20066LEDD	87
20067LEDD	101
20068LEDD	101
20069LEDD	101
20070LEDD	103
20071LEDD	103
20072LEDD	103
20398LEDMG	112
20399LEDMG	112
20399LEDMGRND	113
20419LEDD	94
20419	94
20464GU	80
20464LEDD	80
20465GU	80
20465LEDD	80
20466GU	80

MODEL #	PAGE #	MODEL #	PAGE #	MODEL #	PAGE #	MODEL #	PAGE #
20466LEDD	80	50925LEDD	33	62333LEDD	46	63065LEDD	76
20467GU	80	50925	33	62340LEDD	16	63066LEDD	77
20467LEDD	80	50926LEDD	33	62341LEDD	16	63067LEDD	77
20468LEDD	81	50926	33	62342LEDD	16	63068LEDD	77
20789LED	107	50927LEDD	29	62345LEDD	17	63951LEDD	38
20800LEDD	82	50927	29	62346LEDD	17	63951	38
20801LEDD	83	50928LEDD	29	62347LEDD	17	63953LEDD	38
20802LEDD	84	50928	29	62348LEDD	17	63953	38
20803LEDD	85	50929LEDD	29	62351LEDD	8	63957LEDD	37
20805LEDD	86	50929	29	62353LEDD	8	63957	37
23776	61	50935	54	62354LEDD	8	63958LEDD	37
23777	59	50936	55	62355LEDD	7	63958	37
23778	62	50937	53	62356LEDD	7	63959LEDD	37
28004	67	50938	53	62357LEDD	7	63959	37
28011	64	50939LEDD	27	62358LEDD	6	63960LEDD	36
28012	65	50940LEDD	26	62359LEDD	6	63960	36
28018	66	62243LEDD	23	62450LEDD	15	63961LEDD	36
28023	68	62244LEDD	23	62451LEDD	15	63961	36
28024	69	62245LEDD	23	62454LEDD	12	63962LEDD	36
28030	70	62291LEDD	96	62455LEDD	12	63962	36
28033	71	62291	96	62457LEDD	14	63980LEDD	22
28069	72	62292LEDD	96	62458LEDD	13	63981LEDD	22
28070	73	62292	96	62460	50	63982LEDD	24
28090	40	62293LEDD	96	62461LEDD	95	63983LEDD	24
28091	40	62293	96	62463LEDD	95	63984LEDD	25
28092	42	62294LEDD	96	62464LEDD	95	63985LEDD	25
28093LEDD	43	62294	96	62471LEDD	21	63986LEDD	25
28093	43	62295LEDD	96	62473LEDD	21	63987	34
28094LEDD	43	62295	96	62474LEDD	21	63988	34
28094	43	62296LEDD	97	62475LEDD	21	63989	35
28095LEDD	39	62297LEDD	97	62476LEDD	20	63990	56
28096LEDD	39	62298LEDD	97	62477LEDD	20	63991	57
28101LEDD	51	62299LEDD	97	62480LEDD	92	63992	57
28101	51	62321LEDD	11	62481LEDD	92	70064LEDD	41
28102LEDD	51	62321	11	62482LEDD	93	70065LEDD	41
28102	51	62322LEDD	11	62483LEDD	93	72001LEDD	122
50198LEDD	79	62322	11	62484LEDD	88	72002LEDD	122
50199LEDD	79	62323LEDD	11	62485LEDD	88	72003LEDD	121
50465LEDD	49	62323	11	62486LEDD	88	72004LEDD	121
50466LEDD	49	62324LEDD	11	62487LEDD	90	72005LEDD	123
50920LEDD	31	62324	11	62488LEDD	90	72006LEDD	125
50920	31	62325LEDD	10	62489LEDD	91		
50921LEDD	31	62325	10	62491LEDD	19		
50921	31	62326LEDD	10	62492LEDD	19		
50922LEDD	30	62326	10	62493LEDD	19		
50922	30	62327LEDD	9	62494LEDD	19		
50923LEDD	30	62327	9	62495LEDD	18		
50923	30	62330LEDD	47	62496LEDD	18		
50924LEDD	30	62331LEDD	47	63063LEDD	76		
50924	30	62332LEDD	46	63064LEDD	76		



HEADQUARTERS:

14410 Myford Road
Irvine, CA 92606 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADE MART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

access
LIGHTING

www.accesslighting.com

Catalog 27.3 © 2017 All Rights Reserved