



*Fine Lighting
Crafted in the American Tradition
A2016*



Aberdeen

Wall Mounts, Pendants, Column & Post Mounts




ABB-7

ABB-9


ABB-7TN-BZ

Frame: ABB-7
Glass: Tan (TN)
Finish: Bronze (BZ)




Specifications


Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
ABB-7	7"	14"	9 5/8"		5" x 8"	4"	1-72W, Medium	Incand. Wet
ABB-9	8 1/2"	17"	12"		5" x 9"	4 1/2"	1-72W, Medium	Incand. Wet
ABH-7	7"	14"		50"	4 1/4" sq.		1-72W, Medium	Incand. Damp
ABH-9	8 1/2"	16 1/2"		52 1/2"	4 1/4" sq.		1-72W, Medium	Incand. Damp




ABH-7




ABH-9



ABP-7



ABP-9




ABC-15

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
ABC-15	15"	7 1/2"	15 1/2" sq.	1-72W, Medium	Incand. Wet
ABP-7	7"	12"		1-72W, Medium	Incand. Wet
ABP-9	8 1/2"	15"		1-72W, Medium	Incand. Wet

Bexley

Wall Mounts, Pendants, Column & Post Mounts






BEB-7WO-S

Frame: BEB-7
Glass: White Opalescent (WO)
Finish: Slate (S)

Specifications

Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
BEB-7	7"	16½"	10"		4" x 6"	9"	1-72W, Medium	Incand. Wet
BEB-9	9"	21¼"	13"		5" x 7½"	11"	1-72W, Medium	Incand. Wet
BEH-7	5"	14"		50"	4¼" sq.		1-72W, Medium	Incand. Damp
BEH-9	6¾"	18"		54"	4¼" sq.		1-72W, Medium	Incand. Damp




Specifications


Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
BEC-15	15"	8½"	17" sq.	1-72W, Medium	Incand. Wet
BEP-7	5"	12½"		1-72W, Medium	Incand. Wet
BEP-9	6¾"	17¼"		1-72W, Medium	Incand. Wet

Brighton

Wall Mounts, Pendant,
Column & Post Mounts



BRB-8




BRB-10

BRB-10CLR/WHT-BZ

Frame: BRB-10

Glass: Clear with White Inner Cylinder (CLR/WHT)


Finish: Bronze (BZ)




BRH-10

Specifications

Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
BRB-8	8"	14"	9"		4" x 7"	10 1/2"	I-72W, Medium	Incand. Wet
BRB-10	10"	18"	11"		5" x 12"	12 1/2"	I-72W, Medium	Incand. Wet
BRH-10	10"	17 1/2"		53 1/2"	4 1/4" sq.		I-72W, Medium	Incand. Damp




BRC-8




BRC-10

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
BRC-8	8"	13"	6" sq.	I-72W, Medium	Incand. Wet
BRC-10	10"	17"	8" sq.	I-72W, Medium	Incand. Wet
BRP-8	8"	12"		I-72W, Medium	Incand. Wet
BRP-10	10"	15 1/2"		I-72W, Medium	Incand. Wet




BRP-8




BRP-10

Corsica

Pendants



COH-14



COH-20



COH-20CLR-BZ

Frame: COH-20
Glass: Clear (CLR)
Finish: Bronze (BZ)

Specifications

Frame	Width	Height	Extension	Mounting Base	Lamping	C-UL Rating
COH-14	13½"	17"	53"	4¼" sq	3-60W, Candle Clear	Incand. Damp
COH-20	20"	25½"	61½"	4¼" sq	4-60W, Candle Clear	Incand. Damp


Croydon

Wall Mounts, Pendants,
Column & Post Mounts




CRB-10CLR-BK


Frame: CRB-10
Glass: Clear (CLR)
Finish: Satin Black (BK)




CRB-8



CRB-10




CRH-8




CRH-10

Specifications

Frame	Width	Height	Depth	Ext.	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
CRB-8	8"	16"	9"		4" x 7 1/2"	6"	3-60W, Candle Clear	Incand. Wet
CRB-10	10"	20 1/2"	10 1/2"		5" x 7 1/2"	8"	3-60W, Candle Clear	Incand. Wet
CRH-8	8"	17 1/2"		53 1/2"	4 1/4" sq.		3-60W, Candle Clear	Incand. Damp
CRH-10	10"	22"		58"	4 1/4" sq.		3-60W, Candle Clear	Incand. Damp




CRC-8




CRC-10

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
CRC-8	8"	17 1/2"	6" sq.	3-60W, Candle Clear	Incand. Wet
CRC-10	10"	21"	8" sq.	3-60W, Candle Clear	Incand. Wet
CRP-8	8"	16 1/2"		3-60W, Candle Clear	Incand. Wet
CRP-10	10"	20 1/2"		3-60W, Candle Clear	Incand. Wet



CRP-8



CRP-10


Inverness

Wall Mounts, Pendants,
Column & Post Mounts




INB-10GRCLR-BZ

Frame: INB-10GR (Glass Roof)
Glass: Clear (CLR)
Finish: Bronze (BZ)




INB-8GR

INB-10GR




INH-8GR



INH-10GR


Specifications

Frame	Width	Height	Depth	Ext.	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
INB-8GR	8"	18"	10½"		4" x 8"	10½"	3-60W, Candle Clear	Incand. Wet
INB-10GR	10¼"	23"	13½"		5" x 11½"	13½"	3-60W, Candle Clear	Incand. Wet
INH-8GR	8"	16"		52"	4 ¼" sq.		3-60W, Candle Clear	Incand. Damp
INH-10GR	10¼"	19½"		55½"	4¼" sq.		3-60W, Candle Clear	Incand. Damp



INP-8GR

INP-10GR



INC-8GR

INC-10GR

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
INC-8GR	8"	15"	6" sq.	3-60W, Candle Clear	Incand. Wet
INC-10GR	10¼"	18½"	8" sq.	3-60W, Candle Clear	Incand. Wet
INP-8GR	8"	13"	.	3-60W, Candle Clear	Incand. Wet
INP-10GR	10¼"	16"		3-60W, Candle Clear	Incand. Wet

Inverness

Wall Mounts, Pendants,
Column & Post Mounts




INB-10MRCLR-VP


Frame: INB-10MR (Metal Roof)

Glass: Clear (CLR)


Finish: Verdigris Patina (VP)




INB-8MR



INB-10MR




INH-8MR




INH-10MR

Specifications


Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
INB-8MR	8"	18"	10½"		4" x 8"	10½"	3-60W, Candle Clear	Incand. Wet
INB-10MR	10¼"	23"	13½"		5" x 11½"	13½"	3-60W, Candle Clear	Incand. Wet
INH-8MR	8"	16"		52"	4¼" sq.		3-60W, Candle Clear	Incand. Damp
INH-10MR	10¼"	19½"		55½"	4¼" sq.		3-60W, Candle Clear	Incand. Damp




INP-8MR



INP-10MR



INC-8MR



INC-10MR

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
INC-8MR	8"	15"	6" sq.	3-60W, Candle Clear	Incand. Wet
INC-10MR	10¼"	18½"	8" sq.	3-60W, Candle Clear	Incand. Wet
INP-8MR	8"	13"	.	3-60W, Candle Clear	Incand. Wet
INP-10MR	10¼"	16"		3-60W, Candle Clear	Incand. Wet

Nantes


Wall Mounts, Pendants,
Column & Post Mounts

NAB-10CLR-RC


Frame: NAB-10

Glass: Clear (CLR)


Finish: Raw Copper (RC)




NAH-8



NAH-10




NAB-8




NAB-10

Specifications


Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
NAB-8	8"	15½"	11"		4¼" x 6"	9½"	1-72W, Medium	Incand. Wet
NAB-10	10"	19"	13"		5" x 7"	12"	3-60W, Candle Clear	Incand. Wet
NAH-8	8"	13"		49"	4¼" sq.		1-72W, Medium	Incand. Damp
NAH-10	10"	15"		51"	4¼" sq.		3-60W, Candle Clear	Incand. Damp




NAP-8



NAP-10



NAC-8



NAC-10

Specifications


Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
NAC-8	8"	12½"	5" sq.	1-72W, Medium	Incand. Wet
NAC-10	10"	15½"	6" sq.	3-60W, Candle Clear	Incand. Wet
NAP-8	8"	12"	.	1-72W, Medium	Incand. Wet
NAP-10	10"	14½"	.	3-60W, Candle Clear	Incand. Wet

Nottingham


Wall Mounts, Pendants,
Column & Post Mounts

NOB-6CS-RC


Frame: NOB-6
Glass: Clear Seedy (CS)
Finish: Raw Copper (RC)




NOB-6



NOB-8



NOH-6




NOH-8




Specifications

Frame	Width	Height	Depth	Ext.	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
NOB-6	6"	18¾"	8"		4" x 7½"	11¾"	I-72W, Medium	Incand. Wet
NOB-8	8"	25"	10 1/2"		5" x 10"	15½"	I-72W, Medium	Incand. Wet
NOH-6	6"	13½"		49½"	4¼" sq.		I-72W, Medium	Incand. Damp
NOH-8	8"	17"		53"	4¼" sq.		I-72W, Medium	Incand. Damp




NOC-6




NOC-8

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
NOC-6	6"	14"	8" sq.	I-72W, Medium	Incand. Wet
NOC-8	8"	18"	10" sq.	I-72W, Medium	Incand. Wet
NOP-6	6"	13"		I-72W, Medium	Incand. Wet
NOP-8	8"	17"		I-72W, Medium	Incand. Wet



NOP-6




NOP-8

Orpington

Wall Mounts and Pendants


ORB-10CS-BZ

Frame: ORB-10
Glass: Clear Seedy (CS)
Finish: Bronze (BZ)



ORB-8

ORB-10



ORH-8

ORH-10




Specifications

Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
ORB-8	7 ⁵ / ₈ "	20"	7"		4" x 6"	8 ³ / ₄ "	2-60W, Candle Clear	Incand. Wet
ORB-10	9 ¹ / ₂ "	25"	9"		5" x 7 ¹ / ₂ "	11"	2-60W, Candle Clear	Incand. Wet
ORH-8	7 ⁵ / ₈ "	18"		54"	4 ¹ / ₄ " sq.		2-60W, Candle Clear	Incand. Damp
ORH-10	9 ¹ / ₂ "	22"		58"	4 ¹ / ₄ " sq.		2-60W, Candle Clear	Incand. Damp

Providence



Wall Mounts, Pendants,
Column & Post Mount



PRW-9CS-MB
 Frame: PRW-9
 Glass: Clear Seedy (CS)
 Finish: Mission Brown (MB)

Specifications

Frame	Width	Height	Depth	Ext.	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
PRW-7	7"	14"	7½"		5½" x 5"	7½"	2-60W, Candle Clear	Incand. Wet
PRW-7L	7"	19"	7½"		5½" x 5"	7½"	2-60W, Candle Clear	Incand. Wet
PRW-9	9"	24"	9½"		7½" x 7"	9¼"	2-60W, Candle Clear	Incand. Wet
PRH-7	7"	15½"		51½"	4¼ sq.		2-60W, Candle Clear	Incand. Damp




PRC-15

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
PRC-15	15"	11"	15" sq.	4-60W, Candle Clear	Incand. Wet
PRP-7	7"	14"	.	2-60W, Candle Clear	Incand. Wet

Rochester

Wall Mounts, Column & Post Mount




ROW-6L

ROW-6LCLR-BK
 Frame: ROW-6L
 Glass: Clear (CLR)
 Finish: Satin Black (BK)



Specifications


Frame	Width	Height	Depth	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
ROW-6	6"	12"	6½"	5½" x 7"	6"	2-60W, Candle Clear	Incand. Wet
ROW-6L	6"	17"	6½"	5½" x 7"	6"	2-60W, Candle Clear	Incand. Wet
ROW-8	8"	22½"	9"	7½" x 9"	7⅝"	2-60W, Candle Clear	Incand. Wet



ROC-15

Specifications

Frame	Width	Height	Mounting Base	Lamping	C-UL Rating
ROC-15	15"	9"	14½" sq.	4-60W, Candle Clear	Incand. Wet
ROP-6	6"	12"		2-60W, Candle Clear	Incand. Wet




ROP-6

Rochester


Pendants

ROH-19CS-P


Frame: ROH-19
Glass: Clear Seedy (CS)
Finish: Pewter (P)



ROH-19



ROH-12



ROH-6

Specifications

Frame	Width	Height	Ext.	Mounting Base	Lamping	C-UL Rating
ROH-6	6"	13½"	49½"	4¼" sq	2-60W, Candle Clear	Incand. Damp
ROH-12	12"	21½"	57½"	4¼" sq.	3-60W, Candle Clear	Incand. Damp
ROH-19	19"	28½"	64½"	4¼" sq.	4-60W, Candle Clear	Incand. Damp


Verona

Wall Mounts, Pendants and Chandeliers




VECH-22WO-P


Frame: VECH-22
Glass: White Opalescent (WO)
Finish: Pewter (P)



VEW-4



VESH-4



VECH-40

Specifications

Frame	Width	Height	Depth	Extension	Mounting Base	Mounting Center to Top	Lamping	C-UL Rating
VEW-4	4"	18"	4"			9"	2-72W, Medium	Incand. Wet
VESH-4	4"	14"		34"	4¼" sq.		1-72W, Medium	Incand. Damp
VECH-22	22"	4"		34"	4¼" sq.		8-72W, Medium	Incand. Damp
VECH-40	40"	4"		34"	4¼" sq.		4-72W, Medium	Incand. Damp

Product Page

ABB-7.....	2
ABB-9.....	2
ABC-15.....	2
ABH-7.....	2
ABH-9.....	2
ABP-7.....	2
ABP-9.....	2
BEB-7.....	3
BEB-9.....	3
BEC-15.....	3
BEH-7.....	3
BEH-9.....	3
BEP-7.....	3
BEP-9.....	3
BRB-8.....	4
BRB-10.....	4
BRC-8.....	4
BRC-10.....	4
BRH-10.....	4
BRP-8.....	4
BRP-10.....	4
COH-14.....	5
COH-20.....	5
CRB-8.....	6
CRB-10.....	6
CRC-8.....	6
CRC-10.....	6
CRH-8.....	6

Product Page

CRH-10.....	6
CRP-8.....	6
CRP-10.....	6
INB-8GR.....	7
INB-8MR.....	8
INB-10GR.....	7
INB-10MR.....	8
INC-8GR.....	7
INC-8MR.....	8
INC-10GR.....	7
INC-10MR.....	8
INH-8GR.....	7
INH-8MR.....	8
INH-10GR.....	7
INH-10MR.....	8
INP-8GR.....	7
INP-8MR.....	8
INP-10GR.....	7
INP-10MR.....	8
NAB-8.....	9
NAB-10.....	9
NAC-8.....	9
NAC-10.....	9
NAH-8.....	9
NAH-10.....	9
NAP-8.....	9
NAP-10.....	9
NOB-6.....	10

Product Page

NOB-8.....	10
NOC-6.....	10
NOC-8.....	10
NOH-6.....	10
NOH-8.....	10
NOP-6.....	10
NOP-8.....	10
ORB-8.....	11
ORB-10.....	11
ORH-8.....	11
ORH-10.....	11
PRC-15.....	12
PRH-7.....	12
PRP-7.....	12
PRW-7.....	12
PRW-7L.....	12
PRW-9.....	12
ROC-15.....	13
ROH-12.....	14
ROH-19.....	14
ROH-6.....	14
ROP-6.....	13
ROW-6.....	13
ROW-6L.....	13
ROW-8.....	13
VECH-22.....	15
VECH-40.....	15
VESH-4.....	15
VEW-4.....	15



Made in the U.S.A.

American Lighting Brands

Arroyo Craftsman • Framburg • House of Troy • Scatchard Stoneware • Thumbprints

americanlightingbrands.com