









Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Driftwood



Flat Black

SPECS

Blade Sweep	54"
Number of Blades	3
Blade Pitch	16°
Motor Size (MM)	153x10
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	25.0
CU. FT. in Carton	3.5
Energy Guide Airflow (Cubic Feet Per Minute)	3,553
Energy Guide Wattage	11 Watts
Energy Guide Efficiency (CFM Per Watt)	323
Energy Guide Estimated Yearly Cost*	\$3

*Blades Included.

LED SPECS

Lumens

CRI

Watts

Color Temp 3000K

*LED Module is

1600 lm

18 Watts

90

Guaranteed for 5 Years.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Beckham ABS Blades Included
- Integrated 18W LED Light Source (Dimmable)
- WIDC Handheld Control (Included)
- WiFi Compatible
- Suitable for Damp Locations

FAN CONTROL OPTIONS


Airflow at High Speed (Cubic Feet Per Minute) 5,383

WIDC Handheld Control (Included)



Scan to view video on DC remote control operation





- **A** 6" DR 14.35"
- **B** 6" DR 11.94"
- C 10.61"
- **D** 5.83"
- **E** 6.54"
- **DR** Downrod














Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Brushed Nickel

Flat Black



SPECS

52" Blade Sweep Number of Blades 5 14° Blade Pitch Motor Size (MM) 153x8 AMPS (Hi Speed) <1 16.0 Shipping Wt. (lbs) CU. FT. in Carton 1.3 Energy Guide Airflow (Cubic Feet Per Minute) 3,100 Energy Guide Wattage 21 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$5

Airflow at High Speed (Cubic Feet Per Minute) 4,700

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving DC Motor, 6-Speed Reversible
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Captivate ABS Custom Blades Included
- IDC2 Remote & Wall Control Included
- Suitable for Damp Locations

FAN CONTROL OPTIONS


IDC2 Remote and Wall Controls (Included)





Scan to view video on DC remote control operation





- **A** 6" DR 12.76"
- **B** 6" DR 10.0"
- C 8.35"
- **D** 5.83"
- **E** 5.35"
- $\textbf{DR} \ \mathsf{Downrod}$













Brushed Polished Nickel-BNK



Satin Brass-SB



BLADE FINISHES

Dark Cedar/Weathered Mesquite



Black Walnut/Walnut



SPECS

52" Blade Sweep 5 Number of Blades 13° Blade Pitch Motor Size (MM) 172x17 AMPS (Hi Speed) <1 25.0 Shipping Wt. (lbs) CU. FT. in Carton 2.1 Energy Guide Airflow (Cubic Feet Per Minute) 3,933 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$12

Airflow at High Speed (Cubic Feet Per Minute) 5,271

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES


- · Heavy Duty 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Forum Blades Included
- Light Kit Adaptable
- WICS Wall Control and Remote Included
- WiFi Compatible

FAN CONTROL OPTIONS

WICS Remote and Wall Controls (Included)







- 4 6" DR 15.7"
- **B** 6" DR 12.65"
- **C** 13.1"
- **D** 5.9"
- **E** 6.45"
- $\textbf{DR} \ \mathsf{Downrod}$











Flat Black/Satin Brass-FBSB

CHARLINARY CRAFFINAR

BLADE FINISHES

Black Walnut/ Grey Walnut

en tramae et ey tramae

SPECS

District Control	F3#
Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	172 x 20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	20.24
CU. FT. in Carton	1.5
Energy Guide Airflow (Cubic Feet Per Minute)	3,903
Energy Guide Wattage	42 Watts
Energy Guide Efficiency (CFM Per Watt)	92
Energy Guide Estimated Yearly Cost*	\$12

LED SPECS

Color Temp 3,000K

Lumens	1,500 lm
CRI	90
Watts	20 Watts
*LED Module	e is
Guaranteed	for 5 Years.

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Fresco Blades Included
- Integrated 20W LED Light Source (Dimmable)
- ICS Remote and Wall Controls (Included)


FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute) 5,317

ICS Remote and Wall Controls (Included)







- 6" DR 16.6"
- **B** 6" DR 11.7"
- **C** 8.9"
- **D** 6.0"
- **E** 9.0
- $\textbf{DR} \ \mathsf{Downrod}$











Brushed Nickel-BNK



Flat Black-FB



BLADE FINISHES

Black Walnut



SPECS

Blade Sweep	64"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	25.0
CU. FT. in Carton	1.8
Energy Guide Airflow (Cubic Feet Per Minute)	4,474
Energy Guide Wattage	18 Watts
Energy Guide Efficiency (CFM Per Watt)	247
Energy Guide Estimated Yearly Cost*	\$5

Airflow at High Speed (Cubic Feet Per Minute) 6,269

LED SPECS


Color Temp	3000K
Lumens	1,800 lm
CRI	90
Watts	18 Watts
*LED Module	
Guaranteed	for 5 Years

*Blades Included. *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Journey ABS Blades Included
- Integrated 18W LED Light Source (Dimmable)
- WICS Handheld Remote Control Included
- 95% Transmittance Poly Carbonate Lens
- Optional Lens Cover Included
- WiFi Compatible
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



6" DR - 13.9"

6" DR - 9.9"

c 8.66"

D 6.03"

E 6.31" **DR** Downrod

FAN CONTROL OPTIONS

WIDC Handheld Control (Included)



Scan to view video on DC remote control operation

















Flat Black/Brushed Polished Nickel-FBBNK

FAETMADE SRATTS

Flat Black/Satin Brass-FBSB

CRACIMARY CHATTMASS

BLADE FINISHES

Flat Black

Flat Black



SPECS

52" Blade Sweep Number of Blades 3 13° Blade Pitch Motor Size (MM) 153x15 AMPS (Hi Speed) <1 20.0 Shipping Wt. (lbs) CU. FT. in Carton 1.8 Energy Guide Airflow (Cubic Feet Per Minute) 3,579 Energy Guide Wattage 45 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$13

Airflow at High Speed (Cubic Feet Per Minute) 4,880

LED SPECS

Color Temp 3000K
Lumens 1,800 lm
CRI 90
Watts 20 Watts
*LED Module is
Guaranteed for 5 Years.

*Blades Included.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Flushmount
- 6" Downrod Included
- Limited Lifetime Warranty
- Custom Manning Blades Included
- Integrated 20W LED Light Source (Dimmable)
- Hardwire Compatible
- WICS Remote & Wall Control Included
- WiFi Compatible


FAN CONTROL OPTIONS

WICS Remote and Wall Controls (Included)





CEILING DROP DIMENSIONS



A 6" DR - 14.71"

B 6" DR - 10.45"

C 6.27"

D 6.43"

E 14.71"













Brushed Nickel-BNK



Flat Black-FB



BLADE FINISHES

Black Walnut



SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	25.0
CU. FT. in Carton	2.4
Energy Guide Airflow (Cubic Feet Per Minute)	4,715
Energy Guide Wattage	12 Watts
Energy Guide Efficiency (CFM Per Watt)	399
Energy Guide Estimated Yearly Cost*	\$3

*Blades Included.

LED SPECS

Lumens

CRI

Watts

Color Temp 3000K

*LED Module is

1,800 lm

18 Watts

90


Guaranteed for 5 Years.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-speed Reversible DC Motor
- Bezel Style Canopy with 45° slope in any direction
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Mesmerize ABS Blades Included
- Integrated 18W LED Light Source (Dimmable)
- 95% Transmittance Poly Carbonate Lens
- Optional Lens Cover Included
- WIDC Handheld Control (Included)
- WIFi Compatible
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 6" DR - 15.2"

B 6" DR - 12.7"

c 6.50"

D 7.09" **E** 5.08"

DR Downrod

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute) 6,952

WIDC Handheld Control (Included)



Scan to view video on DC remote control

















Brushed Polished Nickel-BNK



BLADE FINISHES

Brushed Nickel/Black



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	172 x 17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	25.0
CU. FT. in Carton	1.8
Energy Guide Airflow (Cubic Feet Per Minute)	3,747
Energy Guide Wattage	40 Watts
Energy Guide Efficiency (CFM Per Watt)	93
Energy Guide Estimated Yearly Cost*	\$11

LED SPECS


Color Temp	3000K
Lumens	1800 lm
CRI	90
Watts	18 Watts
*LED Modul	
Guaranteed	for 5 Years

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Morrison Blades Included
- Integrated 18W LED Light Source (Dimmable)
- ullet 95% Transmittance Poly Carbonate Lens
- Hardwire Compatible
- WICS Remote and Wall Controls (Included)
- WiFi Compatible

CEILING DROP DIMENSIONS



- 4 6" DR 16.5"
- **B** 6" DR 12.7"
- **c** 9.08"
- **D** 5.51"
- **E** 8.61"
- **DR** Downrod

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute) 5,178

WICS Remote and Wall Controls (Included)

















Brushed Polished Nickel-BNK

CRAFTMADE

BLADE FINISHES

Flat Black/Black Walnut



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	125x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	20.0
CU. FT. in Carton	1.45
Energy Guide Airflow (Cubic Feet Per Minute)	3.413
Energy Guide Wattage	14
Energy Guide Efficiency (CFM Per Watt) Energy Guide	240
Estimated Yearly Cost*	\$4
Airflow at High Speed (Cubic Feet Per Minute)	5,200

LED SPECS

3,000K
1,600 lm
90
18 Watts
le is Guaranteed
S.

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Savingr, 6-Speed Reversible DC Moto
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- · Custom Pill Blades Included
- Integrated 18W LED Light Source (Dimmable)
- WIDC Handheld Control (Included)
- WiFi Compatible


FAN CONTROL OPTIONS

WIDC Handheld Control (Included)



Scan to view video on DC remote control operation





- **A** 6" DR 19.42"
- **B** 6" DR -12.95"
- **C** 7.72"
- **D** 5.83"
- E 13.20"
- **DR** Downrod













Brushed Nickel-BNK



Flat Black-FB



Matte White-MWW



BLADE FINISHES

Brushed Nickel

Flat Black

White

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12°
Motor Size (MM)	120x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	15.0
CU. FT. in Carton	1.3
Energy Guide Airflow (Cubic Feet Per Minute)	3,650
Energy Guide Wattage	18 Watts
Energy Guide Efficiency (CFM Per Watt)	203
Energy Guide Estimated Yearly Cost*	\$5

Airflow at High Speed (Cubic Feet Per Minute) 7,800 *Blades Included.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Provision Blades Included
- WIDC Handheld Control (Included)
- WiFi Compatible

FAN CONTROL OPTIONS


WIDC Handheld Control (Included)



Scan to view video on DC remote control operation



CEILING DROP DIMENSIONS



A 6" DR - 12.32"

B 6" DR - 10.3"

c 6.89"

D 5.91"

E 3.94"











Brushed Polished Nickel-BNK



Flat Black-FB



White-W



BLADE FINISHES

Driftwood



Flat Black

White

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	172x17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	20.0
CU. FT. in Carton	1.9
Energy Guide Airflow (Cubic Feet Per Minute)	3,386
Energy Guide Wattage	42 Watts
Energy Guide Efficiency (CFM Per Watt)	80
Energy Guide Estimated Yearly Cost*	\$12

*Blades Included.

LED SPECS

Lumens

CRI

Watts

Color Temp 3000K

*LED Module is

1,800 lm

20 Watts

90

Guaranteed for 5 Years.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Flush Mount
- Limited Lifetime Warranty
- Custom Revello Blades Included
- Integrated 20W LED Light Source (Dimmable)
- ICS Remote & Wall Controls Included


FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute) 4,568

ICS Remote and Wall Controls (Included)

















Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Brushed Polished Nickel



Flat Black

SPECS

Blade Sweep	72"
Number of Blades	8
Blade Pitch	12°
Motor Size (MM)	165 x 25
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	31.0
CU. FT. in Carton	2.27
Energy Guide Airflow (Cubic Feet Per Minute)	5,800
Energy Guide Wattage	24 Watts
Energy Guide Efficiency (CFM Per Watt)	242
Energy Guide Estimated Yearly Cost*	\$6

Airflow at High Speed (Cubic Feet Per Minute) 8,100

LED SPECS

	Color Temp	3000K
	Lumens	1,400 lm
	CRI	90
	Watts	22 Watts
*LED Module is		
	Guaranteed	d for 5 Years

- *Blades Included.
- *Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated LED Light Source (Dimmable)
- WIDC Handheld Control (Included)
- WiFi Compatible


FAN CONTROL OPTIONS

WIDC Handheld Control (Included)



Scan to view video on DC remote control operation





- **A** 6" DR 17.40"
- **B** 6" DR 13.98"
- C 11.57"
- **D** 5.91"
- **E** 9.45"
- **DR** Downrod













Flat Black-FB



Titanium-Tl



BLADE FINISHES

Flat Black



SPECS

Blade Sweep	66"
Number of Blades	6
Blade Pitch	14°
Motor Size (MM)	153x16
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.0
CU. FT. in Carton	2.0
Energy Guide Airflow (Cubic Feet Per Minute)	5,550
Energy Guide Wattage	23 Watts
Energy Guide Efficiency (CFM Per Watt)	241
Energy Guide Estimated Yearly Cost*	\$6

Airflow at High Speed (Cubic Feet Per Minute) 7,500

LED SPECS

	Color Temp	3000K
	Lumens	1,800 lm
	CRI	90
	Watts	18 Watts
*LED Module is		
	Guaranteed	for 5 Years

*Blades Included.

*Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount
- 10" Downrod (Included)
- Limited Lifetime Warranty
- Custom Zoom ABS Custom Blades Included
- Integrated 18W LED Light Source (Dimmable)
- IDC2 Remote & Wall Control Included
- Suitable for Damp Locations

FAN CONTROL OPTIONS


IDC2 Remote and Wall Controls (Included)





Scan to view video on DC remote control operation





- **A** 10" DR 13.9"
- **B** 10" DR 10.3"
- **C** 10.75"
- **D** 5.83"
- **E** 4.76"
- **DR** Downrod















Brushed Polished Nickel-BNK

DRAFTMADE

Brushed Satin Nickel-BN

Espresso-ESP

CRALIMA

Flat Black-FB

Satin Brass-SB



White-W


BLADE FINISHES

Driftwood/Grey Walnut





Black Walnut/Flat Black



SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 16.06 CU. FT. in Carton 1.75 Energy Guide Airflow (Cubic Feet Per Minute) 3,445 Energy Guide Wattage 42 Watts

Energy Guide Efficiency (CFM Per Watt)

Energy Guide Estimated Yearly Cost* \$12

Airflow at High Speed (Cubic Feet Per Minute)

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Optional
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS


Remote and Wall Control Adaptable UCI-2000-2

4,725





CEILING DROP DIMENSIONS



A 4" DR 13.52"

B 4" DR - 11.25"

C 11.56"

D 5.12" E 4.54"












Brushed Polished Nickel-BNK






Flat Black-FB



Satin Brass-SB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



White/Washed Oak



SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 22.07 CU. FT. in Carton 2.01 Energy Guide Airflow (Cubic Feet Per Minute) 3,343 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$12

LED SPECS

3000K Color Temp Lumens 1,620.74 lm CRI 80 Watts 14 Watts LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- · Limited Lifetime Warranty
- · Custom Reversible Blades Included
- Clear Glass Bowl Light Kit (2 x 7W LED Medium Base Bulbs Included)
- · Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

4,598





CEILING DROP DIMENSIONS



A 4" DR 17.69"

B 4" DR - 11.25"

C 11.56"

D 5.12" E 4.54"












Brushed Polished Nickel-BNK



Espresso-ESP



Flat Black-FB



Satin Brass-SB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



100%



White/Washed Oak



SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 21.34 Shipping Wt. (lbs) CU. FT. in Carton 2.08 Energy Guide Airflow (Cubic Feet Per Minute) 3,390 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide

* Blades Included.

LED SPECS

Color Temp

LED Bulbs Included

Lumens

Watts

3000K

3,241 lm

28 Watts

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Optional) with 4 x 7W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Estimated Yearly Cost*

Airflow at High Speed (Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2


\$12

4,676





CEILING DROP DIMENSIONS



A 4" DR 19.16"

B 4" DR - 11.25"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK

DRAFTMADE

Brushed Satin Nickel-BN

Espresso-ESP

CRALIMA

Flat Black-FB

RALIMA

Satin Brass-SB



White-W

BLADE FINISHES

Driftwood/Grey Walnut





White/Washed Oak

SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 17.38 CU. FT. in Carton 1.79 Energy Guide Airflow (Cubic Feet Per Minute) 3,082 Energy Guide Wattage 38 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$11 Airflow at High Speed (Cubic Feet Per Minute)

4,662

LED SPECS

Color Temp 3000K Lumens 1,500 lm CRI 90 Watts 18 Watt *LED Module is Guaranteed for 5 Years.

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES


- Standard, 4-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Integrated Frost Lighting (Dimmable) 1 x 18W LED Disk
- Hardwire Compatible
- CM-7W-LED, Hard Wired, Included

FAN CONTROL OPTIONS

CM-7W-LED Included



CEILING DROP DIMENSIONS



A 4" DR 13.97"

B 4" DR - 10.82"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK

CRAFTMADE

Brushed Satin Nickel-BN



Espresso-ESP



Flat Black-FB

White-W




BLADE FINISHES

Driftwood/Grey Walnut





White/Washed Oak



SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 21.12 Shipping Wt. (lbs) CU. FT. in Carton 2.1 Energy Guide Airflow (Cubic Feet Per Minute) 3,390 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide

LED SPECS

Color Temp 3,000K
Lumens 3,000 Im
CRI 80
Watts 36 Watts
LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit included (integrated) with 4 x 9W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Estimated Yearly Cost*

Airflow at High Speed (Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2


\$12

4,676





CEILING DROP DIMENSIONS



A 4" DR 19.16"

B 4" DR - 11.25"

C 11.56"

D 5.12"

E 4.54"













Brushed Polished Nickel-BNK


RAFTMAD

Brushed Satin Nickel-BN

Espresso-ESP

CRALIM

Flat Black-FB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



White/Washed Oak

SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 18.48 CU. FT. in Carton 1.75 Energy Guide Airflow (Cubic Feet Per Minute) 3,399 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$12

LED SPECS

Color Temp 3000K Lumens 1,500 lm CRI 90 Watts 18 Watt *LED Module is Guaranteed for 5 Years.

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Reversible Blades Included
- LED Light Kit Included with 1 x 18W LED Disk (Integrated)
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

4,675





CEILING DROP DIMENSIONS



A 4" DR 16.30"

B 4" DR - 11.25"

C 11.56"

D 5.12"

E 4.54"













Brushed Polished Nickel-BNK

CRAFTMADE

Brushed Satin Nickel-BN



Espresso-ESP



Flat Black-FB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



Flat Black/Greywood



SPECS

Blade Sweep 44" to 52" 5 Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 18.57 CU. FT. in Carton 2.01 Energy Guide Airflow (Cubic Feet Per Minute) 3,343 Energy Guide Wattage 42 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$12

LED SPECS

Color Temp 3000K
Lumens 1,500 lm
CRI 80
Watts 18 Watts
LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Optional) with 2 x 9W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

4,598





CEILING DROP DIMENSIONS



A 4" DR 17.98"

B 4" DR - 11.25"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK

DRAFTMADE

Brushed Satin Nickel-BN



Espresso-ESP

CRALIMA

Flat Black-FB



Satin Brass-SB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



Flat Black/Greywood



White/Washed Oak



SPECS

Blade Sweep 60" 5 Number of Blades 13° Blade Pitch Motor Size (MM) 188x20 AMPS (Hi Speed) <1 17.0 Shipping Wt. (lbs) CU. FT. in Carton 1.75 Energy Guide Airflow (Cubic Feet Per Minute) 4,353 Energy Guide Wattage 51 Watts 85

Energy Guide Efficiency (CFM Per Watt)

Energy Guide Estimated Yearly Cost* \$14

Airflow at High Speed (Cubic Feet Per Minute)

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- · Blades Included
- Light Kit Optional
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS


Remote and Wall Control Adaptable UCI-2000-2

6,505





CEILING DROP DIMENSIONS



A 4" DR 13.21"

B 4" DR - 10.77"

C 11.56"

D 5.12"














Brushed Polished Nickel-BNK





Flat Black-FB



Satin Brass-SB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



White/Washed Oak



SPECS

Blade Sweep 60" 5 Number of Blades 13° Blade Pitch Motor Size (MM) 188x20 AMPS (Hi Speed) <1 21.0 Shipping Wt. (lbs) CU. FT. in Carton 2.25 Energy Guide Airflow (Cubic Feet Per Minute) 4,324 Energy Guide Wattage 51 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$14

LED SPECS

3,000K Color Temp 2,431.11 lm Lumens Watts 21 Watts LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Optional) with 3 x 7W LED Medium Base Bulbs Included
- · Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

6,555





CEILING DROP DIMENSIONS



A 4" DR 17.50"

B 4" DR - 10.77"

C 11.56"

D 5.12"














Brushed Polished Nickel-BNK





Flat Black-FB



Satin Brass-SB



White-W



BLADE FINISHES

Driftwood/Grey Walnut



Black Walnut/Flat Black



White/Washed Oak



SPECS

Blade Sweep 60" 5 Number of Blades 13° Blade Pitch Motor Size (MM) 188x20 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 23.0 CU. FT. in Carton 1.9 Energy Guide Airflow (Cubic Feet Per Minute) 4,298 Energy Guide Wattage 52 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$14

LED SPECS

3,000K Color Temp 3241.48 lm Lumens Watts 28 Watts LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Integrated) with 4 x 7W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

6,471





CEILING DROP DIMENSIONS



A 4" DR 18.71"

B 4" DR - 10.77"

C 11.56"

D 5.12"

F 4 54"













Brushed Polished Nickel-BNK

CRAFTMADE

Brushed Satin Nickel-BN

CRAFTMADE

Espresso-ESP

CRALIMADE

Flat Black-FB

CRAFIMADE

White-W



BLADE FINISHES

Driftwood/Grey Walnut





White/Washed Oak



SPECS

Blade Sweep 60" 5 Number of Blades 13° Blade Pitch Motor Size (MM) 188x20 AMPS (Hi Speed) <1 21.0 Shipping Wt. (lbs) CU. FT. in Carton 2.25 Energy Guide Airflow (Cubic Feet Per Minute) 4,324 Energy Guide Wattage 51 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* \$14

6,555

LED SPECS

Color Temp 3,000K
Lumens 2,250lm
CRI 80
Watts 37 Watts
LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Optional) with 3 x 9W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS


Airflow at High Speed (Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2





CEILING DROP DIMENSIONS



A 4" DR 17.50"

B 4" DR - 10.77"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK

CRAFTMADE

Brushed Satin Nickel-BN

CRAFTMADE

Espresso-ESP

CRALIMADE

Flat Black-FB



Satin Brass-SB



White-W

ERAF IMADE

BLADE FINISHES

Driftwood/Grey Walnut





Black Walnut/Flat Black



SPECS

Blade Sweep 60" 5 Number of Blades 13° Blade Pitch Motor Size (MM) 188x20 AMPS (Hi Speed) <1 21.0 Shipping Wt. (lbs) CU. FT. in Carton 1.75 Energy Guide Airflow (Cubic Feet Per Minute) 3,981 Energy Guide Wattage 45 Watts Energy Guide Efficiency (CFM Per Watt) 88 Energy Guide Estimated Yearly Cost* \$13

6,289

LED SPECS

Color Temp 3000K
Lumens 1,500 lm
CRI 90
Watts 18 Watts
LED Bulbs Included

* Blades Included.

* Based on 12 cents per
Kwh and 6.4 hours
use per day.

FEATURES

- Heavy Duty, 4-Speed Reversible Motor
- Dual Mount (Close Mount Adapter)
- 4" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Reversible Blades Included
- LED Light Kit Included with 1 x 18W LED Disk (Optional)
- Hardwire Compatible
- CM-7W-LED, Hard Wired, Included


FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)

CM-7W-LED Included



CEILING DROP DIMENSIONS



A 4" DR 13.71"

B 4" DR - 10.34"

C 11.56"

D 5.12"

E 4.54"













Brushed Polished Nickel-BNK

DRAFTMADE

Brushed Satin Nickel-BN



Espresso-ESP



Flat Black-FB



White-W



BLADE FINISHES

Driftwood/Grey Walnut









SPECS

Blade Sweep	60"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	188x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	23.0
CU. FT. in Carton	1.9
Energy Guide Airflow (Cubic Feet Per Minute)	4,298
Energy Guide Wattage	52 Watts
Energy Guide Efficiency (CFM Per Watt)	83
Energy Guide Estimated Yearly Cost*	\$14
Airflow at High Speed (Cubic Feet Per Minute)	6,471

LED SPECS

Color Temp	3,000K
Lumens	1,500 lm
CRI	80
Watts	36 Watts
LED Bulbs Incl	uded

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Blades Included
- Light Kit Included (Optional) with 4 x 9W LED Medium Base Bulbs Included
- Hardwire Compatible
- Universal Remote Control (Optional)


FAN CONTROL OPTIONS

Remote and Wall Control Adaptable UCI-2000-2





CEILING DROP DIMENSIONS



A 4" DR 18.71"

B 4" DR - 10.77"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK

PAFTMAI

Brushed Satin Nickel-BN



Espresso-ESP



Flat Black-FB




White-W



BLADE FINISHES

Driftwood/Grey Walnut





White/Washed Oak



SPECS

Blade Sweep	60"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	188x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.0
CU. FT. in Carton	2.05
Energy Guide Airflow (Cubic Feet Per Minute)	4,353
Energy Guide Wattage	51 Watts
Energy Guide Efficiency (CFM Per Watt)	85
Energy Guide Estimated Yearly Cost*	\$14

LED SPECS

Color Temp	3000K
Lumens	1,500 lm
CRI	90
Watts	18 Watts
*LED Module is	
Guaranteed for	5 Years.

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount (Close Mount Adapter Optional)
- 4" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Reversible Blades Included
- LED Light Kit Included with 1 x 18W LED Disk (Optional)
- Hardwire Compatible
- Universal Remote Control (Optional)

FAN CONTROL OPTIONS

Airflow at High Speed (Cubic Feet Per Minute)


Remote and Wall Control Adaptable UCI-2000-2

6,505





CEILING DROP DIMENSIONS



A 4" DR 15.99"

B 4" DR - 10.77"

C 11.56"

D 5.12"













Brushed Polished Nickel-BNK



Brushed Polished Nickel-BNK

Flat Black-FB



White-W



REVERSIBLE BLADE FINISHES

Walnut/Dark Oak



Brushed Nickel/Greywood



White

VVIIILE

SPECS

Blade Sweep 52" Number of Blades 3 10.5° Blade Pitch Motor Size (MM) 100x20 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 17.5 CU. FT. in Carton 2.13 Energy Guide Airflow (Cubic Feet Per Minute) 3,708 Energy Guide Wattage 15 Watts Energy Guide Efficiency (CFM Per Watt) 249 Energy Guide Estimated Yearly Cost*

LED SPECS

Color Temp 3000K
Lumens 1,560 lm
CRI 80
Watts 16 Watts
LED Bulbs Included

* Blades Included.

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated Light Kit with 2 x 8W LED Medium Base Bulbs Included
- NEW 80% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately-PHA-40(Finish)
- Hardware Compatible

FAN CONTROL OPTIONS

Airflow at High Speed

(Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2


4758







CEILING DROP DIMENSIONS



A1 6" DR - 16.73" B1 6" DR - 11.79" C 10.24" D 5.12" E 8.96" DR Downrod















Brushed Polished Nickel-BNK



Brushed Polished Nickel-BNK

Flat Black-FB



White-W



REVERSIBLE BLADE FINISHES

Walnut/Dark Oak



Brushed Nickel/Greywood



White

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	10.5°
Motor Size (MM)	100x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	17.5
CU. FT. in Carton	2.13
Energy Guide Airflow (Cubic Feet Per Minute)	3,664
Energy Guide Wattage	15 Watts
Energy Guide Efficiency (CFM Per Watt)	245
Energy Guide Estimated Yearly Cost*	\$4
Airflow at High Speed	

LED SPECS

3000K	
1,560 lm	
80	
16 Watts	
LED Bulbs Included	

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated Light Kit with 2 x 8W LED Medium Base Bulbs Included
- NEW 80% Transmittance Polycarbonate Lens
- $\bullet \ \mathsf{Optional} \ \mathsf{Lens} \ \mathsf{Cover} \ \mathsf{Sold} \ \mathsf{Separately}\text{-}\mathsf{PHA}\text{-}40 (\mathsf{Finish})$
- Hardware Compatible

FAN CONTROL OPTIONS

(Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2


4,649







CEILING DROP DIMENSIONS



A2 6" DR - 11.37" A1 6" DR - 16.73" B2 6" DR - 6.12" B1 6" DR - 11.79" C 10.24" D 5.12" E 8.96" DR Downrod















Brushed Polished Nickel-BNK



Brushed Polished Nickel-BNK

Flat Black-FB



White-W



REVERSIBLE BLADE FINISHES

Walnut/Dark Oak



Brushed Nickel/Greywood



White

SPECS

52" Blade Sweep Number of Blades 5 10.5° Blade Pitch 100x20 Motor Size (MM) AMPS (Hi Speed) <1 Shipping Wt. (lbs) 17.5 CU. FT. in Carton 2.13 Energy Guide Airflow (Cubic Feet Per Minute) 3,614 15 Watts Energy Guide Wattage Energy Guide Efficiency (CFM Per Watt) 242 Energy Guide Estimated Yearly Cost* Airflow at High Speed

LED SPECS

Color Temp 3000K
Lumens 1,560 Im
CRI 80
Watts 16 Watts
LED Bulbs Included

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated Light Kit with 2 x 8W LED Medium Base Bulbs Included
- NEW 80% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately-PHA-40(Finish)
- Hardware Compatible

FAN CONTROL OPTIONS

(Cubic Feet Per Minute)

Remote and Wall Control Adaptable UCI-2000-2


4,644







CEILING DROP DIMENSIONS



A1 6" DR - 16.73" B2 6" DR - 6.12" B1 6" DR - 11.79" C 10.24" D 5.12" E 8.96" DR Downrod

A2 6" DR - 11.37"















Brushed Polished Nickel-BNK



Flat Black-FB



White-W



BLADE FINISHES

Black Walnut/Grey Walnut



White/Washed Oak

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	172x17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.0
CU. FT. in Carton	2.1
Energy Guide Airflow (Cubic Feet Per Minute)	3,636
Energy Guide Wattage	44 Watts
Energy Guide Efficiency (CFM Per Watt)	82
Energy Guide Estimated Yearly Cost*	\$12
Airflow at High Speed (Cubic Feet Per Minute)	5,076

LED SPECS

Color Temp	3000K	
Lumens	1,800 lm	
CRI	90	
Watts	18 Watts	
*LED Module	*LED Module is	
Guaranteed	for 5 Years.	

* Blades Included. * Based on 12 cents per Kwh and 6.4 hours

use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Flush Mount
- Limited Lifetime Warranty
- Custom Merit Blades Included
- Integrated 18W LED Light Source (Dimmable)
- Hardwire Compatible
- Remote Control Adaptable (Optional)


FAN CONTROL OPTIONS

Remote and Wall Control Adaptable UCI-2000-2





CEILING DROP DIMENSIONS



F 11.35" G 7.32 H 11.35" I" 11.35 DR Downrod













Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Brushed Nickel/Driftwood



Flat Black/Greywood

-lat Black/Greywood

SPECS

 Blade Sweep
 52"

 Number of Blades
 3

 Blade Pitch
 13"

 Motor Size (MM)
 172x17

 AMPS (Hi Speed)
 <1</td>

 Shipping Wt. (lbs)
 18.0

 CU. FT. in Carton
 1.1

 Energy Guide Airflow (Cubic Feet Per Minute)
 3,820

(Cubic Feet Per Minute) 3,820 Energy Guide Wattage 38 Watts

Energy Guide Efficiency (CFM Per Watt) 102

Energy Guide Estimated Yearly Cost* \$11

Airflow at High Speed (Cubic Feet Per Minute) * Blades Included. * Based on 12 cent

* Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Moto Reversible Blades Included
- Light Kit Adaptable, Optional
- Remote Control Adaptable, Optional
- Hardwire Compatible
- Suitable for Damp Locations

FAN CONTROL OPTIONS


Remote and Wall Control Adaptable UCI-2000-2

5.429





CEILING DROP DIMENSIONS



A 6" DR - 12.68"

B 6" DR - 9.69"

C 6.87"

D 5.96"

E 8.07"













Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Brushed Nickel



Flat Black

SPECS

Blade Sweep	24"
Number of Blades	6
Blade Pitch	25°
Motor Size (MM)	153x12
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	14.33
CU. FT. in Carton	0.84
Energy Guide Airflow (Cubic Feet Per Minute)	984
Energy Guide Wattage	18 Watts
Energy Guide Efficiency (CFM Per Watt)	56
Energy Guide Estimated Yearly Cost*	\$5
Airflow at High Speed (Cubic Feet Per Minute)	1,433

LED SPECS

Color Temp	3000K
Lumens	841 lm
CRI	90
Watts	12 Watts
*LED Module is Guaranteed for	5 Years.

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Propel II ABS Blades Included
- Integrated 12W LED Light Source (Dimmable)
- Hardwire Compatible
- Remote Control Optional
- Suitable for Damp Location


FAN CONTROL OPTIONS

Remote and Wall Control Adaptable UCI-2000-2





CEILING DROP DIMENSIONS



A 6" DR - 14.17"

B 6" DR - 8.70"

C 6.61"

D 5.12"

E 5.51" DR Downrod
















Brushed Polished Nickel-BNK



Flat Black-FB



Matte White-MWW



BLADE FINISHES

Brushed Nickel/Flat Black



Matte White

SPECS

Blade Sweep	60"
Number of Blades	9
Blade Pitch	13°
Motor Size (MM)	165x25
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.56
CU. FT. in Carton	2.5
Energy Guide Airflow (Cubic Feet Per Minute)	3,948
Energy Guide Wattage	20 Watt
Energy Guide Efficiency (CFM Per Watt)	197
Energy Guide Estimated Yearly Cost*	\$6
Airflow at High Speed (Cubic Feet Per Minute)	5,642

LED SPECS

Color Temp	3000K	
Lumens	1446 lm	
CRI	90	
Watts	18 Watts	
EED Hoddin	*LED Module is Guaranteed for 5 Years.	

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Champion ABS Custom Blades Included
- Integrated 18W LED Light Source (Dimmable)
- WIDC Handheld Control (Included)
- WiFi Compatible
- Suitable for Damp Locations

FAN CONTROL OPTIONS


WIDC Remote and Wall Controls (Included)



Scan to view video on DC remote control operation



CEILING DROP DIMENSIONS



A 6" DR - 16.25"

B 6" DR - 14.0"

C 8.82"

D 5.91"

E 7.87"

















Brushed Polished Nickel-BNK



Brushed Polished Nickel-BNK



Flat Black-FB



White-W



BLADE FINISHES

Brushed Nickel





White

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12°
Motor Size (MM)	172x14
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	16.16
CU. FT. in Carton	1.54
Energy Guide Airflow (Cubic Feet Per Minute)	5,195
Energy Guide Wattage	44 Watts
Energy Guide Efficiency (CFM Per Watt)	119
Energy Guide Estimated Yearly Cost*	\$12
Airflow at High Speed (Cubic Feet Per Minute)	6,724

LED SPECS

Color Temp	3000K	
Lumens	1.100 lm	
	,	
CRI	90	
Watts	17 Watts	
*LED Module	*LED Module is	
Guaranteed for 5 Years.		

- * Blades Included.
- * Based on 12 cents per Kwh and 6.4 hours use per day.

FEATURES


- Heavy Duty, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Genesis Blades Included
- Integrated 17W LED Light Source (Dimmable)
- Optional Lens Cover Included
- RCI-103 Remote Control (Included)

FAN CONTROL OPTIONS

RCI-103 Remote Control (Included)



CEILING DROP DIMENSIONS



A 4.5" DR - 13.0"

B 4.5" DR - 9.79"

C 7.40"

E 3.67"











FAN FINISHES

Flat Black-FB



Titanium-TI



BLADE FINISHES

Flat Black



Titanium

SPECS

Blade Sweep	54"
Number of Blades	5
Blade Pitch	27.5°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	28.0
CU. FT. in Carton	3.45
Energy Guide Airflow (Cubic Feet Per Minute)	3,721
Energy Guide Wattage	15 Watt
Energy Guide Efficiency (CFM Per Watt)	245
Energy Guide Estimated Yearly Cost*	\$4
Airflow at High Speed (Cubic Feet Per Minute)	5,629

LED SPECS

Color Temp	3000K	
Lumens	1,800lm	
CRI	90	
Watts	18 Watts	
EED . loadio	*LED Module is Guaranteed for 5 Years.	

- * Blades Included.
- * Based on 12 cents per Kwh and $6.4\ hours$ use per day.

FEATURES

- Energy Savingr, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Pursuit ABS Custom Blades Included
- Integrated 18W LED Light Source (Dimmable)
- WIDC Handheld Control (Included)
- WiFi Compatible
- Suitable for Damp Locations

FAN CONTROL OPTIONS


WIDC Handheld Control (Included)



Scan to view video on DC remote



CEILING DROP DIMENSIONS



A 6" DR - 14.72" B 6" DR - 8.85"

C 9.21"

D 5.83"

E 6.5" DR Downrod















FAN FINISHES

Flat Black-FB



Titanium-TI




White-W



BLADE FINISHES

Flat Black



SPECS

Blade Sweep	54"
Number of Blades	6
Blade Pitch	13°
Motor Size (MM)	125x30
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	25.0
CU. FT. in Carton	2.4
Energy Guide Airflow (Cubic Feet Per Minute)	4,893
Energy Guide Wattage	21 Watts
Energy Guide Efficiency (CFM Per Watt)	235
Energy Guide Estimated Yearly Cost*	\$6
Airflow at High Speed	

LED SPECS

Color Temp	3000K	
Lumens	1,800 lm	
CRI	90	
Watts	18 Watts	
*LED Module	*LED Module is Guaranteed for 5 Years.	
Guaranteed		

- (Cubic Feet Per Minute) 7,122 use per day.
- * Blades Included. * Based on 12 cents per Kwh and 6.4 hours

FEATURES

- Energy Savingr, 6-Speed Reversible DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Quirk ABS Blades Included
- Integrated 18W LED Light Source (Dimmable)
- 95% Transmittance Poly Carbonate Lens
- WIDC Handheld Control (Included)
- WiFi Compatible
- Suitable for Damp Locations

FAN CONTROL OPTIONS


WIDC Handheld Control (Included)



Scan to view video control operation



CEILING DROP DIMENSIONS



A 6" DR - 16.81"

B 6" DR - 12.1"

C 6.97"

D 6.03"

E 10.83"

DR Downrod















ENERGY STAR LIGHT KITS







LK403107-BNK-CS-LED LK403107-FB-CS-LED

16.7"Wx9.76"Hx6.5"E
4 - 7 Watt LED Filament Bulbs Included
3000K Color Temp, 3200 Lumens
Glass: Clear Seeded
Finishes: BNK, FB



LK2802-BNK-CS-LED LK2802-FB-CS-LED

10.64"W x 5.5"H
2 - 7 Watt LED Bulbs Included
3000K Color Temp,
1600 Lumens, CRI 80
Glass: Clear Seeded
Finishes: BNK, FB



LK301102-BNK-LED LK301102-FB-LED

14.96"W x 6.7"H
3 - 4 Watt LED Filament Bulbs Included
3000 Color Temp, 1050 Lumens, CRI 80
Glass: Clear
Finishes: BNK, FB



LK403107-BNK-WG-LED LK403107-FB-WG-LED

16.7"Wx9.76"Hx6.5"E 4 - 7 Watt LED Filament Bulbs Included 3000K Color Temp, 3200 Lumens Glass: White Glass Finishes: BNK, FB



LK2802-BNK-WG-LED LK2802-FB-WG-LED

10.64"W x 5.5"H
2 - 7 Watt LED Bulbs Included
3000K Color Temp,
1600 Lumens, CRI 80
Glass: White Glass
Finishes: BNK, FB



LK301102-BNK-WG-LED LK301102-FB-WG-LED

14.96"W x 6.7"H
3 - 4 Watt LED Filament Bulbs Included
3000 Color Temp, 1050 Lumens, CRI 80
Glass: White Glass
Finishes: BNK, FB



LK2101-(FINISH)-LED 11.15"W x 5.13"H

1 - 12 Watt LED Bulb Included 3000K Color Temp, 1050 Lumens CRI 80 Glass: White Finishes: BN, BNK, ESP, FB, W



CADENCE COLLECTION

FINISHES

SATIN NICKEL (SN) SOFT GOLD (SG)



 ${\bf 54629\text{-}SN} - 9 \ \text{Light Chandelier} \\ 32\text{"W} \times 24.13\text{"H; 6' Chain, 10' Cord} \\ 60 \ \text{Watt Medium Base; White Frosted Glass - 4"D}$



54624-SG - 4 Light Chandelier 24.75"W x 20"H; 6' Chain, 10' Cord 60 Watt Medium Base; White Frosted Glass - 4"D



54626-SN - 6 Light Chandelier 31.75"W x 20.5"H; 6' Chain, 10' Cord 60 Watt Medium Base; White Frosted Glass - 4"D



54661-SG - 1 Light Wall Sconce 4.75"W x 11.25"H x 5.5"E 60 Watt Medium Base; White Frosted Glass - 4"D

CENTRIC COLLECTION

FINISHES

BRUSHED POLISHED NICKEL (BNK)
SATIN BRASS (SB)

CLEAR SEEDED



55192-BNK-LED - LED Pendant 14"W x 13.25"H; 8' Cord; Clear Seeded Glass 15 Watt LED, 900 Lumens



55191-SB-LED - LED Pendant 10"W x 13.25"H; 8' Cord; Clear Seeded Glass 10 Watt LED, 600 Lumens



7.38"W x 13.25"H; 8' Cord; Clear Seeded Glass 6 Watt LED, 300 Lumens



55182-SB-LED - LED Flushmount 13.75"W x 6.8"H; Clear Seeded Glass 13 Watt LED, 720 Lumens



55180-BNK-LED - LED Flushmount 10.5"W x 5"H; Clear Seeded Glass 13 Watt LED, 720 Lumens



55181-SB-LED - LED Flushmount 12.5"W x 6"H; Clear Seeded Glass 13 Watt LED, 720 Lumens



COLLINS COLLECTION

FINISHES

BRUSHED POLISHED NICKEL (BNK) FLAT BLACK (FB)



54226-BNK - 6 Light Chandelier 26"W x 18.75"H; 6' Chain, 10' Cord 60 Watt Medium Base; Clear Hammered Glass - 4.75"D



54224-FB - 4 Light Chandelier 23.75"W x 18.75"H; 6' Chain, 10' Cord 60 Watt Medium Base; Clear Hammered Glass - 4.75"D



54223-BNK - 3 Light Chandelier 17.5"W x 18.75"H; 6' Chain, 10' Cord 60 Watt Medium Base; Clear Hammered Glass - 4.75"D



54293-FB - 3 Light Pendant 17.75"W x 21"H; 6' Chain, 10' Cord 60 Watt Medium Base; Clear Hammered Glass - 16.5"D



54291-FB - 1 Light Pendant 5.13"W x 14"H; 3 x 12" & 1 x 6" Downrods, 10' Cord 60 Watt Medium Base; Clear Hammered Glass - 4.75"D



54261-BNK - 1 Light Wall Sconce 5.13"W x 9.13"H x 8"E ; Clear Hammered Glass - 4.75"D 60 Watt Medium Base



MALAYA COLLECTION

FINISHES

AGED BRONZE BRUSHED (ABZ)



54576-ABZ - 6 Light Island 31.75"L x 12.5"W x 21.5"H; 6' Chain, 10' Cord 60 Watt Medium Base; Rattan Shade



54596-ABZ - 6 Light Pendant 20.5"W x 25.5"H; 6' Chain, 10' Cord 60 Watt Medium Base; Rattan Shade



54534-ABZ - 4 Light Foyer 16.25"W x 29"H; 6' Chain, 10' Cord 60 Watt Medium Base; Rattan Shade



54591-ABZ - 1 Light Pendant
6.13"W x 8.25"H; 3 x 12" & 1 x 6" Downrods, 10' Cord
60 Watt Medium Base; Rattan Shade
Extra 12" Downrods: Part # 545-DOWNROD-ABZ



54561-ABZ - 1 Light Wall Sconce 6.13"W x 8.5"H x 8.5"E 60 Watt Medium Base; Rattan Shade



MELODY COLLECTION

FINISHES

BRUSHED POLISHED NICKEL (BNK)
FLAT BLACK (FB)
SATIN BRASS (SB)



 ${\bf 54991\text{-}BNK} \text{ - 1 Light Pendant}$ 25"W x 30.5"H; 3 x 12" & 1 x 6" Downrods; 10' Cord 40 Watt Medium Base; White Frosted Glass - 9"D



54992-FB - 1 Light Pendant 24"W x 23.63"H; 3 x 12" & 1 x 6" Downrods; 10' Cord 40 Watt Medium Base; White Frosted Glass - 7.9"D



54993-SB - 1 Light Pendant 15"W x 17"H; 3 x 12" & 1 x 6" Downrods; 10' Cord 40 Watt Candelabra; White Frosted Glass - 5.9"D



54960-FB-LED - LED Wall Sconce 5"W x 10.25"H x 3.5"E; Frosted Lens Cover 20 Watt LED; 920 Lumens, 3000k, 90 CRI, Dimmable

THE STANZA COLLECTION

FINISH

Brushed Polished Nickel (BNK) / Satin Brass (SB)



54826-BNKSB - 6 Light Chandelier 26" W x 27.5" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54824-BNKSB - 4 Light Chandelier 22" W x 18" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54896-BNKSB - 6 Light Pendant 25" W x 18" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54834-BNKSB - 4 Light Foyer 18" W x 33" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54854-BNKSB - 4 Light Semi Flushmount 18" W x 16" H 60 Watt Candelabra Base



54861-BNKSB - 1 Light Wall Sconce 5" W x 8.25" H x 4.8" E 5" Dia Backplate 60 Watt Candelabra Base



CANOPY DETAIL 5" Diameter



THE LARRSON COLLECTION

FINISHES

Brushed Polished Nickel (BNK) Flat Black (FB) Satin Brass (SB)



54326-FB - 6 Light Chandelier 17.75" W x 21.13" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54328-SB - 8 Light Chandelier 20.13" W x 23.75" H; 6' Chain, 10' Cord 60 Watt Candelabra Base



54356-BNK - 6 Light Semi Flushmount 17.75" W x 16.13" H 60 Watt Candelabra Base



54378-SB - 8 Light Island
38.13" L x 4.75" W x 8.9" H;
4 x 12" & 4 x 6" Downrods, 6' Cord
Extra 12" Downrods: Part #543-DOWNROD-(Finish)
60 Watt Candelabra Base



54392-BNK - 2 Light Mini Pendant
5.63" W x 7.88" H; 2 x 12" & 2 x 6" Downrods, 6' Wire
Extra 12" Downrods: Part #543-DOWNROD-(Finish)
60 Watt Candelabra Base




54362-FB - 2 Light Sconce 4.63" W x 11" H x 3" E 4.38" W x 11" H Backplate 60 Watt Candelabra Base











CANOPY DETAIL 5.12" Diameter



SWAG PORTABLE PENDANTS



CORD KIT FINISHES

WHITE (W)
BRUSHED POLISHED NICKEL (BNK)
FLAT BLACK (FB)

CHAIN KIT FINISHES

BRUSHED POLISHED NICKEL (BNK) FLAT BLACK (FB)



SW2001-NT - Natural
Pendant w/Cord & Plug; Wood Shade - 16.5"D
16.5"W x 11.88"H; 15' Cord
60 Watt Medium Base



SW2003-FB - Flat Black
Pendant w/Cord & Plug; Rattan Shade - 16.5"D
16.5"W x 10.25"H; 15' Cord
60 Watt Medium Base



SW2005-NT - Natural
Pendant w/Cord & Plug; Grass Shade - 22"D
22"W x 13.75"H; 15' Cord
60 Watt Medium Base



SW2007-FB - Flat Black
Pendant w/Cord & Plug; Paper Tape Shade - 15.75"D
15.75"W x 9.88"H; 15' Cord
60 Watt Medium Base



SW2009-FB - Flat Black
Pendant w/Cord & Plug; Rattan Shade - 11.81"D
11.81"W x 15.75"H; 15' Cord
60 Watt Medium Base



SW2011-FB - Flat Black
Pendant w/Cord & Plug; Metal Shade - 11.81"D
11.81"W x 11.81"H; 15' Cord
60 Watt Medium Base



SW1001-BNK - Swag Portable Pendant
Hardware Kit includes 15' plug in silver plastic
cord with in-line on/off switch, 2 swag hooks
with wall/ceiling anchors and brushed nickel
medium based bulb socket with collar.
Maximum 60W bulb (not included)
Additional Finishes: BNK, W



SW1002-FB - Swag Portable Pendant
Hardware Kit includes 15' plug in black cloth
covered cord with in-line on/off switch, 2
swag hooks with wall/ceiling anchors and
black medium based bulb socket with collar.
Maximum 60W bulb (not included)



SW1003-BNK - Swag Portable Pendant
Hardware Kit includes 15' brushed polished
nickel chain, canopy and 15' silver plastic
plug in cord with in-line on/off switch, 2 swag
hooks with wall/ceiling anchors and Brushed
Nickel medium based bulb socket with collar.
Maximum 60W bulb (not included)



SW1004-FB - Swag Portable Pendant
Hardware Kit includes 15' black chain, canopy
and 15' black cloth covered plug in cord with
in-line on/off switch, 2 swag hooks with wall/
ceiling anchors and Black medium based bulb
socket with collar.

Maximum 60W bulb (not included)

FLUSHMOUNTS



X6811-FBSB-LED - Soul LED Flushmount 10.5"W x 3.5"H; Frosted Acrylic 15 Watt LED; 830 Lumens; 3000k, 90 CRI, Dimmable Finishes: FB, FBBNK, FBSB



X6813-FBBNK-LED - Soul LED Flushmount 12.5"W x 3.88"H; Frosted Acrylic 20 Watt LED; 1100 Lumens; 3000k, 90 CRI, Dimmable Finishes: FB, FBBNK, FBSB



X6709-SB-LED - Fenn LED Flushmount 9"W x 3"H; Frosted Acrylic 10 Watt LED; 468 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, FB, SB



X6711-BNK-LED - Fenn LED Flushmount 11"W x 3"H; Frosted Acrylic 15 Watt LED; 870 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, FB, SB



X6713-FB-LED - Fenn LED Flushmount 13"W x 3"H; Frosted Acrylic 20 Watt LED; 1076 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, FB, SB



X1408-BNK - Lodie Flushmount 7.5"W x 7.13"H; Clear Seeded Glass 100 Watt Medium Base Finishes: BNK, FB, SB



X1410-FB - Lodie Flushmount 9.5"W x 9"H; Clear Seeded Glass 100 Watt Medium Base Finishes: BNK, FB, SB

FLUSHMOUNTS



X3212-BNK - Oak Street 2 Light Flushmount 11"W x 5"H; White Frosted Glass 60 Watt Medium Base Finishes: BNK, FB FB Finish includes BNK, FB and SB Knobs



X3214-FB - Oak Street 2 Light Flushmount 13"W x 6"H; White Frosted Glass 60 Watt Medium Base Finishes: BNK, FB FB Finish includes BNK, FB and SB Knobs



X3112-FB - Peri Flushmount 12"W x 8"H; Clear Glass 60 Watt Medium Base Finishes: BNK, FB, SB



X3114-BNK - Peri Flushmount 14"W x 9"H; Clear Glass 60 Watt Medium Base Finishes: BNK, FB, SB

CEILING LIGHTING, LED DISKS & DECORATIVE LIGHTING



Finishes: Brushed Polished Nickel (BNK) Oiled Bronze (OB)Flat Black (FB) Satin Brass (SB) White (W)



X9006-BNK-LED - 4" LED Slim Line Flushmount 5.91" W x 1.26" H 10 Watt LED, 660 Lumens, 3000K, 90 CRI, Dimmable Finishes: BNK, FB, W Energy Star, JA8 certified



X9007-W-LED - 6" LED Slim Line Flushmount 7.4" W x 1.26" H 15 Watt LED, 900 Lumens, 3000K*, 90 CRI, Dimmable Finishes: BNK, FB, W Energy Star, JA8 certified Also Available with Motion Sensor (X9007M-W-LED ONLY) available with 4000K Model #X9007-W-LED-4K (White finish only)






X6211-BNK-LED - 11" LED Slim Line Flushmount 11.22" W x 2.28" H 19 Watt LED, 1,100 Lumens, 3000K, 90 CRI, Dimmable Finishes: BNK, W Energy Star



X9206-W-LED - 5.5" LED Pancake Flushmount 5.5" W x 0.66" H 9 Watt LED, 600 Lumens, 90 CRI, Dimmable Finishes: W Energy Star, JA8 certified



X9207-W-LED - 7" LED X9209-W-LED - 9" LED Pancake Flushmount Pancake Flushmount 7" W x 0.70" H 9" W x 0.71" H 15 Watt LED, 1,000 Lumens, 18 Watt LED, 1,200 Lumens, 3000K, 4000K, 5000K Adjustable, 3000K, 4000K, 5000K Adjustable, 90 CRI, Dimmable 90 CRI, Dimmable Finishes: W Finishes: W Energy Star, JA8 certified Energy Star, JA8 certified





X9206-TRIM-FB - 5.5" Optional Pancake Trim 5.5" W x 0.66" H Finishes: BNK, FB



X9207-TRIM-BNK - 7" Optional Pancake Trim 7" W x 0.70" H Finishes: BNK, FB



X9209-TRIM-FB - 9" Optional Pancake Trim 9" W x 0.71" H Finishes: BNK, FB



X6609-SB-LED - LED Flushmount 9" W x 1.5" H 12 Watt LED, 600 Lumens, 3000K, 90 CRI, Dimmable Finishes: BNK, OB, SB



X6611-BNK-LED - LED Flushmount 11" W x 1.5" H 18 Watt LED, 900 Lumens, 3000K, 90 CRI Dimmable Finishes: BNK, OB, SB



X6613-OB-LED - LED Flushmount 13" W x 1.5" H 22 Watt LED, 1,050 Lumens, 3000K, 90 CRI, Dimmable Finishes: BNK, OB, SB



FINISHES

Brushed Polished Nickel (BNK) Flat Black (FB)



19606BNK1 - 1 Light Wall Sconce 5.5"W x 8.5"H x 6.75"E; 5.5"D Backplate 60 Watt Medium Base



19642BNK5 - 5 Light Vanity 42"W x 8.5"H x 7.88"E; 5.5"D Backplate 60 Watt Medium Base



19616FB2 - 2 Light Vanity 15.5"W x 8.5"H x 7.88"E; 5.5"D Backplate 60 Watt Medium Base





19633FB4 - 4 Light Vanity 33"W x 8.5"H x 7.88"E; 5.5"D Backplate 60 Watt Medium Base



19624BNK3 - 3 Light Vanity 24"W x 8.5"H x 7.88"E; 5.5"D Backplate 60 Watt Medium Base



FINISHES

Brushed Polished Nickel (BNK) Flat Black (FB)



50201-BNK -1 Light Wall Sconce 5.5"W x 9.5"H x 7"E; 5.25"D Backplate 60 Watt Medium Base





50204-FB - 4 Light Vanity 31"W x 8.75"H x 7"E; 5.25"D Backplate 60 Watt Medium Base



50202-FB - 2 Light Vanity 14"W x 10"H x 7"E; 5.25"D Backplate 60 Watt Medium Base



50203-BNK - 3 Light Vanity 22.5"W x 9.25"H x 7"E; 5.25"D Backplate 60 Watt Medium Base

HARMONY COLLECTION

FINISHES

FLAT BLACK/POLISHED NICKEL (FBPLN)
FLAT BLACK/SATIN BRASS (FBSB)

CLEAR ARTISAN GLASS



11924FBSB-LED - LED Vanity 24"W x 5"H x 4.33"E; 14"W x 4.9"H Backplate 20 Watt LED; 1000 Lumens, 3000k, 90 CRI, Dimmable



11912FBPLN-LED - LED Wall Sconce 11.5"W x 6.75"H x 4.33"E; 6.9"W x 4.3"H Backplate 10 Watt LED; 450 Lumens, 3000k, 90 CRI, Dimmable

PENDANTS COLLECTION



P970SB4 - Satin Brass

4 Light Pendant w/Rod; White Glass - 18"D 18"W x 5.88"H; 2 x 12" & 2 x 6" Downrods, 6' Cord 40 Watt Candelabra

Extra 12" Downrods: Part# P970-DOWNROD-SB



P971SB5 - Satin Brass

5 Light Pendant w/Rod; White Glass - 24"D 24"W x 5.88"H; 2 x 12" & 2 x 6" Downrods, 6' Cord 40 Watt Candelabra Extra 12" Downrods: Part# P970-DOWNROD-SB



P960BNK1 - Brushed Polished Nickel
Pendant w/Rod; Clear Seeded Glass - 10.5"D

10.5"W x 10.75"H; 3 x 12" & 1 x 6" Downrods, 10' Cord
100 Watt Medium Base

Extra 12" Downrods: Part# P96-DOWNROD-(FINISH)

Finishes: BNK, FB



P960FB1 - Flat Black

Pendant w/Rod ; Clear Seeded Glass - 10.5"D 10.5"W x 10.75"H; 3 x 12" & 1 x 6" Downrods, 10' Cord 100 Watt Medium Base Extra 12" Downrods: Part# P96-DOWNROD-(FINISH) Finishes: BNK, FB



P965FB1 - Flat Black
Pendant w/Rod; Steel Shade - 21.25"D
21.25"W x 9.25"H; 3 x 12" & 1 x 6" Downrods, 10' Cord
40 Watt Medium Base
Extra 12" Downrods: Part# P96-DOWNROD-FB



P965BNK1 - Brushed Polished Nickel Pendant w/Rod ; Steel Shade - 21.25"D 21.25"W x 9.25"H; 3 x 12" & 1 x 6" Downrods, 10' Cord 40 Watt Medium Base Extra 12" Downrods: Part# P96-DOWNROD-BNK





ZA4124-MN - 3 Light Large Wall Mount 10"W x 15.88"H x 11.75"E; 5.7"W x 12.8"H Backplate Clear Shiplap Glass; 60 Watt Candelabra



ZA4114-MN - 3 Light Medium Wall Mount 8.25"W x 13.25"H x 9.75"E; 4.75"W x 10.63"H Backplate Clear Shiplap Glass; 60 Watt Candelabra



 $\begin{tabular}{ll} {\bf ZA4104-MN} &- 1 \ Light & Small \ Wall \ Mount \\ {\bf 6.88"W} \times 10.63"H \times 8.43"E; \ 4.3"W \times 8.6"H \ Backplate \\ Clear \ Shiplap \ Glass; \ 60 \ Watt \ Medium \ Base \\ \end{tabular}$



ZA4111-MN - 3 Light Pendant 8.25"W x 12.75"H; 6' Chain, 11' Wlre Clear Shiplap Glass; 60 Watt Candelabra



ZA4115-MN - 3 Light Post Mount 8.25"W x 16.13"H Clear Shiplap Glass; 60 Watt Candelabra

CANON COLLECTION

FINISHES MIDNIGHT (MN) SATIN ALUMINUM (SA)

EXTERIOR



ZA3624-MN - Wall Mount 9"W x 12.13"H x 10.5"E; 5.5"W x 9.5"H Backplate 60 Watt Medium Base; Clear Glass



ZA3614-MN - Wall Mount 7.5"W x 10"H x 9"E; 4.8"W x 8.6"H Backplate 60 Watt Medium Base; Clear Glass



ZA3604-MN - Wall Mount 6.13"W x 9.88"H x 7.88"E; 4.8"W x 8.6"H Backplate 60 Watt Medium Base; Clear Glass



ZA3611-MN - Pendant 7.5"W x 9.65"H; 2 x 12" & 2 x 6" Downrods, 6' Wire 60 Watt Medium Base; Clear Glass Extra 12" Downrods: Part# RP-9200-(FINISH)



ZA3625-SA - Post Mount 9"W x 14.13"H 60 Watt Medium Base; Clear Glass



ZA3637-SA - Flushmount 11.38"W x 6.88"H 60 Watt Medium Base; Clear Glass



SATIN ALUMINUM (SA)



ZA4214-MN - Wall Mount 7"W x 18.5"H x 9"E; 5.5" Dia Backplate Clear Seeded Glass; 60 Watt Medium Base



ZA4204-MN - Wall Mount 5.5"W x 14"H x 7.25"E; 5.5" Dia Backplate Clear Seeded Glass; 60 Watt Medium Base



ZA4215-SA - Post Mount 7"W x 22.38"H Clear Seeded Glass; 60 Watt Medium Base



ZA4211-SA - Pendant 7"W x 19.9"H; 6' Chain, 12' Cord Clear Seeded Glass; 60 Watt Medium Base





ZA3324-MN - Large Wall Mount 7.63"W x 14.13"H x 8.13"E; 5" Dia Backplate 60 Watt Medium Base; Clear Glass



ZA3314-MN - Medium Wall Mount 6.38"W x 13"H x 7"E; 5" Dla Backplate 60 Watt Medium Base; Clear Glass



ZA3304-MN - Small Wall Mount 5.25"W x 11.63"H x 5.62"E; 5" Dia Backplate 60 Watt Medium Base; Clear Glass



ZA3311-MN - Pendant 6.38"W x 12.1"H; 2 x 12" & 2 x 6" Downrods, 6' Wire 60 Watt Medium Base; Clear Glass Extra 12" Downrods: Part# RP-9200-MN



ZA3315-MN - Post Mount 6.5"W x 16.87"H x 9.3"E 60 Watt Medium Base; Clear Glass



ZA3337-MN - Flushmount 11.63"W x 6.63"H 60 Watt Medium Base; Clear Glass



SABRE COLLECTION

FINISHES MIDNIGHT (MN) SATIN ALUMINUM (SA)

EXTERIOR



ZA3910-SA-LED - Wall Mount 5.5"W x 20"H x 6.88E; 5.5"W x 13.75"H Backplate Clear Seeded Glass; 60 Watt Medium Base & 5 Watt LED LED Accent - 5W, 240 Lumens, 3000k, 90 CRI, Dimmable



ZA3900-MN-LED - Wall Mount 5.5"W x 16.88"H x 5.75"E; 5.5"W x 11.8"H Backplate Clear Seeded Glass; 60 Watt Medium Base & 5 Watt LED LED Accent - 5W, 240 Lumens, 3000k, 90 CRI, Dimmable

FINISHES MIDNIGHT (MN)

SATIN ALUMINUM (SA)



ZA3524-SA - Wall Mount 6.75"W x 15"H x 8.13"E; 5" Dia Backplate Clear Glass; 60 Watt Medium Base



ZA3514-SA - Wall Mount 6.75"W x 15"H x 8.13"E; 5" Dia Backplate Clear Glass; 60 Watt Medium Base



ZA3504-MN - Wall Mount 5"W x 11.75"H x 6.37"E; 4.3" Dia Backplate Clear Glass; 60 Watt Medium Base



ZA3511-SA - Pendant 6.75"W x 13"H; 2 x 12" & 2 x 6" Downrods, 6' Wire Clear Glass; 60 Watt Medium Base Extra 12" Downrods: Part# RP-9200-(FINISH)



ZA3537-MN - 2 Light Flushmount 13"W x 6.13"H Clear Glass; 60 Watt Medium Base



PERIMETER COLLECTION

FINISHES MIDNIGHT (MN) SATIN ALUMINUM (SA)

EXTERIOR



ZA4024-SA - Large Wall Mount 8.38"W x 21.75"H x 6.13"E; 6.3"W x 7.1"H Backplate Clear Seeded Glass; 60 Watt Medium Base



ZA4014-SA - Medium Wall Mount 7.5"W x 19.38"H x 5.5"E; 5.5"W x 6.3"H Backplate Clear Seeded Glass; 60 Watt Medium Base



ZA4004-MN - Small Wall Mount 6"W x 17"H x 5"E; 4.75"W x 6.3"H Backplate Clear Seeded Glass; 60 Watt Medium Base



ZA4021-SA - Pendant 8.38"W x 21.75"H; 3 x 12" & 1 x 6" Downrods Clear Seeded Glass; 60 Watt Medium Base Extra 12" Downrods: Part# RP-9199-(FINISH)



 ${
m ZA4025\text{-}MN}$ - Post Mount ${
m 8.38"W} \times {
m 25.13"H}$ Clear Seeded Glass; 60 Watt Medium Base



THE LODIE FLUSHMOUNTS

FINISHES

Brushed Polished Nickel (BNK) Flat Black (FB) Satin Brass (SB)



X1408-FB - Flushmount 7.5" W x 7.13" H 100 Watt Medium Base Finishes: BNK, FB, SB



X1410-BNK - Flushmount 9.5" W x 9" H 100 Watt Medium Base Finishes: BNK, FB, SB

DUNN COLLECTION



ZA4314-TB - Medium Wall Mount 6"W x 11.5"H x 7.25"E 4.5"W x 6.5"H Backplate 60 Watt Medium Base Clear Seeded Glass



ZA4304-TB - Small Wall Mount 5.5"W x 10.13"H x 7"E 4.5"W x 6.5"H Backplate 60 Watt Medium Base; Clear Seeded Glass



ZA4324-TB - Large Wall Mount 8"W x 13.25"H x 7.75"E 4.5"W x 6.5"H Backplate 60 Watt Medium Base; Clear Seeded Glass



EVIE COLLECTION

FINISHES
Midnight (MN)
Satin Aluminum (SA)



ZA3411-MN - 1 Light Pendant
7.5" W x 8.2" H
4.75" Dia Canopy, 2 x 12" & 2 x 6" Downrods, 6' Cord
60 Watt Medium Base
Finishes: MN, SA
Clear Glass



ZA3404-SA - 1 Light Wall Mount 6.5" W x 7.25" H x 7.75" E 4.75" Dia Backplate 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3417-MN - 1 Light Flushmount 7.5" W x 8.25" H 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3414-SA - 1 Light Wall Mount
7.5" W x 7.88" H x 8.75" E
4.75" Dia Backplate
60 Watt Medium Base
Finishes: MN, SA
Clear Glass

LACLEDE COLLECTION

FINISHES Midnight (MN) Satin Aluminum (SA)



ZA3804-SA - 1 Light Wall Mount 6.25" W x 12" H x 8.5" E 5.91" Dia Backplate 60 Watt Medium Base Finishes: MN, SA Clear Glass



(A3814-MN - 1 Light Wall Moun 7.75" W x 15" H x 10.5" E 7.48" Dia Backplate 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3821-SA - 1 Light Pendant 9.3" W x 15" H 5.9" Dia Canopy; 8' Chain, 10' Cord 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3824-MN - 1 Light Wall Mount 9.3" W x 18" H x 12.63" E 7.48" Dia Backplate 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3825-SA - Post Mount 9.3" W x 25.38" H x 12.88" E 60 Watt Medium Base Finishes: MN, SA Clear Glass



ZA3837-MN - 2 Light Flushmount 12" W x 6.13" H 60 Watt Medium Base Finishes: MN, SA Clear Glass

EXTERIOR

LED FLOOD LIGHTS

FINISHES
Bronze (BZ)
Midnight (MN)
White (W)





Z421-W-LED - 1 Light LED Flood 4.4" W x 4.4" H x 6.25" E 13 Watt LED, 3000K, 900 Lumens Finishes: BZ, MN, W Optional 3" Extension Rod Included



Z422-W-LED - 2 Light LED Flood 4.4" W x 4.4" H x 6.25" E 25 Watt LED, 3000K, 1850 Lumens Finishes: BZ, MN, W 3" Extension Rods available: Part # RP-847-(FINISH)



ILLUMINATED ADDRESS PLAQUE & NUMBERS

FINISHES

Flat Black (FB)



AP1000-FB-LED - LED Illuminated Address Plaque 11.5" W x 5.25" H x 1.496" E 5 Watt LED, 4000K, 377 Lumens Finish: Flat Black

0123456789

AP-(NUMBER)-FB - Address Plaque Number 1.42" W x 3.94" H x .118" E Finish: Flat Black



SHOWN LIT



BUILDER CHIMES & CHIME KITS

FINISHES

Flat Black (FB) White (W) Brushed Satin Nickel (BN)



CK2000-BN* - Chime Kit

1 Chime, 2 White Pushbuttons,
16V 10W Transformer
2.58" D x 8.24" W x 4.9" H
Hanging: Horizontal
Finish: Brushed Satin Nickel



CK2001-FB* - Chime Kit 1 Chime, 2 Black Pushbuttons, 16V 10W Transformer 2.58" D x 8.24" W x 4.9" H Hanging: Horizontal Finish: Flat Black



CK2000-W* - Chime Kit

1 Chime, 2 White Pushbuttons,
16V 10W Transformer
2.58" D x 8.24" W x 4.9" H
Hanging: Horizontal
Finish: White



CK1000-BN* - Chime Kit

1 Chime, 2 White Pushbuttons,
16V 10W Transformer
2.14" D x 7.65" W x 5.3" H
Hanging: Horizontal
Finish: Brushed Satin Nickel



CK1001-FB* - Chime Kit

1 Chime, 2 Black Pushbuttons,
16V 10W Transformer
2.14" D x 7.65" W x 5.3" H
Hanging: Horizontal
Finish: Flat Black



CK1000-W* - Chime Kit

1 Chime, 2 White Pushbuttons,
16V 10W Transformer
2.14" D x 7.65" W x 5.3" H
Hanging: Horizontal
Finish: White



CK1002-W - Chime Kit

2 Chimes, 2 White Pushbuttons,
16V 15W Transformer
2.14" D x 7.65" W x 5.3" H
Hanging: Horizontal
Finishes: Brushed Satin Nickel,
Flat Black, White (Shown)



CK2002-BN - Chime Kit

2 Chimes, 2 White Pushbuttons,

16V 15W Transformer

2.58" D x 8.24" W x 4.9" H

Hanging: Horizontal

Finishes: Brushed Satin Nickel (Shown),

Flat Black, White

CK2002-FB - Kit contains 2 white buttons
CK2002-W - Kit contains 2 white buttons



DESIGNER & LOUD CHIMES



CH3000-BNK - Chime 2.36" D x 9.44" W x 6.77" H Hanging: Horizontal Finish: Brushed Polished Nickel



CH3000-FB - Chime 2.36" D x 9.44" W x 6.77" H Hanging: Horizontal Finish: Flat Black



CH3000-SB - Chime 2.36" D x 9.44" W x 6.77" H Hanging: Horizontal Finish: Satin Brass



CH3000-W - Chime 2.36" D x 9.44" W x 6.77" H Hanging: Horizontal Finish: White



CL4000-BN - Loud Chime 2.95" D x 9.25" W x 7.3" H Hanging: Horizontal Finish: Brushed Satin Nickel



CL4000-FB - Loud Chime 2.95" D x 9.25" W x 7.3" H Hanging: Horizontal Finish: Flat Black



CL4000-W - Loud Chime 2.95" D x 9.25" W x 7.3" H Hanging: Horizontal Finish: White



CC-FB - Designer Chime 2.125" D x 7.5" W x 10.25" H Hanging: Vertical Finish: Flat Black




CC-W - Designer Chime 2.125" D x 7.5" W x 10.25" H Hanging: Vertical Finish: White



LED AND RECESSED PUSHBUTTONS





PB5015-FBSB - LED Pushbutton 0.55" D x 2.36" W x 2.36" H Finishes: BNK, BZ, FBSB



PB5014-BZ - LED Pushbutton 0.62" D x 0.71" W x 4.37" H Finishes: AB, AN, BZ



PB5008-BNK - LED Pushbutton 0.78" D x 0.86" W x 3.54" H Finishes: AI, BNK, FB



PB5009-FB - LED Pushbutton 0.78" D x 2.59" W x 2.59" H Finishes: AI, BNK, FB



PB5010-AI - LED Pushbutton 0.78" D x 1.1" W x 3.54" H Finishes: AI, BNK, FB



PB5013-AB - LED Pushbutton 0.7" D x 1.1" W x 3.6" H Finishes: AB, AN, BZ



PB5011-BNK - LED Pushbutton 0.63" D x 1.24" W x 3.66" H Finishes: BNK, SB, W



PB5012-SB - LED Pushbutton 0.78" D x 1.7" W x 3.56" H Finishes: BNK, FB, SB, W



PB5016-ESP - Recessed Mount LED Push Button .63"D x 3"W x 3"H Finishes: FB, ESP, PT



PB5017-FB - Recessed Mount LED Push Button .63"D x 3"W x 3"H Finishes: FB, ESP, PT



CRAFTMADE**

DALLAS • Dallas Market Center • Trade Mart, Suite 4902 2100 Stemmons Freeway • Dallas, TX 75207 LAS VEGAS • World Market Center • Suite C-496
455 S. Grand Central Parkway • Las Vegas, NV 89106

P1-800-486-4892 • F877-304-1728