


















Luminance

DIVISION



Table of Contents

T.O.C.....	2	Montego Bay Deluxe.....	61
Fan Blade Finishes.....	3	Replacement Glass.....	62
Brinkley.....	4	Remote Controls.....	63
Decca.....	6	Light Kits.....	64
Garvin.....	8	Bowl Glass.....	67
Linden.....	10	Optional Accessories.....	68
Brookport.....	11	Fan Blades.....	69
Roosevelt Energy Star	12	Standard Features.....	70
Boardwalk.....	14	Information.....	73
Fernleaf Breeze Energy Star	16	Fan Specifications.....	74
Stargate.....	18	Abbreviations.....	78
Avia.....	19	Blade Compatability Chart.....	79
French Quarter.....	20	Index.....	80
Capetown.....	21	General Information & Policy.....	82
Aracruz.....	22	Return Policy & Warranty.....	83
Madison Energy Star	24	Notes.....	85
Nautika Energy Star	25		
Ponderosa.....	26		
San Marcos.....	27		
Centurion Energy Star	28		
Centurion LED Energy Star	29		
Saturn Energy Star	30		
Saturn-Ex.....	32		
Skylark.....	33		
Valore Quick Connect.....	34		
Easy Hang Fan.....	37		
Richmond.....	38		
Home Air.....	39		
Porch.....	40		
California Home Energy Star	42		
Heritage Home.....	44		
Heritage Square.....	46		
Heritage Square Energy Star	48		
Heritage Square 42".....	50		
Heritage Home 42".....	51		
Heritage Fusion.....	52		
Heritage Fusion Energy Star	54		
Hugger.....	56		
Hugger Schoolhouse Light Kit.....	58		
Hugger Bullet Light Kit.....	59		
Rosemount.....	60		

				
BK Black	BG Black Gloss	CH Chrome	CHW Cherrywood	CP Camphor
				
DC Dark Cherry	DDC Distressed Dark Cherry	DMC Distressed Med Cherry	DO Dark Oak	DW Dark Walnut
				
DWP Dark Washed Pine	ELM Elm	EW English Walnut	GH Graphite	KP Knotty Pine
				
MH Mahogany	NC Natural Cherry	NDW Natural Dark Walnut	NM Nude Maple	NP & ST Natural Pine
				
NW Natural White	ORB Oil Rubbed Bronze	OWL Old World Leather	RJ Raja Stone	RW Rosewood
				
SO Silver Oak	UN Unfinished Oak	WB Weathered Bronze	WHP Weathered Pine	WO Washed Oak
				
WP Washed Pine	CL ABS Plastic Wood Grain Cream	OK ABS Plastic Wood Grain Oak	SB ABS Plastic Shell Beige	WH ABS Plastic Wood Grain White
				
ALW Washed Oak & Almond	LD Light Oak & Dark Oak	OC Oak & Camphor	OW Oak & Walnut	WHW Washed Oak & White





52" **52BKL5EORB**

Oil Rubbed Bronze

PB-2952-ORB

Oil Rubbed Bronze Blades Included

Hammered Body

G-13 Indian Scavo Glass



BRINKLEY

52" 5 Blade Fan

188mm x 15mm Motor


13.5° Blade Pitch

4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 18-3/4" / **B:** 11-5/6" / **C:** 11-4/5"

Weight: 24.35lbs / Power Use: 77W


Airflow: 5660 / Airflow Efficiency: 73







See page 72
for more
information



60" **60DEC3EST**

Stainless Steel

PB-13360-CH Chrome Blades Included

G-2 Frosted Opal Glass

(Shown with and without Light Kit)

Includes Light Kit Cap

DECCA

60" 3 Blade Fan

BLDC165 Brushless DC Motor

14° Blade Pitch

6" Downrod Included


Downlight: 1-100W E-11 Mini-can

Base Bulb Included

RM-DC-2 Six Speed Remote Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 17-2/3" / **B:** 12-3/5" / **C:** 7"

Weight: 17.6lbs / Power Use: 32W
Airflow: 7200 / Airflow Efficiency: 240







52" **52GA4EOBB**

Oil Brushed Bronze

PB-2852-NC

Natural Cherry Blades Included

G-7 Frosted Opal Glass

GARVIN

52" 4 Blade Fan

172mm x 20mm Motor

20° Blade Pitch


4-1/2" Downrod Included

Downlight: 2-60W E-12 Base Bulbs Included

RM-101-S Remote Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 14-2/7" / **B:** 9-1/2" / **C:** 11"

Weight: 21.91lbs / Power Use: 70W

Airflow: 5192 / Airflow Efficiency: 74



52" **52LIN5EORB**

Oil Rubbed Bronze

PB-1054A-WB

ABS Weathered Bronze Blades Included

G7706 Satin Opal Glass

Indoor
Outdoor



LINDEN Outdoor Damp Location

52" 5 Blade Fan

153mm x 16mm Motor

12° Blade Pitch

4-1/2" Downrod Included


Downlight: 2-13W

Medium Base CFL Bulbs Included

Damp Location Rated

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 19-1/3" / B: 12" / C: 13"

Weight: 22.44lbs / Power Use: 62W

Airflow: 4504 / Airflow Efficiency: 72



52" **52BR5EORB**

Oil Rubbed Bronze

PB-2752-ORB/NC

Reversible Oil Rubbed Bronze /
Natural Cherry Blades Included

G-11 White Frosted Glass



BROOKPORT

52" 5 Blade Fan

172mm x 14mm Motor


14° Blade Pitch

4-1/2" Downrod Included

Downlight: 3-40W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 18-4/9" / **B:** 11-3/7" / **C:** 12-1/4"

Weight: 24.69lbs / Power Use: 76W

Airflow: 5232 / Airflow Efficiency: 68





ROOSEVELT

52", 60" & 70" 5 Blade Fan

52": 153mm x 17mm Motor* [Energy Star](#)

60": 212mm x 28mm Motor* [Energy Star](#)

70": 212mm x 28mm Motor


52": 14° Blade Pitch

60" & 70": 15° Blade Pitch

4-1/2" Downrod Included

Quadruple Locking System

Dual Mount Adaptable with PS-3022



52" **A:** 17-7/8" / **B:** 16-1/8" / **C:** 11"

60" **A:** 17-7/8" / **B:** 16-1/8" / **C:** 15"

70" **A:** 17-7/8" / **B:** 16-1/8" / **C:** 15"

52": Weight: 20.17lbs / Power Use: 65W
Airflow: 5060 / Airflow Efficiency: 78

60": Weight: 37.04lbs / Power Use: 81W
Airflow: 7632 / Airflow Efficiency: 94

70": Weight: 37.04lbs / Power Use: 95W
Airflow: 7601 / Airflow Efficiency: 86





52" **52RS5ORB***
60" **+60RS5ORB***
70" **+70RS5ORB**



Oil Rubbed Bronze

52": PB-2152-ORB

60": PB-2160-ORB

70": PB-2170-ORB

Oil Rubbed Bronze Blades Included



52" **52RS5SN***
60" **+60RS5SN***
70" **+70RS5SN***



Satin Nickel

52": PB-2152-SR Reversible Silver Oak /
Rosewood Blades

60": PB-2160-RW Rosewood Blades

70": PB-2170-RW Rosewood Blades

Blades Included



52" **52RS5ST***
60" **+60RS5ST***
70" **+70RS5ST**



Stainless Steel

52": PB-2152-CH/RW

60": PB-2160-CH/RW

70": PB-2170-CH/RW

Reversible Chrome / Rosewood Blades Included



52" **52RS5OBB***
60" **+60RS5OBB***
70" **+70RS5OBB**



Oil Brushed Bronze

52": PB-2152-EMN

60": PB-2160-EMN

70": PB-2170-EMN

Reversible Elm / Natural Cherry Blades Included





52" **52BW5AP**

Aged Pecan

PB-1053A-WB

ABS Weathered Bronze Blades Included

BW-1060-AAS Antique Amber Scavo Glass

BOARDWALK Outdoor Wet Location

52" 5 Blade Fan

172mm x 17mm Motor

14° Blade Pitch

4-1/2" Downrod Included


Downlight: 2-18W Medium Base

CFL Bulbs Included

Wet Location Rated

Triple Locking System

Dual Mount Hanging Kit Included



A: 20" / B: 16-3/16" / C: 12"

Weight: 24.69lbs / Power Use: 67W

Airflow: 5675 / Airflow Efficiency: 85





Indoor
Outdoor



52" **52FEB5RI**

Rustic Iron

PB-5102A-DK

ABS Dark Fernleaf Blades Included

Optional Light Kit PA-017-S-RI



FERNLEAF BREEZE Outdoor Damp Location

52" 5 Blade Fan

172mm x 17mm Motor

14° Blade Pitch

4-1/2" Downrod Included

Remote Adaptable When Used Indoors


Optional Light Kit PA-017-S-RI

Stainless Steel Screws

Damp Location Rated

Triple Locking System

Dual Mount Hanging Kit Included



A: 15-1/2" / B: 13-3/4" / C: 9-3/4"

Weight: 27.17lbs / Power Use: 72W

Airflow: 5540 / Airflow Efficiency: 76



52" CF52378-50-L / 52STG5EST

Stainless Steel

PB-2305-BK

Black Blades Included

G52378 Frosted Opal Glass



STARGATE

52" 5 Blade Fan

188mm x 15mm Motor

13° Blade Pitch

4-1/2" Downrod Included


Downlight: 1-100W Halogen Mini-Can E-11

Lamp Included

RM-101-S Remote Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 16" / B: 12" / C: 14"

Weight: 24.2lbs / Power Use: 67W
Airflow: 4856 / Airflow Efficiency: 72





See page 72
for more
information

52" **+52AV5ST**

60" **60AV5ST**

Stainless Steel

52": PB-13552-BK/RW

60": PB-13560-BK/RW

Reversible Black /

Rosewood Blades Included



AVIA

52" & 60" 5 Blade Fan

52": 165mm x 25mm Motor

60": 165mm x 25mm Motor


16° Blade Pitch

6" Downrod Included

Triple Locking System

Dual Mount Adaptable with PS-3022

RM-DC-2 Six Speed Remote Included



A: 15-3/4" / B: 13" / C: 12-3/5"

Weight: 17.6lbs / Power Use: 32W
Airflow: 7550 / Airflow Efficiency: 236



52" **52FQ5ORB**

Oil Rubbed Bronze

PB-1133-ORB

Oil Rubbed Bronze Blades Included



FRENCH QUARTER

52" 5 Blade Fan


153mm x 20mm Motor

14° Blade Pitch

4-1/2" Downrod Included

Quadruple Locking System

Dual Mount Hanging Kit Included



A: 14-1/8" / **B:** 10-1/2" / **C:** 12-1/4"

Weight: 20.83lbs / Power Use: 70W

Airflow: 5483 / Airflow Efficiency: 78



52" **52CP6ORB**

Oil Rubbed Bronze

PB-2010-ORB

Oil Rubbed Bronze Blades Included



CAPETOWN

52" 6 Blade Fan

188mm x 25mm Motor

16° Blade Pitch


4-1/2" Downrod Included

Uplight: 4-40W E12 Bulbs Included

Uplight On 4-Way Switch Hi-MED-LOW-OFF

Quadruple Locking System

Dual Mount Hanging Kit Included



A: 16-1/2" / B: 14" / C: 12"

Weight: 28.2lbs / Power Use: 73W
Airflow: 6664 / Airflow Efficiency: 91







52" **52AC5ORB**

Oil Rubbed Bronze

PB-1032-ORB

Oil Rubbed Bronze Blades Included

(Shown with Optional Light Kit: Y-281A-S-ORB)

60" **60AC5ORB**

Oil Rubbed Bronze

PB-2560-ORB

Oil Rubbed Bronze Blades Included

ARACRUZ

52" & 60" 5 Blade Fan

52": 188mm x 15mm Motor

60": 212mm x 25mm Motor

14° Blade Pitch


6" Downrod Included

Uplight: 4-40W E-12 Base Bulbs Included

Uplights on 4-Way Switch

HI-MED-LOW-OFF

Triple Locking System



52" **A: 15" / B: 14" / C: 15-1/2"**

60" **A: 16-3/4" / B: 14-1/2" / C: 17-1/2"**

52": Weight: 35.27lbs / Power Use: 75W
Airflow: 5581 / Airflow Efficiency: 74

60": Weight: 52.23lbs / Power Use: 75W
Airflow: 7050 / Airflow Efficiency: 100





52" **52MA5ORB***
60" **+60MA5ORB**

Oil Rubbed Bronze

52": PB-1033-ORB

60": PB-10336-ORB

Oil Rubbed Bronze Blades Included



52" **52MA5WH***
60" **+60MA5WH**

White

52": PB-1033-WH

60": PB-10336-WH

White Blades Included



MADISON

52" & 60" 5 Blade Fan

52": 188mm x 22mm Motor* [Energy Star](#)

60": 188mm x 22mm Motor

52": 15° Blade Pitch


60": 15° Blade Pitch

4-1/2" Downrod Included

(52": Optional PB-1033ABS Blades Available)

Quadruple Locking System

Dual Mount Adaptable with PS-3022



A: 14" / B: 10-1/2" / C: 12-1/2"

52": Weight: 25.08lbs / Power Use: 75W

Airflow: 6527 / Airflow Efficiency: 87

60": Weight: 25.08lbs / Power Use: 75W

Airflow: 6630 / Airflow Efficiency: 88



Indoor
Outdoor



44" **+44NA5GH**

52" **52NA5GH***

Graphite

44": PB-1044A-GH

52": PB-1052A-GH

ABS Wood Grain Graphite Blades Included



44" **+44NA5ORB**

52" **52NA5ORB***

Oil Rubbed Bronze

44": PB-1044A-WB

52": PB-1052A-WB

ABS Wood Grain Weathered
Bronze Blades Included



44" **+44NA5WH**

52" **52NA5WH***

White

44": PB1044A-WH

52": PB-1052A-WH

ABS White Wood Grain Blades Included



NAUTIKA Outdoor Wet Location

44" & 52" 5 Blade Fan

44": 172mm x 17mm Motor

52": 172mm x 17mm Motor* **Energy Star**

14° Blade Pitch

4-1/2" Downrod Included


ABS Wood Grain Blades

Remote Adaptable When Used Indoors

Wet Location Rated

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 11" / B: 10-1/2" / C: 11"

44": Weight: 18.96lbs / Power Use: 75W
Airflow: 5900 / Airflow Efficiency: 86

52": Weight: 18.96lbs / Power Use: 70W
Airflow: 6607 / Airflow Efficiency: 87



52" 52PD5OWL

Old World Leather

PB-2022A-KP

ABS Knotty Pine Blades Included

Shown w/ Optional Light Kit PA-250A-S-OWL

Indoor
Outdoor



Scrolls (Concord Exclusive)

AC-2030-12 (as shown)

(Pine Needle Scroll)

Use on minimum of 12" downrod

AC-2030-24 (as shown)

(Pine Needle Scroll)

Use on minimum of 24" downrod

Sold Separately

PONDEROSA Outdoor Wet Location

52" 5 Blade Fan

188mm x 15mm Motor

14° Blade Pitch

4-1/2" Downrod Included


Remote Adaptable When Used Indoors

Optional Light Kit PA-250A-S-OWL

Wet Location Rated

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 20" / B: 16-3/16" / C: 12"

Weight: 33.03lbs / Power Use: 61W

Airflow: 5482 / Airflow Efficiency: 90



52" **CF52838-50-L /**
52SM5EST

Stainless Steel

PB-2025-MH

Mahogany Blades Included

G-024 Clear Prism Glass



SAN MARCOS

52" 5 Blade Fan

153mm x 13mm Motor

12° Blade Pitch


4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

RM-101-S Universal Remote Adaptable

Triple Locking System

Dual Mount Hanging Kit Included



A: 16-7/8" / B: 9-7/8" / C: 11"

Weight: 18.26lbs / Power Use: 59W


Airflow: 4730 / Airflow Efficiency: 80





CENTURION Energy Star

52" 4 Blade Fan
153mm x 18mm Motor
12° Blade Pitch
6" Downrod Included
Downlight: 2-13W GU-24 Base
Self Ballast Bulbs Included
Triple Locking System
Dual Mount Adaptable with PS-3022



A: 15-5/6" / B: 10-1/3" / C: 10-1/4"

Weight: 18.7lbs / Power Use: 59W
Airflow: 5969 / Airflow Efficiency: 97





52"CF52374-50-L-ES / 52CNT4EST-ES

Stainless Steel
PB-2552-CH
Chrome Blades Included
G-14 Frosted Opal Glass




52"CF52374-50-L-ES-LED / 52CNT4EST-ES-LED

Stainless Steel
PB-2552-CH
Chrome Blades Included
G-14 Frosted Opal Glass



CENTURION Energy Star & LED

52" 4 Blade Fan
153mm x 18mm Motor
12° Blade Pitch
6" Downrod Included
Downlight: 1-18W AC LED without Driver
Dimmable / 80CRI / 3000K / 120V
1600 Source Lumens / 1300 Delivered Lumens
Triple Locking System
Dual Mount Adaptable with PS-3022



A: 15-5/6" / **B:** 10-1/3" / **C:** 10-1/4"

Weight: 18.7lbs / Power Use: 59W
Airflow: 5969 / Airflow Efficiency: 97







52" **CF52376-53-L-CH / 52SAT5ESN-CH**

Satin Nickel

PB-2300-CH

Chrome Blades Included

G52376 Frosted Opal Glass



52" **CF52376-53-L / 52SAT5ESN**

Satin Nickel

PB-2300-RWG/DWG

Reversible Rosewood Gloss /

Dark Walnut Gloss Blades Included

G52376 Frosted Opal Glass



52" **CF52376-30-L / 52SAT5EWH**

White

PB-2300-WH

White Blades Included

G52376 Frosted Opal Glass



SATURN Energy Star

52" 5 Blade Fan

188mm x 15mm Motor

13° Blade Pitch


6" Downrod Included

Downlight: 2-13W GU24 CFL Lamps Included

RM-103-S Non-Dimming Remote Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 16" / B: 9" / C: 12-3/4"

Weight: 23.32lbs / Power Use: 71W

Airflow: 6891 / Airflow Efficiency: 97



52" **CF52370-50-L /**

52SAX5EST

Stainless Steel

PB-2300-BG/RWG

Reversible Black Gloss /

Rosewood Gloss Blades Included

G52376 Frosted Opal Glass



SATURN-EX

52" 5 Blade Fan

188mm x 15mm Motor

13° Blade Pitch


6" Downrod Included

Downlight: 1-100W J-Type T3

Halogen Bulb Included

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 16" / B: 9" / C: 12-3/4"

Weight: 22.88lbs / Power Use: 63W

Airflow: 5000 / Airflow Efficiency: 73





52" CF52874-53 / 52SKY3ESN-PCHN

Satin Nickel
PB-1030-CH
Chrome Blades Included
G-14 Frosted Opal Glass
Remote Not Included
With Pull Chains

52" CF52873-53 / 52SKY3ESN


Satin Nickel
PB-1030-RW/DW
Reversible Rosewood /
Dark Walnut Blades Included
G52873 Frosted Opal Glass
RM-101-S Remote Included

52" CF52873-30 / 52SKY3EWH

White
PB-1030-WH
White Blades Included
G52873 Frosted Opal Glass
RM-101-S Remote Included

SKYLARK

52" 3 Blade Fan
153mm x 18mm Motor
13° Blade Pitch
6" Downrod Included
Dual Mount Hanging Kit Included
Downlight: 2-60W E-12 Base Bulbs Included
Triple Locking System
Dual Mount Hanging Kit Included



A: 16" / B: 11" / C: 10"

Weight: 17.38lbs / Power Use: 56W
Airflow: 4950 / Airflow Efficiency: 88







**52" CF52880-53-L /
52VALQC5ESN**

Satin Nickel

PB-2033-CH/RW

Reversible Chrome / Rosewood Blades Included

G-1214-WH Frosted White Glass



**52" CF52880-30-L /
52VALQC5EWH**

White

PB-2033-WH

White Blades Included

G-1214-WH Frosted White Glass

3 Step Easy Installation



VALORE Quick Connect

52" 5 Blade Fan

153mm x 13mm Motor

12° Blade Pitch


4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

3 Step Easy Installation

Triple Locking System

Dual Mount Adaptable with PS-3022



A: 18-7/8" / B: 9-7/8" / C: 11"

Weight: 19.14lbs / Power Use: 62W

Airflow: 4500 / Airflow Efficiency: 86



Easy Hang Fan

1 Fan comes body assembled, Install mounting bracket and connect wires.

2 Attach blades using Quick Connect knob.

3 Attach Glass using threaded socket ring



Professional Results in
“T minus...3...2...1”

52" **CF52883-50-L / 52HEHZ5EST**

Stainless Steel

PB-2033-BF/RW

Reversible Black Forest / Rosewood Blades Included

Turtle Alabaster Bell Glass



EASY HANG FAN

52" 5 Blade Fan

153mm x 13mm Motor

12° Blade Pitch


6" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

3 Step Easy Installation

Triple Locking System

Dual Mount Hanging Kit Included



A: 19-1/2" / **B:** 12-1/8" / **C:** 11"

Weight: 20.68lbs / Power Use: 63W

Airflow: 4618 / Airflow Efficiency: 73



42" **CF42889-50-L / 42RIC5EST**

52" **CF52889-50-L / 52RIC5EST**

Stainless Steel

42": PB-2034-BK/RW

52": PB-2025-BK/RW

Reversible Black / Rosewood Blades Included

G52889 Clear Chisel Glass



RICHMOND

42" & 52" 5 Blade Fan

42": 153mm x 10mm Motor

52": 153mm x 13mm Motor


12° Blade Pitch

4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



42" **A:** 16-7/8" / **B:** 9-7/8" / **C:** 8-7/8"

52" **A:** 16-7/8" / **B:** 9-7/8" / **C:** 11"

42": Weight: 16.28lbs / Power Use: 49W
Airflow: 4205 / Airflow Efficiency: 76

52": Weight: 18.48lbs / Power Use: 63W
Airflow: 4618 / Airflow Efficiency: 73





52" **CF52848-30-L / 52HA5EWH**

White

PB-2222-WH

White Blades Included

G-005 Frosted Ribbed Glass

52" **CF52848-53-L / 52HA5ESN**

Satin Nickel

PB-2222-SO/RW

Reversible Silver Oak/

Rosewood Blades Included

G7747 Frosted Scallop Glass

HOME AIR

52" 5 Blade Fan

153mm x 16mm Motor

13° Blade Pitch


4-1/2" Downrod Included

Coupling Cover Included

Downlight: 3-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



52" **A:** 19-1/2" / **B:** 9-7/8" / **C:** 11"

Weight: 19.36lbs / Power Use: 63W

Airflow: 4618 / Airflow Efficiency: 73





Indoor
Outdoor



52" **CF52264-53 / 52POR5SN**

Satin Nickel

PB-1052A-CH

ABS Wood Grain

Chrome Blades Included



44" **+44POR5WH**

52" **CF52264-30 / 52POR5WH**

White

44": PB-1044A-WH

52": PB-1052A-WH

ABS Wood Grain

White Blades Included



44" **+44POR5ORB**

52" **CF52264-43 / 52POR5ORB**

44": PB-1044A-WB

52": PB-1052A-WB

ABS Wood Grain

Weathered Bronze Blades Included

PORCH Outdoor Damp Location

44" & 52" 5 Blade Fan

44": 153mm x 13mm Motor

52": 153mm x 13mm Motor

12° Blade Pitch

4-1/2" Downrod Included


Stainless Steel Screws

Remote Adaptable When Use Indoors

Damp Location Rated

Triple Locking System

Dual Mount Hanging Kit Included



A: 12-7/8" / B: 9-7/8" / C: 11"

44": Weight: 18.7lbs / Power Use: 42W
Airflow: 3135 / Airflow Efficiency: 57

52": Weight: 18.7lbs / Power Use: 58W
Airflow: 5000 / Airflow Efficiency: 86



42" **CF42242-43 / +42CH5ORB**

52" **CF52242-43 / 52CH5ORB***

Oil Rubbed Bronze

42": PB-2042-ORB

52": PB-2222-ORB

Oil Rubbed Bronze Blades Included



CALIFORNIA HOME

42" & 52" 5 Blade Fan

42": 172mm x 14mm Motor

52": 172mm x 14mm Motor* [Energy Star](#)

13° Blade Pitch


4-1/2" Downrod Included

4 or 5 Blade Interchangeable

Coupling Cover Included

Triple Locking System

Dual Mount Hanging Kit Included



42" **A:** 11-1/2" / **B:** 11-3/4" / **C:** 11-3/4"

52" **A:** 11-1/2" / **B:** 12-3/4" / **C:** 11-3/4"

42": Weight: 15.43lbs / Power Use: 68W

Airflow: 4568 / Airflow Efficiency: 73

52": Weight: 15.43lbs / Power Use: 70W

Airflow: 5481 / Airflow Efficiency: 78





42" **CF42242-50 / +42CH5ST**

52" **CF52242-50 / 52CH5ST***

Stainless Steel

42": PB-2042-NP

52": PB-2222-NP

Natural Pine Blades Included



42" **CF42242-30 / +42CH5WH**

52" **CF52242-30 / 52CH5WH***

White

42": PB-2042-WH

52": PB-2222-WH

White Blades Included



42" **CF42242-53 / +42CH5SN**

52" **CF52242-53 / 52CH5SN***

Satin Nickel

42": PB-2042-SR

52": PB-2222-SR

Reversible Silver Oak /

Rosewood Blades Included



42" **CF42242-10 / +42CH5BB**

52" **CF52242-10 / 52CH5BB***

Polished Brass

42": PB-2042-LD

52": PB-2222-LD

Reversible Light /

Dark Oak Blades Included



52"CF52836-53-L / 52HEH5ESN

Satin Nickel

PB-2023-SR

Reversible Rosewood /

Silver Oak Blades Included

G7772 White Alabaster Glass



HERITAGE HOME

52" 5 Blade Fan

153mm x 13mm Motor

12° Blade Pitch


4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

RM-101 Universal Remote Adaptable

Triple Locking System

Dual Mount Hanging Kit Included



A: 16-7/8" / B: 9-7/8" / C: 11"

Weight: 17.6lbs / Power Use: 63W

Airflow: 4681 / Airflow Efficiency: 73





52" CF52837-43-L / 52HEH5EORB-ALB

Oil Rubbed Bronze
PB-2023-ORB
Oil Rubbed Bronze Blades Included
G7772 White Alabaster Glass



52" CF52836-62-L / 52HEH5ERB

Rubbed Bronze
PB-2023-DW/WP
Reversible Dark Walnut /
Weathered Pine Blades Included
G-088TEA Tea Stained Glass



52" CF52836-43-L / 52HEH5EORB

Oil Rubbed Bronze
PB-2023-ORB
Oil Rubbed Bronze Blades Included
G-008AAS Antique Amber Scavo Glass



52" CF52836-30-L / 52HEH5EWH

White
PB-2023-WH
White Blades Included
G7772 White Alabaster Glass



52" CF52836-10-L / 52HEH5EBB

Polished Brass
PB-2023-LD
Reversible Light /
Dark Oak Blades Included
G7772 White Alabaster Glass

52" CF52878-53-L / 52HES5ESN

Satin Nickel

PB-2023-SR

Reversible Silver Oak /

Rosewood Blades Included

Y-202S-WH White Alabaster Glass



HERITAGE SQUARE

52" 5 Blade Fan

153mm x 13mm Motor


12° Blade Pitch

4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



A: 18-1/8" / B: 8-7/8" / C: 11"

Weight: 18.7lbs / Power Use: 62W

Airflow: 4500 / Airflow Efficiency: 86





52"CF52878-43-L-WH / 52HES5EORB-WH

Oil Rubbed Bronze

PB-2023-ORB

Oil Rubbed Bronze Blades Included

G52879 Frosted & Painted Inside White Glass



52"CF52878-43-L / 52HES5EORB

Oil Rubbed Bronze

PB-2023-ORB

Oil Rubbed Bronze Blades Included

Y-202S-AAS Antique Amber Scavo Glass



52"CF52878-50-L / 52HES5EST

Stainless Steel

PB-2023-CH/RW

Reversible Chrome /

Rosewood Blades Included

Y-202S-WH Alabaster Glass



52"CF52878-30-L / 52HES5EWH

White

PB-2023-WH

White Blades Included

Y-202S-WH White Alabaster Glass





52"CF52878-43-L-ES / 52HES5EORB-ES



Oil Rubbed Bronze
PB-203-ORB
Oil Rubbed Bronze Blades Included
Y-202S-AAS Antique Amber Scavo Glass



52"CF52878-53-L-ES / 52HES5ESN-ES



Satin Nickel
PB-203-SR
Reversible Silver Oak /
Rosewood Blades Included
Y-202S-WH Alabaster Glass




52"CF52878-30-L-ES / 52HES5EWH-ES



White
PB-203-WH
White Blades Included
Y-202S-WH Alabaster Glass

HERITAGE SQUARE

52" 5 Blade Fan
153mm x 16mm Motor
13° Blade Pitch
4-1/2" Downrod Included
Downlight: 2-13W GU24 CFL Bulbs Included
RM-103-S Remote Compatible
Triple Locking System
Dual Mount Hanging Kit Included



A: 18-1/8" / B: 8-7/8" / C: 11"

Weight: 18.7lbs / Power Use: 62W
Airflow: 5450 / Airflow Efficiency: 86





42" **CF42877-53-L / 42HES4ESN**

Satin Nickel

PB-2223-SR

Reversible Silver Oak /

Rosewood Blades Included

G42877 White Alabaster Bowl Glass

42" **CF42877-30-L / 42HES4EWH**

White

PB-2223-WH

White Blades Included

G42877 White Alabaster Bowl Glass

HERITAGE SQUARE

42" 4 Blade Fan

153mm x 10mm Motor


12° Blade Pitch

4-1/2" Downrod Included

Downlight: 2-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



A: 18-1/2" / B: 9-5/8" / C: 8-7/8"

Weight: 14.96lbs / Power Use: 49W

Airflow: 4205 / Airflow Efficiency: 76





42" **CF42848-53-L / 42HEH5ESN**

Satin Nickel

PB-2223-SR

Reversible Silver Oak /

Rosewood Blades Included

G7747 Frosted Scalloped Glass



42" **CF42848-43-L / 42HEH5EORB**

Oil Rubbed Bronze

PB-2223-ORB

Oil Rubbed Bronze Blades Included

G7774 Antique Amber Scavo Glass



42" **CF42848-30-L / 42HEH5EWH**

White

PB-2223-WH

White Blades Included

G7745 Frosted Ribbed Glass

HERITAGE HOME

42" 5 Blade Fan

153mm x 10mm Motor


12° Blade Pitch

4-1/2" Downrod Included

Downlight: 3-60W E-12 Base Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



A: 18-1/2" / B: 9-5/8" / C: 8-7/8"

Weight: 14.96lbs / Power Use: 49W

Airflow: 4051 / Airflow Efficiency: 88







52" **CF52831-53 / 52HEF5SN**

Satin Nickel

PB-2023-BF/RW

Reversible Black Forest /

Rosewood Blades Included

G7753 Twist-on Faux Alabaster Glass



52" **CF52831-30 / 52HEF5WH**

White

PB-2023-WH

White Blades Included

G7753 Twist-on Faux Alabaster Glass

HERITAGE FUSION

52" 5 Blade Fan

153mm x 13mm Motor


12° Blade Pitch

4-1/2" Downrod Included

Downlight: 2-13W E-26 CFL Bulbs Included

Triple Locking System

Dual Mount Hanging Kit Included



A: 17" / B: 9-7/8" / C: 11"

Weight: 16.72lbs / Power Use: 59W


Airflow: 4570 / Airflow Efficiency: 77





HERITAGE FUSION Energy Star

52" 5 Blade Fan
 153mm x 16mm Motor
 13° Blade Pitch
 4-1/2" Downrod Included
 Downlight: 2-13W GU24 CFL Bulbs Included
 RM-103-S Remote Compatible
 Triple Locking System
 Dual Mount Hanging Kit Included



A: 17" / B: 9-7/8" / C: 11"

Weight: 17.6lbs / Power Use: 62W
 Airflow: 5400 / Airflow Efficiency: 86





**52"CF52832-43-L-ES /
52HEF5EORB-ES**



Oil Rubbed Bronze

PB-2023-ORB

Oil Rubbed Bronze Blades Included

G7754 Twist-on Satin Opal Glass



**52"CF52832-30-L-ES /
52HEF5EWH-ES**



White

PB-2023-WH

White Blades Included

G7754 Twist-on Satin Opal Glass



**52"CF52832-53-L-ES /
52HEF5ESN-ES**



Satin Nickel

PB-2023-BF/RW

Reversible Rosewood /

Black Forest Blades Included

G7754 Twist-on Satin Opal Glass





52" **CF52142-30 / 52HUG5WH**

White

PB-2023-WH

White Blades Included



52" **CF52142-10 / 52HUG5BB**

Polished Brass

PB-2023-LD

Reversible Light /

Dark Oak Blades Included


HUGGER

52" 5 Blade Fan

153mm x 15mm Motor

12° Blade Pitch

Light Kit Adaptable



A: 8" / B: 6-1/5" / C: 11"

Weight: 14.88lbs / Power Use: 60W

Airflow: 4872 / Airflow Efficiency: 81





42" CF42839-30 /
42HUG4WH-YG6
52" CF52139-30-GU /
52HUG5WH-YG8-GU

White

42": PB-2223-WH

52": PB-2222-WH

White Blades Included

42": G530 Schoolhouse Glass

52": G-8 Schoolhouse Glass



42" CF42839-10 /
42HUG4BB-YG6

Polished Brass

PB-2223-LD

Reversible Light /

Dark Oak Blades Included

G530 Schoolhouse Glass

HUGGER SCHOOLHOUSE

42" 4 Blade Fan

52" 5 Blade Fan


42": 153mm x 10mm Motor

52": 153mm x 13mm Motor

12° Blade Pitch

42" Downlight: 1-60W E-12 Base Bulb Excluded

52" Downlight: 1-13W GU24 CFL Bulb Included



42" **A:** 12" / **B:** 6-1/8" / **C:** 8-3/4"

52" **A:** 14" / **B:** 5" / **C:** 11"

42": Weight: 10.56lbs / Power Use: 49W
 Airflow: 4205 / Airflow Efficiency: 88

52": Weight: 14.52lbs / Power Use: 52W
 Airflow: 4500 / Airflow Efficiency: 86





**42"CF42837-30 /
42HUG4WH-Y408**

White
PB-2223-WH
White Blades Included




**42"CF42837-10 /
42HUG4BB-Y408**

Polished Brass
PB-2223-LD
Reversible Light /
Dark Oak Blades Included

HUGGER BULLET LIGHT KIT

42" 4 Blade Fan
153mm x 10mm Motor
12° Blade Pitch
4-1/2" Downrod Included
Downlight: 4-40W E-12 Base Bulbs Excluded



A: 14" / B: 6-1/8" / C: 8-3/4"

Weight: 12.1lbs / Power Use: 49W
Airflow: 4056 / Airflow Efficiency: 88



42" **CF42147-53 / 42RO5SN**

52" **CF52147-53 / 52RO5SN**

Satin Nickel

42": PB-2042-RW/NM

52": PB-2023-RW/NM

Reversible Rosewood /

Nude Maple Blades Included

G7772 White Alabaster Glass



ROSEMOUNT


42" & 52" 5 Blade Fan

42": 153mm x 13mm Motor

52": 153mm x 13mm Motor

12° Blade Pitch

Downlight: 3-60W E-12 Base Bulbs Not Included



A: 14" / B: 6-1/2" / C: 11-1/2"

42": Weight: 16.6lbs / Power Use: 54W

Airflow: 4413 / Airflow Efficiency: 82

52": Weight: 19.25lbs / Power Use: 54W

Airflow: 4413 / Airflow Efficiency: 82





52" **CF52148-10 / 52MBD5BB**

Polished Brass
PB-2023-LD
Reversible Light /
Dark Oak Blades Included
G7746 Clear Ribbed Glass




52" **CF52148-30 / 52MBD5WH**

White
PB-2023-WH
White Blades Included
G7749 Forsted Ribbed Glass

MONTEGO BAY DELUXE

52" 5 Blade Fan
153mm x 13mm Motor
11° Blade Pitch
Downlight: 4-40W E-12 Base Bulbs Excluded



A: 14" / B: 6-1/2" / C: 11-1/2"

Weight: 19.25lbs / Power Use: 54W
Airflow: 4413 / Airflow Efficiency: 82



Replacement Glass/ Remote Controls



G-004 / G7740

Clear

Width 4 5/8" • Height 4 1/2"



G-086 / G4919

White Swirl

Width 5" • Height 4 7/8"



G-005 / G7745

Frosted

Width 4 7/8" • Height 4 1/4"



G-201 / G807

Frosted

Width 5 3/4" • Height 4 1/4"



G-086ACS

Aged Cream Scavo

Width 5" • Height 4 7/8"



G-216 / G7746

Clear

Width 4 1/8" • Height 4 7/8"



G-216FR / G7749

Frosted

Width 4 1/8" • Height 4 7/8"



1. PD-001 (Clear Control Knob)

4 Speed Rotary Control includes De-Hummer Feature. Requires Standard 2 wire+ ground installation.

1



2. PD-002 (White)

3 Speed & 3 Level Light Slide Bar Control. Requires 3 wire + ground installation

2



3. PD-003 (White)

3 Speed Slide Bar Control. Requires Standard 2 wire+ ground installation

3



4. PD-004 (White)

3 Speed Slide Bar Control & On/Off Fluorescent Light Control Requires 3 Wire + Ground Installation

4



5. PD-006 (White)

4 Speed Rotary Control. Designed for 3-way switching from 1 to 2 locations. Requires 3 wire+ ground installation.

5



6. PD-007 (White)

3 Speed Slide Bar Control. Designed for Multiple Fans (up to 2.5 amps total). Requires Standard 2 wire+ ground installation.

6 & 7



7. PD-007A (White)

3 Speed Slide Bar Control. Designed for Multiple Fans (up to 5.0 amps total). Requires Standard 2 wire+ ground installation

8. PD-009 (White)

Intellegent Remote / Hard Wired Wall Control. 65,000 Code Combination for Multifamily applications. 3 Speed Push Button Control. Light Kit On/Off or Optional Dimming Operation. Requires 2 Wire + Ground Installation

8

Features:

- 3 speed forward direction ONLY
- No reverse function
- Full range dimming
- Master On/Off
- Includes Transmitter and Receiver
- Does not need Receiver Shell
- NOT compatible with any fans installed outdoors
- NOT compatible with fans equipped with uplight feature
- Compatible with Madison Hugger



RM-100

Any Size Motor



RM-101-S

5+5UF Capacitor for Motor
is smaller than 188mm X 15mm




RM-103-S

For use with non dimming
flourescent light kits



RM-08

- A. Pig Tail Reversible Gut
- B. RM-07-B Receiver
- C. RM-08-A Remote Transmitter
- D. Pig Tail 4.0UF/350VAC*1
RM-07-M41 Capacitor
- E. PD-011 Wall Transmitter Includes
WH/IV Wall Plate & IV Face
- F. Pig Tail 4.5UF/350VAC*1
RM-07-M45 Capacitor
- G. Pig Tail For fans with both
up light and center light



RM-08 Includes all parts in the picture above: RM-08-A, RM-07-B, RM-07-M41, RM-07-M45, PD-011 Plus Pig Tail, WH/IV Wall Plate and IV Face for wall control and screw hole covers.

- 1. RM-08-A:** Remote Transmitter
- 2. RM-07-B:** Receiver (B) + Receiver Gut (A) + M41 (D) + M45 (F)
- 3. RM-07-M41:** Capacitor Microfarad 4.1 (D)
- 4. RM-07-M45:** Capacitor Microfarad 4.5 (F)
- 5. RM-08-R:** Remote Control Set= (A) + (B) + (C) + (D) + (F) + (G)
- 6. RM-08-W:** Wall Control Set= (A) + (B) + (E) + (D) + (F) + (G) plus WH/IV Wall Plate and IV Face Plate



4 Light • 40w Candelabra Base
B10 Torpedo Bulb (Included)
12" Diameter • 3-1/4" Height

**Y-401CG-S-AB /
K939-11**

Antique Brass

**Y-401CG-S-ORB /
K939-43**

Oil Rubbed Bronze

**Y-401CG-S-WH /
K939-30**

White



2 Light • 13w Medium Base
CFL Spiral Bulb (Included)
11" Diameter • 3-1/2" Height

Y-260A-S-AB

Antique Brass

Y-260A-S-ORB

Oil Rubbed Bronze

Y-260A-S-BB

Polished Brass

Y-260A-S-SN

Satin Nickel

Y-260A-S-ST

Stainless Steel

Y-260A-S-WH

White



2 Light • 13w Medium Base
CFL Spiral Bulb (Included)
11" Diameter • 4-1/2" Height

**Y-263A-SN /
F7761-53**

Satin Nickel

**Y-263A-S-WH /
F7761-30**

White



1 Light • 100w Halogen
J-Type T-3 (Included)
12" Diameter • 4" Height

Y-221A-S-GH

Graphite

Y-221A-S-ORB

Oil Rubbed Bronze

Y-221A-S-ORB

Oil Brushed Bronze

Y-221A-S-ST

Stainless Steel

Y-221A-S-WH

White



11" Diameter • 4-1/2" Height
2 Light • 13W Medium Base
CFL Spiral Bulb (Included)
Frosted Twist-on Glass

Y-262A-S-ORB

Oil Rubbed Bronze

Y-262A-S-RB

Rubbed Bronze

Y-262A-S-SN

Satin Nickel

Y-262A-S-WH

White



2 Light • 13w GU-24 Base
CFL Spiral Bulb (Included)
11" Diameter • 4-1/2" Height
Faux Alabaster Twist-on Glass

**Y-263A-ES-ORB /
F7767-43**

Oil Rubbed Bronze

Y-263A-ES-PB /

F7767-10

Polished Brass

Y-263A-ES-RB /

F7767-62

Rubbed Bronze

Y-263A-ES-SN /

F7767-53

Satin Nickel

Y-263A-ES-ST /

F7767-50

Stainless Steel

Y-263A-ES-WH /

F7767-30

White



2 Light • 13w Medium Base
CFL Spiral Bulb (Included)
12" Diameter • 5-1/2" Height
Only use on 52" Nautika Fans
UL Wet Location

**PA-210A-S-GH /
F7706-31**

Graphite

**PA-210A-S-ORB /
F7706-43**

Oil Rubbed Bronze

**PA-210A-S-WH /
F7706-30**

White



2 Light • 13w Medium Base
CFL Spiral Bulb (Included)
12" Diameter • 5-1/2" Height
Satin Opal Glass
UL Wet Location w/Pull Chain

**PA-211A-S-ORB /
F7708-43**

Oil Rubbed Bronze

**PA-211A-S-ST /
F7708-50**

Stainless Steel

**PA-211A-S-WH /
F7708-30**

White



3 Light • 60w Candelabra Base
B10 Torpedo Bulb (Included)
6-1/2" Diameter • 3-1/4" Height

**Y-306CG-S-ORB /
K951-43**

Oil Rubbed Bronze

**Y-306CG-S-BB /
K951-10**

Polished Brass

**Y-306CG-S-SN /
K951-53**

Satin Nickel

**Y-306CG-S-ST /
K951-50**

Stainless Steel

**Y-306CG-S-WH /
K951-30**

White



3 Light • 60w Candelabra Base
B10 Torpedo Bulb (Included)
12-1/2" Diameter • 4-3/4" Height

Y-301A-S-ORB

Oil Rubbed Bronze

Y-301A-S-ST

Stainless Steel

Y-301A-S-WH

White



3 Light • 60w Candelabra
Base • B10 Torpedo Bulb (Included)
13-5/8" Diameter • 5-3/4" Height
Iridescent Amber Glass

Y-309A-S-ORB

Oil Rubbed Bronze



2 Light • 13w Medium Base
CFL Spiral Bulb (Included)
11-3/4" Diameter • 6-1/4" Height

Y-281A-S-ORB

Oil Rubbed Bronze



ONLY use on 52"

Fernleaf Breeze Fan

1 Light • 23w Medium Base CFL
Spiral Bulb (Included) • 8-1/4" D
8-1/4" H • UL Damp Location

PA-017-S-RI (Rustic Iron)



2 Light • 13w Medium Base CFL
Spiral Bulb Included • 13" Diameter
7-3/8" Height UL Wet Location

PA-250A-S-OWL

Old World Leather

Light Kits



1 Light • 13w Medium Base
CFL Spiral Bulb (Included)
9" Diameter • 7" Height • 4" Fitter

YG-9CG-S-BB / F7723-10

Polished Brass

YG-9CG-S-WH / F7723-30

White



1 Light • 13w Medium Base
CFL Spiral Bulb (Included)
8" Diameter • 8-1/2" Height
• 4" Fitter • Opal Glass

YG-10CG-S-BB / F7712-10

Polished Brass

YG-10CG-S-WH / F7712-30

White



3 Light • 60w Candelabra Base
B10 Torpedo Bulb (Included)
16" Diameter • 6" Height

Y-308A-S-WH / F7783-30



3 Light • 60w Candelabra Base
B10 Torpedo Bulb (Included)
13" Diameter • 6-5/8" Height
2-1/4" Fitters
G7746 Clear Prismatic Glass

Y-396A-S-BB / F7773-10

Polished Brass

Y-396A-S-WH / F7773-30

White



2 Light • 13w Medium Base
CFL Spiral Bulbs (Included)
13" Diameter • 6 1/2" Height
G7756 Faux Alabaster Glass
ST, ORB, SN,WH Bottom Caps
& Finials Included

Y-261A-S-03 / F7768-03

2 Light • 13w GU-24 Base
CFL Spiral Bulbs (Included)
13" Diameter • 6 1/2" Height
G7756 Faux Alabaster Glass
ST, ORB, SN,WH Bottom
Caps & Finials Included



Y-261A-ES-S-03 / F7736-03

2 Light • 13w GU-24 Base
CFL Spiral Bulbs (Included)
13" Diameter • 6 1/2" Height
G7756 Faux Alabaster Glass
SN,ORB,ORB Bottom
Caps & Finials Included



Y-261A-ES-S-04 / F7736-04



3 Light • 60w Candelabra Base
B10 Torpedo Bulb (Included)
13" Diameter • 6-5/8" Height
2-1/4" Fitters
G7772 Faux Alabaster Glass

Y-386A-S-RB / F7772-62

Rubbed Bronze

Y-386A-S-BB / F7772-10

Polished Brass

Y-386A-S-SN / F7772-53

Satin Nickel

Y-386A-S-WH / F7772-30

White



Extra Pull Chain
(not shown)
in AB, BB, CH are
included

3x60w Candelabra Base
B10 Bulb (Included)
3-1/2" Diameter • 6-1/4" High
• Comes with Standard White
Finial & Cap (FC-1000-WH)
• Adjustable Height
Matching Finial & Cap
(FC-1000) are sold separately
Available in:
AB, BB, GH, OBB, ORB, RI

Y-2001-S

G-1201

12" Bowl Glass Order ONLY with Y-2001-S Fitter



G-1201-CPS

Champagne Scavo
12" Bowl Glass



G-1201-EW

Etched White
12" Bowl Glass

Y-202S

Order ONLY with Y-2001-S Fitter



Y-202S-AAS

Antique Amber Scavo



Y-202S-WH / G52878

White

Optional Accessories



45AD series

(45 Degree Angle Adapter)

Includes Canopy,
Mounting Brackets,
Rubber Pads, and
Mounting Screws

Available in:

AB, AP, BB, GH, OBB, ORB,
OWL, RI, SN, ST, WH



PS-3022 series

(Flush Mount Kits)

Includes Canopy,
Mounting Brackets,
Rubber Pads, and
Mounting Screws

Fits most fans.

Available in: AB, AP, BB, GH
ORB, OWL, ST, WH



PSB-1001

(Beaded Chain) size #6

Available in: AB, BB, CH,

Length: AB, BB, CH are in
250 feet per roll;

SUPPORT RODS (1/2" ID)

12", 18", 24", 36", 48", 60", 72" lengths

Matching finishes to all ceiling fans

Threaded and drilled on both ends



DR-1000 series (Universal Coupler) • Available in: AB, BB, GH, ORB, OWL, ST, WH



(ABS Plastic Bamboo Blades)
Use only on 52NA, 52DCO


PB-5000A-WH



(Carved Wooden Leaf Blades)
Finish: Natural (NA)
Use only on Madison Series

PB-5004-NA

Concord Motor



The key to the life expectancy of a fan lies in its motor. Concord has spent years redesigning and refining our motors to produce the quietest, coolest running motors in the industry. Heat is the biggest enemy of a ceiling fan motor. Our motors are specially designed and sized to match the sweep and pitch of each fan, insuring a low heat operating environment within the unit. Highest quality components namely, H-60 grade silicon steel, heavy gauge copper wire and finest fiberglass insulation are a few of the other reasons a Concord motor is a "cool" motor. Pure aluminum die cast rotors are machined to tolerances thinner than a human hair. Two piece motor and rotor housings insure true Micro-Balanced operation. Constant magnetic flow is insured with vacuum dipped, lacquered stators. Factory lubricated and permanently sealed precision NTN ball bearings installed with bearing retainers provide years of silent, maintenance free use. Finally, our motor housings are stamped, lathed and instrument matched to insure a perfect fit between the various pieces and triple plated and double lacquered to provide for lasting beauty. And, Concord motors receive a 100% Quality Control inspection twice during production plus several more post-production Q.C. inspections.

Motor Shipping Block

Factory installed motor shipping blocks protect motors during transit.

TURBO 212 Motor



The Turbo 212 is our largest motor with a 212 mm overall diameter. Powerful, yet energy efficient. Huge, double sealed bearings provide stability and balance. 50CS1300 grade of silicon steel on the motor stator insures the highest performance.



80" Lead Wires (standard on all fans)

Our 80" lead wire is designed with a special outer insulation to withstand cuts and nicks plus temperatures up to 105° Celsius. The extra length allows for installation of ceiling fans on support rods of up to 72" in length without wire splicing.



Light Fixture Glass Holder (grommets)

Threaded grommets in each light fixture glass holder guarantees a secure grip on the glass globe. These grommets will not strip out like the type normally found in the industry.



BLDC - Brushless DC Motor

Concord offers unique Brushless DC Motors. Our new DC motor uses computer technology to create multiple speeds, cooler operating temperatures, and 65% energy savings over traditional fan motors.



Quadruple Locking System

Double threaded downrod, safety cross screw, set screw, safety cotter pin.



Moonglow

Using 4 x 40 watt bulbs, built-in uplighting casts a soft, indirect glow from the ceiling. E-12 type Candelabra bulbs are included. 4 way switching provides: HI - MED - LOW - OFF operation.



4 Way Uplight Switch

Provides: HI - MED - LOW - OFF operation.



Detachable Switch Housing

Our switch housings are pre-wired with Molex plug-in connectors, providing ease of installation and swift handling of potential problem areas. It also allows for quick and easy addition of remote and/or wall control operation system.



Gaskets

Exclusive to Concord is a pre-applied canopy gasket to prevent the clicking that results when a gap or an uneven installation occurs between the canopy and the ceiling. Gaskets are preapplied to the motor where blade holders are attached as well as to the ceiling hanging bracket.



Speed Switch

Concord Speed Switches come standard with a dual brass coupling to eliminate breakage of switch due to repeated use.



Remote Control Compatible

All Concord fans are remote control compatible. Some models come with remote controls included.



Warranty

All Concord motors are covered by a limited LIFETIME warranty. All other components of our fans, plus light kits and electronics are covered by a 1 year warranty



Patented Motor Coupler

This patented, unique design is a Concord exclusive. Beside adding decorative qualities to our fans, this standard feature insures safety and stability to the fan with double threads, double safety pin and set screws. Color is always matched to the fan finish.



UL Approved

All fans and light kits meet approval standards to be Underwriter's Laboratory (UL) listed.

Noise Free Speed Control Method

Concord uses precisely manufactured triple capacitors with Underwriter's Laboratory (U.L.) tested and approved quality to insure and guarantee all fans not to hum or buzz.

3 Speed & Reversible

All Concord fans come equipped with three speeds - high, medium, low. And all of our fans are reversible to provide re-circulation of warm air trapped at the ceiling level during the winter season.

Light Kit Adaptable

All fans, with exception of the Nautika, are fully light kit adaptable. The detachable switch housing unit makes adding a light kit a quick and easy installation.



BLDC Motor

Concord Brushless DC Motors are over 60% more energy efficient reducing heat and eliminating noise.


Choosing the correct CONCORD support rod

The following chart will help in choosing the correct support rod length when installing a ceiling fan in rooms with different ceiling heights. Couplers are also available to create lengths different from the standard lengths stocked.


Support Rod Length	Std	12"	18"	24"	36"	48"	60"	72"
Ceiling Height	8'	9'	10'	11'	12'	13'	14'	15'

The right CONCORD Fan for the right room

All Concord ceiling fans will perform quietly and efficiently in any room size. However, we recommend the following maximum room size. Ceiling fans should be mounted in the center of a room or as close to the center as possible unless using multiple fans in same room.




Optional: Room with multiple fan settings



Basic measurements for CONCORD ceiling fan

The following guide will help in choosing the correct type of ceiling fan or the possible addition of an adapter kit for the installation location you have in mind. These measurements are from the ceiling to the lowest part of the fan (without light fixture).



Fan Specifications

Name	Concord Item Number	Sunset Item Number	Rotor. Stator O.D	Number of Poles	Number of Blades	Blade Part Number	Lead Wire Size	Hanging System	Dual Mount Adap
Aracruz (52")	52AC	N/A	188x15	16	5	PB-1032	80"	Rod	N
Aracruz (60")	60AC	N/A	212x25	16	5	PB-2560	80"	Rod	N
Avia (52")	+52AV	N/A	165x25	12	5	PB-13552	80"	Rod	N
Avia (60")	60AV	N/A	165x25	12	5	PB-13560	80"	Rod	N
Boardwalk (52")	52BW	N/A	172x17	16	5	PB-1053A	80"	Dual	Y
Brinkley (52")	52BKL	N/A	188x15	16	5	PB-2952	80"	Rod	N
Brookport (52")	52BR	N/A	172x14	16	5	PB-2752	80"	Rod	N
California Home (42")	+42CH	N/A	172x14	16	5	PB-2042	80"	Dual	Y
California Home (52")	52CH	CF52242	172x14	16	5	PB-2222	80"	Dual	Y
Centurion (52")	52CNT	CF52374	153x18	16	4	PB-2552	80"	Rod	N
Decca 360 (60")	60DEC	N/A	BLDC165	12	3	PB-13460	80"	Rod	N
Easy Hang Fan (52")	52HEHZ	CF52883	153x13	16	5	PB-2033	80"	Rod	Y
Fernleaf Breeze (52")	52FEB	N/A	172x17	16	5	PB-5102A	80"	Dual	Y
French Quarter (52")	52FQ	N/A	153x20	16	5	PB-1133	80"	Dual	Y
Garvin (52")	52GA	N/A	172x20	16	4	PB-2852	80"	Rod	N
Heritage Fusion (52")	52HEF	CF52831	153x13	16	5	PB-2023	80"	Dual	Y
Heritage Fusion - Energy Saver (52")	52HEF-ES	CF52832	153x16	16	5	PB-2023	80"	Dual	Y
Heritage Home (42")	42HEH	CF42848	153x10	16	5	PB-2223	80"	Dual	Y
Heritage Home (52")	52HEH	CF52836	153x13	16	5	PB-2023	80"	Dual	Y
Heritage Square (42")	42HES	CF42877	153x10	16	4	PB-2223	80"	Dual	Y
Heritage Square (52")	52HES	CF52878	153x13	16	5	PB-2023	80"	Dual	Y
Heritage Square - Energy Saver (52")	52HES-ES	CF52878-ES	153x16	16	5	PB-2023	80"	Dual	Y
Home Air (52")	52HA	CF52848	153x16	16	5	PB-2222	80"	Dual	Y
Hugger (52")	52HUG	CF52142	153*15	16	5	PB-2023	12"	Rod	N
Hugger-Bullet (42")	42HUG-Y408	CF42837	153x10	16	4	PB-2223	24"	Rod	N
Hugger-Schoolhouse (42")	42HUG-YG6	CF42839	153x10	16	4	PB-2223	24"	Rod	N
Hugger-Schoolhouse (52")	52HUG-YG8-GU	CF52139	153x13	16	5	PB-2222	24"	Rod	N

Fan Specifications

Blade Pitch	Watts High Low	Amp High Low	RPM High Low	Airflow	Airflow Efficiency	Power Usage	Lighting Power Usage	Dim. A	Dim. B	Dim. C
14	65/11	0.53/0.23	170/65	5581	74	75	160W	15	14	15-1/2
14	65/11	0.53/0.23	155/60	7050	100	75	160W	16-3/4	14-1/2	17-1/2
16	33/3	0.43/0.07	143/50	7550	236	32	N/A	15-3/4	13	12-3/5
16	32/3	0.43/0.07	143/50	7550	236	32	N/A	15-3/4	13	12-3/5
14	72/12	0.60/0.20	165/65	5675	85	67	36W	20	16 -3/16	12
13.5	75/10	0.63/0.15	180/70	5660	73	77	180W	18-3/4	11-5/6	11-4/5
13	63/9	0.53/0.21	180/75	5232	68	76	120W	18-4/9	11-3/7	12-1/4
13	63/9	0.53/0.21	175/75	5481	78	70	N/A	11-1/2	11-3/4	11-3/4
13	63/9	0.53/0.21	175/75	5123	81	61	N/A	11-1/2	12-3/4	11-3/4
12	60/10	0.47/0.21	200/85	5969	97	59	26W	15-5/6	10-1/3	10-1/4
14	32/2	0.38/0.08	180/50	7200	240	32	100W	17-2/3	12-3/5	7
12	52/11	0.43/0.2	175/75	4618	73	63	180W	19-1/2	12-1/8	11
14	68/11	0.58/0.24	175/75	5540	76	72	N/A	15-1/2	13-3/4	9-3/4
14	68/11	0.58/0.24	175/75	5540	76	72	N/A	14-1/8	10-1/2	12-1/4
20	65/11	0.53/0.23	170/65	5192	74	70	120W	14-2/7	9-1/2	11
12	60/10	0.50/0.20	170/75	4570	77	59	26W	17	9-7/8	11
13	59/10	0.50/0.20	170/75	5400	86	62	26W	17	9-7/8	11
12	50/10	0.50/0.20	170/75	4051	88	49	180W	18-1/2	9-5/8	8-7/8
12	59/10	0.50/0.20	170/75	4681	73	63	180W	16-7/8	9-7/8	11
12	50/10	0.50/0.20	170/75	4205	76	49	120W	18-1/2	9-5/8	8-7/8
12	55/10	0.50/0.20	170/75	4500	86	62	180W	18-1/8	8-7/8	11
13	55/10	0.50/0.20	170/75	5450	86	62	26W	18-1/8	9-7/8	11
12	55/10	0.50/0.20	170/75	4618	73	63	180W	19-1/2	9-7/8	11
12	55/10	0.50/0.20	170/75	4872	81	60	N/A	8	6-1/5	11
12	50/10	0.50/0.20	190/75	4056	88	49	240W	14	6-1/8	8-3/4
12	50/10	0.50/0.20	190/75	4205	88	49	60W	12	6-1/8	8-3/4
12	55/10	0.50/0.20	170/75	4500	86	52	13W	14	5	11

Fan Specifications

Name	Concord Item Number	Sunset Item Number	Rotor. Stator O.D	Number of Poles	Number of Blades	Blade Part Number	Lead Wire Size	Hanging System	Dual Mount Adap
Linden (52")	52LIN	N/A	153x13	16	5	PB-1054A	80"	Rod	N
Madison (52")	52MA	N/A	188x22	16	5	PB-1033	80"	Rod	N
Madison (60")	+60MA	N/A	188x22	16	5	PB-10336	80"	Rod	N
Montego Bay Deluxe (52")	52MBD	CF52148	153x13	16	5	PB-2023	12"	Flush	N
Nautika (44")	+44NA	N/A	172x17	16	5	PB-1044A	80"	Rod	N
Nautika (52")	52NA	N/A	172x17	16	5	PB-1052A	80"	Rod	N
Ponderosa (52")	52PD	N/A	188x15	16	5	PB-2022	80"	Rod	N
Porch (44")	+44POR	N/A	153x13	16	5	PB-1044A	80"	Dual	Y
Porch (52")	52POR	CF52264	153x13	16	5	PB-1052A	80"	Dual	Y
Primera (52")	52PR	N/A	BLDC150	12	2 or 4	PB-4000	24"	Flush	N
Primera (60")	+60PR	N/A	BLDC150	12	2	PB-4060	24"	Flush	N
Richmond (52")	52RIC	CF52889	153x13	16	5	PB-2025	80"	Dual	Y
Richmond (42")	42RIC	CF42889	153x10	16	5	PB-2034	80"	Dual	Y
Roosevelt (52")	52RS	N/A	153x17	14	5	PB-2152	80"	Rod	N
Roosevelt (60")	60RS	N/A	212x28	20	5	PB-2160	80"	Rod	N
Roosevelt (70")	+70RS	N/A	212x28	20	5	PB-2170	80"	Rod	N
Rosemount (42")	42RO	CF42147	153x13	16	5	PB-2042	12"	Flush	N
Rosemount (52")	52RO	CF52147	153x13	16	5	PB-2023	12"	Flush	N
San Marcos (52")	52SM	CF52838	153x13	16	5	PB-2023	80"	Dual	Y
Saturn (52")	52SAT	CF52376	188x15	16	5	PB-2300	80"	Rod	N
Saturn - EX (52")	52SAX	CF52370	188x15	16	5	PB-2300	80"	Rod	N
Skylark (52")	52SKY	CF52873	153x18	16	3	PB-1030	80"	Dual	Y
Stargate (52")	52STG	CF52378	188x15	16	5	PB-2305	80"	Rod	N
Valore Quick Connect (52")	52VALQC	CF52880	153x13	16	5	PB-2032	80"	Rod	N

Fan Specifications

Blade Pitch	Watts High Low	Amp High Low	RPM High Low	Airflow	Airflow Efficiency	Power Usage	Lighting Power Usage	Dim. A	Dim. B	Dim. C
12	61/12	0.51/0.23	175/70	4504	72	62	26W	19-1/3	12	13
15	75/10	0.63/0.23	187/58	6527	87	75	N/A	14	10-1/2	12-1/2
16	91/20	0.77/0.37	144/61	6630	88	75	N/A	14	10-1/2	12-1/2
11	60/20	0.77/0.37	170/0.37	4413	82	54	240W	14	6-1/2	11-1/2
14	69/9	0.58/0.21	190/75	5900	86	75	N/A	11	10-1/2	11
14	69/9	0.58/0.21	180/75	6607	87	70	N/A	11	10-1/2	11
14	73/12	0.61/0.25	175/70	5482	90	61	N/A	20	16 -3/16	12
11	55/10	0.50/0.20	180/75	3135	57	42	N/A	12-7/8	9-7/8	11
11	55/10	0.50/0.20	170/75	5000	86	58	N/A	12-7/8	9-7/8	11
20	28/3	0.41/0.03	120/41	7575	252	30	N/A	11-4/5	14-1/3	15-7/8
20	28/3	0.41/0.03	120/41	7575	252	30	N/A	11-4/5	14-1/3	15-7/8
12	59/10	0.55/0.2	170/75	4618	73	63	180W	16-7/8	9-7/8	11
12	50/10	0.50/0.20	170/75	4205	76	49	180W	16-7/8	9-7/8	8-7/8
14	65/11	0.60/0.19	165/60	5060	78	65	N/A	17-7/8	16-1/8	11
15	88/13	0.75/0.28	150/52	7632	94	81	N/A	17-7/8	16-1/8	15
15	89/12	0.75/0.28	108/38	7601	86	95	N/A	17-7/8	16-1/8	15
12	50/10	0.48/0.20	200/100	4413	82	54	180W	14	6-1/2	11-1/2
12	65/11	0.60/0.19	180/70	4413	82	54	N/A	14	6-1/2	11-1/2
12	59/10	0.50/0.20	170/75	4730	80	59	N/A	16-7/8	9-7/8	11
13	70/10	0.62/0.3	190/60	6891	97	71	26W	16	9	12-3/4
13	60/11	0.49/0.25	170/60	5000	73	63	100W	16	9	12-3/4
12	60/11	0.55/0.20	170/60	4950	88	56	120W	16	11	10
13	72/12	0.61/0.25	180/75	4856	72	67	100W	16	12	14
12	59/11	0.60/0.18	170/75	4500	86	62	180W	18-7/8	9-7/8	11

Abbreviations

Blade Set Finish

BF	=	Black Forest
BF/RW	=	Black Forest/Rosewood
BK	=	Black
BG	=	Black Gloss
CH	=	Chrome
CH/RW	=	Chrome/Rosewood
CHW	=	Cherrywood
CHW/DW	=	Cherrywood/Dark Walnut
CL	=	Cream ABS Plastic
DC	=	Dark Cherry
DK	=	ABS Dark
DO	=	Dark Oak
DW	=	Dark Walnut
DW/RW	=	Dark Walnut/Rosewood
DW/WP	=	Dark Walnut/Washed Pine
DWP	=	Dark Washed Pine
ELM	=	Elm
EMN	=	Elm/Natural Cherry
EW	=	English Walnut
GH	=	Graphite
HO	=	Honey
KP	=	Knotty Pine
LD	=	Light Oak/Dark Oak
LO	=	Light Oak
MB	=	Matte Black
MED	=	ABS Light
MH	=	Mahogany
NA	=	Natural
NC	=	Natural Cherry
NM	=	Nude Maple
NP (ST)	=	Natural Pine
OR	=	Original
ORB	=	Oil Rubbed Bronze
PN	=	Washed Pine
RI	=	Rustic Iron
RW	=	Rosewood
RWG	=	Rosewood Gloss
RW/NM	=	Rosewood/Nude Maple
RW/WP	=	Rosewood/Washed Pine
SB	=	Shell Beige
SC	=	Swiss Coffee
SO	=	Silver Oak
SO/RW(SR)	=	Silver Oak/Rosewood
ST (NP)	=	Natural Pine
WB	=	Weathered Bronze
WH	=	White
WHP	=	Weathered Pine
WHW	=	White & Washed Oak
WP	=	Washed Pine

Ceiling Fan & Lighting Finish

AB	=	Antique Brass
AP	=	Aged Pecan
BB	=	Polished Brass
GH	=	Graphite
MB	=	Matte Black
OBB	=	Oil Brushed Bronze
ORB	=	Oil Rubbed Bronze
RB	=	Rubbed Bronze
RI	=	Rustic Iron
SC	=	Swiss Coffee
SN	=	Satin Nickel
ST	=	Stainless Steel
WH	=	White

Glass Finish

AAS	=	Antique Amber Scavo
ACS	=	Aged Cream Scavo
IA	=	Iridescent Amber
ICA	=	Icy Amber

[illegible]

Index

[illegible]

CF52878-53-L-ES	49
CF52880-30-L	35
CF52880-53-L	35
CF52883-50-L	37
CF52889-50-L	38

D

DR-1000	68
---------------	----

F

F7706-30	65
F7706-31	65
F7706-43	65
F7708-30	65
F7708-43	65
F7708-50	65
F7712-10	66
F7712-30	66
F7723-10	66
F7723-30	66
F7736-03	66
F7736-04	66
F7761-30	64
F7761-53	64
F7767-10	64
F7767-30	64
F7767-43	64
F7767-50	64
F7767-53	64
F7767-62	64
F7768-03	66
F7772-10	66
F7772-30	66
F7772-53	66
F7772-62	66
F7773-10	66
F7773-30	66
F7783-30	66

G

G-004 62	
G-005 62	
G-086 62	
G-086ACS	62
G-201 62	
G-216 62	
G-216FR	62
G807 62	
G-1201-CPS	67
G-1201-EW	67
G4919 62	
G7740 62	
G7745 62	
G7746 62	
G7749 62	
G52878	67

K

K939-11	64
K939-30	64
K939-43	64
K951-10	65
K951-30	65
K951-43	65
K951-50	65
K951-53	65

P

PA-017-S-RI	65
PA-210A-S-GH	65
PA-210A-S-ORB	65
PA-210A-S-WH	65
PA-211A-S-ORB	65
PA-211A-S-ST	65
PA-211A-S-WH	65
PA-250A-S-OWL	65
PB-5000A-WH	69
PB-5004-NA	69
PD-00162	
PD-00262	
PD-00362	
PD-00462	
PD-00662	
PD-00762	
PD-007A	62
PD-00962	
PS-3022	68
PSB-1001	68

R

RM-07-B	63
RM-07-M41	63
RM-07-M45	63
RM-08 63	
RM-08-A	63
RM-08-R	63
RM-08-W	63
RM-100	63
RM-101-S	63
RM-103-S	63

Y

Y-202S 67	
Y-202S-AAS	67
Y-202S-WH	67
Y-221A-S-GH	64
Y-221A-S-ORB	64
Y-221A-S-ORB	64
Y-221A-S-ST	64
Y-221A-S-WH	64
Y-260A-S-AB	64
Y-260A-S-BB	64
Y-260A-S-ORB	64
Y-260A-S-SN	64

Y-260A-S-ST	64
Y-260A-S-WH	64
Y-261A-ES-S-03	66
Y-261A-ES-S-04	66
Y-261A-S-03	66
Y-262A-S-ORB	64
Y-262A-S-RB	64
Y-262A-S-SN	64
Y-262A-S-WH	64
Y-263A-ES-ORB	64
Y-263A-ES-PB	64
Y-263A-ES-RB	64
Y-263A-ES-SN	64
Y-263A-ES-ST	64
Y-263A-ES-WH	64
Y-263A-SN	64
Y-263A-S-WH	64
Y-281A-S-ORB	65
Y-301A-S-ORB	65
Y-301A-S-ST	65
Y-301A-S-WH	65
Y-306CG-S-BB	65
Y-306CG-S-ORB	65
Y-306CG-S-SN	65
Y-306CG-S-ST	65
Y-306CG-S-WH	65
Y-308A-S-WH	66
Y-309A-S-ORB	65
Y-386A-S-BB	66
Y-386A-S-RB	66
Y-386A-S-SN	66
Y-386A-S-WH	66
Y-396A-S-BB	66
Y-396A-S-WH	66
Y-401CG-S-AB	64
Y-401CG-S-ORB	64
Y-401CG-S-WH	64
Y-2001-S	66
YG-9CG-S-BB	66
YG-9CG-S-WH	66
YG-10CG-S-BB	66
YG-10CG-S-WH	66

GENERAL INFORMATION AND POLICY

ORDERING: Please state the quantity, part number and description of each item, preferably in that order, to avoid any delays and help speed up the processing of your order. Whenever possible, always order by standard carton packs. This will speed up the processing of your order as well as give you the benefit of the quantity pricing and packaging.

COUNTER SERVICE: Customers are welcome to visit our California showroom where catalog items are available. Orders for will-call must be phoned in a minimum of 3 hours in advance in order to avoid a long waiting period once you arrive.

PRICES: Prices quoted are F.O.B. our warehouse and are subject to change without notice. All prices are subject to State and Federal taxes. State Sales Tax will be added to all orders unless an up-to-date resale card is on file.

STOCK ITEMS: Illustrations are for identification purposes only and do not necessarily represent the product of a specific manufacturer.

PERFORMANCE: We will endeavor to meet all shipping schedules; however, Luminance will not pay any amount, whether identified as a penalty or as liquidated damages, for failure to meet a shipping schedule.

FREIGHT ALLOWANCE: Orders of \$1,500.00, or higher, will be shipped Freight Allowed to a single destination in the Continental U.S.A. All qualifying orders will be shipped pre-paid by our selected carriers. This allowance is granted provided the invoice is paid in full within the terms indicated on the invoice. All goods, for delivery within the Continental U.S.A., are shipped from Luminance's Distribution centers. Luminance reserves the right to change the freight policy on an individual account basis if term and payment obligations are not fulfilled. We will pass on any special carrier handling charges such as inside delivery fees, re-delivery charges, residential delivery fees, lift gate services, C.O.D. Fees, Etc.

INITIAL ORDERS: Unless a credit application has been received, processed and approved, all initial orders will only be shipped when prepaid by credit card (All major credit cards) or paid in advance prior to shipment of merchandise.

PAYMENT TERMS/CREDIT: Are provided based on credit review and payment history.

CREDIT CARDS: For your convenience we now accept all major credit cards for all orders.

PAST DUE ACCOUNTS: No orders will be shipped until all overdue balances are cleared.

RETURNED CHECKS: A \$50.00 service charge will be placed on all checks returned to us by the bank for non-payment. Once a check has been returned to us for non-payment, we will no longer honor checks from that individual or firm.

RETURN POLICY AND WARRANTY/LIABILITY

REFUSED SHIPMENTS: Any Shipment that is refused in whole or in part will result in a 30% restocking charge as well as freight charges both ways. NO EXCEPTIONS

SHIPMENTS: If you receive your order damaged or with shortages proceed as follows:

- 1)Receive the shipment. Refusal of shipment may result in extra fees or freight charges, being owed by the customer.
- 2)All damage observed upon receipt of goods must be acknowledged by the driver prior to leaving.
- 3)Do not remove any damaged merchandise from the original carton until an inspection has been made by the driver.
- 4)Please have the driver initial the packaging slip before you sign the delivery receipt.
- 5)Request instruction on filing a claim with the carrier and follow their instructions.
- 6)Contact Luminance Claims Department to report the problem. Please reference your account and invoice number. Once the Claims Department has gathered the necessary information they will issue an RGA, if applicable.

RESTOCKING CHARGE: There will be a 30% restocking charge, with a \$50.00 minimum, for all merchandise returned unless the reason for the return was the fault of Luminance. Non-stock and discontinued items are not subject to return. Currently stocked items must be returned WITHIN 30 DAYS. Merchandise will not be accepted for return if it will create an overstock position.

CLAIMS: All claims for defective merchandise must be made within 30 days of receipt of the order. No returns will be accepted without verbal or written permission in which an RGA (Return Good Authorization) Number will be issued. This RGA# is valid for 30 days only and must be clearly marked on each carton to be returned. An itemized list of the merchandise and the original invoice number must accompany all returns. An RGA# must be obtained before any Counter Service return is accepted.

PACKAGING: Due to the structural sensitivity of All Glass Shades 13INCH or larger in diameter, we must ship them by ground freight only. If you request shipment by air freight, it is done so at your own risk and expense. Please note: When shipping by air freight additional packaging is required resulting in larger or oversize cartons. Transportation costs can be higher on larger or oversize cartons.

RETURN POLICY AND WARRANTY/LIABILITY

LIMITED WARRANTY/LIABILITY: The Seller warrants it has title to the products delivered hereunder ("Product") and may properly sell the same to Buyer and that such product will conform to Seller's then current specifications. Buyer assumes responsibility to analyze Product, and Seller shall have no liability if Buyer uses the Product in any way that does not conform to the aforesaid specifications. Buyer represents that it is familiar with the characteristic of Product and assumes all responsibility and liability for and will indemnify and hold Seller harmless from any and all loss or injury to persons or property arising out of handling, use or possession of Product delivered to it. IN THE EVENT THAT THIS DISCLAIMER OF LIABILITY IS HELD BY A COURT OF COMPETENT JURISDICTION NOT TO APPLY TO BUYER, SELLER'S MAXIMUM LIABILITY TO BUYER ON ANY CLAIM IN ANY WAY CONNECTED WITH THE SALE OR USE OF ANY OF THE PRODUCTS, WHETHER LIABILITY ARISES CONTRACT, FROM BREACH OF WARRANTY, IN TORT OR OTHERWISE, SHALL BE LIMITED TO THE PRODUCT'S INVOICE PRICE. The Seller does not warrant that its products will meet or comply with the requirements of any safety code or regulation of any state, municipality, or other jurisdiction. If any sample or model was shown to the Buyer, such sample or model was used merely to illustrate the general type and quality of the products and not to represent that the products would necessarily conform to the sample or model. No action, regardless of form, shall be maintained hereunder unless the facts giving rise to it are discovered within 12 months of shipment and written notice hereof given to Seller within 30 days of discovery. Products which are replaced by Seller in accordance with foregoing shall become the property of Seller and shall be returned to it by the Purchaser F.O.B. point of shipment.

JURISDICTION/VENUE: In any action between Buyer and Seller relating to the Product or these terms, Buyer consents to the exclusive jurisdiction of the federal and state courts of the State of California, U.S.A., and agrees that the action will be properly venued in any such court. If Buyer is located outside the U.S., Seller reserves the right to initiate legal action against Buyer in a court located outside of the State of California, U.S.A.

[illegible]

VER.2
PL-1012 \$20.00

West Coast Distribution

Los Angeles, CA

Central Distribution

Houston, TX

East Coast Distribution

Long Island, NY

Customer Service

800.346.1380

24 hour Order Fax

800.346.1381

Showrooms

Los Angeles

Dallas

1945 S. Tubeway Ave.
Los Angeles, CA 90040

