

LEGEND OF SYMBOLS





3 FEET OF CHAIN INCLUDED, MEDIUM GAUGE 3 PIEDS DE CHAÎNE INCLUS, CALIBRE MOYENNE



CAN BE MOUNTED UP OR DOWN MONTAVE VERS LE HAUT OU LE BAS





WALL OR CEILING MOUNTABLE MONTAGE AU MUR ET AU PLAFOND



12 FEET OF CHAIN INCLUDED, MEDIUM GAUGE 12 PIEDS DE CHAÎNE INCLUS, CALIBRE MOYENNE



FULLY ENCLOSED GLASS LUMINAIRE CLOS



5 FEET OF WIRE INCLUDED 5 PIEDS DE FIL INCLUS



CAN BE MOUNTED VERTICAL OR HORIZONTAL ON WALL INSTALLATION HORIZONTALE OU VERTICALE



8 FEET OF WIRE INCLUDED 8 PIEDS DE FIL INCLUS



SHIPPED BY SKID ONLY EXPÉDIÉ SUR PALETTE SEULEMENT



10 FEET OF WIRE INCLUDED 10 PIEDS DE FIL INCLUS



KIT AVAILABLE TO MOUNT ON RODS ENSEMBLE DISPONIBLE POUR MONTER SUR TIGES



15 FEET OF WIRE INCLUDED 15 PIEDS DE FIL INCLUS



EXTRA GLASS INCLUDED VERRE D'EXTRA COMPRIS



HANG STRAIGHT SWIVEL 19° MONTAGE DROIT, PIVOTAGE 19°



MULTIPLE FINISHES PROVIDED FOR FINIALS IN BOX BOX FINITION MULTIPLE DE FLEURON INCLUSE



45° HANG STRAIGHT AJUSTEMENT JUSQ'À 45°



AMERICAN WITH DISABILITY ACT COMPATIBLE RESTRICTION D'ÉPAISSEUR D'APRÈS LA LOI DES



INVALIDES D'AMERIQUE



DUAL MOUNT INSTALL TIGHT OR DROPPED MONTAGE DOUBLE COMME PENDANT OU PLAFONNIER



HEAVY DUTY MOUNTING KIT REQUIRED KIT DE MONTAGE LOURD REQUIS



NO JUNCTION BOX REQUIRED WHERE CODE PERMITS AUCUNE BOÎTE DE JONCTION NÉCESSAIRES OÙ LE CODE PERMET



2 YEAR WARRANTY ON LED GARANTIE DE 2 ANS SUR "LED"



SPECIALTY BULBS NOT INCLUDED AMPOULES DE SPECIALE NON INCLUSES



5 YEAR WARRANTY ON LED GARANTIE DE 5 ANS SUR "LED"



WET LOCATION CERTIFIED CERTIFIÉ POUR ENDROIT MOUILLÉ



9"12"15" HEIGHT ADJUSTABLE ONLY DURING INSTALLATION

5 YEAR WARRANTY ON BALLAST OR DRIVER GARANTIE DE 5 ANS DES BALLAST OUR LED DRIVER

PIPE KIT INCLUDED HEIGHT ADJUSTABLE



ENERGY EFFICIENT LAMPING OPTIONS REFERENCED IN PRICE SHEET LES OPTIONS DE MOINDRE ÉNERGIE



SONT INDIQUÉES DANS LA LISTE DE PRIX



HEIGHT ADJUSTABLE ONLY DURING INSTALLATION HAUTEUR AJUSTABLE AU COURS DE L'INSTALLATION SEULEMENT



HARDWIRE OR PLUG IN PEUT ÊTRE CONNECTÉ DIRECTEMENT OU BRANCHÉ AVEC PRISE ELECTRIQUE



ADDITIONAL RETROFIT 12MM PIPE TIGE DE RALLONGE 12MM



ADDITIONAL RETROFIT 13MM PIPE TIGE DE RALLONGE 13MM



ACRYLIC SHADE ABAT-JOUR D'ACRYLIQUE

DURING INSTALLATION ONLY

L'INSTALATION INCLUS

UP ONLY

KIT DE TIGES ADJUSTABLE DURANT


MONTAGE DESSUS SEULEMENT



BULBS INCLUDED AMPOULES NON INCLUSE



6 FT AIRCRAFT CABLE



LEGEND OF SYMBOLS



FINISHES & **GLASS**



pg. **4 CEILING COLLECTIONS**



pg. 208 FLUSH **MOUNTS**



VANITY & SCONCE **COLLECTIONS**



pg. 304 **OUTDOOR COLLECTIONS**

| Abbey Road AC LE | ED6-9, |
|------------------|----------------|
| | 230-231 |
| Abbey Road | 10-13, 232-233 |
| Alexa | 14-15 |
| Amethyst | 16-21, 234-235 |
| Aries AC LED | 22-23 |
| Ariel | 306-307 |
| Argonaut AC LED. | 236-237 |
| Argonaut | 238-239 |
| Astra | 24-25 |

INDEX BY FAMILY NAME

| PRODUCT # | FAMILY NAME | PAGE |
|-----------|-------------|----------|
| DVP0248 | Juneau | 117 |
| DVP0249 | Juneau | 117 |
| DVP0501 | Solstice | 179, 291 |
| DVP0511 | Solstice | 177, 224 |
| DVP0512 | Solstice | 177, 224 |
| DVP0522 | Solstice | 179, 291 |
| DVP0543 | Solstice | 179, 291 |
| DVP0544 | Solstice | 179, 291 |
| DVP0555 | Solstice | 179, 291 |
| DVP0743 | Beausoleil | 245 |
| DVP0744 | Beausoleil | 245 |


INDEX BY PRODUCT NUMBER

| | | | DIMM | IER | |
|----------------|--|---|--|---------------------------------|-----------------------------------|
| | LUTRON C.L. SKYLARK CONTOUR CTL -153P | LUTRON SKYLARK S-603PG | LUTRON CREDENZA PLUG-IN TTCL-100H | LEVITON TRIMATRON 6681-IW | LUTRON MAESTRO MACL-153M |
| | ELECTRONIC CFL / LED DIMMER | ELECTRONIC INCANDESCENT / HALOGEN | ELECTRONIC CFL/LED DIMMER | ROTARY | ELECTRONIC CFL / LED DIMMER |
| В | | | | | |
| 50F | • | | • | • | |
| OOF | • | | • | • | |
| OUD | • | | • | | |
| 2200K 2700K | • | | | • | |
| 2200K | • | | | • | |

DIMMER COMPATIBILITY CHART









ABBEY ROAD AC LED

ABBEY ROAD AC LED





| ITEM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|--------------------|----------------------------------|--|-------------------|----------|--------------------------------|
| IILM | IIPL | ILLUMINATION | FIX L/DIAM. | FIX L/DIAM. FIX H | | ADDITIONAL INFORMATION |
| А | 6 Light Linear | 6 x 4.5W/400Lm*/ 3000K/CRI 80 | L 57 × 21 ³ / ₄ | 24½ | | 10 FT OF WIRE AVAILABLE ON LED |
| В | 4 Light Chandelier | 4 x 5W/400Lm*/ 3000K/CRI 80 | Diam. 32³⁄4 | 293/4 | | 5YR 10 FT OF WIRE ON LED |
| С | 4 Light Semi Flush | 4 x 5W/400Lm*/ 3000K/CRI 80 | L 62½ x 37½ | 15¾ | | 10 FT OF WIRE AVAILABLE ON LED |
| | | | | | | <u> </u> |


*Initial Lumens.

ABBEY ROAD AC LED

ABBEY ROAD AC LED









*Initial Lumens.

ABBEY ROAD

ABBEY ROAD









| 1 | ITEM | TYPE | RATED | DIME | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|---|------|--------------------|-------------------------------------|----------------|---------|--------------|--------------------------------------|
| 1 | | | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| | А | 4 Light Chandelier | 4 x 50W G9 Halogen DVIBG9753500C | Diam. 32¾ | 29¾ | | 10 FT OF NOT WILL UNDER |
| | В | 4 Light Semi Flush | 4 x 50W G9 Halogen DVIBG9753500C | L 62½ x 37½ | 15¾ | | 10 FT OF NOT WIRE INCLUDED AVAILABLE |
| | С | 6 Light Linear | 6 x 50W G9 Halogen DVIBG9753500C | L 57 × 21¾ | 24½ | | 10 FT OF NOT WIRE NICLUDED AVAILABLE |
| | | | | | | | |

*Initial Lumens.

DVIBLEDG9250F

250Lm*/3000K/CRI 80+

ABBEY ROAD








| ITFM | TYPE | RATED | DIME | ENSIONS (| (INCHES) | ADDITIONAL INFORMATION |
|------|--------------|-------------------------------------|-------|-----------|----------|--|
| | IIPL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Long Sconce | 1 x 50W G9 Halogen DVIBG9753500C | 7 | 83/4 | 45 | 8 FT OF BULBS HARDWIRE NOT WIRE NOUNCED OR PLUG IN |
| В | Short Sconce | 1 x 50W G9 Halogen DVIBG9753500C | 7 | 83/4 | 211/4 | 8 FT OF NOT HARDWIRE OR PLUG IN |

ALEXA

ALEXA









Incandescent 60W Vintage **Bulb included**

Make your fixture energy efficient by using a **DVI Vintage LED bulb**

| ITEM | TYPE | RATED | DIMI | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|------------------|---------------------|-------|--------|--------------|-----------------------------|
| IIEM | ITPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 6¾" Mini Pendant | 1 x 60W Medium Base | 63/4 | 12 | 16-110 | 10 FT OF BULB WIRE INCLUDED |
| | | | | | | |

Courtesy of Trickle Creek Custom Homes

AMETHYST







B | DVP6302*

| ITEM | TYPE | RATED | DIM | ENSION | NS (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|--------------------|-----------|--------|----------------|---|
| HEN | TIPE | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT/E | ADDITIONAL INI ORMATION |
| А | Wall Sconce | 2 x 50W G9 Halogen | 8 | 16 | E 4 | BULBS INCLUDED |
| В | Linear Pendant | 6 x 50W G9 Halogen | 36¼ × 11¾ | 103/4 | 163/4-523/4 | ## 12" 8 FT OF WIRE STORY WINE STANLED BULBS ONLY DURING NOT NICLUDED |

AMETHYST







A | DVP6311



B | DVP6312

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----------------------|--------------|----|--------------------------|------------------------|
| А | 12" Semi Flush | 4 x 50W G9 Halogen | 12 | 12 | | BULES NOT INCLUDED |
| В | 16" Semi Flush | 4 x 50W G9 Halogen | 16 | 12 | | BULBS ANOT INCLUDED |
| | | | | | | |



C | DVP6320

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------|-----------------------|--------------|-----------------|--------------------------|---|
| А | Mini Pendant | 2 x 50W G9 Halogen | 63/4 | 13½ | 19½-55½ | ### STOP STOP |
| В | 16" Pendant | 4 x 50W G9 Halogen | 16 | 11½ | 17½-52½ | 12" 8FT OF WIRE ONLY DURING NOT DURING NOT |
| С | 18" Pendant | 4 x 50W G9 Halogen | 18 | 15 | 21-57 | 12" 8 FT OF WIRE A STATION NOT NINSTALLATION |
| | | | | | | |

Page 18 ■ DVI LIGHTING ■ Page 19

A | DVP6310

■CEILING COLLECTIONS


AMETHYST



FINISHES & GLASS

CRY
Optic Glass





| ITFM | TYPF | RATED DIMENSIONS (INCHES) ADDITIONAL INFORMAT | | | | |
|------|--------------------|--|-------|-------|--------------|--|
| | ITPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 37" Foyer Pendant | 9 x 60W Medium Base | 22 | 37 | 45-149 | 12" 6 FT OF CHAIN WIRE 15 ST OF CHAIN WIRE 45° FRAGILE 15 ST OF CHAIN WIRE 15 ST OF CH |
| В | 28½" Foyer Pendant | 6 x 60W Medium Base | 16 | 28½ | 34½-140½ | 12" 6 FT OF CHAIN WIRE STATE HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |





DIMENSIONS (INCHES) RATED ADDITIONAL INFORMATION ILLUMINATION FIX L FIX H FIX D

Page 20 ■ DVI LIGHTING DVI LIGHTING ■ Page 21

im

1111 FINISHES & GLASS










See **Page 354-355** For Dimmer Compatibility and Page 356 For Lumen-Wattage Conversion Chart



B | DVP21653







*Initial Lumens.

■CEILING COLLECTIONS **ASTRA**

ASTRA





| ITEM | TYPE | RATED | DIME | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|----------|----------------|--------------------|------------------------------------|--------|--------------|------------------------|
| HEM TIPE | | ILLUMINATION | FIX L FIX H TOTAL HE | | TOTAL HEIGHT | |
| А | Linear Pendant | 6 x 50W G9 Halogen | 36 x 6 ³ / ₄ | 6 | 101/4-401/2 | 6FT NOT NOLUCED |
| | | | | | | |

BAKER STREET

■CEILING COLLECTIONS

BAKER STREET

FINISHES & GLASS





Indoor Only









A| DVP15601 Shown in Graphite/Chrome with Clear Glass

B | DVP15622 Shown in Graphite/Copper with Clear Glass

| ITEM | TYPE | RATED | DIMENSIONS (INCHES) | | | ADDITIONAL INFORMATION |
|------|-------------|----------------------------|---------------------|-------|-------|--|
| | | ILLUMINATION | FIX L | FIX H | FIX E | ABBITIONAL IN ORI IATION |
| А | Wall Sconce | 2 X 100W Medium Base | 6 | 16 | 7 | NO_JUNCTION BOXERCUPED WHERE CODE PERMITS OK WERTICAL OR HORIZONTAL INCLUDED |
| В | Wall Sconce | 2 x 100W 12" T10 Carbon | 61⁄4 | 27½ | 6¾ | NO JUNCTION BOX REQUIED WHERE CODE PERMITS OK WERTICAL OR HORZONTAL INCLUDED |
| | | | | | | |


BRANDT













B | DVP21002



Bulbs not included

DVI Offers 5" & 12" T10 Carbon Bulbs in LED or Incandescent 2200K or 2700K

| ITEM | RATED DIMENSIONS (INCHES) ILLUMINATION FIX L/DIAM. FIX H TOTAL HEIGHT | | | | ADDITIONAL INFORMATION | | |
|------|--|----|------------------|----------------|------------------------|--|--|
| А | Large Orb Pendant | 6x | 100W Medium Base | Diam. 31¼ | 32½ | 38-74½ | 10 FT OF NOT WIRE INCLUDED WIRE INCLUDED |
| В | Linear Pendant | 6x | 100W Medium Base | L 40½ × 19 | 2 | 15 ³ / ₄ -72 ¹ / ₂ | BULBS THEIGHT ADJUSTABLE ONLY DURING INSTALLATION |
| С | Small Orb Pendant | 6x | 100W Medium Base | Diam. 191⁄4 | 201/2 | 25¾-62½ | BULBS 19° ADJUSTABLE ON THE INCLUDED ON THE IN |
| | | | | | | | |



| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|---------------------|-----------------------------|--------------|---|----------------------------|--|
| А | 18" 4 Light Pendant | 4 x 100W Medium Base | 18¾ | 2 | 73/4-74 | 6FT NOT NOULDED INSTALLATION |
| В | 16" 3 Light Pendant | 3 x 100W Medium Base | 16½ | 2 | 73/4-741/2 | 6FT NOT NOT INCLUDED INSTALLATION |
| С | 30" 5 Light Pendant | 5 x 100W Medium Base | 30½ | 2 | 73/4-741/4 | BULBS THEIGHT ADJUSTABLE ONLY DURING INCLUDED INSTALLATION |
| | | | | | | |

| ITEM | TYPE | RATED ILLUMINATION | | | NS (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|----------------|-----------------------|---|-------|----------------------------|----------------------------|
| А | Mini Pendant | 1 x 100W Medium Base | L 10 ³ / ₄ × 2 | 113/4 | 16½-131¼ | 10 FT OF NOT WIRE INCLUDED |
| В | 16" Semi Flush | 3 x 100W Medium Base | Diam. 16½ | 2 | 71/4-101/4 | BULBS NOT INCLUDED |
| С | 18" Semi Flush | 4 x 100W Medium Base | Diam. 18¾ | 2 | 71/4-101/4 | BULBS NOT INCLUDED |
| D | Wall Sconce | 1 x 100W Medium Base | L 10³⁄4 | 121/2 | E 31/4 | BUIRS NOT INCLUDED |

Page 30 ■ DVI LIGHTING ■ Page 31

CEILING COLLECTIONS BULLET







| ITEM | TYPE | RATED | | | (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------------|----------------------|--------------|-------|----------|------------------------|
| | | ILLUMINATION | FIX L/DIAM. | FIX H | FIX D/E | |
| А | Ceiling / Wall Mount | 1 x 50W GU10 Halogen | L 4½ | 5½ | E 41/4 | OK BULBS NOT INCLUDED |
| В | 3 Light Track on Pan | 3 x 50W GU10 Halogen | Diam. 12½ | 41/2 | D 12½ | OK BULBS NOT INCLUDED |
| С | 2 Light Track | 2 x 50W GU10 Halogen | L 15 | 41/2 | D 6 | OK BULBS NOT INCLUDED |
| D | 3 Light Track | 3 x 50W GU10 Halogen | L 26 | 6 | D 5 | OK BULBS NOT INCLUDED |
| Е | 4 Light Track | 4 x 50W GU10 Halogen | L 32 | 81/2 | D 5 | OK BULBS NOT INCLUDED |

CAPSULE













Shown in Chrome










FINISHES & GLASS



Incandescent 60W Vintage **Bulb included**

Make your fixture energy efficient by using a **DVI Vintage LED bulb**



A | DVP13721 Shown in Buffed Nickel

| ITEM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|--------------|---------------------|-------|--------|--------------|---|
| | | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INI ORMATION |
| А | Mini Pendant | 1 x 60W Medium Base | 6½ | 151/4 | 211/4-571/4 | IN IN TOFT OF WIRE ONLY DURING INSTALLATION |
| | | | | | | |

Page 34 ■ DVI LIGHTING DVI LIGHTING ■ Page 35

CEILING COLLECTIONS CASTILLE

CASTILLE





| ITEM | TYPE | RATED ILLUMINATION | | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------------|---------------------------|----|-------|--------------------------|---|
| А | 10" Foyer Pendant | 4 x 60W Candelabra | 10 | 153/4 | 203/4-883/4 | 3 FT OF CHAIN WIRE 45° BULBS AND INCLUDED |
| В | 10" Semi Flush Mount | 4 x 60W Candelabra | 10 | 15¾ | | BULBS ANDT NOLUDED |
| С | 13" Foyer Pendant | 4 x 60W Candelabra | 13 | 21½ | 26½-94½ | 3 FT OF CHAIN WIRE BUIRS NOT INCLUDED |
| | | | | | | |

Page 36 ■ DVI LIGHTING ■ Page 37

FINISHES & GLASS















B | DVP11249 Shown in Buffed Nickel

| ITFM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------|---------------------|-------|--------|--------------|---|
| | | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 21" Foyer Pendant | 10 x 60W Candelabra | 21 | 41½ | 46½-114½ | 3 FT OF CHAIN WIRE BUILDS NOT NICLUOED |
| В | 18" Foyer Pendant | 6 x 60W Candelabra | 18 | 303/4 | 35¾-103¾ | 6 FT OF CHAIN WIRE 45° BULBS NOT NICLUDED |

Page 38 ■ DVI LIGHTING DVI LIGHTING ■ Page 39

FINISHES & GLASS













Bulb Included 7W GU10 LED Bulb DVIBLEDGU10683000C 500Lm*/2800K/ CRI 80+

| ILLUMINATION DIAM. FIX H TOTAL HEIGHT | ITEM TYPE RATED DIMEN | | | | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|---|-----------------------|------------|--------------|-------|--------|--------------|---|
| A 7" Pendant 1 x 7W GU10 LED 7 18 231/4-581/4 12" STUTE HEIGHT BULL BOOK 5 STUTE HEIGHT BULL BOOK 1 STUTE HEIGHT BULL BULL BULL BULL BULL BULL BULL BUL | IIEM | ITPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | |
| | А | 7" Pendant | 1 X | 7 | 18 | 231/4-581/4 | 19° 19° 19° 19° 19° 19° 19° 19° 19° 19° |

CEILING COLLECTIONS CLAIRE

CLAIRE





| ITEM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|---------|--------------------------|-----------------------------|-------|--------|--------------|--|
| 11 [11 | TIPL | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | Small Beaker Pendant | 1 x 60W Medium Base | 93/4 | 11½ | 17-53 | 19° WIRE 19° HEIGHT ONLY DURING BULB INSTALLATION INCLUDED |
| В | Medium Beaker Pendant | 1 x 100W Medium Base | 12 | 13½ | 18½-55½ | 19° HEIGHT ADJUSTABLE ONLY DURING INSTALLATION INCLUDED |
| С | Large Beaker Pendant | 3 x 100W Medium Base | 15 | 151/4 | 21-563/4 | 19° HEIGHT ONLY DURING BULB INSTALLATION INCLUDED |
| | | | | | | |

Page 42 ■ DVI LIGHTING ■ Page 43

COMPASS

FINISHES & GLASS













A | DVP18148 Shown in Graphite/Chrome





B | DVP18149 Shown in Graphite/Satin Nickel



C | DVP18150 Shown in Chrome



Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra Bulb


DVIBLEDE122700CT24 400Lm*/2700K/CRI 90

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-------------|----------------------------|--------------|-----------------|--------------------------|--|
| А | Orb Pendant | 3 x 60W Candelabra | 161/4 | 161/4 | 173/4-571/4 | 10 FT OF WIRE 19° |
| В | Orb Pendant | 6 x 60W Candelabra | 201⁄4 | 201/4 | 211/4-611/4 | 10 FT 0F WIRE 19° 10 11 11 11 11 11 11 11 11 11 11 11 11 |
| С | Orb Pendant | 12 x 60W Candelabra | 281⁄4 | 281/4 | 313/4-1023/4 | 15 FT OF 6 FT OF WIRE CHAIN BULBS WINCLUDED |
| | | | | | | |

CEILING COLLECTIONS COPERNICUS AC LED

COPERNICUS AC LED







| ITEM | TYPE | RATED ILLUMINATION | DIME L/DIAM. | NSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------------|--------------------------------------|-----------------|----------------|--------------------------|---|
| А | 5 Light on Round Pan | 5 x 4.5W/400Lm*/ 3000K/CRI 80 | Diam. 16½ | 5 | 7-471/2 | 5 FT OF WARRANTY UNABRANTY ONLED PARTIS |
| В | 3 Light on Round Pan | 3 x 4.5W/400Lm*/ 3000K/CRI 80 | Diam. 11³⁄4 | 5 | 7-59 | 5 FT OF WARRANTY UNLED PARTIS UNLED PARTIS |
| С | 3 Light Linear | 3 x 4.5W/400Lm*/ 3000K/CRI 80 | L 31½ x 4¾ | 5 | 7-59 | 5 FT OF WARRANTY UNLED PARTIS ONLED PARTIS |
| D | Mini Pendant | 1x 4.5W/400Lm*/ 3000K/CRI 80 | Diam. 6 | 5 | 7-59 | 10 FT OF WARRANTY ON LED PARTS ON LED PARTS |

*Initial Lumens.

CORONADO

■CEILING COLLECTIONS **CORONADO**





Bulb included Incandescent 60W Vintage on clear glass version

Make your fixture energy efficient by using **DVI Vintage LED bulb**



A | DVP11113 Shown in Satin Nickel with Clear Glass











C | DVP11120 Shown in Satin Nickel with Clear Glass

| ITEM | TYPE | | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|-----|---------------------|--------------------------|--------|--------------|---|
| | IIPL | IL | LUMINATION | DIAM. FIX H TOTAL HEIGHT | | TOTAL HEIGHT | |
| А | 12" Pendant | 1 x | 100W Medium Base | 12 | 151/4 | 221/4-581/4 | #13mm #15mm |
| В | 8" Mini Pendant | 1 x | 100W Medium Base | 8 | 101/4 | 161/4-521/4 | 8 FT OF WIRE ONLY DURING INSTALLATION |
| С | 14" Pendant | 3 x | 100W Medium Base | 14 | 161/4 | 221/4-581/4 | #13" # HEIGHT ADJUSTABLE ONLY DURING INSCLUDING INSCLUDING INSCLUDING |

Page 48 ■ DVI LIGHTING DVI LIGHTING ■ Page 49

FINISHES & GLASS



CORONADO

FINISHES & GLASS







15' Black Cloth Covered Cord for High Ceiling Applications

Use By Itself Or With Any Of The Glass Shades Below

*Order Glass Separately



True Opal Glass 12" TO #GL4001D94 14" TO #GL4002D94



Bulb Sold Separately Shown with DVIBA19100CARB

| ITEM | TYPE | IL | RATED ILLUMINATION | | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION | |
|------------------------------------|------------|-----|---------------------|----|-------|--------------------------|---|--|
| А | Holder Kit | 1 x | 100W Medium Base | 12 | 151⁄4 | 221/4-581/4 | T THEIGHT ADJUSTABLE ONLY DURING INSTALLATION | |
| Dimensions shown include 12" glass | | | | | | | | |

A | KIT11100EB High Ceiling Holder Kit*

Page 50 ■ DVI LIGHTING DVI LIGHTING ■ Page 51

Make your fixture energy efficient by using a **DVI Vintage LED bulb**

CEILING COLLECTIONS

EL DORADO





| ITEM | TYPE | | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-------------|-----|---------------------|------|--------|--------------|---|
| | IIFL | IL | ILLUMINATION | | FIX H | TOTAL HEIGHT | ADDITIONAL INI ORMANON |
| А | 12" Pendant | 2 x | 100W Medium Base | 12 | 16 | 22-58 | 10 FT OF WIRE 10 FT |
| В | 14" Pendant | 3 x | 100W Medium Base | 14 | 153/4 | 213/4-573/4 | 10 FT OF WIRE 10 FT |
| С | 7¾" Pendant | 1 x | 100W Medium Base | 73/4 | 12 | 18-53 | 10 FT OF WIRE 10 FT |
| | | | | | | | |

CRESCENT








B | DVP5505 Shown in Buffed Nickel

KD9100 Extension Pipe for DVP5505 Beyond 40" KD5510

Extension Pipe for DVP5508 Beyond 40"

Bulb not included DVI's Bulb Recommendation is the HR16 LED








A | DVP5508 Shown in Oil Rubbed Bronze

| ITEM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|------------|--------------------------------|------|--------|--------------|--|
| | ITPE | ILLUMINATION | DIAM | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| A | 8" Pendant | 1 x 100W Medium Base | 8 | 12 | 21-54 | 6 9 12 15 HEIGHT ADJUSTABLE ONLY DURING 19° WIRE ONLY DURING 19° |
| В | 6" Pendant | 1 x 100W Medium Base | 6 | 9 | 18-51 | 5 FT OF WIRE ONLY DURING 19° WIRE |


CEILING COLLECTIONS CURRENT

CEILING COLLECTIONS CURRENT

FINISHES & GLASS









Bulbs Included

DVIBLEDG9250F 250Lm*/3000K/CRI 80+

| п | ITFM | TYPF | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION | |
|----|------|----------------------|-----------------------|-------|--------|--------------|---|--|
| -1 | HEM | ITPE | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION | |
| | А | Linear Foyer Pendant | 7 x 20W G9 LED | 12 | 38 | 44-80 | 10 FT OF ON LED | |
| | В | Linear Pendant | 7 x 20W G9 LED | 38 | 12 | 18-54 | 19° 2YR DON LED AND CONTROL BULB ON LED ON LED ON LED ON STALLATION INCLUDED | |

*Initial Lumens.

ECLIPSE ECLIPSE







C | DVP5836

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------|---------------------------|--------------|-----------------|--------------------------|--|
| А | 16" Pendant | 3 x 50W G9 Halogen | 16 | 11 | 17-53 | 112" 12" 19° BULBS 11 11 12 12 13 14 14 14 14 14 14 14 |
| В | 18½" Pendant | 6 x 50W G9 Halogen | 18½ | 12½ | 18½-54½ | 112" 12" 19° BILBS 110 |
| С | 22½" Pendant | 6 x 50W G9 Halogen | 22½ | 13½ | 19½-45½ | 19° BULBS & TEIGHT ADJUSTABLE ONLY DURING INSTALLATION |
| | | | | | | |

ECLIPSE ECLIPSE



| A Wall Sconce 2 x 50W G9 Halogen L 12 5½ E 6½ B Linear Pendant 5 x 50W G9 Halogen L 30 x 9 C 6" Mini Pendant 2 x 50W G9 Halogen Diam. 12 18-54 | ITEM | TYPE | RATED ILLUMINATION | | | (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|--|------|-----------------|---------------------------|-------------|----|-------------------------|--|
| 30 x 9 Diam. 12 18-54 19 B BUBS A SOV GO Halogen 12 18-54 | А | Wall Sconce | | L | | • | BULBS NOT INCLUDED |
| $6''$ Muni Dondant $2 \times 50\%$ (30 Halodon 1) 19-57 1112 1-1-1119 111000 (20 Halodon | В | Linear Pendant | 5 x 50W G9 Halogen | L 30 x 9 | 8 | 14-50 | A ST LAT SET HEIGHT |
| BIZINII WILL / NICLOUED LINGUISTALESATION | С | 6" Mini Pendant | 2 x 50W G9 Halogen | Diam. 6 | 12 | 18-54 | 12" 5 FT OF WIRE 19° RULBS OF ONLY DURING INSTALLATION |



FINISHES & GLASS











C | DVP5838

| ITEM | 1 TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------------|---------------------------|--------------|-----------------|--------------------------|------------------------------|
| А | 12" Semi Flush Mount | 3 x 50W G9 Halogen | 12 | 6 | | BULBS NOT INCLUDED |
| В | 16" Semi Flush Mount | 3 x 50W G9 Halogen | 16 | 9½ | | BULBS NOT INCLUDED |
| С | 18½" Semi Flush Mount | 3 x 50W G9 Halogen | 18½ | 10 | | BULBS NOT NOT INCLUDED |
| | | | | | | |

ECLIPSE



DVI's Bulb Recommendation is the G9 HALOGEN







A | DVP5863 Not to Scale



| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|--|
| А | Wall Sconce | 2 x 75W G9 Halogen | 5½ | 13½ | 3½ | BUILDS NO JUNCTION BOX REQUIRED WHERE CODE PERMITS |
| В | 4 Light Vanity | 4 x 75W G9 Halogen | 251/4 | 6 | 3½ | BULBS NO JUNCTION BOX FOLIAGE NOT NOT NOCLODED PERMITS |
| С | 5 Light Vanity | 5 x 75W G9 Halogen | 361/4 | 61/4 | 3½ | BULBS NO JUNCTION BOX FEQUIFED WHERE CODE PERMITS |
| | | | | | | |



ERIN







A | DVP9057 Shown in Satin Nickel with Clear Glass






B | DVP9051 Shown in Graphite with Clear Glass





DVI Offers
5" T10 Carbon Bulbs in
LED or Incandescent
or ST17 bulbs (2200K
or 2700) in LED or
Incandescent



Page 64 ■ DVI LIGHTING

DVI LIGHTING ■ Page 65

ESSEX

ESSEX













A | DVP9029 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | | RATED LUMINATION | DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------------|-----|---------------------|-------|----|--------------------------|-----------------------------|
| А | 9 Light Chandelier | 9 x | 100W Medium Base | 34 | 31 | 36-67 | 3 FT OF 10 FT OF CHAIN WIRE |
| | | | | | | | |



ESSEX

ESSEX

FINISHES & GLASS













B | DVP9028 Shown in Graphite with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIME DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------------|-----|---------------------|---------------|-----------------|--------------------------|--|
| А | 6 Light Chandelier | 6 x | 100W Medium Base | 27 | 26½ | 32½-68½ | # 12" 8 FT OF ONLY DURING INSTALLATION |
| В | 8 Light Chandelier | 8 x | 100W Medium Base | 38½-22 | 26½ | 321/2-681/2 | # 12" 8 FT OF WIRE INSTALLATION |











FINISHES & GLASS



A | DVP9036 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIMI DIAM. | DIMENSIONS (INCHES) DIAM. FIX H TOTAL HEIGHT | | ADDITIONAL INFORMATION |
|------|------------------------------|-------------------------|---------------|--|-------------|--|
| А | 6 Light Linear Chandelier | 6 x 100W Medium Base | 35½-20 | 231/4 | 281/4-551/4 | 10FT OF WIRE 19F1 O |
| | | | | | | |

■CEILING COLLECTIONS **ESSEX**

ESSEX

FINISHES & GLASS













A | DVP9025 Shown in Graphite with Half Opal Glass



B | DVP9023 Dual Mount Shown in Chrome with Half Opal Glass As Chandelier



B | DVP9023 Dual Mount Shown Shown in Oil Rubbed Bronze with Half Opal Glass As Semi Flush Mount

| ITEM | TYPE | RATED ILLUMINATION | | DIMENSIONS (INCHES) DIAM. FIX H TOTAL HEIGHT | | | ADDITIONAL INFORMATION |
|------|------------------------------------|-----------------------|---------------------|--|----|-------|------------------------|
| А | 5 Light Chandelier | 5 x | 100W Medium Base | 25 | 23 | 28-55 | 3 FT OF CHAIN WIRE |
| В | 20" Semi Flush Mount/Chandelier | 3 x | 100W Medium Base | 20 | 17 | 22-49 | 3 FT OF 5 FT OF BOX |














A | DVP9032 Shown in Buffed Nickel with Half Opal Glass



B | DVP9053 Shown in Oil Rubbed Bronze with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | | DIMENSIONS (INCHES) FIX L FIX H TOTAL HEIGHT | | | ADDITIONAL INFORMATION |
|------|------------------------------|--------------------|---------------------|--|----|-------|--|
| А | 8 Light Linear Chandelier | 8 x | 100W Medium Base | 39 x 15 | 16 | 22-58 | 3 FT OF CHAIN X2 10 FT OF WIRE 45° |
| В | 3 Light Linear | 3 x | 100W Medium Base | 26 x 5½ | 7 | 13-49 | 12" 5 FT OF WIRE 12mm 12 |

ESSEX

FINISHES & GLASS













B | DVP9013 Shown in Buffed Nickel with Half Opal Glass



D | DVP9040 Shown in Chrome with Half Opal Glass not available with Butterscotch Glass




A | DVP9012 Shown in Chrome with Half Opal Glass




C | DVP9031 Shown in Buffed Nickel with Half Opal Glass



E | DVP9030 Shown in Chrome with Half Opal Glass not available with Butterscotch Glass













FINISHES & GLASS



A | DVP9010 Shown in Oil Rubbed Bronze with Half Opal Glass



B | DVP9011 Shown in Graphite with Half Opal Glass



C | DVP9014 Shown in Oil Rubbed Bronze with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIMENSIONS (INCHES) DIAM. FIX H TOTAL HEIGHT | | | ADDITIONAL INFORMATION |
|------|-------------------|-----|---------------------|--|-------|-------------|-----------------------------|
| А | 10" Pendant | 1 x | 100W Medium Base | 10 | 23 | 28-55 | 3 FT OF 10 FT OF CHAIN WIRE |
| В | 13½" Pendant | 2 x | 100W Medium Base | 13½ | 301/4 | 351/4-621/4 | 3 FT OF 10 FT OF CHAIN WIRE |
| С | 47" Foyer Pendant | 3 x | 100W Medium Base | 20 | 47½ | 52½-115½ | 6 FT OF 10 FT OF CHAIN WIRE |

ESSEX

ESSEX

FINISHES & GLASS









ORB
Oil Rubbed
Bronze
Half Opal
Glass





A | DVP9019 Shown in Oil Rubbed Bronze with Half Opal Glass



C | DVP9021 Shown in Chrome with Half Opal Glass

B | DVP9020 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIM DIAM. | ENSION FIX H | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----|---------------------|--------------|-----------------|-------------------------|---|
| А | 4" Mini Pendant | 1 x | 100W Medium Base | 4 | 7 | 13-49 | 10 FT OF WIRE NISTALLATION 19° |
| В | 8½" Pendant | 1 x | 100W Medium Base | 81/2 | 18 | 24-60 | 10 FT OF WIRE NSTALLATION 19° |
| С | 7" Mini Pendant | 1 x | 100W Medium Base | 7 | 13½ | 18½-55½ | 10 FT OF WIRE WIRE HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |
| | | | | | | | |











FINISHES & GLASS



A | DVP9001 Shown in Oil Rubbed Bronze with Half Opal Glass



B | DVP9062 Shown in Buffed Nickel with Half Opal Glass



C | DVP9063 Shown in Chrome with Half Opal Glass

| A Wall Sconce 1 x 100W Medium 5 7½ 5 B Wall Sconce 1 x 100W Medium 5 9½ 5 C Wall Sconce 1 x 100W Medium 5 14 5 | ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | IENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|--|------|-------------|-------------------------|--------------|-------------------|-------------------|------------------------|
| B Wall Sconce 1 x Base 5 9½ 5 | А | Wall Sconce | IV | 5 | 7½ | 5 | UP ONLY |
| Wall Sconce 1 v | В | Wall Sconce | I Y | 5 | 9½ | 5 | UP ONLY |
| Base Base | С | Wall Sconce | 1 x 100W Medium Base | 5 | 14 | 5 | UP ONLY |

Page 74 ■ DVI LIGHTING ■ Page 75

ESSEX OUTDOOR

•CEILING COLLECTIONS **ESSEX** OUTDOOR











FINISHES & GLASS







B | DVP9075

| ITFM | TYPF | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|--------------------------|---------------------|-------|--------|--------------|---------------------------------|
| IIEM | ILLUN | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | Large Hanging Lantern | 2 x 60W Medium Base | 133/4 | 32 | 35-154 | USE 6 FT OF 10 FT OF CHAIN WIRE |
| В | Small Hanging Lantern | 1 x 60W Medium Base | 101/4 | 23 | 26½-146 | USE 6 FT OF 10 FT OF CHAIN WIRE |

FINISHES & GLASS





A | DVP9071



B | DVP9072





D | DVP9074

| ITEM | TYPE | RATED | | | (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------------|---------------------|-------|-------|----------|------------------------|
| | | ILLUMINATION | FIX L | FIX H | FIX E | |
| А | Outdoor Wall Sconce 1 x | 100W Medium Base | 5 | 7½ | 5 | UP ONLY |
| В | Outdoor Wall Sconce 1 x | 100W Medium Base | 5 | 9½ | 5 | UP ONLY |
| С | Outdoor Wall Sconce 1 x | 100W Medium Base | 5 | 14 | 5 | UP ONLY |
| D | Outdoor Wall Sconce 1 x | 100W Medium Base | 5 | 20 | 5 | UP ONLY |

FINISHES & GLASS











A | DVP9022 Shown in Oil Rubbed Bronze with Butterscotch Glass



B | DVP9043 Shown in Oil Rubbed Bronze with Butterscotch Glass



C | DVP9044 Shown in Chrome with Half Opal Glass



D | DVP9055 Shown in Chrome with Half Opal Glass


| ITEM | TYPE | IL | RATED LUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|--------------|------------------|-------------------|--|
| А | 2 Light Vanity | 2 x | 100W Medium Base | 14 | 7½ | 5 | NO JUNCTION BOX REQUIRED UP ONLY PERMITS |
| В | 3 Light Vanity | 3 x | 100W Medium Base | 211/4 | 7½ | 5 | NO JUNCTION BOX REQUIRED WHERE CODE UP ONLY PERMITS |
| С | 4 Light Vanity | 4 x | 100W Medium Base | 35½ | 7½ | 5 | NO JUNCTION BOX REQUIRED WHERE CODE UP ONLY PERMITS |
| D | 5 Light Vanity | 5 x | 100W Medium Base | 413/4 | 7½ | 5 | NO JUNCTION BOX REQUIRED LIVE ODDE L |

Page 78 ■ DVI LIGHTING ■ Page 79

CEILING COLLECTIONS FIREFLY







| ITEM | TYPE | RATED ILLUMINATION | DIN FIX L | | NS (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|-------------------------------------|------|-------------------------------|-------------------------------------|
| А | Wall Sconce | 3 x 75W G9 Halogen | 73/4 | 17 | E 6¾ | UP ONLY INCLUDED |
| В | Linear Pendant | 8 x 75W G9 Halogen | 39 ³ / ₄ × 11 | 83/4 | 143/4-461/2 | 10 FT OF WIRE INSTALLATION INCLUDED |
| С | 4 Light Vanity | 4 x 75W G9 Halogen | 29 | 81/4 | E 71/4 | UP ONLY INCLUDED |
| | | | | | | |

FOREST HILL

FINISHES & GLASS







A | DVP26047 Shown in Stainless Steel with Clear Glass

Bulb not included

Bulb DVIBLEDE122700CT24 400Lm*/2700K/CRI 90



Shown as Pendant in Graphite with Clear Glass



C | DVP26048 Shown as Pendant in Graphite with Clear Glass

| A 8½" Semi Flush 4 x 60W Candelabra 8½ x 8½ 18½ B 13½" Semi Flush/ Pendant 4 x 60W Candelabra 13½ x 13½ 23 23-55 C 10½" Semi Flush/ 4 x 60W Candelabra 10½ x 10½ 18¾ 18¾-50¾ 4 x 60W Candelabra 10½ x 10½ 18¾ 18¾-50¾ 4 x 60W Candelabra 10½ x 10½ 18¾ 18¾-50¾ | ITEM | TYPE | RATED ILLUMINATION | DIMEI FIX L | | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|--|------|-----------------------------|--------------------|----------------|-------|----------------------------|---------------------------------------|
| B 13½" Semi Flush/ Pendant 4 x 60W Candelabra 13½ x 13½ 23 23-55 | А | 8½" Semi Flush | 4 x 60W Candelabra | 8½ x 8½ | 18½ | | BULBS NOT INCLUDED |
| | В | 13½" Semi Flush/ Pendant | 4 x 60W Candelabra | 13½ × 13½ | 23 | 23-55 | 6 FT OF CHAIN WIRE NCLUDED 45° IN BOX |
| Pendant Chain Wire Included | С | 10½" Semi Flush/ Pendant | 4 x 60W Candelabra | 10½ x 10½ | 183/4 | 183/4-503/4 | BULBS 45° |

*Initial Lumens.

■CEILING COLLECTIONS FOREST HILL OUTDOOR

■CEILING COLLECTIONS FOREST HILL OUTDOO

FINISHES & GLASS





Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra

Bulb DVIBLEDE122700CT24 400Lm*/2700K/CRI 90





A | DVP26078

| ITEM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------------|--------------------|-----------|--------|----------|--|
| IILM | IIPL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | 10½" Outdoor Pendant | 4 x 60W Candelabra | 10½ x 10½ | 183/4 | 18¾-50¾ | 6 FT OF 10 FT OF NOT CHAIN WIRE INCLUDED |
| | | | | | | |






Bulb not included

is the 4W LED Candelabra

Bulb DVIBLEDE122700CT24 400Lm*/2700K/CRI 90







B | DVP26072

| ITFM | TYPE | RATED | DIME | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|--------------------|-------|---------|----------|--------------------------|
| IIEM | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | 8½" Wall Mount | 2 x 60W Candelabra | 83/4 | 13 | 10½ | BULES OUTDOR USE NOT USE |
| В | 10½" Wall Mount | 4 x 60W Candelabra | 103/4 | 14½ | 12½ | UP ONLY BURBS W USE USE |

A | DVP26071

*Initial Lumens.

*Initial Lumens.

GASTOWN





■CEILING COLLECTIONS

Shown in Graphite

| ITEM | TYPE | | RATED | DIM | ENSION | NS (INCHES) | ADDITIONAL INFORMATION |
|------|--------------|-----|---------------------|-------|--------|--------------|--|
| | | IL | LUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ABBITIONAL IN ONLIANION |
| А | 20" Pendant | 5 x | 100W Medium Base | 20 | 7 | 13-49 | 19° 19° 19° 19° 19° 19° 19° 19° 19° 19° |
| В | Mini Pendant | 1 x | 100W Medium Base | 6 | 20 | 26½-57½ | 10 FT OF WIRE 19° 19° 10° 10° 10° 10° 10° 10° 10° 10° 10° 10 |
| С | 16" Pendant | 3 x | 100W Medium Base | 16 | 7 | 13-49 | 19° 19° 19° 19° 19° 19° 19° 19° 19° 19° |

Shown in Champagne

Page 86 ■ DVI LIGHTING ■ Page 87

GASTOWN

CEILING COLLECTIONS GASTOWN

FINISHES & GLASS







A | DVP15711 Shown in Graphite



B | DVP15718 Shown in Champagne



C | DVP15712 Shown in Champagne



Bulb not included

DVI Offers Carbon Bulbs in LED or Incandescent

| A 12" Semi Flush 3 x 100W Medium Base 12 73/4 B 20" Semi Flush 5 x 100W Medium Base 20 73/4 C 16" Semi Flush 3 x 100W Medium Base 16 73/4 BUBS ANTION MEDIUM 16 73/4 | ITEM | TYPE | IL | RATED LUMINATION | DIME DIAM. | NSIONS FIX H | (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|---|------|----------------|-----|---------------------|---------------|-----------------|-----------------------|----------------------------|
| B 20" Semi Flush 5 x 100W Medium 20 73/4 | А | 12" Semi Flush | 3 x | | 12 | 73/4 | | BULBS ANDT NOT INCLUDED |
| C 16" Semi Flush 3 x 100W Medium 16 73/4 | В | 20" Semi Flush | 5 x | | 20 | 73/4 | | |
| | С | 16" Semi Flush | 3 x | | 16 | 73/4 | | BULES AND INCLUDED |

Page 88 ■ DVI LIGHTING

FINISHES & GLASS







Bulb Included 7W HR16 COB LED DVIBLEDHR16500C 580Lm*/3000K/CRI 80+





A | DVP15771

| ITEM | TYPE | RATED | DIME | ENSIONS (| INCHES) | ADDITIONAL INFORMATION |
|--------|----------------|---------------------|-------|-----------|---------|------------------------|
| I I EM | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Outdoor Sconce | 1 x 50W Medium Base | 5½ | 133/4 | 5½ | BULB ON LED ON LED |
| | | | | | | |

*Initial Lumens.

Page 90 ■ DVI LIGHTING

■CEILING COLLECTIONS **GEOMETRY**

GEOMETRY





Shown in Mocha

| ITEM | TYPE | IL | RATED LUMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|--------------|-----------------|-----------------------------|--|
| А | 16" Pendant | 2 x | 100W Medium Base | 16 | 16 | 22-58 | 12" S FT OF WIRE ADJUSTABLE ON YOURING INSTALLATION 19° REFICIENT ALTERNATION |
| В | 18" Pendant | 3 x | 100W Medium Base | 18 | 20 | 26-62 | 12" 5 FT OF WIRE 12" 12" 5 FT OF WIRE 19" 19" 19" 19" 19" 19" 19" 11" |
| С | 16" Semi Flush | 2 x | 100W Medium Base | 16 | 8 | | |
| | | | | | | | |

GEORGETOWN

GEORGETOWN

FINISHES & GLASS





A | DVP7225 Shown in Buffed Nickel with Half Opal Glass



B | DVP7221 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIM DIAM. | | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------------|-----|---------------------|--------------|-----|-----------------------------|--|
| А | 5 Light Chandelier | 5 x | 100W Medium Base | 213/4 | 20½ | 25½-52½ | 3 FT OF CHAIN WIRE |
| В | Mini Pendant | 1 x | 100W Medium Base | Diam. 5 | 7½ | 13½-49½ | 12" FT OF WIRE MIRE 19° 13mm 13° |

GEORGETOWN

■CEILING COLLECTIONS **GEORGETOWN**





A | DVP7202 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | TYPE RATED | | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------------------------|------------|---------------------|--------------|--------|--------------|---|
| HEM | TIPE | IL | LUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | Linear Pendant | 3 x | 100W Medium Base | L 31½ x 5 | 17 | 22-59 | 12" FFT OF WIRE ONLY DURING NSTALLATION 19° |
| В | Semi Flush /3 Light Chandelier | 3 x | 100W Medium Base | Diam. 17½ | 133/4 | 133/4-711/2 | 5FT OF WIRE 45° IN BOX |
| | | | | | | | |



FINISHES & GLASS



B | DVP7212 Shown in Graphite with Half Opal Glass

A | DVP7224 Shown in Graphite with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|--------------------|-----|---------------------|--------------|-----------------|-----------------------------|-----------------------------|
| А | 5 Light Chandelier | 5 x | 100W Medium Base | 23 | 19 | 25-51 | 3 FT OF 10 FT OF CHAIN WIRE |
| В | Semi Flush | 3 x | 100W Medium Base | 12 | 10½ | | |

Page 96 ■ DVI LIGHTING DVI LIGHTING ■ Page 97

GEORGETOWN









B | DVP7222 Shown in Chrome with Half Opal Glass



C | DVP7243 Shown in Buffed Nickel with Half Opal Glass



A | DVP7201 Also Available in Graphite Shown in Chrome with Half Opal Glass



D | DVP7244 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|--------------|------------------|-------------------|---------------------------------------|
| А | Wall Sconce | 1 x | 100W Medium Base | 51/4 | 91/4 | 53/4 | UP OR DOWN |
| В | 2 Light Vanity | 2 x | 100W Medium Base | 14½ | 91/4 | 53/4 | □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ |
| С | 3 Light Vanity | 3 x | 100W Medium Base | 22½ | 91/4 | 53/4 | UP OR DOWN |
| D | 4 Light Vanity | 4 x | 100W Medium Base | 31 | 10 | 53/4 | □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ |



CEILING COLLECTIONS GEORGIAN

GEORGIAN





B | DVP3213 Shown in Mocha with Alabaster Glass

| A 20" Pendant 3 x 100W Medium Base 20 21 25-53 3FT FOR WIRE B 16" Semi Flush 3 x 100W Medium Base 16 12 C 16" Pendant 3 x 100W Medium Base 16 19 24-61 3FT OF SHOPE SH | ITEM | TYPE | ILL | RATED UMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|--|------|----------------|-----|--------------------|--------------|-----------------|-----------------------------|------------------------|
| B 16" Semi Flush 3 x Base 16 12 C 16" Pendant 3 x 100W Medium 16 19 24-61 | А | 20" Pendant | 3 x | | 20 | 21 | 25-53 | 3 FT OF 5 FT OF |
| C 16" Pendant 3 x 100W Medium 16 19 24-61 | В | 16" Semi Flush | 3 x | | 16 | 12 | | |
| GRAIN WINE | С | 16" Pendant | 3 x | | 16 | 19 | 24-61 | - |

ECEILING COLLECTIONS HAIDA

FINISHES & GLASS










B | DVP10501 Shown in Satin Nickel with Half Opal Glass



A | DVP10511 Shown in Graphite with Half Opal Glass




C | DVP10521 Shown in Chrome with Half Opal Glass



HAIDA

FINISHES & GLASS



Bulb not included

DVI's Bulb Recommendation is the 50W G9 Halogen Bulb







A | DVP10553 Shown in Chrome with Half Opal Glass



B | DVP10554 Shown in Satin Nickel with Half Opal Glass

| 1 | ITFM | TYPE | RATED | RATED DIMENSION | | | ADDITIONAL INFORMATION |
|---|------|----------------|---------------------------|-----------------|-------|-------|--|
| 1 | | IIPL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| | А | 3 Light Vanity | 3 x 75W G9 Halogen | 21½ | 5½ | 63/4 | UP OR DOWN BULL BS WHERE CODE NOT UNCLUDED PERMITS |
| | В | 4 Light Vanity | 4 x 75W G9 Halogen | 35½ | 5½ | 63/4 | UP OR DOWN BULBS W NO.JUNCTION BOX PEQUIPMENT OF PERMITS |

Page 102 ■ DVI LIGHTING ■ Page 103

HARRIER AC LED





| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-------------------|---------------------------------------|--------------|-------|--------------------------|--|
| А | 12" Large Pendant | 1 x 31W/2500Lm*/ 3000K/CRI 80 | 12 | 9 | 15-51 | 19° 19° 19° 19° 19° 19° 19° 19° 19° 19° |
| В | 3 Light Pendant | 3 x 10.5W/800Lm*/ 3000K/CRI 80 | 16 | 121/4 | 23½-129¾ | 19° 10 FT OF WIRE 19° 19° 10° 10° 10° 10° 10° 10° 10° 10° 10° 10 |
| С | 7" Mini Pendant | 1 x 10.5W/800Lm*/ 3000K/CRI 80 | 7½ | 8½ | 14½-50½ | 19 TO FIT OF WIRE 19° 19° 19° 19° 19° 19° 19° 19° 19° 19° |
| | | | | | | |

*Initial Lumens.

■CEILING COLLECTIONS

HARRIER RLED

CL Clear Glass









| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX D | ADDITIONAL INFORMATION |
|------|---------------|--|--------------|------------------|-------------------|--|
| А | 4 Light Track | 4 x 50W GU10 Halogen OR 7W GU10 LED | 33 | 73/4 | 5 | 5YR SULB BULB INCLUDED |
| В | 3 Light Track | 3 x 50W GU10 Halogen OR 7W GU10 LED | 23 | 73/4 | 5 | 5YR SULB SINCLUDED |
| С | 2 Light Track | 2 x 50W GU10 Halogen OR 7W GU10 LED | 13½ | 73/4 | 5 | 5YR BULB INCLUDED |
| D | 1 Light Track | 1 x 50W GU10 Halogen OR 7W GU10 LED | 5 | 61/4 | 5 | 5YR BULB BULB BULB BULB BULB BULB BULB BUL |

*Initial Lumens.

ECEILING COLLECTIONS HELSINKI








A | DVP10702

| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-------------------|----------------------------|---------------|----|--------------------------|------------------------|
| А | Linear Chandelier | 12 x 40W G9 Halogen | 39 x 16 | 5½ | 10½-95½ | 6 FT INCLUDED |
| | | | | | | |


Page 108 ■ DVI LIGHTING DVI LIGHTING ■ Page 109

ECEILING COLLECTIONS **HELSINKI**

■CEILING COLLECTIONS HELSINKI



| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|----------------------------|---------------|-----|----------------------------|------------------------|
| А | Floor Lamp | 14 x 40W G9 Halogen | 14 | 70½ | | BULBS FRAGILE INCLUDED |
| В | 18" Semi Flush | 8 x 40W G9 Halogen | 18 x 18 | 5 | | OK BULBS NOT INCLUDED |
| С | 14" Semi Flush | 8 x 40W G9 Halogen | 14x 14 | 5 | | OK BULBS MINITUDED |
| | | | | | | I INVOCULED |



| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-------------|--------------------|---------------|----|----------------------------|---|
| А | 18" Pendant | 8 x 40W G9 Halogen | 18 x 18 | 5½ | 101/2-951/2 | 6 FT NUTSULDED |
| В | 14" Pendant | 8 x 40W G9 Halogen | 14 × 14 | 5½ | 10½-95½ | 6 FT NOT NOT NOT NOT NOT NOT NOT NOT NOT NO |

Page 110 ■ DVI LIGHTING DVI LIGHTING ■ Page 111

IRONWORKS

FINISHES & GLASS













Bulbs Not Included

DVI Offers Carbon Bulbs in LED or Incandescent



| IT | ADDITIONAL INFORMATION |
|----|----------------------------------|
| | AF: T T HEIGHT ADJUISTABLE |

| ITEM | TYPE | IL | LUMINATION | DIAM. | | TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|---------------|-----|---------------------|-------|-----|--------------|--|
| А | Large Pendant | 3 x | 100W Medium Base | 17 | 22½ | 283/4-903/4 | 6 FT OF 10 FT OF NOT ONLOGE WIRE INSTALLATION |
| В | Pendant | 1 x | 100W Medium Base | 11½ | 15½ | 20½-51½ | 3 FT OF CHAIN WIRE INCLUDED 45° TITLE HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |

Page 112 ■ DVI LIGHTING DVI LIGHTING ■ Page 113

ISABELLA

■CEILING COLLECTIONS **ISABELLA**

FINISHES & GLASS











A | DVP5411 Shown in Chrome with Half Opal Glass



Shown in Graphite with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----------------------|-------|----|--------------------------|----------------------------------|
| А | 16" Semi Flush | 2 x 60W Medium Base | 16 | 14 | | |
| В | 16" Pendant | 2 x 60W Medium Base | 16 | 13 | 15-45 | 12" 8 FT OF ONLY DURING 19° WIRE |

*Initial Lumens.



| ITEM | TYPE | IL | RATED LUMINATION | DIM L/DIAM. | | NS (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|-----------------|-----|---------------------|------------------------------------|------|----------------------------|--------------------------|
| А | 20" Pendant | 3 x | 60W Medium Base | DIAM 20 | 19½ | 25½-61½ | 12" 8 FT OF WIRE #12mm |
| В | 12" Flush Mount | 2 x | 40W Medium Base | DIAM 12 | 73/4 | | |
| С | Wall Sconce | 1 x | 75W G9 Halogen | L 8 ³ / ₄ | 24 | E 5½ | BULBS A |

*Initial Lumens.

CEILING COLLECTIONS JUNEAU

JUNEAU





B | DVP0249 Shown in Graphite with Half Opal Glass

| ITFM | TYPF | | RATED | DIM | ENSION | NS (INCHES) | ADDITIONAL INFORMATION |
|--------|--------------|-----|---------------------|-------|--------|--------------|--|
| 111211 | | IL | LUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ABBITIONAL IN ON IATION |
| А | Small Foyer | 1 x | 100W Medium Base | 11 | 123/4 | 183/4-543/4 | 10 FT OF WIRE 19° 12' 10 FT OF WIRE 19° 12' 11' HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |
| В | Medium Foyer | 3 x | 100W Medium Base | 17 | 20½ | 26-58 | 10 FT OF WIRE 19° 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| | | | | | | | |

Page 116 ■ DVI LIGHTING ■ Page 117









B | DVP18008 Shown in Chrome

| A 16" Pendant 3 x 100W Medium 16 x 16 41/4 101/2-451/4 Figure 19° Base | F. HEIGHT ADJUSTABLE ONLY DURING NOT INSTALLATION INCLUDED |
|---|--|
| B 20" Pendant 3 x 100W Medium 20 x 20 41/4 101/2-451/4 Base | FEIGHT ADJUSTABLE ONLY DURING NOT INSTALLATION INCLUDED |





Shown in Satin Nickel

DVP18002

*If additional pipes are required make sure to order pipes in even numbers

| ITEM | TYPE | IL | RATED LUMINATION | DIME FIX L | NSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----|---------------------|---------------|----------------|--------------------------|---|
| А | 16" Semi Flush | 3 x | 100W Medium Base | 16 x 16 | 6½ | | BULBS NOT INCLUDED |
| В | Linear Pendant | 6 x | 100W Medium Base | 36¾ x 10 | 41/4 | 101/2-461/2 | 10 FT OF WIRE 10 FT |
| С | 12" Flush Mount | 3 x | 60W Medium Base | 12 x 12 | 43/4 | | BULBS NOT INCLUDED |
| D | 12" Semi Flush | 3 x | 100W Medium Base | 12 x 12 | 6½ | | BULBS NOT INCLUDED |

Shown in Chrome

Page 118 ■ DVI LIGHTING ■ Page 119







| ITEM | TYPE | RATED | DIMENSIONS (INCHES) | | | ADDITIONAL INFORMATION |
|------|------------|------------------------------------|---------------------|-------|-------|-------------------------------|
| | IIFL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INI OKNATION |
| А | Sconce | 1 x 14.5W/1200Lm*/ 3000K/CRI 80 | 121/4 | 43/4 | 31/4 | VERTICAL OR HORIZONTAL ON LED |
| В | 24" Vanity | 1x 30W/2400Lm*/ 3000K/CRI 80 | 24 | 43/4 | 31/4 | 5YR ON LED |
| С | 48" Vanity | 1 x 60W/2400Lm*/ 3000K/CRI 80 | 473/4 | 43/4 | 31/4 | 5yr ON LED |
| D | 36" Vanity | 1 x 39.5W/3200Lm*/ 3000K/CRI 80 | 33¾ | 43/4 | 31/4 | 5YR ON LED |

*Initial Lumens.

LASALLE

FINISHES & GLASS







A | DVP11321 Shown in Buffed Nickel with Prismatic Glass



Shown in Graphite with Prismatic Glass

Bulb not included

DVI's Bulb Recommendation is the 60W Carbon bulb (2200K)

For More Illumination may use 60W Clear A Lamp (2700K or 3000K)

| ITEN | M TYPE | RATED | DIM | ENSION | NS (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|---------------------|-------|--------|--------------|---|
| 1161 | 1 ITPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 14" Pendant | 3 x 60W Medium Base | 133/4 | 10½ | 153/4-513/4 | 12" 10 FT OF WIRE 19° 10 FT OF WIRE 19° 10 FT OF WIRE 10° 10° 10° 10° 10° 10° 10° 10° 10° 10° |
| В | 14" Semi Flush | 3 x 60W Medium Base | 133/4 | 113/4 | | BILBS AND NOT NOUNCLUDED |

Page 122 ■ DVI LIGHTING ■ Page 123

LEVANT CLASSIC

EVANT CLASSIC

Shown in Chrome with True Opal Glass





| ITEM | TYPE | ILI | RATED LUMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----|---------------------|--------------|-----------------|-----------------------------|---|
| А | 12" Semi Flush | 2 x | 60W Medium Base | 12 | 83/4 | | BULBS AND INCLUDED |
| В | 12" Pendant | 2 x | 60W Medium Base | 12 | 81/4 | 14-50 | BULBS 2 12" 10 FT OF WIRE 1190 11 11 11 11 11 11 11 11 11 11 11 11 11 |
| С | 8" Mini Pendant | 1 x | 100W Medium Base | 8 | 8 | 131/2-491/2 | BULBS 12" 10 FT 0F 19" 19" 10 WIRE INSTALLATION |
| D | 14" Pendant | 3 x | 60W Medium Base | 14 | 8½ | 141/4-501/4 | BULBS 12" 10 FT OF 19° 10 IT ONLY DURING WIRE 19° 10 IT ONLY DURING 10 INSTALLATION |

Shown in Satin Nickel with True Opal Glass

Page 124 ■ DVI LIGHTING ■ Page 125

LEVANT RESTORATION

■CEILING COLLECTIONS **LEVANT RESTORATION**






| ITEM | TYPE | ILI | RATED LUMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----|------------------------------|--------------|-----------------|-----------------------------|---|
| А | 14" Pendant | 3 x | 60W 'A' Clear Medium Base | 14 | 81/4 | 14-50 | 19° 10 FT OF WIRE 10° 10 FT OF WIRE 10° 10° 10° 10° 10° 10° 10° 10° 10° 10° |
| В | 8" Mini Pendant | 1 x | 60W 'A' Clear Medium Base | 8 | 8 | 13½-49½ | 19° 10 FT OF WIRE 19° 10 FT ADJUSTABLE ONLY DURING INSTALLATION |
| С | 12" Semi Flush | 2 x | 60W 'A' Clear Medium Base | 12 | 83/4 | | |
| D | 12" Pendant | 2 x | 60W 'A' Clear Medium Base | 12 | 8½ | 141/4-501/4 | 10 FT OF WIRE 19° 10 FT OF WIRE 112° HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |

■CEILING COLLECTIONS **LISBON**

LISBON





B | DVP10805 Shown in Graphite with White Shade

| ITFM | TYPF | | RATED | DIM | ENSION | NS (INCHES) | ADDITIONAL INFORMATION | |
|------|-------------|-----|---------------------|-----|--------------------------|-------------|--|--|
| | LM TIPE | | ILLUMINATION | | DIAM. FIX H TOTAL HEIGHT | | ADDITIONAL IN ORNATION | |
| А | 16" Pendant | 3 x | 100W Medium Base | 16 | 18½ | 233/4-591/4 | 12" 10 FT OF 19° 19° 10 MIRE 10 FT OF 19° 10 MIRE 10 FT OF 19° 10 MIRE | |
| В | 22" Pendant | 3 x | 100W Medium Base | 22½ | 18½ | 231/2-591/4 | 19° 19° HEIGHT ADJUSTABLE ONLY DURING INSTALLATION | |

LISBON

FINISHES & GLASS









B | DVP10812 Shown in Forged Iron with Oatmeal Shade



C | DVP10811 Shown in Graphite with White Shade



D | DVP10801 Shown in Graphite with White Shade


| ITEM | TYPE | RATED | | | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|-------------------------|----------------------|------|----------------|--|
| | | ILLUMINATION | FIX L/DIAM. FIX H TO | | TOTAL HEIGHT/E | |
| А | Mini Pendant | 1 x 60W Medium Base | Diam. 8 | 12½ | 17½-53½ | 12" 10 FT OF WIRE 19° WILLIAM ONLY DIRING INSTALLATION |
| В | 16" Semi Flush | 3 x 100W Medium Base | Diam. 16 | 81/4 | | |
| С | 12" Semi Flush | 2 x 100W Medium Base | Diam. 12 | 81/4 | | |
| D | Sconce | 1 x 60W Medium Base | L 8½ | 12 | E 31/4 | UP ONLY |

LOMBARD STREET

LOMBARD STREET

FINISHES & GLASS











B | DVP21158

| ITEM | TYPE | IL | RATED LUMINATION | DIMEN FIX L | | (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|---------------------|-----|---------------------|----------------|-------|-----------------------|--|
| Α | Large Square Foyer | 7 x | 100W Medium Base | 28½ x 28½ | 581/4 | 621/2-1341/2 | 6 FT OF CHAIN WIRE INCLUDED 45° |
| В | Medium Square Foyer | 5 x | 100W Medium Base | 25½ x 25½ | 433/4 | 47¾-120 | 6 FT OF 10 FT OF NOT NOLUCED 45° TITE HEIGHT ADJUSTABLE ONLY DURING INSTALLATION |

Page 132 ■ DVI LIGHTING ■ Page 133

FINISHES & GLASS

Bulb Not Included

Make your fixture

energy efficient by using a **DVI Vintage LED bulb**

WITH LAYERED

NATURAL WOOD

FINISHES & GLASS





Make your fixture energy efficient by using a **DVI Vintage**

WITH LAYERED



NATURAL WOOD





A | DVP21112



C | DVP21113



RATED **DIMENSIONS (INCHES)** ITEM TYPE **ADDITIONAL INFORMATION ILLUMINATION** FIX H TOTAL HEIGHT 100W Medium Α 17" Semi Flush 17 x 17 131/4 Base 100W Medium Base Foyer Semi Flush 3 x $12\frac{3}{4} \times 12\frac{3}{4}$ $16\frac{1}{2}$ 100W Medium C 22" Semi Flush 22 x 22 13 **4 x** 60W Candelabra 12 x 12 12" Semi Flush

*Initial Lumens.

| ITEM | TYPE | RATED ILLUMINATION | | DIMEI FIX L | NSIONS FIX H | (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----------------------|---------------------|----------------|-----------------|-----------------------|---|
| А | Linear Pendant | 6 x | 100W Medium Base | 42½ × 12 | 10 | 161/4-521/4 | 10 FT OF NOT NOT INCLUDED |
| В | 22" Pendant | 5 x | 100W Medium Base | 22 × 22 | 13½ | 19½-55½ | 10 FT OF NOT NOT INCLUDED HEIGHT 19° INSTALLATION |
| С | Small Foyer | 3 x | 100W Medium Base | 17½ × 17½ | 25¾ | 3U-1UZ 3 | FT OF NOT INCLUDED INSTALLATION 45° |
| | | | | | | | |

C | DVP21157

B | DVP21108

Page 134 ■ DVI LIGHTING

A | DVP21102

CEILING COLLECTIONS MILAN

FINISHES & GLASS








A | DVP5303 Shown in Buffed Nickel with Sateen White Shade



C | DVP5304 Shown in Buffed Nickel with Sateen White Shade



B | DVP5307 Shown in Buffed Nickel with Sateen White Shade







A | DVP5306 Shown in Chrome with Stardust Shade



B | DVP5308 Shown in Buffed Nickel with Sateen White Shade

| ITEM | TYPE | RATED | DII | MENSION | NS (INCHES) | ADDITIONAL INFORMATION | | |
|------|--------------|-------|---------------------|---------|---------------------------|------------------------|---|--|
| HEM | TIPE | IL | ILLUMINATION | | DIAM. FIX H TOTAL HEIGHT/ | | ADDITIONAL INFORMATION | |
| А | 16" Pendant | 3 x | 100W Medium Base | 16 | 6½ | 12½-48½ | 12" 5 FT OF WIRE ONLY DURING INSTALLATION | |
| В | 18½" Pendant | 3 x | 100W Medium Base | 18½ | 7 | 13-49 | 12" 12" 12" 19" | |

• CEILING COLLECTIONS **NEPTUNE** AC LED

CEILING COLLECTIONS NEPTUNE



Bulbs Not Included

DVI's Bulb Recommendation is the 4.2 W G9 Bi-Directional LED

DVIBLEDG9400UD 400Lm*/3000K/CRI 80+











B | DVP6872



C | DVP6873



D | DVP6874

| ITEM | TYPE | RATED | | | | S (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------|-------|-------------------|-------------|-------|----------------|---|
| | | IL | LUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT/E | |
| А | Wall Sconce | 1 x | 50W G9 Halogen | 5 | 5 | 4 | UP ONLY BULBS NOT INCLUDED |
| В | 2 Light Vanity | 2 x | 50W G9 Halogen | 10 | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY BUBS NOT INCLUDED |
| С | 3 Light Vanity | 3 x | 50W G9 Halogen | 21 | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY BULBS NOT INCLUDED |
| D | 4 Light Vanity | 4 x | 50W G9 Halogen | 27½ | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY NOT |
| Е | Mini RLED Pendant | 1 x | 20W G9 LED | Diam. 5 | 7 | 9-59 | 45° 2YR CLOTH BULB CORD INCLUDED |

*Initial Lumens.









Bulbs Included 3.5W G9LED

DVIBLEDG9250F 250Lm*/3000K/CRI 80+

NIAGARA



FINISHES & GLASS





A | DVP4410 Shown in Oil Rubbed Bronze with Clear Glass



B | DVP4411 Shown in Satin Nickel with Clear Glass

| ITEM | TYPE | RATED ILLUMINATION | DIMENSIONS (INCHES) DIAM. FIX H TOTAL HEIGHT | | | ADDITIONAL INFORMATION |
|------|-------------------|-----------------------|--|-------|-------------|---|
| A | 26" Foyer Pendant | 3 x 60W Candelabra | 10 | 22½ | 25½-54½ | 3 FT OF 10 FT OF OCH WIRE WIRE WIND WINE WINE WINE WINE WINE WINE WINE WINE |
| В | 35" Foyer Pendant | 6 x 60W Candelabra | 13½ | 301/4 | 351/4-621/4 | 6 FT OF CHAIN WIRE INCLUDED 45° |

Page 140 ■ DVI LIGHTING ■ Page 141

CEILING COLLECTIONS NIAGARA

FINISHES & GLASS















B | DVP4432 Shown in Satin Nickel with Clear Glass

| ITFM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------|---------------------------|-------|--------|--------------|--|
| | IIPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 45" Foyer Pendant | 12 x 60W Candelabra | 20 | 471/2 | 52½-159½ | 6 FT OF TOF HEAVY DUTY BULBS TRAGILE 45° CHAIN WIRE WIT MOUNTING NOT |
| В | Flush Mount | 3 x 60W Candelabra | 11½ | 11½ | | BULBS NOT INCLUDED |
| | | | | | | |

Page 142 ■ DVI LIGHTING DVI LIGHTING ■ Page 143

•CEILING COLLECTIONS NIAGARA OUTDOOR

CEILING COLLECTIONS NIAGARA OUTDOOR





C I DVP4470

*Optional Secure Kit Available for Hanging Lanterns Model Kit 4400BK 12 ft Down Rods (1 x 2', 2 x 3' and 1 x 4') w/Canopy to Replace Chain Application (Not Included)



F I *DVP4476

FINISHES & GLASS

D I DVP4471 E I DVP4472

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | S (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|---------------------------|---------------------------|--------------|--------|---------------------------|---|
| А | Small Hanging Lantern | 3 x 60W Candelabra | 101/4 | 23 | 26½-146 | 3 FT OF 10 FT OF CHAIN WIRE INCLUDED 15 15 15 15 15 15 15 15 15 15 15 15 15 |
| В | Large Hanging Lantern | 12 x 60W Candelabra | 20 | 46 1/4 | 49-169 | 6 FT OF OF ONT WIRE NOLLUDED WISE 45° |
| С | Flush Mount | 2 x 40W Medium Base | 12 | 73/4 | | OUTDOOR USE |
| D | Wall Light | 3 x 60W Candelabra | 101/4 | 21 | E 12½ | OUTDOOR BULBS OF INCLUDED |
| Е | Wall Light | 2 x 60W Candelabra | 6½ | 143/4 | E 9 | USE BUIRS NOT NOTUDED |
| F | Medium Hanging Lantern | 6 x 60W Candelabra | 133/4 | 32 | 35-154 | 3 FT OF 10 FT OF NOT CHAIN WIRE INCLUDED WAS 45° |

Page 144 ■ DVI LIGHTING ■ Page 145

CEILING COLLECTIONS OBELISK







| ITEM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|--------------------------------------|--------------|--------|--------------|------------------------------|
| | TIPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | Linear Pendant | 5 x 50W GU10 Halogen DVIBGU10502850C | L 45 x 7½ | 14 | 161/4-72 | 45° CLOTH BURS CORD INCLUDED |
| В | 6" Pendant | 1 x 50W GU10 Halogen DVIBGU10502850C | | 14 | 161/4-72 | 45° CLOTH BURS CORP INCLUDED |
| С : | 3 Light Pendant | 3 x 50W GU10 Halogen DVIBGU10502850C | Diam. 15¾ | 14 | 163/4-72 | 45° CLOTH BURS CORD INCLUDED |

Page 146 ■ DVI LIGHTING DVI LIGHTING ■ Page 147

CEILING COLLECTIONS OBERON











FINISHES & GLASS



Bulbs Not Included DVI Offers Carbon Bulbs in LED or Incandescent


A | DVP13237

| ITEM | TYPF | | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|---------|-----------------|-----|---------------------|-------|--------|--------------|---------------------------------------|
| 1112111 | 11112 | IL | LUMINATION | DIAM. | FIX H | TOTAL HEIGHT | |
| А | 7 Light Pendant | 7 x | 100W Medium Base | 19½ | 24 | 261/4-661/4 | 8 FT OF WIRE INCLUDED OF INSTALLATION |
| | | | | | | | |

Page 148 ■ DVI LIGHTING DVI LIGHTING ■ Page 149

CEILING COLLECTIONS

CEILING COLLECTIONS OBERON





| 1 | ITEM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|---|------|-----------------|--|-------------|--------|--------------|---------------------------------|
| - | IIEM | ITPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| | А | 3 Light Pendant | 3 x 100W Medium Base DVIBA19100CARB | Diam. 22 | 8 | 11-126 | 10 FT OF WIRE BULB INCLUDED |
| | В | Linear Pendant | 5 x 100W Medium Base DVIBA19100CARB | L 52 x 8 | 8 | 10-78 | 6 FT OF WIRE BULB |
| | С | 8" Mini Pendant | 1 x 100W Medium Base DVIBA19100CARB | Diam. 8 | 8 | 10-126 | 10 FT OF WIRE 45° BULB INCLUDED |
| | | | | | | | |

Page 150 ■ DVI LIGHTING ■ Page 151

CEILING COLLECTIONS

OCEAN DRIVE

• CEILING COLLECTIONS OCEAN DRIVE





| ıT | EM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|-------|----|--------------------|--------------------|----------------|--------|--------------|--|
| - ' ' | | ITPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| , | А | 6 Light Linear | 6 x 60W Candelabra | L 42¼ x 6¼ | 83/4 | 15-503/4 | 10 FT OF NOT NCLUDED 19° HEIGHT ADJUSTABLE ONLY DURING NICTURE NICTURE OF THE NOT NICTURE OF THE |
| | В | 4 Light Semi Flush | 4 x 60W Candelabra | Diam. 171⁄4 | 91/4 | | BULBS NOT INCLUDED |

*Initial Lumens.

OCEAN DRIVE

■CEILING COLLECTIONS **OCEAN DRIVE**









Bulb not included

DVI's Bulb Recommendation is the 3W T6 LED Bulb DVIBLEDE122700FL4 350Lm*/3000K/CRI 90





| ITEM | TYPE | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|--------------------|--|--------|--------------|---|
| IIEM | ITPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 4 Light Linear | 4 x 60W Candelabra | L 34" × 4 ³ / ₄ " | 71/4" | 10"-791⁄4" | BULBS T HEIGHT ADJUSTABLE ONLY DURING INSTALLATION WIRE INCLUDED INSTALLATION |
| В | Mini Pendant | 1 x 60W Candelabra | Diam. 4 ³ / ₄ | 53/4" | 81/2"-773/4" | BULBS TOF NOT |

*Initial Lumens.

Page 154 ■ DVI LIGHTING

FINISHES & GLASS






| ITEM | TYPE | RATED | DIME | NSIONS | S (INCHES) | ADDITIONAL INFORMATION |
|------|-------------------|-----------------------------------|---|--------|----------------|--|
| HEM | IIPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | Hexagonal Pendant | 6 x 11.6W/421Lm*/ 3000K/CRI 80 | Diam. 21 ³ / ₄ | 31/4 | 93/4-763/4 | 6FT TIT ADJUSTABLE ONLY DIRING INSTALLATION ON LED |
| В | Linear Pendant | 6 x 11.6W/421Lm*/ 3000K/CRI 80 | L 39½ × 10¾ | 11/4 | 73/4-743/4 | 6FT TIT ADJUSTABLE ONLY DIRING ON LED |

*Initial Lumens.

INTEGRATED LED WITH DRIVER

See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart

FINISHES & GLASS









A | DVP16243 Shown in Chrome with Clear Glass









Bulbs Provided 4.2 W G9 Bi-Directional LED

DVIBLEDG9400UD 400Lm*/3000K/CRI 80+



C | DVP16244 Shown in Graphite/Chrome with Clear Glass



D | DVP16299 Shown in Graphite/Chrome with Clear Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIMI FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|---------------|------------------|-------------------|-------------------------|
| А | 3 Light Vanity | 3 x | 20W G9 LED | 18½ | 53/4 | 43/4 | UP ONLY INCLUDED ON LED |
| В | Tall Sconce | 1 x | 20W G9 LED | 5 | 113/4 | 43/4 | UP ONLY INCLUDED ON LED |
| С | 4 Light Vanity | 4 x | 20W G9 LED | 26½ | 53/4 | 43/4 | UP ONLY BULB ON LED |
| D | Wall Sconce | 1 x | 20W G9 LED | 5 | 63/4 | 43/4 | DI BULB 2YR BULB ON LED |

*Initial Lumens.

■CEILING COLLECTIONS

OSPREY

OSPREY





■CEILING COLLECTIONS





Bulbs Provided LED GU10





A | DVP16202 Shown in Buffed Nickel/Chrome with Clear Glass

| ITEM | TYPE | RATED | DIMI | ENSION | IS (INCHES) | ADDITIONAL INFORMATION | |
|------|------------------|----------------|-------------|--------|--------------|--|--|
| | IIPL | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION | |
| А | Linear Pendant 3 | x 15W GU10 LED | 27½ x 5½ | 16 | 22½-51 | 10FT OF BOX 19° HEIGHT ADJUSTABLE BULB BULB ON LED | |
| | | | | | | | |

*Initial Lumens.



| A Mini Pendant 1 x 15W GU10 LED 5 7½ 13½-49½ B Tall Pendant 1 x 15W GU10 LED 5 15 21-57 C Midi Pendant 1 x 15W GU10 LED 5 11 17-55 Mini Pendant 1 x 15W GU10 LED 5 11 17-55 Toprof 19° IN IN INSTILLATION INCLUDED INSTI | ITEM | TYPE | IL | RATED LUMINATION | DIMI DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|--|------|--------------|-----|---------------------|---------------|-----------------|--------------------------|--|
| WIRE ON LED NISTALIATION INCLUDED ON LED NISTALIATION INCLUDED TO STORY HELD NISTALIATION INCLUDED 100 STORY HELD NISTALIATION INCLUDED 110 ST | А | Mini Pendant | 1 x | 15W GU10 LED | 5 | 7½ | 131/2-491/2 | 10 FI OF DOY & N M NOTITED CI ONLY DOKING BOLB |
| C Midi Pendant 1 x 15W GU10 LED 5 11 17-55 | В | Tall Pendant | 1 x | 15W GU10 LED | 5 | 15 | 21-57 | |
| | С | Midi Pendant | 1 x | 15W GU10 LED | 5 | 11 | 17-55 | 10 FT OF WIRE BOX SOLUTION ON LED ONLY DURING BULB BULB BULB BOX STALLARDON INCLUDED |

*Initial Lumens.

■CEILING COLLECTIONS **PICCADILLY**



A | DVP4818

| ITEM | TYPE | RATED ILLUMINATION | DIN DIAM. | IENSIOI FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|--------------------|--------------|------------------|-----------------------------|---|
| А | 18" Pendant | 3 x 50W G9 Halogen | 18 | 23½ | 29½-65½ | 12" 5 FT OF ONLY DURING ONLY DURING INSTALLATION WIRE |
| В | 9" Mini Pendant | 1 x 50W G9 Halogen | 9 | 13½ | 19½-55½ | 12" ST OF REIGHT ADJUSTABLE 199 WIRE |



B | DVP4822

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | NS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|-----------------|-----------------------------|------------------------|
| А | 12" Semi Flush | 3 x 50W G9 Halogen | 12 | 123/4 | | |
| В | 22½" Pendant | 5 x 50W G9 Halogen | 22½ | 22 | 28-64 | 12" 5 FT OF WIRE 199 |
| С | 16" Semi Flush | 3 x 50W G9 Halogen | 16 | 15 | | - |
| | | | | | | |

Page 162 ■ DVI LIGHTING DVI LIGHTING ■ Page 163

RIVER HEIGHTS

RIVER HEIGHTS

FINISHES & GLASS







Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra Bulb

DVIBLEDE122700CT24 400Lm*/2700K/CRI 90





Page 164 ■ DVI LIGHTING ■ Page 165

RIVER HEIGHTS

RIVER HEIGHTS

FINISHES & GLASS



Bulb not included

DVI's Bulb Recommendation is the LED GU10




A I DVP5919

| | | _ | |
|--|---|-----|----|
| | | | |
| | | | |
| | 4 | | |
| | | | |
| |] | No. | |
| | | | |
| | F | Δ Ι | D' |

| | | / | ١. | |
|--|--|---|----|--|
| | | | | |
| | | | | |
| | | | | |

| TVDE | | RATED | DIMENSIONS (INCHES) | | | ADDITIONAL INFORMATION | |
|-----------------|----------------------|---------------------|------------------------|------------------------------|--------------------------|--|--|
| IIPL | ILL | LUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION | |
| 4" Mini Pendant | 1 x | 50W GU10 Halogen | 4 | 11 | 17-53 | # 13mm 12" 8 FT OF WIRE 190 10 MINE 190 10 MINE 10 M | |
| | | | | | | | |
| | TYPE 4" Mini Pendant | ILL | ILLUMINATION 50W GU10 | ILLUMINATION DIAM. 50W GU10 | ILLUMINATION DIAM. FIX H | ILLUMINATION DIAM. FIX H TOTAL HEIGHT 50W GU10 | |

FINISHES & GLASS



A I DVP5912

TYPE

RATED | DIMENSIONS (INCHES) | DIAM. FIX H | TOTAL HEIGHT

A 37" Foyer Pendant | 6 x | 60W Candelabra | 19½ | 37 | 42-149

B 30" Foyer Pendant | 3 x | 60W Candelabra | 17½ | 30 | 35-142

B I DVP5911


Page 166 ■ DVI LIGHTING ■ Page 167

CEILING COLLECTIONS **SALISH**











| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|---------------------------|--------------|-----------------|--------------------------|--|
| А | Pendant | 1 x 60W Candelabra | 8 | 91/4 | 113/4-833/4 | 6 FT BULBS AND THEIGHT ADJUSTABLE ONLY DURING INSTALLATION |
| В | 3 Light Cluster | 3 x 60W Candelabra | 151/4 | 14½ | 173/4-893/4 | 6 FT BULBS AND THEIGHT ADJUSTABLE ONLY DURING INSTALLATION TO INSTALLATION |
| С | 7 Light Cluster | 7 x 60W Candelabra | 203/4 | 16½ | 193/4-913/4 | 6 FT CLOTH BULBS AT THEIGHT ADJUSTABLE ONLY DURING INSTALLATION INSTALLATION |
| | | | | | | |

*Initial Lumens.

SCHOOLHOUSE





| ITEM | TYPE | IL | RATED LUMINATION | DIMI DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|---------------|-----------------|--------------------------|--|
| А | 16" Pendant | 1 x | 150W Medium Base | 16 | 14 | 20-56 | 5 FT OF WIRE INSTALLATION 19° IN BOX |
| В | 14" Pendant | 1 x | 150W Medium Base | 14 | 123/4 | 183/4-543/4 | 5 FT OF WIRE ONLY DURING ONLY DURING SHOOT ONLY DURING SHOT |
| С | 14" Semi Flush | 1 x | 150W Medium Base | 14 | 18 | | |
| | | | | | | | (1774/1) |

CEILING COLLECTIONS SEVILLE AC LED

SEVILLE AC LED





| | DVP18298 | | |
|--------|----------|--|--|
| \cup | DVP10290 | | |

| ITEM | TYPE | | RATED | DIME | NSIONS | (INCHES) | ADDITIONAL INFORMATION | |
|------|----------------|-----|--------------------------------|---------------|--------|--------------|--|--|
| HEM | IIPE | Ш | LLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | | |
| А | Linear Pendant | 1 x | 30W/2400Lm*/ 3000K/CRI 80 | L 35½ × 6¾ | 43/4 | 103/4-451/4 | 10 FT OF WIRE ON LED 19° 1275 HEIGHT ADJUSTABLE ONLY DURING INSTALLATION | |
| В | 17" Pendant | 1 x | 13.5W/1200Lm*/ 3000K/CRI 80 | Diam. 17¼ | 5 | 103/4-451/4 | 10 FT OF WIRE ON LED 19° ON STALLATION | |
| С | 23" Pendant | 1 x | 31.5W/2800Lm*/ 3000K/CRI 80 | Diam. 22½ | 5 | 103/4-451/4 | 10 FT OF WIRE ON LED 19° 10° HEIGHT ADJUSTABLE ONLY DURING INSTALLATION | |
| D | 23" Semi Flush | 1 x | 31.5W/2800Lm*/ 3000K/CRI 80 | Diam. 22½ | 7 | | 5 YR ON LED | |
| Е | 17" Semi Flush | 1 x | 13.5W/1200Lm*/ 3000K/CRI 80 | Diam. 17¼ | 7 | | 5 YR ON LED | |

*Initial Lumens.

■CEILING COLLECTIONS

SHADOWBOX

CEILING COLLECTIONS SHADOWBOX

C | DVP13121









| ITEM | TYPE | RATED ILLUMINATION F | DIME | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|------------------------------|--------|------|--------------------------|---|
| А | 6 Light Linear | 6 x 50W G9 Halogen 29 |) x 9½ | 83/4 | 143/4-503/4 | 12" ADJUSTABLE DOLLY DURING INSTALLATION INSTALLATION WIRE INSTALLATION |
| | | | | | | |



| ITEM | TYPE | RATED DII | | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|------------|------------------------------------|--------|----------------------------|--|
| А | Pendant | 8 x 50W G9 Halogen 15½ x 15 | 5½ 39½ | 44½-151½ | 45° U12" BULBS 110 FT 0F WIRE CHAIN |
| В | Pendant | 4 x 50W G9 Halogen 15½ x 15 | 5½ 11¼ | 161/4-521/4 | 12" HEIGHT ONLY DURING ONLY DURING NOT INSTALLATION INSTALLATION NICE OF THE PROPERTY OF THE P |
| С | 5" Pendant | 1 x 50W G9 Halogen 5½ x 5 | 5½ 12¼ | 171/4-531/4 | #12" #12" HEIGHT ABLE BULBS #10FT OF ONLY DURING NOT 10 FT OF WIRE |
| | | | | | |

Page 174 ■ DVI LIGHTING ■ Page 175

CEILING COLLECTIONS **SOLSTICE**

















A | DVP0511 Shown in Graphite with Half Opal Glass

| ITEM | TYPE | TYPE RATED DIMENSIONS (INCHES) ILLUMINATION DIAM. FIX H TOTAL HEIGHT | | | | ADDITIONAL INFORMATION | |
|------|-----------------|--|--------------------|----|------|------------------------|--|
| А | 12" Flush Mount | 2 x | 60W Medium Base | 12 | 33/4 | | |
| В | 16" Flush Mount | 3 x | 60W Medium Base | 16 | 4½ | | |

Page 176 ■ DVI LIGHTING ■ Page 177

■CEILING COLLECTIONS

SOLSTICE









B | DVP0522 Shown in Chrome with Half Opal Glass

A | DVP0501 Shown in Chrome with Half Opal Glass







Bulb not included

DVI's Bulb Recommendation is the 3.5W G9 LED Bulb

DVIBLEDG9250F 250Lm*/3000K/CRI 80+



C | DVP0543 Shown in Satin Nickel with Half Opal Glass



D | DVP0544 Shown in Satin Nickel with Half Opal Glass



E | DVP0555 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|--|
| А | Wall Sconce | 1 x 75W G9 Halogen | 7½ | 5 | 31/4 | UP ONLY INCLUDED |
| В | 2 Light Vanity | 2 x 75W G9 Halogen | 151/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| С | 3 Light Vanity | 3 x 75W G9 Halogen | 221/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| D | 4 Light Vanity | 4 x 75W G9 Halogen | 301/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| Е | 5 Light Vanity | 5 x 75W G9 Halogen | 38 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY NOT INCLUDED |

CEILING COLLECTIONS SPARXX







| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|------------------|---------------------------|--------------|-----------------|--------------------------|---|
| А | 22" Pendant | 6 x 50W G9 Halogen | 22 | 8 | 14-50 | 8 FT OF WIRE ONLY DURING 19° EXTRAS NOT INSTALLATION INSTALLATION |
| В | 16" Pendant | 6 x 50W G9 Halogen | 16 | 6½ | 121/2-481/2 | 8 FT OF WIRE INSTALLATION INSTALLATION INCLUDED |
| С | 18½" Pendant | 6 x 50W G9 Halogen | 18½ | 71/4 | 131/4-491/4 | 8 FT OF WIRE INSTALLATION INSTALLATION INCLUDED |
| D | 6½" Mini Pendant | 2 x 50W G9 Halogen | 6½ | 113/4 | 18¾-53¾ | 8 FT OF WIRE INSTALLATION INSTALLATION INCLUDED |

Page 180 ■ DVI LIGHTING ■ Page 181

CDADAY

CEILING COLLECTIONS SPARXX







Bulb not included

DVI's Bulb Recommendation is the 50W G9 Halogen Bulb



A | DVP8511



C | DVP8517



B | DVP8512



D | DVP8501

| | | | DIME | NICIONI | CANCUEC. | |
|------|-----------------|---------------------------|--------------|---------|---------------------------|---|
| ITEM | TYPE | RATED ILLUMINATION | | | S (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | 12" Semi Flush | 3 x 50W G9 Halogen | Diam. 12 | 8 | | +1 EXTRA BULBS (CLASS NOT INCLUDED INCLUDED) |
| В | 16" Semi Flush | 6 x 50W G9 Halogen | Diam. 16 | 9½ | | +1 EXTRA BULBS GLASS NOT INCLUDED INCLUDED |
| С | 18½" Semi Flush | 6 x 50W G9 Halogen | Diam. 18½ | 10½ | | +1 EXTRA BULBS GLASS NOT INCLUDED INCLUDED |
| D | Wall Sconce | 2 x 50W G9 Halogen | L 12 | 6½ | E 6 | +1 EXTRA BULBS GLASS NOT INCLUDED INCLUDED UP ONLY |

Page 182 ■ DVI LIGHTING ■ Page 183

CEILING COLLECTIONS


SWIZZLE











B | DVP23444

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | | (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|------------|---------------------------|--------------|------|----------------------------|-------------------------------------|
| А | 24" Vanity | 4 x 50W G9 Halogen | 23½ | 73/4 | 43/4 | UP ONLY INCLUDED INCLUDED |
| В | 36" Vanity | 6 x 50W G9 Halogen | 35½ | 73/4 | 43/4 | UP ONLY INCLUDED INCLUDED |
| С | 36" Linear | 5 x 50W G9 Halogen | 35½ x 7 | 93/4 | 133/4-493/4 | 10 FT 0F WIRE INSTALLATION INCLUDED |
| | | | | | | |

TRILOGY









A | DVP5814





C | DVP5816

| ITEM | TYPE | RATED ILLUMINATION | DIMI DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|----------------------|---------------|----|-----------------------------|------------------------|
| А | 16" Semi Flush | 3 x 100W Medium Base | 16 | 8½ | | |
| В | 12" Semi Flush | 2 x 100W Medium Base | 12 | 7 | | |
| С | 18½" Semi Flush | 3 x 100W Medium Base | 18½ | 9½ | | |
| | | | | | | |

Page 186 ■ DVI LIGHTING DVI LIGHTING ■ Page 187


CEILING COLLECTIONS

TRILOGY

CEILING COLLECTIONS TRILOGY







DVI's Bulb Recommendation is the 3.5W G9 LED Bulb

DVIBLEDG9250F 250Lm*/3000K/CRI 80+



FINISHES & GLASS

B | DVP5822







C | DVP5843



D | DVP5844



E | DVP5855

| ITEM | TYPE | RATED ILLUMINATION | DIMI FIX L | ENSIONS FIX H | FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|---------------|------------------|-------|---------------------------------|
| А | Wall Sconce | 1 x 75W G9 Halogen | 61/4 | 61/4 | 53/4 | VERTICAL OR HORZONTAL INCLUDED |
| В | 2 Light Vanity | 2 x 75W G9 Halogen | 15 | 61/4 | 53/4 | VEHTICAL OR HORZONTAL INCLUDED |
| С | 3 Light Vanity | 3 x 75W G9 Halogen | 23½ | 61/4 | 53/4 | VERTICAL OR HORIZONTAL INCLUDED |
| D | 4 Light Vanity | 4 x 75W G9 Halogen | 321/4 | 61/4 | 53/4 | VERTICAL OR HORZONTAL INCLUDED |
| Е | 5 Light Vanity | 5 x 75W G9 Halogen | 41 | 61/4 | 53/4 | VERTICAL OR HORIZONTAL BULBS XX |



| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----------------------------|--------------|-----|--------------------------|---|
| А | 18½" Pendant | 3 x 100W Medium Base | 18½ | 12½ | 18½-54½ | 0 st 2mm 5 FT OF WIRE 1990 INSTALLATION |
| В | 5" Mini Pendant | 1 x 100W Medium Base | 5 | 12 | 18-54 | 19° st 2mm 5 FT 0F WIRE 4 ST 27 ST HEIGHT 19° st 27 |
| С | 22½" Pendant | 3 x 100W Medium Base | 22½ | 12 | 18½-54½ | 012mm 5 FT OF WIRE 1990 INSTALLATION |
| D | 16" Pendant | 3 x 100W Medium Base | 16 | 11½ | 17½-53½ | |

Page 188 ■ DVI LIGHTING ■ Page 189

■CEILING COLLECTIONS

UNION STATION







| ITEM | TYPE | IL | RATED LUMINATION | DIME FIX L/DIAM. | | (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|---------------------|-------|--------------------------|--|
| А | Tall Pendant | 1 x | 100W Medium Base | Diam. 5 | 143/4 | 203/4-563/4 | 19° HEIGHT [*] IS* 10 FT OF WIRE 19° I I I I HEIGHT [*] IS* ONLY DURING INSTALLATION |
| В | Mini Pendant | 1 x | 100W Medium Base | Diam. 5 | 10 | 18-52 | 10 FT OF WIRE 19° 13mm WIRE 19° 13mm WIRE 19° 13mm WIRE 19° 13mm WIRE 19° 10° 10° 10° 10° 10° 10° 10° 10° 10° 10 |
| С | Linear Pendant | 3 x | 100W Medium Base | L 31½ x 5 | 143/4 | 203/4-563/4 | 10 FT OF WIRE 45° WIRE 10 STALLATION |
| | | | | | | | |

UPTOWN

■CEILING COLLECTIONS











A | DVP1112 Shown in Oil Rubbed Bronze with Half Opal Glass



B | DVP1113 Shown in Chrome with Half Opal Glass





C | DVP1105 Shown in Chrome with Half Opal Glass

| A Mini Pendant 1 x 100W Medium Base 43/4 91/4 151/4-511/4 | ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|---|------|--------------|-----------------------------|--------------|-----------------|----------------------------|--|
| # 12010 WIRE UNSTALLATION A | А | Mini Pendant | 1 x 100W Medium Base | 43/4 | 91/4 | 151/4-511/4 | Limit 5 FT OF Lillionly During Value |
| C 1816" Pendant 3 x 100W Medium Base 1816 716 1316-4916 | В | 16" Pendant | 3 x 100W Medium Base | 16 | 7½ | 13½-49½ | |
| 1572 Terroration Wile admin Base 1672 772 1572 1572 1572 1572 1572 1572 157 | С | 18½" Pendant | 3 x 100W Medium Base | 18½ | 7½ | 13½-49½ | U SFLOF D ONLY DURING D |

Page 192 ■ DVI LIGHTING ■ Page 193

URBAN COTTAGE

URBAN COTTAGE






| ITEM | TYPE | RATED ILLUMINATION | DIMI DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|---------------|-------------------------|---------------|-----------------|--------------------------|-------------------------------------|
| А | Foyer Pendant | 6 x 100W Medium Base | 24 | 54 | 60-126 | 6 FT OF WIRE UNCLUDED |
| | | | | | | |
| В | Foyer Pendant | 4 x 100W Medium Base | 24 | 351/4 | 41-107 | 3 FT OF UNITE SULB SULB SULB SULDED |

URBAN COTTAGE

URBAN COTTAGE



| A Linear Pendant 2 x 100W 12" T10 48 x 18 13 ³ / ₄ 18 ³ / ₄ -120 | ITEM | TYPE | ILI | RATED LUMINATION | DIMI FIX L | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|---|------|----------------|-----|---------------------|---------------|-----------------|--------------------------|---|
| | А | Linear Pendant | 2 x | | 48 x 18 | 133/4 | 18¾-120 | 10 FT OF WIRE ONLY DRING BULB INSTALLATION INCLUDED |



| ITEM | TYPE | RATED | | | | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|-------|------------------------|---------------|-------|--------------|--|
| | | IL | LUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT | |
| А | Linear Pendant | 2 x | 100W 12" T10 Carbon | L 36 x 14½ | 11 | 22-52½ | 10 FT OF WIRE ONLY DURING BULB INSTALLATION INCLUDED |
| В | 26" Pendant | 4 x | 100W 5" T10 Carbon | Diam. 26 | 22 | 28-631/4 | 10 FT OF WIRE 19° 10° 11° 11° 11° 11° 11° 11° 11° 11° 11 |
| С | Semi Flush | 4 x | 100W 5" T10 Carbon | Diam. 25½ | 181/4 | | BULB INCLUDED |
| | | | | | | | |

Page 196 ■ DVI LIGHTING ■ Page 197

■CEILING COLLECTIONS

VIDALIA

■CEILING COLLECTIONS

VIDALIA









Shown in Graphite





B | DVP22647 Shown in Chrome



Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra Bulb

DVIBLEDE122700CT24 400Lm*/2700K/CRI 90



C | DVP22648 Shown in Autumn Gold

| ITEM | TYPE | RATED | DIME | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|------------------------------|-----------|---------|--------------|---|
| | TIPE | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 8 Light Pendant | 8 x 60W Candelabra | 22 x 22 | 35½ | 39-111 | 6 FT OF CHAIN WIRE 45° TI TI THEIGHT ADJUSTABLE BULBS ONLY DURING NOT INSTALLATION INCLUDED |
| В | 3 Light Pendant | 3 x 60W Candelabra | 12½ x 12½ | 193/4 | 231/2-553/4 | 6 FT OF CHAIN WIRE 45° TI TI THEIGHT ADJUSTABLE BULBS ONLY DURING NOT INSTALLATION INCLUDED |
| С | 6 Light Pendant | 6 x 60W Candelabra | 16¾ x 16¾ | 29 | 32½-66½ | 6 FT OF CHAIN WIRE 45° TI TI THEIGHT ADJUSTABLE BULBS ONLY DURING NOT INSTALLATION INCLUDED |
| | | | | | | |

*Initial Lumens.

CEILING COLLECTIONS

WOODSTOCK







B | DVP14706 Shown in Chrome with Optic Glass Inserts

| B 18½" Pendant 6 x 50W G9 Halogen 18½ 10¼ 16¼-52¼ IIII Pendant 1 x 50W GU10 5 15¼ 21¼-57¼ | ITEM | TYPE | RATED ILLUMINATION | DIMI DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|---|------|-----------------|---------------------------|---------------|-----------------|-----------------------------|-------------------------------------|
| B 1872 Peridant 6 x 50 VV G9 Halogeri 1872 1074 1674-5274 | А | 15" Pendant | 3 x 50W G9 Halogen | 15 | 101/4 | 161/4-521/4 | |
| | В | 18½" Pendant | 6 x 50W G9 Halogen | 18½ | 101/4 | 161/4-521/4 | 8 FT OF U ONLY DURING NOT NOT |
| | С | 5" Mini Pendant | 1 x 50W GU10 Halogen | 5 | 151/4 | 211/4-571/4 | |

■CEILING COLLECTIONS

WOODSTOCK

FINISHES & GLASS









DVI's Bulb Recommendation is the 50W G9 Halogen Bulb




A | DVP14712 Shown in Graphite with Optic Glass Inserts



B | DVP14711 Shown in Chrome with Optic Glass Inserts

| ı | ITEM | TYPE | RATED ILLUMINATION | DIME FIX L/DIAM. | | (INCHES) FIX E | ADDITIONAL INFORMATION |
|---|------|----------------|-----------------------|---------------------|------|-------------------|------------------------|
| | А | 15" Semi Flush | 3 x 50W G9 Halogen | Diam. 15 | 93/4 | | BULBS NOT INCLUDED |
| | В | 12" Semi Flush | 3 x 50W G9 Halogen | Diam. 12 | 73/4 | | BULBS NOT INCLUDED |
| | | | | | | | |



Page 202 ■ DVI LIGHTING ■ Page 203

SS OP Silkscreened Opal Glass

ZURICH



FINISHES & GLASS





A | DVP14549 Shown in Chrome with Silkscreened Opal Glass



SS OP Silkscreened Opal Glass

B | DVP14547 Shown in Satin Nickel with Silkscreened Opal Glass



C | DVP14548 Shown in Satin Nickel with Silkscreened Opal Glass

| ITEM | TYPE | TYPE RATED DIMENSIONS (INCHES) | | | | ADDITIONAL INFORMATION | |
|------|-------------------|--------------------------------|-------|-------|--------------|---|--|
| | IIPL | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION | |
| А | 18" Foyer Pendant | 6 x 100W Medium Base | 18 | 30 | 36-70 | 15 FT OF BOX IN BOX IN INSTALLATION INCLUDED | |
| В | 10" Foyer Pendant | 4 x 100W Medium Base | 10 | 151/4 | 211/4-571/4 | 10 FT OF BOX IN BOX IN INSTALLATION INCLUDED | |
| С | 13" Foyer Pendant | 6 x 100W Medium Base | 13 | 21 | 27-63 | 10 FT OF WIRE 19° IN BOX 10 INSTALLATION INCLUDED | |
| | | | | | | | |

Page 204 ■ DVI LIGHTING ■ Page 205

FINISHES & GLASS









A | DVP14506 Shown in Chrome with Silkscreened Opal Glass



B | DVP14511 Shown in Graphite with Silkscreened Opal Glass



C | DVP14508 Shown in Chrome with Silkscreened Opal Glass



D | DVP14532 Shown in Satin Nickel with Silkscreened Opal Glass



E | DVP14512 Shown in Chrome with Silkscreened Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----------------------------|--------------|-----------------|--------------------------|--|
| А | 16" Pendant | 3 x 100W Medium Base | 16 | 5 | 11-47 | 19° 19° A O'S' 21'S' HEIGHT ADJUSTABLE ONLY DURING TO FT OF WIRE |
| В | 14" Semi Flush | 3 x 100W Medium Base | 14 | 83/4 | | |
| С | 20" Pendant | 3 x 100W Medium Base | 20 | 5 | 11-47 | 119° 119° 119° 119° 119° 119° 119° 119° |
| D | 12" Flush Mount | 3 x 60W Medium Base | 12 | 43/4 | | |
| E | 16" Semi Flush | 3 x 100W Medium Base | 16 | 83/4 | | |

FINISHES & GLASS







A | DVP14543 Shown in Satin Nickel with Silkscreened Opal Glass



| ITEM | TYPE | RATED | | | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|----------------------------|-------|-------|----------|--|
| | | ILLUMINATION | FIX L | FIX H | FIX E | |
| А | 3 Light Vanity | 3 x 100W T3 Halogen | 251/4 | 61/4 | 3½ | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY |
| В | 4 Light Vanity | 4 x 100W T3 Halogen | 36 | 61/4 | 3½ | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY |





FLUSH MOUNTS















A | DVP9030 Shown in Chrome with Half Opal Glass



B | DVP9040 Shown in Chrome with Half Opal Glass

| | ITEM | TYPE | RATED DIMENSIONS (INCHES) ILLUMINATION DIAM. FIX H TOTAL HEIGHT | | ADDITIONAL INFORMATION | | |
|-----|------|-----------------|---|-------|------------------------|--------------|--------------------------------------|
| - 1 | | | ILLOPINATION | DIAM. | ГІЛ П | TOTAL REIGHT | |
| | А | 12" Flush Mount | 1 x 60W Medium Base | 12 | 31/2 | | OK (EFFICIENT ALTERNATIVES |
| | В | 16" Flush Mount | 2 x 60W Medium Base | 16 | 31/2 | | OK (ENFICY & ENFICIENT ALTERNATIVES |
| | | | | | | | |



Page 210 ■ DVI LIGHTING DVI LIGHTING ■ Page 211

FINISHES & GLASS







A | DVP22313 Shown as flushmount



A | DVP22313 Shown as wall mount



See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart

| ITEM | TYPF | RATED | DIMI | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|--------------------------|----------------------------------|-------|--------|--------------|------------------------|
| IIEM | ITPE | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 15" Round Flush Mount | 1 x 50W/4000Lm*/ 3000K/CRI 80 | 15 | 11/2 | | SYR ON LED |
| | | | | | | |

*Initial Lumens.

Page 212 ■ DVI LIGHTING ■ Page 213

FINISHES & GLASS







A | DVP10348 Shown in Chrome with Silkscreened Opal Glass



INTEGRATED DRIVERLESS LED

See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart



B | DVP10338 Shown in Buffed Nickel with Silkscreened Opal Glass

| ITFM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|----------------------------------|---------|--------|--------------|------------------------|
| IIEM | | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT | |
| А | 12" Flush Mount | 1 x 16W/1600Lm*/ 3000K/CRI 80 | 12 x 12 | 3 | | OK (SYR ON LED |
| В | 10" Flush Mount | 1 x 12W/900Lm*/ 3000K/CRI 80 | 10 × 10 | 3 | | OK (SYR ON LED |

*Initial Lumens.

Page 214 ■ DVI LIGHTING

0







| DVP1034 |
|--------------|
| 1 D V P 1034 |

| ITEM | TYPE | RATED ILLUMINATION | DIMI FIX L | ENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|------------------------------|---------------|-----------------|--------------------------|------------------------|
| А | 10" Flush Mount | 1 x 100W/78mm/ T3 Halogen | 10 x 10 | 3 | | OK (|
| В | 12" Flush Mount | 1 x 100W/78mm/ T3 Halogen | 12 x 12 | 3 | | OK (|
| С | 14" Flush Mount | 3 x 60W/A19/ Medium base | 14 x 14 | 4 1/2 | | OK (|
| | | | | | | |

Page 216 ■ DVI LIGHTING ■ Page 217

KII

FINISHES & GLASS









A | DVP5432 Shown in Graphite with Half Opal Glass











A | DVP18032 Shown in Satin Nickel with Silkscreened

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|----------------------------|--------------|------|--------------------------|------------------------|
| А | 12" Flush Mount | 3 x 60W Medium Base | 12 x 12 | 43/4 | | BUBS AND NOT NOLUDED |
| | | | | | | |

Page 218 ■ DVI LIGHTING ■ Page 219





| ı | ITEM | TYPE | RATED ILLUMINATION | DIMI FIX L | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|---|------|-----------------|------------------------------------|---------------|----|--------------------------|---------------------------------|
| Ī | А | 12" Flush Mount | 1 x 38.5W/3000Lm*/ 3000K/CRI 80 | 12 x 12 | 3½ | | SYR OK (VERTICAL OR HORIZONTAL |
| | В | 24" Linear | 1 x 30W/2400Lm*/ 3000K/CRI 80 | 24 x 61/4 | 3½ | | 5YR OK (VERTICAL OR HORIZONTAL |

*Initial Lumens.

Page 220 ■ DVI LIGHTING ■ Page 221

•FLUSH MOUNT ORINOCO

FINISHES & GLASS









Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra Bulb

DVIBLEDE122700CT24 400Lm*/2700K/CRI 90



A | DVP4432 Shown in Satin Nickel with Clear Glass



A | DVP4432 Shown in Oil Rubbed Bronze with Clear Glass

| ITEM | TYPE | RATED ILLUMINATION | DIMI | ADDITIONAL INFORMATION | | |
|------|-----------------|-----------------------|----------|------------------------|--------------|---------|
| А | 11½ Flush Mount | 3 x 60W Candelabra | 21, (111 | 111/2 | TOTAL HEIGHT | BULBS X |
| | | | | | | |

FINISHES & GLASS









A I DVP1442



B I DVP1432

| ITFM | TYPF | RATED | DIMI | ENSION | IS (INCHES) | ADDITIONAL INFORMATION | |
|------|-----------------|----------------------------|-------|------------------------|-------------|--|--|
| IIEM | ITPE | ILLUMINATION | DIAM. | AM. FIX H TOTAL HEIGHT | | ADDITIONAL INFORMATION | |
| А | 16" Flush Mount | 3 x 60W Medium Base | 16 | 5 | | ENERGY BULBS X | |
| В | 12" Flush Mount | 2 x 60W Medium Base | 12 | 4 | | ENFRGY B BUBS WE SETTICENT NOT ALTERNATIVES INCLUDED | |

Page 222 ■ DVI LIGHTING ■ Page 223

FLUSH MOUNT **VALLETTA**

FINISHES & GLASS













A | DVP0511 Shown in Graphite with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | | DIMI DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-----------------|-----------------------|--------------------|---------------|------|-----------------------------|------------------------|
| А | 12" Flush Mount | 2 x | 60W Medium Base | 12 | 33/4 | | |
| В | 16" Flush Mount | 3 x | 60W Medium Base | 16 | 41/2 | | |









A | DVP0832 Shown in Mocha with Half Opal Glass



B | DVP0842 Shown in Satin Nickel with Half Opal Glass

| ITFM | TYPE | | RATED | | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|--------------|--------------------|-------|--------|--------------|------------------------|
| | | ILLUMINATION | | DIAM. | FIX H | TOTAL HEIGHT | |
| А | 12" Flush Mount | 1 x | 60W Medium Base | 12 | 31/4 | | OK (|
| В | 15" Flush Mount | 2 x | 60W Medium Base | 15 | 31/4 | | OK RICHARITIES |

Page 224 ■ DVI LIGHTING ■ Page 225

FINISHES & GLASS









B | DVP14532 Shown in Satin Nickel with Silkscreened Opal Glass

| ITEM | TYPE | RATED | DIM | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|----------------------------|-------|--------|--------------|------------------------|
| | | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | 12" Flush Mount | 3 x 60W Medium Base | 12 | 43/4 | | |
| | | | | | | |



Page 226 ■ DVI LIGHTING ■ Page 227







ABBEY ROAD AC LED











| ITEM | TYPE | RATED ILLUMINATION | | ENSIONS (| • | ADDITIONAL INFORMATION |
|------|--------------|---------------------------------|-------|-----------|-------|--------------------------------|
| | | ILLUMINATION | FIX L | FIX H | FIX E | |
| A | Short Sconce | 1x 4.5W/600Lm*/ 3000K/CRI 80 | 7 | 83/4 | 211/4 | 8 FT OF HARDWIRE ON LED |
| В | Long Sconce | 1x 4.5W/600Lm*/ 3000K/CRI 80 | 7 | 83/4 | 45 | 8 FT OF HARDWIRE ON LED ON LED |

B | DVP21397

*Initial Lumens.

ABBEY ROAD







| ITFM | TYPF | RATED | DIMI | ENSIONS (| INCHES) | ADDITIONAL INFORMATION |
|------|--------------|-------------------------------------|-------|-----------|---------|----------------------------------|
| | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Long Sconce | 1 x 50W G9 Halogen DVIBG9753500C | 7 | 83/4 | 45 | 8 FT OF WIRE INCLUDED OF PLUG IN |
| В | Short Sconce | 1 x 50W G9 Halogen DVIBG9753500C | 7 | 83/4 | 211/4 | 8 FT OF NOT NOT NOT OR PLUG IN |


FINISHES & GLASS





A | DVP6301

| ITE | M | TYPE | RATED ILLUMINATION | DIN FIX L | | IS (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|-----|----|-------------|--------------------|--------------|----|----------------------------|---------------------------|
| A | Λ. | Wall Sconce | 2 x 50W G9 Halogen | 8 | 16 | E 4 | BULBS NOT NOT INCLUDED |
| | | | | | | | |



Page 234 ■ DVI LIGHTING DVI LIGHTING ■ Page 235

ARGONAUT AC LED











A | DVP19991



B | DVP19993



| ITEM | TYPE | RATED ILLUMINATION | DIMI FIX L | ENSIONS (I FIX H | NCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|------------------------------------|---------------|---------------------|-----------------|--|
| А | Wall Sconce | 10.5W/800Lm*/ 3000K/CRI 80 | 7 | 113/4 | 4½ | |
| В | 24" LED Vanity | 1 x 30W/2400Lm*/ 3000K/CRI 80 | 24 | 5 | 33/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ON LED |
| С | 36" LED Vanity | 1 x 44.5W/3600Lm*/ 3000K/CRI 80 | 35¾ | 5 | 33/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP DNLY ON LED |
| | | | | | | |



FINISHES & GLASS







A | DVP19901



| ITEM | TYPE | RATED | DIMENSIONS (INCHES) | | | ADDITIONAL INFORMATION |
|------|-----------------|------------------------------------|---------------------|-------|-------|--|
| | TEM TIPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Wall Sconce | Max 1 x 100W Medium Base | 7 | 113/4 | 41/2 | |
| В | 3 Light Vanitty | Max 3 x 75W G9 Halogen | 24 | 5 | 33/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS NOT INCLUDED |
| С | 4 Light Vanity | Max 4 x 75W G9 Halogen | 353/4 | 5 | 33/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS BULBS NOT NCLUDED |
| | | | | | | |

*Initial Lumens.



VANITY & SCONCE COLLECTIONS AURORA





| ITEM | TYPE | IL | RATED LUMINATION | DIME FIX L | ENSIONS (FIX H | INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|---------------|--------------------|------------------|------------------------|
| А | Wall Sconce | 1 x | 100W Medium Base | 43/4 | 9½ | 8 | UP OR DOWN |
| В | 2 Light Vanity | 2 x | 100W Medium Base | 14 | 9½ | 8 | UP OR DOWN |
| С | 3 Light Vanity | 3 x | 100W Medium Base | 24 | 9½ | 8 | UP OR DOWN |
| D | 4 Light Vanity | 4 x | 100W Medium Base | 331/2 | 9½ | 8 | LP OR DOWN |

Page 240 ■ DVI LIGHTING DVI LIGHTING ■ Page 241

■VANITY & SCONCE COLLECTIONS **BAKER STREET BAKER STREET**











Bulbs Provided 2 60W Carbon bulb

For More Illumination may use 60W Clear A Lamp (2700K or 3000K)



Bulbs Provided 2 60W T10 12" Carbon Bulbs



A| DVP15601 Shown in Graphite/Chrome with Clear Glass



| ITEM | 1 TYPE | RATED | DIM | IENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-------------|----------------------------|-------|----------|----------|---|
| | 1 ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Wall Sconce | 2 X 100W Medium Base | 6 | 16 | 7 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS NO JUNCTION BOX REPTICAL PRIZONTAL BULB INCLUDED |
| В | Wall Sconce | 2 x 100W 12" T10 Carbon | 61/4 | 271/2 | 6¾ | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS OR OR OR OR OR OR OR OR OR O |
| | | | | | | |



Page 242 ■ DVI LIGHTING DVI LIGHTING ■ Page 243

VANITY & SCONCE COLLECTIONS **BEAUSOLEIL**

BEAUSOLEIL

FINISHES & GLASS



DVI's Bulb Recommendation is the 50W G9 Halogen





A I DVP0743



B I DVP0744

| ITEM | TYPE | RATED | DIM | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|-------|---------|----------|------------------------|
| | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | 3 Light Vanity | 3 X 60W G9 Halogen | 211/4 | 7½ | 5 | BULBS UP ONLY |
| В | 4 Light Vanity | 4 X 60W G9 Halogen | 351/4 | 7½ | 5 | BULBS UP ONLY |
| | | | | | | |




Page 244 ■ DVI LIGHTING DVI LIGHTING ■ Page 245

•VANITY & SCONCE COLLECTIONS **BRANDT**

BRANDT

FINISHES & GLASS









A | DVP21001



Bulb not included

DVI Offers 5" & 12" T10 Carbon Bulbs in LED or Incandescent 2200K

| ITFM | TYPF | RATED | | | NS (INCHES) | ADDITIONAL INFORMATION |
|------|-------------|----------------------|-------------------------------------|-------|----------------|------------------------|
| | EM TIPE | ILLUMINATION | L/DIAM. | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | Wall Sconce | 1 x 100W Medium Base | L 10 ³ / ₄ | 12½ | E 31/4 | BULBS NOT INCLUDED |
| | | | | | | |

Page 246 ■ DVI LIGHTING ■ Page 247

■VANITY & SCONCE COLLECTIONS **DIAMOND**

DIAMOND











A I DVP42403



B I DVP42404



C I DVP42405 Not Available in Chrome

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----------------------------|--------------|------------------|-------------------|---|
| А | 3 Light Vanity | 3 X 100W Medium Base | 24 | 7½ | 6 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS PERMITS JUPIN A LITERIATIVES |
| В | 4 Light Vanity | 4 X 100W Medium Base | 30 | 7½ | 6 | NO JUNCTION BOX REQUIRED UP OR DOWN NEERBY FERMITS PERMITS THE STATEMATIVES |
| С | 5 Light Vanity | 5 X 100W Medium Base | 48 | 7½ | 6 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS VALUE MATTER ALTERNATIVES |
| | | | | | | |



Page 248 ■ DVI LIGHTING DVI LIGHTING ■ Page 249

ECLIPSE SCONCE COLLECTIONS







A | DVP5863










| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|---|
| А | Wall Sconce | 2 x 75W G9 Halogen | 5½ | 13½ | 3½ | BULBS NOT INCLUDED WHERE CODE PERMITS |
| В | 4 Light Vanity | 2 x 75W G9 Halogen | 251/4 | 6 | 3½ | BULBS NO JUNCTION BOX REQUIRED WHERE CODE PERMITS |
| С | 5 Light Vanity | 5 x 75W G9 Halogen | 361/4 | 61/4 | 3½ | BULBS NOT INCLUDED WHERE CODE PERMITS |
| D | Wall Sconce | 2 x 50W G9 Halogen | 12 | 5½ | 6½ | BUISS NOT INCLUDED |

Page 250 ■ DVI LIGHTING DVI LIGHTING ■ Page 251















A | DVP9022 Shown in Oil Rubbed Bronze with Butterscotch Glass



B | DVP9043 Shown in Oil Rubbed Bronze with Butterscotch Glass



C | DVP9044 Shown in Chrome with Half Opal Glass



D | DVP9055 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | | DIM FIX L | DIMENSIONS (INCHES) FIX L FIX H FIX E | | ADDITIONAL INFORMATION |
|------|----------------|--------------------|---------------------|--------------|---------------------------------------|------|---|
| А | 2 Light Vanity | 2 x | 100W Medium Base | 14 | 5 | 71/2 | NO JUNCTION BOX REQUIRED UP ONLY PERMITS |
| В | 3 Light Vanity | 3 x | 100W Medium Base | 211/4 | 5 | 71/2 | NO JUNCTION BOX REQUIRED UP ONLY PERMITS |
| С | 4 Light Vanity | 4 x | 100W Medium Base | 25½ | 5 | 71/2 | NO JUNCTION BOX REQUIRED WHERE CODE UP ONLY PERMITS |
| D | 5 Light Vanity | 5 x | 100W Medium Base | 413/4 | 5 | 7½ | NO JUNCTION BOX REQUIRED UP ONLY PERMITS |

FINISHES & GLASS

ESSEX













FINISHES & GLASS



A | DVP9001 Shown in Oil Rubbed Bronze with Half Opal Glass



B | DVP9062 Shown in Buffed Nickel with Half Opal Glass



C | DVP9063 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | | · · · · · · · · · · · · · · · · · · · | | ADDITIONAL INFORMATION | |
|------|-------------|-----------------------|---------------------|---------------------------------------|----|------------------------|---------|
| А | Wall Sconce | 1 x | 100W Medium Base | 5 | 7½ | 5 | UP ONLY |
| В | Wall Sconce | 1 x | 100W Medium Base | 5 | 9½ | 5 | UP ONLY |
| С | Wall Sconce | 1 x | 100W Medium Base | 5 | 14 | 5 | UP ONLY |

Page 254 ■ DVI LIGHTING ■ Page 255

VANITY & SCONCE COLLECTIONS FIREFLY











A | DVP18501 Shown in Graphite with Half Opal Glass

B | DVP18544 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED | DI | MENSIO | NS (INCHES) | ADDITIONAL INFORMATION |
|-----------|----------------|---------------------------|-------|--------|----------------|------------------------|
| TIEM TIPE | TIPE | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | Wall Sconce | 3 x 75W G9 Halogen | 73/4 | 17 | E 6¾ | UP ONLY INCLUDED |
| В | 4 Light Vanity | 4 x 75W G9 Halogen | 29 | 81/4 | E 71/4 | UP ONLY INCLUDED |

Page 256 ■ DVI LIGHTING DVI LIGHTING ■ Page 257

GEORGETOWN



FINISHES & GLASS







B | DVP7222 Shown in Chrome with Half Opal Glass

C | DVP7243 Shown in Buffed Nickel with Half Opal Glass




A | DVP7201 Also Available in Graphite Shown in Chrome with Half Opal Glass

D | DVP7244 Shown in Buffed Nickel with Half Opal Glass

| ITEM | TYPE | IL | RATED ILLUMINATION | | ENSION: FIX H | S (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|-----------------------|------|------------------|---------------------|---------------------------------------|
| А | Wall Sconce | 1 x | 100W Medium Base | 51/4 | 91/4 | 53/4 | LP OR DOWN |
| В | 2 Light Vanity | 2 x | 100W Medium Base | 14½ | 91/4 | 53/4 | □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ |
| С | 3 Light Vanity | 3 x | 100W Medium Base | 22½ | 91/4 | 53/4 | LP OR DOWN |
| D | 4 Light Vanity | 4 x | 100W Medium Base | 31 | 10 | 53/4 | \(\sigma\) UP OR DOWN \(\sigma\) |

Page 258 ■ DVI LIGHTING ■ Page 259

VANITY & SCONCE COLLECTIONS **HAIDA**











A | DVP10501 Shown in Satin Nickel with Half Opal Glass



B | DVP10553 Shown in Chrome with Half Opal Glass



C | DVP10554 Shown in Satin Nickel with Half Opal Glass

| A Wall Sconce 1 x 75W G9 Halogen L 5½ 5½ E 6¾ B 3 Light Vanity 3 x 75W G9 Halogen 21½ 5½ 6¾ C 4 Light Vanity 4 x 75W G9 Halogen 35½ 5½ 6¾ C 4 Light Vanity 4 x 75W G9 Halogen 35½ 5½ 6¾ C 4 Light Vanity 4 x 75W G9 Halogen 35½ 5½ 6¾ C 9 Halogen 35½ 5½ 6¾ C 9 Halogen 35½ 5½ 6¾ C 9 Halogen 35½ 5½ 6¾ | ITEM | TYPE | RATED ILLUMINATION | DIMI FIX L | ENSION FIX H | S (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|--|------|----------------|---------------------------|---------------|-----------------|-------------------------|------------------------|
| ▼ INCLUDED PERMITS △ | А | Wall Sconce | 1 x 75W G9 Halogen | L 5½ | 5½ | E 6¾ | |
| C 4 Light Vanity 4 x 75W G9 Halogen 35½ 5½ 6¾ | В | 3 Light Vanity | 3 x 75W G9 Halogen | 21½ | 5½ | 63/4 | NOI WHEE CODE |
| ▽ Nicluoto | С | 4 Light Vanity | 4 x 75W G9 Halogen | 35½ | 5½ | 63/4 | UP OR DOWN BULBS |

HYPERION AC LED













INTEGRATED DRIVERLESS LED

See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart





B | DVP8194


| ITFM | TYPE | RATED | DIMENSIONS (INCHES) | | | ADDITIONAL INFORMATION | |
|------|------------|------------------------------------|---------------------|------|-------------------------------|---|--|
| | ITPE | ILLUMINATION | FIX L FIX H FIX E | | FIX E | ADDITIONAL INFORMATION | |
| А | 24" Vanity | 1x 30W/2400Lm*/ 3000K/CRI 80 | 23¾ | 53/4 | 33/4 | NO_JUNCTION BOX REQUIRED VIPE CODE UP ONLY ON LED | |
| В | 36" Vanity | 1 x 44.5W/3600Lm*/ 3000K/CRI 80 | 36 | 53/4 | 3 ³ / ₄ | NO_UNCTION BOX REQUIRED WHERE CODE PERMITS UP ON LED V | |



Page 262 ■ DVI LIGHTING DVI LIGHTING ■ Page 263

HYPERION T3













B I DVP8143

| | ITEM | TYPE | | RATED DIMENSIONS (INC | | | INCHES) | ADDITIONAL INFORMATION | |
|--|------|--------------------|-----|-----------------------|------------|-------|---------|--|------------------------|
| | | | III | ILL | LUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| | А | 24" Light Vanity | 3 x | 100W T3 Halogen | 233/4 | 53/4 | 33/4 | NO_UNCTION BOX FECURED WHISE CODE PERMITS UP ONLY | |
| | В | 36" 4 Light Vanity | 4 x | 100W T3 Halogen | 36 | 53/4 | 33/4 | NO_JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY | |



Page 264 ■ DVI LIGHTING ■ Page 265

VANITY & SCONCE COLLECTIONS **KELOWNA**

KELOWNA









FINISHES & GLASS





A | DVP1242 Shown with Half Opal Glass

| ITEM | TYPE | RATED | DIME | ENSIONS (| INCHES) | ADDITIONAL INFORMATION |
|------|-------------|----------------------|-------|-----------|---------|--|
| | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Wall Sconce | 2 x 100W Medium Base | 8 | 12 | 4 | ENERGY & MULTIPLE EFFICIENT FINISHES AUTHORITIES FOR FINIALS |
| | | | | | | |

KII AC LED







| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|------------|------------------------------------|--------------|------------------|-------------------|-------------------------------|
| А | Sconce | 1 x 14.5W/1200Lm*/ 3000K/CRI 80 | 121/4 | 43/4 | 31/4 | VERTICAL OR HORIZONTAL ON LED |
| В | 24" Vanity | 1x 30W/2400Lm*/ 3000K/CRI 80 | 24 | 43/4 | 31/4 | 5YR ON LED |
| С | 48" Vanity | 1x 60W/2400Lm*/ 3000K/CRI 80 | 473/4 | 43/4 | 31/4 | 5 YR 5 YR |
| D | 36" Vanity | 1 x 39.5W/3200Lm*/ 3000K/CRI 80 | 333/4 | 43/4 | 31/4 | 5yr ONLED |

*Initial Lumens.

VANITY & SCONCE COLLECTIONS KINGSWAY

KINGSWAY

FINISHES & GLASS





A | DVP7131



C | DVP7142

| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | ENSIONS (FIX H | INCHES) FIX E | ADDITIONAL INFORMATION |
|------|-------------|-----------------------|---------------|--------------------|------------------|----------------------------------|
| А | Wall Sconce | 1 x 100W T3 Halogen | 7 | 153/4 | 31/2 | ENERGY & FEFTCIENT AITEMATING |
| В | Wall Sconce | 1 x 100W T3 Halogen | 7 | 113/4 | 31/2 | ENERGY EFFICIENT AUTENITIES |
| С | Wall Sconce | 1 x 100W Medium Base | 7 | 113/4 | 31/2 | ENERGY OF EFFICIENT ALTERNATIVES |
| | | | | | | |

Page 270 ■ DVI LIGHTING ■ Page 271

FINISHES & GLASS













INTEGRATED DRIVERLESS LED

See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart

A | DVP23301

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|----------------------------------|--------------|------------------|-------------------|---|
| А | Outdoor Sconce | 2 x 4.5W/400Lm*/ 3000K/CRI 80 | 5 | 7 | 5 | LP OR DOWN OK VERTICAL OR HORIZONTAL ON LED USE |
| | | | | | | |

*Initial Lumens.

LEXINGTON













Bulb not included

DVI's Bulb Recommendation is the 6W Carbon LED Bulb in 2700K









B | DVP22743 Shown in Chrome with Clear Glass



C | DVP22744 Shown in Satin Nickel with Clear Glass

| ITEM | TYPE | IL | RATED LUMINATION | DIME FIX L | NSIONS (I FIX H | INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----|---------------------|---------------|--------------------|------------------|------------------------|
| А | Wall Sconce | 1 x | 100W Medium Base | 51/4 | 93/4 | 7½ | DOWN NOT INCLUDED |
| В | 3 Light Vanity | 3 x | 100W Medium Base | 25 | 101/4 | 5 | DOWN NOT NUCLUDED |
| С | 4 Light Vanity | 4 x | 100W Medium Base | 351/4 | 101/4 | 5 | DOWN NOT NOT NUCLUED |

Page 274 ■ DVI LIGHTING ■ Page 275

LONGBOW









FINISHES & GLASS

A | DVP2022 Shown in Buffed Nickel with Half Opal Glass



B | DVP2043 Shown in Chrome with Half Opal Glass



C | DVP2044 Shown in Buffed Nickel with Half Opal Glass

| A 2 Light Vanity 2 x 100W Medium Base 14 8 7 B 3 Light Vanity 3 x 100W Medium Base 21 3/4 8 7 | RMATION | ADDITIONAL INFO | DIMENSIONS (INCHES) FIX L FIX H FIX E | | | RATED ILLUMINATION | | TYPE | ITEM |
|--|---------|-----------------|---------------------------------------|---|--------|---------------------|-----|----------------|------|
| B 3 Light Vanity 3 X Base 21 3/4 8 / | | | 7 | 8 | 14 | | 2 x | 2 Light Vanity | А |
| 1001//// | | | 7 | 8 | 21 3/4 | | 3 x | 3 Light Vanity | В |
| C 4 Light Vanity 4 x Base 30½ 8 7 | | | 7 | 8 | 30½ | 100W Medium Base | 4 x | 4 Light Vanity | С |

MEGA VANGUARD








E | DVP1760

Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | ENSIONS (FIX H | INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|----------------------------|---------------|--------------------|------------------|------------------------|
| А | Wall Sconce | 1 x 100W T3 Halogen | 9 | 6 | 31/4 | BULBS WINDING INCLUDED |
| В | 2 Light Vanity | 2 x 100W T3 Halogen | 193/4 | 6 | 31/4 | BURS NOT INCLUDED |
| С | 3 Light Vanity | 3 x 100W T3 Halogen | 28¾ | 6 | 31/4 | BULBS WIND IN INCLUDED |
| D | 4 Light Vanity | 4 x 100W T3 Halogen | 381/4 | 6 | 31/4 | BULBS WINDLED |
| Е | 5 Light Vanity | 5 x 100W T3 Halogen | 48½ | 6 | 31/4 | BULBS NOT WICLIOED |

VANITY & SCONCE COLLECTIONS NARVIK

NARVIK









B | DVP3922




A | DVP3902





D | DVP3944

| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | ENSIONS (FIX H | INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|---------------|--------------------|------------------|--|
| А | Wall Sconce | 1 x 50W G9 Halogen | 5 | 5½ | 51/4 | NO_JUNCTION BOX REQUIRED WHERE CODE WHERE CODE PERMITS UP ONLY |
| В | 2 Light Vanity | 2 x 50W G9 Halogen | 15 | 5½ | 51⁄4 | NO_JUNCTION BOXREGURED WHERE CODE WHERE CODE PERMITS UP ONLY |
| С | 3 Light Vanity | 3 x 50W G9 Halogen | 24 | 5½ | 5½ | NO_JUNCTION BOX RECURED WHIERE CODE WHERE CODE PERMITS UP ONLY |
| D | 4 Light Vanity | 4 x 50W G9 Halogen | 35½ | 5½ | 5½ | NO_JUNCTION BOX RECURED WHERE CODE WHERE CODE PERMITS UP ONLY |



Page 280 ■ DVI LIGHTING ■ Page 281

VANITY & SCONCE COLLECTIONS **NEPTUNE**

NEPTUNE



Bulbs Not Included

DVI's Bulb Recommendation is the 4.2 W G9 Bi-Directional LED

DVIBLEDG9400UD 400Lm*/3000K/CRI 80+







A | DVP6871



B | DVP6872



C | DVP6873



D | DVP6874

| ITEM | TYPE | IL | RATED LUMINATION | | | (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|-------------------|-----|---------------------|------------|---|-------------------------|--|
| А | Wall Sconce | 1 x | 50W G9 Halogen | 5 | 5 | 4 | UP ONLY BULBS NOT NOCLUDED |
| В | 2 Light Vanity | 2 x | 50W G9 Halogen | 10 | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY BULBS NOT INCLUDED |
| С | 3 Light Vanity | 3 x | 50W G9 Halogen | 21 | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY NOT INCLUDED |
| D | 4 Light Vanity | 4 x | 50W G9 Halogen | 27½ | 5 | 4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| Е | Mini RLED Pendant | 1 x | 20W G9 LED | Diam. 5 | 7 | 9-59 | 45° DON LED COUTH BULB INCLUDED |



Page 282 ■ DVI LIGHTING





B | DVP16201 Shown in Buffed Nickel/Chrome with Clear Glass







A | DVP16243 Shown in Chrome with Clear Glass









C | DVP16244 Shown in Graphite/Chrome with Clear Glass



D | DVP16299 Shown in Graphite/Chrome with Clear Glass

| ITEM | TYPE | RATED ILLUMINATION | | DIMENSIONS (INCHES) FIX L FIX H FIX E | | | ADDITIONAL INFORMATION |
|------|----------------|--------------------|------------|---------------------------------------|-------|------|------------------------|
| А | 3 Light Vanity | 3 x | 20W G9 LED | 18½ | 53/4 | 43/4 | UP ONLY INCLUDED |
| В | Tall Sconce | 1 x | 20W G9 LED | 5 | 113/4 | 43/4 | UP ONLY INCLUDED |
| С | 4 Light Vanity | 4 x | 20W G9 LED | 26½ | 53/4 | 43/4 | UP ONLY INCLUDED |
| D | Wall Sconce | 1 x | 20W G9 LED | 5 | 63/4 | 43/4 | UP ONLY INCLUDED |

*Initial Lumens.

PRINCETON











A | DVP2199 Also Available in Graphite Shown in Chrome with Half Opal Glass



C | DVP2143 Shown in Chrome with Half Opal Glass



D | DVP2144 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|---|
| А | Wall Sconce | 1 x 75W G9 Halogen | 6 | 113/4 | 7 | UP OR DOWN WHERE CODE PERMITS NOT. NOLUDED |
| В | 2 Light Vanity | 2 x 75W G9 Halogen | 15 | 43/4 | 6½ | UP OR DOWN BOX FEQUIPED BULBS IN NOT INCLUDED |
| С | 3 Light Vanity | 3 x 75W G9 Halogen | 231/4 | 43/4 | 6½ | UP OR DOWN BOX FEQUIPED BULBS VENT HERE CODE NOT PERMITS INCLUDED |
| D | 4 Light Vanity | 4 x 75W G9 Halogen | 32 | 43/4 | 6½ | UP OR DOWN BOX FEQUIPED BULBS AND NOT PERMITS |



Page 286 ■ DVI LIGHTING ■ Page 287

VANITY & SCONCE COLLECTIONS SIMCOE

SIMCOE

FINISHES & GLASS







A | DVP12172

| ITEM | TYPF | RATED | DIME | ENSIONS (| INCHES) | ADDITIONAL INFORMATION |
|------|-------------|----------------------|-------|-----------|---------|------------------------------|
| | IIPL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Wall Sconce | 1 x 100W Medium Base | 81⁄4 | 73/4 | 4 | MULTIPLE UP ONLY FOR FINIALS |
| | | | | | | |



Page 288 ■ DVI LIGHTING ■ Page 289

VANITY & SCONCE COLLECTIONS **SOLSTICE**

SOLSTICE

FINISHES & GLASS





B | DVP0522 Shown in Chrome with Half Opal Glass



A | DVP0501 Shown in Chrome with Half Opal Glass







Bulb not included

DVI's Bulb Recommendation is the 3.5W G9 LED Bulb

DVIBLEDG9250F 250Lm*/3000K/CRI 80+



C | DVP0543 Shown in Satin Nickel with Half Opal Glass



D | DVP0544 Shown in Satin Nickel with Half Opal Glass



E | DVP0555 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|---|
| А | Wall Sconce | 1 x 75W G9 Halogen | 7½ | 5 | 31/4 | UP ONLY BULBS WITH INCLUDED |
| В | 2 Light Vanity | 2 x 75W G9 Halogen | 151/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| С | 3 Light Vanity | 3 x 75W G9 Halogen | 221/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |
| D | 4 Light Vanity | 4 x 75W G9 Halogen | 301/4 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS NO JUNCTION BULBS BULBS UP ONLY INCLUDED |
| E | 5 Light Vanity | 5 x 75W G9 Halogen | 38 | 5 | 31/4 | NO JUNCTION BOX REQUIRED WHERE CODE PERMITS UP ONLY INCLUDED |

VANITY & SCONCE COLLECTIONS **SWIZZLE**

SWIZZLE

FINISHES & GLASS





Bulb not included


DVI's Bulb Recommendation is the 50W G9 Halogen Bulb DVIBG9503500C



A | DVP23443



| ITEM | 1 TYPE RATED | | DIM | IENSIONS (I | INCHES) | ADDITIONAL INFORMATION |
|------|--------------|---------------------------|-------|-------------|---------------|---------------------------|
| HEM | TIPE | ILLUMINATION | FIX L | FIX H T | OTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | 24" Vanity | 4 x 50W G9 Halogen | 23½ | 73/4 | 43/4 | UP ONLY INCLUDED INCLUDED |
| В | 36" Vanity | 6 x 50W G9 Halogen | 35½ | 73/4 | 43/4 | UP ONLY INCLUDED INCLUDED |



Page 292 ■ DVI LIGHTING

VANITY & SCONCE COLLECTIONS **TIDES**













A | DVP15743 Shown with Chrome Holders



B | DVP15744 Shown with Graphite Holders

| ITEM | ITEM TYPE RATED | | DIM | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|---------------------|-------|---------|----------|---|
| | IIPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | 3 Light Vanity | 3 x 100W T3 Halogen | 24 | 6 | 4½ | MULTIPLE BULBS NO_UNCTION BOR FEOURED WHERE CODE PERMITS |
| В | 4 Light Vanity | 4 x 100W T3 Halogen | 32 | 6 | 4½ | MULTIPLE BULBS AND NOJUNCTION BURST NOT UP ONLY FOR FINALS WICLUDED PERMITS |

VANITY & SCONCE COLLECTIONS **TRILOGY**





FINISHES & GLASS



B | DVP5822





C | DVP5843

A | DVP5899



D | DVP5844



E | DVP5855

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|---------------------------|--------------|------------------|-------------------|--|
| А | Wall Sconce | 1 x 75W G9 Halogen | 61/4 | 61/4 | 53/4 | VERTICAL OR HORIZONTAL INCLUDED |
| В | 2 Light Vanity | 2 x 75W G9 Halogen | 15 | 61/4 | 53/4 | VERTICAL BULBS NOT |
| С | 3 Light Vanity | 3 x 75W G9 Halogen | 23½ | 61/4 | 53/4 | VERTICAL OR HORIZONTAL INCLUDED |
| D | 4 Light Vanity | 4 x 75W G9 Halogen | 321/4 | 61/4 | 53/4 | VERTICAL OR BULBS AND NOT INCLUDED |
| E | 5 Light Vanity | 5 x 75W G9 Halogen | 41 | 61/4 | 53/4 | VERTICAL BILLES OF HORIZONTAL INCLUDED |

Page 296 ■ DVI LIGHTING ■ Page 297

VANITY & SCONCE COLLECTIONS VANGUARD HALF OPAL T3

■ VANITY & SCONCE COLLECTIONS VANGUARD HALF OPAL T3



DVI's Bulb Recommendation is the T3-78mm LED bulb









A | DVP1755 Shown in Satin Nickel with Half Opal Glass



B | DVP1744 Shown in Chrome with Half Opal Glass



C | DVP1743 Shown in Chrome with Half Opal Glass



D | DVP1722 Shown in Satin Nickel with Half Opal Glass



E | DVP1701 Shown in Chrome with Half Opal Glass

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|----------------|-----------------------|--------------|------------------|-------------------|---|
| А | 5 Light Vanity | 5 x 100W T3 Halogen | 421/4 | 41/4 | 23/4 | NO JUNCTION BOXXEQUIRED BUILBS WHERE COODE NOT PERMITS INCLUDED |
| В | 4 Light Vanity | 4 x 100W T3 Halogen | 31 | 41/4 | 23/4 | NO JUNCTION BOXXEQUIRED BUILBS DUBY WHERE COOLE PERMITS NOT |
| С | 3 Light Vanity | 3 x 100W T3 Halogen | 223/4 | 41/4 | 23/4 | NO JUNCTION BOXREQUIRED WHERE CODE NOT PERMITS |
| D | 2 Light Vanity | 2 x 100W T3 Halogen | 151/4 | 41/4 | 23/4 | NO JUNCTION BOXREQUIRED WHERE CODE NOT PERMITS |
| Е | Wall Sconce | 1 x 100W T3 Halogen | 7 | 41/4 | 23/4 | NO JUNCTION BOXXEQUIRED WHERE COOLE ON NOT PERMITS INCLUDED |





■VANITY & SCONCE COLLECTIONS VANGUARD AC LED

















INTEGRATED DRIVERLESS LED

A | DVP1791

B | DVP1792



See **Page 354-355** For Dimmer Compatibility and

Page 356 For Lumen-Wattage Conversion Chart





D | DVP1794



E | DVP1795


| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | IENSIONS FIX H | FIX E | ADDITIONAL INFORMATION |
|------|----------------|--|--------------|-------------------|-------|---|
| А | Wall Sconce | 1 x 10.5W/800Lm*/ 3000K/CRI 80 | 7 | 41/4 | 23/4 | 5yr NO.JINCTION SOURCE BUILDS WHERE CODE NOT INCLUDED |
| В | 2 Light Vanity | 2 x 10.5W/800Lm*/ 3000K/CRI 80 | 151/4 | 41/4 | 23/4 | 5yr No Junction Box Required Bulbs Where Code Not Permits Nocuded |
| С | 3 Light Vanity | 3 x 10.5W/800Lm*/ 3000K/CRI 80 | 223/4 | 41/4 | 23/4 | 5yr No.JINCTION BOX REQUIRED BULBS NOT PERMITS NO.JINCTION NO.JINCTION BOX REQUIRED BULBS NO.JINCTION |
| D | 4 Light Vanity | 4 x 10.5W/800Lm*/ 3000K/CRI 80 | 31 | 41/4 | 23/4 | 5yr NO.JINCTION BOX REQUIRED BURBS NOT PERMITS NICOLOGE |
| E | 5 Light Vanity | 5 x \frac{10.5W/800Lm*/}{3000K/CRI 80} | 421/4 | 41/4 | 23/4 | UP ONLY ON LED WORKERUNED BUBS PERMITS ON INCLUDED |

VANITY & SCONCE COLLECTIONS **ZURICH**
















| ITEM | TYPE | TVDE RATED | | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|---------------------|-------|---------|----------|--|
| | IIPL | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INI OKNATION |
| А | 3 Light Vanity | 3 x 100W T3 Halogen | 251/4 | 61⁄4 | 3½ | NO.JUNCTION BOX FECURED WHERE CODE PERMITS BULBS NOT NCLUDED |
| В | 4 Light Vanity | 4 x 100W T3 Halogen | 36 | 61⁄4 | 3½ | NOJUNCTION BOX FECURED WHERE CODE PERMITS NOT NOLUBED |
| | | | | | | |









OUTDOOR COLLECTIONS



OUTDOOR COLLECTIONS ARIEL

OUTDOOR COLLECTIONS **ARIEL**





B | DVP6273


| ITEM | TYPE | RATED ILLUMINATION | | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|--------------------|----------------------|----|------------------|-------------------|--|
| А | 14½" Outdoor Light | 1 x 60W Medium Base | 5 | 14½ | 7 | OUTDOOR SERVICE SERVIC |
| В | 19" Outdoor Light | 1 x 100W Medium Base | 8½ | 19 | 10 | OUTDOOR SERVICE SERVIC |
| С | 15" Outdoor Light | 1 x 60W Medium Base | 6 | 15 | 8 | OUTDOOR SERVICE SERVIC |
| | | | | | | |

Page 306 ■ DVI LIGHTING DVI LIGHTING ■ Page 307

OUTDOOR COLLECTIONS BEACON HILL AC LED

FINISHES & GLASS










INTEGRATED DRIVERLESS LED

See **Page 354-355** For Dimmer Compatibility and **Page 356** For Lumen-Wattage Conversion Chart







C | DVP20376



A | DVP20372

| ITEM | TYPE | RATED | DIME | ENSIONS | (INCHES) | ADDITIONAL INFORMATION | |
|------|---------------|----------------------------------|------------------------------------|---------|----------------|--|--|
| IIEM | ITPE | ILLUMINATION | FIX L/DIAM. | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION | |
| А | Large Sconce | 2 x 7.5W/600Lm*/ 3000K/CRI 80 | L 4 ³ / ₄ | 193/4 | E 53/4 | UP ONLY UN ED PARTS UN ED PAR | |
| В | Medium Sconce | 2 x 4.5W/400Lm*/ 3000K/CRI 80 | L 4 ³ / ₄ | 153/4 | E 41/2 | UP ONLY INLED PARTS USE | |
| С | Medium Foyer | 6 x 7.5W/600Lm*/ 3000K/CRI 80 | Diam. 12½ | 22½ | 26½-98 | FOR THE INTERPRETATION OF THE INTERPRETATION | |
| | | | | | | | |

Page 308 ■ DVI LIGHTING DVI LIGHTING ■ Page 309

OUTDOOR COLLECTIONS

DIE CAST ALUMINUM CONSTRUCTION

CARDIFF

FINISHES & GLASS











C | DVP142014

A | DVP142015




E | DVP142000

D | DVP142020

| | _ | RATED | DII | MENSION | NS (INCHES) | |
|------|----------------------------|----------------------|---------|---------|----------------|------------------------|
| ITEM | M TYPE ILLUMINATION | | FIX L | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | Medium Hanging Chain | 1 x 100W Medium Base | 7½ | 12 | 16-52 | 3 FT OF CHAIN WIRE |
| В | Outdoor Light Medium | 1 x 100W Medium Base | 7½ | 12½ | E 9½ | OUTDOOR USE |
| С | Outdoor Post Top Medium | 1 x 100W Medium Base | 7½ x 7½ | 17½ | | USE |
| D | Outdoor Light Large | 1 x 100W Medium Base | 8½ | 153/4 | E 10 | OUTDOOR USE |
| Е | Outdoor Light Small | 1 x 60W Medium Base | 5½ | 93/4 | E 63/4 | OUTDOOR USE |

OUTDOOR COLLECTIONS CHINOOK













C | DVP19371



LED GU10 **Bulbs Provided**

DVIBLEDGU103K400G050 440Lm*/3000K/CRI 90

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|-----------------------------|--|--------------|------------------|-------------------|-----------------------------|
| А | RLED Outdoor Wall Sconce | 4 x 50W GU10 Halogen OR 7W GU10 LED | 43/4 | 113/4 | 5 | BULB OR INCLUDED HORIZONTAL |
| В | RLED Outdoor Wall Sconce | 2 x 50W GU10 Halogen OR 7W GU10 LED | 61/4 | 173/4 | 61/4 | BULB HORIZONTAL WSE |
| С | RLED Outdoor Wall Sconce | 1 x 50W GU10 Halogen OR 7W GU10 LED | 61/4 | 173/4 | 61/4 | BULB HORIZONTAL SKY |

B | DVP19372













FINISHES & GLASS







B | DVP9075

| ITFM | TYPE | RATED | DIMI | ENSION | IS (INCHES) | ADDITIONAL INFORMATION |
|------|--------------------------|---------------------|-------|--------|--------------|--|
| | IIPL | ILLUMINATION | DIAM. | FIX H | TOTAL HEIGHT | ADDITIONAL INFORMATION |
| А | Large Hanging Lantern | 2 x 60W Medium Base | 13¾ | 32 | 35-154 | 6 FT OF 10 FT OF CHAIN WIRE 45° TIME INSTALLATION WISE |
| В | Small Hanging Lantern | 1 x 60W Medium Base | 101/4 | 23 | 26½-146 | 3 FT OF 10 FT OF CHAIN WIRE 45° TILL THEIGHT ADJUSTABLE OUS USE OINSTALLATION WISE |

OUTDOOR COLLECTIONS ESSEX









A | DVP9071







D | DVP9074



B | DVP9072

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | FIX E | ADDITIONAL INFORMATION |
|------|-----------------------|-----------------------|--------------|------------------|-------|------------------------|
| А | Outdoor Wall Sconce 1 | x 100W Medium Base | 5 | 7½ | 5 | DUTDOOR USE UP ONLY |
| В | Outdoor Wall Sconce 1 | x 100W Medium Base | 5 | 9½ | 5 | UP ONLY |
| С | Outdoor Wall Sconce 1 | x 100W Medium Base | 5 | 14 | 5 | UP ONLY |
| D | Outdoor Wall Sconce 1 | x 100W Medium Base | 5 | 20 | 5 | UP ONLY |

Page 316 ■ DVI LIGHTING DVI LIGHTING ■ Page 317

■OUTDOOR COLLECTIONS

FOREST HILL

FOREST HILL

FINISHES & GLASS







Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra

Bulb DVIBLEDE122700CT24 400Lm*/2700K/CRI 90





A | DVP26078

| | ITEM | TYPE | RATED ILLUMINATION | DIMEI FIX L | NSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|----------------------|------|------|-----------------------|----------------|-----------------|-------------------|--|
| CHAIN WITE INCODED 5 | А | | 4 x 60W Candelabra | 10½ x 10½ | 183/4 | 183/4-503/4 | 6 FT OF 10 FT OF NOT WIRE INCLUDED BOX UNDER USE |







Bulb not included

DVI's Bulb Recommendation is the 4W LED Candelabra

Bulb DVIBLEDE122700CT24 400Lm*/2700K/CRI 90





B | DVP26072

| ITFM | TYPE RATED | | DIME | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|-----------------|--------------------|-------|---------|----------|------------------------|
| IIEM | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | 8½" Wall Mount | 2 x 60W Candelabra | 83/4 | 13 | 10½ | BULES OUTDOOR USE USE |
| В | 10½" Wall Mount | 4 x 60W Candelabra | 103/4 | 14½ | 12½ | UP ONLY BUILDS WE USE |

*Initial Lumens.

*Initial Lumens.

Page 318 ■ DVI LIGHTING ■ Page 319

FINISHES & GLASS











A | DVP15771

| ITEM | TYPE | RATED DIMENSIONS (INCHES) ILLUMINATION FIX I FIX H FIX F | | | | ADDITIONAL INFORMATION |
|------|----------------|--|----|--------------------------------|------|----------------------------|
| А | Outdoor Sconce | 1 x 50W Medium Base | 5½ | 13 ³ / ₄ | 51/2 | BULB USE UF OR DOWN ON LED |
| | | | | | | INCLUDED TO THE OWN LED |

*Initial Lumens.

Page 320 ■ DVI LIGHTING

OUTDOOR COLLECTIONS **HEXAGON**



| | T\/D= | RATED | DI | IS (INCHES) | | |
|------|--------------------------|----------------------|-------|-------------|----------------|------------------------------------|
| ITEM | TYPE | ILLUMINATION | FIX L | FIX H | TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
| А | Outdoor Light | 1 x 100W Medium Base | 8 | 15½ | E 9½ | USE USE |
| В | Outdoor Light | 1 x 100W Medium Base | 8 | 21 | E 9½ | USE |
| С | 18" Post Top Light | 1 x 100W Medium Base | 8 | 18 | E 8 | VOUTDOOR USE |
| D | Outdoor Hanging Chain | 1 x 100W Medium Base | 8 | 8 | 13-49 | OUTDOOR 3 FT OF 5 FT OF CHAIN WIRE |



B | OCA140801

| ITEM | ТҮРЕ | RATED ILLUMINATION | DI FIX L | MENSION FIX H | IS (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|--------------------------|----------------------|-------------|------------------|----------------------------|----------------------------|
| А | Outdoor Light | 1 x 100W Medium Base | 8 | 15½ | E 9½ | VOUTDOOR USE |
| В | Outdoor Light | 1 x 100W Medium Base | 8 | 21 | E 9½ | OUTDOOR USE |
| С | 18" Post Top Light | 1 x 100W Medium Base | 8 | 18 | E 8 | OUTDOOR USE |
| D | Outdoor Hanging Chain | 1 x 100W Medium Base | 8 | 8 | 13-49 | OUTDOOR 3 FT OF CHAIN WIRE |

Page 322 ■ DVI LIGHTING DVI LIGHTING ■ Page 323

JUPITER RLED

OUTDOOR COLLECTIONS JUPITER RLED









| ITEM | TYPE | RATED ILLUMINATION | DIMI DIAM. | | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|-------------------|-----------------------|---------------|----|--------------------------|--|
| А | 20" Outdoor Foyer | 4 x 20W G9 LED | 201/4 | 20 | 251/4-611/4 | 5 YR BULB THEIGHT ADJUSTABLE LISE 45° ON LED INCLUDED INSTALLATION |
| В | 28" Outdoor Foyer | 6 x 20W G9 LED | 281/4 | 29 | 32-109 | 5 YR BULB SULB ON LED INCLUDED INSTALLATION WIRE ON LED INCLUDED |
| С | 16" Outdoor Foyer | 2 x 20W G9 LED | 161/4 | 16 | 211/4-571/4 | 5 YR BULB DILY INCLUDED INCLUDING I |
| | | | | | | |

*Initial Lumens.

Page 324 ■ DVI LIGHTING ■ Page 325

FINISHES & GLASS













INTEGRATED DRIVERLESS LED

See Page 354-355 For Dimmer Compatibility and Page 356 For Lumen-Wattage Conversion Chart

A | DVP23301

| ITFM | TYPE | RATED | DIM | ENSIONS | (INCHES) | ADDITIONAL INFORMATION |
|------|----------------|----------------------------------|-------|----------------|----------|---|
| IIEM | | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Outdoor Sconce | 2 x 4.5W/400Lm*/ 3000K/CRI 80 | 5 | 7 | 5 | UP OR DOWN OK WESTICAL ON LED VESTICAL ON LED |
| | | | | | | |

*Initial Lumens.

NIAGARA

FINISHES & GLASS

NIAGARA

■OUTDOOR COLLECTIONS





C I DVP4470

*Optional Secure Kit Available for Hanging Lanterns Model Kit 4400BK 12 ft Down Rods $(1 \times 2', 2 \times 3' \text{ and } 1 \times 4')$ w/Canopy to Replace Chain Application (Not Included)



D I DVP4471

E I DVP4472

F I *DVP4476

| ITEM | TYPE | RATED ILLUMINATION | DIM DIAM. | | S (INCHES) TOTAL HEIGHT/E | ADDITIONAL INFORMATION |
|------|---------------------------|---------------------------|--------------|--------|------------------------------|--|
| А | Small Hanging Lantern | 3 x 60W Candelabra | 101/4 | 23 | 26½-146 | 3 FT OF CHAIN WIRE NIXUDES 45° |
| В | Large Hanging Lantern | 12 x 60W Candelabra | 20 | 46 1/4 | 49-169 | 6 FT OF CHAIN WIRE NOT INCLUDED WIRE STANDARD AS STAND |
| С | Flush Mount | 2 x 40W Medium Base | 12 | 73/4 | | OUTDOOR USE |
| D | Wall Light | 3 x 60W Candelabra | 101/4 | 21 | E 12½ | USE BULBS NOT INCLUDED |
| Е | Wall Light | 2 x 60W Candelabra | 6½ | 143/4 | E 9 | USE BULBS NOT INCLUDED |
| F | Medium Hanging Lantern | 6 x 60W Candelabra | 133/4 | 32 | 35-154 | 3 FT OF 10 FT OF NOT |

Page 328 ■ DVI LIGHTING DVI LIGHTING ■ Page 329

PERCUSSION

PERCUSSION





B | DVP4572

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|-------------------|-----------------------|--------------|------------------|-------------------|------------------------|
| А | 10" Outdoor Light | 1 x 100W Medium Base | 61/4 | 101/4 | 8 | OUTDOOR USE UP ONLY |
| В | 12" Outdoor Light | 1 x 100W Medium Base | 61/4 | 121/4 | 8 | OUTDOOR USE UP ONLY |
| С | 16" Outdoor Light | 1 x 100W Medium Base | 61/4 | 161⁄4 | 8 | OUTDOOR USE UP ONLY |
| | | | | | | |

FINISHES & GLASS









A | DVP22121



LED Bulb(s) Included 4.2 W G9 Bi-Directional

DVIBLEDG9400UD 400Lm*/3000K/CRI 80+

| ITEM | TVDE | TYPE RATED DIMENSION | | | | | ADDITIONAL INFORMATION |
|------|----------------|----------------------|------------|-------|-------|-------|------------------------|
| HEM | ITPE | IL | LUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | Outdoor Sconce | 2 x | 20W G9 LED | 43/4 | 6 | 61⁄4 | UP OR DOWN BULB USE |
| | | | | | | | |

*Initial Lumens.

Page 332 ■ DVI LIGHTING

FINISHES & GLASS

FINISHES & GLASS



A | DVP115007

C | DVP115001

| ITEM | TYPE | RATED ILLUMINATION | DIME FIX L | ENSIONS FIX H | S (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|---------------|----------------------------|---------------|------------------|---------------------|--------------------------------------|
| А | Outdoor Light | 2 x 40W A15 Medium Base | 41/4 | 9 | 41/4 | USE BULBS A UP OR DOWN OR HORIZONTAL |
| В | Outdoor Light | 2 x 100W Medium Base | 5½ | 12 | 8 | USE BULBS A VERTICAL OR HORIZONTAL |
| С | Outdoor Light | 1 x 100W Medium Base | 5½ | 71/4 | 8 | USE BULBS A UP OR DOWN OR HORIZONTAL |
| D | Outdoor Light | 2 x 40W A15 Medium Base | 41/4 | 10½ | 5½ | USE BULBS A UP OR DOWN OR HORIZONTAL |



B | DVP115009

D | DVP115013

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | IENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|---------------|-----------------------------------|--------------|-------------------|-------------------|---------------------------------------|
| А | Outdoor Light | 1 x 60W A15 Medium Base | 4½ | 8 | 7 | BULES & UP OR DOWN OR HORIZONTAL |
| В | Outdoor Light | 2 x 60W A15 Medium Base | 4½ | 113/4 | 7 | USE BULBS UP OR DOWN OR HORIZONTAL |
| С | Outdoor Light | 1 x 35W GU10 Halogen | 4½ | 5½ | 41/2 | USE BULBS UP OR DOWN OR HORIZONTAL |
| D | Outdoor Light | 2 x 35W GU10 Halogen | 4½ | 63/4 | 2½ | USE BULBS UP OR DOWN OR HORIZONTAL |
| Е | Outdoor Light | 2 x 60W A15 Medium Base | 41/4 | 101/4 | 61/4 | USE BULBS OF UP OR DOWN OR HORIZONTAL |

OUTDOOR COLLECTIONS CHARAEDCIDE

SUMMERSIDE


FINISHES & GLASS



| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | IENSIONS FIX H | (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|---------------|--|--------------|-------------------|-------------------|--|
| А | Outdoor Light | 1 x 50W Par20 Medium Base 60W A19 MediumBase | 43/4 | 8 | 71/4 | OK O |
| В | Outdoor Light | 2 x 50W Par20 Medium Base 60W A19 MediumBase | 3½ | 101/4 | 6 | OK O |
| С | Outdoor Light | 2 x 9.5W/800Lm*/ 3000K/CRI 90 | 43/4 | 12 | 71/4 | USE US OK OK |
| D | Outdoor Light | 1 x 8W/600Lm*/ 3000K/CRI 90 | 31/2 | 6½ | 6 | USE USE OK OK |

B | DVP115015

*Initial Lumens.





BK Black OF

FINISHES & GLASS

A | DVP115030





B | DVP115029

C | DVP115031

| ITEM | TYPE | RATED ILLUMINATION | DIM FIX L | ENSIONS FIX H | FIX E | ADDITIONAL INFORMATION |
|------|--------------------|-----------------------|--------------|------------------|-------|------------------------|
| А | Outdoor Wall Mount | 1 x 60W Medium Base | 43/4 | 11½ | 61/4 | UP ONLY INCLUDED |
| В | Outdoor Wall Mount | 1 x 60W Medium Base | 31/2 | 71/4 | 6 | UP ONLY INCLUDED |
| С | Outdoor Wall Mount | 1 x 100W Medium Base | 6 | 131/4 | 73/4 | UP ONLY INCLUDED |
| | | | | | | |

OUTDOOR COLLECTIONS

SWANSEA





| ITEM | TYPE | RATED ILLUMINATION | | IENSION FIX H | IS (INCHES) TOTAL HEIGHT | ADDITIONAL INFORMATION |
|------|---------------------------------|------------------------|-------|------------------|--------------------------|------------------------|
| А | Outdoor Large Wall Mount | 1 x 100W Mediu Base | m 11½ | 20 | 13½ | OUTDOOR |
| В | Outdoor Large Wall Mount | 1 x 100W Mediu Base | m 9½ | 19 | 11 | OUTDOOR USE |
| С | Outdoor Large Wall Mount | 1 x 100W Mediu Base | m 9½ | 17½ | | OUTDOOR USE |
| D | Outdoor Medium Hanging Chain | 1 x 100W Mediu Base | m 9 | 20-56 | 15 | S FT OF CHAIN WIRE |

Page 338 ■ DVI LIGHTING ■ Page 339

OUTDOOR COLLECTIONS TEDDA NOVA

TERRA NOVA INDOOR/OUDOOR

FINISHES & GLASS









A | DVP10707 Shown in Hammered Black



A | DVP10707 Shown in Stainless Steel

| ITFM | TYPF | RATED | DIM | ENSION: | S (INCHES) | ADDITIONAL INFORMATION |
|------|--|--------------|-------|---------|------------|--|
| IIEM | ITPE | ILLUMINATION | FIX L | FIX H | FIX E | ADDITIONAL INFORMATION |
| А | LED Indoor/Outdoor Horizontal Step Light 1 | x 1W LED | 43/4 | 3 | 1½ | USE 2YR SYR WARRANTY ON LED ON BALLAST |
| | | | | | | |

TERRA NOVA INDOOR

FINISHES & GLASS









A | DVP10707 Shown in Chrome



A | DVP10707 Shown in Oil Rubbed Bronze




A | DVP10707 Shown in Satin Nickel

| ITEM | TYPE | RATED ILLUMINATION | | ENSION: | S (INCHES) FIX E | ADDITIONAL INFORMATION |
|------|---|-----------------------|-------|---------|---------------------|---|
| А | LED Indoor/Outdoor 1 Horizontal Step Light 1 | | 433/4 | 3 | 11/2 | UNTOON USE 2YR SYR WARRANTY ON LED ON BALLAST |
| | | | | | | |

Page 340 ■ DVI LIGHTING ■ Page 341





FINISHES & GLASS



FINISHES

■FINISHES & GLASS



ANTIQUE BRASS



CHROME



MATTE WHITE



PLATINUM



AUTUMN GOLD

COPPER



BLACK

EBONY



BLACK CHROME

FORGED

IRON

NEW BLACK



BUFFED NICKEL

GRAPHITE



CHAMPAGNE





HAMMERED BLACK



PEWTER



MOCHA



POLISHED NICKEL



MULTIPLE

RESTORATION BRONZE



SATIN NICKEL



OIL RUBBED

BRONZE

STAINLESS STEEL

SHADES



BLACK SHADE



BLACK GLASS SHADE





SATEEN WHITE SHADE



SHADE



STARDUST SHADE



ACID ETCHED GLASS



CLEAR GLASS

SEEDY

GLASS

STRATUS GRAY

& WHITE



ALABASTER GLASS



HALF OPAL GLASS WITH OPTIC GLASS CLEAR GLASS DIFFUSER INSERTS



SILKSCREENED OPAL GLASS



WHITE



PLATEN GLASS DIFFUSER

BLACK & WHITE

CLEAR SEEDY

GLASS

WHITE GLASS



TRUE OPAL GLASS



WHITE GLASS



BLACK METAL PANELS



GLASS

GLASS

VODKA ICE

GLASS

GLASS



BUTTERSCOTCH



REVERSED SILK SCREENED GLASS RIBBED GLASS



SMOKE GLASS



GLASS




WHITE LINEN GLASS



CLEAR CRYSTAL GLASS




HALF OPAL GLASS



SANDBLASTED SEEDY GLASS



SNOWDRIFT GLASS



WHITE & WHITE



WHITE PEARLIZED METAL PANELS



WHITE SHADE SHADE






TAFETTA







| l | ١ | |
|---|---|--|
| | | |

Abbey Road AC LED. 230-231 Abbey Road10-13, 232-233 14-15 Alexa .. Amethyst16-21, 234-235 Aries AC LED22-23 Ariel306-307 Argonaut AC LED...... ..236-237 Argonaut G9......238-239 Astra.... 24-25 Aurora..... ..240-241

В

| Capsule | 34-35 |
|-------------------|---------|
| Cardiff | 310-311 |
| Castille | 36-39 |
| Celene | 40-41 |
| Chinook | 312-313 |
| Claire | 42-43 |
| Compass | 44-45 |
| Copernicus AC LED | 46-47 |
| Coronado | 48-51 |
| Crescent | 54-55 |
| Current | 56-57 |
| | |

D

Diamond.....248-249

F

G

H

.....102-103. 260-261 Harrier AC LED104-105 Harrier RLED..... .. 106-107 Helios AC LED 214-215 ... 216-217 Helios T3.....108-111 Helsinki..... Hexagon..... .. 322-323 Hyperion AC LED262-263 Hyperion T3...... . 264-265

J

Juneau......116-117 Jupiter......324-325

K

 Kelowna
 266-267

 Kii
 118-119, 219

 Kii AC LED
 120-121

 Kingston
 270-271

 Kingsway
 272-273

 Kwall
 326-327, 272-273

L

М

 Mega Vanguard
 278-279

 Milan
 136-137

 Mont Blanc AC LED
 220-221

Ν

0

 Obelisk
 146-147

 Oberon
 148-151

 Ocean Drive
 152-155

 Odyssey LED
 156-157

 Orinoco
 223

 Osprey RLED
 158-159, 284-285

 Osprey
 160-161

 Percussion
 330-331

 Piccadilly
 162-163

 Princeton
 286-287

R

River Heights164-167

S

Salish..... . 168-169 Schoolhouse... .. 170-171 Seville AC LED...... ...172-173 Shadowbox...... ..174-175 Simcoe..... . 288-289 Solstice.....176-179, 224, 290-291 .. 180-183 Sparxx..... Starline RLED... ..332-333 ...334-337 Summerside.. Swansea.. .338-339 Swizzle.... .184-185, 292-293

T

U

V

Valletta.....225
Vanguard Half Opal T3.....298-299
Vanguard AC LED......300-301
Vidalia.....198-199

W

Woodstock.....200-203

Z

Zurich.....204-207, 226-227, 302-303

| PRODUCT # | FAMILY NAME | PAG |
|-----------|-----------------------|---------|
| DVP0248 | Juneau | 1 |
| DVP0249 | Juneau | 1 |
| DVP0501 | Solstice | 179, 2 |
| DVP0511 | Solstice | 177, 22 |
| DVP0512 | Solstice | 177, 22 |
| DVP0522 | Solstice | 179, 2 |
| DVP0543 | Solstice | 179, 2 |
| DVP0544 | Solstice | 179, 2 |
| DVP0555 | Solstice | 179, 2 |
| DVP0743 | Beausoleil | 24 |
| DVP0744 | Beausoleil | 24 |
| DVP0832 | Valletta | 22 |
| DVP0842 | Valletta | 22 |
| DVP1105 | Uptown | 19 |
| DVP1112 | Uptown | 19 |
| DVP1113 | Uptown | 19 |
| DVP1120 | Uptown | 19 |
| DVP1121 | Uptown | 19 |
| DVP1242 | Kelowna | 26 |
| DVP1342 | Kingston | 2 |
| DVP1432 | Orinoco | 22 |
| DVP1442 | Orinoco | 22 |
| DVP1701 | Vanguard Half Opal T3 | 29 |
| DVP1722 | Vanguard Half Opal T3 | 29 |
| DVP1743 | Vanguard Half Opal T3 | 29 |
| DVP1744 | Vanguard Half Opal T3 | 29 |
| DVP1755 | Vanguard Half Opal T3 | 29 |
| DVP1756 | Mega Vanguard | 27 |
| DVP1757 | Mega Vanguard | 27 |
| DVP1758 | Mega Vanguard | 27 |
| DVP1759 | Mega Vanguard | 27 |
| DVP1760 | Mega Vanguard | 27 |
| DVP1791 | Vanguard AC LED | 3 |
| DVP1792 | Vanguard AC LED | 3 |
| DVP1793 | Vanguard AC LED | 3 |
| DVP1794 | Vanguard AC LED | 3 |
| DVP1795 | Vanguard AC LED | 3 |
| DVP2022 | Longbow | 27 |
| DVP2043 | Longbow | 27 |
| DVP2044 | Longbow | 27 |
| DVP2122 | Princeton | 28 |
| | | |

| PRODUCT# | FAMILY NAME | PAGE |
|----------|-----------------|----------|
| DVP2143 | Princeton | 287 |
| DVP2144 | Princeton | 287 |
| DVP2199 | Princeton | 287 |
| DVP2781 | Bullet | 33 |
| DVP2783 | Bullet | 33 |
| DVP2785 | Bullet | 33 |
| DVP2786 | Bullet | 33 |
| DVP2787 | Bullet | 33 |
| DVP3203 | Georgian | 101 |
| DVP3205 | Georgian | 101 |
| DVP3213 | Georgian | 101 |
| DVP3902 | Narvik | 281 |
| DVP3922 | Narvik | 281 |
| DVP3943 | Narvik | 281 |
| DVP3944 | Narvik | 281 |
| DVP4410 | Niagara | 141 |
| DVP4411 | Niagara | 141 |
| DVP4412 | Niagara | 143 |
| DVP4432 | Niagara | 143, 222 |
| DVP4470 | Niagara Outdoor | 145, 329 |
| DVP4471 | Niagara Outdoor | 145, 329 |
| DVP4472 | Niagara Outdoor | 145, 329 |
| DVP4475 | Niagara Outdoor | 144, 328 |
| DVP4476 | Niagara Outdoor | 145, 329 |
| DVP4477 | Niagara Outdoor | 144, 328 |
| DVP4571 | Percussion | 331 |
| DVP4572 | Percussion | 331 |
| DVP4573 | Percussion | 331 |
| DVP4809 | Piccadilly | 162 |
| DVP4811 | Piccadilly | 163 |
| DVP4812 | Piccadilly | 163 |
| DVP4818 | Piccadilly | 162 |
| DVP4822 | Piccadilly | 163 |
| DVP5303 | Milan | 136 |
| DVP5304 | Milan | 136 |
| DVP5306 | Milan | 137 |
| DVP5307 | Milan | 136 |
| DVP5308 | Milan | 137 |
| DVP5411 | Isabella | 114 |
| DVP5413 | Isabella | 114 |
| DVP5420 | Isabella | 115 |

| PRODUCT # | FAMILY NAME | PAGE |
|-----------|---------------|----------|
| DVP5427 | Isabella | 115 |
| DVP5432 | Isabella | 115, 218 |
| DVP5505 | Crescent | 55 |
| DVP5508 | Crescent | 55 |
| DVP5805 | Trilogy | 188 |
| DVP5806 | Trilogy | 188 |
| DVP5809 | Trilogy | 188 |
| DVP5813 | Trilogy | 187 |
| DVP5814 | Trilogy | 187 |
| DVP5816 | Trilogy | 187 |
| DVP5820 | Trilogy | 188 |
| DVP5822 | Trilogy | 189, 297 |
| DVP5843 | Trilogy | 189, 297 |
| DVP5844 | Trilogy | 189, 297 |
| DVP5855 | Trilogy | 189, 297 |
| DVP5899 | Trilogy | 189, 297 |
| DVP5821 | Eclipse | 60 |
| DVP5830 | Eclipse | 59 |
| DVP5831 | Eclipse | 60, 251 |
| DVP5832 | Eclipse | 60 |
| DVP5833 | Eclipse | 61 |
| DVP5834 | Eclipse | 61 |
| DVP5835 | Eclipse | 59 |
| DVP5836 | Eclipse | 59 |
| DVP5838 | Eclipse | 61 |
| DVP5863 | Eclipse | 63, 251 |
| DVP5873 | Eclipse | 63, 251 |
| DVP5874 | Eclipse | 63, 251 |
| DVP5911 | River Heights | 166 |
| DVP5912 | River Heights | 166 |
| DVP5914 | River Heights | 165 |
| DVP5919 | River Heights | 167 |
| DVP6271 | Ariel | 307 |
| DVP6272 | Ariel | 307 |
| DVP6273 | Ariel | 307 |
| DVP6301 | Amethyst | 17, 235 |
| DVP6302 | Amethyst | 17 |
| DVP6305 | Amethyst | 18 |
| DVP6309 | Amethyst | 21 |
| DVP6310 | Amethyst | 20 |
| DVP6311 | Amethyst | 19 |

| PRODUCT # | FAMILY NAME | PAGE |
|-----------|-----------------|----------|
| DVP6312 | Amethyst | 19 |
| DVP6317 | Amethyst | 20 |
| DVP6319 | Amethyst | 2 |
| DVP6320 | Amethyst | 18 |
| DVP6321 | Amethyst | 18 |
| DVP6821 | Neptune | 138 |
| DVP6871 | Neptune | 139, 283 |
| DVP6872 | Neptune | 139, 283 |
| DVP6873 | Neptune | 139, 283 |
| DVP6874 | Neptune | 139, 283 |
| DVP7131 | Kingsway | 273 |
| DVP7141 | Kingsway | 273 |
| DVP7142 | Kingsway | 273 |
| DVP7201 | Georgetown | 99 |
| DVP7202 | Georgetown | 96 |
| DVP7203 | Georgetown | 96 |
| DVP7212 | Georgetown | 97 |
| DVP7221 | Georgetown | 95 |
| DVP7222 | Georgetown | 99 |
| DVP7224 | Georgetown | 97 |
| DVP7225 | Georgetown | 95 |
| DVP7243 | Georgetown | 99 |
| DVP7244 | Georgetown | 99 |
| DVP7511 | Schoolhouse | 17 |
| DVP7521 | Schoolhouse | 17 |
| DVP7551 | Schoolhouse | 17° |
| DVP7601 | Aurora | 24 |
| DVP7622 | Aurora | 24 |
| DVP7643 | Aurora | 24 |
| DVP7644 | Aurora | 24 |
| DVP8122 | Hyperion T3 | 265 |
| DVP8143 | Hyperion T3 | 265 |
| DVP8193 | Hyperion AC LED | 263 |
| DVP8194 | Hyperion AC LED | 263 |
| DVP8501 | Sparxx | 183 |
| DVP8505 | Sparxx | 18 |
| DVP8511 | Sparxx | 183 |
| DVP8512 | Sparxx | 183 |
| DVP8513 | Sparxx | 18 |
| DVP8517 | Sparxx | 183 |
| | | |

| PRODUCT# | FAMILY NAME | PAGE |
|----------|---------------|---------|
| DVP8521 | Sparxx | 181 |
| DVP9001 | Essex | 75, 255 |
| DVP9002 | Erin | 65 |
| DVP9010 | Essex | 73 |
| DVP9011 | Essex | 73 |
| DVP9012 | Essex | 72 |
| DVP9013 | Essex | 72 |
| DVP9014 | Essex | 73 |
| DVP9019 | Essex | 74 |
| DVP9020 | Essex | 74 |
| DVP9021 | Essex | 74 |
| DVP9022 | Essex | 79, 253 |
| DVP9023 | Essex | 70 |
| DVP9025 | Essex | 70 |
| DVP9027 | Essex | 68 |
| DVP9028 | Essex | 68 |
| DVP9029 | Essex | 67 |
| DVP9030 | Essex | 72, 211 |
| DVP9031 | Essex | 72 |
| DVP9032 | Essex | 71 |
| DVP9036 | Essex | 69 |
| DVP9040 | Essex | 72, 211 |
| DVP9043 | Essex | 79, 253 |
| DVP9044 | Essex | 79, 253 |
| DVP9051 | Erin | 65 |
| DVP9052 | Erin | 65 |
| DVP9053 | Essex | 71 |
| DVP9055 | Essex | 79, 253 |
| DVP9057 | Erin | 64 |
| DVP9062 | Essex | 75, 255 |
| DVP9063 | Essex | 75, 255 |
| DVP9071 | Essex Outdoor | 78, 317 |
| DVP9072 | Essex Outdoor | 78, 317 |
| DVP9073 | Essex Outdoor | 78, 317 |
| DVP9074 | Essex Outdoor | 78, 317 |
| DVP9075 | Essex Outdoor | 77, 315 |
| DVP9076 | Essex Outdoor | 77, 315 |
| DVP9105 | Geometry | 93 |
| DVP9112 | Geometry | 93 |
| DVP9120 | Geometry | 93 |
| DVP10331 | Helios T3 | 217 |

| RODUCT # FAMILY NAME | PAGE |
|------------------------|----------|
| DVP10341 Helios T3 | 217 |
| DVP10351 Helios T3 | 217 |
| DVP10338 Helios AC LED | 215 |
| DVP10348 Helios AC LED | 215 |
| DVP10501 Haida | 102, 261 |
| DVP10511 Haida | 102 |
| DVP10521 Haida | 102 |
| DVP10553 Haida | 103, 261 |
| DVP10554 Haida | 103, 261 |
| DVP10702 Helsinki | 109 |
| DVP10705 Helsinki | 110 |
| DVP10709 Helsinki | 109 |
| DVP10711 Helsinki | 109 |
| DVP10712 Helsinki | 109 |
| DVP10720 Helsinki | 110 |
| DVP10707 Terra Nova | 340, 341 |
| DVP10801 Lisbon | 131 |
| DVP10805 Lisbon | 129 |
| DVP10811 Lisbon | 131 |
| DVP10812 Lisbon | 131 |
| DVP10820 Lisbon | 129 |
| DVP10821 Lisbon | 131 |
| DVP11113 Coronado | 49 |
| DVP11120 Coronado | 49 |
| DVP11121 Coronado | 49 |
| DVP11212 Castille | 37 |
| DVP11247 Castille | 37 |
| DVP11248 Castille | 37 |
| DVP11249 Castille | 39 |
| DVP11250 Castille | 39 |
| DVP11311 Lasalle | 123 |
| DVP11321 Lasalle | 123 |
| DVP11620 Union Station | 191 |
| DVP11621 Union Station | 191 |
| DVP11653 Union Station | 191 |
| DVP11721 Alexa | 15 |
| DVP12172 Simcoe | 289 |
| DVP12310 Celene | 41 |
| DVP13102 Shadowbox | 174 |
| | |
| DVP13105 Shadowbox | 175 |

| PRODUCT# | FAMILY NAME | PAG |
|----------|-----------------|---------|
| DVP13149 | Shadowbox | 17 |
| DVP13202 | Oberon | 15 |
| DVP13221 | Oberon | 15 |
| DVP13237 | Oberon | 14 |
| DVP13253 | Oberon | 15 |
| DVP13605 | Claire | 4 |
| DVP13610 | Claire | 4 |
| DVP13621 | Claire | 4 |
| DVP13721 | Capsule | 3 |
| DVP13905 | Levant | 125, 12 |
| DVP13911 | Levant | 125, 12 |
| DVP13920 | Levant | 125, 12 |
| DVP13921 | Levant | 125, 12 |
| DVP14506 | Zurich | 20 |
| DVP14508 | Zurich | 20 |
| DVP14511 | Zurich | 20 |
| DVP14512 | Zurich | 20 |
| DVP14532 | Zurich | 20 |
| DVP14543 | Zurich | 207, 30 |
| DVP14544 | Zurich | 207, 30 |
| DVP14547 | Zurich | 20 |
| DVP14548 | Zurich | 20 |
| DVP14549 | Zurich | 20 |
| DVP14613 | El Dorado | 5 |
| DVP14620 | El Dorado | 5 |
| DVP14621 | El Dorado | 5 |
| DVP14704 | Woodstock | 20 |
| DVP14706 | Woodstock | 20 |
| DVP14711 | Woodstock | 20 |
| DVP14712 | Woodstock | 20 |
| DVP14721 | Woodstock | 20 |
| DVP15601 | Baker Street | 27, 24 |
| DVP15622 | Baker Street | 27, 24 |
| DVP15705 | Gastown | 8 |
| DVP15711 | Gastown | 8 |
| DVP15712 | Gastown | 8 |
| DVP15718 | Gastown | 8 |
| DVP15720 | Gastown | 8 |
| DVP15721 | Gastown | 8 |
| DVP15771 | Gastown Outdoor | 91, 32 |
| DVP15743 | Tides | 29 |
| | | |

| PRODUCT # | FAMILY NAME | PAGE |
|-----------|-------------------|----------|
| DVP15744 | Tides | 295 |
| DVP16002 | Urban Cottage | 197 |
| DVP16005 | Urban Cottage | 197 |
| DVP16012 | Urban Cottage | 197 |
| DVP16014 | Urban Cottage | 196 |
| DVP16049 | Urban Cottage | 195 |
| DVP16050 | Urban Cottage | 195 |
| DVP16201 | Osprey RLED | 159, 285 |
| DVP06202 | Osprey | 160 |
| DVP16010 | Osprey | 161 |
| DVP16213 | Osprey | 161 |
| DVP16221 | Osprey | 161 |
| DVP16243 | Osprey RLED | 159, 285 |
| DVP16244 | Osprey RLED | 159, 285 |
| DVP16299 | Osprey RLED | 159, 285 |
| DVP16802 | Mont Blanc AC LED | 221 |
| DVP16832 | Mont Blanc AC LED | 221 |
| DVP17710 | Harrier AC LED | 105 |
| DVP17720 | Harrier AC LED | 105 |
| DVP17753 | Harrier AC LED | 105 |
| DVP17781 | Harrier RLED | 107 |
| DVP17782 | Harrier RLED | 107 |
| DVP17786 | Harrier RLED | 107 |
| DVP17787 | Harrier RLED | 107 |
| DVP18002 | Kii | 119 |
| DVP18006 | Kii | 118 |
| DVP18008 | Kii | 118 |
| DVP18011 | Kii | 119 |
| DVP18012 | Kii | 119 |
| DVP18032 | Kii | 119, 219 |
| DVP18091 | Kii AC LED | 121 |
| DVP18093 | Kii AC LED | 121 |
| DVP18094 | Kii AC LED | 121 |
| DVP18095 | Kii AC LED | 121 |
| DVP18148 | Compass | 45 |
| DVP18149 | Compass | 45 |
| DVP18150 | Compass | 45 |
| DVP18290 | Seville AC LED | 173 |
| DVP18291 | Seville AC LED | 173 |
| DVP18292 | Seville AC LED | 173 |
| DVP18295 | Seville AC LED | 173 |

| PRODUCT # | FAMILY NAME | PAGE |
|-----------|--------------------|---------|
| DVP18298 | Seville AC LED | 173 |
| DVP18501 | Firefly | 81, 257 |
| DVP18514 | Firefly | 81 |
| DVP18544 | Firefly | 81, 257 |
| DVP18902 | Astra | 25 |
| DVP19102 | Obelisk | 147 |
| DVP19121 | Obelisk | 147 |
| DVP19153 | Obelisk | 147 |
| DVP19370 | Chinook | 313 |
| DVP19371 | Chinook | 313 |
| DVP19372 | Chinook | 313 |
| DVP19402 | Current | 57 |
| DVP19247 | Current | 57 |
| DVP19901 | Argonaut G9 | 239 |
| DVP19943 | Argonaut G9 | 239 |
| DVP19944 | Argonaut G9 | 239 |
| DVP19991 | Argonaut AC LED | 237 |
| DVP19993 | Argonaut AC LED | 237 |
| DVP19994 | Argonaut AC LED | 237 |
| DVP20371 | Beacon Hill AC LED | 309 |
| DVP20372 | Beacon Hill AC LED | 309 |
| DVP20376 | Beacon Hill AC LED | 309 |
| DVP20802 | Ocean Drive | 153 |
| DVP20804 | Ocean Drive | 155 |
| DVP20811 | Ocean Drive | 153 |
| DVP20821 | Ocean Drive | 155 |
| DVP20853 | Ocean Drive | 155 |
| DVP21001 | Brandt | 31, 247 |
| DVP21002 | Brandt | 29 |
| DVP21005 | Brandt | 30 |
| DVP21011 | Brandt | 31 |
| DVP21012 | Brandt | 31 |
| DVP21015 | Brandt | 30 |
| DVP21020 | Brandt | 30 |
| DVP21021 | Brandt | 31 |
| DVP21049 | Brandt | 29 |
| DVP21050 | Brandt | 28 |
| DVP21102 | Lombard Street | 134 |
| DVP21108 | Lombard Street | 134 |
| DVP21111 | Lombard Street | 135 |
| DVP21112 | Lombard Street | 135 |

| DVP21113 Lombard Street 135 DVP21157 Lombard Street 134 DVP21158 Lombard Street 133 DVP21159 Lombard Street 133 DVP21201 Salish 169 DVP21253 Salish 169 DVP21254 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 13, 233 DVP21318 Abbey Road 11 DVP21324 Abbey Road AC LED 7 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 7 DVP21395 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DV | PRODUCT # | FAMILY NAME | PAGE |
|---|-----------|-------------------|----------|
| DVP21157 Lombard Street 134 DVP21158 Lombard Street 133 DVP21201 Salish 169 DVP21253 Salish 169 DVP21257 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 11 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21395 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21399 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21635 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21924 Vidalia 199 DVP2 | DVP21113 | Lombard Street | 135 |
| DVP21158 Lombard Street 133 DVP21159 Lombard Street 133 DVP21201 Salish 169 DVP21253 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 11 DVP21318 Abbey Road 11 DVP21394 Abbey Road AC LED 7 DVP21395 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 9 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21399 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21633 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22648< | DVP21118 | Lombard Street | 135 |
| DVP21159 Lombard Street 133 DVP21201 Salish 169 DVP21253 Salish 169 DVP21257 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 11 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21395 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21399 Aries AC LED 23 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 325 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22648 <th>DVP21157</th> <th>Lombard Street</th> <th>134</th> | DVP21157 | Lombard Street | 134 |
| DVP21201 Salish 169 DVP21253 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 13, 233 DVP21318 Abbey Road 11 DVP21324 Abbey Road AC LED 7 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21395 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21399 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22648 Vidalia 199 DVP22649 </th <th>DVP21158</th> <th>Lombard Street</th> <th>133</th> | DVP21158 | Lombard Street | 133 |
| DVP21253 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 13, 233 DVP21318 Abbey Road 11 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 | DVP21159 | Lombard Street | 133 |
| DVP21257 Salish 169 DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 11 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21399 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22741 | DVP21201 | Salish | 169 |
| DVP21302 Abbey Road 11 DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 13, 233 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21623 Aries AC LED 23 DVP21653 Aries AC LED 325 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22131 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22701 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 <th>DVP21253</th> <th>Salish</th> <th>169</th> | DVP21253 | Salish | 169 |
| DVP21316 Abbey Road 13, 233 DVP21317 Abbey Road 13, 233 DVP21318 Abbey Road 11 DVP21324 Abbey Road AC LED 7 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 9, 231 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21951 Starline 333 DVP22191 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DV | DVP21257 | Salish | 169 |
| DVP21317 Abbey Road 13, 233 DVP21318 Abbey Road 11 DVP21324 Abbey Road AC LED 7 DVP21392 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 9, 231 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21951 Starline 333 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22701 Lexington 275 DVP23102 Copernicus LED 47 DVP23102< | DVP21302 | Abbey Road | 11 |
| DVP21318 Abbey Road 11 DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22191 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22701 Lexington 275 DVP23102 <th>DVP21316</th> <th>Abbey Road</th> <th>13, 233</th> | DVP21316 | Abbey Road | 13, 233 |
| DVP21324 Abbey Road 11 DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 9, 231 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21951 Starline 333 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22701 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23402 | DVP21317 | Abbey Road | 13, 233 |
| DVP21392 Abbey Road AC LED 7 DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 7 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP237102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23402 </th <th>DVP21318</th> <th>Abbey Road</th> <th>11</th> | DVP21318 | Abbey Road | 11 |
| DVP21394 Abbey Road AC LED 9, 231 DVP21396 Abbey Road AC LED 9, 231 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP23743 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23402 Swizzle 185 DVP23443 | DVP21324 | Abbey Road | 11 |
| DVP21396 Abbey Road AC LED 9, 231 DVP21397 Abbey Road AC LED 7 DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22742 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185, 293 DVP23444 | DVP21392 | Abbey Road AC LED | 7 |
| DVP21397 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 333 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23402 Swizzle 185 DVP23443 Swizzle 185 DVP23444 Swizzle 185 DVP23444 Swizzle | DVP21394 | Abbey Road AC LED | 9, 231 |
| DVP21398 Abbey Road AC LED 7 DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP21396 | Abbey Road AC LED | 9, 231 |
| DVP21621 Aries AC LED 23 DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23402 Swizzle 185 DVP23443 Swizzle 185 DVP23444 Swizzle 185 DVP23502 Odyssey LED | DVP21397 | Abbey Road AC LED | 7 |
| DVP21653 Aries AC LED 23 DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23402 Swizzle 185 DVP23443 Swizzle 185 DVP23444 Swizzle 185 DVP23502 Odyssey LED 157 | DVP21398 | Abbey Road AC LED | 7 |
| DVP21905 Jupiter RLED 325 DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23365 Copernicus LED 47 DVP23402 Swizzle 185 DVP23443 Swizzle 185 DVP23444 Swizzle 185 DVP23502 Odyssey LED 157 | DVP21621 | Aries AC LED | 23 |
| DVP21913 Jupiter RLED 325 DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP21653 | Aries AC LED | 23 |
| DVP21950 Jupiter RLED 325 DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP23102 Copernicus LED 47 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP21905 | Jupiter RLED | 325 |
| DVP22121 Starline 333 DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23442 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP21913 | Jupiter RLED | 325 |
| DVP22313 Ganymede 213 DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP21950 | Jupiter RLED | 325 |
| DVP22647 Vidalia 199 DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22121 | Starline | 333 |
| DVP22648 Vidalia 199 DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23442 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22313 | Ganymede | 213 |
| DVP22649 Vidalia 199 DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185, 293 DVP23443 Swizzle 185, 293 DVP23404 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22647 | Vidalia | 199 |
| DVP22701 Lexington 275 DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22648 | Vidalia | 199 |
| DVP22743 Lexington 275 DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22649 | Vidalia | 199 |
| DVP22744 Lexington 275 DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22701 | Lexington | 275 |
| DVP23102 Copernicus LED 47 DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22743 | Lexington | 275 |
| DVP23121 Copernicus LED 47 DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP22744 | Lexington | 275 |
| DVP23153 Copernicus LED 47 DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23102 | Copernicus LED | 47 |
| DVP23165 Copernicus LED 47 DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23121 | Copernicus LED | 47 |
| DVP23301 Kwall AC LED 272, 327 DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23153 | Copernicus LED | 47 |
| DVP23402 Swizzle 185 DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23165 | Copernicus LED | 47 |
| DVP23443 Swizzle 185, 293 DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23301 | Kwall AC LED | 272, 327 |
| DVP23444 Swizzle 185, 293 DVP23502 Odyssey LED 157 | DVP23402 | Swizzle | 185 |
| DVP23502 Odyssey LED 157 | DVP23443 | Swizzle | 185, 293 |
| | DVP23444 | Swizzle | 185, 293 |
| DVP23556 Odyssey LED 157 | DVP23502 | Odyssey LED | 157 |
| | DVP23556 | Odyssey LED | 157 |

| PRODUCT # | FAMILY NAME | PAGE | | |
|-----------|---------------------|------|--|--|
| DVP24513 | Ironworks | 113 | | |
| DVP24548 | Ironworks | 113 | | |
| DVP26047 | Forest Hill | 83 | | |
| DVP26048 | Forest Hill | 83 | | |
| DVP26049 | Forest Hill | 83 | | |
| DVP26071 | Forest Hill Outdoor | 85 | | |
| DVP26072 | Forest Hill Outdoor | 85 | | |
| DVP26078 | Forest Hill Outdoor | 84 | | |
| DVP41802 | Diamond | 249 | | |
| DVP42403 | Diamond | 249 | | |
| DVP42404 | Diamond | 249 | | |
| DVP42405 | Diamond | 249 | | |
| DVP115000 | Summerside | 334 | | |
| DVP115001 | Summerside | 334 | | |
| DVP115005 | Summerside | 334 | | |
| DVP115007 | Summerside | 334 | | |
| DVP115008 | Summerside | 335 | | |
| DVP115009 | Summerside | 335 | | |
| DVP115012 | Summerside | 335 | | |
| DVP115013 | Summerside | 335 | | |
| DVP115014 | Summerside | 336 | | |
| DVP115015 | Summerside | 336 | | |
| DVP115016 | Summerside | 336 | | |
| DVP115017 | Summerside | 336 | | |
| DVP115029 | Summerside | 337 | | |
| DVP115030 | Summerside 3 | | | |
| DVP115031 | Summerside | | | |
| DVP115057 | Summerside | 335 | | |
| DVP142000 | Cardiff | 311 | | |
| DVP142010 | Cardiff | 311 | | |
| DVP142014 | Cardiff | 311 | | |
| DVP142015 | Cardiff | 311 | | |
| DVP142020 | Cardiff | 311 | | |
| DVP143012 | Swansea | 339 | | |
| DVP143014 | Swansea | 339 | | |
| DVP143015 | Swansea | 339 | | |
| DVP143022 | Swansea | 339 | | |
| OCA1300 | Hexagon | 322 | | |
| OCA1301 | Hexagon | 322 | | |
| OCA1304 | Hexagon | 322 | | |
| OCA1305 | Hexagon | 322 | | |

| PRODUCT# | FAMILY NAME | PAGE |
|-----------|-------------|------|
| OCA140800 | Hexagon | 333 |
| OCA140801 | Hexagon | 333 |
| OCA14004 | Hexagon | 333 |
| OCA14005 | Hexagon | 333 |
| KIT11100 | Coronado | 51 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | DIMMER | | | | | | |
|---|--|---|---|---|---------------------------------|-----------------------------------|-----------------------------------|--|
| | BRAND | LUTRON C.L SKYLARK CONTOUR CTL -153P | LUTRON SKYLARK S-603PG | LUTRON CREDENZA PLUG-IN TTCL -100H | LEVITON TRIMATRON 6681-IW | LUTRON MAESTRO MACL-153MH | LEVITON DECORA SURESLIDE* | DIVA |
| | TYPE | ELECTRONIC CFL / LED DIMMER | ELECTRONIC INCANDESCENT / HALOGEN | ELECTRONIC CFL / LED DIMMER | ROTARY | ELECTRONIC CFL / LED DIMMER | ELECTRONIC CFL / LED DIMMER | DIVA C.L DVWCL- 153PH LR DIMMER |
| | LED BULB | | | | | | | |
| | DVIBLEDG9250F | • | | • | • | | • | • |
| | DVIBLEDG9400F | • | | • | • | | • | • |
| | DVIBLEDG9400UD | • | | • | | | • | • |
| | DVIBLEDCAST182200K DVIBLEDCAST182700K | • | | | • | | • | • |
| | DVIBLEDCAST172200K DVIBLEDCAST172700K | • | | | • | | • | • |
| · | DVIBLEDCAT10L2R | • | | | • | | • | • |
| | DVIBLEDCAT10S2R | • | | | • | | • | • |
| | DVIBLEDE122700CT24 DVIBLEDE123000CT24 | • | | | • | | • | • |
| | DVIBLEDE122700FL4 | • | | | | | • | • |
| | DVIBLEDGU103K400G050 DVIBLEDGU104K400G050 | • | | | • | | • | • |
| | DVIBLEDGU10530C210 (ALL COLOUR TEMP APPLY) | • | • | • | • | • | • | • |
| | DVIBLEDMR16470C210 (ALL COLOUR TEMP APPLY) | • | • | • | • | • | • | • |
| - | DVIBLEDJ7863000K DVIBLEDJ7864000K | • | | N/A | • | • | • | • |

| | DIMMER | | | | | | |
|-------------------|--|-----------------------------|---------------------------|-----------------------------|--|-------------------------|---|
| BRAND | | LUTI | RON | | | LEVITON | l |
| TYPE | NOVA NLV-600- WH | Maestro MAELV-600- WH | DIVA DVELV- 303P-WH | Radio RA2 RRD-6ND- WH | VIZIA + Decora Cat- NO.VPE06- 1LZ | Decora DSE06- 10Z | Illumatech Slide Dimmer IPEO4-1LZ |
| FIXTURE FAMILY | | | | | | | |
| Abbey Road | • | • | • | • | • | • | • |
| Argonaut | • | • | • | • | • | • | • |
| Aries | • | • | • | • | • | • | • |
| Beacon Hill | • | • | • | • | • | • | • |
| Copernicus | • | • | • | • | • | • | • |
| Ganymede | • | • | • | • | • | • | • |
| Helios | • | • | • | • | • | • | • |
| Hyperion LED | • | • | • | • | • | • | • |
| Kii | • | • | • | • | • | • | • |
| Kwall | • | • | • | • | • | | • |
| Mont Blanc | • | • | • | • | • | | • |
| Northcape | • | • | • | • | • | | • |
| Odyssey | PLEASE REFER TO ONLINE DIMMER CHART @ WWW.DVI.LIGHTING | | | | | | |
| Seville LED | • | • | • | • | • | | • |
| Vanguard LED | • | • | • | • | • | • | • |

LUMEN CONVERSION

| Traditional Halogen Bulb | | Low Energy LED Bulb |
|-------------------------------|---|----------------------------------|
| W = amount of energy consumed | | Lumen = amount of light produced |
| 15W | ≈ | 80-100 lm |
| 25W | ≈ | 101-200 lm |
| 40W | ≈ | 201-450 lm |
| 60W | ≈ | 451-800 lm |
| 75W | ≈ | 900-1100 lm |
| 100W | ≈ | 1300-1800 lm |
| 2 x 100W | ≈ | 1900-3200 lm |
| 3 x 100W | ≈ | 3300-4000 lm |
| 4 x 100W | ≈ | 4100-5000 lm |