



2017

NEW PRODUCT CATALOG



EMERSON

emersonfans.com

New Fans & Accessories For 2017



Ideal

CF330 - pg S2

- 54" Blade Span
- Integrated LED light fixture
 - 2,000 Lumens
 - 20 Watts
 - 95 CRI
 - 3,000 CCT
- 4.5" Downrod Included



Available in three finishes:

- **NEW FINISH!** Graphite with Brushed Steel Accents and Graphite Blades (CF330GRT)
- Satin White with Polished Nickel Accents and Satin White Blades (CF330SW)
- Barbeque Black with Polished Nickel Accents and Barbeque Black Blades (CF330BQ)



Rockpointe

CF630 - pg S4

- 54" Blade Span
- Integrated light fixture uses three 13-watt CFL E26 bulbs (included)
- 4.5" Downrod Included



Available in three finishes:

- Oil Rubbed Bronze with Weather-Resistant Walnut Blades (CF630ORB)
- Satin White with Weather-Resistant Driftwood Blades (CF630SW)
- Vintage Steel with Weather-Resistant Walnut Blades (CF630VS)



Euclid

CF500 - pg S6

- 56" Blade Span
- Light fixture adaptable
- 4.5" Downrod Included



Available in three finishes:

- Brushed Steel with Reversible Walnut/Natural Cherry Blades (CF500BS)
- Oil Rubbed Bronze with Reversible Dark Cherry/Dark Mahogany Blades (CF500ORB)
- Antique Pewter with Reversible Charcoal/Timber Gray Blades (CF500AP)



Kailua Cove

CF380 - pg S8

- 52" blade span
- Five Weather-Resistant Blades
- Light Fixture Adaptable
- 4.5" Downrod Included



Available in two finishes:

- Venetian Bronze with Medium Antique Brown Blades (CF380VNB)
- Satin White with Driftwood Blades (CF380SW)



Sold Separately

Euclid Light Fixture

LK500 - pg S7



Designed to compliment the new Euclid Ceiling Fan, but also fits all other light fixture adaptable Emerson ceiling fans. Uses three 9.5 Watt Medium Base A19 LED Bulbs (included).

Available in four finishes:

- Brushed Steel (LK500BS)
- Oil Rubbed Bronze (LK500ORB)
- Antique Pewter (LK500AP)
- Satin White (LK500SW)

Bluetooth® Ceiling Fan Control with App

RCBT100 - pg S12



Phone Not Included

New Finish and Finish Additions For 2017



NEW!

Ideal

Ideal Energy Ratings at High Speed

Energy efficiency information was not available at the time of publication. Visit emersonfans.com for up-to-date information.



- 54" Blade Span
- Integrated LED light fixture
 - 2,000 Lumens
 - 20 Watts
 - 95 CRI
 - 3,000 CCT
- 4.5" Downrod Included



A. **Ideal - Barbeque Black** CF330BQ
Polished Nickel Accents and
Barbeque Black Blades



B. **Ideal - Satin White** CF330SW
Polished Nickel Accents and
Satin White Blades

- A. **IDEAL - BARBEQUE BLACK**
CF330BQ - Polished Nickel Accents
and ABS Barbeque Black Blades
- 3 blades
 - Integrated LED light fixture
 - 6-Speed wall control with receiver
 - 4.5" downrod included

- B. **IDEAL - SATIN WHITE**
CF330SW - Polished Nickel Accents
and ABS Satin White Blades
- 3 blades
 - Integrated LED light fixture
 - 6-Speed wall control with receiver
 - 4.5" downrod included

- C. **IDEAL - GRAPHITE**
CF330GRT - Brushed Steel Accents
and ABS Graphite Blades
- 3 blades
 - Integrated LED light fixture
 - 6-Speed wall control with receiver
 - 4.5" downrod included



Included:



6-Speed
Wall Control
with Receiver

Sold Separately:



SR600
Remote Control



NEW FAN FINISH
GRAPHITE

c. Ideal - Graphite CF330GRT
Brushed Steel Accents and
Graphite Blades



NEW!

Rockpointe

- 54" Blade Span
- Integrated light fixture uses three 13-watt CFL E26 bulbs *(included)*
- 4.5" Downrod Included

Rockpointe Energy Ratings at High Speed

Energy efficiency information was not available at the time of publication. Visit emersonfans.com for up-to-date information.

16.9"
FAN HEIGHT

 WET LOCATION RATED

 LIMITED LIFETIME MOTOR WARRANTY

 INTEGRATED LIGHTING

A. Rockpointe - Vintage Steel CF630VS
Weather-Resistant Walnut Blades

10



B. Rockpointe - Oil Rubbed Bronze CF630ORB
Weather-Resistant Walnut Blades



C. Rockpointe - Satin White CF630SW
Weather-Resistant Driftwood Blades

A. **ROCKPOINTE - VINTAGE STEEL**

CF630VS - Weather-Resistant

Walnut Blades

- 5 blades
- Integrated light fixture
- SW405 wall control
- 4.5" downrod included

B. **ROCKPOINTE - OIL RUBBED BRONZE**

CF630ORB - Weather-Resistant

Walnut Blades

- 5 blades
- Integrated light fixture
- SW405 wall control
- 4.5" downrod included

C. **ROCKPOINTE - SATIN WHITE**

CF630SW - Weather-Resistant

Driftwood Blades

- 5 blades
- Integrated light fixture
- SW405 wall control
- 4.5" downrod included

Included:



SW405
Wall Control¹

Sold Separately:



SR401
Remote Control¹

¹ Controls recommended for indoor use only.

NEW!

Euclid

- 56" Blade Span
- Light fixture adaptable
- 4.5" Downrod Included

Euclid Energy Ratings at High Speed

Energy efficiency information was not available at the time of publication. Visit emersonfans.com for up-to-date information.

14"



FAN HEIGHT



**L.E.D. LIGHT
FIXTURE ADAPTABLE**



**LIMITED LIFETIME
MOTOR WARRANTY**



SHIPS TO CANADA

Shown with Natural Cherry Blades

A. Euclid - Brushed Steel CF500BS
Walnut/Natural Cherry Blades



CF500BS shown with Walnut Blades and accessory LK500BS Euclid light fixture (sold separately)

A. EUCLID – BRUSHED STEEL**CF500BS** - Walnut/Natural Cherry Blades

- 56" Blade Span
- SW46 wall control
- Light fixture adaptable
- 4.5" dowrod included

B. EUCLID – OIL RUBBED BRONZE**CF500ORB** - Dark Cherry/Dark Mahogany Blades

- 56" Blade Span
- SW46 wall control
- Light fixture adaptable
- 4.5" dowrod included

C. EUCLID – ANTIQUE PEWTER**CF500AP** - Charcoal/Timber Gray Blades

- 56" Blade Span
- SW46 wall control
- Light fixture adaptable
- 4.5" dowrod included



Shown with Dark Mahogany Blades and accessory LK500ORB Euclid light fixture (sold separately)

B. Euclid – Oil Rubbed Bronze CF500ORB
Dark Cherry/Dark Mahogany Black Blades



Shown with Timber Gray Blades

C. Euclid – Antique Pewter CF500AP
Charcoal/Timber Gray Blades

**Included:**

SW46
Wall Control

Sold Separately:

SR400
Remote Control
with Receiver



SR600
Remote Control



RC188
Receiver

NEW!

Euclid Light Fixture

Custom Accessory Light Fixture

 **L.E.D. LIGHTING**

Designed to compliment the new Euclid Ceiling Fan, but also fits all other light fixture adaptable Emerson ceiling fans. Uses three 9.5 Watt Medium Base A19 LED Bulbs (included).

Sold Separately

LK500XXX
Euclid LED
Light Fixture

Available in four finishes:

Brushed Steel (**LK500BS**)

Oil Rubbed Bronze (**LK500ORB**)

Antique Pewter (**LK500AP**)

Satin White (**LK500SW**)



CF500AP shown with Charcoal Blades and accessory LK500AP Euclid light fixture (sold separately)

NEW!

Kailua Cove

- 52" blade span
- Five Weather-Resistant Blades
- Light Fixture Adaptable
- 4.5" Downrod Included

Kailua Cove Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
5127	63.6	81

13.3"



FAN HEIGHT



WET LOCATION RATED




LIMITED LIFETIME
MOTOR WARRANTY



L.E.D. LIGHT
FIXTURE ADAPTABLE



SHIPS TO CANADA



A. Kailua Cove - Venetian Bronze CF380VNB
Weather-Resistant Medium Antique Brown Blades

A. KAILUA COVE – VENETIAN BRONZE

CF380VNB - Weather-Resistant

Medium Antique Brown Blades

- Five blades
- Light fixture adaptable
- 4.5" downrod included

B. KAILUA COVE – SATIN WHITE

CF380SW - Weather-Resistant

Driftwood Blades

- Five blades
- Light fixture adaptable
- 4.5" downrod included

Suggested Light Fixtures

Sold separately.



LK81XXX
Opal Matte
Light Fixture



WET
LOCATION



WLP100XXX
Wet Location Plate



WET
LOCATION

See pg 126-133 of 2016 Emerson Fans Catalog for these and additional light accessories.

Sold Separately:



SR400
Remote Control¹
with Receiver



SW405
Wall Control¹
with Receiver



SW46
Wall Control¹

¹ Controls recommended for indoor use only.





B. Kailua Cove - Satin White CF380SW
Weather-Resistant Driftwood Blades

*Shown with accessory Opal Matte light
fixture (LK81SW) and Wet Location
Plate (WLP100WW) (sold separately)*

New Finish and Finish Additions For 2017



Shown with Charcoal Blades

NEW FINISH **GRAPHITE!**

Keane - GRAPHITE

CF320RGRT - Charcoal/Timber Gray Blades

- Three reversible blades
- SW46W 4-speed fan slide control
- 4.5" downrod included
- Not Light Fixture Adaptable

The new Graphite Keane is also available in these reversible blade options:

CF320SGRT - Graphite with Brushed Steel/Barbeque Black

CF320CGRT - Graphite with Natural Cherry/Walnut

CF320WGRT - Graphite with Satin White/Maple

Or choose a different fan finish with the new Charcoal/Timber Gray Blades:

CF320RSW - Satin White with Charcoal/Timber Gray Blades

CF320RBS - Brushed Steel with Charcoal/Timber Gray Blades

Keane Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
5069	49.4	103.6

See 2016 Emerson
Ceiling Fans Catalog,
pg 40, or emersonfans.com
for more options
and details.

- ☀️ INTEGRATED LIGHTING
- 💧 WET LOCATION RATED
- 🇨🇦 SHIPS TO CANADA
- 🛡️ LIMITED LIFETIME MOTOR WARRANTY



NEW FINISH **GRAPHITE!**

52" Curva Sky™ - GRAPHITE (shown)

CF152GRT - 52" Graphite Blades, Opal Matte Glass

44" Curva Sky™ - GRAPHITE

CF144GRT - 44" Graphite Blades, Opal Matte Glass

- Three weather-resistant blades
- Removable no-light plate
- Integrated light fixture
- 6 speed remote control with receiver

52" & 44" Curva Sky™ Energy Ratings at High Speed

Blade Span	Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
52"	5393	46	116
44"	4217	45	93

See 2016 Emerson Ceiling Fans Catalog, pg 60, or
emersonfans.com for more available finishes and details.



Shown with Charcoal Blades

NEW FINISH **GRAPHITE!**

Highpointe™ - GRAPHITE

CF205GRT - Charcoal/Timber Gray Blades, Opal Matte Glass

- Three custom blades
- Removable no-light plate
- Removable decorative cables
- Integrated light fixture
- SR400 remote control with receiver
- Two downrods included: 6" & 12"

Highpointe™ Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
5678	66	86

See 2016 Emerson Ceiling Fans Catalog, pg 56, or
emersonfans.com for more available finishes and details.

- ☀️ INTEGRATED LIGHTING
- 💧 WET LOCATION RATED
- 🇨🇦 SHIPS TO CANADA
- 🛡️ LIMITED LIFETIME MOTOR WARRANTY



NEW FINISH **GRAPHITE!**

52" Curva™ - GRAPHITE (shown)

CF252GRT - 52" Graphite Blades, Opal Matte Glass

44" Curva™ - GRAPHITE

CF244GRT - 44" Graphite Blades, Opal Matte Glass

- Three weather-resistant blades
- Removable no-light plate
- Integrated light fixture
- 6 speed remote control with receiver
- 4.5" downrod included

52" & 44" Curva™ Energy Ratings at High Speed

Blade Span	Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
52"	5329	45	118
44"	4280	44	97

See 2016 Emerson Ceiling Fans Catalog, pg 62, or
emersonfans.com for more available finishes and details.

New Finish and Finish Additions For 2017



WET LOCATION RATED
INTEGRATED L.E.D. LIGHTING

NEW FINISH GRAPHITE!

Volta - GRAPHITE

CF590GRT - Weather-Resistant Driftwood Blades

- Three custom blades
- SW405 wall control
- Integrated L.E.D. light fixture
 - 2,000 LUMENS
 - 95 CRI
 - 3,000K CCT
 - 22 WATTS
- Removable no-light plate
- 4.5" downrod included



Volta Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
6255	66.1	95

See 2016 Emerson Ceiling Fans Catalog, pg 92, or emersonfans.com for more available finishes and details.



INTEGRATED LIGHTING

Shown with Timber Gray Blades

NOW AVAILABLE IN ANTIQUE PEWTER!

Ashland - ANTIQUE PEWTER

CF717GRT - Charcoal/Timber Gray Blades, Opal Matte Glass

- No-Light Option Included
- Five reversible blades
- Light fixture
- Dual-Mount feature
- 4.5" downrod included

See 2016 Emerson Ceiling Fans Catalog, pg 110, or emersonfans.com for more available finishes and details.

Ashland Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
4939	56	88



Graphite Accessories




CF5CKGRT - Graphite Sloped Ceiling Kit (Up to 45°)
 Also available in AB, AP, AW, BQ, BS, GBZ, GES, ORB, SW, VNB, VS and WW



CFDCGRT - Graphite Downrod Coupler
 Also available in AB, AP, AW, BQ, BS, GBZ, GES, ORB, SW, VNB, VS and WW

CFDRXXGRT - Graphite Downrods
 Also available in AB, AP, AW, BQ, BS, GBZ, GES, ORB, PT, SW, VNB, VS and WW



¹ Only certain fan models comply with the 2½" downrod. Please see pg S14-S17 for compatible models.



NOW AVAILABLE IN VINTAGE STEEL!

Carrera Grande® Eco - VINTAGE STEEL

CF788VS - Blade Select Series

- Blades sold separately*
- 6-Speed wall control with receiver
- Light fixture adaptable
- 4.5" downrod included

ECOMOTOR

BLADE SELECT* SERIES

L.E.D. LIGHT FIXTURE ADAPTABLE

ENERGY STAR LISTED



NOW AVAILABLE IN BRUSHED STEEL!

Carrera Grande® Eco - BRUSHED STEEL

CF788BS - Blade Select Series

- Blades sold separately*
- 6-Speed wall control with receiver
- Light fixture adaptable
- 4.5" downrod included

See 2016 Emerson Ceiling Fans Catalog, pg 22, or emersonfans.com for more available finishes and details.

Carrera Grande® Eco Energy Ratings at High Speed

Airflow Cubic Ft Per Min.	Electricity Use Watts (Excl. Lights)	Airflow Efficiency Cubic Ft Per Min. Per Watt
7930	29.9	265

*For blade selection, see 2016 Emerson Ceiling Fans Catalog, pg 134-135.

NEW!

Bluetooth® Ceiling Fan Control with App

RCBT100

- Bluetooth® Technology - Control Your Ceiling Fan with your Apple® or Android® device with the Free Emerson Ceiling Fan App
- App controls compatible fan's power, speed, light and dimming* (*if applicable)
- 3-Speed Handheld Remote & Receiver Included
- Universal - Compatible with most Emerson & non-Emerson Ceiling Fans
See Emerson compatibility chart below. Not compatible with EcoMotor or DC fans
- Easy to Install

RCBT100 is compatible with these Emerson Ceiling Fans:

CF1	Cornerstone	CF654	Sea Breeze
CF130	Tilo	CF670	Devonshire
CF144	44" Curva Sky	CF700	Builder
CF152	52" Curva Sky	CF702	29" Northwind
CF2000	Maui Bay	CF710	42" Pro Series II
CF205	Highpointe	CF711	50" Pro Series II
CF230	Veloce	CF712	Pro Series
CF244	44" Curva	CF713	Pro Series ES
CF252	52" Curva	CF717	Ashland
CF320	Keane	CF742PF	42" Summer Night
CF430	Highrise	CF755	Designer
CF440	Braddock	CF765	Loft
CF442	42" Bella	CF766	4th Avenue
CF4501	Crown Select	CF772	52" Monterey II
CF452	52" Bella	CF773	42" Monterey II
CF4801	Premium Select	CF776	Monterey Lumina
CF4900	Southtowne	CF784	Carrera
CF500	Euclid	CF790	Crofton
CF5100	Penbrooke Select	CF830	Monaco
CF542	42" Veranda	CF850	Summerhaven
CF552	52" Veranda	CF880	Amhurst
CF590	Volta	CF901	Prima
CF610	Welland	CF905	Prima Snugger
CF621	Batalie Breeze	CF930	Atomical
CF630	Rockpointe	CF935	Zurich
CF652	52" Summer Night	CF990	Highgrove

Included:



Remote Control with Bluetooth Receiver



Download the Free Control App at the App Store and Google Play

**Phone Not Included*



Download on the
App Store

GET IT ON
Google Play

Google Play and the Google Play logo are trademarks of Google Inc.

"The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Emerson is under license. Other trademarks and trade names are those of their respective owners."

Control Compatibility

		CF330 Ideal	CF500 Euclid	CF630 Rockpointe	CF380 Kailua Cove	CF205 Highpointe	CF717 Ashland	CF784 Carrera
SR400 SERIES REMOTES Uses RCFP; SR400 & SW405: Receiver Included	 SR400 SR401 4 Speed Remote Control		●	●	●	■		●
	 SW405 SW406 4 Speed Wall Control		●	■	●	●		●
	 RCFP Flat Pack Receiver		●	■	●	■		●
SR600 SERIES REMOTES Require Receiver for Operation Uses RCK55 or RC188: Receiver Sold Separately	 SR600 6 Speed LED Remote Control	+	●	×	+			+
	 SR650 6 Speed 2-in-1 LED Remote Control	+	●	×	+			+
	 SW605 6 Speed LED Wall Control	+	●	×	+			+
SR600 RECEIVERS	 RC188		●	×	+			+
	 RCK55							
HARDWIRE CONTROLS Do Not Require Receiver Separate lighting circuit required for fans with integrated or accessory lights	 SW46 4-Speed Slide Wall Control		■	●	●	●	●	●
	 SW95 4-Speed Knob Wall Control		●	●	●	●	●	●
	 SW96 5-Amp Four-Speed Multi-Fan Knob Wall Control		●	●	●	●	●	●
	 SW93 2-Fan, 3 Speed Knob Control		●	●	●	●	●	●
	 SW90 Fan & Light Dual Slide Control	●	●	●	●	●	●	●
	 SW81 Variable Speed Control							
	 SW82 Variable Speed Wall Control							


See 2016 Emerson Fans Catalog, pg 138-141 for more control information.

Key:

- ✚ Fan model does not have nor is adaptable to accent light. Accent Light function will not operate.
- * Must use these controls/receivers to operate accent light and downlight separately.

- ✕ Reverse function will not operate remotely.
- ▲ Light button cannot be used.
- Supplied with fan.
- Compatible

Fan Specifications



Model Number	Model	Pg	Motor	Fan Diameter	Blade Pitch	A	B	C	D	RPM Range	Motor Warranty	High Speed Amps	Accepts 2.5" DR	Energy Star
CF1	Cornerstone	C74*	K55XL	54"	14°/20°	17.8"/31.3"	11.0"/24.5"	9.5"	6.4"	35-160	Lifetime	0.83	Yes	No
CF130	Tilo	C67*	153x10mm	30"	12°	9.5"/13.3"	8.1"x 11.9"	7.3"	5.1"	110-280	Lifetime	0.4	Yes	No
CF144	44" Curva Sky	C60*	153x18mm	44"	12°	12.6"	10.0"	9.6"	9.9"	130-280	Lifetime	0.5	No	No
CF152	52" Curva Sky	C60*	153x18mm	52"	12°	12.6"	10.0"	9.6"	9.9"	75-195	Lifetime	0.5	No	No
CF2000	Maui Bay	C98*	K55XL	52"	20°	15.0"	14.5"	8.6"	5.3"	25-100	Lifetime	0.77	Yes	No
CF205	Highpointe	C56*	153x22mm	54"	14°	16.5"/22.5"	15.0"/21.0"	8.0"	6.3"	59-189	Lifetime	0.55	Yes	No
CF230	Veloce	C66*	153x18mm	46"	12°	14.4"/11.1"	11.9"	7.5"	5"	102-206	Lifetime	0.43	Yes	No
CF244	44" Curva	C62*	153x18mm	44"	12°	14.9"	12.0"	9.6"	6.5"	130-280	Lifetime	0.5	Yes	No
CF252	52" Curva	C62*	153x18mm	52"	12°	14.9"	12.0"	9.6"	6.5"	75-195	Lifetime	0.5	Yes	No
CF320	Keane	C40*	153x17mm	52"	12°	10.9"	10.4"	11.0"	5.9"	680-185	Lifetime	.40	Yes	Yes
CF330	Ideal	S2	125mm EcoMotor	54"	14°	14.4"	12.7"	6.7"	5.8"	♦	Lifetime	♦	Yes	No
CF380	Kailua Cove	S8	188x15mm	52"	12°	13.3"	11.4"	11.3"	7.2"	65-160	Lifetime	.53	No	No
CF430	Highrise	C48*	153x17mm	50"	13°	13.5"	11.2"	8.0"	5.9"	72-168	Lifetime	0.42	Yes	No
CF440	Braddock	C34*	188x18mm	54"	12.5°	16.2"	11.45"	12.8"	6.4"	77-175	Lifetime	0.53	No	No
CF442	42" Bella	C36*	153x18mm	42"	13°	14.0"	12.0"	11.5"	7.1"	100-240	Lifetime	0.45	No	No
CF4501	Crown Select	C72*	K55XL	42"/52"/58"/70"	12°	14.0"	13.0"	12.3"	6.4"	40-205	Lifetime	0.85	Yes	No
CF452	52" Bella	C36*	188x15mm	52"	13°	14.0"	12.0"	11.5"	7.1"	60-180	Lifetime	0.6	No	No
CF4801	Premium Select	C80*	K55XL	42"/52"/58"/70"	12°	15.0"	14.0"	12.3"	6.4"	40-205	Lifetime	0.85	Yes	No
CF4900	Southtowne	C46*	K55XL	54"	12°	15.0"	10.5"	12.0"	6.25"	43-186	Lifetime	0.8	Yes	No
CF500	Euclid	S6	188x20mm	56"	12°	14"	12.25"	9.8"	6.75"	60-175	Lifetime	.60	Yes	No
CF5100	Penbrooke Select	C14*	K55XL	44"/54"/60"	12°	13.0"	12.0"	13.0"	6.7"	35-150	Lifetime	0.82	Yes	No
CF5200	Penbrooke Select Eco	C12*	EcoMotor	44"/54"/60"/72"	12°	13.0"	12.0"	13.0"	6.7"	50-180	Lifetime	0.47	Yes	No
CF550	Luxe Eco	C54*	EcoMotor	54"	18°	15.8"	12.0"	9.6"	6.4"	50-155	Lifetime	0.30	No	No
CF542	42" Veranda	C102*	153x18mm	42"	13°	14.0"	12.0"	11.5"	7.1"	100-260	Lifetime	0.44	No	No
CF552	52" Veranda	C102*	188x15mm	52"	13°	14.0"	12.0"	11.5"	7.1"	60-180	Lifetime	0.61	No	No
CF590	Volta	C92*	172x20mm	54"	12°	14.5"	13.2"	8.7"	5.8"	60-170	Lifetime	0.7	Yes	No
CF610	Welland	C94*	188x15mm	54"	12°	14.9"	12.3"	13.75"	6.8"	65-165	Lifetime	0.5	Yes	No
CF621	Batalie Breeze	C96*	188x20mm	52"	14°	14.5"	13.2"	9.8"	7.1"	75-180	Lifetime	0.62	Yes	No
CF630	Rockpointe	S4	172x20mm	54"	12.5°	16.9"	12.0"	8.7"	7.5"	♦	Lifetime	♦	No	No
CF652	52" Summer Night	C106*	153x15mm	52"	12°	11.8"	9.8"	11.5"	5.3"	80-200	Lifetime	0.52	Yes	No
CF654	Sea Breeze	C105*	188x15mm	52"	14°	14.0"	12.0"	12.0"	6.5"	60-200	Lifetime	0.6	Yes	No
CF670	Devonshire	C104*	188x15mm	52"	14°	12.0"	10.0"	12.0"	7.0"	70-175	Lifetime	0.58	Yes	No
CF700	Builder	C120*	153x15mm	52"	11°	12.0"	11.0"	11.5"	5.1"	58-175	Lifetime	0.53	Yes	Yes
CF702	29" Northwind	C86*	153x10mm	29"	22°	10.8"	10.5"	9.0"	5.3"	130-285	Lifetime	0.39	Yes	No

*Denotes the page number that the product can be found in the 2016 Emerson Fans Catalog

♦ Information not available at the time of printing - Visit emersonfans.com for the latest information

Model Number	Model	Pg	Wet/Damp	CFM ⁺	Watts	CFM/W ⁺	Control Included	Receiver Included	Manual/Remote Reverse Switch	Dimming Light	Downrod Length	Ships To Canada
CF1	Cornerstone	C74*	Indoor	5345 ¹ 6257 ²	99 ¹ 101 ²	54 ¹ 62 ²	Pull Chain	N/A	Manual	N/A	4.5 & 18	Yes
CF130	Tilo	C67*	Damp ³	2278	42	54	SW46	N/A	Manual	N/A	4.5	Yes
CF144	44" Curva Sky	C60*	Wet ³	4217	45	93	6 Speed Remote Control	RC188	Remote	Yes	N/A	Yes
CF152	52" Curva Sky	C60*	Wet ³	5393	46	116	6 Speed Remote Control	RC188	Remote	Yes	N/A	Yes
CF2000	Maui Bay	C98*	Damp ³	5140	92	56	Pull Chain	N/A	Manual	N/A	6	Yes
CF205	Highpointe	C56*	Indoor	5678	66	86	SR400	RCFP	Manual	Yes	6 & 12	Yes
CF230	Veloce	C66*	Indoor	5250	52	102	SR400	RCFP	Manual	Yes	4.5	Yes
CF244	44" Curva	C62*	Wet ³	4280	44	97	6 Speed Remote Control	RC188	Remote	Yes	4.5	Yes
CF252	52" Curva	C62*	Wet ³	5329	45	118	6 Speed Remote Control	RC188	Remote	Yes	4.5	Yes
CF320	Keane	C40*	Indoor	5069	49.4	103.6	SW46	N/A	Manual	N/A	4.5	Yes
CF330	Ideal	S2	Indoor	◆	◆	◆	6 Speed Wall Control	RC188	Manual	Yes	4.5	Yes
CF380	Kailua Cove	S8	Wet	5127	63.6	81	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF430	Highrise	C48*	Indoor	4263	49	85	SW405	RCFP	Manual	No-LED	4.5	Yes
CF440	Braddock	C34*	Indoor	6311	64	99	SR400	RCFP	Manual	Yes	4.5	No
CF442	42" Bella	C36*	Indoor	4181	54	77	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF4501	Crown Select	C72*	Indoor	7155	100	72	Pull Chain	N/A	Manual	N/A	4.5	No
CF452	52" Bella	C36*	Indoor	5614	72	78	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF4801	Premium Select	C80*	Indoor	7264	100	73	Pull Chain	N/A	Manual	N/A	4.5	No
CF4900	Southtowne	C46*	Indoor	5556	97	57	6 Speed Wall Control	RCK55	Remote	Yes	4.5	Yes
CF500	Euclid	S6	Indoor	◆	◆	◆	SW46	N/A	Manual	N/A	4.5	Yes
CF5100	Penbrooke Select	C14*	Indoor	6222	98	63	N/A	N/A	Remote	Yes	4.5	Yes
CF5200	Penbrooke Select Eco	C12*	Indoor	7600	30.6	248	SW605	EcoMotor Receiver	Remote	N/A	4.5	Yes
CF550	Luxe Eco	C54*	Indoor	7095	31	227	6 Speed Wall Control	EcoMotor Receiver	Remote	Yes	4.5	Yes
CF542	42" Veranda	C102*	Wet	4421	53	83	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF552	52" Veranda	C102*	Wet	5967	73	82	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF590	Volta	C92*	Wet	6255	66.1	95	SR400	4 Speed	Manual	Yes	4.5	Yes
CF610	Welland	C94*	Wet	5081	57.8	88	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF621	Batalie Breeze	C96*	Wet	5255	75	70	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF630	Rockpointe	S4	Wet	◆	◆	◆	SW405	RCFP	Manual	No	4.5	No
CF652	52" Summer Night	C106*	Damp	5334	62	86	Pull Chain	N/A	Manual	N/A	3.5	Yes
CF654	Sea Breeze	C105*	Wet	6492	72	90	Pull Chain	N/A	Manual	N/A	3.5	Yes
CF670	Devonshire	C104*	Damp	6186	70	89	Pull Chain	N/A	Manual	N/A	4.5	Yes
CF700	Builder	C120*	Indoor	5241	64	80	Pull Chain	N/A	Manual	Yes	4.5	Yes
CF702	29" Northwind	C86*	Indoor	3430	47	73	Pull Chain	N/A	Manual	N/A	3.5	Yes


¹ 2 blades

² 4 blades

³ Damp or Wet Location ratings may apply to certain finishes only

+ CFM data reflects performance at highest fan speed using the test method defined by "ENERGY STAR Testing Facility Guidance Manual Version 1.2: Building a Testing Facility and Performing the Solid State Test Method for ENERGY STAR Qualification of Ceiling Fans."

Fan Specifications



Model Number	Model	Pg	Motor	Fan Diameter	Blade Pitch	A	B	C	D	RPM Range	Motor Warranty	High Speed Amps	Accepts 2.5" DR	Energy Star
CF710	42" Pro Series II	C118*	153x15mm	42"	12°	14.5"/17.3"	8.3"/11.0"	11.5"	5.2"	75-195	Lifetime	0.38	No	No
CF711	50" Pro Series II	C116*	153x15mm	50"	12°	14.8"/18.5"	8.3"/11.0"	11.5"	5.2"	65-170	Lifetime	0.53	No	No
CF712	Pro Series	C112*	153x15mm	50"	12°	14.8"/18.5"	8.3"/11.5"	11.5"	5.2"	65-170	Lifetime	0.51	No	No
CF713	Pro Series ES	C114*	153x15mm	50"	12°	14.8"/18.5"	8.3"/11.5"	11.5"	5.2"	75-175	Lifetime	0.50	No	Yes
CF717	Ashland	C110*	153x17mm	52"	11.5°	17.0"/13.0"	9.5"/13.5"	12.0"	5.3"	70-170	Lifetime	0.47	No	No
CF742PF	42" Summer Night	C107*	153x10mm	42"	12°	12.0"	10.0"	11.5"	5.2"	80-200	Lifetime	0.39	Yes	No
CF755	Designer	C84*	188x15mm	52"	14°	14.0"	12.0"	12.0"	6.4"	60-200	Lifetime	0.62	Yes	Yes
CF765	Loft	C58*	188x15mm	60"	Contoured	12.8"	12.8"	7.5"	6.5"	60-190	Lifetime	0.66	Yes	Yes
CF766	4th Avenue	C50*	188x20mm	60"	14°	17.9"	12.6"	8.7"	6.4"	65-150	Lifetime	0.41	No	No
CF772	52" Monterey II	C32*	188x15mm	52"	13°	15"	11.5"	13"	6.8"	65-195	Lifetime	0.58	No	No
CF773	42" Monterey II	C33*	172x14mm	42"	12.5°	15.0"	12.5"	12.5"	6.5"	100-225	Lifetime	0.4	Yes	No
CF776	Monterey Lumina	C30*	188x15mm	52"	13°	19.1"	11.5"	13"	6.8"	65-195	Lifetime	0.58	Yes	No
CF784	Carrera	C20*	188x25mm	60"	14°	14.5"	13.0"	13.4"	6.8"	50-160	Lifetime	0.80	No	No
CF788	Carrera Grande Eco	C22*	EcoMotor	44"/54"/60"/72"	16°	14.5"	13.0"	13.4"	7.1"	50-150	Lifetime	0.30	No	Yes
CF790	Crofton	C18*	188x25mm	58"	12°	13.2"	12.0"	13.7"	6.5"	50-135	Lifetime	0.66	No	No
CF804S	42" Snugger	C89*	153x12mm	42"	12°	7.3"	6.5"	9.1"	N/A	80-205	Lifetime	0.38	No	No
CF805S	52" Snugger	C88*	153x15mm	52"	12°	7.3"	6.5"	11.0"	N/A	60-165	Lifetime	0.53	No	No
CF830	Monaco	C70*	188x25mm	60"	14°	15.5"/21.0"	13.0"/18.5"	16.0"	8.9"	50-160	Lifetime	0.82	No	No
CF850	Summerhaven	C100*	188x15mm	52"	12°	14.4"	9.7"	11.7"	6.7"	102-206	Lifetime	0.43	Yes	No
CF860	Luray Eco	C42*	EcoMotor	60"	Contoured	14.1"	14.5"	9.8"	6.5"	50-160	Lifetime	0.28	No	Yes
CF880	Amhurst	C26*	188x15mm	54"	12°	15.1"	11.8"	9.1"	6.3"	60-170	Lifetime	0.58	Yes	No
CF901	Prima	C82*	188x15mm	52"	13°	13.0"	12.0"	12.0"	6.3"	70-180	Lifetime	0.49	Yes	Yes
CF905	Prima Snugger	C87*	172x14mm	52"	13°	8.0"	7.0"	11.6"	N/A	70-165	Lifetime	0.54	No	No
CF921	Avant Eco	C78*	EcoMotor	44"/54"/60"/72"	16°	13.0"	12.0"	12.0"	6.3"	50-150	Lifetime	0.30	No	Yes
CF930	Atomical	C64*	153x18mm	52"	13°	15.8"	12.0"	9.5"	6.5"	70-160	Lifetime	0.49	Yes	No
CF935	Zurich	C75*	188x15mm	52"	14°	14.5"	13.5"	13.3"	7.0"	50-170	Lifetime	0.58	Yes	No
CF955	Midway Eco	C52*	EcoMotor	54"	29°	16.5"	9"	12.5"	5.1"	50-211	Lifetime	0.15	No	Yes
CF965	Portland Eco	C16*	EcoMotor	54"	18°	15.6"	12.0"	13.2"	6.4"	50-155	Lifetime	0.3	No	No
CF985	Aira Eco	C44*	EcoMotor	72"	15°	14.4"	12.5"	8.4"	6.4"	30-100	Lifetime	0.3	Yes	No
CF990	Highgrove	C28*	188x15mm	53"	12°	15"	13"	13"	6.4"	55-160	Lifetime	0.52	No	No
CF995	Laclede Eco	C24*	EcoMotor	62"	12°	20.0"	16.0"	17.0"	8.0"	50-135	Lifetime	0.30	No	No
HF1160	60" Industrial Fan	C122*	188x20mm	60"	Airfoil	12.8"	12.8"	7.5"	5.2"	270	5 Years	0.98	No	No
HF948	48" Industrial Fan	C122*	188x18mm	48"	Contoured	19.5"/33.5"	16.0"/30.0"	7.5"	4.8"	330	2 Years	0.6	No	No
HF956	56" Industrial Fan	C122*	188x25mm	58"	Contoured	33.5"	30.0"	7.5"	4.8"	310	2 Years	0.79	No	No

*Denotes the page number that the product can be found in the 2016 Emerson Fans Catalog

	Model Number	Model	Pg	Wet/Damp	CFM ⁺	Watts	CFM/W ⁺	Control Included	Receiver Included	Manual/Remote Reverse Switch	Dimming Light	Downrod Length	Ships To Canada
	CF710	42" Pro Series II	C118*	Indoor	3834	45	86	Pull Chain	N/A	Manual	No	3.5 & Dualmount	No
	CF711	50" Pro Series II	C116*	Indoor	5403	64	84	Pull Chain	N/A	Manual	No	4.5 & Dualmount	No
	CF712	Pro Series	C112*	Indoor	5224	61	85	Pull Chain	N/A	Manual	No	4.5 & Dualmount	Yes
	CF713	Pro Series ES	C114*	Indoor	5027	65	77	Pull Chain	N/A	Manual	No	4.5 & Dualmount	Yes
	CF717	Ashland	C110*	Indoor	4939	56	88	Pull Chain	N/A	Manual	Yes	4.5 & Dualmount	Yes
	CF742PF	42" Summer Night	C107*	Damp	4105	47	88	Pull Chain	N/A	Manual	N/A	3.5	Yes
	CF755	Designer	C84*	Indoor	5794	69	83	Pull Chain	N/A	Manual	N/A	3.5	Yes
	CF765	Loft	C58*	Damp ³	7579	81	92	SW46	N/A	Manual	N/A	6	Yes
	CF766	4th Avenue	C50*	Indoor	6403	48	132	SW405	RCFP	Manual	Yes	8	Yes
	CF772	52" Monterey II	C32*	Indoor	5625	70	79	Pull Chain	N/A	Manual	N/A	4.5	Yes
	CF773	42" Monterey II	C33*	Indoor	3556	47	75.7	Pull Chain	N/A	Manual	N/A	4.5	Yes
	CF776	Monterey Lumina	C30*	Indoor	5625	70	79	Pull Chain	N/A	Manual	Yes	4.5	Yes
	CF784	Carrera	C20*	Indoor	7510	94	79	Pull Chain	N/A	Manual	N/A	4.5	Yes
	CF788	Carrera Grande Eco	C22*	Damp ³	7930	29.9	265	6 Speed Wall Control	EcoMotor Receiver	Remote	N/A	4.5	Yes
	CF790	Crofton	C18*	Indoor	6445	77.6	83.1	SW405	RCFP	Manual	N/A	4.5	Yes
	CF804S	42" Snugger	C89*	Indoor	3761	82	46	Pull Chain	N/A	Manual	N/A	N/A	Yes
	CF805S	52" Snugger	C88*	Indoor	4887	76	64	Pull Chain	N/A	Manual	N/A	N/A	Yes
	CF830	Monaco	C70*	Indoor	6156	98	63	SW90	N/A	Manual	Yes	4.5 & 10	No
	CF850	Summerhaven	C100*	Wet	6118	61	99	Pull Chain	N/A	Manual	Yes	4.5	Yes
	CF860	Luray Eco	C42*	Indoor	8366	28.8	290	SW605	EcoMotor Receiver	Remote	Yes	4.5	Yes
	CF880	Amhurst	C26*	Indoor	5422	67	80	SW405	RCFP	Manual	Yes	4.5	Yes
	CF901	Prima	C82*	Indoor	5263	59	89	SW46	N/A	Manual	N/A	4.5	Yes
	CF905	Prima Snugger	C87*	Indoor	5145	64	80	SW46	N/A	Manual	N/A	N/A	Yes
	CF921	Avant Eco	C78*	Indoor	7985	31	256	SR600	EcoMotor Receiver	Control	N/A	4.5	Yes
	CF930	Atomical	C64*	Damp ³	4515	59	76	SR400	RCFP	Manual	Yes	4.5	Yes
	CF935	Zurich	C75*	Indoor	5958	69	86	Pull Chain	N/A	Manual	N/A	4.5	Yes
	CF955	Midway Eco	C52*	Indoor	6085	18	336	6 Speed Remote Control	EcoMotor Receiver	Remote	No	4.5	Yes
	CF965	Portland Eco	C16*	Indoor	6389	33.5	190.7	SW605	EcoMotor Receiver	Remote	Yes	4.5	Yes
	CF985	Aira Eco	C44*	Damp	9782	33.7	290	SW605	EcoMotor Receiver	Remote	Yes	6.0	Yes
	CF990	Highgrove	C28*	Indoor	5258	62	84	SR400	RCFP	Manual	Yes	4.5	Yes
	CF995	Laclede Eco	C24*	Indoor	6381	30	212	SR600	EcoMotor Receiver	Remote	No	10	No
	HF1160	60" Industrial Fan	C122*	Indoor	9673	98	109	SW95	N/A	N/A	N/A	6	Yes
	HF948	48" Industrial Fan	C122*	Indoor	6527	68	96	SW95	N/A	N/A	N/A	8 & 22	Yes
	HF956	56" Industrial Fan	C122*	Indoor	9918	93	106	SW95	N/A	N/A	N/A	22	Yes

¹ 2 blades

² 4 blades

³ Damp or Wet Location ratings may apply to certain finishes only

+ CFM data reflects performance at highest fan speed using the test method defined by "ENERGY STAR Testing Facility Guidance Manual Version 1.2: Building a Testing Facility and Performing the Solid State Test Method for ENERGY STAR Qualification of Ceiling Fans."

go ABOVE®



EMERSON™

Air Comfort Products division of Emerson Electric Co.
8100 West Florissant Ave. • Saint Louis, Missouri 63136

Customer Service Tel: 1-800-237-6511

Customer Service Fax: 1-800-525-7248

Customer Service Email: FanCS@emerson.com

**For our full line of products,
visit emersonfans.com or view our 2016 Catalog**



Share pictures of your Emerson fans on Pinterest,
Facebook and Twitter using #MyEmersonFan

