










Fixture Name: Empyreal 1220-M1L RT

This fixture assembled PO: _____ Date: _____

Notice: Please review the parts listing and check for all parts before assembling the fixture. If any parts are missing or damaged, please note on this sheet and contact the place of purchase to arrange for replacement parts.

PARTS LIST

Company Name: _____ Co. Account #: _____
below to be filled out by retailer

Mounting Strap w/ ground screw  1ea Ø4**1.5mm	Junction Box Screw  2ea #8-32N*H25mm	Mounting Screw  2ea 5/32**H32mm
Wire Connector  3ea P3 Orange	Hex Nut  2 ea 5/32**H3.5mm	Deco Nut (Round)  2 ea 5/32"xH9mm
Nipple  4 ea 3/8**H20mm	Rod  3 ea Ø1/2**H12"	Rod  1 ea Ø1/2**H6"
Part Needed _____	Quantity _____	
Part Needed _____	Quantity _____	
Reason why _____ Comments _____	(missing, scratched, broken glass, bent, bad finish)	

FIXTURE ASSEMBLY INSTRUCTIONS

Read and review installation instruction sheet before assembling the fixture.

1. By measuring determine correct number of rods needed for proper hanging height.
This fixture contains 3 rods x(12") and 1 rod x(6").
Feed the fixture wires through Rod (H) thread the Rod (H) to the Fixture coupler (L), then thread the Rod (H) to Rod Nipple (I). Redo this step for the rest of required Rods.

2. After the Rods are assembled to the desired height feed the fixture wires through Rods (H) and Universal Joint into the canopy (E) and pull until taut.

3. Connect Rod Nipple (G) to Universal Joint (G).

* You may now install the fixture.


4. Place the Shade (J) over the threaded socket (I) and tighten the Socket ring (K) until secure.

5. Install light bulb in accordance with the fixture's specifications.
(DO NOT EXCEED MAXIMUM WATTAGE RATING!)

NOTE: INSTALL THE SHADE ASSEMBLY AFTER THE FIXTURE IS HUNG.

1220-M1L RT

Fig. 1



These two Rods may be removed or additional Rods may be added.

ROD-1220 RT *
*available for purchase separately


For Customer Service, contact the place of purchase to arrange for replacement parts.

WARNING ! SHUT OFF POWER AT FUSE OR CIRCUIT BREAKER.

HANGING THE FIXTURE (Fig 1)

1. Carefully remove the new fixture from the carton and the yellow bag that holds all your parts. Check that all parts are included as shown in the illustration and parts list.
2. Shut off power at the circuit breaker and remove the old fixture from wall, including the old mounting strap.
3. The Mounting Strap (B) contains several pairs of threaded holes, find the pair of holes that match the holes spacing in your fixture Canopy (E) and thread the two Mounting Screws (A) into the Mounting Strap (B), secure with Hex nuts (D).
4. Place the Mounting Strap (B) over the Junction Box so the Mounting Screws (A) are vertical or horizontal, as required by fixture type.
5. Attach the Mounting Strap (B) to the Junction Box by using the two mounting screws (C). Tighten the screws securely.


Fig. 1



CONNECTING THE WIRES (Fig 2)

6. Attach the power supply wires to the fixture lead wires by connecting BLACK to BLACK (or SMOOTH) and WHITE to WHITE (or RIBBED).
7. Attached the GROUND wire (GREEN or COPPER) from the Junction Box and the fixture Ground wire to the green Ground Screw on the Mounting Strap (B) or connect both wires together using the correct size of wire connectors
- NOTE: Twist the wires together in the same direction you twist the wire connector onto the wires.
8. Tuck these wire connections neatly into the Junction Box.

Fig. 2




FINISHING THE INSTALLATION (Fig 3)

9. Place the fixture Canopy (E) over the Mounting screws (A), so they protrude through the holes in the Canopy (E).
10. Thread the Deco Nut (F) onto the Mounting screws (A) and continue turning until the Canopy (E) is snug against the wall.
11. Install shade and light bulbs as per the fixture assembly instructions

(DO NOT EXCEED THE MAXIMUM WATTAGE RATING)

Fig. 3





Subject: Onyx Shade Material

Dear Golden Customer,

Beautiful grain, organic color and solid weight of Onyx make it a great material for use on a light fixture. Onyx is a semiprecious translucent stone with color ranging from white to deep browns.

Onyx shades are carved from natural stone, therefore actual colors and striations may vary slightly from one piece to the next. Because the stone is natural, please understand that each shade piece is unique and one of a kind.

Golden Onyx shades are considered to be within the range of an amber color. Of course, the manufacturer controls the basic color and attempts to match the best they can. We have worked with them extensively and agreed on an acceptable range of Onyx color. All Onyx shades provided by Golden have been inspected and found to be within our color limit.

Please accept this with our best intentions to supply you with an elegant Onyx shade.

2012/03/22