



HOSPITALITY

HINKLEY

Introducing the Galerie Collection

The Hinkley Difference: Quality, Service, Technology & Style

Hinkley Hospitality provides you with a vast selection of LED and performance grade decorative lighting for the light commercial and hospitality markets. Drawing on our heritage of compelling design, outstanding quality and results-driven service, we are in a unique position to engineer and deliver the products you desire and the level of performance you need.

ON THE COVER: AXIS 41705HB | PAGE 04

HINKLEY.COM

Immerse yourself in the world of Hinkley. Our easy-to-use site makes your research process a snap, with the added benefit of spec sheets, IES files, tips, trends and installation guidelines.

CONTACT

Ready to bring your vision to life? All orders can be sent to commercial@hinkley.com. To specify a project or ask questions regarding any hospitality fixtures, contact quotes@hinkley.com.

SOCIAL CLIMBERS

Look for @hinkleylighting on the following social media platforms:



ICON DESCRIPTIONS



ADA COMPLIANT

Indicates fixtures that adhere to the standards and guidelines listed by the Americans with Disabilities Act.



INVISI-MOUNT

Indicates fixtures where the mounting hardware is hidden on the back plate.



LED

Fixtures supplied with fully integrated LEDs and drivers or specifically matched LED lamps based on performance and application.



TITLE 24

Meets California Energy Commission Title regulations.

HINKLEY HOSPITALITY LIGHTING WARRANTY

INTEGRATED LED COMPONENTS

3 year warranty


LED LAMPS

1 year warranty

For further details concerning this limited warranty coverage, please refer to the "Warranty" information section of hinkley.com.



All fixtures in this catalog are either UL-listed or ETL-listed for compliance with UL and CSA lighting standards.



The Galerie Collection

AVENUE	12
AXIS	04
HALO	06
LINK	08
LUSTER	02
VECTOR	03

Merging modern and classic elements, the Galerie collection offers a selection of ceiling and scone fixtures with unique details that effortlessly balance a variety of spaces with form and function. The complementary contours, materials and finishes allow each silhouette to be used in unison or easily combined with other Galerie pieces.

DISTINCTIVE FEATURES INCLUDE:

- + TIP-OFF SHADES REQUIRE NO TOOLS FOR RE-LAMPING
- + HIGH QUALITY, POLYCARBONATE DIFFUSERS FOR EXCEPTIONAL LIGHTING AND LONGEVITY
 - WON'T LOSE SHAPE OR DISCOLOR
 - 85% TRANSMITTANCE
- + MULTIPLE OPTIONS OF SHADES AND FINISHES FOR A CUSTOM LOOK
- + ALL SCONCES HAVE UPPER AND LOWER DIFFUSERS
- + ENGINEERED FOR EASE OF INSTALLATION AND SERVICING

LUSTER™


FINISH OPTIONS

- BN
BRUSHED NICKEL
- HB
HERITAGE BRASS

SHADE MATERIALS

- HEATHERED GRAY
LINEN
- OFF WHITE LINEN

COMPLIANCIES



Detail of glass bar.



**41601 BN (shown)
41601 HB**
8" W, 11¾" H, 3" EXT.



**41602 BN
41602 HB (shown)**
8" W, 11¾" H, 3" EXT.



**41603 BN
41603 HB (shown)**
15" W, 11¾" H, 3" EXT.



**41604 BN (shown)
41604 HB**
15" W, 11¾" H, 3" EXT.

ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41601 BN, HB	16w	1250	LED	3000K	95	•
41602 BN, HB	16w	1250	LED	3000K	95	•
41603 BN, HB	32w	2400	LED	3000K	95	•
41604 BN, HB	32w	2400	LED	3000K	95	•

For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

VECTOR™



41501 WL
8" W, 18½" H, 3" EXT.



41502 WL
8" W, 18½" H, 3" EXT.



41503 WL
15" W, 18½" H, 3" EXT.



41504 WL
15" W, 18½" H, 3" EXT.


FINISH OPTIONS

WL
WALNUT




SHADE MATERIALS

HEATHERED GRAY
LINEN



OFF WHITE LINEN



COMPLIANCIES



ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41501 WL	16w	1250	LED	3000K	95	•
41502 WL	16w	1250	LED	3000K	95	•
41503 WL	32w	2400	LED	3000K	95	•
41504 WL	32w	2400	LED	3000K	95	•

For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

AXIS™

FINISH OPTIONS

BK
BLACK

HB
HERITAGE BRASS

SHADE MATERIALS

HEATHERED GRAY
LINEN

OFF WHITE LINEN



View of finial detail.



41705 BK (shown)
41705 HB
14½" DIA., 8¾" H



41706 BK
41706 HB (shown)
14½" DIA., 8¾" H



41707 BK
41707 HB (shown)
19½" DIA., 8¾" H



41708 BK (shown)
41708 HB
19½" DIA., 8¾" H



41709 BK (shown)
41709 HB
25½" DIA., 10½" H



41710 BK
41710 HB (shown)
25½" DIA., 10½" H

ITEM	MAXIMUM WATTAGE	CANOPY
41705 BK, HB	2-17w LED Med.	4¾" Dia.
41706 BK, HB	2-17w LED Med.	4¾" Dia.
41707 BK, HB	3-17w LED Med.	4¾" Dia.
41708 BK, HB	3-17w LED Med.	4¾" Dia.
41709 BK, HB	4-17w LED Med.	6¾" Dia.
41710 BK, HB	4-17w LED Med.	6¾" Dia.

Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens. Contact Hinkley for higher wattage lamp use.




41101 BK (shown)
41101 HB
8" W, 22" H, 3" EXT.



41102 BK
41102 HB (shown)
8" W, 22" H, 3" EXT.

FINISH OPTIONS



SHADE MATERIALS



COMPLIANCIES



41103 BK
41103 HB (shown)
15" W, 12½" H, 3" EXT.



41104 BK (shown)
41104 HB
15" W, 12½" H, 3" EXT.

ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41101 BK, HB	16w	1250	LED	3000K	95	•
41102 BK, HB	16w	1250	LED	3000K	95	•
41103 BK, HB	32w	2400	LED	3000K	95	•
41104 BK, HB	32w	2400	LED	3000K	95	•

For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

HALO™

FINISH OPTIONS



BK
BLACK



BN
BRUSHED NICKEL


SHADE MATERIALS



HEATHERED GRAY
LINEN




OFF WHITE LINEN



42005 BK (shown)
42005 BN
13¼" DIA., 6" H



42006 BK
42006 BN (shown)
13¼" DIA., 6" H



42007 BK
42007 BN (shown)
18¼" DIA., 7¼" H



42008 BK (shown)
42008 BN
18¼" DIA., 7¼" H




42009 BK (shown)
42009 BN
24¼" DIA., 8¾" H




42010 BK
42010 BN (shown)
24¼" DIA., 8¾" H

ITEM	MAXIMUM WATTAGE	CANOPY
42005 BK, BN	2-17w LED Med.	11¾" Dia.
42006 BK, BN	2-17w LED Med.	11¾" Dia.
42007 BK, BN	3-17w LED Med.	11¾" Dia.
42008 BK, BN	3-17w LED Med.	11¾" Dia.
42009 BK, BN	4-17w LED Med.	15¾" Dia.
42010 BK, BN	4-17w LED Med.	15¾" Dia.


Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens. Contact Hinkley for higher wattage lamp use.



FINISH OPTIONS



SHADE MATERIALS



41805 BK
13" DIA., 11½" H



41806 BK
13" DIA., 11½" H



41807 BK
18" DIA., 11½" H



41808 BK
18" DIA., 11½" H












41809 BK
23¾" DIA., 12¾" H



41810 BK
23¾" DIA., 12¾" H

ITEM	MAXIMUM WATTAGE	CANOPY
41805 BK	2-17w LED Med.	4¾" Dia.
41806 BK	2-17w LED Med.	4¾" Dia.
41807 BK	3-17w LED Med.	4¾" Dia.
41808 BK	3-17w LED Med.	4¾" Dia.
41809 BK	4-17w LED Med.	6¼" Dia.
41810 BK	4-17w LED Med.	6¼" Dia.


Shade has three-prong mount resting on lower diffuser allowing easy tip-off, no tool lamp change. Fixture design promotes natural convection to extend LED lamp life. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

 <p>41905 BN 13" DIA., 11½" H</p>	 <p>41906 BN 13" DIA., 11½" H</p>	<p>FINISH OPTIONS</p> <p>BN BRUSHED NICKEL WITH BLACK</p>  <p>SHADE MATERIALS</p> <p>HEATHERED GRAY LINEN</p>  <p>OFF WHITE LINEN</p> 
 <p>41907 BN 18" DIA., 11½" H</p>	 <p>41908 BN 18" DIA., 11½" H</p>	
 <p>41909 BN 23¾" DIA., 12¾" H</p>	 <p>41910 BN 23¾" DIA., 12¾" H</p>	

ITEM	MAXIMUM WATTAGE	CANOPY
41905 BN	2-17w LED Med.	4¾" Dia.
41906 BN	2-17w LED Med.	4¾" Dia.
41907 BN	3-17w LED Med.	4¾" Dia.
41908 BN	3-17w LED Med.	4¾" Dia.
41909 BN	4-17w LED Med.	6¼" Dia.
41910 BN	4-17w LED Med.	6¼" Dia.

Shade has three-prong mount resting on lower diffuser allowing easy tip-off, no tool lamp change. Fixture design promotes natural convection to extend LED lamp life. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

FINISH OPTIONS



BK
BLACK WITH
HERITAGE BRASS

SHADE MATERIALS



HEATHERED GRAY
LINEN



OFF WHITE LINEN

COMPLIANCIES









41301 BK
8" W, 11½" H, 3" EXT.



41302 BK
8" W, 11½" H, 3" EXT.



41303 BK
15" W, 11½" H, 3" EXT.



41304 BK
15" W, 11½" H, 3" EXT.

ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41301 BK	16w	1250	LED	3000K	95	•
41302 BK	16w	1250	LED	3000K	95	•
41303 BK	32w	2400	LED	3000K	95	•
41304 BK	32w	2400	LED	3000K	95	•

For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.



41201 BN
8" W, 11¼" H, 3" EXT.



41202 BN
8" W, 11¼" H, 3" EXT.



41203 BN
15" W, 11¼" H, 3" EXT.



41204 BN
15" W, 11¼" H, 3" EXT.

FINISH OPTIONS

BN
BRUSHED NICKEL
WITH BLACK

SHADE MATERIALS

HEATHERED GRAY
LINEN

OFF WHITE LINEN

COMPLIANCIES




ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41201 BN	16w	1250	LED	3000K	95	•
41202 BN	16w	1250	LED	3000K	95	•
41203 BN	32w	2400	LED	3000K	95	•
41204 BN	32w	2400	LED	3000K	95	•


For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

AVENUE™


FINISH OPTIONS



BK
BLACK



BN
BRUSHED NICKEL



HB
HERITAGE BRASS

SHADE MATERIALS



HEATHERED GRAY
LINEN



OFF WHITE LINEN



WHITE ACRYLIC

COMPLIANCIES









41009 BK
41009 BN (shown)
41009 HB
5½" W, 8½" H, 3½" EXT.



41009 BK (shown)
41009 BN
41009 HB
5½" W, 17" H, 3½" EXT.
(shown with optional stem, included)



41010 BK
41010 BN
41010 HB (shown)
5½" W, 8½" H, 3½" EXT.



41010 BK
41010 BN (shown)
41010 HB
5½" W, 17" H, 3½" EXT.
(shown with optional stem, included)



41011 BK (shown)
41011 BN
41011 HB
5½" W, 9" H, 3½" EXT.



41011 BK
41011 BN
41011 HB (shown)
5½" W, 17½" H, 3½" EXT.
(shown with optional stem, included)

ITEM	MAXIMUM WATTAGE	SOURCE LUMENS	LAMPING	COLOR TEMP.	CRI	INV
41009 BK, BN, HB	16w	1250	LED	3000K	95	•
41010 BK, BN, HB	16w	1250	LED	3000K	95	•
41011 BK, BN, HB	16w	1250	LED	3000K	95	•

For complete product details and LED specifications, refer to hinkley.com. Fixture mounting plate supports both junction box and direct wire install of either Romex or conduit. Diffusers are made of high transmittance, high diffusion, color stable LDA-filled polycarbonate to maximize delivered lumens.

Every client is different, and every project has unique demands. Hinkley believes that solving challenges is a collaborative process, whether it relates to performance, budget, timeline, or aesthetic appeal – we are here to find solutions for you.

CONTACT US

Hinkley Hospitality's best-in-the-industry customer service team is available to collaborate and solve the unique requirements of your project and delivery needs. Contact us at quotes@hinkley.com or 1.800.446.5539.

VIEW FULL ASSORTMENT OF HINKLEY PRODUCTS INCLUDING INTERIOR, OUTDOOR, LANDSCAPE LIGHTING
AND CEILING FANS AT HINKLEY.COM

HINKLEY

GLOBAL HEADQUARTERS

33000 Pin Oak Parkway | Avon Lake, Ohio 44012
T 440 653 5500 | F 440 653 5555 | hinkley.com

SHOWROOM

Dallas Trade Mart 3210 | Dallas, Texas 75207



Connect with us | [#hinkleystyle](https://www.instagram.com/hinkleystyle)

2019 GALERIE
COLLECTION

GC19

