



HUDSON VALLEY LIGHTING®

THE LIGHTING STANDARD



Quality



Integrity



Timeless




Design




44
ABERDEEN



97
BARRINGTON



168
CARROLLTON



188
DARLINGTON




336
ABINGTON




48, 230
BASKING
RIDGE



55
CHARLESTON



290
DAWSON



306
ADJUSTABLES



137
BEACON



260
CHATHAM



46
DILLON



2
ALPINE



190
BENTON



26
CHELSEA



311
DINER



110
ALTAMONT



66, 246
BERWICK



60
CHESHIRE



32
DRUID HILLS



90
AMELIA



238
BETHEL



228
CLARKSVILLE



274
DRYDEN



312
AMERICANA




212
BLOOMFIELD



349
CLINTON




322
DUNMORE



20
AMHERST



11
BOLTON



194
CORNWALL



98
EATON




82
ANNANDALE



265
BRADFORD




350
CORTLAND



292
EDISON
COLLECTION



335
ARLINGTON




339
BRIDGEHAMPTON



218
COVE NECK



322
EMPIRE



301
ART GLASS



272
BRIGHTON




226
CROWLEY



333
ENDICOTT




177
ASHLAND




191
BRISTOL



247
CUMBERLAND



73
ESOPUS




199
AUBURN



220
BUCHANAN



286
DALTON



204
EVERETT



8
BALDWIN



131
CANTON



120
DARIEN




315
EXETER



200
FULTON



310
HADLEY



304
INDEPENDENCE




30
LAUREL



192
McLEAN




316
GARDEN
CITY



259
HAMILTON



287
INGRAM



243
LAWRENCE



229
MELROSE



102
GARDNER



214
HAMLIN



41
JASPER



180
LAWTON



35
MENLO PARK



269
GARLAND



107
HAMPTON



52
JEFFERSON



321
LITCHFIELD




330
MERCER



6
GARRISON



320
HANCOCK



350
JERICO




206
LIVINGSTON



239
MERCURY



164, 185
GENEVA



100
HANOVER



124
KENDALL



174
LOCKPORT



284
MERRICK



345
GIBSON




198
HARPER




242
KENT



337
LOGAN



94
MIDDLEBURY



324
GLACIER



216
HARTSDALE



258
KESWICK



321
LOMBARD



232
MILFORD



347
GLENFORD



117
HAVERHILL



348
KINGS POINT



68
LYNDEN



196
MILL VALLEY



300
GRAMERCY
SQUARE



150
HEIRLOOM



252
KIRKLAND



302
MAJESTIC
SQUARE



79
MILLBROOK



279
GRAYSON



205
HEWLETT




328
LAFAYETTE



186
MALONE



257
MILTON



14
GRESHAM
PARK




299
HISTORIC
COLLECTION



224
LAKE GROVE



85
MANSFIELD



334
MONROE



184
GROTON




128
HUDSON
FALLS



244
LAKELAND




149
MARION



278
MONTAUK



219
GUILFORD



266
HUNTINGTON



76
LARCHMONT















125
MASSENA



329
MONTICELLO



TABLE OF CONTENTS

314 MORGAN		162 PATTERSON		236 RAWLINS		233 SOUTHPORT		202 WALTON	
349 MORLEY		140 PELHAM		332 REGENT		343 SPENCER		70 WATERLOO	
158 NAPLES		288 PETERSBURG		256 RICHMOND		17 STERLING		276 WAVERLY	
144 NAUGATUCK		341 PHOENICIA		264 RIVERTON		62 STRATFORD		248 WESTON	
178 NEW CANAAN		268 PLYMOUTH		182 ROCKFORD		262 SUTTON		346 WHITNEY	
326 NEWPORT		344 POMONA		325 ROCKLAND		313 SYMPHONY		254 WILTON	
172 NEWPORT FLUSH		270 PORCELAIN		23 ROCKVILLE		203 THOMPSON		250 WINDHAM	
340 NORWICH		64 PORTLAND		319 ROSLYN		234 TRINITY		114, 166 WINFIELD	
207 NYACK		231 POUND RIDGE		92 RUMSFORD		176 TRUMBULL		146 WINSLOW	
134 ORCHARD PARK		323 PROVIDENCE		338 SELKIRK		208 TUCKAHOE		325 WINTHROP	
267 ORLEANS		222 PURCHASE		38 SHEFFIELD		323 TUILERIE		210 WOODBIDGE	
88 OXFORD		320 QUINCY		342 SHELDRAKE		275 VENTURA		280 WOODBURY	
291 PALISADES		104 QUINTON		240 SOHO		282 VERNON		170 WOODSTOCK	
50 PALMER		142 RANDOLPH		318 SOMERSET		161 VINTAGE COLLECTION		58 YORKTOWN	





7118-PN

18"W 27½"H, 6-60 w/c

mm: 457 W 699 H

7"W Canopy

mm: 178 W

**Bulbs not included*

7118-PN shown with Carbon Filament Bulbs

Bulb information: LB-40-12 (12-pack) 40 w/c

Finish

PN Polished Nickel



7112-PN

11½"W 14¼"H, 4-60 w/c
mm: 292 W 362 H



7113-PN

13"W 22"H, 4-60 w/c
mm: 330 W 559 H
7"W *Canopy*
mm: 178 W




7120-PN

20"W 17½"H, 4-60 w/c
mm: 508 W 445 H
20" Top 20" Bottom 8½"H *Shade*
mm: 508 Top 508 Bottom 216 H
7"W *Canopy*
mm: 178 W

Finish
PN Polished Nickel

*Bulbs not included
7112-PN shown with Carbon Filament Bulbs
Bulb information: LB-40-12 (12-pack) 40 w/c



7126-PN

26"W 18¾"H, 6-60 w/c
mm: 660 W 476 H

26" Top 26" Bottom 9½"H *Shade*
mm: 660 Top 660 Bottom 241 H

7"W *Canopy*
mm: 178 W



7102-PN

13"W 11¼"H 4"E, 2-40 w/c
mm: 330 W 286 H 102 E

13"L 4"W 6½"H *Shade*
mm: 330 L 102 W 165 H

12½"W 6"H *Backplate*
mm: 318 W 152 H







1426-OB

26"D 15½"H, 6-60 w/c
mm: 660 D 394 H
26"D 8"H *Shade*
mm: 660 D 203 H
7"D *Canopy*
mm: 178 D



1421-PN

6½"W 14"H 8¾"E, 1-60 w/c
mm: 165 W 356 H 222 E
6½"D 5½"H *Shade*
mm: 165 D 140 H
6"D *Canopy*
mm: 152 D



1432-PN

32"D 17¾"H, 8-60 w/c
mm: 813 D 451 H
32"D 9"H *Shade*
mm: 813 D 229 H
7"D *Canopy*
mm: 178 D

Shades Included

Finishes

OB	Old Bronze
PN	Polished Nickel





729-OB

36"D 25"H, 9-60 w/c

mm: 914 D 635 H

7"D *Canopy*

mm: 178 D



721-PN

4½"W 13¾"H, 1-60 w/c

mm: 114 W 349 H

4½"W 13¾"H *Backplate*

mm: 114 W 349 H

Shades Included

4½" Top 4½" Bottom 8"H *Shade*

mm: 114 Top 114 Bottom 203 H

Finishes

OB Old Bronze

PN Polished Nickel

722-OB

10½"W 13¾"H, 2-60 w/c
mm: 267 W 349 H

4½"W 13¾"H *Backplate*
mm: 114 W 349 H



726-PN

27"D 21½"H, 6-60 w/c
mm: 686 D 546 H

7"D *Canopy*
mm: 178 D

Finishes

OB Old Bronze
PN Polished Nickel

Shades Included

4½" Top 4½" Bottom 8"H *Shade*
mm: 114 Top 114 Bottom 203 H





8161-PN

4½"W 12½"H 8¾"E, 1-40 w/c
mm: 114 W 318 H 210 E

4½"W 6"H *Backplate*
mm: 114 W 152 H



8169-PN

36¼"D 34¾"H, 9-40 w/c
mm: 921 D 883 H

5½"D *Canopy*
mm: 140 D

Finish
PN Polished Nickel

Shades Included

4½"D 5½"H *Shade*
mm: 114 D 140 H



8162-PN

12½"W 12½"H 6¾"E, 2-40 w/c
mm: 318 W 318 H 171 E
4½"W 6"H *Backplate*
mm: 114 W 152 H



8166-PN

30"D 28¾"H, 6-40 w/c
mm: 762 D 718 H
5½"D *Canopy*
mm: 140 D

Shades Included

4½"D 5½"H *Shade*
mm: 114 D 140 H

Finish

PN Polished Nickel





5645-OB

19"W 75"OAH, 4-60 w/c
mm: 483 W 1905 OAH
19" Top 19" Bottom 8"H *Shade*
mm: 483 Top 483 Bottom 203 H
5"W *Canopy*
mm: 127 W



5644-PN

14"W 73"OAH, 4-60 w/c
mm: 356 W 1854 OAH
14" Top 14" Bottom 7"H *Shade*
mm: 356 Top 356 Bottom 178 H
5"W *Canopy*
mm: 127 W



5646-PN

24"W 78"OAH, 4-60 w/c
mm: 610 W 1981 OAH
24" Top 24" Bottom 9½"H *Shade*
mm: 610 Top 610 Bottom 241H
5"W *Canopy*
mm: 127 W

Shades Included

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB Old Bronze
PN Polished Nickel



5648-OB

38"L 19"W 75½"OAH, 8-60 w/c
mm: 965 L 483 W 1918 OAH
38"L 19"W 8¼"H *Shade*
mm: 965 L 483 W 210 H
5"W 21"L *Canopy*
mm: 127 W 533 L



5642-PN

13"W 11¼"H 5¼"E, 2-60 w/c
mm: 330 W 298 H 133 E
13"L 4"W 6½"H *Shade*
mm: 330 L 102 W 165 H
4½"W 7"H *Backplate*
mm: 114 W 178 H

Finishes

OB Old Bronze
PN Polished Nickel

OAH – Overall Height measurement includes
(2) 3" stems, (2) 6" stems, (2) 12" stems, (4) 18" stems and bang straight canopy
(2) 76mm stem, (2) 152mm stem, (2) 305mm stem, (4) 457mm stems

Shades Included





6158-PC

37"D 22½"H, 8-60 w/c
mm: 940 D 572 H

5½"D *Canopy*
mm: 140 D

6151-PC

5½"W 13¾"H 7¼"E, 1-60 w/c
mm: 140 W 349 H 184 E

5½"D *Backplate*
mm: 140 D



Finish

PC | Polished Chrome (with crystal)



6155-PC

29"D 18½"H, 5-60 w/c
mm: 737 D 470 H

5½"D *Canopy*
mm: 140 D



6152-PC

11"W 13¾"H 6"E, 2-60 w/c
mm: 279 W 349 H 152 E

5½"D *Backplate*
mm: 140 D

Finish

PC | Polished Chrome (with crystal)





8516-PN

25"D 25½"H, 6-60 w/c
mm: 635 D 648 H

5"D *Canopy*
mm: 127 D



8512-PN

13"W 18¾"H 5½"E, 2-60 w/c
mm: 330 W 476 H 140 E

5"D *Backplate*
mm: 127 D

Shades Included

3¾" Top 4" Bottom 6"H
mm: 95 Top 102 Bottom 152 H

Finish

PN Polished Nickel



8518-PN

32"D 27"H, 8-60 w/c
mm: 813 D 686 H

5"D *Canopy*
mm: 127 D



8511-PN

5"W 18¾"H 5½"E, 1-60 w/c
mm: 127 W 476 H 140 E

5"D *Backplate*
mm: 127 D

Shades Included

3¼" Top 4" Bottom 6"H
mm: 95 Top 102 Bottom 152 H

Finish

PN Polished Nickel





1818-PN

32½"D 26"H, 8-60 w/c
mm: 826 D 660 H

5¼"D *Canopy*
mm: 133 D



1811-PN

6"W 13¾"H 8¾"E, 1-60 w/c
mm: 152 W 349 H 222 E

5¼"D *Backplate*
mm: 133 D

Shades Included

5" Top 6" Bottom 5½"H
mm: 127 Top 152 Bottom 140 H

Finish

PN Polished Nickel



1812-PN

16"W 18½"H 6½"E, 2-60 w/c
mm: 406 W 470 H 165 E

14"L Top 16"L Bottom 4"W 7½"H *Shade*
mm: 356 L Top 406 L Bottom 102 W 191 H

5¼"D *Backplate*
mm: 133 D



1815-PN

26"D 25"H, 5-60 w/c
mm: 660 D 635 H

5¼"D *Canopy*
mm: 133 D

Shades Included

5" Top 6" Bottom 5½"H
mm: 127 Top 152 Bottom 140 H

Finish

PN Polished Nickel



8818-PN

18"D 21¾" min H to 75¾" max H, 4-60 w/c
mm: 457 D 552 min H to 1924 max H

18"D 7"H *Shade*
mm: 457 D 178 H

6"D *Canopy*
mm: 152 D



8824-OB

24"D 22¾" min H to 77¾" max H, 5-60 w/c
mm: 610 D 578 min H to 1975 max H

24"D 8"H *Shade*
mm: 610 D 203 H

6"D *Canopy*
mm: 152 D

Finishes

OB	Old Bronze
PN	Polished Nickel

Max H – maximum height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Shades Included



8830-PN

30"D 23 $\frac{3}{4}$ " min H to 78 $\frac{3}{4}$ " max H, 6-60 w/c
mm: 762 D 603 min H to 2000 max H

30"D 8 $\frac{3}{4}$ "H *Shade*
mm: 762 W 222 H

6"D *Canopy*
mm: 152 D

Shade Included

Max H – maximum height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel



8802-OB

11½"W 14¼" H 8¼"E, 2-60 w/c
mm: 292 W 362 H 210 E
4¾"W 12½"H Backplate
mm: 121 W 318 H

8806-PN

28½"D 18½" min H to 72½" max H, 6-60 w/c
mm: 724 D 470 min H to 1842 max H
6"D Canopy
min: 152 D

Finishes

OB	Old Bronze
PN	Polished Nickel

Max H – maximum height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Shades Included

4¾" Top	5" Bottom	7"H
mm: 121 Top	127 Bottom	178 H



8808-PN

28½"D 18½" min H to 72½" max H, 8-60 w/c
mm: 724 D 470 min H to 1842 max H

6"D Canopy
mm: 152 D



8801-PN

5"W 14¼"H 8¼"E, 1-60 w/c
mm: 127 W 362 H 210 E

4¾"W 12½"H Backplate
mm: 121 W 318 H

Shades Included

4¾" Top 5" Bottom 7"H
mm: 121 Top 127 Bottom 178 H

Max H – maximum height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB Old Bronze
PN Polished Nickel



6019-PN

30"D 32"H, 9-60 w/c
mm: 762 D 813 H

5¼"D Canopy
mm: 133 D



6001-PN

4¼"W 17¾"H 5¾"E, 1-60 w/c
mm: 108 W 451 H 146 E

4¼"W 6½"H Backplate
mm: 108 W 165 H

Finish

PN Polished Nickel

Shades Included

3¼" Top 4" Bottom 5"H
mm: 83 Top 102 Bottom 127 H

6016-PN

25"D 29"H, 6-60 w/c
mm: 635 D 737 H

5¼"D *Canopy*
mm: 133 D



6002-PN

12¼"W 17¾"H 5¾"E, 2-60 w/c
mm: 311 W 451 H 146 E

4¼"W 6½"H *Backplate*
mm: 108 W 165 H

Shades Included

3¼" Top 4" Bottom 5"H
mm: 83 Top 102 Bottom 127 H

Finish

PN Polished Nickel





1158-PN

38"D 19" min H to 64"max H, 8-60 w/c
mm: 965 D 483 min H to 1626 max H
5"D Canopy
mm: 127 D



1151-PN

5½"W 13"H 7"E, 1-60 w/c
min: 140 W 330 H 178 E
4¾"W 6"H Backplate
mm: 121 W 152 H



1152-DB

13"W 13"H 7"E, 2-60 w/c
mm: 330 W 330 H 178 E
4¾"W 6"H Backplate
mm: 121 W 152 H

Shades Included

¾" Top 5½" Bottom 6¼"H
mm: 83 Top 140 Bottom 159 H

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

DB Distressed Bronze
PN Polished Nickel



1156-DB

37½"L 16"W 19" min H to 63¾" max H, 6-60 w/c
mm: 953 L 406 W 483 min H to 1619 max H

37½"L 6¼"W 6¼"H *Shade*
mm: 953 L 159 W 159 H

24¼"L 4¾"W *Canopy*
mm: 616 L 121 W



1150-PN

24"D 19" min H to 64" max H, 5-60 w/c
mm: 610 D 483 min H to 1626 max H

23"Top 24"Bottom 8"H *Shade*
mm: 584 Top 610 Bottom 203 H

5"D *Canopy*
mm: 127 D

1155-DB

29"D 19" min H to 64" max H, 5-60 w/c
mm: 737 D 483 min H to 1626 max H

3¼" Top 5½" Bottom 6¼"H *Shade*
mm: 83 Top 140 Bottom 159 H

5"D *Canopy*
mm: 127 D



Finishes

DB	Distressed Bronze
PN	Polished Nickel

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Shades Included





4033-OB

20"D 17½"H, 3-60 w/c
mm: 508 D 445 H
4½"D Canopy
mm: 114 D



4021-AGB

5"W 13¼"H 7"E, 1-60 w/c
mm: 127 W 337 H 178 E
4½"D Backplate
mm: 114 D



4039-AN

33½"D 27"H, 9-60 w/c
mm: 851 D 686 H
4½"D Canopy
mm: 114 D

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Shades Included

3" Top 5" Bottom 4½"H
mm: 76 Top 127 Bottom 114 H



4021-AN

5"W 13¼"H 7"E, 1-60 w/c
mm: 127 W 337 H 178 E
4½"D *Backplate*
mm: 114 D



4036-PN

25"D 20"H, 6-60 w/c
mm: 635 D 508 H
4½"D *Canopy*
mm: 114 D



4022-PN

13¾"W 14"H 7"E, 2-60 w/c
mm: 349 W 356 H 178 E
4½"D *Backplate*
mm: 114 D

Shades Included

3" Top 5" Bottom 4½"H
mm: 76 Top 127 Bottom 114 H

Finishes

<i>AGB</i>	Aged Brass
<i>AN</i>	Antique Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass





7216-PN

26"D 28"H, 6-60 w/c
mm: 660 D 711 H

4¾"D *Canopy*
mm: 121 D



7203-OB

15"W 19½"H 7¼"E, 3-60 w/c
mm: 381 W 495 H 184 E

4¾"D *Backplate*
mm: 121 D

Shades Included

3¾"D 4¾"H
mm: 95 D 121 H

Finishes

OB Old Bronze
PN Polished Nickel



7202-PN

12"W 18¼"H 5¾"E, 2-60 w/c
mm: 305 W 464 H 146 E

4¾"D Backplate
mm: 121 D



7201-OB

4¾"W 18¼"H 5¾"E, 1-60 w/c
mm: 121 W 464 H 146 E

4¾"D Backplate
mm: 121 D



7219-OB

30½"D 28¾"H, 9-60 w/c
mm: 775 D 730 H

4¾"D Canopy
mm: 121 D

Finishes

<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel

Shades Included

3¾"D 4¾"H
mm: 95 D 121 H





1868-OB

39"L 20"W 28½"H, 6-60 w/c
mm: 991 L 508 W 724 H
5¼"W 18¼"L *Canopy*
mm: 133 W 464 L



1866-PN

29"D 28"H, 6-60 w/c
mm: 737 D 711 H
5¼"D *Canopy*
mm: 133 D

Finishes

AN Antique Nickel
OB Old Bronze
PN Polished Nickel
Solid Brass

Shades Included

2½" Top 7½" Bottom 5"H
mm: 64 Top 191 Bottom 127 H

1860-AN

34½"D 32"H, 10-60 w/c
mm: 876 D 813 H

5¼"D *Canopy*
mm: 133 D



1861-PN

7½"W 18¾"H 9"E, 1-60 w/c
mm: 191 W 476 H 229 E

5¼"D *Backplate*
mm: 133 D



1862-OB

18"W 19½"H 9½"E, 2-60 w/c
mm: 457 W 495 H 241 E

5¼"D *Backplate*
mm: 133 D

Shades Included

2½" Top 7½" Bottom 5"H
mm: 64 Top 191 Bottom 127 H

Finishes

AN Antique Nickel
OB Old Bronze
PN Polished Nickel
Solid Brass



623-PN

17"D 63"OAH, 3-60 w/c
mm: 432 D 1600 OAH
4¾"D Canopy
mm: 121 D



629-OB

31"D 63"OAH, 9-60 w/c
mm: 787 D 1600 OAH
4¾"D Canopy
mm: 121 D



621-PN

4¾"W 17½"H 6"E, 1-60 w/c
mm: 121 W 445 H 152 E
4¾"D Backplate
mm: 121 D



626-PN

26"D 63"OAH, 6-60 w/c
mm: 660 D 1600 OAH
4¾"D Canopy
mm: 121 D

622-OB

11½"W 17½"H 6"E, 2-60 w/c
mm: 292 W 445 H 152 E
4¾"D Backplate
mm: 121 D

Shades Included

4¾"D 5½"H
mm: 108 D 140 H

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB Old Bronze
PN Polished Nickel





361-PN

4½"W 13½"H 6"E, 1-60 w/c
mm: 114 W 343 H 152 E
4½"D Backplate
mm: 114 D

369-AGB

30"D 22½"H, 9-60 w/c
mm: 762 D 572 H
4¾"D Canopy
mm: 121 D



366-OB

25"D 18"H, 6-60 w/c
mm: 635 D 457 H
4¾"D Canopy
mm: 121 D



362-OB

11¾"W 13½"H 5½"E, 2-60 w/c
mm: 298 W 343 H 140 E
4½"D Backplate
mm: 114 D

Shades Included

3¾" Top 4" Bottom 8"H
mm: 95 Top 102 Bottom 203 H

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel



6113-SN

16½"D 12½"H, 3-75w G9 Xenon*

mm: 419 D 318 H

5½"D Canopy

mm: 140 D

Fixture convertible from semi-flush to chain hung.



6101-PN

5½"W 7¾"H 6¾"E, 1-75w G9 Xenon*

mm: 140 W 197 H 171 E

4¾"W 6"H Backplate

mm: 121 W 152 H



6118-PN

31"D 19½"H, 8-75w G9 Xenon*

mm: 787 D 495 H

5½"D Canopy

mm: 140 D

Finishes

PN Polished Nickel

SN Satin Nickel

**Bulbs included*



6115-PN

24"D 19½"H, 5-75 w G9 Xenon*

mm: 610 D 495 H

5½"D Canopy

mm: 140 D

6113-SN

16½"D 14¾"H, 3-75w G9 Xenon*

mm: 419 D 375 H

5½"D Canopy

mm: 140 D

Fixture convertible from chain hung to semi-flush.



Finishes

PN	Polished Nickel
SN	Satin Nickel

*Bulbs included





306-PN

25"D 66"OAH, 6-60 w/c
mm: 635 D 1676 OAH
4½"D Canopy
mm: 114 D



301-OB

4½"W 12"H 5"E, 1-60 w/c
mm: 114 W 305 H 127 E
4½"W 4½"H Backplate
mm: 114 W 114 H



302-SN

14"W 12"H 5"E, 2-60 w/c
mm: 356 W 305 H 127 E
4½"W 4½"H Backplate
mm: 114 W 114 H



303-AGB

20"W 12"H 5"E, 3-60 w/c
mm: 508 W 305 H 127 E
4½"W 4½"H Backplate
mm: 114 W 114 H

Shades Included

4"D 4¾"H
mm: 102 D 121 H

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel





5216-OB

25"D 25"H, 6-60 w/c
mm: 635 D 635 H
5"D *Canopy*
mm: 127 D



5201-PN

5"W 17"H 4¾"E, 1-60 w/c
mm: 127 W 432 H 121 E
5"D *Backplate*
mm: 127 D



5202-AN

12¼"W 21¼"H 8¾"E, 2-60 w/c
mm: 311 W 540 H 222 E
5"D *Backplate*
mm: 127 D

Shades Included

3½" Top 5" Bottom 4¾"H
mm: 89 Top 127 Bottom 121 H

Finishes

AN Antique Nickel
OB Old Bronze
PN Polished Nickel
Solid Brass



5203-OB

14¼"W 23¾"H 9"E, 3-60 w/c
mm: 362 W 603 H 229 E
5"D Backplate
mm: 127 D



5219-AN

31½"D 32"H, 9-60 w/c
mm: 800 D 813 H
5"D Canopy
mm: 127 D

Finishes

AN Antique Nickel
OB Old Bronze
PN Polished Nickel
Solid Brass

Shades Included

3½" Top 5" Bottom 4¾"H
mm: 89 Top 127 Bottom 121 H





1748-AGB

36¼"D 29"H, 8-60 w/c

mm: 921 D 737 H

5¼"D Canopy

mm: 133 D



1741-OB

5½"W 12½"H 10¼"E, 1-60 w/c

mm: 140 W 318 H 260 E

5¼"D Backplate

mm: 133 D



1742-HN

16"W 12½"H 7¼" E, 2-60 w/c

mm: 406 W 318 H 184 E

5¼"D Backplate

mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
	Solid Cast Brass

Shades Included

3½" Top	5½" Bottom	5"H
mm: 89 Top	140 Bottom	127 H



1749-HN

36¼"D 35"H, 9-60 w/c
mm: 921 D 889 H

5¼"D Canopy
mm: 133 D



1746-OB

29¼"D 29"H, 6-60 w/c
mm: 743 D 737 H

5¼"D Canopy
mm: 133 D

Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
	Solid Cast Brass





8712-OB

13½"W 14"H 7½"E, 2-60 w/c
mm: 343 W 356 H 191 E
5"D Backplate
mm: 127 D



8716-PN

29½"D 23½"H, 6-60 w/c
mm: 749 D 597 H
5½"D Canopy
mm: 140 D



8719-OB

36½"D 23½"H, 9-60 w/c
mm: 927 D 597 H
5½"D Canopy
mm: 140 D



8711-AGB


5½"W 14"H 9"E, 1-60 w/c
mm: 140 W 356 H 229 E
5"D Backplate
mm: 127 D

Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H

Finishes

AGB Aged Brass
OB Old Bronze
PN Polished Nickel
Solid Brass



9512-AN

50"L 14"W 55"OAH, 6-60 w/c
mm: 1270 L 356 W 1397 OAH
8" Top 14" Bottom 6¾"H *Shade*
mm: 203 Top 356 Bottom 171 H
6"D *Canopy*
mm: 152 D



9501-AGB

8½"W 17½"H 9"E, 2-60 w/c
mm: 216 W 445 H 229 E
4¾" Top 8½" Bottom 5½"H *Shade*
mm: 121 Top 216 Bottom 140 H
5¼"D *Backplate*
mm: 133 D



9502-AN

20½"W 17½"H 9½"E, 4-60 w/c
mm: 521 W 445 H 241 E
4¾" Top 8½" Bottom 5½"H *Shade*
mm: 121 Top 216 Bottom 140 H
5¼"D *Backplate*
mm: 133 D

Finishes

- AGB Aged Brass
- AN Antique Nickel
- Solid Brass

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Shades Included

9521-AGB

15"D 19"H, 3-60 w/c

mm: 381 D 483 H

8" Top 15" Bottom 8"H *Shade*

mm: 203 Top 381 Bottom 203 H

6"D *Canopy*

mm: 152 D



9523-AGB

36"D 55"OAH, 9-60 w/c

mm: 914 D 1397 OAH

7" Top 12" Bottom 6½"H *Shade*

mm: 178 Top 305 Bottom 165 H

6"D *Canopy*

mm: 152 D



Shades Included

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (1) 18" stem and hang straight canopy
(1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

AGB Aged Brass

AN Antique Nickel

Solid Brass



Photo courtesy of Wood-Mode Fine Custom Cabinetry



3301-AGB

10"W 11"H 11"E, 1-100 w/m
mm: 254 W 279 H 279 E
5¼"D *Backplate*
mm: 133 D



3312-PN

14¼"D 69"OAH, 1-100 w/m
mm: 362 D 1753 OAH
6"D *Canopy*
mm: 152 D



3314-AGB

26½"D 58"OAH, 4-100 w/m
mm: 673 D 1473 OAH
6"D *Canopy*
mm: 152 D

3311-HB

10"D 65"OAH, 1-100 w/m
mm: 254 D 1651 OAH
6"D *Canopy*
mm: 152 D



Finishes

AGB Aged Brass
HB Historic Bronze
PN Polished Nickel
Solid Brass

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 152mm stem, (1) 305mm stem, (2) 457mm stems





8521-HN

4¼"D 15½"H, 1-100 w/m
mm: 108 D 394 H

5"D Canopy
mm: 127 D

8533-HN

32"L 5½"W 74"OAH, 3-100 w/m
mm: 813 L 140 W 1880 OAH

5"D Canopy
mm: 127 D

8531-HB

5½"D 19"H, 1-100 w/m
mm: 140 D 483 H

5"D Canopy
mm: 127 D

8501-PN

5½"W 14½"H 6¾"E, 1-100 w/m
mm: 140 W 368 H 171 E

5"D Backplate
mm: 127 D

Finishes

HB	Historic Bronze
HN	Historic Nickel
PN	Polished Nickel
	Solid Brass

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems





241-AN

244-AGB

18"L 18" W 19¼"H, 4-60 w/c
mm: 457 L 457 W 489 H

18"L 18"W 8"H *Shade*
mm: 457 L 457 W 203 H

4¾"D *Canopy*
mm: 121 D



241-PN

5"W 15¼"H 6¾"E, 1-60 w/c
mm: 127 W 387 H 171 E

5"L 5"W 6"H *Shade*
mm: 127 L 127 W 152 H

4½"W 5¾"H *Backplate*
mm: 114 W 146 H



242-OB

12½"W 15¾"H 7"E, 2-60 w/c
mm: 318 W 400 H 178 E

12½"L 5"W 6¾"H *Shade*
mm: 318 L 127 W 171 H

4½"W 5¾"H *Backplate*
mm: 114 W 146 H

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

Shades Included





516 & 522

Can be used with shortened chain for semi-flush mounting



522-PN

22"D 41½" max H, 5-40 w/c
mm: 559 D 1054 max H

5"D Canopy
mm: 127 D



516-AGB

16"D 30" max H, 4-40 w/c
mm: 406 D 762 max H

5"D Canopy
mm: 127 D

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty.

Finishes

AGB	Aged Brass
AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel
	Solid Brass





3004-PN

13"W 14½"H, 4-60 w/c*
mm: 330 W 368 H

6"D *Canopy*
mm: 152 D

3022-PN

21¼"W 41¾"H, 8-60 w/c*
mm: 540 W 1060 H

6"D *Canopy*
mm: 152 D

**Bulbs not included*
3004-PN shown with Carbon Filament Bulbs
Bulb information: LB-40-12 (12-pack) 40 w/c

Finish
PN | Polished Nickel



3017-PN

17¼"W 33½"H, 4-60 w/c*
mm: 438 W 851 H
6"D Canopy
mm: 152 D



3013-PN

13"W 25¼"H, 4-60 w/c*
mm: 330 W 654 H
6"D Canopy
mm: 152 D

Finish
PN Polished Nickel

*Bulbs not included
3017-PN shown with Carbon Filament Bulbs
Bulb information: LB-40-12 (12-pack) 40 w/c





7602-PN

7"W 10½"H 4"E, 2-40 w/c*
mm: 178 W 267 H 102 E



6½"W 9"H *Backplate*
mm: 165 W 229 H



7615-PN

15"W 33¾"H, 6-40 w/c*
mm: 381 W 857 H

5½"D *Canopy*
mm: 140 D

Finishes

OB Old Bronze
PN Polished Nickel

*Carbon Filament Bulbs Included

Replacement bulbs: LB-40-12 (12-pack)
40 Cand-Base Carbon Filament Bulb



7609-PN

8½"W 20½"H, 3-40 w/c*

mm: 216 W 521 H

5½"D Canopy

mm: 140 D



7612-OB

12"W 27½"H, 4-40 w/c*

mm: 305 W 699 H

5½"D Canopy

mm: 140 D

Replacement bulbs: LB-40-12 (12-pack)
40 Cand-Base Carbon Filament Bulb

* Carbon Filament Bulbs Included

Finishes

OB Old Bronze

PN Polished Nickel





7809-DB

8½"D 15½"H, 3-60 w/c
mm: 216 D 394 H

5¼"D Canopy
mm: 146 D



7802-HN

9¼"W 11½"H 5"E, 2-60 w/c
mm: 235 W 292 H 127 E



7820-AGB

20½"D 37½"H, 5-60 w/c
mm: 521 D 953 H

5¼"D Canopy
mm: 146 D

Finishes

AGB	Aged Brass
DB	Distressed Bronze
HN	Historic Nickel
PN	Polished Nickel



7816-HN

16½"D 29"H, 4-60 w/c
mm: 419 D 737 H
5¾"D Canopy
mm: 146 D



7812-PN

12½"D 22"H, 3-60 w/c
mm: 318 D 559 H
5¾"D Canopy
mm: 146 D



7801-AGB

5½"W 11½"H 3½"E, 1-60 w/c
mm: 140 W 292 H 89 E



Finishes

AGB	Aged Brass
DB	Distressed Bronze
HN	Historic Nickel
PN	Polished Nickel





8409-AGB

8½"W 15¾"H, 3-60 w/c
mm: 216 W 400 H

5¾"D *Canopy*
mm: 146 D



8416-PN

16"W 29½"H, 4-60 w/c
mm: 406 W 749 H

5¾"D *Canopy*
mm: 146 D

8412-HN

12"W 22¾"H, 4-60 w/c
mm: 305 W 565 H

5¾"D *Canopy*
mm: 146 D



Finishes

<i>AGB</i>	Aged Brass
<i>DB</i>	Distressed Bronze
<i>HN</i>	Historic Nickel
<i>PN</i>	Polished Nickel



8401-PN

5½"W 13"H 4"E, 1-60 w/c
mm: 140 W 330 H 102 E



8402-DB

9½"W 13½"H 4"E, 2-60 w/c
mm: 241 W 343 H 102 E



8420-DB

20"W 36"H, 8-60 w/c
mm: 508 W 914 H

5¾"D *Canopy*
mm: 146 D

Finishes

<i>AGB</i>	Aged Brass
<i>DB</i>	Distressed Bronze
<i>HN</i>	Historic Nickel
<i>PN</i>	Polished Nickel





6918-PN

20"W 40½"H, 9-60 w/c
mm: 508 W 1029 H

6"D Canopy
mm: 152 D



6910-DB

12"W 24"H, 3-60 w/c
mm: 305 W 610 H

5¼"D Canopy
mm: 133 D

Finishes

DB Distressed Bronze
PN Polished Nickel
Solid Cast Brass



6913-PN

12"W 15"H, 3-60 w/c
mm: 305 W 381 H
5¼"D Canopy
mm: 133 D



6902-DB

11¼"W 13¼"H 5½"E, 2-60 w/c
mm: 286 W 337 H 140 E



6914-DB

16"W 31½"H, 6-60 w/c
mm: 406 W 800 H
6"D Canopy
mm: 152 D

Finishes

DB Distressed Bronze
PN Polished Nickel
Solid Cast Brass





1310-DB

10"D 16"H, 3-60 w/c
mm: 254 D 406 H

5"D Canopy
mm: 127 D



1320-DB

20"D 37½"H, 10-60 w/c
mm: 508 D 953 H

5"D Canopy
mm: 127 D

Finishes

AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel



1315-PN

15"D 26"H, 4-60 w/c
mm: 381 D 660 H

5"D *Canopy*
mm: 127 D



1301-PN

5½"W 12½"H 4¼"E, 1-60 w/c
mm: 140 W 318 H 108 E



1302-AN

9"W 12½"H 4¾"E, 2-60 w/c
mm: 229 W 318 H 121 E

Finishes

<i>AN</i>	Antique Nickel
<i>DB</i>	Distressed Bronze
<i>PN</i>	Polished Nickel





6471-PN

6"W 12"H 4"E, 1-60 w/c
mm: 152 W 305 H 102 E



6484-OB

14"W 22"H, 4-60 w/c
mm: 356 W 559 H
5"D Canopy
mm: 127 D



6480-PN

10"W 17³/₄"H, 4-60 w/c
mm: 254 W 451 H
5"D Canopy
mm: 127 D



6472-AGB

10"W 12"H 5¹/₄"E, 2-60 w/c
mm: 254 W 305 H 133 E

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel





8993-DB

10¼"D 25¼"H, 3-60 w/c
mm: 260 D 641 H
5½"D Canopy
mm: 140 D



8991-AN

5¾"W 15½"H 4"E, 1-60 w/c
mm: 146 W 394 H 102 E
5"W 12"H Backplate
mm: 127 W 305 H



8994-PN

13¼"D 27¼"H, 4-60 w/c
mm: 337 D 705 H
5½"D Canopy
mm: 140 D

Finishes

AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel





7412-PN

12"W 19"H, 4-60 w/c
mm: 305 W 483 H

5"D *Canopy*
mm: 127 D



7420-PN

20"W 28¾"H, 8-60 w/c
mm: 508 W 718 H

5"D *Canopy*
mm: 127 D

7416-OB

16"W 23¾"H, 4-60 w/c
mm: 406 W 603 H

5"D *Canopy*
mm: 127 D



7402-OB

8¾"W 14"H 4"E, 2-60 w/c
mm: 222 W 356 H 102 E

3½"W 8"H *Backplate*
mm: 89 W 203 H



Finishes

OB	Old Bronze
PN	Polished Nickel





911-PN

13"D 4"H, 2-60 w/m
mm: 330 D 102 H



912-AGB

16"D 4"H, 3-60 w/m
mm: 406 D 102 H



902-PN

21½"D 24½"H, 5-60 w/m
mm: 546 D 622 H
5"D Canopy
mm: 127 D



901-HN

15½"D 16¾"H, 3-60 w/m
mm: 394 D 425 H
5"D Canopy
mm: 127 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
PN	Polished Nickel
	Solid Brass



931-AGB

13"L 13"W 4"H, 2-60 w/m
mm: 330 L 330 W 102 H

932-PN

16"L 16"W 4"H, 3-60 w/m
mm: 406 L 406 W 102 H



933-PN

16¼"L 16¼"W 16½"H, 3-60 w/m
mm: 413 L 413 W 419 H
5"L 5"W Canopy
mm: 127 L 127 W



935-HN

20¼"L 20¼"W 22¼"H, 5-60 w/m
mm: 514 L 514 L 565 H
5"L 5"W Canopy
mm: 127 L 127 W

Finishes

AGB	Aged Brass
HN	Historic Nickel
PN	Polished Nickel
	Solid Brass



324-AGB

Shown as semi-flush



324-AGB

14"D 24"H, 3-100 w/m
mm: 356 D 610 H

5"D Canopy
mm: 127 D



327-PN

17"D 27¾"H, 3-100 w/m
mm: 432 D 705 H

5"D Canopy
mm: 127 D

Finishes

AGB	Aged Brass
HB	Historic Bronze
PN	Polished Nickel
	Solid Brass

324, 327 are convertible from pendant to semi-flush configurations.



831-AGB

12¼"W 22"H, 3-60 w/c
mm: 311 W 559 H
5¼"D Canopy
mm: 133 D



830-OB

12¼"W 13¾"H, 3-60 w/c
mm: 311 W 349 H
5¼"D Canopy
mm: 133 D



832-HN

15¾"W 18½"H, 4-60 w/c
mm: 400 W 470 H
5¼"D Canopy
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel



834-PN

18¾"W 34"H, 4-60 w/c
mm: 476 W 864 H

5¼"D Canopy
mm: 133 D



833-OB

15¾"W 28"H, 4-60 w/c
mm: 400 W 711 H

5¼"D Canopy
mm: 133 D

Finishes

<i>AGB</i>	Aged Brass
<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel





141-AGB

12"W 21½"H, 3-60 w/c
mm: 305 W 546 H

5"D *Canopy*
mm: 127 D



142-HN

12"W 25¾"H, 3-60 w/c
mm: 305 W 654 H

5"D *Canopy*
mm: 127 D



143-AGB

15½"W 34"H, 4-60 w/c
mm: 394 W 864 H

5"D *Canopy*
mm: 127 D



140-PN

11"W 14¼"H, 3-60 w/c
mm: 279 W 362 H

5"D *Canopy*
mm: 127 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
PN	Polished Nickel
	Solid Cast Brass



781-HN

9 1/4"D 23"H, 3-60 w/c
mm: 235 D 584 H

5 1/4"D Canopy
mm: 133 D

780-PN

9 1/4"D 15 1/2"H, 3-60 w/c
mm: 235 D 394 H

5 1/4"D Canopy
mm: 133 D



782-AGB

11"D 23 1/4"H, 3-60 w/c
mm: 279 D 591 H

5 1/4"D Canopy
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



784-OB

12¾"D 30½"H, 4-60 w/c
mm: 324 D 775 H

5¼"D Canopy
mm: 133 D



783-AGB

11"D 27½"H, 3-60 w/c
mm: 279 D 699 H

5¼"D Canopy
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass





130-OB

14"W 17¾"H, 3-60 w/c
mm: 356 W 451 H
5¼"D *Canopy*
mm: 133 D




134-AGB

18½"W 37½"H, 4-60 w/c
mm: 470 W 953 H
5¼"D *Canopy*
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



131-OB

14"W 28"H, 3-60 w/c
mm: 356 W 711 H

5¼"D Canopy
mm: 133 D



132-HN

16¼"W 21½"H, 3-60 w/c
mm: 413 W 546 H

5¼"D Canopy
mm: 133 D

133-PN

16¼"W 33¾"H, 3-60 w/c
mm: 413 W 857 H

5¼"D Canopy
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass





255-AGB-C3

14½"W 30¾"H, 4-60 w/c
mm: 368 W 781 H

5¼"D Canopy
mm: 133 D



252-PN-C2

10¼"W 20¾"H, 3-60 w/c
mm: 260 W 527 H

5¼"D Canopy
mm: 133 D



253-OB-C3

12"W 20¾"H, 3-60 w/c
mm: 305 W 514 H

5¼"D Canopy
mm: 133 D

	Finishes	Glass Color	Glass Pattern
AGB	Aged Brass	C – Clear	1 – Plain
HN	Historic Nickel		2 – Diamond Cut
OB	Old Bronze		3 – Star Cut
PN	Polished Nickel		
	Solid Brass		

*Example: 251-PN-C2 =
Polished Nickel, Clear Glass with Diamond Cut*



254-HN-C1

12"W 25"H, 3-60 w/c
mm: 305 W 635 H
5¼"D Canopy
mm: 133 D



255-AGB-C2

14½"W 30¾"H, 4-60 w/c
mm: 368 W 781 H
5¼"D Canopy
mm: 133 D



251-PN-C2

10¼"W 14¾"H, 3-60 w/c
mm: 260 W 375 H
5¼"D Canopy
mm: 133 D



251-AGB-C1

10¼"W 14¾"H, 3-60 w/c
mm: 260 W 375 H
5¼"D Canopy
mm: 133 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass





5519-DB

19"D 20¼"H, 1-150 w/m
mm: 483 D 514 H

7½" Top 19" Bottom 14¼"H *Shade*
mm: 191 Top 483 Bottom 362 H

6"D *Canopy*
mm: 152 D

5515-PN

15"D 16"H, 1-150 w/m
mm: 381 D 406 H

6¼" Top 15" Bottom 11¼"H *Shade*
mm: 159 Top 381 Bottom 286 H

6"D *Canopy*
mm: 152 D



Finishes

<i>DB</i>	Distressed Bronze with AGB
<i>HN</i>	Historic Nickel
<i>PN</i>	Polished Nickel



5508-DB

8"D 9"H, 1-75 w/m
mm: 203 D 229 H

3½" Top 8" Bottom 6¼"H *Shade*
mm: 89 Top 203 Bottom 165 H

6"D *Canopy*
mm: 152 D



5511-HN

11"D 11¾"H, 1-100 w/m
mm: 279 D 298 H

4¾" Top 11" Bottom 8"H *Shade*
mm: 121 Top 279 Bottom 203 H

6"D *Canopy*
mm: 152 D

Finishes

<i>DB</i>	Distressed Bronze with AGB
<i>HN</i>	Historic Nickel
<i>PN</i>	Polished Nickel



5618-PN

18"D 21¼"H, 1-150 w/m
mm: 457 D 540 H
7" Top 18" Bottom 15½"H *Shade*
mm: 178 Top 457 Bottom 394 H
6"D *Canopy*
mm: 152 D



5612-HN

12¼"D 12¾"H, 1-75 w/m
mm: 311 D 324 H
5¼" Top 12¼" Bottom 9"H *Shade*
mm: 133 Top 311 Bottom 229 H
6"D *Canopy*
mm: 152 D



5615-DB

15"D 16¾"H, 1-100 w/m
mm: 381 D 425 H
6¼" Top 15" Bottom 12"H *Shade*
mm: 159 Top 381 Bottom 305 H
6"D *Canopy*
mm: 152 D

Finishes

<i>DB</i>	Distressed Bronze with AGB
<i>HN</i>	Historic Nickel
<i>PN</i>	Polished Nickel

Shades Included





412-AGB

12"D 16"H, 1-100 w/m
mm: 305 D 406 H
5½"D Canopy
mm: 140 D



415-PN

14¾"D 19½"H, 1-150 w/m
mm: 375 D 495 H
5½"D Canopy
mm: 140 D



409-SN



409-OB

9½"D 12½"H, 1-75 w/m
mm: 241 D 318 H
5½"D Canopy
mm: 140 D

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



4416-AGB

15¾"D 25¾"H, 3-60 w/m
mm: 400 D 654 H
5½"D Canopy
mm: 140 D



4413-OB

13"D 21¾"H, 2-60 w/m
mm: 330 D 552 H
5½"D Canopy
mm: 140 D



4409-PN

10½"D 11½"H, 1-100 w/m
mm: 267 D 292 H
5½"D Canopy
mm: 140 D



4413-SN

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Fixtures 4413, 4416 are convertible from pendant to semi-flush configuration



**7301-SN**

8"W 10"H 9½E, 1-100 w/m
mm: 203 W 254 H 241 E

5¼"D *Backplate*
mm: 133 D

**7308-OB**

8"D 71½"OAH, 1-100 w/m
mm: 203 D 1816 OAH

5¼"D *Canopy*
mm: 133 D

**7313-PN**

48"L 12"W 87½"OAH, 3-100 w/m
mm: 1219 L 305 W 2223 OAH

5¼"D *Canopy*
mm: 133 D

Finishes

<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



7315-PN

16½"D 80"OAH, 1-300 w/m
mm: 419 D 2032 OAH
5¼"D Canopy
mm: 133 D

7311-PN

12"D 73½"OAH, 1-150 w/m
mm: 305 D 1867 OAH
5¼"D Canopy
mm: 133 D



7312-SN

45"L 16"W 91½"OAH, 2-300 w/m
mm: 1143 L 406 W 2324 OAH
5¼"D Canopy
mm: 133 D



OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel





9601-PN

8"W 14"H 9¾"E, 1-100 w/m
mm: 203 W 356 H 248 E

6"D *Backplate*
mm: 152 D



9611-HN

11"D 21¾" min H to 75½" max H, 1-150 w/m
mm: 279 D 552 min H to 1918 max H

7"D *Canopy*
mm: 178 D



9615-DB

15"D 29" min H to 83" max H, 1-150 w/m
mm: 381 D 737 min H to 2108 max H

8"D *Canopy*
mm: 203 D



9608-PN

8"D 18" min H to 72" max H, 1-100 w/m
mm: 203 D 457 min H to 1829 max H

6"D *Canopy*
mm: 152 D

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

DB	Distressed Bronze
HN	Historic Nickel
PN	Polished Nickel



9901-DB

8"W 14"H 9¾"E, 1-75 w/m

mm: 203 W 356 H 248 E

6"D *Backplate*

mm: 152 D



9919-DB

19"D 34¾" min H to 89" max H, 1-150 w/m

mm: 483 D 883 min H to 2261 max H

9"D *Canopy*


mm: 229 D

Finishes

DB Distressed Bronze

HN Historic Nickel

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems




9915-HN

15"D 29" min H to 83" max H, 1-150 w/m
mm: 381 D 737 min H to 2108 max H
8"D Canopy
mm: 203 D



9908-HN

8"D 18" min H to 72" max H, 1-75 w/m
mm: 203 D 457 min H to 1829 max H
6"D Canopy
mm: 152 D



9911-DB

11"D 21¼" min H to 75½" max H, 1-100 w/m
mm: 279 D 552 min H to 1918 max H
7"D Canopy
mm: 178 D

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

DB Distressed Bronze
HN Historic Nickel




8820-HN

20"D 20¾" min H to 75" max H, 1-150 w/m
mm: 508 D 527 min H to 1905 max H

6"D Canopy
mm: 152 D



8815-PN



8815-AGB

15"D 18¾" min H to 72¼" max H, 1-100 w/m
mm: 381 D 464 min H to 1835 max H

6"D Canopy
mm: 152 D



8810-OB

10"D 14¾" min H to 68¾" max H, 1-100 w/m
mm: 254 D 375 min H to 1746 max H

6"D Canopy
mm: 152 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems





4614-SN

13½"D 21" min H to 75" max H, 1-150 w/m
mm: 343 D 533 min H to 1905 max H

7"D Canopy
mm: 178 D



4620-WPN

19½"D 26½" min H to 80½" max H, 1-150 w/m
mm: 495 D 673 min H to 2045 max H

7"D Canopy
mm: 178 D

Not Available in Polished Nickel

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
WPN	White/Polished Nickel

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



4610-OB

9½"D 16" min H to 70" max H, 1-100 w/m
mm: 241 D 406 min H to 1778 max H

6"D Canopy
mm: 152 D



4614-PN

13½"D 21" min H to 75" max H, 1-150 w/m
mm: 343 D 533 min H to 1905 max H

7"D Canopy
mm: 178 D



4610-SN

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
WPN	White/Polished Nickel





8601-PN

10"W 8½"H 11¼"E, 1-60 w/m*
mm: 254 W 216 H 298 E
4½"W 5"H *Backplate*
mm: 114 W 127 H



8610-BPN

10"D 12½" min H to 66¼" max H, 1-60 w/m*
mm: 254 D 318 min H to 1683 max H
5½"D *Canopy*
mm: 140 D



8618-DB

18"D 17" min H to 71" max H, 3-60 w/m*
mm: 457 D 432 min H to 1803 max H
6¼"D *Canopy*
mm: 159 D

Finishes

<i>BPN</i>	Black/Polished Nickel
<i>DB</i>	Distressed Bronze
<i>GAGB</i>	Aged Brass (with Forest Green)
<i>PN</i>	Polished Nickel

* Carbon Filament Bulbs Included
Replacement bulbs:
LB-60-6 (6 pack)
LB-60-48 (48 pack)

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



8601-BPN

10"W 8½"H 11¼"E, 1-60 w/m*
mm: 254 W 216 H 298 E
4½"W 5"H *Backplate*
mm: 114 W 127 H



8614-GAGB



8614-PN

14½"D 14½" min H to 68½" max H, 2-60 w/m*
mm: 368 D 368 min H to 1740 max H
5½"D *Canopy*
mm: 140 D

Finishes

<i>BPN</i>	Black/Polished Nickel
<i>DB</i>	Distressed Bronze
<i>GAGB</i>	Aged Brass (with Forest Green)
<i>PN</i>	Polished Nickel

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

* Carbon Filament Bulbs Included
Replacement bulbs:
LB-60-6 (6 pack)
LB-60-48 (48 pack)





9809-ON

9"D 67"OAH, 1-100 w/m
mm: 229 D 1702 OAH
5½"D Canopy
mm: 140 D



9812-PN

12"D 67½"OAH, 1-150 w/m
mm: 305 D 1714 OAH
5½"D Canopy
mm: 140 D



9815-OB

15"D 69¼"OAH, 1-150 w/m
mm: 381 D 1759 OAH
5½"D Canopy
mm: 140 D



9813-ON

48"L 12"W 86"OAH, 3-150 w/m
mm: 1219L 305W 2184 OAH
5½"D Canopy
mm: 140 D

Finishes

OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



9812F-ON

12"D 12"H, 1-100 w/m
mm: 305 D 305 H
5½"D Canopy
mm: 140 D



9809F-OB

9"D 11½"H, 1-100 w/m
mm: 229 D 292 H
5½"D Canopy
mm: 140 D



9815F-PN

15"D 13"H, 1-100 w/m
mm: 381 D 330 H
5½"D Canopy
mm: 140 D

Finishes

OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel





7711-AGB

14½"D 72"OAH, 1-100 w/m
mm: 368 D 1829 OAH

5"D *Canopy*
mm: 127 D



7701-HN

6"W 12"H 8"E, 1-60 w/c
mm: 152 W 305 H 203 E

4" Top 6" Bottom 5½"H *Shade*
mm: 102 Top 152 Bottom 140 H

5"D *Backplate*
mm: 127 D



7712-HN

46"L 14½"W 82"OAH, 2-100 w/m
mm: 1168 L 368 W 2083 OAH

5"D *Canopy*
mm: 127 D

Shades Included (7711 / 7712)

10¼" Top 14½" Bottom 10"H
mm: 260 Top 368 Bottom 254 H

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

AGB Aged Brass
HB Historic Bronze
HN Historic Nickel
Solid Brass

7821-HN



7821-HB

12½"D 67"OAH, 1-100 w/m
mm: 318 D 1702 OAH
5"D Canopy
mm: 127 D



7822-AGB

50¼"L 12½"W 77"OAH, 3-100 w/m
mm: 1276 L 318 W 1956 OAH
5"D Canopy
mm: 127 D

Finishes

AGB	Aged Brass
HB	Historic Bronze
HN	Historic Nickel
	Solid Brass

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 152mm stem, (1) 305mm stem, (2) 457mm stems





4202-PN

12"D 9"H, 1-100 w/m

mm: 305 D 229 H

5"D Canopy

mm: 127 D



4225-SN

15"D 66½"OAH, 1-150 w/m

mm: 381 D 1689 OAH

5"D Canopy

mm: 127 D



4228-PN

18"D 67¾"OAH, 1-150 w/m

mm: 457 D 1721 OAH

5"D Canopy

mm: 127 D

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

OAH – Overall Height measurement includes
 (1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
 (1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



4222-OB

12"D 66"OAH, 1-100 w/m
mm: 305 D 1676 OAH
5"D Canopy
mm: 127 D



4205-OB

15"D 9½"H, 1-150 w/m
mm: 381 D 241 H
5"D Canopy
mm: 127 D



4208-PN

18"D 10¾"H, 1-150 w/m
mm: 457 D 273 H
5"D Canopy
mm: 127 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



2211-SN

10½"D 68"OAH, 1-100 w/m
mm: 267 D 1727 OAH

6"D Canopy
mm: 152 D



2212-PN

14"D 73"OAH, 1-150 w/m
mm: 356 D 1854 OAH

6"D Canopy
mm: 152 D



2201-AGB

6"W 11"H 7½"E, 1-100 w/m
mm: 152 W 279 H 191 E

5¼"D Backplate
mm: 133 D

Finishes

AGB	Aged Brass
HB	Historic Bronze
PN	Polished Nickel
SN	Satin Nickel

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 152mm stem, (1) 305mm stem, (2) 457mm stems



2211-HB

10½"D 68"OAH, 1-100 w/m
mm: 267 D 1727 OAH
6"D *Canopy*
mm: 152 D



2210-PN

8"D 64"OAH, 1-100 w/m
mm: 203 D 1626 OAH
6"D *Canopy*
mm: 152 D



2209-AGB

8"W 10¾"H 8¾"E, 1-75 w/m
mm: 203 W 273 H 222 E
5¼"D *Backplate*
mm: 133 D

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

AGB	Aged Brass
HB	Historic Bronze
PN	Polished Nickel
SN	Satin Nickel






2612-AGB

10"D 9¼"H, 1-100 w/m
mm: 254 D 235 H

6½"D Canopy
mm: 165 D



2621-AGB

7"D 68"OAH, 1-100 w/m
mm: 178 D 1727 OAH

5¼"D Canopy
mm: 133 D



2623-PN

13"D 75½"OAH, 1-150 w/m
mm: 330 D 1918 OAH

5¼"D Canopy
mm: 133 D



2622-SN

10"D 72"OAH, 1-150 w/m
mm: 254 D 1829 OAH

5¼"D Canopy
mm: 133 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems
Fixtures are supplied with optional bottom glass disk.

Finishes

AGB	Aged Brass
HB	Historic Bronze
PN	Polished Nickel
SN	Satin Nickel



5111-AN

11¾"D 71½"OAH, 1-100 w/m
mm: 298 D 1816 OAH

5¾"D Canopy
mm: 146 D



5109-PN

8"D 69"OAH, 1-100 w/m
mm: 203 D 1753 OAH

5¾"D Canopy
mm: 146 D



5123-PN

44"L 11¾"W 72¼"OAH, 3-100 w/m
mm: 1118 L 298 W 1835 OAH

5¾"D Canopy
mm: 146 D

Finishes

AN	Antique Nickel
HB	Historic Bronze
PN	Polished Nickel
	Solid Brass

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



5115-PN

15"D 75¼"OAH, 1-150 w/m
mm: 381 D 1911 OAH

5¾"D Canopy
mm: 146 D

OAH – Overall Height measurement includes

(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



5111-HB

11¼"D 71½"OAH, 1-100 w/m
mm: 286 D 1816 OAH

5¾"D Canopy
mm: 146 D



5108-HB

8"W 12"H 8¾"E, 1-75 w/m
mm: 203 W 305 H 222 E

5¾"D Backplate
mm: 146 D

Finishes

AN Antique Nickel
HB Historic Bronze
PN Polished Nickel
Solid Brass





3820-SN

11"D 66½"OAH, 1-100 w/m
mm: 279 D 1689 OAH

5½"D Canopy
mm: 140 D



3825-SN

14½"D 68¾"OAH, 1-150 w/m
mm: 368 D 1734 OAH

5½"D Canopy
mm: 140 D



3811-WSN

11"D 6¾"H, 1-60 w/m
mm: 279 D 171 H

5"D Canopy
mm: 127 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

SN	Satin Nickel
WSN	White/Satin Nickel



3815-SN

14½"D 8½"H, 2-60 w/m
mm: 368 D 216 H

5"D Canopy
mm: 127 D



3827-WSN

17"D 70"OAH, 1-150 w/m
mm: 432 D 1778 OAH

5½"D Canopy
mm: 140 D

Finishes

SN	Satin Nickel
WSN	White/Satin Nickel

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



8008-PN

8"D 68"OAH, 1-100 w/m
mm: 203 D 1727 OAH

5"D Canopy
mm: 127 D



8011-SN

11"D 70¾"OAH, 1-150 w/m
mm: 279 D 1797 OAH

5"D Canopy
mm: 127 D



8011-OB

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems



HEIRLOOM PENDANTS



8001-PN

3"W 7"H, 1-60 w/m
mm: 76 W 178 H
5½"D Canopy
mm: 140 D



8001-AGB-WG

5¼"W 12¾"min H, 1-60 w/m
mm: 133 W 324 min H
5½"D Canopy
mm: 140 D



8001-HN

3"W 7"H, 1-60 w/m
mm: 76 W 178 H
5½"D Canopy
mm: 140 D

8001-OB-WG

5¼"W 12¾"min H, 1-60 w/m
mm: 133 W 324 min H
5½"D Canopy
mm: 140 D



Style #	Hanging System	Finishes	Shade	Min H*	Max H*	Wattage
8001	5½' Cloth Cord 1676 mm	AGB Aged Brass HN Historic Nickel OB Old Bronze PN Polished Nickel	WG Wire Guard	12¾" 324 mm	72¾" 1848 mm	60w 130v <i>Lamp Included</i>
			<i>without</i> Wire Guard	10¾"* 273 mm	69¾"* 1772 mm	
8002	11' Cloth Cord 3353 mm		WG Wire Guard	12¾" 324 mm	137¾" 3499 mm	
			<i>without</i> Wire Guard	10¾"* 273 mm	135¾"* 3448 mm	
9001	(1) 6" (152mm) Stem (1) 12" (305mm) Stem (2) 18" (457mm) Stems		WG Wire Guard	18" 457 mm	66" 1676 mm	
			<i>without</i> Wire Guard	15¾"* 400 mm	63¾"* 1619 mm	

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack

Features: Cloth Cord or Solid Brass Stems w/ Hang Straight Canopy (Additional stems available)
Lamp Included. On/Off Paddle Switch

Ordering example: **8001-HN-WG** (Historic Nickel with 5½' (1676 mm) Silver Cloth Cord and Wire Guard)

* Measurement including lamp

HEIRLOOM PENDANTS



Shade

ML1 16½"D
mm: 419 D



Shade

MM1 14"D
mm: 356 D



Shade

MS1 10"D
mm: 254 D



9001-AGB-MM1

5½"D Canopy
mm: 140 D



8001-PN-MS1-WG

5½"D Canopy
mm: 140 D

Style #	Hanging System	Finishes	Shade	Min H*	Max H*	Option	Wattage
8001	5½' Cloth Cord 1676 mm	AGB Aged Brass HN Historic Nickel OB Old Bronze PN Polished Nickel	MS1	7¼" 184 mm	72¼" 1835 mm	WG Wire Guard	60w 130v <i>Lamp Included</i>
			MM1	7½" 191 mm	72½" 1842 mm		
			ML1	8" 203 mm	73" 1854 mm		
8002	11' Cloth Cord 3353 mm		MS1	7¼" 184 mm	138¼" 3512 mm		
			MM1	7½" 191 mm	138½" 3518 mm		
			ML1	8" 203 mm	139" 3531 mm		
9001	(1) 6" (152mm) Stem (1) 12" (305mm) Stem (2) 18" (457mm) Stems		MS1	12¼" 311 mm	60¼" 1530 mm		
			MM1	12½" 318 mm	60½" 1537 mm		
			ML1	13" 330 mm	61" 1549 mm		

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack

Features: Cloth Cord or Solid Brass Stems w/ Hang Straight Canopy (*Additional stems available*)
Lamp Included. On/Off Paddle Switch.

Ordering example: 8001-AGB-MM1 (Medium Shade in Aged Brass with 5½' (1676mm) Gold Cloth Cord)

* Measurement not including lamp or wire guard

HEIRLOOM PENDANTS



8001-OB-MS2-WG

5½"D Canopy
mm: 140 D



9001-PN-MM2

5½"D Canopy
mm: 140 D



Shade

ML2 16½"D
mm: 419 D



Shade

MM2 14"D
mm: 356 D



Shade

MS2 10"D
mm: 254 D

Style #	Hanging System	Finishes	Shade	Min H*	Max H*	Option	Wattage
8001	5½' Cloth Cord 1676 mm	AGB Aged Brass HN Historic Nickel OB Old Bronze PN Polished Nickel	MS2	7¼" 184 mm	72¼" 1835 mm	WG Wire Guard	60w 130v <i>Lamp Included</i>
			MM2	7¾" 197 mm	72¾" 1848 mm		
			ML2	8¼" 210 mm	73¾" 1861 mm		
8002	11' Cloth Cord 3353 mm		MS2	7¼" 184 mm	138¼" 3512 mm		
			MM2	7¾" 197 mm	138¾" 3524 mm		
			ML2	8¼" 210 mm	139¼" 3537 mm		
9001	(1) 6" (152mm) Stem (1) 12" (305mm) Stem (2) 18" (457mm) Stems		MS2	12¼" 311 mm	60¼" 1530 mm		
			MM2	12¾" 324 mm	60¾" 1543 mm		
			ML2	13¼" 337 mm	61¼" 1556 mm		

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack

Features: Cloth Cord or Solid Brass Stems w/ Hang Straight Canopy (Additional stems available)
Lamp Included. On/Off Paddle Switch.

Ordering example: **8002-PN-ML2** (Large Shade in Polished Nickel with 11' (3353mm) Silver Cloth Cord)

* Measurement not including lamp or wire guard

HEIRLOOM PENDANTS



Shade

ML3 16½"D
mm: 419 D



Shade

MM3 14"D
mm: 356 D



Shade

MS3 10"D
mm: 254 D



9001-PN-ML3

5½"D Canopy
mm: 140 D



8001-AGB-MS3-WG

5½"D Canopy
mm: 140 D

Style #	Hanging System	Finishes	Shade	Min H*	Max H*	Option	Wattage
8001	5½' Cloth Cord 1676 mm	AGB Aged Brass HN Historic Nickel OB Old Bronze PN Polished Nickel	MS3	7¾" 197 mm	72¾" 1848 mm	WG Wire Guard	60w 130v <i>Lamp Included</i>
			MM3	8" 203 mm	73" 1854 mm		
			ML3	8¼" 210 mm	73¼" 1861 mm		
8002	11' Cloth Cord 3353 mm		MS3	7¾" 197 mm	138¾" 3524 mm		
			MM3	8" 203 mm	139" 3531 mm		
			ML3	8¼" 210 mm	139¼" 3537 mm		
9001	(1) 6" (152mm) Stem (1) 12" (305mm) Stem (2) 18" (457mm) Stems		MS3	12¾" 324 mm	60¾" 1543 mm		
			MM3	13" 330 mm	61" 1549 mm		
			ML3	13¼" 337 mm	61¼" 1556 mm		

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack

Features: Cloth Cord or Solid Brass Stems w/ Hang Straight Canopy (Additional stems available)
Lamp Included. On/Off Paddle Switch

Ordering example: **9001-HN-MS3** (Small Shade in Historic Nickel with Solid Brass Stems)

* Measurement not including lamp or wire guard

HEIRLOOM PENDANTS



Style #	Hanging System	Finishes	Shade	Min H*	Max H*	Wattage
8001	5½' Cloth Cord 1676 mm	AGB Aged Brass HN Historic Nickel OB Old Bronze PN Polished Nickel	GS4	6¾" 171 mm	71¾" 1822 mm	60w 130v <i>Lamp Included</i>
			GM4	7" 178 mm	72" 1829 mm	
			GL4	7¼" 184 mm	72¼" 1835 mm	
8002	11' Cloth Cord 3353 mm		GS4	6¾" 171 mm	137¾" 3499 mm	
			GM4	7" 178 mm	138" 3505 mm	
			GL4	7¼" 184 mm	138¾" 3512 mm	
9001	(1) 6" (152mm) Stem (1) 12" (305mm) Stem (2) 18" (457mm) Stems		GS4	11¾" 298 mm	59¾" 1518 mm	
			GM4	12" 305 mm	60" 1524 mm	
			GL4	12¼" 311 mm	60¼" 1530 mm	

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack

Features: Cloth Cord or Solid Brass Stems w/ Hang Straight Canopy (*Additional stems available*)
Lamp Included. On/Off Paddle Switch

Ordering example: **8001-OB-GM4** (Medium Shade in Old Bronze with 5½' (1676mm) Bronze Cloth Cord)

* Measurement not including lamp



8000-PN-MS2-WG

10"W 13¾"H 12"E, 1-60 w/m
mm: 254 W 349 H 305 E



8000-HN-MS1

10"W 8½"H* 12"E, 1-60 w/m
mm: 254 W 216 H* 305 E



8000-OB-GS4

10"W 8½"H* 12"E, 1-60 w/m
mm: 254 W 216 H* 305 E

8000-AGB-WG

5½"W 13¾"H 9½"E, 1-60 w/m
mm: 140 W 349 H 241 E



Style #	Description	Finishes	Shade 1	Shade 2	Wattage
8000	One Light Wall Scone 5½"D <i>Backplate</i> mm: 140 D	<i>AGB</i> Aged Brass <i>HN</i> Historic Nickel	MS1	WG Wire Guard	60w 130v <i>Lamp Included</i>
			MS2	WG Wire Guard	
			MS3	WG Wire Guard	
8100	Semi-Flush 5"D <i>Canopy</i> mm: 127 D	<i>OB</i> Old Bronze <i>PN</i> Polished Nickel	GS4	Not Available	
			GS6		
			WG		


*Measurement not including lamp

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack



GS4

10"D 254 mm D



GS6

9"D 229 mm D



WG

5¼"D 133 mm D



MS1

10"D 254 mm D



MS2

10"D 254 mm D



MS3

10"D 254 mm D



8100-HN-MS1

10"W 4"H*, 1-60 w/m
mm: 254 W 102 H*

8100-PN-GS6

9"W 5"H*, 1-60 w/m
mm: 229 W 127 H*



8100-OB-WG

5¼"W 9¼"H, 1-60 w/m
mm: 133 W 235 H

*Measurement not including lamp

Replacement Lamps: LB-60-6 6 Pack
LB-60-48 48 Pack





3506-SN-S-001

4"D 5½"H (mm: 102 D 140 H)



3506-PC-S-002

3¾"D 5¾"H (mm: 95 D 146 H)



3506-PC-B-003

4"D 5½"H (mm: 102 D 140 H)



3506-PC-S-004

4"D 5¾"H (mm: 102 D 146 H)



3506-PC-B-005

4"D 5¾"H (mm: 102 D 146 H)

Style #	Finishes	Hanging System	Shade	Min H	Max H	Wattage
3506	PC Polished Chrome	5½' Cloth Cord 1676 mm	001, 002	8"	67"	20w 130v G9 Xenon Lamp Included
	SN Satin Nickel	B Black Cord	003, 004	203 mm	1702 mm	
		S Silver Cord	005			

For 11' cord option, specify fixture **3511** Maximum Height 133" (3378mm)

Canopy: 5½" (140mm) D

Replacement Lamps: Bulb-Xenon 20w

Features: Cloth Cord
Lamp included

Ordering example: **3506-PC-S-001** (Polished Chrome with 5½' (1676mm) Silver Cloth Cord with Ball)



3513-PC-S-004

11"D Canopy
mm: 279 D



3515-SN-B-001

15"D Canopy
mm: 381 D



Style #	Finishes	Hanging System	Shade	Min H	Max H	Wattage
3513	PC Polished Chrome	5½' Cloth Cord 1676 mm	001, 002	8"	67"	20w 130v
	SN Satin Nickel	B Black Cord	003, 004	203 mm	1702 mm	G9 Xenon
		S Silver Cord	005			Lamp Included

For 11' cord option, specify fixture 3613 Maximum Height 133" (3378mm)

Style #	Finishes	Hanging System	Shade	Min H	Max H	Wattage
3515	PC Polished Chrome	5½' Cloth Cord 1676 mm	001, 002	8"	67"	20w 130v
	SN Satin Nickel	B Black Cord	003, 004	203 mm	1702 mm	G9 Xenon
		S Silver Cord	005			Lamp Included

For 11' cord option, specify fixture 3615 Maximum Height 133" (3378mm)

Replacement Lamps: Bulb-Xenon 20w
Features: Cloth Cord
Lamp included

VINTAGE COLLECTION MINI PENDANTS

Our mini pendants are all about choices...

- Metal Finish • Glass Type • Cord Length
- 3101 Adjustable to 5½' Cord (1676 mm) Standard
- 3102 11' Cord (3074 mm) Optional



3101-PN-7200

5¼"D 11" min H, 1-75 w/m
mm: 133 D 279 H

5"D Canopy
mm: 127 D

Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SB	Satin Brass
SN	Satin Nickel
	Solid Brass



3101-SN-008

8"D 9" min H
mm: 203 D 229 min H

3101-OB-R08

8½"D 10½" min H
mm: 216 D 267 min H

3101-SB-M9

8¾"D 11" min H
mm: 222 D 286 min H

3101-OB-45C

5½"W 10½" min H
mm: 140 W 267 min H

3101-PB-45F

5½"W 10½" min H
mm: 140 W 267 min H



3101-OB-116

5¼"D 10¾" min H
mm: 133 D 273 min H

3101-OB-119

4¼"W 11½" min H
mm: 108 W 292 min H

3101-SN-226

5"W 10½" min H
mm: 127 W 267 min H

3101-PN-341

6"D 10" min H
mm: 152 D 254 min H

3101-OB-348M

4"D 10" min H
mm: 102 D 254 min H

348AC

348AR



3101-OB-415

7½"D 10" min H
mm: 191 D 254 min H

3101-SN-415M

7½"D 10" min H
mm: 191 D 254 min H

3101-PN-436

4"W 10½" min H
mm: 102 W 267 min H

3101-SB-444

6"D 10½" min H
mm: 152 D 267 min H



3101-SN-505A

4¾"D 10¾" min H
mm: 121 D 273 min H

3101-SN-505C

4¾"D 10¾" min H
mm: 121 D 273 min H

3101-PN-505M

4¾"D 10¾" min H
mm: 121 D 273 min H

3101-PN-1271

5"W 11" min H
mm: 127 W 279 min H

3101-OB-1271B

5"W 11" min H
mm: 127 W 279 min H

All canopies are 5"D (127 mm)





5510-AGB

10"D 5¼"H, 1-60 w/m
mm: 254 D 133 H



5510-HN



5513-PN

13"D 5¾"H, 2-60 w/m
mm: 330 D 146 H



5516-OB

16"D 6½"H, 3-60 w/m
mm: 406 D 165 H

Finishes	
<i>AGB</i>	Aged Brass
<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass



709-SN



709-AGB

9¼"D 4¾"H, 1-60 w/m
mm: 235 D 121 H



712-OB

12¼"D 4¾"H, 2-60 w/m
mm: 311 D 121 H



715-PN

15¼"D 5¼"H, 3-60 w/m
mm: 387 D 133 H



Finishes	
AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations*





4412-SN

11½"D 6¼"H, 1-60 w/m
mm: 292 D 159 H



4412-AGB



4415-PN

14¾"D 8"H, 2-60 w/m
mm: 375 D 203 H



4418-OB

17¾"D 9¾"H, 3-60 w/m
mm: 451 D 248 H

Finishes

<i>AGB</i>	Aged Brass
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel





5414-PN

14"D 6½"H, 2-60 w/m
mm: 356 D 165 H



5417-FB

17"D 7¼"H, 3-60 w/m
mm: 432 D 184 H



5411-OB



5411-AN

11"D 5½"H, 1-60 w/m
mm: 279 D 140 H

Finishes

AN	Antique Nickel
FB	Flemish Brass
OB	Old Bronze
PN	Polished Nickel





7520-OB

20"D 5"H, 3-60 w/m
mm: 508 D 127 H



7516-PN

16"D 4¾"H, 3-60 w/m
mm: 406 D 121 H



7509-SN

9"D 3½"H, 1-60 w/m
mm: 229 D 89 H



7513-PN

13"D 4½"H, 2-60 w/m
mm: 330 D 114 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel





6515-SN



6515-AGB

15"D 6½"H, 3-60 w/m
mm: 381 D 165 H



6513-PN

13"D 5¼"H, 2-60 w/m
mm: 330 D 133 H



6513-OB



6510-OB

10"D 5¼"H, 2-60 w/m
mm: 254 D 133 H

Finishes

<i>AGB</i>	Aged Brass
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel



6715-SN

15¾"D 7¾"H, 3-60 w/m
mm: 400 D 197 H



6715-AGB

6713-OB



6713-PN

13¾"D 7"H, 2-60 w/m
mm: 337 D 178 H



Finishes

<i>AGB</i>	Aged Brass
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel



3323-OB

16"W 5¼"H, 3-60 w/m
mm: 406 W 133 H



3323-SN



3322-PN



3322-SN

13"W 5¼"H, 2-60 w/m
mm: 330 W 133 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



6216-PN

16¼"D 5¾"H, 3-60 w/m
mm: 413 D 146 H



6216-AGB



6214-OB

14¼"D 5"H, 2-60 w/m
mm: 362 D 127 H



6214-SN

Finishes

<i>AGB</i>	Aged Brass
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel





6521-AN

6½"D 72"OAH, 1-100 w/m
mm: 165 D 1829 OAH

5½"D Canopy
mm: 140 D



6511-OB

6½"D 15"H, 1-100 w/m
mm: 165 D 381 H

5½"D Canopy
mm: 140 D



6501-AGB

6501-PN

6½"W 15"H 7¾"E, 1-100 w/m
mm: 165 W 381 H 197 E

5½"D Backplate
mm: 140 D



Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
Solid Cast Brass	

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations
OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems*



6721-OB

10"D 67¼"OAH, 1-100 w/m
mm: 254 D 1708 OAH

6"D Canopy
mm: 152 D



6711-AGB

10"D 10¼"H, 1-100 w/m
mm: 254 D 260 H

6"D Canopy
mm: 152 D



6701-AN



6701-PN

10"W 8"H 13"E, 1-100 w/m
mm: 254 W 203 H 330 E

6"D Backplate
mm: 152 D

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations
OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems*

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass





2901-OB

9"W 12½"H 10¾"E, 1-100 w/m
mm: 229 W 318 H 273 E
5½"D *Backplate*
mm: 140 D




2901-AN



2911-PN

9" D 16¼" H, 1-100 w/m
mm: 229 D 413 H
5½"D *Canopy*
mm: 140 D



2921-AGB

9"D 70½" OAH, 1-100 w/m
mm: 229 D 1791 OAH
5½"D *Canopy*
mm: 140 D

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations
OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems*

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



3001-AN



3011-OB

5¾"D 13"H, 1-100 w/m
mm: 146 D 330 H
5"D Canopy
mm: 127 D



3001-PN

5"W 10½"H 5¾"E, 1-100 w/m
mm: 127 W 267 H 146 E
4½"D Backplate
mm: 114 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations*



711-PN



711-OB

5½"D 8½"H, 1-60 w/m
mm: 140 D 216 H



701-SN



701-AGB

5"D 9¾"H, 1-100 w/m
mm: 127 D 248 H
4½"D Backplate
mm: 114 D

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

*All fixtures on this page UL listed for wet locations
PN finish not recommended for wet locations*





974-HN

30½"W 3½"H 6" max E, 4-60 w/m T-10
mm: 775 W 89 H 152 max E

3½"W 30½"H *Backplate*
mm: 89 W 775 H

973-PN

3½"W 24½"H 6" max E, 3-60 w/m T-10
mm: 89 W 622 H 152 max E

3½"W 24½"H *Backplate*
mm: 89 W 622 H



971-OB

3½"W 12½"H 6" max E, 1-60 w/m T-10
mm: 89 W 318 H 152 max E

3½"W 12½"H *Backplate*
mm: 89 W 318 H



972-AGB

3½"W 18½"H 6" max E, 2-60 w/m T-10
mm: 89 W 470 H 152 max E

3½"W 18½"H *Backplate*
mm: 89 W 470 H

*Designed for use with a 2" x 4" gem box
Fixtures may be mounted vertically or horizontally.*

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel





891-PN

5¼"W 12"H 4"E, 1-60 w/m T10 or torpedo
mm: 133 W 305 H 102 E



893-PN

5¼"W 28"H 4"E, 4-60 w/m T10 or torpedo
mm: 133 W 711 H 102 E



892-OB

5¼"W 20"H 4"E, 2-60 w/m T10 or torpedo
mm: 133 W 508 H 102 E



Finishes

OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Fixtures may be mounted vertically or horizontally.



562-DB

20"W 5"H 4"E, 2-60 w/m, T10 or Torpedo
mm: 508 W 127 H 102 E



561-AN



561-AGB

5"W 12½"H 4"E, 1-60 w/m, T10 or Torpedo
mm: 127 W 318 H 102 E



563-PN

5"W 28"H 4"E, 4-60 w/m, T10 or Torpedo
mm: 127 W 711 H 102 E



Finishes	
AGB	Aged Brass
AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel
	Solid Brass

Fixtures may be mounted vertically or horizontally.



953-HB

5"W 30½"L 4¼"E, 4-60 w/m T10 or torpedo
mm: 127 W 775 L 108 E



952-PN

5"W 20¼"L 4¼"E, 2-60 w/m T10 or torpedo
mm: 127 W 514 L 108 E



951-AGB

5"W 10½"L 4¼"E, 1-60 w/m T10 or torpedo
mm: 127 W 267 L 108 E

Finishes

AGB	Aged Brass
HB	Historic Bronze
PN	Polished Nickel
	Solid Brass

Fixtures may be mounted vertically or horizontally.





852-AN

19"W 4¾"H 4"E, 2-60 w/c
mm: 483 W 121 H 102 E

16¾"W 4¾"H *Backplate*
mm: 425 W 121 H



851-PN

4¾"W 12½"H 4"E, 1-60 w/c
mm: 121 W 318 H 102 E

4¾"W 10¼"H *Backplate*
mm: 121 W 260 H



853-PN

4¾"W 29½"H 4"E, 4-60 w/c
mm: 121 W 749 H 102 E

4¾"W 27"H *Backplate*
mm: 121 W 686 H




Finishes

AN	Antique Nickel
PN	Polished Nickel

Fixtures may be mounted vertically or horizontally.





822-PC



822-PN

5"W 25½"H 4½"E, 2-75 w/m T8*
mm: 127 W 648 H 114 E
5"D Backplate
mm: 127 D



821-AGB

5"W 15¼"H 4½"E, 1-75 w/m T8*
mm: 127 W 387 H 114 E
5"D Backplate
mm: 127 D



821-SN



821-OB

Finishes

AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel

*75 w/m T8 bulb included
Replacement bulb: LB-75T8-12 (12-Pack)


Fixture 822 may be mounted vertically or horizontally.



1262-SN

4½"W 20"H 4"E, 2-60 w/m T10 or torpedo
mm: 114 W 508 H 102 E

4½"W 4½"H Backplate
mm: 114 W 114 H



1261-OB

4½"W 12¼"H 4"E, 1-60 w/m T10 or torpedo
mm: 114 W 311 H 102 E

4½"W 4½"H Backplate
mm: 114 W 114 H



1261-PN


Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Fixture 1262 may be mounted vertically or horizontally.



1561-AN



1562-AGB



1561-DB

5¼"W 12"H 5"E, 1-100 w/m
mm: 133 W 305 H 127 E
5¼"W 5¼"H *Backplate*
mm: 133 W 133 H



1562-PN

5¼"W 21"H 5"E, 2-100 w/m
mm: 133 W 533 H 127 E
5¼"W 7"H *Backplate*
mm: 133 W 178 H

Finishes

AGB	Aged Brass
AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel

Fixture 1562 may be mounted vertically or horizontally.



1352-OB

4½"W 22"H 3¾"E, 2-60 w/m T10
mm: 114 W 559 H 95 E
4½"W 4½"H Backplate
mm: 114 W 114 H



1351-PN



1351-SN

4½"W 12"H 3¾"E, 1-60 w/m T10
mm: 114 W 305 H 95 E
4½"W 4½"H Backplate
mm: 114 W 114 H



Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Fixture 1352 may be mounted vertically or horizontally.





1822-SN

4¾"W 20½"H 4"E, 2-60 w/m T10
mm: 121 W 521 H 102 E
4¾"W 6"H Backplate
mm: 121 W 152 H



1821-PN

4¾"W 12¼"H 4"E, 1-60 w/m T10
mm: 121 W 311 H 102 E
4¾"W 6"H Backplate
mm: 121 W 152 H



1821-OB

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Fixture 1822 may be mounted vertically or horizontally.



320-OB



320-SN

4½"W 15"H 4"E, 1-75 w/m T8*
mm: 114 W 381 H 102 E
4½"W 15"H *Backplate*
mm: 114 W 381 H



320-AGB

320-PN



320-PC



Finishes

AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel

*75 w/m T8 bulb included
Replacement bulb: LB-75T8-12 (12-Pack)

420-OB



420-PC

4¾"W 14"H 4"E, 1-100 w/m
mm: 121 W 356 H 102 E

4¾"W 14"H *Backplate*
mm: 121 W 356 H



520-PN



520-SN

4¾"W 14"H 4"E, 1-100 w/m
mm: 121 W 356 H 102 E

4¾"W 14"H *Backplate*
mm: 121 W 356 H



Finishes

<i>OB</i>	Old Bronze
<i>PC</i>	Polished Chrome
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel



371-AGB



371-PN

4¾"W 14¼"H 4½"E, 1-100 w/m
mm: 121 W 362 H 114 E

4¾"W 14¼"H *Backplate*
mm: 121 W 362 H



471-SN

471-OB

4¾"W 14¼"H 4½"E, 1-100 w/m
mm: 121 W 362 H 114 E

4¾"W 14¼"H *Backplate*
mm: 121 W 362 H



Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



571-PN



571-SN

5¼"W 12"H 7½"E, 1-100 w/m
mm: 133 W 305 H 191 E
5"D *Backplate*
mm: 127 D



572-OB

13½"W 12"H 7½"E, 2-100 w/m
mm: 343 W 305 H 191 E
5"D *Backplate*
mm: 127 D

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



550-AGB

4½"W 13¾"H 4"E, 1-75 w/m T8*
mm: 114 W 349 H 102 E
4½"W 5½"H *Backplate*
mm: 114 W 133 H



550-SN



550-PC

550-PN



550-OB

Finishes

AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel

*75 w/m T8 bulb included
Replacement bulb: LB-75T8-12 (12-Pack)



450-OB

450-PN

4½"W 13¾"H 4"E, 1-75 w/m T8*
mm: 114 W 349 H 102 E

4½"W 5½"H *Backplate*
mm: 114 W 133 H



450-PC



450-AGB

450-SN



Finishes

AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel

*75 w/m T8 bulb included
Replacement bulb: LB-75T8-12 (12-Pack)



650-PC



650-SN

5"W 15½"H 4"E, 1-75 w/m T8*
mm: 127 W 394 H 102 E
5"D Backplate
mm: 127 D



650-OB

650-PN



650-AGB



Finishes	
AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel

*75 w/m T8 bulb included
Replacement bulb: LB-75T8-12 (12-Pack)



660A-HN (Alabaster)


11"W 13"H 11½"E, 1-50 w G9 Xenon*
mm: 279 W 330 H 292 E
5"D Backplate
mm: 127 D



660A-OB (Alabaster)



660M-PN (Metal)



660M-AGB (Metal)

11"W 13"H 11½"E, 1-50 w G9 Xenon*
mm: 279 W 330 H 292 E
5"D Backplate
mm: 127 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel

*Bulb included

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty.





7742-PC

11¼"W 5½"H 5"E, 2-75 w G9 Xenon*
mm: 286 W 140 H 127 E
4½"W 5½"H Backplate
mm: 114 W 140 H



7741-SN

4½"W 5½"H 5"E, 1-75 w G9 Xenon*
mm: 114 W 140 H 127 E
4½"W 5½"H Backplate
mm: 114 W 140 H



7743-OB

18½"W 5½"H 5"E, 3-75 w G9 Xenon*
mm: 470 W 140 H 127 E
4½"W 5½"H Backplate
mm: 114 W 140 H



7744-PC

25¾"W 5½"H 5"E, 4-75 w G9 Xenon*
mm: 654 W 140 H 127 E
4½"W 5½"H Backplate
mm: 114 W 140 H

Finishes

OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

*Bulbs included

Fixtures on this page may only be used as uplights





4991-PN


5"W 6¼"H 6½"E, 1-75 w G9 Xenon*
mm: 127 W 159 H 165 E

4½"D *Backplate*
mm: 114 D

4992-AN

13¼"W 6¼"H 6½"E, 2-75 w G9 Xenon*
mm: 337 W 159 H 165 E

4½"D *Backplate*
mm: 114 D



4993-PN

21¼"W 6¼"H 6½"E, 3-75 w G9 Xenon*
mm: 540 W 159 H 165 E

4½"D *Backplate*
mm: 114 D



4994-BB

29¼"W 6¼"H 6½"E, 4-75 w G9 Xenon*
mm: 743 W 159 H 165 E

4½"D *Backplate*
mm: 114 D

Finishes

AN	Antique Nickel
BB	Brushed Bronze
PN	Polished Nickel

*Bulbs included

Fixtures on this page may only be used as uplights





7182-SN

16"W 5¾"H 8½"E, 2-75 w G9 Xenon*
mm: 406 W 146 H 216 E
12½"W 4¾"H *Backplate*
mm: 318 W 121 H



7181-PN

7½"W 5¾"H 8½"E, 1-75 w G9 Xenon*
mm: 191 W 146 H 216 E
4¾"W 4¾"H *Backplate*
mm: 121 W 121 H



7183-PN

24½"W 5¾"H 8½"E, 3-75 w G9 Xenon*
mm: 622 W 146 H 216 E
21"W 4¾"H *Backplate*
mm: 533 W 121 H



7184-BB

33"W 5¾"H 8½"E, 4-75 w G9 Xenon*
mm: 838 W 146 H 216 E
29½"W 4¾"H *Backplate*
mm: 749 W 121 H

Finishes

<i>BB</i>	Brushed Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel

*Bulbs included

Fixtures on this page may only be used as uplights





4661-PN

5"W 6¼"H 4"E, 1-75w G9 Xenon*
mm: 127 W 159 H 102 E

4½"W 5"H *Backplate*
mm: 114 W 127 H



4662-SN

12"W 6¼"H 4"E, 2-75w G9 Xenon*
mm: 305 W 159 H 102 E

4½"W 5"H *Backplate*
mm: 114 W 127 H



4663-OB

19"W 6¼"H 4"E, 3-75w G9 Xenon*
mm: 483 W 159 H 102 E

4½"W 5"H *Backplate*
mm: 114 W 127 H



4664-PN

26"W 6¼"H 4"E, 4-75w G9 Xenon*
mm: 660 W 159 H 102 E

4½"W 5"H *Backplate*
mm: 114 W 127 H



Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

*Bulbs included

Fixtures on this page may only be used as uplights



2661-PC

4¾"W 5½"H 4¼"E, 1-75w G9 Xenon*
mm: 121 W 140 H 108 E

4½"W 5½"H *Backplate*
mm: 114 W 140 H



2662-SN

12"W 5½"H 4¼"E, 2-75w G9 Xenon*
mm: 305 W 140 H 108 E

4½"W 5½"H *Backplate*
mm: 114 W 140 H



2663-PC

19¾"W 5½"H 4¼"E, 3-75w G9 Xenon*
mm: 502 W 140 H 108 E

4½"W 5½"H *Backplate*
mm: 114 W 140 H



2664-SN

27¼"W 5½"H 4¼"E, 4-75w G9 Xenon*
mm: 692 W 140 H 108 E

4½"W 5½"H *Backplate*
mm: 114 W 140 H



2665-PC

34¾"W 5½"H 4¼"E, 5-75w G9 Xenon*
mm: 883 W 140 H 108 E

4½"W 5½"H *Backplate*
mm: 114 W 140 H

Finishes

PC	Polished Chrome
SN	Satin Nickel

Fixtures on this page may only be used as uplights

**Bulbs included*



3882-AN

11¾"W 6½"H 6"E, 2-75w G9 Xenon*
mm: 298 W 165 H 152 E
4½"W 4½"H *Backplate*
mm: 114 W 114 H



3881-DB

4¾"W 6½"H 6"E, 1-75w G9 Xenon*
mm: 121 W 165 H 152 E
4½"W 4½"H *Backplate*
mm: 114 W 114 H



3883-PN

19"W 6½"H 6"E, 3-75w G9 Xenon*
mm: 483 W 165 H 152 E
4½"W 4½"H *Backplate*
mm: 114 W 114 H



3884-DB

26"W 6½"H 6"E, 4-75w G9 Xenon*
mm: 660 W 165 H 152 E
4½"W 4½"H *Backplate*
mm: 114 W 114 H



3885-AN

33¾"W 6½"H 6"E, 5-75w G9 Xenon*
mm: 845 W 165 H 152 E
4½"W 4½"H *Backplate*
mm: 114 W 114 H

Finishes

AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel

*Bulbs included

Fixtures on this page may only be used as uplights





2331-BB

6"W 6"H 7¾"E, 1-75 w G9 Xenon*

mm: 152 W 152 H 197 E

4½" Square 6" Point to Point *Backplate*

mm: 114 Square 152 Point to Point

2332-PC

13¾"W 6"H 7¾"E, 2-75 w G9 Xenon*

mm: 349 W 152 H 197 E

4½" Square 6" Point to Point *Backplate*

mm: 114 Square 152 Point to Point



2333-SN

21¼"W 6"H 7¾"E, 3-75 w G9 Xenon*

mm: 540 W 152 H 197 E

4½" Square 6" Point to Point *Backplate*

mm: 114 Square 152 Point to Point



2334-PC

28¾"W 6"H 7¾"E, 4-75 w G9 Xenon*

mm: 730 W 152 H 197 E

4½" Square 6" Point to Point *Backplate*

mm: 114 Square 152 Point to Point

Finishes

BB	Brushed Bronze
PC	Polished Chrome
SN	Satin Nickel

*Bulbs included

Fixtures on this page may only be used as uplights





6792-SN

13½"W 6¾"H 6¾"E, 2-100 w/m
mm: 343 W 171 H 171 E
12½"W 4¾"H *Backplate*
mm: 318 W 121 H



6791-PC

5"W 6¾"H 6¾"E, 1-100 w/m
mm: 127 W 171 H 171 E
4¾"W 6"H *Backplate*
mm: 121 W 152 H



6793-PC

21¾"W 6¾"H 6¾"E, 3-100 w/m
mm: 552 W 171 H 171 E
21"W 4¾"H *Backplate*
mm: 533 W 121 H



6794-SN

30¾"W 6¾"H 6¾"E, 4-100 w/m
mm: 768 W 171 H 171 E
29½"W 4¾"H *Backplate*
mm: 749 W 121 H

Finishes

PC	Polished Chrome
SN	Satin Nickel





6291-PN

5"W 6½"H 4"E, 1-50w G9 Xenon*
mm: 127 W 165 H 102 E
5"W 5¾"H Backplate
mm: 127 W 146 H



6292-OB

11"W 6½"H 4"E, 2-50w G9 Xenon*
mm: 279 W 165 H 102 E
10"W 5¾"H Backplate
mm: 254 W 146 H



6294-PN

23½"W 6½"H 4"E, 4-50w G9 Xenon*
mm: 597 W 165 H 102 E
22½"W 5¾"H Backplate
mm: 572 W 146 H



6295-OB

29½"W 6½"H 4"E, 5-50w G9 Xenon*
mm: 749 W 165 H 102 E
28½"W 5¾"H Backplate
mm: 724 W 146 H



6293-SN

17¼"W 6½"H 4"E, 3-50w G9 Xenon*
mm: 438 W 165 H 102 E
16¼"W 5¾"H Backplate
mm: 413 W 146 H



Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

*Bulbs included

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty. The fixtures on this page may only be used as uplights.





5561-PN

4¾"W 7"H 5½"E, 1-75w G9 Xenon*
mm: 121 W 178 H 140 E
4¾"W 6"H *Backplate*
mm: 121 W 152 H



5562-AN

11"W 6¾"H 5½"E, 2-75w G9 Xenon*
mm: 279 W 171 H 140 E
6"W 4¾"H *Backplate*
mm: 152 W 121 H



5564-PN

25"W 6¾"H 5½"E, 4-75w G9 Xenon*
mm: 635 W 171 H 140 E
6"W 4¾"H *Backplate*
mm: 152 W 121 H



5565-AN

32"W 6¾"H 5½"E, 5-75w G9 Xenon*
mm: 813 W 171 H 140 E
6"W 4¾"H *Backplate*
mm: 152 W 121 H



5563-OB

18"W 6¾"H 5½"E, 3-75w G9 Xenon*
mm: 457 W 171 H 140 E
6"W 4¾"H *Backplate*
mm: 152 W 121 H

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

*Bulbs included

The fixtures on this page may only be used as uplights.



3051-FB

7½"W 7"H 8"E, 1-75w G9 Xenon*
 mm: 191 W 178 H 203 E
 4½"W 5½"H Backplate
 mm: 114 W 140 H



3052-PN

16½"W 7"H 8"E, 2-75w G9 Xenon*
 mm: 419 W 178 H 203 E
 13½"W 4½"H Backplate
 mm: 343 W 114 H



3054-AN

34½"W 7"H 8"E, 4-75w G9 Xenon*
 mm: 876 W 178 H 203 E
 31½"W 4½"H Backplate
 mm: 800 W 114 H



3053-OB

25½"W 7"H 8"E, 3-75w G9 Xenon*
 mm: 648 W 178 H 203 E
 22½"W 4½"H Backplate
 mm: 572 W 114 H

Finishes

AN	Antique Nickel
FB	Flemish Brass
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may only be used as uplights.

**Bulbs included*



2992-OB

16½"W 5¾"H 4½"E, 2-50w G9 Xenon*
mm: 419 W 146 H 114 E
May be mounted vertically or horizontally.



2991-PN

6"W 11½"H 4"E, 1-50w G9 Xenon*
mm: 152 W 292 H 102 E
May only be mounted in vertical position.



2993-PN

24"W 5¾"H 4½"E, 3-50w G9 Xenon*
mm: 610 W 146 H 114 E
May be mounted vertically or horizontally.



2994-OB

31¾"W 5¾"H 4½"E, 4-50w G9 Xenon*
mm: 806 W 146 H 114 E
May be mounted vertically or horizontally.

*Bulbs included

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty.

Finishes

OB Old Bronze
PN Polished Nickel



6102-SN

14¼"W 6½"H 6¾"E, 2-75w G9 Xenon*
mm: 362 W 165 H 171 E
12½"W 4¾"H *Backplate*
mm: 318 W 121 H



6101-PN

5½"W 7¾"H 6¾"E, 1-75w G9 Xenon*
mm: 140 W 197 H 171 E
4¾"W 6"H *Backplate*
mm: 121 W 152 H



6103-SN

22¾"W 6½"H 6¾"E, 3-75w G9 Xenon*
mm: 578 W 165 H 171 E
21"W 4¾"H *Backplate*
mm: 533 W 121 H



6104-PN

31"W 6½"H 6¾"E, 4-75w G9 Xenon*
mm: 787 W 165 H 171 E
29½"W 4¾"H *Backplate*
mm: 749 W 121 H

Finishes

<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel

The fixtures on this page may only be used as uplights.

**Bulbs included*



2551-HN

5"W 7½"H 6"E, 1-75w G9 Xenon*
mm: 127 W 191 H 152 E

5"D Backplate
mm: 127 D



2552-PN

12½"W 7½"H 6"E, 2-75w G9 Xenon*
mm: 318 W 191 H 152 E

5"D Backplate
mm: 127 D



2554-HN

28½"W 7½"H 6"E, 4-75w G9 Xenon*
mm: 724 W 191 H 152 E

5"D Backplate
mm: 127 D



2553-OB

20½"W 7½"H 6"E, 3-75w G9 Xenon*
mm: 521 W 191 H 152 E

5"D Backplate
mm: 127 D

Finishes

HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel

*Bulbs included

The fixtures on this page may only be used as uplights.



4441-PC

4½"W 5¾"H 5"E, 1-75w G-9 Xenon*
mm: 114 W 146 H 127 E

4½"W 4½"H Backplate
mm: 114 W 114 H



4442-SN

12"W 6½"H 5¼"E, 2-75w G-9 Xenon*
mm: 305 W 165 H 133 E

4½"W 4½"H Backplate
mm: 114 W 114 H



4443-SN

16¾"W 6½"H 5¼"E, 3-75w G-9 Xenon*
mm: 425 W 165 H 133 E

4½"W 4½"H Backplate
mm: 114 W 114 H

4444-SN

24"W 6½"H 5¼"E, 4-75w G-9 Xenon*
mm: 610 W 165 H 133 E

4½"W 4½"H Backplate
mm: 114 W 114 H



4445-SN

30"W 6½"H 5¼"E, 5-75w G-9 Xenon*
mm: 762 W 165 H 133 E


4½"W 4½"H Backplate
mm: 114 W 114 H

Finishes

PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may only be used as uplights.

**Bulbs included*




2055-PC

31"W 6"H 4½"E, 5-75w G-9 Xenon*
mm: 787 W 152 H 114 E
4½"D Backplate
mm: 114 D



2054-SN

24½"W 6"H 4½"E, 4-75w G-9 Xenon*
mm: 622 W 152 H 114 E
4½"D Backplate
mm: 114 D



2052-SN

12"W 6"H 4½"E, 2-75w G-9 Xenon*
mm: 305 W 152 H 114 E
4½"D Backplate
mm: 114 D



2051-PC

4¾"W 6¼"H 4¼"E, 1-75w G-9 Xenon*
mm: 121 W 159 H 108 E
4½"D Backplate
mm: 114 D



2053-PC

19¼"W 6"H 4½"E, 3-75w G-9 Xenon*
mm: 489 W 152 H 114 E
4½"D Backplate
mm: 114 D

*Bulbs included

The fixtures on this page may only be used as uplights.

Finishes

PC	Polished Chrome
SN	Satin Nickel





8901-PC

5¼"W 8"H 4¾"E, 1-75w G-9 Xenon*
mm: 133 W 203 H 121 E
4¾"W 5½"H *Backplate*
mm: 121 W 140 H



8902-SN

13¾"W 8"H 4¾"E, 2-75w G-9 Xenon*
mm: 349 W 203 H 121 E
5½"W 4¾"H *Backplate*
mm: 140 W 121 H



8904-SN

30¾"W 8"H 4¾"E, 4-75w G-9 Xenon*
mm: 781 W 203 H 121 E
5½"W 4¾"H *Backplate*
mm: 140 W 121 H



8903-PC

22¼"W 8"H 4¾"E, 3-75w G-9 Xenon*
mm: 565 W 203 H 121 E
5½"W 4¾"H *Backplate*
mm: 140 W 121 H

*Bulbs included

The fixtures on this page may only be used as uplights.

Finishes


PC Polished Chrome
SN Satin Nickel





3251-SN

7¼"W 5¾"H 7¾"E, 1-75w G-9 Xenon*
mm: 184 W 146 H 197 E
4½"W 4½"H Backplate
mm: 114 W 114 H



3252-PN

16¼"W 5¾"H 7¾"E, 2-75w G-9 Xenon*
mm: 413 W 146 H 197 E
4½"W 4½"H Backplate
mm: 114 W 114 H



3253-SN

25¼"W 5¾"H 7¾"E, 3-75w G-9 Xenon*
mm: 641 W 146 H 197 E
4½"W 4½"H Backplate
mm: 114 W 114 H



3254-PN

34¼"W 5¾"H 7¾"E, 4-75w G-9 Xenon*
mm: 870 W 146 H 197 E
4½"W 4½"H Backplate
mm: 114 W 114 H

Finishes

PN	Polished Nickel
SN	Satin Nickel

*Bulbs included

The fixtures on this page may only be used as uplights.



1601-PC

8"W 4½"H 5"E, 1-75w G-9 Xenon*
mm: 203 W 114 H 127 E
6"W 4½"H *Backplate*
mm: 152 W 114 H



1602-SN

20"W 4½"H 5½"E, 2-75w G-9 Xenon*
mm: 508 W 114 H 140 E
6"W 4½"H *Backplate*
mm: 152 W 114 H



1603-SN

30"W 4½"H 5½"E, 3-75w G-9 Xenon*
mm: 762 W 114 H 140 E
6"W 4½"H *Backplate*
mm: 152 W 114 H



1604-PC

40"W 4½"H 5½"E, 4-75w G-9 Xenon*
mm: 1016 W 114 H 140 E
6"W 4½"H *Backplate*
mm: 152 W 114 H

Finishes

PC Polished Chrome
SN Satin Nickel

The fixtures on this page may only be used as uplights.

**Bulbs included*



1401-SN

6"W 7"H 6½"E, 1-75w G-9 Xenon*
mm: 152 W 178 H 165 E
4½"D Backplate
mm: 114D



1402-PC

14½"W 7"H 6½"E, 2-75w G-9 Xenon*
mm: 368 W 178 H 165 E
4½"D Backplate
mm: 114 D



1405-SN

40½"W 7"H 6½"E, 5-75w G-9 Xenon*
mm: 1029 W 178 H 165 E
4½"D Backplate
mm: 114 D



1404-PC

32"W 7"H 6½"E, 4-75w G-9 Xenon*
mm: 813 W 178 H 165 E
4½"D Backplate
mm: 114 D



1403-SN

23¼"W 7"H 6½"E, 3-75w G-9 Xenon*
mm: 591 W 178 H 165 E
4½"D Backplate
mm: 114 D

Finishes

PC	Polished Chrome
SN	Satin Nickel

*Bulbs included


The fixtures on this page may only be used as uplights.





6201-PC

4½"W 7½"H 4½"E, 1-75w G-9 Xenon*
mm: 114 W 191 H 114 E
4¼"W 4¼"H Backplate
mm: 108 W 108 H



6202-SN

12"W 7½"H 4½"E, 2-75w G-9 Xenon*
mm: 305 W 191 H 114 E
4¼"W 4¼"H Backplate
mm: 108 W 108 H



6203-PC

18¼"W 7½" H 4½"E, 3-75w G-9 Xenon*
mm: 464 W 191 H 114 E
4¼"W 4¼"H Backplate
mm: 108 W 108 H



6204-SN

25¼"W 7½"H 4½"E, 4-75w G-9 Xenon*
mm: 641 W 191 H 114 E
4¼"W 4¼"H Backplate
mm: 108 W 108 H



6205-PC

32¼"W 7½"H 4½"E, 5-75w G-9 Xenon*
mm: 819 W 191 H 114 E
4¼"W 4¼"H Backplate
mm: 108 W 108 H

Finishes

PC Polished Chrome
SN Satin Nickel

*Bulbs included

The fixtures on this page may only be used as uplights.




651-PC

4½"W 9"H 5"E, 1-100 w/m
mm: 114 W 229 H 127 E
4¼"W 5"H Backplate
mm: 108 W 127 H



652-SN

12"W 9"H 5"E, 2-100 w/m
mm: 305 W 229 H 127 E
4¼"W 5"H Backplate
mm: 108 W 127 H



653-OB

18"W 9"H 5"E, 3-100 w/m
mm: 457 W 229 H 127 E
4¼"W 5"H Backplate
mm: 108 W 127 H



654-PC

24"W 9"H 5"E, 4-100 w/m
mm: 610 W 229 H 127 E
4¼"W 5"H Backplate
mm: 108 W 127 H

Finishes

OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights,



8581-OB

4½"W 7¾"H 6¼"E, 1-75w G-9 Xenon*
mm: 114 W 197 H 159 E
4½"W 6½"H Backplate
mm: 114 W 165 H



8582-PSN

13¾"W 7"H 6¼"E, 2-75w G-9 Xenon*
mm: 349 W 178 H 159 E
6½"W 4½"H Backplate
mm: 165 W 114 H



8583-OB

22"W 7"H 6¼"E, 3-75w G-9 Xenon*
mm: 559 W 178 H 159 E
6½"W 4½"H Backplate
mm: 165 W 114 H



8584-PSN

30¾"W 7"H 6¼"E, 4-75w G-9 Xenon*
mm: 768 W 178 H 159 E
6½"W 4½"H Backplate
mm: 165 W 114 H



8585-PSN

38½"W 7"H 6¼"E, 5-75w G-9 Xenon*
mm: 978 W 178 H 159 E
6½"W 4½"H Backplate
mm: 165 W 114 H

Finishes

OB	Old Bronze
PSN	Polished / Satin Nickel Combo

*Bulbs included

The fixtures on this page may only be used as uplights,





2245-OB

37¼"W 8"H 7¼"E, 5-100 w/m
mm: 946 W 203 H 184 E
4½"W 6½"H Backplate
mm: 114 W 165 H



2241-PC

5"W 8"H 7¼"E, 1-100 w/m
mm: 127 W 203 H 184 E
4½"W 6½"H Backplate
mm: 114 W 165 H



2242-OB

13"W 8"H 7¼"E, 2-100 w/m
mm: 330 W 203 H 184 E
4½"W 6½"H Backplate
mm: 114 W 165 H



2244-PC

29¼"W 8"H 7¼"E, 4-100 w/m
mm: 743 W 203 H 184 E
4½"W 6½"H Backplate
mm: 114 W 165 H



2243-SN

21"W 8"H 7¼"E, 3-100 w/m
mm: 533 W 203 H 184 E
4½"W 6½"H Backplate
mm: 114 W 165 H

Finishes

OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



1951-SN

5"W 9½"H 5¼"E, 1-100 w/m
mm: 127 W 241 H 133 E
4½"W 5¾"H *Backplate*
mm: 114 W 146 H



1952-OB

13½"W 9½"H 5¼"E, 2-100 w/m
mm: 343 W 241 H 133 E
4½"W 5¾"H *Backplate*
mm: 114 W 146 H



1953-PC

21¼"W 9½"H 5¼"E, 3-100 w/m
mm: 540 W 241 H 133 E
4½"W 5¾"H *Backplate*
mm: 114 W 146 H



1954-SN

29"W 9½"H 5¼"E, 4-100 w/m
mm: 737 W 241 H 133 E
4½"W 5¾"H *Backplate*
mm: 114 W 146 H

Finishes

OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



2822-PN

15"W 9½"H 6¼"E, 2-100 w/m
mm: 381 W 241 H 159 E
5"W 5"H Backplate
mm: 127 W 127 H



2821-PN

5"W 9½"H 6¼"E, 1-100 w/m
mm: 127 W 241 H 159 E
5"W 5"H Backplate
mm: 127 W 127 H



2823-OB

22½"W 9½"H 6¼"E, 3-100 w/m
mm: 572 W 241 H 159 E
5"W 5"H Backplate
mm: 127 W 127 H



2824-SN

30"W 9½"H 6¼"E, 4-100 w/m
mm: 762 W 241 H 159 E
5"W 5"H Backplate
mm: 127 W 127 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.





4505-PN

42¾"W 10"H 7"E, 5-100 w/m

mm: 1086 W 254 H 178 E

5¼"D Backplate

mm: 133 D



4504-PN

33¾"W 10"H 7"E, 4-100 w/m

mm: 857 W 254 H 178 E

5¼"D Backplate

mm: 133 D



4501-SN

6"W 10¼"H 7"E, 1-100 w/m

mm: 152 W 260 H 178 E

5¼"D Backplate

mm: 133 D



4502-PN

16"W 10"H 7"E, 2-100 w/m

mm: 406 W 254 H 178 E

5¼"D Backplate

mm: 133 D



4503-SN

25"W 10"H 7"E, 3-100 w/m

mm: 635 W 254 H 178 E

5¼"D Backplate

mm: 133 D

Finishes

PN Polished Nickel

SN Satin Nickel

The fixtures on this page may be used as uplights or downlights.



3401-PN

5¼"W 9¾"H 6¼"E, 1-100 w/m
mm: 133 W 248 H 159 E
5¼"D Backplate
mm: 133 D



3402-OB

14¼"W 9¾"H 6¼"E, 2-100 w/m
mm: 362 W 248 H 159 E
5¼"D Backplate
mm: 133 D



3404-PN

31¼"W 9¾"H 6¼"E, 4-100 w/m
mm: 794 W 248 H 159 E
5¼"D Backplate
mm: 133 D



3403-SN

22½"W 9¾"H 6¼"E, 3-100 w/m
mm: 572 W 248 H 159 E
5¼"D Backplate
mm: 133 D

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



3421-OB

5"W 65¼"OAH, 1-100 w/m
mm: 127 W 1670 OAH
5¼"D Canopy
mm: 133 D



3413-SN

15"W 12¾"H, 3-100 w/m
mm: 381 W 324 H
5¼"D Canopy
mm: 133 D




3421-SN

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel





1174-SN

31"W 9¾"H 6¼"E, 4-100 w/m
mm: 787 W 248 H 159 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H



1171-SN

5½"W 10¾"H 6¼"E, 1-100 w/m
mm: 140 W 273 H 159 E
4¾"W 6½"H *Backplate*
mm: 121 W 165 H



1172-PN

15"W 9¾"H 6¼"E, 2-100 w/m
mm: 381 W 248 H 159 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H



1173-OB

22½"W 9¾"H 6¼"E, 3-100 w/m
mm: 572 W 248 H 159 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.





5505-PN

39½"W 7½"H 7½"E, 5-100 w/m
mm: 1003 W 191 H 191 E

5¾"W 4½"H Backplate
mm: 146 W 114 H

5504-SN

32"W 7½"H 7½"E, 4-100 w/m
mm: 813 W 191 H 191 E

5¾"W 4½"H Backplate
mm: 146 W 114 H



5502-SN

17"W 7½"H 7½"E, 2-100 w/m
mm: 432 W 191 H 191 E

5¾"W 4½"H Backplate
mm: 146 W 114 H



5501-PN

5"W 7½"H 7½"E, 1-100 w/m
mm: 127 W 191 H 191 E

4½"W 5¾"H Backplate
mm: 114 W 146 H



5503-PN

24½"W 7½"H 7½"E, 3-100 w/m
mm: 622 W 191 H 191 E

5¾"W 4½"H Backplate
mm: 146 W 114 H

Finishes

PN	Polished Nickel
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



4941-OB

5¾"W 9½"H 6¾"E, 1-75w G9 Xenon*
mm: 146 W 241 H 171 E
4¾"W 6½"H *Backplate*
mm: 121 W 165 H



4942-PN

14½"W 7½"H 6¾"E, 2-75w G9 Xenon*
mm: 368 W 191 H 171 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H



4943-FB

23¾"W 7½"H 6¾"E, 3-75w G9 Xenon*
mm: 591 W 191 H 171 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H



4944-OB

32"W 7½"H 6¾"E, 4-75w G9 Xenon*
mm: 813 W 191 H 171 E
6½"W 4¾"H *Backplate*
mm: 165 W 121 H

Finishes

FB	Flemish Brass
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may only be used as uplights.

**Bulb included*



2004-FB

34"W 9"H 8¾"E, 4-100 w/m

mm: 864 W 229 H 222 E

5½"D Backplate

mm: 140 D



2001-FB

6"W 9½"H 8¾"E, 1-100 w/m

mm: 152 W 241 H 222 E

5½"D Backplate

mm: 140 D



2002-OB

15½"W 9"H 8¾"E, 2-100 w/m

mm: 394 W 229 H 222 E

5½"D Backplate

mm: 140 D



2003-PN

24¾"W 9"H 8¾"E, 3-100 w/m

mm: 629 W 229 H 222 E

5½"D Backplate

mm: 140 D

Finishes

FB Flemish Brass

OB Old Bronze

PN Polished Nickel

The fixtures on this page may only be used as uplights.



One light fixture swivels

1971-OB

5"W 11"H 8¾"E, 1-100 w/m
mm: 127 W 279 H 222 E
4¼"W 6"H Backplate
mm: 108 W 152 H



1972-AGB

13½"W 11"H 8"E, 2-100 w/m
mm: 343 W 279 H 203 E
4¼"W 6"H Backplate
mm: 108 W 152 H



1973-PC

21"W 11"H 8"E, 3-100 w/m
mm: 533 W 279 H 203 E
4¼"W 6"H Backplate
mm: 108 W 152 H



1974-SN

29" W 11" H 8" E, 4-100 w/m
mm: 737 W 279 H 203 E
4¼"W 6"H Backplate
mm: 108 W 152 H

Finishes

AGB	Aged Brass
OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



5804-AN

32½"W 9¼"H 7"E, 4-100 w/m
mm: 826 W 235 H 178 E
4¾"D Backplate
mm: 121 D



5801-OB

6¼"W 9¼"H 7"E, 1-100 w/m
mm: 159 W 248 H 178 E
4¾"D Backplate
mm: 121 D



5802-AN

15"W 9¼"H 7"E, 2-100 w/m
mm: 381 W 235 H 178 E
4¾"D Backplate
mm: 121 D



5803-PN

23½"W 9¼"H 7"E, 3-100 w/m
mm: 597 W 235 H 178 E
4¾"D Backplate
mm: 121 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may be used as uplights or downlights.



6302-DB

14¾"W 10"H 6¼"E, 2-100 w/m
mm: 375 W 254 H 159 E
5"D Backplate
mm: 127 D



6301-AN

5"W 10"H 6¼"E, 1-100 w/m
mm: 127 W 254 H 159 E
5"D Backplate
mm: 127 D



6304-AGB

28¾"W 10"H 6¼"E, 4-100 w/m
mm: 730 W 254 H 159 E
5"D Backplate
mm: 127 D

6303-PN

21"W 10"H 6¼"E, 3-100 w/m
mm: 533 W 254 H 159 E
5"D Backplate
mm: 127 D



Finishes

AGB	Aged Brass
AN	Antique Nickel
DB	Distressed Bronze
PN	Polished Nickel
	Solid Cast Brass

The fixtures on this page may only be used as uprights with the decorative ring.



6313-AN

16"D 16½"H, 3-100w/m

mm: 406 D 419 H

5"D Canopy

mm: 127 D



6321-AGB

4½"D 67¼"OAH, 1-100w/m

mm: 114 D 1721 OAH

5"D Canopy

mm: 127 D



6331-AGB

11"D 17"H 17½" max E, 1-75w/m

mm: 279 D 432 H 445 max E

6" Top 11" Bottom 8½"H Shade

mm: 152 Top 279 Bottom 216 H

5"D Backplate

mm: 127 D

Includes Hi-Lo switch with (2) 12" cord covers

Finishes

AGB Aged Brass

AN Antique Nickel

DB Distressed Bronze

PN Polished Nickel

Solid Cast Brass

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy.
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems




5901-PN

7"W 10¼"H 8"E, 1-100 w/m
mm: 178 W 260 H 203 E
4¾"D Backplate
mm: 121 D



5902-AN

16¼"W 10¼"H 8"E, 2-100 w/m
mm: 413 W 260 H 203 E
4¾"D Backplate
mm: 121 D



5903-PN

26"W 10¼"H 8"E, 3-100 w/m
mm: 660 W 260 H 203 E
4¾"D Backplate
mm: 121 D



5904-OB

35"W 10¼"H 8"E, 4-100 w/m
mm: 889 W 260 H 203 E
4¾"D Backplate
mm: 121 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may be used as uplights or downlights.



5921-PN (5½' cloth cord)

7"D 10¼" min H 72" max H, 1-75 w/m
mm: 178 D 260 min H 1829 max H
5"D Canopy
mm: 127 D



5906-AN

27"D 65" OAH, 6-100 w/m
mm: 686 D 1651 OAH
4½"D Canopy
mm: 114 D



5913F-PN

21½"D 14½"H, 3-100 w/m
mm: 546 D 368 H
4½"D Canopy
mm: 114 D



5911F-OB

7"D 9¼"H, 1-100 w/m
mm: 178 D 235 H
4½"D Canopy
mm: 114 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel



2313F-OB

16"D 15"H, 3-100 w/m
mm: 406 D 381 H
4¾"D Canopy
mm: 121 D



2302-AN

14"W 10"H 6¾"H, 2-100 w/m
mm: 356 W 254 H 171 E
4¾"D Backplate
mm: 121 D



2321-PN (5½' cloth cord)

5"D 10½" min H 72" max H, 1-75 w/m
mm: 127 D 267 min H 1829 max H
5"D Canopy
mm: 127 D



2303-OB

21"W 10"H 6¾"E, 3-100 w/m
mm: 533 W 254 H 171 E
4¾"D Backplate
mm: 121 D

2301-PN

5"W 10"H 6¾"H, 1-100 w/m
mm: 127 W 254 H 171 E
4¾"D Backplate
mm: 121 D



2304-PN

29"W 10"H 6¾"E, 4-100 w/m
mm: 737 W 254 H 171 E
4¾"D Backplate
mm: 121 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

The wall mounted fixtures on this page may be used as uplights or downlights.



2504-PN

24"W 9"H 6½"E, 4-100 w/m
mm: 610 W 229 H 165 E
4¾"D Backplate
mm: 121 D



2521-OB (5½' cloth cord)

5"D 10½" min H 72" max H, 1-75 w/m
mm: 127 D 267 min H 1829 max H
5"D Canopy
mm: 127 D



2501-PN

5"W 9"H 6½"E, 1-100 w/m
mm: 127 W 229 H 165 E
4¾"D Backplate
mm: 121 D



2502-OB

13¾"W 9"H 6½"E, 2-100 w/m
mm: 349 W 229 H 165 E
4¾"D Backplate
mm: 121 D



2503-AN

17¼"W 9"H 6½"E, 3-100 w/m
mm: 438 W 229 H 165 E
4¾"D Backplate
mm: 121 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may be used as uplights or downlights.



7141-AN

4¼"W 10½"H 5¾"E, 1-60 w/c
mm: 108 W 267 H 146 E
4¼"W 6¼"H Backplate
mm: 108 W 159 H



7142-OB

11"W 11¼"H 5¾"E, 2-60 w/c
mm: 279 W 286 H 146 E
4¼"W 6¼"H Backplate
mm: 108 W 159 H



7143-PN

19"W 11¼"H 7"E, 3-60 w/c
mm: 483 W 286 H 178 E
6¼"W 4¼"H Backplate
mm: 159 W 108 H



7144-AN

25"W 11"H 6¼"E, 4-60 w/c
mm: 635 W 279 H 159 E
6¼"W 4¼"H Backplate
mm: 159 W 108 H

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

The fixtures on this page may be used as uplights or downlights.



6164-SN

32½"W 14¾"H 8½"E, 4-60 w/m
mm: 826 W 375 H 216 E

7¾"W 5"H *Backplate*
mm: 197 W 127 H

6162-SN

15"W 14¾"H 8"E, 2-60 w/m
mm: 381 W 375 H 203 E

7¾"W 5"H *Backplate*
mm: 197 W 127 H



6161-SN

6"W 14¾"H 8"E, 1-60 w/m
mm: 152 W 375 H 203 E

5"W 7¾"H *Backplate*
mm: 127 W 197 H



6163-SN

26¾"W 14¾"H 8½"E, 3-60 w/m
mm: 667 W 375 H 216 E

7¾"W 5"H *Backplate*
mm: 197 W 127 H

Shades on this page are glass and fixtures may only be used as uplights.

Finish
SN | Satin Nickel



3804-SN

26"W 10"H 7"E, 4-100 w/m
mm: 660 W 254 H 178 E

4½"D Backplate
mm: 114 D



3802-PC

12½"W 10"H 7"E, 2-100 w/m
mm: 318 W 254 H 178 E

4½"D Backplate
mm: 114 D



3801-SN

5"W 10"H 7"E, 1-100 w/m
mm: 127 W 254 H 178 E

4½"D Backplate
mm: 114 D



3803-PC

19"W 10"H 7"E, 3-100 w/m
mm: 483 W 254 H 178 E

4½"D Backplate
mm: 114 D

Finishes

PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.



1841-PN

5"W 9"H 6"E, 1-100 w/m
mm: 127 W 229 H 152 E

5"D Backplate
mm: 127 D



1842-SN

12"W 9"H 6"E, 2-100 w/m
mm: 305 W 229 H 152 E

5"D Backplate
mm: 127 D



1845-SN

36"W 9"H 6"E, 5-100 w/m
mm: 914 W 229 H 152 E

5"D Backplate
mm: 127 D



1843-SN

20"W 9"H 6"E, 3-100 w/m
mm: 508 W 229 H 152 E

5"D Backplate
mm: 127 D



1844-PN

28"W 9"H 6"E, 4-100 w/m
mm: 711 W 229 H 152 E

5"D Backplate
mm: 127 D

Finishes

PN	Polished Nickel
SN	Satin Nickel

The fixtures on this page may be used as uplights or downlights.





463-PB

22½"W 9¾"H 8"E, 3-100 w/m
mm: 572 W 248 H 203 E

5¼"D Backplate
mm: 133 D

461-PN

6"W 9¾"H 8"E, 1-100 w/m
mm: 152 W 248 H 203 E

5¼"D Backplate
mm: 133 D



462-SN

17"W 9¾"H 8"E, 2-100 w/m
mm: 432 W 248 H 203 E


5¼"D Backplate
mm: 133 D

Finishes

PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

The fixtures on this page may be used as uplights or downlights.





3604-SN

26"W 5"H 3½"E, 4-60 w/c
mm: 660 W 127 H 89 E
5"D Backplate
mm: 127 D



3602-SN

18½"W 5"H 3½"E, 2-60 w/c
mm: 470 W 127 H 89 E
5"D Backplate
mm: 127 D



3601-PC

5"W 8½"H 4"E, 1-60 w/c
mm: 127 W 216 H 102 E
5"D Backplate
mm: 127 D



3605-PC

27"W 5"H 4"E, 24w T5 Fluorescent *Bulb included*
mm: 686 W 127 H 102 E
5"D Backplate
mm: 127 D




Finishes

PC	Polished Chrome
SN	Satin Nickel

3602, 3604 and 3605 may be mounted vertically, or horizontally.



5826-OB 
 25½"W 4½"H 4"E, 1-24w T5 Fluorescent*
 mm: 648 W 114 H 102 E
 4½"W 4½"H *Backplate*
 mm: 114 W 114 H



5826-PC 
 2¾"W 25½"H 4"E, 1-24w T5 Fluorescent*
 mm: 70 W 648 H 102 E
 2¾"W 4½"H *Backplate*
 mm: 70 W 114 H



5838-SN 
 2¾"W 37½"H 4"E, 1-39w T5 Fluorescent*
 mm: 70 W 953 H 102 E
 2¾"W 4½"H *Backplate*
 mm: 70 W 114 H



Finishes	
<i>OB</i>	Old Bronze
<i>PC</i>	Polished Chrome
<i>SN</i>	Satin Nickel

Backplates Included

4½"W 4½"H
mm: 114 W 114 H
2¾"W 4½"H
mm: 70 W 114 H

*Bulb included

Fixtures may be mounted vertically or horizontally.



1224-PN

27"W 4½"H 3¾"E, 1-14w T5 Fluorescent*

mm: 686 W 114 H 95 E

4½"W 4½"H *Backplate*

mm: 114 W 114 H



1236-SN

39"H 4½"W 3¾"E, 1-21w T5 Fluorescent*

mm: 991 H 114 W 95 E

4½"W 4½"H *Backplate*

mm: 114 W 114 H



1248-PN

50¾"H 4½"W 3¾"E, 1-28w T5 Fluorescent*

mm: 1289 H 114 W 95 E

4½"W 4½"H *Backplate*

mm: 114 W 114 H



*Bulb included

The fixtures on this page may be mounted vertically, or horizontally.

Finishes

PN	Polished Nickel
SN	Satin Nickel





351-PN

7"W 10¼"H 5½"E, 1-60 w/c
mm: 178 W 260 H 140 E

7"L 4¼"W 6¼"H *Shade*
mm: 178 L 108 W 159 H

4½"W 6"H *Backplate*
mm: 114 W 152 H

352-OB

12½"W 11"H 5½"E, 2-60 w/c
mm: 318 W 279 H 140 E

12½"L 4¼"W 6¼"H *Shade*
mm: 318 L 108 W 159 H

4½"W 6"H *Backplate*
mm: 114 W 152 H



353-SN

18½"W 11"H 5½"E, 3-60 w/c
mm: 470 W 279 H 140 E

18½"L 4¼"W 6¼"H *Shade*
mm: 470 L 108 W 159 H

4½"W 6"H *Backplate*
mm: 114 W 152 H



Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Shades Included



392-SN

12"W 8½"H 6"E, 2-60 w/c
mm: 305 W 216 H 152 E
12"L 4½"W 6"H *Shade*
mm: 305 L 114 W 152 H
4¾"W 5½"H *Backplate*
mm: 121 W 140 H



391-PN

7"W 8½"H 6"E, 1-60 w/c
mm: 178 W 216 H 152 E
7"L 4½"W 6"H *Shade*
mm: 178 L 114 W 152 H
4¾"W 5½"H *Backplate*
mm: 121 W 140 H



393-OB

18"W 8½"H 6"E, 3-60 w/c
mm: 457 W 216 H 152 E
18"L 4½"W 6"H *Shade*
mm: 457 L 114 W 152 H
4¾"W 5½"H *Backplate*
mm: 121 W 140 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Shades Included

591-OB

7½"W 8¾"H 6"E, 1-60 w/c
mm: 191 W 222 H 152 E
7½"L 4½"W 5½"H *Shade*
mm: 191 L 114 W 140 H
4¾"W 7"H *Backplate*
mm: 121 W 178 H



592-SN

13½"W 9"H 6"E, 2-60 w/c
mm: 343 W 229 H 152 E
13½"L 4½"W 5½"H *Shade*
mm: 343 L 114 W 140 H
9"W 4¾"H *Backplate*
mm: 229 W 121 H



593-PN

19½"W 9"H 6"E, 3-60 w/c
mm: 495 W 229 H 152 E
19½"L 4½"W 5½"H *Shade*
mm: 495 L 114 W 140 H
15"W 4¾"H *Backplate*
mm: 381 W 121 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Shades Included






7008-DB

8"W 6"H 11¼"E max, 1-60w T10
mm: 203 W 152 H 298 E
4½"W 3½"H *Backplate*
mm: 114 W 89 H



7016-AGB

16"W 6"H 11¼"E max, 2-60w T10
mm: 406 W 152 H 298 E
12"W 3½"H *Backplate*
mm: 305 W 89 H



7023-DB

23"W 6"H 11¼"E max, 3-60w T10
mm: 584 W 152 H 298 E
18"W 3½"H *Backplate*
mm: 457 W 89 H



7030-HN

30"W 6"H 11¼"E max, 4-40w T10
mm: 762 W 152 H 298 E
24"W 3½"H *Backplate*
mm: 610 W 89 H



7042-AGB

42"W 6"H 11¼"E max, 6-25w T10
mm: 1067 W 152 H 298 E
37"W 3½"H *Backplate*
mm: 940 W 89 H



Finishes

AGB	Aged Brass
DB	Distressed Bronze
HN	Historic Nickel
	Solid Brass




All fixtures supplied with 8' SPT-2 cord and line switch.





2408-HN

8"W 5"H 8½"E min to 11"E max, 1-25w T10
mm: 203 W 127 H 216 E min to 279 E max



2416-AGB

16"W 5"H 8½"E min to 11"E max, 2-25w T10
mm: 406 W 127 H 216 E min to 279 E max



2424-PN

24"W 5"H 8½"E min to 11"E max, 3-25w T10
mm: 610 W 127 H 216 E min to 279 E max



2430-DB

30"W 5"H 8½"E min to 11"E max, 4-25w T10
mm: 762 W 127 H 216 E min to 279 E max




Finishes

AGB	Aged Brass
DB	Distressed Bronze
HN	Historic Nickel
PN	Polished Nickel
	Solid Brass



All fixtures supplied with 8' SPT-2 cord and line switch.





6008-AGB

10½"W 3½"H 8¾" max E, 1-60 w/m T10
mm: 267 W 89 H 222 max E
10½"W 3½"H *Backplate*
mm: 267 W 89 H



6015-PN

17½"W 3½"H 8¾" max E, 2-60 w/m T10
mm: 445 W 89 H 222 max E
17½"W 3½"H *Backplate*
mm: 445 W 89 H



6022-HN

24½"W 3½"H 8¾" max E, 3-40 w/m T10
mm: 622 W 89 H 222 max E
24½"W 3½"H *Backplate*
mm: 622 W 89 H



6029-DB

31½"W 3½"H 8¾" max E, 4-40 w/m T10
mm: 800 W 89 H 222 max E
31½"W 3½"H *Backplate*
mm: 800 W 89 H



Finishes

AGB	Aged Brass
DB	Distressed Bronze
HN	Historic Nickel
PN	Polished Nickel

Designed for use with a 2" x 4" gem box



481-AGB

8"D 3¾"E, 1-50w G9 Xenon*
mm: 203 D 95 E



481-HN



481-OB



481-PN

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty.

**Bulb included*



681-OB



681-AGB


8"W 9¼"H 4"E, 1-50w G9 Xenon*
mm: 203 W 235 H 102 E
5"D Backplate
mm: 127 D



681-PN



681-HN



*Bulb included

Alabaster is a natural stone. Variations in color and pattern are normal and enhance its natural beauty.

Finishes	
AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass





3416-PN

16"D 51½"OAH, 1-150 w/m
mm: 406 D 1308 OAH
5½"D Canopy
mm: 140 D



3409-OB

9½"D 47"OAH, 1-75 w/m
mm: 241 D 1194 OAH
5½"D Canopy
mm: 140 D



3412-SN

12¾"D 49"OAH, 1-100 w/m
mm: 324 D 1245 OAH
5½"D Canopy
mm: 140 D



3416F-SN

16"D 12½"H, 1-100 w/m
mm: 406 D 318 H
5½"D Canopy
mm: 140 D

3409F-PN

9½"D 8"H, 1-75 w/m
mm: 241 D 203 H
5½"D Canopy
mm: 140 D



3412F-OB

12¾"D 10"H, 1-100 w/m
mm: 324 D 254 H
5½"D Canopy
mm: 140 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



4601-PN

6"W 9"H 8"E, 1-75 w/m
mm: 152 W 229 H 203 E
5"D *Backplate*
mm: 127 D



4621-PN (5½' cloth cord)

6"D 10½" min H, 1-75 w/m
mm: 152 D 267 H
5"D *Canopy*
mm: 127 D



4602-OB

16"W 9½"H 6½"E, 2-75 w/m
mm: 406 W 241 H 165 E
5¼"D *Backplate*
mm: 133 D



4603-SN

23"W 10"H 8"E, 3-75 w/m
mm: 584 W 254 H 203 E
5¼"D *Backplate*
mm: 133 D

Finishes

OB Old Bronze
PN Polished Nickel
SN Satin Nickel
Solid Brass



212-PN

12½"D 68" max H, 1-100 w/m
mm: 318 D 1727 max H
6¼"D Canopy
mm: 159 D



216-OB

16½"D 72" max H, 1-150 w/m
mm: 419 D 1829 max H
6¼"D Canopy
mm: 159 D



209-SN

9½"D 67" max H, 1-75 w/m
mm: 241 D 1702 max H
6¼"D Canopy
mm: 159 D



205-OB

15½"D 9"H, 3-60 w/m
mm: 394 D 229 H



203-PN

12½"D 8"H, 2-60 w/m
mm: 318 D 203 H

Max H – Maximum Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel





1612-PB

12"D 11½"H, 1-100 w/m
mm: 305 D 292 H
5"D *Canopy*
mm: 127 D



1609-SN

9"D 9½"H, 1-100 w/m
mm: 229 D 241 H
5"D *Canopy*
mm: 127 D



1615-SN

15"D 15½"H, 1-150 w/m
mm: 381 D 394 H
5"D *Canopy*
mm: 127 D



1615F-SN

15"D 15¼"H, 1-100 w/m
mm: 381 D 387 H
5"D *Canopy*
mm: 127 D



1609F-OB

9"D 10"H, 1-75 w/m
mm: 229 D 254 H
5"D *Canopy*
mm: 127 D



1612F-PN

12"D 11½"H, 1-100 w/m
mm: 305 D 292 H
5"D *Canopy*
mm: 127 D

Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SB	Satin Brass
SN	Satin Nickel
	Solid Brass



18-SN-D08

8¾"D 10¼"H, 1-60 w/m
mm: 222 D 260 H
5¼"D Canopy
mm: 133 D



18-OB-R08

8"D 9¾"H, 1-60 w/m
mm: 203 D 248 H
5¼"D Canopy
mm: 133 D



18-OB-1609

9"D 11¼"H, 1-60 w/m
mm: 229 D 286 H
5¼"D Canopy
mm: 133 D



18-PN-1612

11¾"D 13¾"H, 1-100 w/m
mm: 298 D 337 H
5¼"D Canopy
mm: 133 D

Finishes

OB Old Bronze
PN Polished Nickel
SN Satin Nickel
Solid Brass

Glass Options (please specify)

1609, 1612, D08, R08



19-OB-1609

9"D 12½" min H to 48½" max H, 1-75 w/m
mm: 229 D 318 min H to 1232 max H
5¼"D Canopy
mm: 133 D

19-SN-1612

12"D 14½" min H to 50½" max H, 1-100 w/m
mm: 305 D 368 min H to 1283 max H
5¼"D Canopy
mm: 133 D



19-SN-1615

15"D 17¼" min H to 53¼" max H, 1-150 w/m
mm: 381 D 438 min H to 1353 max H
5¼"D Canopy
mm: 133 D




19-SN-D08

8¾"D 11½" min H to 47½" max H, 1-75 w/m
mm: 222 D 292 min H to 1207 max H
5¼"D Canopy
mm: 133 D

19-OB-R08

8"D 11" min H to 47" max H, 1-75 w/m
mm: 203 D 279 min H to 1194 max H
5¼"D Canopy
mm: 133 D



19-OB-D15

15"D 15¼" min H to 51¼" max H, 1-100 w/m
mm: 381 D 387 min H to 1302 max H
5¼"D Canopy
mm: 133 D



19-PN-R15

15"D 13" min H to 49" max H, 1-100 w/m
mm: 381 D 330 min H to 1245 max H
5¼"D Canopy
mm: 133 D

Glass Options (please specify)

1609, 1612, 1615, D08, D15, R08, R15

Call factory with custom requirements

Max H – Maximum Height measurement includes
(1) 6" stem, (1) 12" stem, (1) 18" stem and hang straight canopy
(1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass



123-SN

36"L 12"W 59"OAH, 3-100 w/m

mm: 914 L 305 W 1499 OAH

5¼"D Canopy

mm: 133 D



122-OB

38"L 14"W 59"OAH, 2-100 w/m

mm: 965 L 356 W 1499 OAH

5¼"D Canopy

mm: 133 D

Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SB	Satin Brass
SN	Satin Nickel
	Solid Brass

OAH – Overall Height measurement includes

(1) 3" stem, (1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (1) 457mm stem



581-PN-415

7½"W 10"H 9"E, 1-100 w/m
mm: 191 W 254 H 229 E
5¼"D Backplate
mm: 133 D

587-SN-341

15½"D 8"H, 3-60 w/m
mm: 394 D 203 H

10¾"D Canopy
mm: 273 D



582-SN-415M

18"W 10"H 9"E, 2-100 w/m
mm: 457 W 254 H 229 E
5¼"D Backplate
mm: 133 D



583-PN-341

21"W 10"H 8"E, 3-100 w/m
mm: 533 W 254 H 203 E
5¼"D Backplate
mm: 133 D

583-OB-226

21"W 9½"H 7½"E, 3-100 w/m
mm: 533 W 241 H 191 E
5¼"D Backplate
mm: 133 D



Glass Options *(please specify)*

226, 341, 415, 415M

The wall mounted fixtures on this page may be used as uplights or downlights.

Finishes

OB Old Bronze
PN Polished Nickel
SN Satin Nickel
Solid Brass



102-PB

16¾"W 5¼"H 6½"E, 2-100 w/m
mm: 425 W 133 H 165 E

5"D Backplate
mm: 127 D

Also available in Polished Chrome



101-PN-599

5"W 5"H 8"E, 1-60 w/m
mm: 127 D 127 H 203 E

5"D Backplate
mm: 127 D



101-OB-811

Glass Options for 101

599, 811



101-SN-599



221-PB

5¼"W 9¾"H 5¼"E, 1-100 w/m
mm: 133 D 248 H 146 E

5¼"D Backplate
mm: 133 D



222-PN

15"W 5¼"H 5¼"E, 2-100 w/m
mm: 381 W 133 H 146 E

5¼"D Canopy
mm: 133 D

Can be used in a vertical or horizontal position.

Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass



861-PC-119

5¼"W 10½"H 7½"E, 1-100 w/m
mm: 133 W 267 H 191 E
5¼"D Backplate
mm: 133 D



862-PN-348M

14¼"W 10¼"H 8"E, 2-100 w/m
mm: 362 W 260 H 203 E
5¼"D Backplate
mm: 133 D

863-OB-119

23"W 10"H 7¼"E, 3-100 w/m
mm: 584 W 254 H 184 E
5¼"D Backplate
mm: 133 D



864-SN-341

30½"W 10¼"H 9"E, 4-100 w/m
mm: 775 W 260 H 229 E
5¼"D Backplate
mm: 133 D

Glass Options *(please specify)*

119, 341, 348M

The fixtures on this page may be used as uplights or downlights.

Finishes

OB	Old Bronze
PC	Polished Chrome
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

**871-PN**

5"W 9"H 9"E, 1-100 w/m
mm: 127 W 229 H 229 E

4¾"W 4¾"H Backplate
mm: 121 W 121 H

**872-OB**

14½"W 9"H 9"E, 2-100 w/m
mm: 368 W 229 H 229 E

4¾"W 4¾"H Backplate
mm: 121 W 121 H

**873-SN**

21"W 9"H 9"E, 3-100 w/m
mm: 533 W 229 H 229 E

4¾"W 4¾"H Backplate
mm: 121 W 121 H

Finishes

<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
<i>SN</i>	Satin Nickel
	Solid Brass

The fixtures on this page may be used as uplights or downlights.



1271-PN

5"W 9¼"H 9½"E, 1-100 w/m
mm: 127 W 235 H 241 E


4¾"W 4¾"H *Backplate*
mm: 121 W 121 H



1272-OB

15¾"W 9¼"H 9½"E, 2-100 w/m
mm: 400 W 235 H 241 E

4¾"W 4¾"H *Backplate*
mm: 121 W 121 H



1273-SN

22"W 9¼"H 9½"E, 3-100 w/m
mm: 559 W 235 H 241 E

4¾"W 4¾"H *Backplate*
mm: 121 W 121 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

The fixtures on this page may be used as uplights or downlights.



4532-SN

9½"W 9¾"H, 2-60 w/m
mm: 241 W 248 H
5"D Canopy
mm: 127 D



4530-PN

9½"W 47"OAH, 1-100 w/m
mm: 241 W 1194 OAH
5"D Canopy
mm: 127 D

4520-OB

13½"W 50"OAH, 1-100 w/m
mm: 343 W 1270 OAH
5"D Canopy
mm: 127 D



Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (1) 18" stem and hang straight canopy
(1) 152mm stem, (1) 305mm stem, (1) 457mm stem



4511-PB

5½"W 7½"H 7"E, 1-100 w/m

mm: 140 W 191 H 178 E

5"D Backplate

mm: 127 D

4512-OB

16"W 7½"H 7"E, 2-100 w/m

mm: 406 W 191 H 178 E

5"D Backplate

mm: 127 D



4513-PN

21½"W 7½"H 7"E, 3-100 w/m

mm: 546 W 191 H 178 E

5"D Backplate

mm: 127 D

Finishes

OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

The fixtures on this page may be used as uplights or downlights.



9106-SN

16"D 10¾"H, 1-100 w/m
mm: 406 D 273 H

6"D Canopy
mm: 152 D



9119-OB

19"D 51½"OAH, 1-100 w/m
mm: 483 D 1308 OAH

6"D Canopy
mm: 152 D



9101-OB

11"D 9"H, 1-60 w/m
mm: 279 D 229 H

6"D Canopy
mm: 152 D

Finishes

OB Old Bronze
SN Satin Nickel

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (1) 457mm stem



9111-SN

11"D 48"OAH, 1-60 w/m
mm: 279 D 1219 OAH
6"D Canopy
mm: 152 D



9116-SN

16"D 49¾"OAH, 1-100 w/m
mm: 406 D 1264 OAH
6"D Canopy
mm: 152 D



9109-SN

19"D 12½"H, 1-100 w/m
mm: 483 D 318 H
6"D Canopy
mm: 152 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

OB Old Bronze
SN Satin Nickel



ADJUSTABLES



2341-PN

5"W 10"H 9" to 11" max E, 1-75 w/m
mm: 127 D 254 H 229 to 279 max E
5"D Backplate
mm: 127 D



9341-SN/OB/PN

6"D 49¾" OAH, 1-100 w/m
mm: 152 D 1264 OAH
5"D Canopy
mm: 127 D



342-SN

12"H 9" to 17½" max E, 1-100 w/m
mm: 305 H 229 to 445 max E
5"D Backplate
mm: 127 D
Supplied with On/Off switch



341-PN

6"W 10" to 17"H 17" max E, 1-100 w/m
mm: 152 W 254 to 432 H 432 max E
5"D Backplate
mm: 127 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel



3824-OB

8½"D 67" max H, 1-60 w/m
mm: 216 D 1702 max H

5½"D Canopy
mm: 140 D



3826-OB

15"D 69" max H, 1-100 w/m
mm: 381 D 1753 max H

5½"D Canopy
mm: 140 D



4201-SN-505M



4201-PN-444

5¾"D 62" max H, 1-75 w/m
mm: 146 D 1575 max H

5½"D Canopy
mm: 140 D



4201-OB-415M

7½"D 62" max H, 1-75 w/m
mm: 191 D 1575 max H

3824/3826 Finish
OB Old Bronze

*Pendants can be shortened to desired height
Cloth covered cord. Patent Pending*

Glass Options for 4201

415M, 444, 505M

4201 Finishes

OB Old Bronze
PN Polished Nickel
SN Satin Nickel



3121-PN-341



3121-OB-065

5¼"D 10" to 34"H 9½"E, 1-60 w/m torpedo
mm: 133 D 254 to 864 H 241 E
5"D Backplate
mm: 127 D



3121-SN-505M

5¼"D 10" to 34"H 10"E, 1-75 w/m
mm: 133 D 254 to 864 H 254 E
5"D Backplate
mm: 127 D

Glass Options

065, 341, 505M

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

METALLICS



3934-OB (5½' cloth cord)

8½"D 70"OAH, 1-60 w/m
mm: 216 D 1778 OAH

5"D Canopy
mm: 127 D



3936-OB (5½' cloth cord)

15¼"D 73"OAH, 1-100 w/m
mm: 387 D 1854 OAH

5"D Canopy
mm: 127 D

Finish

OB Old Bronze

HADLEY



3911-OB

8"W 5¾"H 10¾"E, 1-60 w/A15
mm: 203 W 146 H 273 E

5"D Backplate
mm: 127 D

3912-SN

18"W 5¾"H 8"E, 2-60 w/A15
mm: 457 W 146 H 203 E

5"D Backplate
mm: 127 D



Finishes

OB Old Bronze

SN Satin Nickel

Solid Brass

3911 and 3912 may be used as uplights or downlights.



7631-SN

10"D 10½"H, 1-75 w/m
mm: 254 D 267 H
5"D Canopy
mm: 127 D



7630-SN

10"D 48½"OAH, 1-100 w/m
mm: 254 D 1232 OAH
5"D Canopy
mm: 127 D



7620-PC

14¾"D 52½"OAH, 1-150 w/m
mm: 375 D 1334 OAH
5"D Canopy
mm: 127 D

OAH – Overall Height measurement includes
(1) 6" stem, (1) 12" stem, (1) 18" stem and bang straight canopy
(1) 152mm stem, (1) 305mm stem, (1) 457mm stem

Finishes

PC Polished Chrome
SN Satin Nickel



421-PK

14"D 8"H, 3-60 w/m
mm: 356 D 203 H
5¼"D Canopy
mm: 133 D



764-PB

14"D 8"H, 3-60 w/m
mm: 356 D 203 H
5¼"D Canopy
mm: 133 D



421-SP-FR

14"D 8"H, 3-60 w/m
mm: 356 D 203 H
5"D Canopy
mm: 127 D



751-SP

15"D 10"H, 3-60 w/m
mm: 381 D 254 H
11"D Canopy
mm: 279 D



753-PF

15"D 11"H, 3-60 w/m
mm: 381 D 279 H
11"D Canopy
mm: 279 D

Finishes 751 / 753

PF Polished Flemish
SP Satin Pewter



426-OB

14"W 8"H, 3-60 w/m
mm: 356 W 203 H
5¼" D Canopy
mm: 133 D

Finishes 426

OB Old Bronze
PB Polished Brass
SN Satin Nickel



6401-PC

5¼"W 9¼"H 6½"E, 1-100 w/m
mm: 133 W 235 H 165 E
5¼"D Backplate
mm: 133 D



6404-PC

29¾"W 7"H 5½"E, 4-100 w/m
mm: 756 W 178 H 140 E



6402-SB

13¾"W 7"H 5½"E, 2-100 w/m
mm: 349 W 178 H 140 E



6403-OB

21¾"W 7"H 5½"E, 3-100 w/m
mm: 552 W 178 H 140 E



6405-PB

37¾"W 7"H 5½"E, 5-100 w/m
mm: 959 W 178 H 140 E

All linear backplate heights are 5" (127mm).



6601-PB

5¼"W 9½"H 6¼"E, 1-100 w/m
mm: 133 W 241 H 159 E
5¼"D Backplate
mm: 133 D



6605-SN

37¾"W 7½"H 5¼"E, 5-100 w/m
mm: 959 W 191 H 133 E



6602-SB

13¾"W 7½"H 5¼"E, 2-100 w/m
mm: 349 W 191 H 133 E



6603-SN

21¾"W 7½"H 5¼"E, 3-100 w/m
mm: 552 W 191 H 133 E



6604-SB

29¾"W 7½"H 5¼"E, 4-100 w/m
mm: 756 W 191 H 133 E

Finishes

OB	Old Bronze
PB	Polished Brass
PC	Polished Chrome
SB	Satin Brass
SN	Satin Nickel

*All linear backplate heights are 5" (127mm).
The fixtures on this page may be used as uplights or downlights.*



231-OB-119



232-SN-119

16"W 8½"H 9"E, 2-100 w/m
mm: 406 W 216 H 229 E
5½"D Backplate
mm: 140 D



231-PC-823

6"W 7¾"H 8"E, 1-100 w/m
mm: 152 W 197 H 203 E
5½"D Backplate
mm: 140 D



232-PC-823

Finishes

OB	Old Bronze
PC	Polished Chrome
SN	Satin Nickel

The fixtures on this page are adjustable at swivel and may be used as uplights or downlights.

Glass Options

119, 823



4731-OB

8"W 19"H 33½" max E, 1-100 w/m
mm: 203 W 483 H 851 max E
5"D Backplate
mm: 127 D



4721-AN



4721-OB

8"W 19"H 33½" max E, 1-75 w/m
mm: 203 W 483 H 851 max E
5"D Backplate
mm: 127 D



4732-PN

8"D 63"OAH, 1-100 w/m
mm: 203 D 1600 OAH
5"D Canopy
mm: 127 D



4722-PN

8"D 63"OAH, 1-100 w/m
mm: 203 D 1600 OAH
5"D Canopy
mm: 127 D

OAH – Overall Height measurement includes
(1) 3" stem, (1) 6" stem, (1) 12" stem, (2) 18" stems and hang straight canopy
(1) 76mm stem, (1) 152mm stem, (1) 305mm stem, (2) 457mm stems

Finishes

AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



8331-PN

8"W 11"H 8½"E, 1-100 w/m
mm: 203 W 279 H 216 E
5½"D Backplate
mm: 140 D



8332-OB

8"W 11¼"H 23¼" max E, 1-100 w/m
mm: 203 W 286H 591 max E
5½"D Backplate
mm: 140 D



8333-AGB

8"W 16½" max H 33" max E, 1-100 w/m
mm: 203 W 419 max H 838 max E
5½"D Backplate
mm: 140 D

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

All fixtures come with Hi-Lo switch



8321-AGB

8"W 11"H 8½"E, 1-75 w/m
mm: 203 W 279 H 216 E
5½"D *Backplate*
mm: 140 D



8322-AN

8"W 11¼"H 23¼" max E, 1-75 w/m
mm: 203 W 286 H 591 max E
5½"D *Backplate*
mm: 140 D



8323-PN

8"W 16½" max H 33" max E, 1-75 w/m
mm: 203 W 419 max H 838 max E
5½"D *Backplate*
mm: 140 D

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

All fixtures come with Hi-Lo switch



1428-SN



1428-OB

6½"W 11½"H 16" max E, 1-100 w/m
mm: 165 W 292 H 406 max E

4¼"W 7¼"H Backplate
mm: 108 W 184 H



1429-PN

6"W 11½"H 16" max E, 1-75 w/m
mm: 152 W 292 H 406 max E

4¼"W 7¼"H Backplate
mm: 108 W 184 H



1429-SN

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

All fixtures on this page are supplied with On/Off switch.



762-AN

6"W 11"H 12½" max E, 1-100 w/m
mm: 165 W 279 H 318 max E

3"W 6¼"H Backplate
mm: 76 W 159 H

Designed for use with a 2" x 4" gem box



771-OB

6"W 14¾"H 24" max E, 1-75 w/m
mm: 152 W 375 H 610 max E

3"W 6¼"H Backplate
mm: 76 W 159 H

*Includes Hi-Lo switch
with (2) 12" cord covers*



761-PN

6"W 11"H 12½" max E, 1-75 w/m
mm: 152 W 279 H 318 max E

3"W 6¼"H Backplate
mm: 76 W 159 H

Designed for use with a 2" x 4" gem box



772-AGB

6"W 14¾"H 24" max E, 1-75 w/m
mm: 152 W 375 H 610 max E

3"W 6¼"H Backplate
mm: 76 W 159 H

*Includes Hi-Lo switch
with (2) 12" cord covers*

Finishes 761 / 762 771 / 772

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



6931-AGB

7½"W 6"H 24" max E, 1-60 w/m
mm: 191 W 152 H 610 max E

4¾"D Backplate
mm: 121 D

Includes Hi-Lo switch with (2) 12" cord covers

Finishes 6931

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

QUINCY



431-PN



431-AN



431-OB

5½"W 18½"H 7"E, 1-60 w/c
mm: 140 W 470 H 178 E
5"D Backplate
mm: 127 D

Finishes

AN Antique Nickel
OB Old Bronze
PN Polished Nickel
Solid Brass

Shades Included

3½" Top 5½" Bottom 5¼"H
mm: 89 W 140 Bottom 133 H

HANCOCK



5701-AGB



5701-PN

5½"W 13"H 8"E, 1-60 w/c
mm: 140 W 330 H 203 E
5"D Backplate
mm: 127 D

Finishes

AGB Aged Brass
OB Old Bronze
PN Polished Nickel
Solid Brass

Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 W 140 Bottom 127 H

LITCHFIELD



9211-OB

6"W 12¾"H 7½"E, 1-60 w/c
mm: 152 W 324 H 191 E
4½"W 5"H *Backplate*
mm: 114 W 127 H



9231-FB

11"W 32¼"H 26" max E, 1-75 w/m
mm: 279 W 819 H 660 max E
2½"W 3"H *Backplate*
mm: 64 W 76 H
Comes with Hi-Lo switch



9212-PN

16¼"W 12¾"H 7½"E, 2-60 w/c
mm: 413 W 324 H 191 E
4½"W 5"H *Backplate*
mm: 114 W 127 H

Shades Included

9211/9212 3½" Top 6" Bottom 4¾"H
mm: 89 Top 152 Bottom 121 H
9231 6" Top 11" Bottom 8½"H
mm: 152 Top 279 Bottom 216 H

Finishes

FB Flemish Brass
OB Old Bronze
PN Polished Nickel

LOMBARD



2701-OB

5½"W 15¾"H 6½"E, 1-60 w/c
mm: 140 W 400 H 165 E
4¼"W 5½"H *Backplate*
mm: 108 W 140 H

2702-PN

14¼"W 16"H 6½"E, 2-60 w/c
mm: 362 W 406 H 165 E
4¼"W 5½"H *Backplate*
mm: 108 W 140 H



Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H

Finishes

AGB Aged Brass
OB Old Bronze
PN Polished Nickel
Solid Brass



331-AGB

5"W 12¾"H 9¼"E, 1-60 w/c
mm: 127 W 324 H 235 E
4½"W 8½"H *Backplate*
mm: 114 W 216 H



332-ON

14"W 13½"H 7"E, 2-60 w/c
mm: 356 W 343 H 178 E
4½"W 8½"H *Backplate*
mm: 114 W 216 H

Finishes

AGB Aged Brass
ON Old Nickel
Solid Cast Brass

Shades Included

3" Top 5" Bottom 4½"H
mm: 76 Top 127 Bottom 114 H

DUNMORE



7001-ON

5"W 10"H 7½"E, 1-60 w/c
mm: 127 W 254 H 191 E
5"D *Backplate*
mm: 127 D



7002-DB

14½"W 10½"H 8"E, 2-60 w/c
mm: 368 W 267 H 203 E
5"D *Backplate*
mm: 127 D

Finishes

DB Distressed Bronze
ON Old Nickel
Solid Brass

Shades Included

3" Top 5" Bottom 4½"H
mm: 76 Top 127 Bottom 114 H



401-PN



401-OB

5½"W 12"H 8½"E, 1-60 w/c
mm: 140 W 305 H 216 E

5½"D Backplate
mm: 140 D



402-AGB

14½"W 12"H 6½"E, 2-60 w/c
mm: 368 W 305 H 165 E

5½"D Backplate
mm: 140 D

Shades Included

4¼"D 5¼"H
mm: 108 D 133 H

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

PROVIDENCE



2101-AGB

5"W 9¼"H 5½"E, 1-75 w/m
mm: 127 W 235 H 140 E

4¼"D Backplate
mm: 108 D



2102-HN

11¼"W 9¼"H 5½"E, 2-75 w/m
mm: 298 W 235 H 140 E

4¼"D Backplate
mm: 108 D

Finishes

AGB	Aged Brass
HN	Historic Nickel
	Solid Brass

2101 / 2102 may only be used as uplights and are supplied with on/off switches.



6121-PN

5"W 11½"H 5"E, 1-60 w/c
mm: 127 W 292 H 127 E
5"D *Backplate*
mm: 127 D



6122-PN

13"W 11½"H 5"E, 2-60 w/c
mm: 330 W 292 H 127 E
5"D *Backplate*
mm: 127 D



6123-PN

19¼"W 11½"H 5"E, 3-60 w/c
mm: 489 W 292 H 127 E
5"D *Backplate*
mm: 127 D

Finish

PN Polished Nickel

Shades Included

3¾"D 4¾"H
mm: 95 D 121 H

ROCKLAND



8421-PN

4¾"W 21"H 4"E, 1-60 w/c
mm: 121 W 533 H 102 E

3¾" D 5" H *Shade*
mm: 95 D 127 H

4¾"D *Backplate*
mm: 121 D



8422-PN

13"W 21"H 4½"E, 2-60 w/c
mm: 330 W 533 H 114 E

13"L 3¾"W 7"H *Shade*
mm: 330 L 95 W 178 H

4¾"D *Backplate*
mm: 121 D

Shades Included

Finish

PN Polished Nickel

WINTHROP



081-PN

6"W 12"H 5¾"E, 1-60 w/c
mm: 152 W 305 H 146 E

6"W 12"H *Backplate*
mm: 152 W 305 H



082-DB

10¾"W 12"H 5¾"E, 2-60 w/c
mm: 273 W 305 H 146 E

6"W 12"H *Backplate*
mm: 152 W 305 H

Shades Included

3¾"D 4¾"H
mm: 95 D 121 H

Finishes

DB Distressed Bronze

PN Polished Nickel

Solid Brass



1901-SN

5"W 12"H 7¼"E, 1-60 w/c
mm: 127 W 305 H 184 E

4¾"D Backplate
mm: 121 D

Not available in PB Polished Brass



1902-AGB

15" W 12" H 7¼"E, 2-60 w/c
mm: 381 W 305 H 184 E

4¾"D Backplate
mm: 121 D

Not available in PB Polished Brass



2131-PB

4½"W 14½"H 5¼"E, 1-60 w/c
mm: 114 W 368 H 133 E

2½"W 9¼"H Backplate
mm: 64 W 235 H

Designed for use with a 2" x 4" gem box



2121-PN



2121-AGB

5" W 17¼"H 5½"E, 1-60 w/c
mm: 127 W 438 H 140 E

2½"W 9¼"H Backplate
mm: 64 W 235 H

Designed for use with a 2" x 4" gem box

Finishes

AGB	Aged Brass
PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass

Shades Included

3" Top	5" Bottom	5"H
mm: 76 Top	127 Bottom	127 H



6801-PB

5½"W 13"H 6½"E, 1-60 w/c
mm: 140 W 330 H 165 E

2½"W 5"H Backplate
mm: 64 W 127 H

Designed for use with a 2" x 4" gem box



6802-PN

14"W 13"H 6½"E, 2-60 w/c
mm: 356 W 330 H 165 E

2½"W 5"H Backplate
mm: 64 W 127 H

Designed for use with a 2" x 4" gem box

6921-AGB

11"W 15"H 19½" max E, 1-75 w/m
mm: 279 W 381 H 495 max E

4¾"D Backplate
mm: 121 D

6" Top 11" Bottom 8½"H Shade
mm: 152 Top 279 Bottom 216 H

Includes Hi-Lo switch with (2) 12" cord covers



Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H

Finishes

AGB	Aged Brass
OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
SN	Satin Nickel
	Solid Brass



291-PN



291-AGB

5"W 17"H 6½"E, 1-60 w/c

mm: 127 W 432 H 165 E

5"D Backplate

mm: 127 D



292-ON



292-OB

12½"W 17"H 7"E, 2-60 w/c

mm: 318 W 432 H 178 E

5"D Backplate

mm: 127 D

Finishes

AGB	Aged Brass
OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel
	Solid Brass



661-OB



662-AGB



662-AN

14"W 13½"H 7"E, 2-60 w/c
mm: 356 W 343 H 178 E
2¾" to 4½"W 11¼"H Backplate
mm: 70 W to 114 W 286 H



661-PN

5½"W 13½" H 7½"E, 1-60 w/c
mm: 140 W 343 H 191 E
2¾" to 4½"W 11¼"H Backplate
mm: 70 to 114 W 286 H

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

*Furnished with a round plate to cover a standard 4" junction box.
Fixtures may be mounted to a GEM box without plate.*



7913-PN

15"D 21¾"H, 3-60 w/c
mm: 381 D 552 H
15¼"D 5½"H *Shade*
mm: 387 D 140 H
4¾"D *Canopy*
mm: 121 D



7902-OB

13¼"W 19¾"H 4¾"E, 2-60 w/c
mm: 337 W 502 H 121 E
13¼"L 4¾"W 5½"H *Shade*
mm: 337 L 121 W 140 H
4¾"W 5½"H *Backplate*
mm: 108 W 140 H



7901-AGB

4¾"W 19"H 8¾"E, 1-60 w/c
mm: 121 W 483 H 210 E
4¾"D 5½"H *Shade*
mm: 121 W 140 H
4¾"W 5½"H *Backplate*
mm: 108 W 140 H

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
	Solid Cast Brass

Shades included



632-OB

13½"W 12¼"H 6"E, 2-60 w/c
mm: 343 W 311 H 152 E
6"D Backplate
mm: 152 D



631-ON

6"W 12¼"H 6½"E, 1-60 w/c
mm: 152 W 311 H 165 E
6"D Backplate
mm: 152 D



631-AGB



632-PN

Finishes

AGB	Aged Brass
OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel
	Solid Brass

Shades Included

3" Top	4" Bottom	4¾"H
mm: 76 Top	102 Bottom	121 H



271-PN

5"W 11½"H 6"E, 1-60 w/c
mm: 127 W 292 H 152 E
5"W 8"H *Backplate*
mm: 127 W 203 H



272-AGB



271-OB



272-ON

11"W 11½"H 6"E, 2-60 w/c
mm: 279 W 292 H 152 E
5"W 8"H *Backplate*
mm: 127 W 203 H

Shades Included

3" Top 4" Bottom 4¾"H
mm: 76 Top 102 Bottom 121 H

Finishes

AGB	Aged Brass
OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel
	Solid Brass

321-PN

5½"W 29½"H 7"E, 1-60 w/c
mm: 140 W 749 H 178 E
4½"D Backplate
mm: 114 D



322-OB



322-PN

16"W 28½"H 7½"E, 2-60 w/c
mm: 406 W 724 H 191 E
4½"D Backplate
mm: 114 D

Finishes

OB Old Bronze
PN Polished Nickel
Solid Brass

Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H

381-ON



381-AGB

4¾"W 18"H 7½"E, 1-60 w/c
mm: 121 W 457 H 191 E
4½"W 6¼"H *Backplate*
mm: 114 W 159 H



382-PN

382-OB

11½"W 18¾"H 7½"E, 2-60 w/c
mm: 292 W 476 H 191 E
4½"W 6¼"H *Backplate*
mm: 114 W 159 H



Shades Included

3" Top 4½" Bottom 5"H
mm: 76 Top 114 Bottom 127 H

Finishes

AGB	Aged Brass
OB	Old Bronze
ON	Old Nickel
PN	Polished Nickel
Solid Cast Brass	



4902-PN

12¼"W 18"H 5½"E, 2-60 w/c
mm: 311 W 457 H 140 E
4½"D *Backplate*
mm: 114 D



4901-AGB

4¾"W 18"H 5½"E, 1-60 w/c
mm: 121 W 457 H 140 E
4½"D *Backplate*
mm: 114 D



4901-OB



4902-AN

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Shades Included

4¾"D 5½"H
mm: 121 D 140 H



171-AGB

6¼"W 16" to 18"H 7"E, 1-60 w/c
mm: 159 W 406 to 457 H 178 E
5"D Backplate
mm: 127 D



172-OB

16" W 16" to 18"H 7¼"E, 2-60 w/c
mm: 406 W 406 to 457 H 184 E
5"D Backplate
mm: 127 D



172-AGB



171-PN

Shades Included

5¼" Top 6¼" Bottom 6½"H
mm: 133 Top 159 Bottom 165 H

Finishes

AGB	Aged Brass
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



641-OB



642-PN



642-OB

10"W 20"H 5¾"E, 2-60 w/c
mm: 254 W 508 H 146 E
10"L 5"W 5½"H *Shade*
mm: 254 W 127 H 140 E
5½"W 14"H *Backplate*
mm: 140 W 356 H



641-SN

7"W 20"H 5¾"E, 1-60 w/c
mm: 178 W 508 H 146 E
7"L 5"W 5½"H *Shade*
mm: 178 W 127 H 140 E
5½"W 14"H *Backplate*
mm: 140 W 356 H

Finishes

OB	Old Bronze
PN	Polished Nickel
SN	Satin Nickel

Shades Included



881-OB

4½"W 13"H 4"E, 1-60 w/c
mm: 114 W 330 H 102 E
4¼"W 5¼"H 3¼"E *Shade*
mm: 108 W 133 H 83 E
4½"W 13"H *Backplate*
mm: 114 W 330 H



881-PN



882-HN

12"W 14"H 4"E, 2-60 w/c
mm: 305 W 356 H 102 E
12"W 6¼"H 3¼"E *Shade*
mm: 305 W 159 H 83 E
4½"W 13"H *Backplate*
mm: 114 W 330 H



Finishes

<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass

Shades Included



742-OB

741-PN

4½"W 18½"H 5½"E, 1-60 w/c
mm: 114 W 470 H 140 E
4" Top 4½" Bottom 6½"H *Shade*
mm: 102 Top 114 Bottom 165 H
4½"W 9"H *Backplate*
mm: 114 W 229 H



742-HN

14½"W 22"H 5½"E, 2-60 w/c
mm: 368 W 559 H 140 E
4" x 14" Top 4½" x 14½" Bottom 6½"H *Shade*
mm: 102 x 356 Top 114 x 368 Bottom 165 H
4½"W 9"H *Backplate*
mm: 114 W 229 H

Finishes

HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Shades Included



541-OB

541-PN

5"W 15"H 6¾"E, 1-60 w/c
mm: 127 W 381 H 171 E

5" Top 5" Bottom 6"H *Shade*
mm: 127 Top 127 Bottom 152 H

4½"W 8¾"H *Backplate*
mm: 114 W 222 H



542-HN

13½"W 15"H 6"E, 2-60 w/c
mm: 343 W 381 H 152 E

13½"W 5"L 6"H *Shade*
mm: 343 W 127 L 152 H

4½"W 8¾"H *Backplate*
mm: 114 W 222 H

Finishes

<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass

Shades Included



202-AGB



201-OB

5½"W 12"H 8"E, 1-60 w/c
mm: 140 W 305 H 203 E
5"W 5"H *Backplate*
mm: 127 W 127 H



201-HN



202-PN

13"W 12"H 8"E, 2-60 w/c
mm: 330 W 305 H 203 E
5"W 5"H *Backplate*
mm: 127 W 127 H

Finishes

AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass

Shades Included

3½" Top 5½" Bottom 5"H
mm: 89 Top 140 Bottom 127 H



151-HN

4"W 10¼"H 5½"E, 1-60 w/c
mm: 102 W 260 H 140 E
2½"W 5"H *Backplate*
mm: 64 W 127 H



151-PN



152-AGB



152-OB

12"W 10¼"H 5½"E, 2-60 w/c
mm: 305 W 260 H 140 E
2½"W 5"H *Backplate*
mm: 64 W 127 H

Shades Included

¾" Top 4" Bottom 4¾"H
mm: 83 Top 102 Bottom 121 H

Designed for use with a 2" x 4" gem box

Finishes	
AGB	Aged Brass
HN	Historic Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



921-AN

6½"W 13¼"H 7½" E, 1-60 w/c
mm: 165 W 337 H 191 E
4" Top 6½" Bottom 5½"H *Shade*
mm: 102 Top 165 Bottom 140 H
6"D *Backplate*
mm: 152 D



922-OB

921-PB



922-PN

13¾"W 13¼"H 7½" E, 2-60 w/c
mm: 349 W 337 H 191 E
4"W 11¼"L Top 6¾"W 13¾"L Bottom 5½"H *Shade*
mm: 102 W 286 L Top 171 W 349 L Bottom 140 H
6"D *Backplate*
mm: 152 D

Finishes

AN	Antique Nickel
OB	Old Bronze
PB	Polished Brass
PN	Polished Nickel
	Solid Brass

Shades Included



181-PN

5½"W 12¾"H 8"E, 1-60 w/c
mm: 140 W 324 H 203 E
5"D Backplate
mm: 127 D



181-AGB



182-AN



182-OB

15"W 12¾"H 8"E, 2-60 w/c
mm: 381 W 324 H 203 E
5"D Backplate
mm: 127 D

Shades Included

4½" Top 5½" Bottom 6"H
mm: 114 Top 140 Bottom 152 H

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

7501-AN



7511-OB

5"W 14½"H 17¼" max E, 1-60 w/c
mm: 127 W 368 H 438 max E

4¼"W 5½"H *Backplate*
mm: 108 W 140 H



7502-PN

15"W 13¼"H 7½" E, 2-60 w/c
mm: 381 W 337 H 191 E

4¼"W 5½"H *Backplate*
mm: 108 W 140 H

7501-AGB

5"W 13¼"H 7½"E, 1-60 w/c
mm: 127 W 337 H 191 E

4¼"W 5½"H *Backplate*
mm: 108 W 140 H



Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel


Shades Included

5"D 6"H
mm: 127 D 152 H



3112-AN

13"W 22"H 8¾" E, 2-60 w/c
mm: 330 W 559 H 222 E
4½"W 8"H *Backplate*
mm: 114 W 203 H



3111-AGB



3111-PN

5½"W 22"H 7" E, 1-60 w/c
mm: 140 W 559 H 178 E
4½"W 8"H *Backplate*
mm: 114 W 203 H

3112-OB



Shades Included

4½" Top 5½" Bottom 6¼"H
mm: 114 Top 140 Bottom 159 H

Finishes

AGB	Aged Brass
AN	Anitque Nickel
OB	Old Bronze
PN	Polished Nickel
	Solid Brass



1712-OB

14¾"W 19¼"H 8¼" E, 2-60 w/c
mm: 375 W 489 H 210 E
4¼"W 6"H *Backplate*
mm: 108 W 152 H



1711-PN



1711-AGB

6½"W 19¼"H 8¼" E, 1-60 w/c
mm: 165 W 489 H 210 E
4¼"W 6"H *Backplate*
mm: 108 W 152 H



1712-AN

Finishes

AGB	Aged Brass
AN	Antique Nickel
OB	Old Bronze
PN	Polished Nickel

Shades Included

6½"D 5½"H
mm: 165 D 140 H

**811-PN**

4"W 11½"H 4¾" E, 1-60 w/c
 mm: 102 W 292 H 121 E
 3¼"W 4¾"H *Backplate*
 mm: 83 W 121 H

**812-AN**

11"W 11½"H 4¾" E, 2-60 w/c
 mm: 279 W 292 H 121 E
 3¼"W 4¾"H *Backplate*
 mm: 83 W 121 H

Shades Included

3½" Top 4" Bottom 5¼"H
 mm: 89 Top 102 Bottom 133 H

Designed for use with a 2" x 4" gem box

Finishes

<i>AGB</i>	Aged Brass
<i>AN</i>	Antique Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel

MORLEY

**8311-OB**

4"W 10"H 5¼" E, 1-60 w/c
 mm: 102 W 254 H 133 E
 3"W 5¾"H *Backplate*
 mm: 76 W 146 H

8312-AGB

9¼"W 10"H 5¼" E, 2-60 w/c
 mm: 235 W 254 H 133 E
 3"W 5¾"H *Backplate*
 mm: 76 W 146 H

**Shades Included**

4"D 5½"H
 mm: 102 D 140 H

Designed for use with a 2" x 4" gem box

Finishes

<i>AGB</i>	Aged Brass
<i>AN</i>	Antique Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel

211-AGB



211-HN

6½"W 25½"H 7¾" E, 1-60 w/c
mm: 165 W 648 H 197 E
4¾" Square 6½" Point to Point *Backplate*
mm: 121 Square 165 Point to Point



Finishes

<i>AGB</i>	Aged Brass
<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass

Shades Included

5" Top 6½" Bottom 6½"H
mm: 127 Top 165 Bottom 165 H

JERICO



511-PN

7"W 20½"H 10½" E, 1-60 w/c
mm: 178 W 521 H 267 E
5½"D *Backplate*
mm: 140 D

511-OB



Finishes

<i>AGB</i>	Aged Brass
<i>HN</i>	Historic Nickel
<i>OB</i>	Old Bronze
<i>PN</i>	Polished Nickel
	Solid Brass

Shades Included

6½" Top 7" Bottom 7"H
mm: 165 Top 178 Bottom 178 H

INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
081	325	321	334	591	279	833	99	1301	87	1901	326
082	325	322	334	592	279	834	99	1302	87	1902	326
18	294	324	97	593	279	851	193	1310	86	1951	246
19	295	327	97	621	45	852	193	1315	87	1952	246
101	298	331	322	622	45	853	193	1320	86	1953	246
102	298	332	322	623	45	861	299	1351	199	1954	246
122	296	341	307	626	45	862	299	1352	199	1971	258
123	296	342	307	629	45	863	299	1401	239	1972	258
130	105	351	277	631	332	864	299	1402	239	1973	258
131	106	352	277	632	332	871	300	1403	239	1974	258
132	106	353	277	641	338	872	300	1404	239	2001	257
133	106	361	47	642	338	873	300	1405	239	2002	257
134	105	362	47	650	208	881	339	1421	7	2003	257
140	101	366	47	651	242	882	339	1426	7	2004	257
141	101	369	47	652	242	891	189	1428	318	2051	233
142	101	371	204	653	242	892	189	1429	318	2052	233
143	101	381	335	654	242	893	189	1432	7	2053	233
151	343	382	335	660A	209	901	95	1561	198	2054	233
152	343	391	278	660M	209	902	95	1562	198	2055	233
171	337	392	278	661	329	911	95	1601	238	2101	323
172	337	393	278	662	329	912	95	1602	238	2102	323
181	345	401	323	681	287	921	344	1603	238	2121	326
182	345	402	323	701	185	922	344	1604	238	2131	326
201	342	409	115	709	165	931	96	1609	293	2201	140
202	342	412	115	711	185	932	96	1609F	293	2209	141
203	291	415	115	712	165	933	96	1612	293	2210	141
205	291	420	203	715	165	935	96	1612F	293	2211	140, 141
209	291	421	312	721	9	951	191	1615	293	2212	140
211	350	426	312	722	10	952	191	1615F	293	2241	245
212	291	431	320	726	10	953	191	1711	348	2242	245
216	291	450	207	729	9	971	187	1712	348	2243	245
221	298	461	271	741	340	972	187	1741	56	2244	245
222	298	462	271	742	340	973	187	1742	56	2245	245
231	314	463	271	751	312	974	187	1746	57	2301	264
232	314	471	204	753	312	1150	34	1748	56	2302	264
241	67	481	286	761	319	1151	33	1749	57	2303	264
242	67	511	350	762	319	1152	33	1811	24	2304	264
244	67	516	69	764	312	1155	34	1812	25	2313F	264
251	109	520	203	771	319	1156	34	1815	25	2321	264
252	108	522	69	772	319	1158	33	1818	24	2331	221
253	108	541	341	780	102	1171	253	1821	201	2332	221
254	109	542	341	781	102	1172	253	1822	201	2333	221
255	108, 109	550	206	782	102	1173	253	1841	269	2334	221
271	333	561	190	783	103	1174	253	1842	269	2341	307
272	333	562	190	784	103	1224	275	1843	269	2408	283
291	328	563	190	811	349	1236	275	1844	269	2416	283
292	328	571	205	812	349	1248	275	1845	269	2424	283
301	51	572	205	821	195	1261	197	1860	43	2430	283
302	51	581	297	822	195	1262	197	1861	43	2501	265
303	51	582	297	830	98	1271	301	1862	43	2502	265
306	51	583	297	831	98	1272	301	1866	42	2503	265
320	202	587	297	832	98	1273	301	1868	42	2504	265

INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
2521	265	3401	250	4225	138	5115	145	6008	285	6501	179
2551	231	3402	250	4228	138	5123	144	6015	285	6510	173
2552	231	3403	250	4409	116	5201	53	6016	31	6511	179
2553	231	3404	250	4412	167	5202	53	6019	30	6513	173
2554	231	3409	289	4413	116	5203	54	6022	285	6515	173
2612	143	3409F	289	4415	167	5216	53	6029	285	6521	179
2621	143	3412	289	4416	116	5219	54	6101	48, 230	6601	313
2622	143	3412F	289	4418	167	5411	169	6102	230	6602	313
2623	143	3413	251	4441	232	5414	169	6103	230	6603	313
2661	218	3416	289	4442	232	5417	169	6104	230	6604	313
2662	218	3416F	289	4443	232	5501	255	6113	48, 49	6605	313
2663	218	3421	251	4444	232	5502	255	6115	49	6701	181
2664	218	3506	159	4445	232	5503	255	6118	48	6711	181
2665	218	3511	159	4501	249	5504	255	6121	324	6713	175
2701	321	3513	160	4502	249	5505	255	6122	324	6715	175
2702	321	3515	160	4503	249	5508	112	6123	324	6721	181
2821	247	3601	273	4504	249	5510	163	6151	18	6791	223
2822	247	3602	273	4505	249	5511	112	6152	19	6792	223
2823	247	3604	273	4511	303	5513	163	6155	19	6793	223
2824	247	3605	273	4512	303	5515	111	6158	18	6794	223
2901	183	3613	160	4513	303	5516	163	6161	267	6801	327
2911	183	3615	160	4520	302	5519	111	6162	267	6802	327
2921	183	3801	268	4530	302	5561	227	6163	267	6902	84
2991	229	3802	268	4532	302	5562	227	6164	267	6910	83
2992	229	3803	268	4601	290	5563	227	6201	241	6913	84
2993	229	3804	268	4602	290	5564	227	6202	241	6914	84
2994	229	3811	147	4603	290	5565	227	6203	241	6918	83
3001	184	3815	148	4610	127	5612	113	6204	241	6921	327
3004	71	3820	147	4614	126, 127	5615	113	6205	241	6931	319
3011	184	3824	308	4620	126	5618	113	6214	177	7001	322
3013	72	3825	147	4621	290	5642	16	6216	177	7002	322
3017	72	3826	308	4661	217	5644	15	6291	225	7008	281
3022	71	3827	148	4662	217	5645	15	6292	225	7016	281
3051	228	3881	219	4663	217	5646	15	6293	225	7023	281
3052	228	3882	219	4664	217	5648	16	6294	225	7030	281
3053	228	3883	219	4721	315	5701	320	6295	225	7042	281
3054	228	3884	219	4722	315	5801	259	6301	260	7102	5
3101	161	3885	219	4731	315	5802	259	6302	260	7112	4
3102	161	3911	310	4732	315	5803	259	6303	260	7113	4
3111	347	3912	310	4901	336	5804	259	6304	260	7118	3
3112	347	3934	310	4902	336	5826	274	6313	261	7120	4
3121	309	3936	310	4941	256	5838	274	6321	261	7126	5
3251	237	4021	36, 37	4942	256	5901	262	6331	261	7141	266
3252	237	4022	37	4943	256	5902	262	6401	313	7142	266
3253	237	4033	36	4944	256	5903	262	6402	313	7143	266
3254	237	4036	37	4991	213	5904	262	6403	313	7144	266
3301	63	4039	36	4992	213	5906	263	6404	313	7181	215
3311	63	4201	308	4993	213	5911F	263	6405	313	7182	215
3312	63	4202	138	4994	213	5913F	263	6471	89	7183	215
3314	63	4205	139	5108	145	5921	263	6472	89	7184	215
3322	176	4208	139	5109	144	6001	30	6480	89	7201	40
3323	176	4222	139	5111	144, 145	6002	31	6484	89	7202	40

INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
7203	39	8162	13	8903	235
7216	39	8166	13	8904	235
7219	40	8169	12	8991	91
7301	118	8311	349	8993	91
7308	118	8312	349	8994	91
7311	119	8321	317	9001	151-155
7312	119	8322	317	9101	304
7313	118	8323	317	9106	304
7315	119	8331	316	9109	305
7402	93	8332	316	9111	305
7412	93	8333	316	9116	305
7416	93	8401	81	9119	304
7420	93	8402	81	9211	321
7501	346	8409	80	9212	321
7502	346	8412	80	9231	321
7509	171	8416	80	9341	307
7511	346	8420	81	9501	60
7513	171	8421	325	9502	60
7516	171	8422	325	9512	60
7520	171	8501	65	9521	61
7602	74	8511	22	9523	61
7609	75	8512	21	9601	121
7612	75	8516	21	9608	121
7615	74	8518	22	9611	121
7620	311	8521	65	9615	121
7630	311	8531	65	9809	132
7631	311	8533	65	9809F	133
7701	135	8581	243	9812	132
7711	135	8582	243	9812F	133
7712	135	8583	243	9813	132
7741	211	8584	243	9815	132
7742	211	8585	243	9815F	133
7743	211	8601	129, 130	9901	122
7744	211	8610	129	9908	123
7801	78	8614	130	9911	123
7802	77	8618	129	9915	123
7809	77	8711	59	9919	122
7812	78	8712	59		
7816	78	8716	59		
7820	77	8719	59		
7821	136	8801	29		
7822	136	8802	28		
7901	331	8806	28		
7902	331	8808	29		
7913	331	8810	124		
8000	156	8815	124		
8001	151-155	8818	26		
8002	151-155	8820	124		
8008	149	8824	26		
8011	149	8830	27		
8100	157	8901	235		
8161	12	8902	235		

FINISH KEY

AB	ANTIQUE BRASS
ABZ	ANTIQUE BRONZE
AGB	AGED BRASS
AN	ANTIQUE NICKEL
BB	BRUSHED BRONZE
BPN	BLACK / POLISHED NICKEL
DB	DISTRESSED BRONZE
FB	FLEMISH BRASS
GAGB	AGED BRASS / FOREST GREEN
GB	GOLDEN BRONZE
HB	HISTORIC BRONZE
HN	HISTORIC NICKEL
OB	OLD BRONZE
ON	OLD NICKEL
MB	MISSION BRONZE
PB	POLISHED BRASS
PC	POLISHED CHROME
PF	POLISHED FLEMISH
PN	POLISHED NICKEL
PSN	POLISHED NICKEL/SATIN NICKEL COMBO
SAN	SATIN ANTIQUE NICKEL
SB	SATIN BRASS
SN	SATIN NICKEL
SP	SATIN PEWTER
WPN	WHITE/POLISHED NICKEL COMBO
WSN	WHITE/SATIN NICKEL COMBO

ABBREVIATIONS

CL	CLEAR
D	DIAMETER
E	EXTENSION
FR	FROSTED
H	HEIGHT
L	LENGTH
mm	MILLIMETER
W	WIDTH
w/c	MAX WATTAGE / CANDELABRA BASE
w/m	MAX WATTAGE / MEDIUM BASE



INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
7203	39	8162	13	8903	235
7216	39	8166	13	8904	235
7219	40	8169	12	8991	91
7301	118	8311	349	8993	91
7308	118	8312	349	8994	91
7311	119	8321	317	9001	151-155
7312	119	8322	317	9101	304
7313	118	8323	317	9106	304
7315	119	8331	316	9109	305
7402	93	8332	316	9111	305
7412	93	8333	316	9116	305
7416	93	8401	81	9119	304
7420	93	8402	81	9211	321
7501	346	8409	80	9212	321
7502	346	8412	80	9231	321
7509	171	8416	80	9341	307
7511	346	8420	81	9501	60
7513	171	8421	325	9502	60
7516	171	8422	325	9512	60
7520	171	8501	65	9521	61
7602	74	8511	22	9523	61
7609	75	8512	21	9601	121
7612	75	8516	21	9608	121
7615	74	8518	22	9611	121
7620	311	8521	65	9615	121
7630	311	8531	65	9809	132
7631	311	8533	65	9809F	133
7701	135	8581	243	9812	132
7711	135	8582	243	9812F	133
7712	135	8583	243	9813	132
7741	211	8584	243	9815	132
7742	211	8585	243	9815F	133
7743	211	8601	129, 130	9901	122
7744	211	8610	129	9908	123
7801	78	8614	130	9911	123
7802	77	8618	129	9915	123
7809	77	8711	59	9919	122
7812	78	8712	59		
7816	78	8716	59		
7820	77	8719	59		
7821	136	8801	29		
7822	136	8802	28		
7901	331	8806	28		
7902	331	8808	29		
7913	331	8810	124		
8000	156	8815	124		
8001	151-155	8818	26		
8002	151-155	8820	124		
8008	149	8824	26		
8011	149	8830	27		
8100	157	8901	235		
8161	12	8902	235		

FINISH KEY

ABZ	ANTIQUE BRONZE
AGB	AGED BRASS
AN	ANTIQUE NICKEL
BB	BRUSHED BRONZE
BPN	BLACK / POLISHED NICKEL
DB	DISTRESSED BRONZE
FB	FLEMISH BRASS
GAGB	AGED BRASS / FOREST GREEN
HB	HISTORIC BRONZE
HN	HISTORIC NICKEL
OB	OLD BRONZE
ON	OLD NICKEL
PB	POLISHED BRASS
PC	POLISHED CHROME
PF	POLISHED FLEMISH
PN	POLISHED NICKEL
PSN	POLISHED NICKEL/SATIN NICKEL COMBO
SB	SATIN BRASS
SN	SATIN NICKEL
SP	SATIN PEWTER
WPN	WHITE/POLISHED NICKEL COMBO
WSN	WHITE/SATIN NICKEL COMBO

ABBREVIATIONS

CL	CLEAR
D	DIAMETER
E	EXTENSION
FR	FROSTED
H	HEIGHT
L	LENGTH
mm	MILLIMETER
W	WIDTH
w/c	MAX WATTAGE / CANDELABRA BASE
w/m	MAX WATTAGE / MEDIUM BASE

ALL FIXTURES IN
THIS CATALOG ARE





HUDSON VALLEY LIGHTING®

HUDSON VALLEY LIGHTING, INC.

106 Pierces Road, P.O. Box 7459, Newburgh, NY 12550

Toll Free: 1-800-814-3993 Phone: (845) 561-0300 FAX: (845) 561-6848

www.hudsonvalleylighting.com

