

# INNOVATIONS

CREATIVITY MEETS EVOLUTIONARY DESIGN



THE BALLSTON COLLECTION

CATALOG 2017B





INNOVATIONS LIGHTING QUALITY FEATURES LIFETIME WIRING AND TWO YEAR FINISH WARRANTY

ALL FINISHES ARE EITHER  
ELECTROPLATED OR HAND  
PAINTED DEPENDING ON  
WHICH FINISH YOU SELECT

2MM HEAVY CAST BACKPLATE  
AND SOLID NECK

SOLID BRASS 180 DEGREE ADJUSTABLE SWIVEL  
INTERNAL TEETH LOCK IN AT 5 DEGREE INTERVALS FOR THE  
PERFECT POSITION YOU DESIRE

ONE PIECE CAST  
SOCKET COVER

PORCELAIN SOCKET  
WITH 392 DEGREE WIRING  
100 WATT UL/CUL RATED





**OVER 2,000 COMBINATIONS**



# INNOVATIONS

CREATIVITY MEETS EVOLUTIONARY DESIGN

THE BALLSTON COLLECTION

**“HOW IT WORKS”** SIMPLY PICK:

**MODEL**

+

**FINISH**

+

**GLASS**



516-1P  
CORD



516-1C



516-1W



516-1S  
STEM



**OB**  
OIL RUBBED BRONZE



G92



G93



G96



G104



G105



G82



G122



G125



G112



G116



M8\*



**PC**  
POLISHED CHROME



516-2W



516-3W



516-4W



**SN**  
SATIN BRUSHED NICKEL



513



220



232-CL



232-W




516-3I



516-4I

**\*SEE CATALOG FOR  
AVAILABLE FINISHES**

**SEE PAGE 66 FOR SIZES**



\*- AVAILABLE IN **3** FINISHES

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL



**516-1W-OB\***  
4 1/2" W x 6" HT x 5 1/2" EXT



**516-2W-OB\***  
16" W x 6" HT x 5 1/2" EXT



**516-1W-SN\***  
4 1/2" W x 6" HT x 5 1/2" EXT



**516-3W-SN\***  
26" W x 6" HT x 5 1/2" EXT



**516-4W-PC\***  
36" W x 6" HT x 5 1/2" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES

GLASS AVAILABLE IN:

G112-CLEAR  
G116-MERCURY

**516-1P-OB\*-G116**

5" DIA x 9" HT  
10' CORD MOUNT

**516-3I-SN\*-G112**

36" LONG x 5" W x 10" HT  
STEM MOUNT

**516-1C-OB\*-G116**

5" DIA x 11" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6"x12"x12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS

**516-4I-OB\*-G116**

48" LONG x 5" W x 10" HT  
STEM MOUNT

**516-1S-PC\*-G112**

5" DIA x 9" HT  
STEM MOUNT

\*- AVAILABLE IN **3** FINISHES

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL





**516-1W-SN\*-G116**  
5" W x 11" HT x 6 1/2" EXT



**516-2W-OB\*-G112**  
16" W x 11" HT x 6 1/2" EXT

GLASS AVAILABLE IN:  
G112-CLEAR  
G116-MERCURY



**516-1W-PC\*-G112**  
5" W x 11" HT x 6 1/2" EXT



**516-3W-PC\*-G116**  
26" W x 11" HT x 6 1/2" EXT



**516-4W-SN\*-G112**  
36" W x 11" HT x 6 1/2" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES



**516-3I-PC\*-G82**  
36" LONG x 5 1/2" W x 11" HT  
STEM MOUNT



**516-1P-SN\*-G82**  
5 1/2" DIA x 10" HT  
10' CORD MOUNT



**516-1C-SN\*-G82**  
5 1/2" DIA x 12" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6" x 12" x 12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS



**516-4I-SN\*-G82**  
48" LONG x 5 1/2" W x 11" HT  
STEM MOUNT

**516-1S-OB\*-G82**  
5 1/2" DIA x 10" HT  
STEM MOUNT

\*- AVAILABLE IN **3** FINISHES

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL





**516-1W-PC\*-G82**  
5 1/2" W x 12" HT x 7" EXT



**516-2W-OB\*-G82**  
16"W x 12" HT x 7" EXT



**516-3W-PC\*-G82**  
26"W x 12" HT x 7" EXT



**516-1W-OB\*-G82**  
5 1/2" W x 12" HT x 7" EXT



**516-4W-SN\*-G82**  
36"W x 12" HT x 7" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES

GLASS AVAILABLE IN:

G92-CLEAR  
G93-PLATED SMOKE  
G96-MERCURY

**516-3I-OB\*-G92**

36" LONG x 6 1/2" W x 8 1/2" HT  
STEM MOUNT

**516-1P-SN\*-G96**

6 1/2" DIA x 7 1/2" HT  
10' CORD MOUNT

**516-1C-PC\*-G93**

6 1/2" DIA x 9 1/2" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6" x 12" x 12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS

**516-1S-PC\*-G93**

6 1/2" DIA x 7 1/2" HT  
STEM MOUNT

**516-4I-SN\*-G96**

48" LONG x 6 1/2" W x 8 1/2" HT  
STEM MOUNT



**516-1W-OB\*-G93**  
6 1/2" W x 9 1/2" HT x 8" EXT



**516-2W-PC\*-G92**  
16" W x 9 1/2" HT x 8" EXT



**516-1W-PC\*-G92**  
6 1/2" W x 9 1/2" HT x 8" EXT



**516-3W-SN\*-G96**  
26" W x 9 1/2" HT x 8" EXT

GLASS AVAILABLE IN:  
G92-CLEAR  
G93-PLATED SMOKE  
G96-MERCURY



**516-4W-OB\*-G93**  
36" W x 9 1/2" HT x 8" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES



GLASS AVAILABLE IN:

G104-SEEDY  
G105-CLEAR CRACKLE

**516-3I-SN\*-G104**

36" LONG x 6" W x 10" HT  
STEM MOUNT

**516-1P-PC\*-G105**

6" DIA x 9" HT  
10' CORD MOUNT

**516-1C-OB\*-G105**

6" DIA x 11" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6"x12"x12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS

**516-4I-PC\*-G105**

48" LONG x 6" W x 10" HT  
STEM MOUNT

**516-1S-OB\*-G104**

6" DIA x 9" HT  
STEM MOUNT



**516-1W-PC\*-G104**  
6" W x 11" HT x 8" EXT

GLASS AVAILABLE IN:  
G104-SEEDY  
G105-CLEAR CRACKLE



**516-2W-SN\*-G105**  
16" W x 11" HT x 7 1/2" EXT



**516-1W-SN\*-G105**  
6" W x 11" HT x 8" EXT



**516-3W-PC\*-G104**  
26" W x 11" HT x 7 1/2" EXT



**516-4W-OB\*-G105**  
36" W x 11" HT x 7 1/2" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES

GLASS AVAILABLE IN:

G122-CLEAR  
G125-CLEAR CRACKLE

**516-3I-SN\*-G125**

36" LONG x 8" W x 11" HT  
STEM MOUNT

**516-1P-PC\*-G122**

8" DIA x 10" HT  
10' CORD MOUNT

**516-1C-OB\*-G125**

8" DIA x 12" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6"+12"+12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS

**516-4I-SN\*-G122**

48" LONG x 8" W x 11" HT  
STEM MOUNT

**516-1S-OB\*-G125**

8" DIA x 10" HT  
STEM MOUNT





**516-1W-PC\*-G122**  
8" W x 12" HT x 9" EXT



**516-2W-SN\*-G125**  
16" W x 13" HT x 9" EXT

GLASS AVAILABLE IN:  
G122-CLEAR  
G125-CLEAR CRACKLE



**516-1W-SN\*-G125**  
8" W x 12" HT x 9" EXT



**516-3W-OB\*-G125**  
28" W x 12" HT x 9" EXT



**516-4W-PC\*-G122**  
38" W x 12" HT x 9" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES



MIX OR MATCH ANY  
METAL/SHADE OPTIONS:  
M8OB-OIL RUBBED BRONZE  
M8PC-POLISHED CHROM  
M8SN-SATIN NICKEL

**516-3I-OB\*-M8OB\***  
36" LONG x 6 1/2" W x 10" HT  
STEM MOUNT

**516-1P-PC\*-M8OB\***  
6 1/2" DIA x 9" HT  
10' CORD MOUNT



**516-1S-SN\*-M8SN\***  
6 1/2" DIA x 9" HT  
STEM MOUNT



**516-1C-SN\*-M8SN\***  
6 1/2" DIA x 11" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6"+12"+12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS



**516-4I-PC\*-M8PC\***  
48" LONG x 6 1/2" W x 10" HT  
STEM MOUNT



**516-1W-SN\*-M8SN\***  
6 1/2" W x 11" HT x 8" EXT



**516-2W-PC\*-M8PC\***  
16" W x 11" HT x 8" EXT

MIX OR MATCH ANY  
METAL/SHADE OPTIONS:  
M8OB-OIL RUBBED BRONZE  
M8PC-POLISHED CHROM  
M8SN-SATIN NICKEL



**516-1W-OB\*-M8OB\***  
6 1/2" W x 11" HT x 8" EXT



**516-3W-OB\*-M8PC\***  
6 1/2" W x 11" HT x 8" EXT



**516-4W-SN\*-M8SN\***  
36" W x 11" HT x 8" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES





**516-3I-PC\*-220**  
36" LONG x 5" W x 11" HT  
STEM MOUNT

**516-1P-OB\*-220**  
5" DIA x 10" HT  
10' CORD MOUNT



**516-1S-PC\*-220**  
5" DIA x 10" HT  
STEM MOUNT



**516-1C-OB\*-220**  
5" DIA x 12" HT

ALL STEM MOUNT FIXTURES ARE  
SUPPLIED WITH 6"+12"+12" STEM  
SET ALONG WITH 10' OF WIRE

ADDITIONAL STEMS ARE  
AVAILABLE

90 DEGREE HANG STRAIGHT  
SWIVEL WITH 4 1/2" DIA. CAST  
CANOPY

CAN BE USED ON VAULTED  
CEILINGS

**516-3I-SN\*-220**  
48" LONG x 5" W x 11" HT  
STEM MOUNT



\*- AVAILABLE IN **3** FINISHES

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL



**516-1W-OB\*-220**  
5" W x 12" HT x 12" EXT



**516-2W-SN\*-220**  
16" W x 12" HT x 7" EXT



**516-1W-SN\*-220**  
5" W x 12" HT x 7" EXT



**516-3W-PC\*-220**  
26" W x 12" HT x 7" EXT



**516-4W-OB\*-220**  
36" W x 12" HT x 7" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES



**516-3I-OB\*-513**  
36" LONG x 5 1/2" W x 9 1/2" HT  
STEM MOUNT

**516-1P-SN\*-513**  
5 1/2" DIA x 8 1/2" HT  
10' CORD MOUNT



**516-1S-PC\*-513**  
5 1/2" DIA x 8 1/2" HT  
STEM MOUNT



**516-1C-PC\*-513**  
5 1/2" DIA x 10" HT



**516-4I-SN\*-513**  
48" LONG x 5 1/2" W x 9 1/2" HT  
STEM MOUNT

\*- AVAILABLE IN **3** FINISHES

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL





**516-1W-SN\*-513**  
5 1/2" W x 10 1/2" HT x 8" EXT



**516-2W-OB\*-513**  
16" W x 10 1/2" HT x 8" EXT



**516-1W-OB\*-513**  
5 1/2" W x 10 1/2" HT x 8" EXT



**516-3W-PC\*-513**  
26" W x 10 1/2" HT x 8" EXT



**516-4W-SN\*-513**  
36" W x 10 1/2" HT x 8" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES



GLASS AVAILABLE IN:  
232-CL-CLEAR  
232-W-CASED MATTE WHITE

**516-3I-SN\*-232-CL**  
36" LONG x 4 1/2" W x 11 1/2" HT  
STEM MOUNT



**516-1C-PC\*-232-CL**  
4 1/2" DIA x 12 1/2" HT



**516-1P-PC\*-232-W**  
4 1/2" DIA x 10 1/2" HT  
10' CORD MOUNT



**516-4I-OB\*-232-W**  
48" LONG x 4 1/2" W x 11 1/2" HT  
STEM MOUNT

**516-1S-SN\*-232-W**  
4 1/2" DIA x 10 1/2" HT  
STEM MOUNT



**516-1W-SN\*-232-W**  
4 1/2" W x 12 1/2" HT x 7" EXT



**516-2W-OB\*-232-CL**  
16" W x 12 1/2" HT x 7" EXT



**516-1W-PC\*-232-CL**  
4 1/2" W x 12 1/2" HT x 7" EXT



**516-3W-SN\*-232-W**  
26" W x 12 1/2" HT x 7" EXT

GLASS AVAILABLE IN:  
232-CL-CLEAR  
232-W-CASED MATTE WHITE



**516-4W-OB\*-232-W**  
36" W x 12 1/2" HT x 7" EXT

BULBS NOT INCLUDED- 100 WATT DAMP LOCATION RATED UL/CUL LISTED

OB-OILED RUBBED BRONZE PC-POLISHED CHROME SN-SATIN BRUSHED NICKEL

\*- AVAILABLE IN **3** FINISHES





**G92**  
6 1/2" D  
4 1/2" H  
PG 52-53



**G93**  
6 1/2" D  
4 1/2" H  
PG 52-53



**G96**  
6 1/2" D  
4 1/2" H  
PG 52-53



**G112**  
5" D  
6" H  
PG 48-49



**G116**  
5" D  
6" H  
PG 48-49



**G104**  
6" D  
6" H  
PG 54-55



**G105**  
6" D  
6" H  
PG 54-55



**G122**  
8" D  
7" H  
PG 56-57



**G125**  
8" D  
7" H  
PG 56-57



**G82**  
5 1/2" D  
7" H  
PG 50-51



**M8\***  
6 1/2" D  
6" H  
PG 58-59



**513**  
5" D  
5 1/2" H  
PG 62-63



**220**  
3 1/2" D  
7" H  
PG 60-61



**232-CL**  
3 5/8" D  
7 1/2" H  
PG 64-65



**232-W**  
3 5/8" D  
7 1/2" H  
PG 64-65



**SN SATIN BRUSHED  
NICKEL**



**OB OIL RUBBED BRONZE**



**PC POLISHED CHROME**





**INNOVATIONS LIGHTING, LLC.  
ALL DESIGNS COPYRIGHTED®**

**INNOVATIONS LIGHTING  
3199 ALBANY POST ROAD SUITE 307/310  
BUCHANAN, NY 10511**

**PH: 914-734-8076  
FX: 413-740-0394**

**SALES@INNOVATIONSLIGHTING.COM  
WWW.INNOVATIONSLIGHTING.COM**

**CATALOG 2017B**

**\$5**