



NEW BOOK, NEW LOOK, NEW TOOLS. WELCOME TO LBL.

LBL

1



NEW TOOLS, DESIGNED FOR YOU.

ICONOGRAPHY

Throughout this catalog you will find these icons which represent special features of our products. By making a few key features easier to find, these icons will help you select the best products for your specific application.

VISUAL INDEX - PP. 19-31

Given the broad selection of LBL Lighting products, we have provided a quick visual reference which includes a thumbnail of every fixture and accessory, listed alphabetically by category. Most fixtures come in multiple color, finish and lamping options which are detailed on the full product pages later in the catalog. Please note, the product overview does not reference our systems hardware which can be found on pp. 457-507.

LED SPECIFICATION OVERVIEW - P. 510

We have provided the detailed specifications of each of the LED packages used in our LBL Lighting fixtures. We hope this detail will enable you to gain a full understanding of each LED light source.


- Indicates which fixtures are LED or have an LED option. When a letter and page number are also indicated beside the LED icon (LED A p. 510), more details can be found for that integrated LED solution within the noted LED Specifications information on p. 510.
- Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.
- ADA Indicates which fixtures are ADA Compliant.
- Indicates which fixtures are ENERGY STAR® Qualified.

STICKERS - P. 17

To enable you to customize the catalog for your specific needs, we have supplied a set of repositionable adhesive flags so you can mark key product categories or favorite fixtures to which you want to direct another reader or to easily reference later yourself.

LED REPLACEMENT LAMPS & SORAA® - P. 511

With so many customers seeking LED replacement lamps, we have outlined our MR16 replacement lamp recommendations and specifications for SORAA® lamps. Afterwards we have included the specifications for the full array of lamps used across the LBL Lighting product line.







ARTISAN GLASS IS PART OF OUR DNA

We are fortunate to work with the finest glass artisans throughout the world. It takes years of apprenticeship and practice to become a master glass-blower and even then, each piece of glass reveals itself in its own distinct way. While we love to celebrate what makes each of our products unique, we also understand and appreciate your true desire for your fixtures to look just right. We work intimately with our glass partners to ensure our critical quality standards are met. We inspect each piece of glass as it arrives at our factory; diligently checking for excess bubbles, marks, scratches and other imperfections which may result from this inherently hand-made, artistic process. Fortunately, we do not dispose of our rejected glass and instead have partnered with a local countertop maker who repurposes the chards into unique works of art.

At LBL, we will continue to push the boundaries to create exceptional glass while never losing sight of how our glass will look in your space.

We hope you enjoy your fixtures as much as we enjoy creating them.




DESIGN & INSPIRATION

We often get asked where we find inspiration. In short, everywhere. A local museum. An international market. A furniture exposition. A vintage jewelry shop. The runway. Throughout our travels we collect. We are avid explorers of new forms, new materials and the latest technologies. We investigate the past so rich with timeless design, and we imagine alternate visions for the future. We seek out the latest trends, but challenge ourselves to create objects that will endure.

Throughout the design process – from sketch to launch – we have fun.

Creativity courses throughout our organization. We love the unexpected and spirited. We think this shows in each of our products. Our flexible design process easily adapts to meet the diverse needs of our customers. Whether making minor modifications to existing products or creating completely unique products specific to your design needs, our Quotes Department will work with you every step of the way to ensure your inspired designs come to life on budget and on time.

To sharp, design-inspired customers, LBL Lighting is the premier choice for contemporary, luxurious lighting because it offers elevated style with unanticipated interpretations and enables them to create a modern, passion-filled lifestyle. We surround ourselves with beautiful things that make us feel alive. We hope our products do the same for you and your space.




PULL, PROCESS, PACK AND SHIP

Customer service is more than a department within LBL. It is a mindset we fanatically pursue. We align ourselves with the best suppliers. We stock significant inventory. We organize around a nimble assembly process to build most of our fixtures on demand as your order requires. We measure everything. How long does it take to answer the phone? What are our order fill rates? What are our lead times? What got returned and why? How can we improve?

Our goal is simple and not dissimilar from the goal of most companies. We want to exceed your high expectations. However, goals are not what separate the great organizations from others. Execution does – and each day we endeavor to execute better than the day before. This has allowed us to be consistently recognized as a service leader in the lighting industry. We get our products to you quickly and on-time, and when you open the box, we are disappointed if what you find isn't even better than you hoped.

While we won't get it right 100% of the time, that is our ambition. When we don't, we will make it right. When you buy an LBL product you are buying more than just beautiful, functional lighting. You are buying our promise to do everything possible to back your product with exceptional service.



GOING DIGITAL HAS NEVER **BEEN BETTER**

We strive to provide the best printed literature in the industry. Equally important to us is to deliver compelling, relevant and helpful digital resources for those who prefer to live and work online. This year we redesigned lbllighting.com to enhance our images, simplify navigation and provide new tools to enrich the product search and specification process.



Sopale

- ENHANCED PRODUCT SEARCH to easily sort products by category, name, color, new or LED
- GROUP DOWNLOADS to easily select multiple spec sheets and download them all at once
- DOWNLOADABLE HI-RES IMAGES to share with others or use in professional layouts for advertising, design boards, specification proposals, etc.
- HOW TO BUY tools to quickly find local retail showrooms and online retailers who offer LBL Lighting
- GROWING SELECTION OF PRODUCT VIDEOS to learn about designers' inspirations and showcase key product features
- LINKS TO LBL LIGHTING'S SOCIAL MEDIA resources via Twitter, Pinterest and Houzz







PRODUCT CONFIGURATOR TO PROMPT A SALESPERSON OR CUSTOMER THROUGH THE CONFIGURATION OF A MONORAIL SYSTEM RESULTING IN A FULL BILL OF MATERIALS








FLAG YOUR FAVORITE FIXTURES FOR EASY REFERENCE LATER ON




LINE-VOLTAGE PENDANTS	Our Line-Voltage Pendants offer an incredible breadth of scale, style and color, and by their very stature, make a significant design statement — often taking the place of a traditional chandelier. Many complement smaller pendants and wall sconces of the same design, which can be a great way to maintain continuity throughout an entire application.
SUSPENSION	Our Suspension fixtures range from dramatic silhouettes to whimsical chandeliers — created from a wide variety of materials. And our ever-expanding offering of beautiful linear suspension fixtures, by nature of their size and shape, are perfect for a distinct look over a kitchen island, above a dining room table, illuminating a conference room or welcoming guests into a lobby.
LOW-VOLTAGE PENDANTS	Typically smaller than their Line-Voltage counterparts, our Low-Voltage Pendants are as versatile as they are beautiful. The minimalist cord virtually disappears while the lamps produce beautiful white light. The halogen source is more energy efficient than a typical incandescent lamp, and many of the pendants are also offered with our state-of-the-art, incredibly energy efficient LED module.
LOW-VOLTAGE HEADS	Our Low-Voltage Heads are not the track heads we all grew up with. Thoughtful design and engineering marry up with high performing MR16 lamps and LED modules to offer solutions for virtually any task application. A variety of styles fit a myriad of décor, and the available accessories extend the possibilities.
MONORAIL CHANDELIERS / MULTI-PORT CANOPIES	Monorail Chandeliers provide the ultimate in design flexibility. With three- and four-foot diameter choices, variable hanging lengths and multiple transformer options, they can be customized to make a stunning statement in any residential or commercial environment. Creativity takes off when Multi-Port Canopies are used to build custom chandeliers. Offered in several shapes, sizes and finishes, the possibilities are limitless.
FLUSH MOUNTS FLUSH / SEMI-FLUSH	Given their versatility and universal appeal, Flush Mount fixtures are ideal for entries, hallways, bathrooms, closets, stairwells and any spaces with a lower ceiling clearance. Thoughtful designs in a variety of materials will invariably help not only illuminate, but elevate these spaces.
WALL	Wall Sconces highlight and frame architectural features like no other type of fixture. Whether flanking a mirror, mantle, bed, desk, sitting area or providing soft, ambient light down a long hallway, wall fixtures truly serve a highly visible, central role in a room's décor. Many of these sconces work equally well in a bathroom setting to illuminate a vanity area.
BATH	Adequate light is imperative in the Bath, and today's bathrooms deserve a solution which is as pleasing to the eye as it is functional. From the simple and clean to the truly magnificent, our Bath fixtures will not only help you get ready in the morning, but will also help you relax, recharge and serve you for years to come. Several of the Bath Bars may also be mounted vertically, flanking the mirror, which is ideal for casting an even light across the face.
	Outdoor lighting delivers a warm welcome and safe entry to a home, office or retail space. Options abound to

OUTDOOR


Outdoor lighting delivers a warm welcome and safe entry to a home, office or retail space. Options abound to complement any architectural style, and our ever-increasing LED selection delivers energy efficiency and sleek design.






















LOW-VOLTAGE HEADS



TWIN SPOT SWIVEL 273

270

MONORAIL CHANDELIERS



DIMENSIONS HEAD 302



icicle head 298



MINI-DOME II HEAD



MINI-DOME II TWIN HEAD



ONYX HEAD 300



round monorail chandelier 296



TWIN TUBE HEAD 300




VISION HEAD 302

MULTI-PORT CANOPIES




MULTI-PORT CANOPIES 304-309





WILT BOWL 318




















GRAY / CHARTREUSE WHITE / CHAMPAGNE



WHITE / ORANGE




sample item number ${\bf SU784GC2D}$ milo gray outside / chartreuse inside with E26 lamp



DESIGNER'S NOTES:


- -INSPIRED BY EARLY TWENTIETH CENTURY FACTORY LIGHTS
- -MODERN TWIST CREATED BY A CONTRAST BETWEEN MATTE, RUBBERIZED FINISH AND UNEXPECTED INTERIOR COLORS
- -INNER LIGHT SOURCE HIDDEN BY AN OPAL GLASS GLOBE














sample item number $\ensuremath{\mathbf{LP7720PWH2D}}$ mezzo opal, white with E26 lamp








sample item number LP7730PGY2D mezzo opal, gray with E26 lamp





sample item number $\ensuremath{\mathsf{LP815DUBL2D}}$ linnet shape a dune, black with E26 squirrel cage lamp

THE SHEET STREET, SHEET SHEET

DESIGNER'S NOTES:

- -INSPIRED BY THE SILHOUETTES AND CAGE CONSTRUCTION OF VINTAGE LAMP SHADES
- -HAND-MADE CAGE IS HAND-WRAPPED WITH INTENTIONALLY FRAYED STRIPS OF LINEN FABRIC TO CREATE AN INDUSTRIAL, SHABBY CHIC LOOK







sample item number LP7480PBL2D someday opal, black with E26 lamp





sample item number LP7500PSC2D someday grande opal, satin nickel with E26 lamp







sample item number $\textbf{LF512SMBZ2D}\ \text{isla}$ smoke, bronze with Edison lamp







AMBER BROWN





CLEAR STEEL BLUE

MASON CLASSIC Complementary product p. 187					
35° 1828 mm 9 mm 1828 mm 9 mm 9 mm 9 mm 9 mm	MODEL	LF573			
	COLOR	AM amber BR brown CR clear BU steel blue			
	FINISH	BZ bronze SC satin nickel			
	LAMP	2D classic edison style T9 E26 30w			




DESIGNER'S NOTES:

- -A MODERN TWIST ON AN ICONIC SHAPE
- -CLASSIC EDISON STYLE LAMP ADDS AN ECLECTIC EDGE










STEEL BLUE

sample item number $\ensuremath{\text{LF573BRSC2D}}$ mason brown, satin nickel with E26 lamp

CLEAR



HAND-ETCHED TO CREATE MODERN TWIST ON A TRADITIONAL JAPANESE LANTERN



sample item number LF576IVSC2D aiko ivory, satin nickel with E26 lamp






BLACK CLEAR



SMOKE



sample item number LF566BLSC2D olivia black, satin nickel with E26 lamp



BLACK COPPER




SILVER

ZURI						
35° 122° 1828 mm 9.3° 1144 mm 9.3° 229 mm	MODEL	LP764				
	COLOR	BL black CP copper SI silver				
	FINISH	BZ bronze SC satin nickel				
	LAMP	2D E26 classic edison style A19 60w				

sample item number LP764BLSC2D zuri black, satin nickel with E26 lamp





sample item number $\ensuremath{\mathsf{LP7770SSC2D}}$ vera opal / silver, satin nickel with E26 lamp







OPAL

TRANSPARENT SMOKE



sample item number LP794SMSC2D tindra transparent smoke, satin nickel with E26 lamp





sample item number LP797SMSC2D akari smoke, satin nickel with E26 lamp






sample item number $\ensuremath{\text{LF625AMSC2D}}$ is is amber, satin nickel with E26 lamp




See application image on next page.



sample item number LF553PRSC2D rock candy cylinder amethyst, satin nickel with E26 lamp









DARK BROWN GRAY



STEEL BLUE

MIYU CLASSIC					
35° 114 mm 9 mm 12.8° 12	MODEL	LF581			
	COLOR	BR dark brown GY gray BU steel blue			
	FINISH	BZ bronze SC satin nickel			
	LAMP	2D classic edison style T9 E26 30w			

sample item number LF581GYSC2D miyu classic gray, satin nickel with Edison lamp







DARK BROWN GRAY




STEEL BLUE




sample item number $\mbox{LF578BUSC2D}$ miyu steel blue, satin nickel with E26 lamp





IVORY / BROWN




sample item number LF582BASC2D sora dark brown / light amber, satin nickel with E26 lamp



BLACK / WHITE BLUE RED








sample item number LF5840PSC2D addison opal, satin nickel with E26 lamp










HAND-PADDLED, BLOWN GLASS ENSURES EACH PIECE IS ONE-OF-A-KIND

RHYTHM SUSPENSION Complementary product p. 158						
6.5" 165 mm	MODEL	SU763				
1.8° 45 mm 45 mm 1.44° 3656 mm 12° 305 mm	COLOR	OP opal				
	FINISH	SC satin nickel				
	LAMP	2D E26 G40 150w				

sample item number SU7630PSC2D rhythm suspension opal, satin nickel with E26 lamp




SEEMS TO CAPTURE GLASS IN MOTION



sample item number LP7610PSC2D rhythm opal, satin nickel with E26 lamp




— SANDBLASTED VERTICAL LINES



sample item number LF2290PSC2D100 juniper opal, satin nickel with E26 lamp




- ORGANIC LAYERED GLASS DETAIL



sample item number LF236C0SC2D100 alaya clear / opal, satin nickel with E26 lamp






sample item number HS3970PSC2J60 icicle II opal, satin nickel with 60 w lamp



- FABRIC DRUM WITH HAND-CRAFTED WIRE DETAIL



sample item number LF653TNBZ2D hollywood beach long tan, bronze with E26 lamp






sample item number LF608GOSC2D dahling grande gray-opal, satin nickel with E26 lamp




INDULGENT Complementary product p. 235 CF TYPE ${\bf PF} \ {\bf compact} \ {\bf fluorescent}$ **LF** incandescent MODEL 598 COLOR **AM** amber ${\bf RD} \ {\sf red}$ **OP** opal FINISH ${f BZ}$ bronze **SC** satin nickel for PF only: **CF** GX24Q-3 26w triple tube LAMP for LF only: **2D** E26 A19 75w

sample item number $\ensuremath{\text{LF598AMBZ2D}}$ indulgent amber, bronze with E26 lamp









sample item number LF9350PSC2D100 monty opal, satin nickel with E26 lamp



STAINED GLASS-STYLE OUTER CYLINDER FROM THE CZECH REPUBLIC



sample item number LF500AMPSC2D75 abbey grande amber-purple, satin nickel with E26 lamp






DOME-S-I-GRANDE Complementary products pp. 232–233, p. 282, p. 299			
72" 1828 mm	MODEL	HS246	
4.5" 9 mm 1828 mm	COLOR	AM amber BU blue CR clear RD red	
168 mm	FINISH	SC satin nickel	
8.8" 224 mm	LAMP	2G60 G9 60W	












sample item number LF59400PBL2D100 drop opal, black with E26 lamp





sample item number ${\tt HS173CRPC1A7505}$ piattini clear, polished nickel, 60" with MR16 lamp






- SLEEK STAINLESS STEEL

VOLO Complementary product p. 261				
35" 35" 762 / 1067 / 1524 mm	MODEL	HS361		
	FINISH	SS stainless steel		
8** 203 mm	STEM	30" straight 42" straight 60" straight		
_ 4.5° _ _ 114 mm	LAMP	2D75 E26 A19 75w		

sample item number $\mbox{HS361SS302D75}$ volo stainless steel, 30" with E26 lamp



PERFORATED METAL CYLINDER WITH CHROME COAT FINISH



sample item number LF5500CC2D60 perf chrome coat with E26 lamp

LINE-VOLTAGE MULTI-LIGHT CANOPIES

Use to suspend a cluster of line-voltage pendants from a single overhead mounting location (pendants not included). Easily installs to a standard 4" junction box with the ability to quickly customize pendant cord length. Available in three styles: 3-light small, 3-light large and 5-light. For use with halogen, incandescent, or compact fluorescent GU24 pendants that hang from a single cord.




BRONZE



sample item number ${\sf CK003B\text{-}BZ}$ 3 round, bronze




BRONZE



sample item number ${\sf CK003D\text{-}BZ}$ 3 round large, bronze



SATIN NICKEL



sample item number CK005B-SC 5 round, satin nickel



SATIN NICKEL

SUSPENSION SWAG HOOK				
1.5"	MODEL	SUSP-SWAGHO	OK-	
38 mm 8" 20 mm	CANOPY	BL black SC satin nickel	BZ bronze WH white	

sample item number ${\bf SUSP\text{-}SWAGHOOK\text{-}SC}$ suspension swag hook, satin nickel



BRONZE


CANOPY GOOF RING			
	MODEL	CKGR-	
2.4" of mm of mm	FINISH	BZ bronze PC polished chrome SC satin nickel WH white	

sample item number CKGR-SC canopy goof ring, bronze






NOISNERS OS



INTERLACE		LED F p.510
6" 154 mm	MODEL	SU767
1.6" 40 mm	FINISH	SC satin nickel
1.1" 28 mm 29.5" 749 mm	LAMP	LED LED module 30w 2700K 120v LED277 LED module 30w 2700K 277v dimmable with a low-voltage electronic dimmer




sample item number SU767SCLED interlace, satin nickel with LED module









sample item number ${\bf SU7760SSCCF}$ vera opal / silver, satin nickel with GX24Q-3 lamps








sample item number ${\bf SU770ALLED}$ east river, brushed aluminum outside / inside with LED module






sample item number ${\bf SU768SCLED830}$ calix 7-light, satin nickel with LED module










sample item number ${\bf SU830SCLED}$ vitre rectangle, satin nickel with LED module






ERA METAL




PLAID METAL




sample item number SU769MPLSCLED questa plaid metal, satin nickel with LED module







CLEAR CRYSTAL








 $sample\ item\ number\ \textbf{SU697CCSCLED}\ made moiselle\ clear\ crystal,\ satin\ nickel\ with\ LED\ module$







sample item number **HS524CRSC76** bling clear, satin nickel, 76" overall










sample item number $\ensuremath{\textbf{LP747}}\xspace \ensuremath{\textbf{AMSCCF}}\xspace$ constellation grande amber, satin nickel with GX24Q-3 lamp



See application image on next page.



sample item number HS513070PSC26 constellation 7-light opal, satin nickel, 26" overall







BOTH GLASS SHADE OPTIONS FEATURE A UNIQUE TEXTURE



sample item number **EF667CRFRBZLED** duke clear glass w/ fizz, bronze with LED module



CLEAR GLASS W/ FIZZ CLEAR GLASS W/ SILVER MICA



sample item number SU756CRFRBZLED duke grande clear glass w/ fizz, bronze with LED module





MEZZO 3-LIGHT Complementary products pp. 38–39			
6.1"	MODEL	SU7723	
155 mm 1.2" 30 mm	COLOR	OP opal	
72"	FINISH	GY gray WH white	
14.2° 361 mm	LAMP	2D E26 A19 3x75w 120v	




sample item number ${\bf SU77230PGY2D}$ mezzo 3-light opal, gray with E26 lamps






OPAL GLASS BRONZE



sample item number ${\bf SU75760PBZ2D}$ tessa 6-light opal glass, bronze with E26 lamps



NO GLASS SATIN NICKEL



sample item number ${\bf SU75780PBZ2D}$ tessa 8-light opal glass, bronze with E26 lamps





AMETHYST CLEAR



DARK AMBER

GLASS COLORS





CLEAR



DARK AMBER

AMETHYST



OPAL





SMOKE

STEEL BLUE

ROCK CANDY 5-LIGHT Complementary products pp. 57–59, p. 166, p. 174, pp. 268–270, p. 340, p. 338			
4.5" 114 mm	MODEL	SU6235	
35° 9 mm	COLOR	PR amethyst CR clear AM dark amber OP opal SM smoke BU steel blue	
3656 mm	FINISH	BZ bronze SC satin nickel	
11.6" 295 mm 	LAMP	2G G9 5x60w 120v	





OPAL SMOKE



GLASS COLORS









CLEAR

DARK AMBER








OPAL

SMOKE


STEEL BLUE

ROCK CANDY 8-LIGHT Complementary products pp. 57–59, p. 166, p. 174, pp. 268–270, p. 340, p. 338			
4.5" 114 mm 35"	MODEL	SU6238	
9 mm 144° 3656 mm	COLOR	PR amethyst CR clear AM dark amber OP opal SM smoke BU steel blue	
/ \	FINISH	BZ bronze SC satin nickel	
11.6° 295 mm 31.3° 796 mm	LAMP	2G G9 8x60w 120v	

sample item number ${\bf SU6238SMSC2G}$ rock candy 8-light smoke, satin nickel with G9 lamps



CLEAR / SATIN NICKEL



DARK AMBER-LIGHT AMBER-CLEAR / GOLD



 $sample\ item\ number\ \textbf{EF673AGLED}\ roka\ dark\ amber-light\ amber-clear\ /\ gold\ with\ LED\ module$





BRONZE



GOLF



GYPSY		CF LED L p.510
	TYPE	PF fluorescent EF LED
13.8" 350 mm	MODEL	631
30 mm	COLOR	FR frost
72" 1828 mm	FINISH	BZ bronze GD gold SC satin nickel
2° 51 mm 914 mm	LAMP	for PF only: CF T5HO mini bi-pin 39w for EF only: LED LED module 12w 3000K



sample item number ${\sf EF631FRSCLED}$ gypsy frost, satin nickel with LED module




CHROME / WHITE




GOLD / WHITE








sample item number ${\bf SU755GDGMLED}$ scarlett gold, gunmetal with LED module






sample item number **PF665TNNRCF** derby rectangular tan, natural raw with T5HO lamp





sample item number $\pmb{\mathsf{HS1881SC1A}}$ baybridge 5 light, satin nickel with MR16 lamps



sample item number **HS1861SC1A** baybridge 3 light, satin nickel with MR16 lamps



LINEN PEBBLE




PEWTER




sample item number $\mbox{\bf LF680PESC2D}$ fiona grande pewter, satin nickel with E26 lamps





sample item number LF657NTSC2D glama natural, satin nickel with E26 lamps





sample item number $\mbox{\bf PF683GYSCCF}$ elba gray, satin nickel with GU24 lamps



for PF only: **CF** GU24 4x27w

for LF only: **2D** E26 A19 4x75w

sample item number **LF655GYBZ2D** cato gray, bronze with E26 lamp


LAMP





sample item number **PF650TNBZCF** hollywood beach tan, bronze with GU24 lamps





sample item number LF643PESCCF chicago jazz pewter, satin nickel with GX24-3 lamp




MISS CHARLIE		
	MODEL	LF676
4.5° 114 mm 35° 24° 36° 609 mm 914 mm 48° 60°	COLOR	BL black
	FINISH	SC satin nickel
1219 mm 1524 mm	LENGTH	24 24" overall 36 36" overall 48 48" overall 60 60" overall
	LAMP	2D E26 A19 4x60w



sample item number LF676BLSC242D miss charlie black, satin nickel, 24" with E26 lamps





sample item number $\mbox{HS399AMSC2J150}$ ambra amber, satin nickel with E11 lamp








sample item number $\mbox{HS317AMSC2J150}$ veneto amber, satin nickel with E11 lamp








sample item number $\mbox{HS318RDSC2J250}$ veneto grande red, satin nickel with E11 lamp


DESIGNER'S NOTES: -MURANO GLASS FROM ITALY -INLAID SILVER FLAKES









sample item number LF400MOSC2D100 veneto venti mocha, satin nickel with E26 lamp




















sample item number HS20612FRSC05 batons 12-head frost, satin nickel, 60"









TUB	ES SEVEN	TUBES SEVEN Complementary products p. 264, p. 300, p. 392
MODEL	HS72932/1	
COLOR	FR frosted	
FINISH	BZ bronze SC	SC satin nickel
LAMP	1B35 GY 6.35	











STANDARD INTERIOR COLORS



CUSTOM INTERIOR COLORS***









DESIGNER'S NOTES:

- -UNDERSTATED EXTERIOR REVEALS SHIMMERING RHINESTONES
- -STUNNING WHEN HUNG
 IN GLAMOROUS CLUSTERS
- -AVAILABLE IN 20 CUSTOM INTERIOR COLORS









	1	SHAKASU				
MADEMOISELLE NO.2 Complementary products p. 96, p. 332						
	MODEL	HS686				
72* 1828 mm 8* 203 mm	COLOR	CC clear crystal CG golden shadow JT jet				
	FINISH	SC satin nickel				
	LAMP	1A MR16 50w				
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.				

sample item number **HS686CGSC1AFSJ** mademoiselle no.2 golden shadow, satin nickel with MR16 lamp







MINI-DIA		
72"	MODEL	HS783
14.4* 366 mm 2.6* 67 mm	COLOR	CR clear BR transparent brown GY transparent charcoal
	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.




DIA		
72"	MODEL	HS782
1828 mm	COLOR	CR clear BR transparent brown GY transparent charcoal
20.7" 526 mm 3.2" 82 mm	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



sample item number HS782CRSC1BFSJ dia clear, satin nickel with Xenon lamp













MINI-VERA	MINI-VERA Complementary products p. 52, p. 146, p. 312		
_	MODEL	HS778	
10.5° 267 mm	COLOR	OS opal / silver	
	FINISH	SC satin nickel	
	LAMP	1B GY6.35 Xenon 35w LED LED module 6w 3000K	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	






PAIGE		LED A p.510
	MODEL	HS795
72" 1828 mm	COLOR	CR clear AM light amber SM smoke
	FINISH	BZ bronze SC satin nickel
12" 305 mm	LAMP	1B GY6.35 Xenon 35w LED LED module 6w 3000K
3.7" 93 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.









 $sample\ item\ number\ \textbf{HS796BUSCLEDFSJ}\ mini\ akari\ steel\ blue,\ satin\ nickel\ with\ LED\ module$



BRONZE SATIN NICKEL

MONACO		
₹—	MODEL	HS780
1020 11111	COLOR	GD gold bubble
	FINISH	BZ bronze SC satin nickel
18" 457 mm	LAMP	1B GY6.35 Xenon 35w
3° 76 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



sample item number HS780GDBZ1BFSJ monaco gold bubble, bronze with Xenon lamp

SMALL, IRIDESCENT BUBBLES CREATED BY INFUSING MOLTEN GLASS WITH A SPECIAL COMPOUND PRODUCING A

CHEMICAL REACTION



CORINNA		
₹ <u>.</u> 72"	MODEL	HS775
1828 mm	COLOR	CZ clear w/ bronze bubbles YZ gray w/ bronze bubbles
	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 35w
2" 51 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



sample item number HS775CZSC1BFSJ corinna clear w/ bronze bubbles, satin nickel with GY6.35 lamp



CLEAR W/ GOLD

CLEAR W/ SILVER

LUXA		
72" 1828 mm	MODEL	HS758
	COLOR	CG clear w/ gold CS clear w/ silver
	FINISH	BZ bronze SC satin nickel
356 mm 356 mm	LAMP	1B GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS758CSSC1BFSJ luxa clear w/ silver, satin nickel with Xenon lamp



- -CLEAR GLASS SHADE WITH BOTTLE







EACH PIECE OF CRYSTAL
- IS HAND-CARVED TO THE
ASYMMETRICAL SHAPE

BRONZE

SATIN NICKEL



BOTTOM VIEW

LEXUM		
72" 1828 mm 	MODEL	HS781
	COLOR	CR optic crystal
	FINISH	BZ bronze SC satin nickel
	LAMP	1B G4 Xenon 20w
3" 76 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS781CRSC1BFSJ lexum optic crystal, satin nickel with Xenon lamp




ASYMMETRICAL PATTERN OF RAISED CIRCLES UNIQUELY USES POSITIVE AND NEGATIVE SPACE

ARIK		LED A p.510
72° 1828 mm 8 50000 mm 8 5000 mm	MODEL	HS759
	COLOR	CR clear OP glossy opal GY transparent charcoal gray BR transparent light brown
	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon LED LED module 6w 3000K (35w or 50w depending on color) (opal only)
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{HS759CRSC1BFSJ}$ arik clear, satin nickel with Xenon lamp





sample item number **HS774GDSCLEDFSJ** vigi gold, satin nickel with LED module








SHADE COMPRISED OF 100% RECYCLABLE PLASTIC DESIGNED BY KOZIOL OF GERMANY



sample item number $\mbox{HS565SMSC1BMRL}$ mini-olivia smoke, satin nickel with Xenon lamp







DESIGNER'S NOTES:

- -TRANSPARENT GLASS CONF
- -DECORATIVE, HAND-ETCHED BAN



BRIOLETTE		(ED) A p.510
	MODEL	HS549
d. 77*	COLOR	AM amber BR brown FR frost SM smoke
1828 mm 7.5° 191 mm - 4.3° - 95 mm	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{HS549SMBZ1BMRL}$ briolette smoke, bronze with Xenon lamp





MINI-ISIS	MINI-ISIS CYLINDER Complementary products p. 56, p. 339		
	MODEL	HS545	
₹72"	COLOR	AM amber AQ aqua CR clear SM smoke	
1828 mm	FINISH	BZ bronze SC satin nickel	
10.5" 267 mm	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K	
3 76 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	






MINI-ROC	MINI-ROCK CANDY CYLINDER Complementary products pp. 57, pp. 110-111, pp. 268-270, p. 340, p. 388				
	MODEL	HS547			
72"	COLOR	PR amethyst CR clear AM dark amber SM smoke BU steel blue			
1828 mm	FINISH	BZ bronze SC satin nickel			
10.2° 259 mm 3.6° 91 mm	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K			
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.			
















See application image on next page.




sample item number $\mbox{\bf HS693GYSCLEDFSJ}$ zollo gray, satin nickel with LED module













FRACTURED-ICE TEXTURE AND FROSTED SCAVO FINISH TO HELP DIFFUSE THE LIGHT

CHILL		
	MODEL	HS583
72"	COLOR	AM amber BU blue CR clear
1828 mm	FINISH	BZ bronze SC satin nickel
8" 203 mm	LAMP	1B GY6.35 Xenon 50w
61" 155 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS583BUSC1BMRL chill blue, satin nickel with Xenon lamp





	MODEL	HS506
72" 1828 mm 6.1" 156 mm	COLOR	AM amber AQ aqua BR brown CR clear SM smoke
	FINISH	BZ bronze SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{HS506SMBZ1B35MRL}$ mini-isla smoke, bronze with Xenon lamp







SEGURO		
72° 1828 mm 11° 279 mm - 5° - 127 mm	MODEL	HS467
	COLOR	AM amber AQ aqua CR clear GR olive green SM smoke
	FINISH	BZ bronze SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.







RELIC NO.	1	
	MODEL	HS688
1828 mm 1828 mm 7" 177 mm — 5.4"	COLOR	AM amber CR clear GR green OR orange
	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{HS688AMBZ1BMRL}$ relic no.1 amber, bronze with Xenon lamp






RELIC NO.	RELIC NO.2		
	MODEL	HS689	
72=	COLOR	AM amber CR clear GR green OR orange	
1828 mm 7" 1777 mm — 5.4" —	FINISH	BZ bronze SC satin nickel	
	LAMP	1B GY6.35 Xenon 35w	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HS689CRSC1BMRL relic no.2 clear, satin nickel with Xenon lamp





sample item number HS462AMSC1B50MRL cypree large amber, satin nickel with Xenon lamp



DESIGNER'S NOTES:

- -SLENDER, MODERN, ORGANIC SILHOUETTE
- FROSTED GLASS
- -DRAMATIC SCALE





sample item number HS463AMSC1B50MRL cypree small amber, satin nickel with Xenon lamp



MINI-PAV	VIA Complementary products p. 66, p. 346		
	MODEL	HS508	
₹— 72" 1828 mm	COLOR	AM amber BR brown LT latte OP opal	
12.3" 312 mm 32" 81 mm	FINISH	BZ bronze SC satin nickel	
	LAMP	1B50 GY6.35 Xenon 50w LED LED module 6w 3000K	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HS508BRSC1B50MRL mini-pavia brown, satin nickel with Xenon lamp









AMBER BROWN





BARREL-SHAPED TRANSPARENT GLASS SURROUNDS AN OPAL GLASS DIFFUSER

CLEAR STEEL BLUE

MINI-MASON	MINI-MASON Complementary product p. 48		
	MODEL	HS574	
₹—	COLOR	AM amber BR brown CR clear BU steel blue	
1828 mm 9,7" 246 mm	FINISH	BZ bronze SC satin nickel	
	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HS574BRSC1BMRL mini-mason brown, satin nickel with Xenon lamp



MINI-JASPER		
72° 1828 mm 198 mm 8.7° 221 mm	MODEL	HS539
	COLOR	CR clear BU steel blue
	FINISH	BZ bronze SC satin nickel
	LAMP	1B GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\ensuremath{\mathsf{HS539CRSC1BMRL}}$ mini-jasper clear, satin nickel with Xenon lamp






GRACEFUL GLASS WITH IRIDESCENT FINISH

CYLIA		LED B p.510
	MODEL	HS472
	COLOR	AM amber BU blue OP opal
72" 1828 mm	FINISH	BZ bronze SC satin nickel
14.4" 112 mm	LAMP	1B50 GY6.35 Xenon 50w LED LED module 6w 3000K
5.5.° 140 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\ensuremath{\mathsf{HS472BUSC1B50MRL}}$ cylia blue, satin nickel with Xenon lamp



OCEAN SURF-INSPIRED BLOWN-GLASS GLOBE



sample item number HS542BUSC1BMRL aquarii steel blue, satin nickel with Xenon lamp



TWO-TONED POWDER FRIT CREATES EARTH TONES







sample item number **HS585BBSC1BMRL** rio amber / dark brown, satin nickel with Xenon lamp



MINI-DAHLING Complementary product p. 342		
	MODEL	HS621
	COLOR	GO gray-opal
72" 1828 mm	FINISH	BZ bronze SC satin nickel
7.1"	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K
3* 76 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number **HS621GOSC1BMRL** mini-dahling gray-opal, satin nickel with Xenon lamp



TRANSLUCENT GLASS WITH SOFT FRIT ACCENTS WHICH TRANSITION FROM OPAL TO GRAY

DAHLING Complementary product p. 342				
	MODEL	HS616		
	COLOR	GO gray-opal		
72" 1828 mm	FINISH	BZ bronze SC satin nickel		
10" 254 mm 43" 110 mm	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

 $sample\ item\ number\ \textbf{HS616GOSC1BMRL}\ dahling\ gray-opal,\ satin\ nickel\ with\ Xenon\ lamp$



MINI-SPRINGVIEW		
	MODEL	HS604
	COLOR	CR clear SM smoke
72" 1878 mm	FINISH	BZ bronze SC satin nickel
7=	LAMP	1A MR16 50w
177 mm		FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail
3.1. ⁻ 79 mm	MOUNT	For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

 $sample\ item\ number\ \textbf{HS604CRBZ1AMRL}\ mini\text{-springview}\ clear,\ bronze\ with\ Xenon\ lamp$



SPRINGVIEW			
	MODEL	HS603	
	COLOR	CR clear SM smoke	
72" 1828 mm	FINISH	BZ bronze SC satin nickel	
14.5° 369 mm 4° 102 mm	LAMP	1A MR16 50w	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number **HS603SMBZ1AMRL** springview smoke, bronze with Xenon lamp



See application image on p. 198

LILY		
	MODEL	HS378
72" 1828 mm	COLOR	AM amber OP opal RD red
28" 711 mm 4" 102 mm	FINISH	BZ bronze PC polished chrome SC satin nickel
	LAMP	1B20 G4 Xenon 20w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS378RDSC1B20MRL lily red, satin nickel with Xenon lamp



MINI-LILY	MINI-LILY			
	MODEL	HS509		
72" 1828 mm	COLOR	AM amber OP opal RD red		
	FINISH	BZ bronze SC satin nickel		
17.5" 445 mm	LAMP	1B10 G4 Xenon 10w		
2" 51 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number HS509AMBZ1B10MRL mini-lily amber, bronze with Xenon lamp





DESIGNER'S NOTES:

- -TRANSPARENT COLORED GLASS IN A UNIQUE ORGANIC SHAPE
- -DRAMATIC SCALE HUNG INDIVIDUALLY OR IN CLUSTERS
- -HAND-PULLED AFTER BEING REMOVED FROM THE MOID







DESIGNER: Kristy Kropat, Kropat Interior Design

DESIGNER'S NOTES:

- -SLEEK METAL AND ACRYLIC CYLINDERS
- -SHADE COLOR IS DETERMINED BY THE



TOP-SI COAX Complementary product p. 357		
	MODEL	HS240
72° 1828 mm 1828 mm 203 mm 2° 51 mm	COLOR	AM amber BU blue CR clear OP opal RD red
	FINISH	PC polished chrome SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

DESIGNER'S NOTES: -MOUTH-BLOWN TRANSPARENT -INNER BOROSILICATE GLASS TUBE DESIGN: Ryan Duebber Architect, LLC PHOTOGRAPHER: Ross Van Pelt LOW-VOLTAGE PENDANTS



ROCKS		
	MODEL	HS261
	COLOR	CR clear
72" 1828 mm	FINISH	BZ bronze SC satin nickel
4.9" 124 mm	LAMP	1B35 GY6.35 Xenon 35w
3.1° 79 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.





BLING Complementary product p. 98				
	MODEL	HS447		
72° 1828 mm 1 2.2° 81 mm 1 2.4° 61 mm	COLOR*	CR clear * Custom cord colors available. Contact LBL Quotes Department, quotes@generation-brands.com, for more information.		
	FINISH	SC satin nickel		
	LAMP	1B10 G4 Xenon 10w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		





DIMENSIONS Complementary product p. 302		
72" 1828 mm 6.4" 163 mm	MODEL	HS337
	COLOR	CR clear AM dark amber AB prismatic multicolor
	FINISH	BZ bronze SC satin nickel
	LAMP	1A35 MR11 Halogen 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{HS337AMBZ1A35MRL}$ dimensions amber, bronze with Halogen lamp



DESIGNER'S NOTES:

-OPTICALLY PURE, LARGE SWAROVSKI CRYSTAL ELEGANTLY ILLUMINATED BY DOWNLIGHT





VISION Complementary products p. 80, p. 302, p. 349		
72* 1828 mm 6.4* 163 mm - 4.1* - 104 mm	MODEL	нsзз6
	COLOR	AM amber CR clear
	FINISH	BZ bronze SC satin nickel
	LAMP	1A35 MR11 Halogen 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.






		CHARTAST
CELESTE		Sold file cases
	MODEL	HS159
72° 1828 mm	COLOR	CR clear AB prismatic
	FINISH	PC polished chrome SC satin nickel
	LAMP	1A50 MR16 Halogen 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS159ABSC1A50MRL celeste prismatic, satin nickel with Halogen lamp

OPTIONAL LED MR16 COLORED LAMPS (12v only, sold separately)

H895M-LED / AMBER amber H895M-LED / BLUE blue H895M-LED / GREEN green H895M-LED / RED red H895M-LED / 3000K 3000K H895M-LED / 5000K 5000K H895M-LED / RGB RGB color-changing

COLOR






ICICLE Con	nplementar	ry products p. 70, p. 298, p. 360
	MODEL	HS277
1828 mm 9.3* 236 mm	COLOR	AM amber BU blue CR clear OP opal
	FINISH	BZ bronze SC satin nickel
	LAMP	1A35 MR11 Halogen 35w ¹ 1B35 GY6.35 Xenon 35w ² LED LED module 6w 3000K ² ¹ 1A35 lamping corresponds with BU and CR glass only. ² 1B35 and LED lamping corresponds with AM and OP glass only.
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Halogen or Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.


DESIGNER'S NOTES: 0 CREATE ELEGANT MOUTH-BLOWN SHAPES -CLEAR DRAW AT THE BOTTOM FOR DRAMA LOW-VOLTAGE PENDANTS ARCHITECT: Mesh Architecture + Fabrication





DESIGNER'S NOTES: -PATTERNED BLOWN GLASS WITH DRAMATIC -CLEAR DRAW AT THE BOTTOM FOR DRAMA INTERIOR DESIGNER: Elizabeth R. Swartz, ASID Elizabeth Swartz Interiors, LLC LOW-VOLTAGE PENDANTS BUILDING DESIGNER: Sam Sherman, San Sherman Associates








TUBULAR Complementary products p. 132, p. 264, p. 300, p. 392			
	MODEL	HS279	
J_ 72"	COLOR	FR frost	
1828 mm	FINISH	SC satin nickel	
8.1° 206 mm 1.5° 38 mm	LAMP	1B35 GY6.35 Xenon 35w	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HS279FRSC1B35MRL tubular frost, satin nickel with Xenon lamp



ELEGANT MURANO GLASS WITH ACCENTS OF SILVER LEAF









sample item number $\mbox{HS5110PBZ1B50MRL}$ coliseum opal, bronze with Xenon lamp









FLUTE		
72* 1828 mm 7" 7" 178 mm 3.5* 89 mm	MODEL	HS194
	COLOR	AM amber CR clear
	FINISH	BZ bronze SC satin nickel
	LAMP	1A50 MR16 Halogen 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.





TEAR-SI COAX				
	MODEL	HS241		
↓_ n=	COLOR	AM amber CR clear		
1828 mm 7.4" 187 mm 1828 mm 7.4" 187 mm 1828 mm 7.4" 1828	FINISH	PC polished chrome SC satin nickel		
	LAMP	1B35 GY6.35 Xenon 35w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		





TEAR-SII C	COAX	(LED) A p.510			
	MODEL	HS242			
d. 72"	COLOR	AM amber BU blue OP opal RD red			
1828 mm 7,4" 187 mm 4" 102 mm	FINISH	PC polished chrome SC satin nickel			
	LAMP	1B35 GY6.35 Xenon 35w LED LED module 6w 3000K			
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.			



BANJA LED A p.510 MODEL HS504 COLOR AQ aquamarine \mathbf{AM} dark amber IW ivory opaque FINISH SC satin nickel **BZ** bronze LAMP **1B35** GY6.35 Xenon 35w LED LED module 6w 3000K MPT monopoint** MR2 2-circuit rail MRL monorail FSJ fusion jack* For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. MOUNT * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS504AMSC1B35MRL banja dark amber, satin nickel with Xenon lamp



SOPHIA Complementary product p. 349				
	MODEL	HS266		
	COLOR	AM amber CR clear		
72° 1828 mm 2,5° 64 mm -114 mm	FINISH	BZ bronze SC satin nickel		
	LAMP	1A35 MR16 Halogen 35w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		





ORBIT Complementary product p. 284		
	MODEL	HS273
	FINISH	BZ bronze SC satin nickel
72" 1828 mm	LAMP	1A35 MR16 Halogen 35w
2.8" 72 mm		FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24"
79 mm	MOUNT	to item number.
		* Fusion Jack canopies sold separately. See pp. 500-507 for options.
		** Includes 4" Round Flush Canopy.

sample item number HS273SC1A35MRL orbit, satin nickel with Halogen lamp



MINI-DOME II Complementary products p. 76, p. 233, p. 282, p. 299				
	MODEL	HS275		
	COLOR	AM amber OP opal		
↓ ₇₇ -	FINISH	BZ bronze SC satin nickel		
1828 mm	LAMP	1B35 GY6.35 Xenon 35w		
2.5" 64 mm 79 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number **HS275AMSC1B35MRL** mini-dome II amber, satin nickel with Xenon lamp





DOME-SI COAX Complementary products p. 76, p. 232, p. 282, p. 299				
	MODEL	HS245		
1828 mm 1828 mm 4.9° 102 mm — 5.8°	COLOR	AM amber BU blue CR clear RD red		
	FINISH	SC satin nickel		
	LAMP	1B35 GY6.35 Xenon 35w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

RED

sample item number HS245CRSC1B35MRL dome-SI coax clear, satin nickel with Xenon lamp

CLEAR



LAVA I		
	MODEL	HS305
	COLOR	TO tortoise
72" 1828 mm	FINISH	BZ bronze SC satin nickel
3.5" 89 mm 2.8" 70 mm	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS305T0BZ1B35MRL lava I tortoise, bronze with Xenon lamp



MANGO COAX NUAGE		
	MODEL	HS298
	COLOR	MO mocha OP opal
72" 1828 mm	FINISH	BZ bronze SC satin nickel
4.5" 114 mm	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS298MOSC1B50MRL mango coax nuage mocha, satin nickel with Xenon lamp



MINI-INDU	LGENT Complementary product p. 72		
	MODEL	HS599	
72"	COLOR	AM amber OP opal RD red	
1828 mm 5.8* 147 mm	FINISH	BZ bronze SC satin nickel	
	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HS599AMBZ1BMRL mini-indulgent amber, bronze with Xenon lamp



PAPERWEIGHT				
	MODEL	HS349		
72" 1828 mm	COLOR	AM amber BU blue OP opal		
	FINISH	BZ bronze SC satin nickel		
3.4" 86 mm	LAMP	1B35 GY6.35 Xenon 35w		
3.4" 86 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number HS349BUSC1B35MRL paperweight blue, satin nickel with Xenon lamp



BULLÉ		
1828 mm 4" 102 mm 102 mm 102 mm	MODEL	HS348
	COLOR	AM amber BU blue CR clear
	FINISH	BZ bronze SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS348AMSC1B35MRL bullé amber, satin nickel with Xenon lamp





MINI-VENETO Complementary products pp. 123–127, pp. 319–321		
	MODEL	HS379
1828 mm 1828 mm 51 mm	COLOR	AM amber MO mocha OP opal RD red
	FINISH	BZ bronze SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS379AMBZ1B50MRL mini-veneto amber, bronze with Xenon lamp




JELLY MODEL HS319 COLOR **BU** blue MO mocha ${\bf RD} \; {\sf red}$ FINISH ${\bf SC}$ satin nickel **BZ** bronze LAMP **1B50** GY6.35 Xenon 50w MPT monopoint** MRL monorail FSJ fusion jack* MR2 2-circuit rail For use with 24 volt transformer, add suffix "-24" to item number. MOUNT * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number $\mbox{\bf HS319BUSC1B50MRL}$ jelly blue, satin nickel with Xenon lamp







sample item number HS371AMSC1B50MRL neptune I amber, satin nickel with Xenon lamp







MINI-MONTY Complementary products p. 74, p. 364		
	MODEL	HS338
1828 mm 5,5" 140 mm -102 mm	COLOR	BU blue MO mocha OP opal RD red
	FINISH	BZ bronze SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



DESIGNER'S NOTES:

- -ITALIAN MURANO GLASS
- -MILLEFIORE TECHNIQUE FEATURES Mosaic Glass beads fused together
- -FROM THE ITALIAN WORDS "MILLE" (THOUSAND) AND "FIORI" (FLOWERS)
- -EMBEDDED SILVER FLAKES







BLUE BLUE-GREEN






MULTICOLOR PURPLE-BLUE

CONE II		
72° 1828 mm 7,5° 191 mm - 4° 102 mm	MODEL	HS341
	COLOR	BU blue BG blue-green MC multicolor PB purple-blue
	FINISH	SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS341MCSC1B35MRL cone II multicolor, satin nickel with Xenon lamp










FINESTRA		
	MODEL	HS446
16.5° 419 mm	COLOR	BL black AM caramel OP opal RD red
	FINISH	BZ bronze SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS446RDSC1B35MRL finestra red, satin nickel with Xenon lamp









sample item number HS459AMRSC1B50MRL abbey amber-red, satin nickel with Xenon lamp







STOGIE II		
72" 1828 mm 11" 279 mm 2.8" 70 mm	MODEL	HS270
	COLOR	AM amber OP opal RD red
	FINISH	BZ bronze SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS270RDSC1B50MRL stogie II red, satin nickel with Xenon lamp



UNIQUE FRIT AND SPECIAL IRIS COATING

MADELEINE		
	MODEL	HS268
72" 1828 mm 13.5" 343 mm	COLOR	BU blue PR purple RD red TO tortoise
	FINISH	BZ bronze SC satin nickel
	LAMP	1B35 GY6.35 Xenon 35w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS268RDSC1B35MRL madeleine red, satin nickel with Xenon lamp



FLOW		
	MODEL	HS377
72" 1828 mm 5.3" 135 mm	COLOR	AM amber BL black
	FINISH	BZ bronze SC satin nickel
	LAMP	1A50 MR16 Halogen 50w
3.5* 89 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HS377BLSC1A50MRL flow black, satin nickel with Xenon lamp



VORTEX		
72° 1828 mm 7,3° 185 mm	MODEL	HS235
	COLOR	AM amber BU aqua blue RD red
	FINISH	PC polished chrome SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



SPENCER				
	MODEL	HS284		
J 731	COLOR	AM amber BU blue CR clear		
1828 mm 1858 mm 185 mm	FINISH	SC satin nickel		
	LAMP	1B50 GY6.35 Xenon 50w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number $\mbox{HS284AMSC1B50MRL}$ spencer amber, satin nickel with Xenon lamp



GELATO		
	MODEL	HS271
72° 1828 mm	COLOR	AM amber BU blue CR clear
	FINISH	BZ bronze SC satin nickel
	LAMP	1B50 GY6.35 Xenon 50w
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.





ITALIAN HAND-BLOWN GLASS SPHERE ENCASED BY HAND-PLACED GLASS POINT DECORATION; INSPIRED BY SEA CREATURES

OONI					
	MODEL	HS171			
1828 mm 182	COLOR	AM amber BU blue CR clear PR purple			
	FINISH	PC polished chrome SC satin nickel			
	LAMP	1B35 GY6.35 Xenon 35w			
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.			

sample item number HS171BUPC1B35MRL ooni blue, polished chrome with Xenon lamp



CRYSTAL	CRYSTAL BALL		
	MODEL	HS264	
	COLOR	CR clear	
72" 1828 mm 2" 51 mm	FINISH	BZ bronze SC satin nickel	
	LAMP	1B10 G4 Xenon 10w	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	



ARIANA				
	MODEL	HS587		
1828 mm 1828 mm 8.75" 222 mm 8" 203 mm	COLOR	BR brown CR clear		
	FINISH	BZ bronze SC satin nickel		
	LAMP	1B GY6.35 Xenon 50w		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number HS587BRSC1BMRL ariana brown, bronze with Xenon lamp



ROCKET						
	MODEL HS265					
72" 1828 mm	FINISH	SC satin nickel				
8.9"	LAMP	1A35 MR16 Halogen 35w				
225 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.				





HOVER						
	MODEL	HS381				
	FINISH	BZ bronze SC satin nickel				
72° 728 mm 1828 mm 3.3° 83 mm —143 mm	LAMP	1A50 MR16 Halogen 50w				
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.				

sample item number ${\tt HS381SC1A50MRL}$ hover, satin nickel with Halogen lamp



STAINLESS STEEL CYLINDRICAL WITH DECORATIVE CUT-OUTS

MINI-VOLO Complementary product p. 82						
	MODEL	HS362				
72" 1828 mm	FINISH	SS stainless steel				
8 8	LAMP	1A50 MR16 Halogen 50w				
3.3" 83 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.				

sample item number HS362SS1A50MRL mini-volo, stainless steel with Halogen lamp



FABRIC DRUM WITH HAND-CRAFTED WIRE DETAIL

MINI-HOLL	MINI-HOLLYWOOD BEACH Complementary products p. 70, p. 120, p. 317, p. 368		
	MODEL	HS652	
₹72"	COLOR	TN tan	
9° 228 mm	FINISH	BZ bronze	
	LAMP	1B GY6.35 Xenon 50w LED LED module 6w 3000K	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp. * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	





LINEN PEBBLE



CLASSIC DRUM SHADE UPDATED - WITH MODERN FABRICS AND GLASS DIFFUSER

PEWTER



sample item number HS590PESC1BMRL fiona pewter, satin nickel with Xenon lamp




TUBE 1 Complementary products p. 133, p. 300, p. 392					
4.3"	MODEL	HS2931			
	COLOR	FR frost			
64 mm	FINISH	BL black* BZ bronze SC satin nickel			
40"	LAMP	1B35 GY6.35 Xenon 35w			
7.9" 201 mm 1.4" 36 mm	MOUNT	MPT monopoint MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Black option available only for monopoint mounting.			


sample item number HS2931FRSC1B35MRL tube 1 frost, satin nickel with Xenon lamp

TUBE 2 Complementary products p. 133, p. 300, p. 392			
4.3"	MODEL	HS2932	
109 mm 2.5" 64 mm	COLOR	FR frost	
72" 1829 mm 7,9" 201 mm	FINISH	BL black* BZ bronze SC satin nickel	
	LAMP	1B35 GY6.35 Xenon 2x35w	
	MOUNT	MPT monopoint MR2 2-circuit rail MRL monorail For use with 24 volt transformer, add suffix "-24" to item number. * Black option available only for monopoint mounting.	

sample item number $\mbox{HS2932FRSC1B35MRL}$ tube 2 frost, satin nickel with Xenon lamps



sample item number $\mbox{HS2933FRBZ1B35MRL}$ tube 3 frost, bronze with Xenon lamps



DESIGNER'S NOTES:

-BOROSILICATE GLASS TUBES SUSPENDED ON METAL RODS







LOW-VOLTAGE

H F A D S







SWING		LED C p.510
	MODEL	HD503
	FINISH	BZ bronze SC satin nickel
 R	BEAM SPREAD	25 25° 40 40°
1.3° 32 mm - 2.2°. 56 mm	LENGTH	03 3" 06 6" 12 12"
	LAMP	LED module 6w 3000K
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HD503SC2503LEDMRL swing satin nickel, 25 $^{\circ}$ beam spread, 3" with LED module



CLEAR

VOTI ACCESSORY				
	MODEL	HAC482		
2,3" 51 mm	COLOR	AM amber	BU blue	FR frost
58 mm	FINISH	BZ bronze	SC satin n	ickel

sample item number HAC482FRBZ voti accessory frost, bronze



	MINI-ROCK CANDY ACCESSORY Complementary products pp. 57–59, pp. 110–111, p. 166, p. 174			
2.25"	MODEL	HAC606		
3" 76 mm	COLOR	PR amethyst CR clear AM dark amber SM smoke BU steel blue		

sample item number ${\bf HAC606SM}$ mini-rock candy accessory smoke



HONEY ONYX

ONYX CONE ACCESSORY Complementary products p. 222, p. 300		
1.8"	MODEL	HAC481
3.5" 89 mm	COLOR	ON honey onyx

sample item number **HAC4810N** onyx cone accessory honey onyx



SIGMA ACCESSORY		
1.8"	MODEL	HAC479
2.5" 44 mm 64 mm	FINISH	BZ bronze SC satin nickel

sample item number **HAC479SC** sigma accessory, satin nickel



DESIGNER'S NOTES:

- -ART DECO-INSPIRED DESIGN
- -WIDE SELECTION OF DECORATIVE ACCESSORIES MAKES IT EASY TO CUSTOMIZE
- -PROPRIETARY 6 WATT LED MODULE
- -ROTATES 360°, PIVOTS 90°





WITH MINI-ROCK CANDY ACCESSORY WITH ONYX CONE ACCESSORY ACCESSORY

VENT		LED
	MODEL	HD475
	FINISH	BZ bronze SC satin nickel
	LENGTH	03 3" 06 6" 12 12"
1.2° 31 mm 31 mm	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511
— 4.4" 1.3" — 112 mm 33 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HD475SC031A50MRL vent satin nickel, 3" length with Halogen lamp



CLEAR

VOTI ACCESSORY				
	MODEL	HAC482		
2" 51 mm	COLOR	AM amber	BU blue	FR frost
2.3 58 mm	FINISH	BZ bronze	SC satin n	ickel

sample item number HAC482FRBZ voti accessory frost, bronze



MINI-ROCK CANDY ACCESSORY Complementary products pp. 57–59, pp. 110–111, p. 166, p. 174				
2.25"	MODEL	MODEL HAC606		
3" 76 mm	COLOR	PR amethyst CR clear AM dark amber SM smoke BU steel blue		

sample item number **HAC606SM** mini-rock candy accessory smoke



HONEY ONYX

ONYX CONE ACCESSORY Complementary products p. 222, p. 300		
1.8"	MODEL	HAC481
3.5" 89 mm	COLOR	ON honey onyx

sample item number **HAC4810N** onyx cone accessory honey onyx



BRONZE SATIN NICKEL


SIGMA ACCESSORY		
1.8"	MODEL	HAC479
2.5" 44 mm 64 mm	FINISH	BZ bronze SC satin nickel

sample item number **HAC479SC** sigma accessory, satin nickel





MODO		LED
	MODEL	HD474
	FINISH	BZ bronze SC satin nickel
	LENGTH	03 3" 06 6" 12 12"
2.4" 61 mm	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511
3.3" 84 mm	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.



MODO METAL SHIELD ACCESSORY			
1.6" 41 mm	MODEL	HAC476	
	FINISH	BZ bronze SC satin ni	ckel

sample item number HD474BZ031A50MRL modo bronze, 3" length with Halogen lamp

sample item number HAC476SC modo metal shield accessory, satin nickel



MERLINO SWIVEL II Complementary product p. 117			
	MODEL	HA300	
	COLOR	FR frost	
	FINISH	BZ bronze SC satin nickel	
8	LENGTH	01 1" 06 6" 12 12"	
23° 58 mm	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	

sample item number HA300FRSC011A50MRL merlino swivel II frost, satin nickel, 1" length with Halogen lamp



BRONZE



SATIN NICKEL

TWIN SPOT SWIVEL			
	MODEL	HE382	
R	FINISH	BZ bronze SC satin nickel	
H	LENGTH	03 3" 06 6" 12 12"	
2" 51 mm	LAMP	1A35 MR16 Halogen 2x35w	
	MOUNT	MPT monopoint* MR2 2-circuit rail MRL monorail * Includes 4" Round Flush Canopy.	

sample item number **HE382BZ031A35MRL** twin spot swivel, bronze, 3" length with Halogen lamp





BRONZE SATIN NICKEL

BARE HEA	AD SWIVEL I			
	MODEL	HBMR16		
25° LA	FINISH	BZ bronze SC satin nickel		
	LENGTH	01 1" 06 6" 12 12"		
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number HBMR16SC011A50MRL bare head swivel I satin nickel, 1" length with Halogen lamp







SHIELD SW	IVEL I	Complementary product p. 293
MODEL HB2		HB295
2.5° 64 mm 1	COLOR	BL black BZ bronze FR frost SI silver
	FINISH	BZ bronze SC satin nickel
	LENGTH	01 " 06 6" 12 12"
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

 $sample item \ number \ \textbf{HB295BZBZ011A50MRL} \ shield \ swive I \ bronze, \ bronze, \ 1" \ length \ with \ Halogen \ lamp$











BARE HEAD	RE HEAD SWIVEL II		
	MODEL	HAMR16	
2'" 50 mm - 2.5" – 64 mm	FINISH	BZ bronze SC satin nickel	
	LENGTH	01 1" 06 6" 12 12"	
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	







MINI-DOME I	SWIV	SWIVEL I Complementary products p. 76, pp. 232–233, p. 299		
3,1" 79 mm 2.5" 64 mm	MODEL	HB325		
	COLOR	AM amber BL black BU blue CR clear FR frost		
	FINISH	BZ bronze SC satin nickel		
	LENGTH	01 1" 06 6" 12 12"		
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511		
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		





ORBIT SWIV	ORBIT SWIVEL I Complementary product p. 232		
	MODEL	HB273	
-2.75° -70 mm	FINISH	BZ bronze SC satin nickel	
	LENGTH	01 1" 06 6" 12 12"	
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511	
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.	






BRONZE

REV SWIVEL		LED
2.3° 57 mm — 3.3°—	MODEL	HE441
	FINISH	BZ bronze SC satin nickel
	LENGTH	01 1" 06 6" 12 12"
	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number ${\bf HE441BZ011A50MRL}$ rev swivel, bronze, 1" length with Halogen lamp









BRONZE

APEX SWIVE	L	LED
	MODEL	HD162
	FINISH	BZ bronze SC satin nickel
	LENGTH	01 1" 06 6" 12 12"
2.8° 71 mm —102 mm	LAMP	1A50 MR16 Halogen 50w LED LED MR16 6w 3000K*** *** For additional LED MR16 options see p. 511
	MOUNT	FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.

sample item number HD162SC011A50MRL apex swivel, satin nickel, 1" length with Halogen lamp



PUCK SWIVEL				
	MODEL	HE437		
	FINISH	SC satin nickel		
8	LENGTH	03 3" 06 6" 12 12"		
4" 102 mm	LAMP	1A50 AR111 Halogen 50w		
-2.5° -64 mm MOUNT		FSJ fusion jack* MPT monopoint** MR2 2-circuit rail MRL monorail * Fusion Jack canopies sold separately. See pp. 500-507 for options. ** Includes 4" Round Flush Canopy.		

sample item number **HE437SC031A50MRL** puck swivel, satin nickel, 3" length with Halogen lamp

HEAD ACCESSORIES

FOR USE WITH SINGLE CLIPS (MR16): clips are available in black (BK) or silver (SI)









COLORED/DICHROIC LENSES

A01 (BK,SI) blue A03 (BK,SI) red

A02 (BK,SI) yellow A04 (BK,SI) green STRUCTURE CLIP

A08 (BK,SI) structure clip







DIFFUSER/SPREAD LENSES

A05 (BK,SI) grid A06 (BK,SI) stripe A07 (BK,SI) frost



FLITE PAPER*

FP11 FP16

* Only compatible with bare head apollo swivel I and bare head swivel I

FOR USE WITH LOUVER LENS HOLDER (MR16):



LOUVER LENS HOLDERS (MR16)

Holds up to two lenses/louvers. Includes suction cup for installation.

OLDER ALHDRMR16 (SI,BK,BZ) louver lens holder



COLORED/DICHROIC LENSES

ADICMR16BU blue ADICMR16RD red ADICMR16GR green ADICMR16YL yellow



STRUCTURE LOUVER

For use with louver lens holders.

LOUVER ASTRLMR16BK structure louver (eggcrate)



DIFFUSERS, LINEAR SPREAD & SOFT FOCUS LENSES

For use with louver lens holders.

PATTERN ALENSMR16DF diffuser
ALENSMR16LL linear spread
ALENSMR16SF soft focus

289



MONO-ARC		
	MODEL	HPARC
13° mm	FINISH	BZ bronze SC satin nickel
	LAMP*	1A35 MR16 35w 1A50 MR16 50w * For LED MR16 options see p. 511
4.3" 109 mm	MOUNT	MPT monopoint

sample item number HPARCBZ1A50MPT mono-arc, bronze with MR16 lamp



DISPLAY LIGHTS




MONO-TEL		
109 mm	MODEL	HPTEL
	FINISH	SC satin nickel
	LAMP*	1A35 MR16 35w 1A50 MR16 50w * For LED MR16 options see p. 511
	MOUNT	MPT monopoint

sample item number HPTELSC1A50MPT mono-tel, satin nickel with MR16 lamp



BRONZE



sample item number GHB295BZBZ1A50MPT shield galleria bronze, bronze with MR16 lamp





MULTI-PORT CANOPIES CHANDELIERS/ MONORALL


MONORAIL CHANDELIER SYSTEM

Monorail Chandeliers provide almost endless desgin flexibility. With three- and four-foot diameter choices, variable handing lengths, and multiple transformer options, our Monorail Chandeliers make a stunning choice for any residential or commercial environment. Available in satin nickel and bronze. Dimmable with specified low-voltage dimmer. Fixtures sold separately.



ROUND MONORAIL CHANDELIER

Sleek, modern lines on a Fusion Jack-compatible chandelier. Includes transformer, canopy, cable supports and rail. Mounting hardware included. Field-cuttable stems. 300w transformer. Magnetic transformer dimmable with 600w low-voltage electronic dimmer. Fixtures sold separately.



sample item number HS1303660SC300R round monorail chandelier, 36" diameter circle, 60" stem, satin nickel, 300w, remote





ICICLE CHANDELIER HEAD Complementary products p. 70, p. 214, p. 360			
	MODEL	HJ277	
	COLOR	AM amber BU blue CR clear OP opal	
	FINISH	BZ bronze SC satin nickel	
9.3"	STEM	00 0" straight 03 3" straight	
236 mm	LAMP	1A35* MR11 Halogen 35w 1B35** GY6.35 Xenon 35w * MR11 shipped with BU and CR glass. ** GY6.35 shipped with AM and OP glass.	
2.3" 57 mm	MOUNT	MR2 2-circuit monorail MRL monorail chandelier	





sample item number HJ2750PBZ1B35MRL mini dome II chandelier head opal, bronze with GY6.35 lamp



MINI-DOME II TWIN CHANDELIER HEAD Complementary products p. 76, pp. 232–233, p. 282				
3.1" 79 mm	MODEL	HTW275		
79 mm	COLOR	AM amber OP opal		
5.7	FINISH	BZ bronze SC satin nickel		
145 mm	LAMP	1B20 G4 Xenon 2x20w		
	MOUNT	MRL monorail chandelier		


sample item number HTW2750PSC1B20MRL mini dome II twin chandelier head opal, satin nickel with GY6.35 lamp



ONYX CHANDELIER HEAD Complementary products p. 222, p. 268, p. 270, p. 348				
_ 3.9* _	MODEL	HJ176 cylinder HJ177 dome HJ178 teardrop		
	COLOR	ON onyx		
8"	FINISH	BZ bronze SC satin nickel		
147 mm 152 mm	LAMP	1B35 GY6.35 Xenon 35w		
A A A	MOUNT	MR2 2-circuit monorail MRL monorail chandelier		

sample item number HJ1780NSC1B35MRL onyx chandelier head teardrop, satin nickel with GY6.35 lamp





sample item number **HTWTBFRSC1B10MRL** twin tube chandelier head frost, satin nickel with G4 lamp





DIMENSIONS CHANDELIER HEAD complementary product p. 208				
	MODEL	HA337		
4.3" 110 mm	COLOR	AM amber CR clear AB prismatic multicolor		
6.4"	FINISH	BZ bronze SC satin nickel		
163 mm	LAMP	1A35 MR11 Halogen 35w		
	MOUNT	MR2 2-circuit monorail MRL monorail chandelier		

 $sample\ item\ number\ \textbf{HA337CRSC1A35MR2}\ dimensions\ chandelier\ head\ clear,\ satin\ nickel\ with\ MR11\ lamp$



		SWARDE
VISION CHANDELIER HEAD Complementary products p. 80, p. 210, p. 349		
	MODEL	HA336
4.1" 104 mm	COLOR	AM amber CR clear
6.4"	FINISH	BZ bronze SC satin nickel
163 mm	LAMP	1A35 MR11 Halogen 35w
	MOUNT	MR2 2-circuit monorail MRL monorail chandelier



FUSION JACK MULTI-PORT CANOPIES

Multi-port canopies are ideal for creating a dramatic centerpiece over a dining table, kitchen island or reception area. The aesthetic impact of multiple glass pendants cascading from one of our multi-port canopies is undeniable. Available in three styles: round, square and rectangle, and in two finishes: bronze and satin nickel. Our multi-port canopies can accommodate up to eleven fixtures.


COMPATIBLE DIMMERS

120V: Standard incandescent dimmer 12V LED: Low-voltage electronic dimmer 277V: 277V incandescent dimmer

277V LED: 277V low-voltage electronic dimmer



11 ROUND MAPLE



7 RECTANGLE



3 RECTANGLE LONG METAL

11 ROUND, 7 RECTANGLE, 3 RECTANGLE LONG CK0011BD-FJ- 11 round MODEL CK007RD-FJ-7 rectangle CK003RL-FJ- 3 rectangle long CANOPY MA maple MT metal WA walnut FINISH **BZ** bronze SC satin nickel 9 120V IN / 12V OUT **-LED** 120V IN / 12V LED OUT 9 8 42" 1067 mm

sample item number CK003RL-FJ-MTSC 3 rectangle long metal, satin nickel

CANOPY COLORS:



METAL WALNUT







FUSION JACK MULTI-PORT CANOPIES continued



TO ORDER AS SHOWN:

- (1) Fusion Jack 4 Square Canopy in Bronze
- (4) Fusion Jack Sophia Pendants in Amber (p. 230, sold separately)


4 SQUARE		
1.5"	MODEL	CK004S-FJ-
38 mm / / / / / / / / / / / / / / / / /	CANOPY	BZ bronze SC satin nickel
12"	TYPE	120V IN / 12V OUT -24 120V IN / 24V OUT -277 277V IN / 12V OUT -LED 120V IN / 12V LED OUT -LED277 277V IN / 12V LED OUT

sample item number CK004S-FJ-BZ-LED 4 square, bronze, LED module



TO ORDER AS SHOWN:

- (1) Fusion Jack 3 Rectangle Canopy in Satin Nickel
- (3) Fusion Jack Jelly Pendants in Blue (p. 238, sold separately)




sample item number CK003R-FJ-SC-LED 3 rectangle, satin nickel, LED module





SATIN NICKEL




sample item number CK007B-FJ-SC 7 round, satin nickel

LINE-VOLTAGE MULTI-LIGHT CANOPIES

Use to suspend a cluster of line-voltage pendants from a single overhead mounting location (pendants not included). Easily installs to a standard 4" junction box with the ability to quickly customize pendant cord length. Available in three styles: 3-light small, 3-light large and 5-light. For use with halogen, incandescent, or compact fluorescent GU24 pendants that hang from a single cord.




BRONZE



sample item number ${\sf CK003B\text{-}BZ}$ 3 round, bronze




BRONZE



sample item number ${\sf CK003D\text{-}BZ}$ 3 round large, bronze



SATIN NICKEL



sample item number CK005B-SC 5 round, satin nickel





S L N O M H S N J J


FLUSH / SEMI-FLUSH





BRONZE SILVER





sample item number **ODF827SMBZLEDW** moon dance flush mount smoke, bronze with LED module


















sample item number **LC661BLCRLED** lulu black, clear / frost with LED module





THE RGB REMOTE INCLUDED



sample item number FM707BLCRLED little Iulu black, clear / frost with LED module





LINEN PEBBLE




PEWTER



sample item number FM700LISC2D fiona linen, satin nickel with E26 lamps




FABRIC DRUM WITH HAND-CRAFTED WIRE DETAIL AND OPAL GLASS DIFFUSER




sample item number JC651TNBZ2D hollywood beach tan, bronze with E26 lamp





sample item number JC399AMBZ2D100 ambra amber, bronze with E26 lamp





sample item number $\mbox{{\it JC398AMBZ2D100}}$ wilt bowl amber, bronze with E26 lamp





MURANO GLASS BOWLS WITH DELICATE SMALL FRIT ACCENTS AND INLAID SILVER FLAKE





VENETO Complementary products pp. 123–127, p. 237, pp. 320–321					
	MODEL	JC317			
3.9" 279 mm	COLOR	AM amber MO mocha OP opal RD red			
	FINISH	BZ bronze SC satin nickel			
16.5" 419 mm	LAMP	2D60 E26 A19 3x60w			

sample item number JC317AMSC2D60 veneto amber, satin nickel with E26 lamp





МОСНА






RED

VENETO GRANDE Complementary products pp. 123–127, p. 237, p. 319, p. 321				
The state of the s	MODEL	JC318		
4.9* 300 mm	COLOR	AM amber MO mocha OP opal RD red		
	FINISH	BZ bronze SC satin nickel		
23.5" 597 mm	LAMP	2D100 E26 A19 3x100w		

sample item number ${\tt JC318RDBZ2D100}$ veneto grande red, bronze with E26 lamp







sample item number ${\sf JC400M0BZ2D100}$ veneto venti mocha, bronze with E26 lamp







CLIFTON

MODEL CW004

FINISH BZ bronze SC satin nickel

COMPATIBLE LAMPS

Incandescent / Halogen 120v Compact Fluorescent GU24 120v Compact Fluorescent 4-pin 120v* Compact Fluorescent 4-pin 277v*

* When using Compact Fluorescent 4-pin lamps, use the ballast that is included with the pendant.

sample item number ${\it CW004BZ}$ clifton, bronze



BRONZE SHOWN WITH MINI-ROCK CANDY ROUND PENDANT, SMOKE P. 174 (SOLD SEPARATELY)

SATIN NCKEL SHOWN WITH MADEMOISELLE NO.2 PENDANT, CLEAR P. 139 (SOLD SEPARATELY)

SIENA		
D I	MODEL	CW003
7.1" 180 mm	FINISH	BZ bronze SC satin nickel
	COMPATIBLE LAMPS	Xenon / Halogen 120v IN / 12v OUT


sample item number CW003SC siena, satin nickel



POLISHED CHROME SHOWN WITH BONN PENDANT, CLEAR P. 160 (SOLD SEPARATELY)



sample item number CW002SSC ensu, satin nickel



MOUNTS VERTICALLY, HORIZONTALLY,
RIGHT OR LEFT FOR TOTAL
INSTALLATION FLEXIBILITY

BRUSHED ALUMINUM / ORANGE

BRUSHED ALUMINUM / BRUSHED ALUMINUM



sample item number **OD771AOLEDW** east river, brushed aluminum outside / orange inside with LED module



BLACK / BLACK CRYSTAL





SATIN NICKEL / CLEAR CRYSTAL



SATIN NICKEL / GOLD CRYSTAL

STANDARD INTERIOR COLORS



BLACK





CLEAR

CUSTOM INTERIOR COLORS***









AQUAMARINE



MONTANA



BLUE DIAMOND



OLIVINE



BLUE ZIRCON



ORANGE



CITRIN



PERIDOT



EMERALD



PINK



JONQUIL



ROSE



LIGHT AMETHYST



SAPPHIRE



LIGHT PEACH



SIAM



SAPPHIRE



SMOKED TOPAZ



LIGHT SIAM

*** Contact LBL Quotes Department, quotes@generation-brands.com, for custom colors.

DOLLY Complementar	y product	p. 136	ADA LED AB p.510
	MODEL	WS765	
10.7" 273 mm	COLOR	BLBL rubberized black exterior / black crystal interior SCCR satin nickel exterior / clear crystal interior	BLCR rubberized black exterior / clear crystal interior SCGD satin nickel exterior / gold crystal interior
4.5" 115 mm wall projection 2.9" / 75 mm	LAMP	LED LED module 6w 3000K 120v LED277 LED mod dimmable with a low-voltage electronic dimmer	ule 6w 3000K 277v



DESIGNER'S NOTES:

- -UNDERSTATED EXTERIOR REVEALS SHIMMERING RHINESTONES
- -MOUNTS UP OR DOWN
- -AVAILABLE IN 20 CUSTOM INTERIOR COLORS







LEDS ILLUMINATE THE INSIDE TEXTURE—THOUSANDS OF TINY IRREDESCENT, CUT AND -UNCUT CRYSTALS OR BLACK MINERAL TEXTURE

BLACK WHITE


HANNA		ADA LED D p.510
	MODEL	WS822
()	COLOR	BLBL black WHWH white
- 4.4" - 112 mm wall projection 2.2" / 55 mm	LAMP	LED LED module 10w 3000K 120v LED277 LED module 10w 3000K 277v dimmable with a low-voltage electronic dimmer

sample item number WS822WHWHBLLED hanna white with LED module





sample item number WS698BRSCLED camelot, bronze / satin nickel with LED module







DESIGNER'S NOTES:

- -CASCADING SWAROVSKI ELEMENTS
 CRYSTALS ARTFULLY SET IN A WEB
 OF STERLING SILVER CHAIN WITH A
 RHODIUM FINISH TO MAINTAIN THE
 ORIGINAL SPARKLE
- -PROVIDES UP AND DOWN LIGHT







CORK

ALUMINUM FOAM











GRAY OAK

HONEY

METAL SHOWN DOWN





OXIDE ZEBRA

ASHLAND		ADA LED T p.510
	MODEL	WS696
4.5" 115mm	COLOR	AL aluminum foam CO cork YO gray oak HO honey MT metal OI oxide ZE zebra
5.8" 148 mm	FINISH	BZ bronze SC satin nickel
wall projection 2.9" / 74 mm	LAMP	LED LED module 6w 3000K 120v dimmable with a low-voltage electronic dimmer

sample item number **WS696COSCLED** ashland cork, satin nickel with LED module

The Ashland wall fixture can be customized in several ways. The options below are particularly relevant for hospitality, multi-family and healthcare applications. As is true with all LBL Lighting, custom metal or painted finishes may also be available. Please contact the LBL Quotes Department, quotes@generation-brands.com, for details.






COLOR

Several face plate color options may be explored to ensure the fixture complements specific décor.





LETTERING

Raised letters or numbers in a selection of colors and fonts may be added to the face plate, a great option for room numbers or direction indicators





BRAILLE

Corresponding braille cells may be included below any characters to meet ADA requirements



GRAPHICS

A logo or other graphic design may be added to the face plate when high-resolution digital artwork within size restrictions is provided by the client






BRONZE SATIN NICKEL



sample item number WS757SC2D tessa, satin nickel with E26 lamp





RAMI

MODEL WS722

FINISH SS stainless steel

CF1HE GX24Q-2 18w triple tube 120v LED LED module 10w 2700K 120v LED277 LED module 10w 2700K 277v LED version dimmable with a low-voltage electronic dimmer

ARTISTIC INTERPRETATION OF GRASSES IN THE BREEZE

CLASS PIPING CREATES AN ORGANIC SCUPTURE WHICH REFLECTS LIGHT

MINI-ISIS CYLINDER Complementary products p. 56, p. 164				
8000	MODEL	HW545		
8	COLOR	AM amber AQ aqua CR clear SM smoke		
14.5" 368 mm	FINISH	BZ bronze SC satin nickel		
4.8"	LAMP	2G60 G9 60w		

CLEAR

sample item number HW545AMBZ2G60 mini-isis amber, bronze with G9 lamp

AQUA

AMBER

SMOKE








AMETHYST CLEAR





SMOKE STEEL BLUE





DESIGNER'S NOTES:


- -ROLLED IN CLEAR CRYSTAL FRIT AND FLASH HEATED TO CREATE
- -INNER OPAL GLASS DIFFUSER ADDS DEPTH







sample item number ${\bf JW622G0BZ2D}$ dahling gray-opal, bronze with E26 lamp











BLUE BUBBLE GLASS

OPAL BUBBLE GLASS

DARK AMBER BUBBLE GLASS

FROST HORIZONTAL CARVED GLASS









LINEN FABRIC

PEWTER FABRIC

META METAL








PEWTER FABRIC

META METAL

sample item number JW561BBUSI2D1HE omni with cover medium blue, silver with E26 lamps

LINEN FABRIC






sample item number PW484LTSC139 pavia latte, satin nickel with 2G11 lamp










SOPHIA Complementary product p. 230				
	MODEL	HW266		
6.5" 165 mm	COLOR	AM amber CR clear		
	FINISH	BZ bronze SC satin nickel		
4.5" 114 mm wall projection 5" / 127 mm	LAMP	2G40 G9 40w		

sample item number HW266AMSC2G40 sophia amber, satin nickel with G9 lamp





sample item number HW336CRSC1A35 vision clear, satin nickel with MR11 lamp





SHOWN DOWN



sample item number **WS7531BWOPPN2G** zanz black / white opal, polished nickel with G9 lamp



SATIN NICKEL



sample item number HW66910PSC2G kett opal, satin nickel with G9 lamp



sample item number HW66810PSC2G oliver opal, satin nickel / brass with G9 lamp



SATIN NICKEL

MODERN MINIMAL BASE WITH GLASS CYLINDER SHADE


JADA Complementary product p. 391		
	MODEL	HW6701
6.1" 155 mm	COLOR	OP opal
4.4"	FINISH	BZ bronze PC polished chrome SC satin nickel
wall projection 4" / 102 mm	LAMP	2G G9 60w

sample item number $\mbox{HW67010PSC2G}$ jada opal, satin nickel with G9 lamp

ADA



_ MINIMAL CURVED GLASS SHADE WITH A SLEEK GEOMETRIC BASE



sample item number JW6320PSC2D showtime opal glass, satin nickel with E26 lamp




ELEGANTLY SIMPLE MOUTH-BLOWN MURANO GLASS

ALISEO		ADA CF
	TYPE	PW compact fluorescent JW incandescent
	MODEL	AP13
12.6" 320 mm	COLOR	OP opal
	FINISH	SC satin nickel
	LAMP	for PW only: 18Q1HE G24Q-2 18w quad tube 120v 18Q2HE G24Q-2 18w quad tube 277v for JW only: 240 E12 B10 2x40w 120v

sample item number PWAP130PSC18Q1HE aliseo white, satin nickel with G24Q-2 lamp





sample item number PW2300PSC2131HE juniper opal, satin nickel with G24Q-1 lamp



BRONZE



SATIN NICKEL

CASINO ONE			
	MODEL	HW310	
12" 305 mm	COLOR	OP opal	
	FINISH	BZ bronze SC satin nickel	
102 mm wall projection 6" / 152 mm	LAMP	2G60 G9 60w	

sample item number **HW3100PSC2G60** casino one opal, satin nickel with G9 lamp



SATIN NICKEL

CASINO TWO				
	MODEL	HW3102		
12"	COLOR	OP opal		
	FINISH	BZ bronze SC satin nickel		
13.8" 349 mm wall projection 6" / 152 mm	LAMP	2G60 G9 60w		

sample item number HW31020PBZ2G60 casino two opal, bronze with G9 lamp







sample item number HW2930FRBZ2G40 top wall frost, bronze with G9 lamp





See application image on next page.



sample item number HW240BUSC1B35 top wall II blue, satin nickel with Xenon lamp








ICICLE Complementary products p. 70, p. 214, p. 298		
11.5° 292 mm — 4.3° — 110 mm wall projection 4" / 102 mm	MODEL	HW277
	COLOR	AM amber OP opal
	FINISH	BZ bronze SC satin nickel
	LAMP	2G60 G9 60w


sample item number HW277AMSC2G60 icicle amber, satin nickel with G9 lamp





sample item number HW54970PSC2G60 linear opal, satin nickel with G9 lamp





sample item number $\mbox{HW170T0BZ2G60}$ max tortoise, bronze with G9 lamp









DESIGNER'S NOTES:

- -ITALIAN MURANO GLASS
- -MILLEFIORE TECHNIQUE FEATURES Mosaic Glass beads fused together
- -FROM THE ITALIAN WORDS "MILLE" (THOUSAND) AND "FIORI" (FLOWERS)





STAINLESS STEEL

BEAUTIFUL LIGHT PATTERN UP AND DOWN THE WALL

PERFORATED EXTERIOR CREATES

PRESIDIO Complementary product p. 451		
	TYPE	PW compact fluorescent HW halogen
	MODEL	614
	COLOR	B black S stainless steel W white
15.5° 394 mm - 4° - 102 mm wall projection 5.5° / 140 mm	LAMP	for PW only: 2131HE G24Q-1 2x13w quad tube 120v 2132HE G24Q-1 2x13w quad tube 277v 2181HE G24Q-2 2x18w quad tube 120v 2182HE G24Q-2 2x18w quad tube 277v 2261HE G24Q-3 2x26w quad tube 120v 2262HE G24Q-3 2x26w quad tube 277v for HW only: 2M100 R75 100w double-ended halogen 78mm 120v
	SCREW	S standard T tamper resistant

sample item number PW614S2131HES presidio, stainless steel with G24Q-1 lamp and standard screw



FABRIC SHADE WITH METAL HOOK AND EYE ACCENTS

GLAMA Complementary product p. 119 ADA CF LED E p.510		
11" 280 mm 9.6" 245 mm wall projection 4" / 102 mm	TYPE	PW compact fluorescent JW incandescent LW LED
	MODEL	658
	COLOR	NT natural
	LAMP	for PW only: CF1HE GX24Q-2 18w triple tube 120v CF2HE GX24Q-2 18w triple tube 277v for JW only: 2D E26 A19 75w 120v for LW only: LED LED module 10w 2700K 120v

sample item number PW658NT2D glama natural with E26 lamp








LINEN PEBBLE PEWTER


FIONA Complementary products p. 118, p. 263				
	TYPE	PW compact fluorescent JW incandescent LW LED		
	MODEL	681		
11" 280 mm	COLOR	LI linen PB pebble PE pewter		
		for PW only: CF1HE GX24Q-2 18w triple tube 120v CF2HE GX24Q-2 18w triple tube 277v		
9.6" 245 mm LAM	LAMP	for JW only: 2D E26 A19 75w 120v		
wall projection 4" / 102 mm		for LW only: LED LED module 10w 2700K 120v		

sample item number JW681LI2D fiona linen with E26 lamp





sample item number JW654TNBZ2D hollywood beach tan, bronze with E26 lamp





RECTILINEAR METAL FRAME WITH FABRIC INNER SHADE; MAY BE MOUNTED HORIZONTALLY OR VERTICALLY


DERBY Compleme	uct p. 116 ADA CF LED E p.510	
14.5° 367 mm	TYPE	PW compact fluorescent LW LED
	MODEL	666
	COLOR	TN tan
	FINISH	NR natural raw
	LAMP	for PW only: CF1HE G24Q-3 26w quad tube 120v CF2HE G24Q-3 26w quad tube 277v for LW only: LED LED module 10w 2700K 120v






sample item number PWAP10AMSC18Q1HE bora amber, satin nickel with G24Q-2 lamp





sample item number PWAP190CSC13Q1HE taitu opal with crystal, satin nickel with G24Q-1 lamp






sample item number HW46010PSC2G60 tear drop opal, satin nickel with G9 lamp



MISTRAL		ADA CF
	TYPE	PW compact fluorescent JW incandescent
ļ ,	MODEL	AP14
8.2" 208 mm	COLOR	OP opal
	FINISH	SC satin nickel
9.1"	LAMP	for PW only: 18Q1HE G24Q-2 18w quad tube 120v 18Q2HE G24Q-2 18w quad tube 277v for JW only: 2D100 E26 A19 100w 120v

sample item number PWAP140PSC18Q1HE mistral opal, satin nickel with G24Q-2 lamp






sample item number HW37830PSC2G60 tulip opal, satin nickel with G9 lamp



ATHENA		ADA CF
	TYPE	PW compact fluorescent HW halogen
8.5° 216 mm — 4.5° — 114 mm wall projection 3° / 76 mm	MODEL	5498
	COLOR	OP opal
	FINISH	PB polished brass PC polished chrome SC satin nickel
	LAMP	for PW only: 13QHE G24Q-113w quad tube 120v for HW only: 2G60 G9 60w 120v

sample item number HW54980PPC2G60 athena opal, polished chrome with G9 lamp





sample item number PWA110PSC2131HE iris opal, satin nickel with R75 lamp





sample item number PW612C3131HE eclipse, chrome coat with G24Q-1 lamp





BATH



OPAL GLASS SATIN NICKEL



sample item number BA8230YBZLED rania opal acrylic, bronze with LED module






sample item number BA8240PSCLED alban opal glass, satin nickel with LED module








sample item number HW4960PSC2G40 dover opal, satin nickel with G9 lamps









sample item number BA74420PABPC2G lola 2-light opal A and B, polished chrome with G9 lamps






sample item number $\ensuremath{\mathsf{BA74450PPC2G}}$ lola opal, polished chrome with G9 lamps

STAMPED METAL BASE WITH RECTANGULAR GLASS SHADES






sample item number BA7533BWOPPC2G zanz 3-light black / white oapl, polished nickel with G9 lamps



SATIN NICKEL



 $sample\ item\ number\ \textbf{PW6740YSCCF1HE}\ final\ call\ medium\ opal\ acrylic,\ satin\ nickel\ with\ T5HO\ lamps$






OPAL / AMBER



OPAL / OPAL



sample item number HW4860ASC2J60 mia opal / amber, satin nickel E11 lamps






CLEAR



OPAL




SMOKE



sample item number ${\bf BA7513SMBZ2G}$ rock candy 3-light smoke, bronze with G9 lamps



SATIN NICKEL






sample item number HW66930PSC2G kett 3-light opal, satin nickel with G9 lamps




SATIN NICKEL



sample item number **HW66950PSC2G** kett 5-light opal, satin nickel with G9 lamps



SATIN NICKEL






sample item number **HW66830PSC2G** oliver 3-light opal, satin nickel with G9 lamps




SATIN NICKEL



sample item number **HW66850PSC2G** oliver 5-light opal, satin nickel with G9 lamps



SATIN NICKEL






sample item number HW67050PSC2G jada 5-light opal, satin nickel with G9 lamps



SATIN NICKEL



sample item number **HW67070PSC2G** jada 5-light opal, satin nickel with G9 lamps



EACH KIT CONSISTS OF:

- (1) 36" Monorail
- (3) Low-Voltage Twin Tube Heads
- (2) rigid standoffs
- (1) set of endcaps
- (1) remote canopy and power feed combination
- (1) 75w electronic transformer (when orderd with 10w lamps)
- (1) 150w electronic transformer (when orderd with 20w lamps)

CANOPY OPTION:

Typically, a 4" canopy is specified with this kit, but LBL also offers a special 2.75" canopy and corresponding 2" electrical box for a sleeker look. Both 2" and 4" electrical box sizes can house the 75w miniature transformer, but an accessible remote location is required for the 150w remote electronic transformer (comes with kits specifying 20w lamps). A good example of a remote location for this application would be the interior of a bath vanity. Contact LBL Quotes Department, quotes@generation-brands.com, for custom lengths.

TWIN TUBE BATH INSTALLATION KIT Complementary products pp. 132-133, p. 219, p. 264, p. 300 This innovative and contemporary Monorail lighting system offers the ideal combination of direct and ambient lighting for any bathroom mirror application. MODEL **KHBTWN** HEAD TB tube COLOR FR frost 178 mm FINISH **BZ** bronze SC satin nickel LAMP **1B10** G4 6x10w 1B20 G4 6x20w O2 2" canopy with 2" electrical box CANOPY **04** 4" canopy

MOUNT MRL monorail
sample item number HBTWNTBFRSC1B10MRL
additional heads frost, satin nickel with G4 lamps

SC satin nickel

1B20 G4 6x20w

ADDITIONAL HEADS

HBTWN

TB tube

FR frost

BZ bronze

1B10 G4 6x10w

MODEL

HEAD

COLOR


FINISH

LAMP

sample item number **KHBTWNTBFRSC1B1004**twin tube bath installation kit frost, satin nickel with G4 lamps, 4" canopy













HAND-CARVED
DECORATIVE FEATURE
ENCOMPASSES THE
CIRCUMFERENCE OF
THE GLASS





BRONZE SILVER

MOON DANCE FLUSH MOUNT Complementary product p. 312		
13.2° 149 mm	MODEL	ODF827
	COLOR	SM smoke
	FINISH	BZ bronze SI silver
	LAMP	2D E26 A19 2x75w LED LED module 21w 3000K 120v LED277 LED module 21w 3000K 277v
	WET LOCATION	W wet location



sample item number **ODF827SMBZLEDW** moon dance flush mount smoke, bronze with LED module



BRONZE SILVER






sample item number **OD788SMBZLEDW** moon dance 13 smoke, bronze with LED module



METAL CYLINDRICAL REVEAL CREATES A CLEAN, CONTEMPORARY SURROUND



sample item number **OD789SMSILEDW** moon dance 18 smoke, silver with LED module






sample item number **OD818BLLEDW** hunter 10, black with LED module




MOUNTS VERICALLY OR HORIZONTALLY




sample item number OD819BLLEDW hunter 24, black with LED module







BRUSHED ALUMINUM / BRUSHED ALUMINUM




BRUSHED ALUMINUM / ORANGE




sample item number **OD771AOLEDW** east river, brushed aluminum outside / orange inside with LED module






sample item number OD820SILEDW henry 12, silver with LED module





MOUNTS FACING LEFT OR RIGHT — PERFECT FOR FLANKING A DOORWAY, GARAGE DOOR OR GATE

BLACK SILVER




sample item number **OD821BLLEDW** henry 18, black with LED module





sample item number **OD7860PSILEDW** aviva 14 opal, silver with LED module





sample item number OD7870PBLLEDW aviva 26 opal, black with LED module





UPSTATE 11 LED P p.510 MODEL OD736 FINISH **BZ** bronze SI silver **LED** LED module 11w 3000K 120v LED277 LED module 11w LAMP 3000K 120v dimmable with a low-voltage electronic dimmer wall projection 4.6" / 117 mm WET LOCATION ${\bf W}$ wet location

sample item number **OD736SILEDW** upstate 11, silver with LED module





UPSTATE 18 LED P p.510 MODEL OD737 FINISH **BZ** bronze SI silver **LED** LED module 11w 3000K 120v LED277 LED module 11w LAMP 3000K 120v dimmable with a low-voltage electronic dimmer WET \boldsymbol{W} wet location LOCATION wall projection 4.6" / 117 mm


sample item number $\mathbf{OD737BZLEDW}$ upstate 18, bronze with LED module





STRAIGHT AND CURVED LINES COMBINE IN THIS HOMAGE TO CONTEMPORARY ARCHITECTURE

BRONZE SILVER



sample item number **OD791BZLEDW** upstate 28, bronze with LED module






BRONZE

PIER 60		ADA LED K p.510
14.5° 367 mm — 6.8° — 172 mm wall projection 4" / 102 mm	MODEL	LW639
	FINISH	BZ bronze SI silver
	LAMP	LED LED module 10w 3000K dimmable with a low-voltage electronic dimmer
	WET LOCATION	W wet location


sample item number ${\it LW639SILEDW}$ pier 60, silver with LED module





sample item number **OD826SILEDW** pier 60 medium, silver with LED module






sample item number **OD825BZLEDW** pier 60 large, bronze with LED module






BRONZE

BRUSHED STAINLESS STEEL



sample item number PW115SS2241HEW new york small, brushed stainless steel with 2G11 lamps 120v









BRONZE

BRUSHED STAINLESS STEEL




sample item number PW529BZ17L2HEW new york medium, bronze with T8 lamps 277v




BRONZE


BRUSHED STAINLESS STEEL



sample item number PW530SS39L1HEW new york large, brushed stainless steel with T5HO lamps 120v




sample item number JW119SS260W industrial small, brushed stainless steel with E26 lamps 120v



sample item number **PW527BZ24L1HBW** industrial medium, bronze with T5HO lamps 120v Emergency Ballast






sample item number PW528SS25L1HBW industrial large, brushed stainless steel with T8 lamps 120v Emergency Ballast









sample item number PW120BZ2241HEW tubular small, bronze with 2G11 lamps 120v






sample item number PW531SS24L2HBW tubular medium, brushed stainless steel with T5HO lamps 277v Emergency Ballast





sample item number PW532BZ39L1HBW tubular large, bronze with T5HO lamps 120v Emergency Ballast









BRONZE SILVER

OMNI SMALL		ADA CF LED E p.510
	TYPE	PW compact fluorescent
	MODEL	583
7.8* 198 mm	COLOR	OP opal
	FINISH	BZ bronze SI silver
	LAMP	for PW only: CF1HE GX24Q-2 18w triple tube 120v for JW only: 2D E26 A19 60w 120v for LW only: LED LED module 10w 2700K 120v LED277 LED module 10w 2700K 277v
	WET LOCATION	W wet location






BRONZE SILVER


OMNI MEDIUM		ADA CF
	TYPE	PW compact fluorescent JW incandescent
	MODEL	564
15.5"	COLOR	OP opal
394 mm	FINISH	BZ bronze SI silver
6"	LAMP	for PW only: CF1HE 2G11 24w twin tube 120v CF2HE 2G11 24w twin tube 277v for JW only: 2D E26 BT15 2x60w 120v
wall projection 3" / 76 mm WET LOCATION		W wet location

sample item number PW5640PBZCF1HEW omni medium opal, bronze with 2G11 lamp











sample item number JW561METSI2DW omni with cover large meta, silver with E26 lamp





sample item number **OD734MTBZLEDW** tav 14, metal / bronze with LED module





sample item number **OD735STGMLEDW** tav 18, stone / gunmetal with LED module







CLEAR GLASS / SILVER

MOI 11		ADA LED O p.510
11.4° 290 mm	MODEL	OD732
	COLOR/ FINISH	CRSI clear / silver SMBZ smoke / bronze
	LAMP	LED LED module 10w 3000K 120v LED277 LED module 10w 3000K 277v dimmable with a low-voltage electronic dimmer
165 mm wall projection 3.9" / 100 mm	WET LOCATION	W wet location



sample item number **OD732SMBZLEDW** moi 11, smoke / bronze with LED module







CLEAR GLASS / SILVER

MOI 18		ADA LED O p.510
	MODEL	OD733
	COLOR/ FINISH	CRSI clear / silver SMBZ smoke / bronze
17.3* 440 mm	LAMP	LED LED module 10w 3000K 120v LED277 LED module 10w 3000K 277v dimmable with a low-voltage electronic dimmer
— 6.5° WET LOCATION wall projection 3.9" / 100 mm	W wet location	

sample item number **OD733CRSILEDW** moi 18, clear/silver with LED module



RAVEN 12		ADA LED P p.510
12" 305 mm	MODEL	OD745
	FINISH	BL black SI silver
	LAMP	LED LED module 11w 3000K 120v LED277 LED module 11w 3000K 277v dimmable with a low-voltage electronic dimmer
5" 127 mm wall projection 3.5" / 90 mm	WET LOCATION	W wet location



sample item number **OD745BLLEDW** raven 12, black with LED module





sample item number **OD746SILEDW** raven 18, silver with LED module





BLACK SILVER

ZARI 11 ADA LED O p.510				
	MODEL	OD729		
	FINISH	BL black SI silver		
11.4" 290 mm	LAMP	LED LED module 10w 3000K 120v LED277 LED module 10w 3000K 277v dimmable with a low-voltage electronic dimmer		
	WET LOCATION	W wet location		



sample item number **OD729BLLEDW** zari 11, black with LED module





BLACK SILVER




sample item number **OD731SILEDW** zari 18, silver with LED module





BRONZE SILVER




sample item number OD723SILEDW fugue 15, silver with LED module






BRONZE SILVER



sample item number ${\bf OD724BZLEDW}$ fugue 18, bronze with LED module





sample item number **LW642SILEDW** uptown small, silver with LED module







UPTOWN LARGE					
	MODEL	LW641			
	FINISH	BL black BZ bronze SI silver			
17.7" 449 mm	LAMP	LED LED module 10w 3000K 120v dimmable with a low-voltage electronic dimmer			
6.9*	WET LOCATION	W wet location			

sample item number **LW641BZLEDW** uptown large, bronze with LED module





sample item number JW635BL2DW boardwalk small, black with E26 lamp





BLACK SILVER

BOARDWALK LARGE						
	TYPE	PW compact fluorescent JW incandescent				
	MODEL	636				
18" 457 mm	FINISH	BL black SI silver				
7'	LAMP	for PW only: CF1HE GX24Q-3 26w triple tube 120v for JW only: CF2HE GX24Q-3 26w triple tube 277v for JW only: 2D E26 A19 75w 120v				
wall projection 5.5" / 140 mm	WET LOCATION	W wet location				

sample item number **JW636SI2DW** boardwalk large, silver with E26 lamp



INSPIRED BY MODERN ARCHITECTURE



sample item number **OD742BLLEDW** tara 15, black with LED module








BLACK BRONZE SILVER

TARA 18		LED O p.510
	MODEL	OD743
	FINISH	BL black BZ bronze SI silver
18" 455 mm	LAMP	LED LED module 10w 3000K K 120v LED277 LED module 10w 3000K 277v dimmable with a low-voltage electronic dimmer
— 5.5° — 140 mm wall projection 4.6° /117 mm	WET LOCATION	W wet location

sample item number **OD743SILEDW** tara 18, silver with LED module





sample item number PW6380PSICF1HEW palm lane small opal, silver with GX24Q-3 lamp



PALM LANE LARGE					
	TYPE	PW compact fluorescent JW incandescent			
	MODEL	637			
	COLOR	OP opal			
14.8" 376 mm	FINISH	BL black BZ bronze SI silver			
	LAMP	for PW only: CF1HE GX24Q-3 26w triple tube 120v for JW only: CF2HE GX24Q-3 26w triple tube 277v for JW only: 2D E26 A19 75w 120v			
	WET LOCATION	W wet location			

sample item number PW6370PBZCF1HEW palm lane large opal, bronze with GX24Q-3 lamp



NIKKO		CF
	MODEL/ COLOR	1471 white 1472 black 1473 metallic gray
=	LAMP	E26 B10 1x60w
10.8° 274 mm	MODEL/ COLOR	1480HE white 1481HE black 1482HE metallic gray
	LAMP	G24Q-1 1x13w quad
wall projection 5.4" / 137 mm		
	MODEL/ COLOR	1489HE white 1490HE black 1491HE metallic gray
	LAMP	G24Q-2 1x18w quad

sample item number 1471 nikko white with E26 lamp



METALLIC GRAY

NIKKO VISA MODEL/ **1477** white **1478** black COLOR 1479 metallic gray LAMP E26 B10 1x60w 1487HE black MODEL/ 1486HE white COLOR 1488HE metallic gray LAMP G24Q-1 1x13w quad wall projection 5.4" / 137 mm MODEL/ 1495HE white 1496HE black COLOR 1497HE metallic gray LAMP G24Q-2 1x18w quad

sample item number 1478 nikko visa black with E26 lamp





NIKKO/G		CF
	MODEL/ COLOR	1474 white 1475 black 1476 metallic gray
	LAMP	E26 B10 1x60w
10.8" 10.8" 274 mm	MODEL/ COLOR	1483HE white 1484HE black 1485HE metallic gray
	LAMP	G24Q-1 1x13w quad
wall projection 5.4" / 137 mm		
	MODEL/ COLOR	1492HE white 1493HE black 1494HE metallic gray
	LAMP	G24Q-2 1x18w quad


sample item number **1485HE** nikko/g metallic gray with G24Q-1 lamp



BLACK



sample item number 1597HE nikko grille black with G24Q-2 lamp





BRASS

INDUSTRIAL-INSPIRED CAGE
- SECURES THE ICE-ETCHED
GLASS DIFFUSER



sample item number $\mathbf{6956HE}$ clipper/g brass with G24Q-3 lamp



BLACK

— HIGHLY VERSATILE SLEEK PROFILE

POLO		
5.1" 130 mm	MODEL/ COLOR	7701 black 7699 metallic gray
	LAMP	E12 G16.5 1x40w

sample item number 7701 polo black with E12 lamp



FUTURA ADA CF TYPE PW compact fluorescent ${\bf JW}$ incandescent MODEL 940 FINISH **Z** bronze S brushed stainless steel for PW only: **1391HE** 2G11 36w twin tube 120v **1392HE** 2G11 36w twin tube 277v LAMP for JW only: **240** E26 B10 2x40w WET LOCATION ${\bf W}$ wet location

sample item number PW940S1391HEW futura, brushed stainless steel with 2G11 lamp



METALLIC GRAY

MODERN INTERPRETATION OF A
- PORT-HOLE DESIGN WITH INTERNALLY
SANDBLASTED GLASS DIFFUSER

SUPERDELTA TONDO		
	MODEL/ COLOR	1724 black 1718 metallic gray 1720 white
	LAMP	E26 A19 1x75w
10.5" 267 mm wall projection 4.6" / 1117 mm	MODEL/ COLOR	1779HE black 1783HE metallic gray 1777HE white
	LAMP	G24Q-1 1x13w quad

sample item number 1720 superdelta tondo metallic gray with E26 lamp



METALLIC GRAY



sample item number 1795 HE superdelta tondo visa metallic gray with G24Q-1 lamp




STAINLESS STEEL

PRESIDIO WET Complementary product p. 366				
	MODEL	HW614		
15.5"	FINISH	B black S stainless steel W white		
394 mm	LAMP	100 R7S 100w double-ended halogen 118mm		
	SCREW	S standard T tamper proof		
102 mm wall projection 6" / 152 mm	WET LOCATION	W wet location		

sample item number **HW614S100SW** presidio wet, stainless steel with R7S lamp






sample item number PW612C2131HEW eclipse, chrome coat with G24Q-1 lamps






METALLIC GRAY



sample item number 8530 visir 20 metallic gray with G24Q-1 lamp



METALLIC GRAY



sample item number 8544HE visir 30 metallic gray with G24Q-3 lamp







MORAIL & LL MORAI A M

MONORAIL & WALL MONORAIL BASICS

DESIGN YOUR MONORAIL SYSTEM




When designing your Monorail system, the first step is to determine what you would like to light. Choose your decorative fixtures and where they should be installed to put the light where you want it. For a visual reference of the fixtures available, refer to pp. 22–26. You will see a thumbnail image of the fixture as well as a page number indicated where to find detailed ordering information. Some fixtures may be customized by adding decorative and functional accessories.



Layout your Monorail run. Rail can be installed straight or can be field-bent to create an organic shape or follow architectural details. We also offer pre-bent Monorail options for added flexibility. Once your layout is complete, measure the length of the run to determine the quantity and length of Monorail sections required (p. 460). Finish your run with a set of End Caps (p. 461).

ADD POWER AND HARDWARE TO COMPLETE YOUR SYSTEM



Determine how far from the ceiling that you would like to position the system.


Use Telescoping Rigid Standoffs for curvy runs or if you want the ability to fine-tune the drop from the ceiling without any cutting (p. 462). Adjustable cable standoffs offer a minimal appearance (p. 462). For wall-mounted applications specify Wall Monorail standoffs. Remember to space standoffs no more than every 3 feet.



Selecting a transformer is as easy as adding up the total wattage of all the lamps you will be using on the system. Remote transformers with Power Feed canopies offer a minimal appearance. Surface transformers may be installed over an existing junction box. Remodel Recessed transformers offer a minimal appearance in remodel applications, however, this cannot be used with concrete ceilings. Remember when using LED heads and pendants to choose a transformer that is LED compatible. Use the information on pp. 464, 466–470 to help you choose the correct transformer for your design.



We offer pre-configured kits to simplify ordering (p. 471).



MONORAIL

Monorail is rated for 300 watts at 12 volts and 600 watts at 24 volts. Each piece of rail is shipped with straight conductive connectors to join rail pieces end to end. Order additional connectors (p. 461) if cutting and rejoining rails. All pieces are field-cuttable and hand-bendable to a horizontal radius as small as 6 inches.

MODEL	RAIL-ST-		
FINISH	BZ bronze	SC satin nickel	
LENGTH	48 48" long	96 96" long	

sample item number RAIL-ST-BZ48 monorail, bronze, 48" long




SATIN NICKEL




MONORAIL PRE-BENT OPTIONS

24" DIAMETER CIRCLE 1/3 Round, Radius 12". Order three pieces to create a 24" diameter circle, or use our 24" circle kit on p. 471. | MODEL | RAILCV3| 152 mm | FINISH | BZ62.5 bronze | SC62.5 satin nickel

sample item number RAILCV3-BZ62.5 24" diameter circle, bronze




sample item number RAILCV2-SC125 48" diameter circle, satin nickel



sample item number RAILCV1-SC117 soft curve, satin nickel

32" MONORAIL SPIRAL

Kit includes: Custom bent Monorail, Straight Conductive Connectors and End caps. (5) Standoffs required (sold separately). 32" Spiral.



sample item number RAILCVSPRL-BZ32 32" monorail spiral, bronze

48" MONORAIL SPIRAL Kit includes: Custom bent Monorail, Straight Conductive Connectors and End caps. (7) Standoffs required (sold separately). 48" Spiral. MODEL RAILCVSPRL FINISH BZ48 bronze SC48 satin nickel

sample item number RAILCVSPRL-SC48 48" monorail spiral, satin nickel

MONORAIL CONNECTORS



Straight Conductive (Pair)





Straight Isolating (Pair)













End Caps (Set-4 pcs)









STRAIGHT CONDUCTIVE

Straight conductive connectors join sections of Monorail together. (Pair.) Included with each piece of rail.

MODEL	SCONNECTOR	
FINISH	BZ-M bronze	SC-M satin nickel

sample item number SCONNECTORSC-M straight conductive, satin nickel

STRAIGHT ISOLATING

Straight isolating connectors join sections of rail and isolate one powered run from another. (Pair.) These are typically used to separate one circuit from the other circuit when using surface or remote dual-feed transformers and to separate multiple transformers on a continuous run. Included with dual-feed surface transformers and power feed canopies. (See pp. 465, 468–469.)

MODEL	ISOCONNECTORCL-M

sample item number ISOCONNECTORCL-M straight isolating

ADJUSTABLE ANGLE CONDUCTIVE

These connectors join sections of rail together allowing subtle to sharp horizontal angles. (Pair.)

MODEL	ACONNECTOR	
FINISH	BZ-M bronze	SC-M satin nickel

sample item number ACONNECTORBZ-M adjustable angle conductive, bronze

"T" CONDUCTIVE

These conductive connectors join three sections of Monorail together to create a "T". (Pair.) We recommend standoffs are placed no more than 6" away from the connector.

MODEL	TCONNECTOR	
FINISH	BZ-M bronze	SC-M satin nickel

sample item number TCONNECTORSC-M "t" conductive, satin nickel

END CAPS

Decorative metal cap to give finished look to the ends of Monorail. (4 pc. set.)

MOD	EL	ENDCAPS-	
FINI	SH	BZ-M bronze SC-M satin nickel	

sample item number $\ensuremath{\mathbf{ENDCAPS\text{-}SC\text{-}M}}$ end caps, satin nickel

"X" CONDUCTIVE

These conductive connectors join four sections of Monorail together to create a four-way intersection. (Pair.) We recommend standoffs are placed no more than 6" away from the connector.

MODEL	XCONNECTOR	
FINISH	BZ-M bronze SC-M satin nickel	

sample item number XCONNECTORBZ-M "x" conductive, bronze

ADJUSTABLE ANGLE VERTICAL CONNECTOR

These connectors join sections on Monorail together allowing subtle vertical angles.

THESE C	ise connectors join sections on monoral together anowing subtle vertical angles.		
MODEL	VCONNECTOR		
FINISH	BZ-M bronze SC-M satin nickel		

sample item number VCONNECTORSC-M adjustable angle vertical connector, satin nickel

MONORAIL STANDOFFS


Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height.

TELESCOPING RIGID STANDOFFS

Rigid standoffs offer multifunction ceiling mounting in one part. Unique telescoping height adjustment and rotational head insert simplifies and perfects your installation. Self-drilling drywall anchor included with all standoffs. NOTE: When mounting on concrete ceiling or wall, order one SCW-MASONARY-A per standoff.

MODEL	HANGER-ADJ- BZ bronze SC satin nickel	
FINISH		
LENGTH	-1 2.5"-4"* -2 6"-10" -3 12"-24" -4 24"-48" -5 48"-96" * When using with any surface mounted transformer, rail cannot be installed directly below the transformer.	

sample item number HANGER-ADJ-SC-1 telescoping rigid standoffs, satin nickel, 2.5"-4"





NOTE: Specify Surface Mounted Transformer or non-Direct Power Feed Canopy with Adjustable Cable or Telescoping Rigid Standoffs. Refer to p. 465, 468.

ADJUSTABLE CABLE STANDOFFS

Clean looking and fully adjustable cable standoff for ceiling mounting. Griplock allows for easy one-touch shortening or lengthening in the field. Offered in four stock lengths. Additional custom length cable can be specified. Self-drilling drywall anchor included with all standoffs.

MODE	L	HANGER-CBL-	
FINISH	NISH BZ bronze SC satin nickel		
LENG [*]	тн	-6 6' of cable -8 8' of cable -18 18' of cable -25 25' of cable	

sample item number HANGER-CBL-BZ-6 adjustable cable standoffs, bronze, 6'



DIRECT FEED RIGID STANDOFFS

DIRECT FEED TELESCOPING Universal for all single-circuit direct feed surface transformers EXCEPT 60w electronic flush. MODEL HANGERDIRADJ FINISH BZ1 bronze SC1 satin nickel

sample item number HANGERDIRADJSC1 direct feed telescoping rigid standoffs, satin nickel

DIRECT FEED RIGID Universal for all single-circuit direct power feed canopies and 60w electronic flush direct feed surface transformer. MODEL HANGERDIRRC FINISH BZ1 bronze SC1 satin nickel

 $sample\ item\ number\ \textbf{HANGERDIRRCSC1}\ direct\ feed\ telescoping\ rigid\ standoffs,\ satin\ nickel$





NOTE: Specify Direct Feed Surface Transformer or Direct Power Feed Canopy with Direct Feed Telescoping Rigid Standoffs. Refer to p. 465, 469.

MONORAIL SPECIAL INSTALLATIONS



WALL BRACKET

With cable support allows for extended, cantelievered wall mount. Available only for 2.5-4", 6-10" and 12-24" standoffs. Telescoping Rigid Standoffs (not included).

MODEL	WB-ADJ-	
FINISH	BZ bronze	SC satin nickel

sample item number WB-ADJ-SC wall bracket, satin nickel



T-GRID CLIP

Allows adaptation of any standoff to an inverted T-Grid ceiling rail. To be used with 15/16" (1) or 9/16" (2) T-Grid.

MODEL	CLIP-TB/MONO-	
SIZE	1 15/16" grid 2 9/16" grid	

sample item number CLIP-TB/MONO-1 t-grid clip, 15/16" grid



BALL JOINT

Attachment allows sloped ceiling mounting.

Adapts simply to any telescoping rigid standoff (not included).

MODEL	BJ-ADJ-	
FINISH	BZ bronze	SC satin nickel

sample item number BJ-ADJ-SC ball joint, satin nickel



FLEXIBLE END POWER FEED

Used to power a Monorail system from one end of the run. Includes a removable 4" round canopy and 144" of field-cuttable softwire leads. Mounts to a standard 4" junction box with round plaster ring (provided by electrician). Remote transformer sold separately, see p. 464.

MODEL	REMOTECNPY-FLEX-	
FINISH	BZ bronze SC s	atin nickel

sample item number **REMOTECNPY-FLEX-SC** flexible end power feed, satin nickel



WALL (DIRECT END) POWER FEED

For single-feed remote transformer applications, to power the end of a run, from a perpendicular wall. Remote transformer sold separately, see p. 464. 2.75" round power feed canopy (conductive), 2" electrical box and matching isolated wall support (non-conductive; included).

MODEL	REMOTECN	EMOTECNPY-WALL-		
FINISH	BZ bronze	SC satin nickel		

sample item number **REMOTECNPY-WALL-SC** wall (direct end) power feed, satin nickel

WALL MONORAIL



WALL MONORAIL DIRECT FEED STANDOFF

Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height. Supports the rail and positions in approximately 1" off the wall.

MODEL	HANGERDIRW-
FINISH	BZ bronze SC satin nickel

sample item number HANGERDIRW-SC wall monorail direct feed standoff, satin nickel



WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each swivel head.

One adapter is required for each swivel head.	
MODEL	RAILADAP-WALL
FINISH	BZ bronze SC satin nickel

sample item number RAILADAP-WALLSC wall monorail element adapter, satin nickel

REMOTE TRANSFORMERS

All Remote Transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible coaxial power feed cable or direct-feed connector (see p. 465). Please refer to the technical info on p. 518 for important transformer information and performance specs.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER
1.7"/ 8.1" 2" LED	12 volt/60W Remote AC Electronic Single-Feed	TRANS-RMTE-60	1x120VAC/.5A	1x60W**	Electronic Low-voltage Dimmer, 600W
8.25"	12 volt/150W Remote DC Electronic Single-Feed	TRANS-RMTE-150	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer, 600W
2°/	12 volt/150W Remote DC Electronic Single-Feed	TRANS-RMTE-152	1x120VAC/1.25A	1x150W**	Electronic Low-voltage Dimmer, 600W
2*/	12 volt/300W Remote DC Electronic Single-Feed	TRANS-RMTE-301	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer, 600W
2°/	12 volt/300W Remote DC Electronic Single-Feed	TRANS-RMTE-302	1x120VAC/2.5A	1x300W**	Electronic Low-voltage Dimmer, 600W
5"	12 volt/75W Remote Magnetic Single-Feed	TRANS-RMTE-75M	1x120VAC/.7A	1x75W**	Magnetic Low-voltage Dimmer, 600W
9.5° LED	12 volt/75W Remote Magnetic Single-Feed	TRANS-RMTE-75M/277	1x277VAC/.3A	1x75W**	Magnetic Low-voltage Dimmer, 600W
5"	12 volt/150W Remote Magnetic Single-Feed	TRANS-RMTE-150M	1x120VAC/1.25A	1x150W**	Magnetic Low-voltage Dimmer, 600W
9.5" LED	12 volt/150W Remote Magnetic Single-Feed	TRANS-RMTE-150M/277	1x277VAC/.55A	1x150W**	Magnetic Low-voltage Dimmer, 600W
	12 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M	1x120VAC/2.5A	1x300W**	Magnetic Low-voltage Dimmer, 600W
5"	12 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M/277	1x277VAC/1.1A	1x300W**	Magnetic Low-voltage Dimmer, 600W
9.5"	24 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M/24	1x120VAC/2.5A	1x300W	Magnetic Low-voltage Dimmer, 600W
12v only	24 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M/24V77	1x277VAC/1.1A	1x300W	Magnetic Low-voltage Dimmer, 600W
	12 volt/600W Remote Magnetic Dual-Feed	TRANS-RMTE-600M	1x120VAC/5A	2x300W**	Magnetic Low-voltage Dimmer, 1000W
6"	12 volt/600W Remote Magnetic Dual-Feed	TRANS-RMTE-600M/277	1x277VAC/2.2A	2x300W**	Magnetic Low-voltage Dimmer, 1000W
10.5"	24 volt/600W Remote Magnetic Single-Feed	TRANS-RMTE-600M/24	1x120VAC/5A	1x600W	Magnetic Low-voltage Dimmer, 1000W
12v only LED	24 volt/600W Remote Magnetic Single-Feed	TRANS-RMTE-600M/24V77	1x277VAC/2.2A	1x600W	Magnetic Low-voltage Dimmer, 1000W

These transformers are compatible with LED Heads and Pendants.

HOW TO CALCULATE YOUR WATTAGE NEEDS 2.75" and 4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. ** As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.

POWER FEED CANOPIES

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall parallel to a rail run. Location can be anywhere along the rail. 2.75" Round Canopies mount to a special 2" electrical J-Box (included). 4" Round Canopies mount to a standard 4" electrical J-Box with round plaster ring (provided by electrician). Remote canopies include 72" standard length of a 10AWG flexible, power feeder and complementing rail adapter. The feeder is field-cuttable and easily shortened by the installer. Direct-feed canopies include a complementing rail adapter flush with canopy.

MONORAIL SINGLE-FEED POWER FEED CANOPIES To be used with any single-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
.5*	REMOTECNPY-(BZ,SC)2	Special 2" square electrical box (included)	Telescoping Rigid or Adjustable Cable
.5"	REMOTECNPY-(BZ,SC) All dual-feed rail connectors are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable

MONORAIL DUAL-FEED POWER FEED CANOPY To be used with any dual-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
.5" 4.25" (install center of run)	REMOTECNPY-DF-(BZ,SC) All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable

MONORAIL DIRECT POWER FEED CANOPIES Allows for closest-to-ceiling possible mounting of Monorail.


CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
2.625*	REMOTECNPYDIR(BZ,SC)	Standard 4" square J-Box with round plaster ring (provided by electrician).	Direct feed Telescoping Rigid
2.625" 4.25" (install center of run)	REMOTECNPYDIRDF(BZ,SC) All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Direct feed Telescoping Rigid
2.625*	REMOTECNPYDIR2(BZ,SC)	Standard 2" square electrical box (included).	Direct feed Telescoping Rigid

WALL MONORAIL POWER FEED CANOPY When using a remote transformer, a remote canopy is necessary. Power feed canopies are directly behind a rail run. Location can be anywhere along the rail.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
4" ROUND	REMOTECNPDIRW-(BZ,SC) Wall monorail direct feed canopy	Standard 4" square J-Box with round plaster ring (provided by electrician).	Wall monorail direct feed standoff

PASS-THROUGH 300W SURFACE TRANSFORMER

The Pass-Through combines a sleek design with the ability to use 1" standoffs and ease of installation. First, the installer mounts and wires the upper canopy in much the same way a standard line-voltage pendant would be mounted. Second, the installer connects the rail connector to the rail. Finally, the installer snaps the lower canopy into the upper canopy without the need for any tools. The electrical connections are made automatically due to the mating components. The transformer bay is housed completely in the bottom canopy, so should there be any problems with the transformer at any time, only the bottom canopy would need to be removed. The upper canopy and the entire Monorail run can remain in place. It's that easy.




THE PASS-THROUGH

Sleek, minimalist design meets easy installation. The Monorail practically hugs the ceiling. Mounts to a standard 4" square ceiling junction box with round plaster ring (provided by electrician). To be used with 1" Standoffs. Not compatible with Pre-Bent S Monorail.

PASS-THROUGH ED				
MODEL	TRANSDIRPTE300			
FINISH	BZ bronze	SC satin nickel		

sample item number TRANSDIRPTE300SC pass-through, satin nickel



STANDOFF FOR PASS-THROUGH				
MODEL	HANGERDIRPT			
FINISH	BZ bronze SC satin nickel			

sample item number HANGERDIRPTSC standoff for passs-through, satin nicke

STANDOFF FOR PASS-THROUGH				
DDEL	HANGERDIRPT			
NISH	R7 hronza SC satin nickel			

TRANSFORMER	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFF
2.4* 7.5* LED	12 volt / 300W Electronic Pass-Through Single-Feed	TRANSDIRPTE300(BZ, SC)	1x120VAC/2.5A	1x300W**	Electronic Low-voltage Dimmer, 600W	Standoff for Pass-Through Surface Transformer

LED Indicated which transformers are compatible with LED fixtures.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of specified maximum wattage on the transformer due to inrush current. For assistance, please contact our technical support department.

MINI DIRECT FEED 300W SURFACE TRANSFORMER

The Mini answers the question, how small can it be? At 1.4 inches deep and 5.25 inches in diameter, it is the smallest 300 watt surface Monorail transformer in the industry. It installs similarly to our existing family of 300 watt transformers and practically disappears on the Monorail system.



Truly minimalist design and the industry's smallest 300 watt surface transformer. Constructed of die-cast aluminum. Mounts to a standard 4" square ceiling junction box with round plaster ring (provided by electrician). To be used with special standoff specifically designed for this transformer.

MINI			LED
MODEL	TRANSDIR	MNE300	
FINISH	BZ bronze	SC satin nickel	

sample item number **TRANSDIRMNE300SC** mini, satin nickel

DIRECT FEED STANDOFF FOR MINI			
MODEL	HANGERDIRMN		
FINISH	BZ bronze SC satin nickel		

sample item number **HANGERDIRMNSC** direct feed standoff for mini, satin nickel

TRANSFORMER	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFF
1.4° 5.3°	12 volt / 300W Electronic Mini Direct Feed Single-Feed	TRANSDIRMNE300 (BZ, SC)	1x120VAC/2.5A	1x300W**	Electronic Low-voltage Dimmer, 600W	Standoff for Mini Direct Feed

LED Indicated which transformers are compatible with LED fixtures.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of specified maximum wattage on the transformer due to inrush current. For assistance, please contact our technical support department.

SURFACE MOUNTED MONORAIL TRANSFORMERS

All Surface Mounted Transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Please refer to the technical info on p. 518 for important transformer information and performance specs. Transformer and flexible feeder cleanly and attractively send power to your system. 72" length is standard for our feeder. It is easily shortened in the field. Contact LBL Quotes Department, quotes@generation-brands.com, for longer lengths.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
4.5" 5" (72" standard length) LED	12 volt/60W Electronic Flush Single-Feed	TRANS-SFE60-(BZ,SC) TRANS-SFE60-(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
2.5* 5.1* 2.5* (72* standard length) LED	12 volt/60W Electronic Single-Feed	TRANS-SFE61-(BZ,SC) TRANS-SFE61-(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
2.5° 5.1° (72° standard length) LED	12 volt/100W Electronic Single-Feed	TRANS-SFE100-(BZ,SC) TRANS-SFE100-(BZ,SC)/277	1x120VAC/.9A 1x277VAC/.4A	1x100W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
7" 3" 7" (72" standard length)	12 volt/150W Electronic Single-Feed	TRANS-SFE150-(BZ,SC)	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
3* 7* (72" standard length)	12 volt/300W Electronic Single-Feed	TRANS-SFE300-(BZ,SC)	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
2.5° S.1° (72° standard length) LED	12 volt/75W Magnetic Single-Feed	TRANS-SFM75-(BZ,SC) TRANS-SFM75-(BZ,SC)/277	1x120VAC/.7A 1x277VAC/.3A	1x75W	Magnetic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
3* 7* (72° standard length) LED	12 volt/150W Magnetic Single-Feed	TRANS-SFM150-(BZ,SC)	1x120VAC/1.25A	1x150W	Magnetic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
9*	12 volt/300W Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)	1x120VAC/2.5A	1x300W		
3.75*	12 volt/300W Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)/277	1x277VAC/1.1A	1x300W	Magnetic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 462)
(72" standard length)	24 volt/300W Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)/24	1x120VAC/2.5A	1x300W		(β. 402)
4"	12 volt/600W Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)	1x120VAC/5A	2x300W	Magnetic Low-voltage	Telescoping Rigid or
(72" standard length install center of run)	12 volt/600W Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)/277	1x277VAC/2.2A	2x300W	Dimmer 1000W	Adjustable Cable (p. 462)
4" 11" (72" standard length)	24 volt/600W Magnetic Single-Feed	TRANS-SFM600-(BZ,SC)/24	1x120VAC/5A	1x600W	Magnetic Low-voltage Dimmer 1000W	Telescoping Rigid or Adjustable Cable (p. 462)

LED These transformers are compatible with LED Heads and Pendants.

DIRECT FEED MONORAIL SURFACE TRANSFORMERS

Allows for the closest possible mounting of Monorail to the ceiling. Each mounts to a standard 4" junction box with round plaster ring.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
.5" 4"	12 volt/60W Electronic Flush Single-Feed	TRANSDIR-SFE60(BZ,SC) TRANSDIR-SFE60(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* LED	12 volt/60W Electronic Single-Feed	TRANSDIR-SFE61(BZ,SC) TRANSDIR-SFE61(BZ,SC)/277	1x120VAC/.5A x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* 5.1* LED	12 volt/100W Electronic Single-Feed	TRANSDIR-SFE100(BZ,SC) TRANSDIR-SFE100(BZ,SC)/277	1x120VAC/.9A 1x277VAC/.4A	1x100W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375*	12 volt/150W Electronic Single-Feed	TRANSDIR-SFE150(BZ,SC)	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375*	12 volt/300W Electronic Single-Feed	TRANSDIR-SFE300(BZ,SC)	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* 5.1* LED	12 volt/75W Magnetic Single-Feed	TRANSDIR-SFM75(BZ,SC) TRANSDIR-SFM75(BZ,SC)/277	1x120VAC/.7A 1x277VAC/.3A	1x75W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375* LED	12 volt/150W Magnetic Single-Feed	TRANSDIR-SFM150(BZ,SC)	1x120VAC/1.25A	1x150W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
6.25*	12 volt/300W Magnetic Single-Feed	TRANSDIR-SFM300(BZ,SC) TRANSDIR-SFM300(BZ,SC)/277	1x120VAC/2.5A 1x277VAC/1.1A	1x300W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
6.25*	24 volt/300W Magnetic Single-Feed	TRANSDIR-SFM300(BZ,SC)/24	1x120VAC/2.5A	1x300W	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
6.25* (36* standard length)	12 volt/600W Magnetic Dual-Feed	TRANSDIR-SFM600(BZ,SC)	1x120VAC/5A	2x300W**	Magnetic Low-voltage Dimmer 1000W	Direct feed Telescoping Rigid
6.25*	24 volt/600W Magnetic Single-Feed	TRANSDIR-SFM600(BZ,SC)/24V	1x120VAC/5A	1x600W	Magnetic Low-voltage Dimmer 1000W	Direct feed Telescoping Rigid

LED These transformers are compatible with LED Heads and Pendants.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.

REMODEL RECESSED TRANSFORMER

COMBINES THE AESTHETICS OF REMOTE TRANSFORMERS AND POWER FEED CANOPIES WITH THE FLEXIBILITY OF SURFACE TRANSFORMERS


- Looks similar from below the ceiling to the power feed canopies used with remote transformers; however, it does not require access to a remote location because the transformer sits just above the ceiling
- The decorative canopy is the only visible portion of the transformer once installed
- Access to the back of the ceiling is not needed

EASY INSTALLATION

- Installs similar to a remodel recessed downlight
- In remodel applications, the electrician will need to install the Remodel Recessed Transformer in close proximity to an existing junction box, drill through the finished ceiling in the location where the Remodel Recessed Transformer will be installed, and cover the existing junction box with a thin, field paintable metal cover (included) as the NEC requires
- In new construction, the electrician can simply bring power to the Remodel Recessed Transformer directly
- Insulation must be kept at least 3" from the transformer and housing (non-IC)

THE TRANSFORMER IS CONCEALED INSIDE A HOUSING THAT RECESSES ABOVE THE CEILING

- Available with a 150 watt or 300 watt electronic transformer
- The transformer is equipped with a fast acting short circuit and overload protection that will safely turn off the system should a short or overload occur
- The unit can be reset simply by flipping the wall switch off and on
- Dimmable with a 600w low-voltage electronic dimmer





REMODEL RECESSED TRANSFORMER

150 watt Electronic can power lamps totaling up to 150 watts. 300 watt Electronic can power lamps totaling up to 300 watts.

MODEL	TRANS-RRE	
WATTAGE	150- 150w electroni	c 300- 300w electronic
FINISH	BZ bronze SC	satin nickel

sample item number TRANS-RRE150-SC

remodel recessed transformer, 150w electronic, satin nickel

PRE-CONFIGURED MONORAIL KITS

SOFT CURVE KIT

- (2) 46" soft curve rails (78" diameter, 1/5 round, 39" radius)
- (1) set of four end caps
- (1) set of straight conductive connectors
- (3) telescoping rigid standoffs (6-10")
- (1) surface mount transformer housing with (1) 300W electronic transformer and 72" flexible feeder cable

FUSIONKIT(BZ,SC)8CV

STRAIGHT RAIL KIT

- (2) 48" straight rails
- (1) set of four end caps
- (1) set straight connectors
- (3) telescoping rigid standoffs (6-10")
- (1) surface mount transformer housing with (1) 300W electronic transformer and 72" flexible feeder cable

FUSIONKIT(BZ,SC)8ST

24" DIAMETER CIRCLE KIT

- (3) 20" curved rails (24" diameter, 1/3 round, 12" radius)
- (1) set of four end caps
- (1) set of straight conductive connectors
- (3) telescoping rigid standoffs (6-10")
- (1) surface mount transformer housing with (1) 300W electronic transformer and 72" flexible feeder cable

FUSIONKIT(BZ,SC)2RD

48" DIAMETER CIRCLE KIT

- (3) 40.5" curved rails (48" diameter, 1/3 round)
- (1) set of four end caps
- (1) set of straight conductive connectors
- (3) telescoping rigid standoffs (6-10")
- (1) surface mount transformer housing with (1) 300W electronic transformer and 72" flexible feeder cable

FUSIONKIT(BZ,SC)4RD





MORALL & LIC MORALL LED ILLUMINATED W A L

LED ILLUMINATED MONORAIL BASICS

DESIGN YOUR MONORAIL SYSTEM



When designing your LED Illuminated Monorail system, the first step is to determine what you would like to light. Choose your decorative fixtures and where they should be installed to put the light where you want it. For a visual reference of the fixtures available, refer to p. 22–26. You will see a thumbnail image of the fixture as well as a page number indicating where to find detailed ordering information. Some fixtures may be customized by adding decorative and functional accessories. Remember to specify the MR2 mount.



Layout your LED Illuminated Monorail run. Rail can be installed straight or can be field-bent to create an organic shape or follow architectural details. Once your layout is complete, measure the length of the run to determine the quantity and length of LED Illuminated Monorail sections required (p. 476).

ADD POWER AND HARDWARE TO COMPLETE YOUR SYSTEM



Determine how far from the ceiling that you would like to position the system.

Use Telescoping Rigid Standoffs for curvy runs or if you want the ability to fine-tune the drop from the ceiling without any cutting (p. 478). Adjustable cable standoffs offer a minimal appearance (p. 478). For wall-mounted applications specify LED Illuminated Wall Monorail standoffs.


Remember to space standoffs no more than every 3 feet.



Selecting a transformer is as easy as adding up the total wattage of all the lamps you will be using on the system. Remember to add 3 watts for each single LED generator and 6 watts for each dual LED generator. Remote transformers with Power Feed canopies offer a minimal appearance. Surface transformers may be installed over an existing junction box. Remember when using LED heads and pendants to choose a transformer that is LED compatible. Use the information on pp. 480, 482–483 to help you choose the correct transformer for your design.



Add LED generators (p. 476). Each end of the run needs a single-ended generator. An additional dual-ended generator would be used to expand your rail runs past 16'.



LED ILLUMINATED MONORAIL

STRAIGHT RAIL

LED Illuminated Monorail, with open center channel for fiber optic cable (fiber optic cable sold separately), is rated for 300 watts at 12 volts. Each piece of rail is shipped with straight conductive connectors to join rail pieces end to end. Order additional connectors (below) if cutting and rejoining rails. All pieces are field-cuttable and hand-bendable to a horizontal radius as small as 12 inches.

MODEL	RAIL-ST-	
FINISH	BZ bronze SC satin nickel	
LENGTH	96-LED 96" long	

sample item number RAIL-ST-SC96-LED straight rail, satin nickel, 96" long, LED module



FIBER OPTIC CABLE

Sold per foot. Order length of cable to match run length plus one additional foot.

MODEL LEDMRLFIBER SATIN NICKEL

LED ILLUMINATED MONORAIL GENERATORS

Recommended every 16 feet. LED Generators may be chosen as single or dual-ended light sources. Each end of the rail needs a single-ended generator. An additional dual-ended generator would be used to expand your rail runs past 16'. Mix colors with (2) different colored single-ended generators. Use a different color dual-ended generator to continue with additional lengths of rail.







	LED GENERATOR DUAL					
	Dual-en	ded 6W LED g	enerator. Allo	ws for		
extending a rail run beyond 32 feet. MODEL LEDMRLC						
						COLOR



sample item number LEDMRLCAMSC



LED ILLUMINATED MONORAIL CONNECTORS







STRAIGHT CONDUCTIVE

LED generator dual amber, satin nickel

Straight conductive connectors join sections of LED Illuminated Monorail together. (Pair.) Included with each piece of rail.

MODEL	SCONNECTOR	
FINISH	BZ-M bronze	SC-M satin nickel

sample item number SCONNECTORSC-M straight conductive, satin nickel







Straight Isolating (Pair)

LED END CAP

Decoral	ve reflective cap to give a finished look to the ends of LED filuminated Monorali.				
MODEL	ENDCAPS-				
FINISH	BZ-M-LED bronze	SC-M-LED satin nickel			

sample item number ENDCAPS-SC-M-LED LED end cap

STRAIGHT ISOLATING

Straight isolating connectors join sections of rail and isolate one powered run from another. (Pair.) These are typically used to separate one circuit from the other circuit when using surface or remote dual-feed transformers and to separate multiple transformers on a continuous run. Included with dual-feed surface transformers and power feed canopies. (See pp. 481–483.)

ISOCONNECTORCL-M

sample item number ISOCONNECTORCL-M straight isolating



LED ILLUMINATED MONORAIL STANDOFFS

Choose your LED Illuminated Monorail supports Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height.

TELESCOPING RIGID STANDOFFS

(Specify with Surface Mounted Transformers or Power Feed Canopies)
Rigid standoffs offer multifunction ceiling mounting in one part. Unique telescoping
height adjustment and rotational head insert simplifies and perfects your installation.
Self-drilling drywall anchor included with all standoffs. NOTE: When mounting on
concrete ceiling or wall, order one SCW-MASONARY-A per standoff.

MODEL	HANGER-ADJ-
FINISH	BZ bronze SC satin nickel
LENGTH	-1-2 2.5"-4"* -2-2 6"-10" -3-2 12"-24" -4-2 24"-48" -5-2 48"-96" * When using with any surface mounted transformer HANGER-ADJ-SC-1-2, rail cannot be installed directly below the transformer.

sample item number HANGER-ADJ-SC-1-2

telescoping rigid standoffs, satin nickel, 2.5"-4" and 6"-10"

ADJUSTABLE CABLE STANDOFFS

Clean looking and fully adjustable cable standoff for ceiling mounting. Griplock allows for easy one-touch shortening or lengthening in the field. Offered in four stock lengths. Additional custom length cable can be specified. Self-drilling drywall anchor included with all standoffs.

MODEL	HANGER-CBL-
FINISH	BZ bronze SC satin nickel
LENGTH	-6-2 6' of cable -8-2 8' of cable -18-2 18' of cable -25-2 25' of cable

sample item number HANGER-CBL-BZ-6 adjustable cable standoffs, bronze, 61







NOTE: Specify Surface Mounted Transformer or non-Direct Power Feed Canopy with Adjustable Cable or Telescoping Rigid Standoffs. Refer to p. 481–482.

DIRECT FEED RIGID STANDOFFS

DIRECT FEED TELESCOPING

Universal for all LED Illuminated Monorail direct feed surface transformers except 60w electronic flush.

СКССРЕС	except dow electronic hash.		
MODEL	HANGERDIRADJ		
FINISH	BZ1-2 bronze SC1-2 satin nickel		

sample item number HANGERDIRADJSC1-2 direct feed telescoping rigid standoffs, satin nickel

DIRECT FEED RIGID

Universal for all LED Illuminated Monorail direct power feed canopies and 60w electronic flush direct feed surface transformer.

electronic hash direct reed surface transformer.		
MODEL	HANGERDIRRC	
FINISH	BZ1-2 bronze	SC1-2 satin nickel

 $sample\ item\ number\ \textbf{HANGERDIRRCSC1-2}\ direct\ feed\ telescoping\ rigid\ standoffs,\ satin\ nickel$







NOTE: Specify Direct Feed Surface Transformer or Direct Power Feed Canopy with Direct Feed Telescoping Rigid Standoffs. Refer to p. 481, 483.

LED ILLUMINATED MONORAIL SPECIAL INSTALLATIONS



BALL JOINT Attachment allows sloped ceiling mounting. Adapts simply to any telescoping rigid standoff (not included). MODEL BJ-ADJ FINISH BZ bronze SC satin nickel





T-GRID CLIP

Allows adaptation of any standoff to an inverted T-Grid ceiling rail. To be used with 15/16" (1) or 9/16" (2) T-Grid

9/16" (2	9/16" (2) 1-G110.				
MODEL	CLIP-TB/MONO-				
SIZE	1 15/16" grid 2 9/16" grid				

sample item number CLIP-TB/MONO-1 t-grid clip, 15/16" grid

LED ILLUMINATED WALL MONORAIL



WALL MONORAIL DIRECT FEED STANDOFF

Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height. Supports the rail and positions in approximately 1" off the wall.

	*	
MODEL	HANGERDIRW-	
FINISH	BZ-LED bronze	SC-LED satin nickel

sample item number **HANGERDIRW-SC-LED** wall monorail direct feed standoff, satin nickel



WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each swivel head.

One adapter is required for each swiver nead.			
MODEL	RAILADAP-WALL		
FINISH	BZ-LED bronze	SC-LED satin nickel	

sample item number RAILADAP-WALLSC-LED wall monorail element adapter, satin nickel

LED ILLUMINATED MONORAIL REMOTE TRANSFORMERS

All Remote Transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible power feed cable or direct-feed connector see p. 481. Please refer to the technical info on p. 518 for important transformer information and performance specs.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER
1.7"/ 8.1"	12 volt/60W Remote AC Electronic Single-Feed	TRANS-RMTE-60	1x120VAC/.5A	1x60W**	Electronic Low-voltage Dimmer, 600W
1.75"/	12 volt/150W Remote DC Electronic Single-Feed	TRANS-RMTE-150	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer, 600W
2°/	12 volt/150W Remote DC Electronic Single-Feed	TRANS-RMTE-152	1x120VAC/1.25A	1x150W**	Electronic Low-voltage Dimmer, 600W
2"/	12 volt/300W Remote DC Electronic Single-Feed	TRANS-RMTE-301	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer, 600W
2"/ 8.5" LED	12 volt/300W Remote DC Electronic Single-Feed	TRANS-RMTE-302	1x120VAC/2.5A	1x300W**	Electronic Low-voltage Dimmer, 600W
5"	12 volt/75W Remote Magnetic Single-Feed	TRANS-RMTE-75M	1x120VAC/.7A	1x75W**	Magnetic Low-voltage Dimmer, 600W
9.5" LED	12 volt/75W Remote Magnetic Single-Feed	TRANS-RMTE-75M/277	1x277VAC/.3A	1x75W**	Magnetic Low-voltage Dimmer, 600W
5"	12 volt/150W Remote Magnetic Single-Feed	TRANS-RMTE-150M	1x120VAC/1.25A	1x150W**	Magnetic Low-voltage Dimmer, 600W
9.5" LED	12 volt/150W Remote Magnetic Single-Feed	TRANS-RMTE-150M/277	1x277VAC/.55A	1x150W**	Magnetic Low-voltage Dimmer, 600W
5"	12 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M	1x120VAC/2.5A	1x300W**	Magnetic Low-voltage Dimmer, 600W
9.5" LED	12 volt/300W Remote Magnetic Single-Feed	TRANS-RMTE-300M/277	1x277VAC/1.1A	1x300W**	Magnetic Low-voltage Dimmer, 600W
6"	12 volt/600W Remote Magnetic Dual-Feed	TRANS-RMTE-600M	1x120VAC/5A	2x300W**	Magnetic Low-voltage Dimmer, 1000W
10.5"	12 volt/600W Remote Magnetic Dual-Feed	TRANS-RMTE-600M/277	1x277VAC/2.2A	2x300W**	Magnetic Low-voltage Dimmer, 1000W

LED These transformers are compatible with LED Heads and Pendants.

HOW TO CALCULATE YOUR WATTAGE NEEDS 2.75" and 4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. ** As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.

LED ILLUMINATED MONORAIL POWER FEED CANOPIES

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall parallel to a rail run. Location can be anywhere along the rail. 2.75" Round Canopies mount to a special 2" electrical J-Box (included). 4" Round Canopies mount to a standard 4" electrical J-Box with round plaster ring (provided by electrician). Remote canopies include 72" standard length of a 10AWG flexible, plated power feeder and complementing rail adapter. The feeder is field-cuttable and easily shortened by the installer. Direct-feed canopies include a complementing rail adapter flush with canopy.

MONORAIL SINGLE-FEED POWER FEED CANOPIES To be used with any single-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF	
.5*	REMOTECNPY-(BZ,SC)-2-LED	Special 2" square electrical box (included)	Telescoping Rigid or Adjustable Cable	
.5"	REMOTECNPY-(BZ,SC)-LED	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable	

LED ILLUMINATED MONORAIL DUAL-FEED POWER FEED CANOPY To be used with any dual-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
.5* 4.25"	REMOTECNPY-DF-(BZ,SC)-LED All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable

LED ILLUMINATED MONORAIL DIRECT POWER FEED CANOPIES Allows for closest-to-ceiling possible mounting of Monorail. Specify with Remote Transformers.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF	
2.625*	REMOTECNPYDIR(BZ,SC)-LED		Direct feed Telescoping Rigid	
2.625*	REMOTECNPYDIRDF2(BZ,SC)-LED	Standard 4" square J-Box with round plaster ring (provided by electrician).	Direct feed Telescoping Rigid	
2.625* 4.25* (install center of run)	REMOTECNPYDIRF(BZ,SC)-LED All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Special 2" square electrical box (included)	Direct feed Telescoping Rigid	

LED ILLUMINATED WALL MONORAIL POWER FEED CANOPY When using a remote transformer, a remote canopy is necessary. Power feed canopies are directly behind a rail run. Location can be anywhere along the rail.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF	
4" ROUND	REMOTECNPDIRW-(BZ,SC)-LED Wall monorail direct feed canopy	Standard 4" square J-Box with round plaster ring (provided by electrician).	Wall monorail direct feed standoff	

LED ILLUMINATED MONORAIL SURFACE MOUNTED TRANSFORMERS

All Surface Mounted Transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Please refer to the technical info on p. 518 for important transformer information and performance specs. Transformer and flexible feeder cleanly and attractively send power to your system. 72" length is standard for our feeder. It is easily shortened in the field. Contact LBL Quotes Department, quotes@generation-brands.com, for longer lengths.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
4.5° 5° (72° standard length)	12 volt/60W Electronic Flush Single-Feed	TRANS-SFE60-(BZ,SC)-LED TRANS-SFE60-(BZ,SC)-LED/277	1x120VAC/.5A 1x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
2.5" 2.5" LED	12 volt/60W Electronic Single-Feed	TRANS-SFE61-(BZ,SC)-LED TRANS-SFE61-(BZ,SC)-LED/277	1x120VAC/.5A 1x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
2.5" 2.5" LED	12 volt/100W Electronic Single-Feed	TRANS-SFE100-(BZ,SC)-LED TRANS-SFE100-(BZ,SC)-LED/277	1x120VAC/.9A 1x277VAC/.4A	1x100W**	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
7* 3* (72° standard length)	12 volt/150W Electronic Single-Feed	TRANS-SFE150-(BZ,SC)-LED	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
7* 3* (72* standard length)	12 volt/300W Electronic Single-Feed	TRANS-SFE300-(BZ,SC)-LED	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
2.5° (72° standard length)	12 volt/75W Magnetic Single-Feed	TRANS-SFM75-(BZ,SC)-LED TRANS-SFM75-(BZ,SC)-LED/277	1x120VAC/.7A 1x277VAC/.3A	1x75W**	Magnetic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
7* 3* (72* standard length) LED	12 volt/150W Magnetic Single-Feed	TRANS-SFM150-(BZ,SC)-LED	1x120VAC/1.25A	1x150W**	Magnetic Low-voltage Dimmer 600W	Telescoping Rigid or Adjustable Cable (p. 478)
3.75*	12 volt/300W Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)-LED	1x120VAC/2.5A	1x300W**	Magnetic	Telescoping Rigid
(72" standard length)	12 volt/300W Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)-LED/277	1x277VAC/1.1A	1x300W**	Low-voltage Dimmer 600W	or Adjustable Cable (p. 478)
4"	12 volt/600W Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)-LED	1x120VAC/5A	2x300W**	Magnetic	Telescoping Rigid or
(72" standard length install center of run)	12 volt/600W Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)-LED/277	1x277VAC/1.1A	2x300W**	Low-voltage Dimmer 1000W	Adjustable Cable (p. 478)

LED These transformers are compatible with LED Heads and Pendants.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.

LED ILLUMINATED MONORAIL DIRECT FEED SURFACE TRANSFORMERS

Allows for the closest possible mounting of Monorall to the ceiling. Each mounts to a standard 4" junction box with round plaster ring.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
.5" 4" LED	12 volt/60W Electronic Flush Single-Feed	TRANSDIRSFE60(BZ,SC)-LED TRANSDIRSFE60(BZ,SC)-LED/277	1x120VAC/.5A 1x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* LED	12 volt/60W Electronic Single-Feed	TRANSDIRSFE61(BZ,SC)-LED TRANSDIRSFE61(BZ,SC)-LED/277	1x120VAC/.5A 1x277VAC/.22A	1x60W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* 5.1* LED	12 volt/100W Electronic Single-Feed	TRANSDIRSFE100(BZ,S)-LED TRANSDIR-SFE100(BZ,SC)-LED/277	1x120VAC/.9A 1x277VAC/.4A	1x100W**	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375*	12 volt/150W Electronic Single-Feed	TRANSDIRSFE150(BZ,SC)-LED	1x120VAC/1.25A	1x150W	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375*	12 volt/300W Electronic Single-Feed	TRANSDIRSFE300(BZ,SC)-LED	1x120VAC/2.5A	1x300W	Electronic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
4.25* 5.1* LED	12 volt/75W Magnetic Single-Feed	TRANSDIRSFM75(BZ,SC)-LED TRANSDIR-SFM75(BZ,SC)-LED/277	1x120VAC/.7A 1x277VAC/.3A	1x75W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
5.375° T*	12 volt/150W Magnetic Single-Feed	TRANSDIRSFM150(BZ,SC)-LED	1x120VAC/1.25A	1x150W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
6.25° (36° standard length)	12 volt/300W Magnetic Single-Feed	TRANSDIRSFM300(BZ,SC)-LED TRANSDIRSFM300(BZ,SC)-LED/277	1x120VAC/5A	1x300W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid
6.25*	12 volt/600W Magnetic Dual-Feed	TRANSDIRSFM600(BZ,SC)-LED TRANSDIRSFM600(BZ,SC)-LED/277	1x120VAC/5A 1x277VAC/2.2A	2x300W**	Magnetic Low-voltage Dimmer 600W	Direct feed Telescoping Rigid

LED These transformers are compatible with LED Heads and Pendants.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.





2-CIRCUIT MONORAIL BASICS

DESIGN YOUR 2-CIRCUIT MONORAIL SYSTEM



When designing your 2-Circuit Monorail system, the first step is to determine what you would like to light. Choose your decorative fixtures, where they should be installed to put the light where you want it, and which elements will be controlled by each circuit. The placement of the conductive metal screw in the fixture's system adapter determines which circuit controls the fixture. For a visual reference of the fixtures available, refer to p. 22–26. You will see a thumbnail image of the fixture as well as a page number indicated where to find detailed ordering information. Some fixtures may be customized by adding decorative and functional accessories.



Layout your 2-Circuit Monorail run. Rail can be installed straight or can be field-bent to create an organic shape or follow architectural details. We also offer pre-bent 2-Circuit Monorail options for added flexibility. Once your layout is complete, measure the length of the run to determine the quantity and length of 2-Circuit Monorail sections required (p. 488). Finish your run with a set of End Caps (p. 489).


ADD POWER AND HARDWARE TO COMPLETE YOUR SYSTEM



Determine how far from the ceiling that you would like to position the system. Use Telescoping Rigid Standoffs for curvy runs or if you want the ability to fine-tune the drop from the ceiling without any cutting (p. 490). Adjustable cable standoffs offer a minimal appearance (p. 490).



Selecting a transformer is as easy as adding up the total wattage of all the lamps you will be using on the system. Each transformer features two independent 120 or 277 volt circuits that may be switched independently. 24 volt transformers cannot be used with 2-Circuit Monorail. Remote transformers with Power Feed canopies offer a minimal appearance. Surface transformers may be installed over an existing junction box. Remember when using LED heads and pendants to choose a transformer that is LED compatible. Use the information on p. 518 to help you choose the correct transformer for your design.



2-CIRCUIT MONORAIL

2-Circuit Monorail is rated for 300 watts per circuit at 12 volts. Each piece of rail is shipped with straight conductive connectors to join rail pieces end to end. Order additional connectors (p. 489) if cutting and rejoining rails. All pieces are field-cuttable and hand-bendable to a horizontal radius as small as 12 inches.

MODEL	RAIL-ST-
FINISH	BZ bronze SC satin nickel
LENGTH	48-2 48" long 96-2 96" long


sample item number RAIL-ST-BZ48-2 2-circuit monorail, bronze, 48" long




SATIN NICKEL



sample item number RAILCV3-BZ62.5-2 24" diameter circle, bronze



sample item number RAILCV1-SC117-2 soft curve, satin nickel




sample item number RAILCV2-SC125-2 48" diameter circle, satin nickel

CONNECTORS continued




Straight Conductive (Set of three)





Straight Isolating (Set of three)





"T" Conductive (Set of three)





Adj Angle Conductive (Set of three)





"X" Conductive (Set of three)





End Caps (Set-6 pcs)





STRAIGHT CONDUCTIVE

Straight conductive connectors join sections of 2-Circuit Monorail together. (Set of three.) Included with each piece of rail.

MODEL	SCONNECTOR	
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel

sample item number SCONNECTORSC-M-2 straight conductive, satin nickel

STRAIGHT ISOLATING

Straight isolating connectors join sections of rail and isolate one powered run from another. (Set of three.) These are typically used to separate one circuit from the other circuit when using surface or remote dual-feed transformers and to separate multiple transformers on a continuous run. Included with dual-feed power feed canopies. (See p. 493.)

MODEL	ISOCONNECTORCL-M-2

sample item number ISOCONNECTORCL-M-2 straight isolating

"T" CONDUCTIVE

These conductive connectors join three sections of 2-Circuit Monorail together to create a "T". (set of three.) We recommend standoffs are placed no more than 6" away from the connector.

MODEL	TCONNECTOR	
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel

sample item number TCONNECTORSC-M-2 "t" conductive, satin nickel

ADJUSTABLE ANGLE CONDUCTIVE

These connectors join sections of 2-Circuit Monorail together allowing subtle to sharp horizontal angles. (set of three.)

MODEL	ACONNECTOR	
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel

sample item number ACONNECTORSC-M-2 adjustable angle conductive, satin nickel

"X" CONDUCTIVE

These conductive connectors join four sections of 2- Circuit Monorail together to create a four-way intersection. (set of three.) We recommend standoffs are placed no more than 6" away from the connector.

MODEL	XCONNECTOR	
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel

sample item number XCONNECTORBZ-M-2 "x" conductive, bronze

END CAPS

Decorative metal cap to give finished look to the ends of 2-Ciruit Monorail. (6 pc. set.)

MODEL	ENDCAPS-	
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel

sample item number ENDCAPS-SC-M-2 end caps, satin nickel



ADJUSTABLE ANGLE VERTICAL CONNECTOR

These connectors join sections of 2-Circuit Monorail together allowing subtle vertical angles.

	*		-	,	
MODEL	VCONNECTOR				
FINISH	BZ-M-2 bronze	SC-M-2 satin nickel			

sample item number VCONNECTORSC-M-2 adjustable angle vertical connector, satin nickel

STANDOFFS

Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height.

TELESCOPING RIGID STANDOFFS

Rigid standoffs offer multifunction ceiling mounting in one part. Unique telescoping height adjustment and rotational head insert simplifies and perfects your installation. Self-drilling drywall anchor included with all standoffs. NOTE: When mounting on concrete ceiling or wall, order one SCW-MASONARY-A per standoff.

MODEL	HANGER-ADJ-
FINISH	BZ bronze SC satin nickel
LENGTH	-1-2 2.5"-4"* -2-2 6"-10" -3-2 12"-24" -4-2 24"-48" -5-2 48"-96" * When using with any surface mounted transformer, rail cannot be installed directly below the transformer.

sample item number HANGER-ADJ-SC-1-2

telescoping rigid standoffs, satin nickel, 2.5"-4" and 6"-10" $\,$







ADJUSTABLE CABLE STANDOFFS

Clean looking and fully adjustable cable standoff for ceiling mounting. Griplock allows for easy one-touch shortening or lengthening in the field. Offered in four stock lengths. Additional custom length cable can be specified. Self-drilling drywall anchor included with all hangers.

MODEL	HANGER-CBL-
FINISH	BZ bronze SC satin nickel
LENGTH	-6-2 6' of cable -8-2 8' of cable -18-2 18' of cable -25-2 25' of cable

sample item number HANGER-CBL-BZ-6-2 adjustable cable standoffs, bronze, 6'



DIRECT FEED RIGID STANDOFFS

DIRECT FEED TELESCOPING Universal for all 2-circuit direct feed surface transformers.			
MODEL	ODEL HANGERDIRADJ		
FINISH	BZ1-2 bronze SC1-2 satin nickel		

sample item number HANGERDIRADJSC1-2 direct feed telescoping rigid standoffs, satin nickel

DIRECT FEED RIGID Universal for all 2-circuit direct power feed canopies.			
MODEL	HANGERDIRRC		
FINISH	INISH BZ1-2 bronze SC1-2 satin nickel		

 $sample\ item\ number\ \textbf{HANGERDIRRCSC1-2}\ direct\ feed\ telescoping\ rigid\ standoffs,\ satin\ nickel$





NOTE: Specify Direct Feed Surface Transformer or Direct Power Feed Canopy with Direct Feed Telescoping Rigid Standoffs. Refer to pp. 493–494.

SPECIAL INSTALLATIONS



BALL JOINT

Attachment allows sloped ceiling mounting. Adapts simply to any telescoping rigid standoff (not included).

MODEL	BJ-ADJ-	
FINISH	BZ bronze	SC satin nickel

sample item number BJ-ADJ-SC ball joint, satin nickel



T-GRID CLIP

Allows adaptation of any standoff to an inverted T-Grid ceiling rail. To be used with 15/16" (1) or 9/16" (2) T-Grid.

27 10 (2	37 10 (E) 1 011d.					
MODEL	CLIP-TB/MONO-					
SIZE	1 15/16" grid 2 9/16" grid					

sample item number CLIP-TB/MONO-1 t-grid clip, 15/16" grid

REMOTE TRANSFORMERS

All 2-circuit remote transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible power feed cable and 2-circuit wire or direct feed connector (see p. 483). Please refer to the technical info on p. 518 for important transformer information and performance specs.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER
5° 9° LED	12 volt/150 watt Remote Magnetic Single-Feed	TRANS-RMTE-150M-2	2x120VAC/2x.7A Consists of two independent primaries.	2x75W**	Up to (2) Magnetic Low-voltage Dimmer, 600W
5° 9° LED	12 volt/300 watt Remote Magnetic Single-Feed	TRANS-RMTE-300M-2	2x120VAC/2x1.25A Consists of two independent primaries.	2x150W**	Up to (2) Magnetic Low-voltage Dimmer, 600W
5° 9° LED	12 volt/600 watt Remote Magnetic Single-Feed	TRANS-RMTE-600M-2	2x12OVAC/2x2.5A Consists of two independent primaries.	2x300W**	Up to (2) Magnetic Low-voltage Dimmer, 600W
6" LED	12 volt/600 watt Remote Magnetic Single-Feed	TRANS-RMTE-600M-2/277	2x277 VAC/2x1.1A Consists of two independent primaries.	2x300W**	Up to (2) Magnetic Low-voltage Dimmer, 600W

These transformers are compatible with LED Heads and Pendants.

HOW TO CALCULATE YOUR WATTAGE NEEDS

4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads times the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. ** As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.

POWER FEED CANOPIES

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall parallel to a rail run. Location can be anywhere along the rail.

4" ROUND CANOPIES mount to a standard 4" electrical J-Box with round plaster ring (provided by electrician). 2-circuit remote canopies include 72" standard length of a 10AWG flexible power feeder, a 2-circuit wire and complementing rail adapter. The feeder and 2-circuit wire are field-cuttable and easily shortened by the installer.

POWER FEED CANOPY To be used with any 2x75W, 2x150W and 2x300W remote transformer applications.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
4.25"	REMOTECNPY-(BZ,SC)-2C	Standard 4" electrical J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable

DUAL-FEED POWER FEED CANOPY To be used with any 2x600W (4x300W) remote transformer applications.

A 2-circuit rail installation using (2) TRANS-RMTE-150M-2, TRANS-RMTE-300M-2 or (2) TRANS-RMTE-600M-2 must be separated by an isolating connector (ISOCONNECTORCL-M-2 included).

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
4.25*	REMOTECNPY-DF-2C-(BZ,SC)	Standard 4" electrical J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable

DIRECT POWER FEED CANOPIES Allows for closest-to-ceiling possible mounting of 2-Circuit Monorail. Specify with Remote Transformers. A 2-circuit rail installation using (2) TRANS-RMTE-150M-2, TRANS-RMTE-300M-2 or (2) TRANS-RMTE-600M-2 must be separated by an isolating connector (ISOCONNECTORCL-M-2 included).

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
2.625*	REMOTECNPYDIR(BZ,SC)-2C Single-Feed, Direct Power Feed Canopy	Standard 4" electrical J-Box with round plaster ring (provided by electrician).	Direct Feed Telescoping Rigid
2.625*	REMOTECNPYDIRDF(BZ,SC)-2C Single-Feed, Direct Power Feed Canopy	Standard 4" electrical J-Box with round plaster ring (provided by electrician).	Direct Feed Telescoping Rigid

SURFACE MOUNTED TRANSFORERS

All 2-circuit surface mounted transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Typically, you use a surface transformer when an accessible location above the ceiling or in a utility closet is unavailable for installing a remote transformer. Please refer to the technical info on p. 518 for important transformer information and performance specs. 300W (2x150W) and 500W (2x250W) surface mount transformers are available to power your system. 10 AWG flexible feeder and 2-circuit wire cleanly and attractively sends power to your system. 72" length is standard for our feeder. It is easily shortened in the field. Contact LBL Quotes Department, quotes@generation-brands.com, for longer lengths.

DIRECT POWER FEED CANOPIES Allows for closest-to-ceiling possible mounting of 2-Circuit Monorail. Specify with Remote Transformers.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
3* 7* (72* standard length)	12 volt/300W Electronic Single-Feed	TRANS-SFE-300-2- (BZ,SC)	2x120 VAC/ 2x1.25A Consists of two independent primaries.	2x150W	Up to (2) Electronic Low voltage Dimmers 600W	Telescoping Rigid or Adjustable Cable
4" (72" standard length)	12 volt/500 watt Magnetic Toroidal Integral Dimming Coil Single-Feed	TRANS-SFM500-2- (BZ,SC)	2x120 VAC/ 2x2.08A Consists of two independent primaries.	2x250W**	Up to (2) Magnetic Low voltage Dimmers 600W	Telescoping Rigid or Adjustable Cable

DIRECT POWER SURFACE TRANSFORMERS Allows for the closest possible mounting of 2-Circuit Monorail to the ceiling. Each mounts to a standard 4" junction box.


CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
5.75"	12 volt/300W Electronic Single-Feed	TRANSDIR- SFE300(BZ,SC)-2	2x120 VAC/ 2x1.25A Consists of two independent primaries.	2x150W	Up to (2) Electronic Low voltage Dimmers 600W	Direct Feed Telescoping Rigid
7* LED	12 volt/500 watt Magnetic Single-Feed	TRANSDIR- SFM500(BZ,SC)-2	2x120 VAC/ 2x2.08A Consists of two independent primaries.	2x250W**	Up to (2) Magnetic Low voltage Dimmers 600W	Direct Feed Telescoping Rigid

These transformers are compatible with LED Heads and Pendants.

^{**} As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.











DESIGN YOUR FUSION JACK SYSTEM



When designing your Fusion Jack system, the first step is to determine what you would like to light. Choose your decorative fixtures and where they should be installed to put the light where you want it. For a visual reference of the fixtures available, refer to pp. 22–26. You will see a thumbnail image of the fixture as well as a page number indicated where to find detailed ordering information. Some fixtures may be customized by adding decorative and functional accessories.

CHOOSE YOUR CANOPY




Use the information on pp. 500-507 to help you choose the right Fusion Jack Canopy. Select one Single-Port Canopy for every element or a Multi-Port Canopy that contains the same number of ports as the number of fixtures you have chosen. The Single- and Multi-Port Canopies include a transformer or transformers. The 1.5" Low-Profile Canopy on p. 507 is used to power a series of fixtures from a remote transformer which is sold separately (p. 464). Select the Low-Voltage Fusion Jack Track Adapter (p. 507) to hang Fusion Jack fixtures on standard track lighting or the Recessed Can Adapter to hang Fusion Jack fixtures on recessed cans. If you are using LED heads or pendants, be sure tochoose a canopy that is compatible with LED fixtures.

ADJUSTING CABLE TO DESIRED LENGTH



Adjusting Fusion Jack cable is easy. Loosen, but do not remove, the set screw on the tip of the Fusion Jack connector and the oval head set screw on the conical connector. Pull out the coaxial cable and cut it to the desired length. Gently twist the end of the cable between your thumb and forefinger, then feed it through the conical connector. The outer wire will come to a stop point about 3/4 of an inch into the connector. Keep pushing the cable into the connector while rotating the connector, which makes feeding the inner wire into the connector tip easier. Look into the sight hole on the top of the connector to ensure that the inner wire makes contact with the end of the connector. Hold the cable in place and tighten the set screw on the tip of the connector. Make sure the connection is tight! Tighten the set screw on the conical connector.



FUSION JACK SINGLE-PORT CANOPIES



SATIN NICKEL



SATIN NICKEL



MAPLE WOOD



WALNUT WOOD

COMPATIBLE DIMMERS

120V: Standard incandescent dimmer
12V LED: Low-voltage electronic dimmer
277V: 277V incandescent dimmer
277V LED: 277V low-voltage electronic dimmer

4" ROUND DOME CANOPY

Used when the junction box does not have enough room for recessing a 60W electronic transformer (included). Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL	CK001B-FJ-				
FINISH	BZ bronze	PC polished cl	hrome	SC satin nickel	
TYPE	120V IN,	/12V OUT /12V LED OUT		20V IN/24V OUT 277 277V IN/12V L	-277 277V IN/12V OUT ED OUT

sample item number CK001B-FJ-SC 4" round dome canopy, satin nickel

4" ROUND DOME CANOPY WITH VAULT ADAPTER

Mounts to standard 4" electrical box with round plaster ring (provided by electrician). Low-voltage 60W electronic transformer (included) neatly fits into electrical box. Female Fusion Jack port slopes up to 45° for use on vaulted ceilings. Order fixtures as FSJ.

MODEL	CK001B-FJ\	/-	
FINISH	BZ bronze	PC polished chro	ne SC satin nickel
TYPE		,	24 120V IN/24V OUT -277 277V IN/12V OUT .ED277 277V IN/12V LED OUT

sample item number CK001B-FJV-SC-LED

4" round dome canopy with vault adapter, satin nickel, LED transformer

4" ROUND FLUSH WOOD CANOPY

Mounts to a standard 4" junction box with round plaster ring (provided by electrician).

Low-voltage 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ.

MINIMUM 12" DROP LENGTH FOR PENDANTS AND HEADS.

MODEL	CK001WR-FJ-			
CANOPY	MA maple wood WA walnut wood			
FINISH	BZ bronze SC satin nickel			
TYPE	120V IN/12V OUT -24 120V IN/24V OUT -277 277V IN/12V OUT -LED 120V IN/12V LED OUT -LED277 277V IN/12V LED OUT			

sample item number CK001WR-FJ-MASC-LED

4" round flush wood canopy, maple wood, satin nickel LED transformer

4" SQUARE FLUSH WOOD CANOPY

Mounts to a standard 4" junction box with round plaster ring (provided by electrician).

Low-voltage 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ.

MINIMUM 12" DROP LENGTH FOR PENDANTS AND HEADS.

MODEL	CK001WS-FJ-				
CANOPY	MA maple wood WA walnut wood				
FINISH	BZ bronze SC satin nickel				
TYPE	120V IN/12V OUT -24 120V IN/24V OUT -277 277V IN/12V OUT -LED 120V IN/12V LED OUT -LED277 277V IN/12V LED OUT				

sample item number CK001WS-FJ-WASC 4" square flush wood canopy, walnut wood, satin nickel



SATIN NICKEL





BRONZE

4" SQUARE FLUSH CANOPY Mounts to a standard 4" junction box with a round plaster ring (provided by electrician). 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ. MODEL CK001S-FJ FINISH BZ bronze SC satin nickel TYPE 120V IN/12V OUT -24 120V IN/24V OUT -277 277V IN/12V OUT

-LED277 277V IN/12V LED OUT

sample item number CK001S-FJ-SC-LED 4" square flush canopy, satin nickel, LED module

4" ROUND FLUSH CANOPY Mounts to standard 4 electrical box. 12V, 60W electronic transformer (included) neatly fits into junction box. This is standard with MPT mount fixtures. Female Fusion Jack port installed. Order fixtures as FSJ. MODEL CK001I-FJ FINISH BZ bronze PC polished chrome SC satin nickel

-24 120V IN/24V OUT

-LED277 277V IN/12V LED OUT

-277 277V IN/12V OUT

sample item number CK001I-FJ-BZ 4" round flush canopy, bronze

120V IN/12V OUT

-LED 120V IN/12V LED OUT

TYPE

-LED 120V IN/12V LED OUT

2.75" ROUND FLUSH CANOPY Mounts to special mating electrical box (included) that accepts recessed 12V, 60W electronic transformer (included). Female Fusion Jack port installed. Order fixtures as FSJ.			
MODEL	CK001I-FJ2-		
FINISH	BZ bronze SC satin nickel		
TYPE	120V IN/12V OUT -24 120V IN/24V OUT -277 277V IN/12V OUT -LED 120V IN/12V LED OUT -LED277 277V IN/12V LED OUT		

sample item number CK001I-FJ2-BZ-LED 2.75" round flush canopy, bronze, LED transformer



CANOPY GOOF RING			
0 (2.4°) (61 mm) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MODEL	CKGR-	
	FINISH	BZ bronze PC polished chrome SC satin nickel WH white	

sample item number CKGR-SC canopy goof ring, bronze

FUSION JACK MULTI-PORT CANOPIES

Multi-port canopies are ideal for creating a dramatic centerpiece over a dining table, kitchen island or reception area. The aesthetic impact of multiple glass pendants cascading from one of our multi-port canopies is undeniable. Available in three styles: round, square and rectangle, and in two finishes: bronze and satin nickel. Our multi-port canopies can accommodate up to eleven fixtures.

COMPATIBLE DIMMERS

120V: Standard incandescent dimmer 12V LED: Low-voltage electronic dimmer 277V: 277V incandescent dimmer

277V LED: 277V low-voltage electronic dimmer



11 ROUND MAPLE



7 RECTANGLE



3 RECTANGLE LONG METAL

11 ROUND, 7 RECTANGLE, 3 RECTANGLE LONG CK0011BD-FJ- 11 round MODEL CK007RD-FJ-7 rectangle CK003RL-FJ- 3 rectangle long CANOPY MA maple MT metal WA walnut FINISH **BZ** bronze SC satin nickel 9 120V IN / 12V OUT **-LED** 120V IN / 12V LED OUT 9 8 42" 1067 mm

sample item number CK003RL-FJ-MTSC 3 rectangle long metal, satin nickel

CANOPY COLORS:



METAL WALNUT







FUSION JACK MULTI-PORT CANOPIES continued



TO ORDER AS SHOWN:

- (1) Fusion Jack 4 Square Canopy in Bronze
- (4) Fusion Jack Sophia Pendants in Amber (p. 230, sold separately)


4 SQUARE		
1.5"	MODEL	CK004S-FJ-
38 mm / / / / / / / / / / / / / / / / /	FINISH	BZ bronze SC satin nickel
12" 12"	TYPE	120V IN / 12V OUT -24 120V IN / 24V OUT -277 277V IN / 12V OUT -LED 120V IN / 12V LED OUT -LED277 277V IN / 12V LED OUT

sample item number CK004S-FJ-BZ-LED 4 square, bronze, LED module



TO ORDER AS SHOWN:

- (1) Fusion Jack 3 Rectangle Canopy in Satin Nickel
- (3) Fusion Jack Jelly Pendants in Blue (p. 238, sold separately)




sample item number ${\sf CK003R}\text{-}{\sf FJ}\text{-}{\sf SC}\text{-}{\sf LED}$ 3 rectangle, satin nickel, LED module







SATIN NICKEL



sample item number CK007B-FJ-SC 7 round, satin nickel

FUSION JACK CONNECTORS



SINGLE-CIRCUIT ELEMENT ADAPTER

This adapter is shipped standard with fixtures when specifying a single-circuit element (MRL).

MODEL	PENDADAPMONOFJ						
FINISH	BZ bronze	SC satin nickel					

sample item number PENDADAPMONOFJBZ single-circuit element adapter, bronze



WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each head when used on

MODEL	RAILADAP-WALL						
FINISH	BZ bronze	SC satin nickel					

sample item number RAILADAP-WALLSC wall monorail element adapter, satin nicke



LOW-VOLTAGE FUSION JACK TRACK ADAPTER

Allows Fusion Jack fixtures to be track-adapted on most popular 120 volt track lighting systems. Electronic transformer concealed in black or white housing. Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL	3TR							
FITS	H009-FJ- fits juno/halo* L009-FJ- fits lightolier* * LBL Lighting is not affiliated, nor is it endorsed by any of the companies listed nor does LBL Lighting distribute any of their products.							
FINISH	BL black W white							
TYPE	120V IN/12V OUT -LED 120V IN/12V LEDOUT							

sample item number 3TRH009-FJ-W-LED low-voltage fusion jack track adapter, fits juno/halo, white, LED module



RECESSED CAN ADAPTER

Used to adapt a Fusion Jack Mini Pendant or Head to an existing recessed can (downlight). Mounts to any recessed can that is 6.25"- 6.50" in diameter and has "C" shaped hooks on the inside can wall. 12V 60w electronic transformer (included) fits neatly into the can. 120V version dimmable with standard incandescent dimmer; 120V LED version dimmable with low-voltage electronic dimmer. Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL	CK001A-FJ-						
FINISH	BZ bronze PC polished chrome SC satin nickel W white						
TYPE	120V IN/12V OUT -LED 120V IN/12V LEDOUT						

sample item number CK001A-FJ-WH recessed can adapter, white



2-CIRCUIT ELEMENT ADAPTER

This adapter is shipped standard with fixtures when specifying a 2-circuit element (MR2).

MODEL	PENDADAPMONOFJ					
FINISH	BZ-2 bronze	SC-2 satin nickel				

sample item number PENDADAPMONOFJSC-2

2-circuit element adapter, satin nickel



LED ILLUMINATED WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each head when used on LED illuminated monorail.

MODEL	RAILADAP-WAL	L
FINISH	BZ-LED bronze	SC-LED satin nickel

sample item number RAILADAP-WALLSC-LED

LED illuminated wall monorail element adapter, satin nickel



MALE FUSION JACK

This part is included with every FSJ (coaxial hung) mini-nendant

min pe	nadit.
MODEL	FJ-JACK-
FINISH	BZ-A bronze PC-A polished chrome SC-A satin nickel

sample item number FJ-JACK-SC-A male fusion jack, satin nickel



1.5" LOW-PROFILE CANOPY

Mounts to special mating cylindrical electrical box 1.5" diameter; 2.5" deep (included). Female Fusion Jack port installed. Low-voltage remote transformer required (sold separately). See p. 464 for remote transformers. Order fixtures as FSJ.

MODEL	CK001P-FJ-
FINISH	BZ bronze PC polished chrome SC satin nickel

sample item number CK001P-FJ-SC 1.5" low-profile canopy, satin nickel



FUSION JACK SWAG HOOK

Used to change a Mini Pendant's point of suspension to any point on the ceiling.

MODEL	FJ-SWAGHOOK-									
FINISH	BZ bronze PC polished chrome SC satin nickel									

sample item number FJ-SWAGHOOK-SC fusion jack swag hook, satin nickel





ン Z 山 6

LED SPECIFICATIONS*

Indicates which fixtures are LED or have an LED option. When a letter and page number are also indicated beside the LED icon (LED A p. 510), more details can be found for that integrated LED solution within the noted LED Specifications information.

LED	LUMENS	WATTS	EFFICACY LM/W	CRI	COLOR TEMPERATURE	BINNING	LIFE	LED MANUFACTURER	
А	360 net of optic / driver	6	60	80	3000K	3-Step	30,000 hrs to L70	Citizen	
В	360 net of optic / driver	6	60	80	3000K	3-Step	30,000 hrs to L70	Citizen	
С	360 net of optic / driver	6	60	80	3000K	3-Step	30,000 hrs to L70	Citizen	
D	800	10	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
E	750 gross	10	75	85	2700K	3-Step	50,000 hrs to L70	Nichia	
F	2400	30	80	80	2700K	3-Step	35,000 hrs to L70	Private Label	
G	800	10	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
Н	1600	20	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
I	1680	21	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
J	2320	29	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
K	800	10	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
L	800	12	67	80	3000K	3-Step	35,000 hrs to L70	Everlight	
М	n/a	12	n/a	n/a	RGB	3-Step	35,000 hrs to L70	Everlight	
N	800	10	80	80	3000K	3-Step	35,000 hrs to L70	Everlight	
0	840	10	84	80	3000K	3-Step	35,000 hrs to L70	Everlight	
Р	840	11	76	80	3000K	3-Step	35,000 hrs to L70	Everlight	
Q	1500	17	88	80	3000K	3-Step	35,000 hrs to L70	Everlight	
R	1800	21	86 80 3000K 3-Step 35,000 hrs to		35,000 hrs to L70	Everlight			
S	3800	40	95	80	3000K	000K 3-Step		Everlight	
Т	480	6	80	80	3000K	3000K 3-Step		Everlight	
U	840	11	76	80	3000K	3-Step	35,000 hrs to L70	Everlight	
V	1500	19	79	80	3000K	3-Step	35,000 hrs to L70	Everlight	
W	800	12	67	80	3000K	3-Step	30,000 hrs to L70	Everlight	
Χ	460 net of optic / driver	7	66	80	3000K	3-Step	35,000 hrs to L70	Citizen	
Υ	1600	21	76	80	3000K	3-Step	30,000 hrs to L70	LG	
Z	250	3	83	80	3000K	3-Step	35,000 hrs to L70	Cree	
АА	400	4.5	89	80	3000K	3-Step	35,000 hrs to L70	Cree	
AB	350	6	58	80	3000K	3-Step	35,000 hrs to L70	Cree	
AC	480	6	80	80	3000K	3-Step	35,000 hrs to L70	Cree	
AD	840	10	84	80	3000K	3-Step	35,000 hrs to L70	Lumen Max	
AE	1680	20	84	80	3000K	3-Step	35,000 hrs to L70	Lumen Max	
AF	n/a	32	n/a	n/a	RGB	3-Step	35,000 hrs to L70	Everlight	
AG	4800	60	80	80	3000K	3-Step	35,000 hrs to L70	Seoul Semiconductor	
АН	3200	40	80	80	3000K	3-Step	35,000 hrs to L70	Seoul Semiconductor	

^{*} Subject to change. Sometimes more than one unit is used per fixture. All LED product carries a 5-year warranty.

LED MR16 REPLACEMENT LAMPS

RECOMMENDED LED MR16 REPLACEMENT LAMPS

For too long, many in our industry have used the term "LED replacement lamp" a bit too loosely. As heavy users of MR16 lamps, we have been evaluating LED MR16 lamps for years and finally feel that the time is right to recommend true LED replacement lamps for our fixtures.

We are excited to partner with Soraa® because we feel their MR16 lamps are true halogen replacements, both in output and quality of light. At the same time, they exceed the definition of "replacement" on several other criteria and serve as a long-lasting, energy efficient, high CRI complement to our fixtures.





WHY SORAA?

Soraa is a leading developer of LED technology built on pure gallium nitride substrates, commonly referred to as GaN on GaN™.

GaN on GaN™ LEDs provide more light per area than other LED on the market and can also handle more thermal stress – which means they can accept higher input wattage to produce higher output in the same MR16 footprint than competing LED lamps. GaN on GaN also enables a high CRI (95) and color rendering that more closely resembles traditional halogen than other LED solutions.

Soraa lamps exhibit exceptional optical quality, beam control, and smooth dimming to 20%. They incorporate thermal feedback – this allows them to stay within recommended operating temperature range even in the most thermally-constrained environments. Most other LED MR16s that run too hot will become far less reliable.

Finally, Soraa lamps are beautiful. Thought has been given not just to technology, but to the aesthetic design as well.

ITEM NUMBER	MANUFACTURER	VOLTS	WATTS	LAMP SHAPE	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	LUMENS	СВСР	RATED AVG LIFE*
H891M-LED/2700K	SORAA VIVID	12	9.5	MR16	GU5.3	25°	2700	95	280	1400	35,000
H891N-LED/3000K	SORAA VIVID	12	8.8	MR16	GU5.3	14°	3000	95	220	2920	35,000
H891M-LED/3000K	SORAA VIVID	12	9.5	MR16	GU5.3	25°	3000	95	300	1475	35,000
H891W-LED/3000K	SORAA VIVID	12	9.5	MR16	GU5.3	36°	3000	95	300	950	35,000

We have also evaluated several other LED replacement lamps. Below, you will find several recommendations for a variety of applications.

ITEM NUMBER	MANUFACTURER	VOLTS	WATTS	LAMP SHAPE	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	LUMENS	СВСР	RATED AVG LIFE*
H892M-LED/2700K	LIGHTING SCIENCE DIFINITY™	12	8	MR16	GU5.3	25°	2700	83	500	2230	25,000
H892M-LED/3000K	LIGHTING SCIENCE DIFINITY™	12	8	MR16	GU5.3	25°	3000	83	525	2350	25,000
H892W-LED/2700K	LIGHTING SCIENCE DIFINITY™	12	8	MR16	GU5.3	40°	2700	83	475	950	25,000
H892W-LED/3000K	LIGHTING SCIENCE DIFINITY™	12	8	MR16	GU5.3	40°	3000	83	500	1000	25,000
H895M-LED/3000K	PRIVATE LABEL	12	8	MR16	GU5.3	25°	3000	83	360	1620	25,000



NOTE: Lamp availability and technical specifications are subject to change. Please consult Technical Support at techsupport@generation-brands.com, for more information.

^{*}LED Lamp life is based on L70 lumen depreciation.

^{**} Please note, while we can recommend the Soraa lamp for our enclosed fixtures (due to the thermal feedback note above) we do not recommend using most LED MR16 replacements in fully enclosed fixtures (e.g. tight accessory) due to thermal strain and the resultant loss in output and life.

LAMP SELECTION GUIDE

PRODUCT NO.	DESCRIPTION	VOLTS	WATTS	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	CENTER BEAM CANDLE- POWER	INITAL LUMENS	AVG. RATEI LIFE
12 VOLT INCANDESCE	NT LAMPS									
12 VOLT XENON BI-PIN										
H410XCL	G4 12v 10w Xenon CL	12	10	G4	NA	2800	100	NA	125	10,000
H420XCL	G4 12v 20w Xenon CL	12	20	G4	NA	2800	100	NA	250	10,00
H435XCL	GY6.35 12v 35w Xenon CL	12	35	GY6.35	NA	2900	100	NA	525	10,00
H435XFR	GY6.35 12v 35w Xenon FR	12	35	GY6.35	NA	2900	100	NA	525	10,00
H450	GY6.35 12v 50w Xenon CL	12	50	GY6.35	NA	2900	100	NA	750	10,00
H450XFR	GY6.35 12v 50w Xenon FR	12	50	GY6.35	NA	2900	100	NA	750	10,00
2 VOLT HALOGEN BI-PIN										
H410XCL	GY6.35 12v 35w Halogen CL	12	35	GY6.35	NA	3000	100	NA	600	2,000
2 VOLT MR11										
₩ Н849М-С	MR11 12v 10w 18° CG	12	10	GU4	18°	3000	100	420	NA	2,000
H850M-C	MR11 12v 20w FTD 30° CG	12	20	GU4	30°	3000	100	700	NA	3,000
H851M-C	MR11 12v 35w FTH 30° CG	12	35	GU4	30°	3000	100	1,500	NA	3,000
2 VOLT MR16										
H860N-C	MR16 12v 20w ESX 12° CG	12	20	GU5.3	12°	3000	100	4,100	NA	3,000
H860W-C	MR16 12v 20w BAB 36° CG	12	20	GU5.3	36°	3000	100	700	NA	3,00
H863M-C	MR16 12v 35w FRA 24° CG	12	35	GU5.3	24°	3000	100	3,500	NA	3,000
H863W-C	MR16 12v 35w FMW 40° CG	12	35	GU5.3	36°	3000	100	1,250	NA	3,00
H870N-C	MR16 12v 50w EXT 12° CG	12	50	GU5.3	12°	3000	100	10,000	NA	3,00
H870M-C	MR16 12v 50w EXZ 24° CG	12	50	GU5.3	24°	3000	100	4,400	NA	3,00
H870W-C	MR16 12v 50w EXN 36° CG	12	50	GU5.3	36°	3000	100	1,700	NA	3,00
H880N-C	MR16 12v 75w EYF 14° CG	12	75	GU5.3	14°	3000	100	15,000	NA	3,00
H880W-C	MR16 12v 75w EYC 38° CG	12	75	GU5.3	38°	3000	100	2,950	NA	3,00
2 VOLT MR16 CONSTANT CRI										
H860N-C/CC	MR16 12v 20w ESX 12° CG/CC	12	20	GU5.3	12°	3000	100	5,000	NA	5,000
H860W-C/CC	MR16 12v 20w BAB 36° CG/CC	12	20	GU5.3	36°	3000	100	900	NA	5,000
H863M-C/CC	MR16 12v 35w FRA 24° CG/CC	12	35	GU5.3	24°	3000	100	4,400	NA	5,00
H863W-C/CC	MR16 12v 35w FMW 36° CG/CC	12	35	GU5.3	36°	3000	100	1,600	NA	5,00
H870N-C/CC	MR16 12v 50w EXT 12° CG/CC	12	50	GU5.3	12°	3000	100	13,000	NA	5,00
H870M-C/CC	MR16 12v 50w EXZ 24° CG/CC	12	50	GU5.3	24°	3000	100	5,600	NA	5,00
H870W-C/CC	MR16 12v 50w EXN 38° CG/CC	12	50	GU5.3	38°	3000	100	2,200	NA	5,00
2 VOLT MR16 ULTRA 10,000 F	HOUR LONG LIFE									
H870N-C/CC/ULTRA	MR16 12v 50w EXT12° CG/LL	12	50	GU5.3	12°	2900	100	10,000	NA	10,00
H870M-C/CC/ULTRA	MR16 12v 50w EXZ24° CG/LL	12	50	GU5.3	24°	2900	100	4,400	NA	10,00
H870W-C/CC/ULTRA	MR16 12v 50w EXN38° CG/LL	12	50	GU5.3	36°	2900	100	1,700	NA	10,00
2 VOLT MR16 BLACK AND SIL	VER BACK									
H863W-C/B/CC	MR16 12v 35w FMW 36° CG/BLK	12	35	GU5.3	36°	2900	100	1,250	NA	5,000
H870M-C/B/CC	MR16 12v 50w EXZ 24° CG/BLK	12	50	GU5.3	24°	2900	100	4,400	NA	5,00
H870W-C/B/CC	MR16 12v 50w EXN 38° CG/BLK	12	50	GU5.3	36°	2900	100	1,700	NA	5,00
H863W-C/S/CC	MR16 12v 35w FMW 36° CG/SIL	12	35	GU5.3	36°	2900	100	1,250	NA	5,00
H870M-C/S/CC	MR16 12v 50w EXZ 24° CG/SIL	12	50	GU5.3	24°	2900	100	4,400	NA	5,00
H870W-C/S/CC	MR16 12v 50w EXN 38° CG/SIL	12	50	GU5.3	36°	2900	100	1,700	NA	5,00
2 VOLT MR16 FROSTED										-
H860-FR-C/CC	MR16 12v 20w CG/FROST	12	20	GU5.3	NA	3000	100	NA	250	3,000
H863-FR-C/CC	MR16 12v 35w CG/FROST	12	35	GU5.3	NA	3000	100	NA	820	3,000
H870-FR-C/CC	MR16 12v 50w CG/FROST	12	50	GU5.3	NA	3000	100	NA	850	3,00

LAMP SELECTION GUIDE


PRODUCT NO.	DESCRIPTION	VOLTS	WATTS	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	CENTER BEAM CANDLE- POWER	INITAL LUMENS	AVG. RATED LIFE
12 VOLT INCANDESCE	NT LAMPS CONTINUED									
12 VOLT MR16 LED										
H895M-LED/3000K	LED MR16 12v 6w 25° 3000K	12	6	GU5.3	25°	3000K	83	1620	360	30,000
H895M-LED/5000K	LED MR16 12v 6w 25° 5000K	12	6	GU5.3	25°	NA	NA	NA	NA	30,000
H895M-LED/AMBER	LED MR16 12v 5w 25° Amber	12	3	GU5.3	25°	NA	NA	NA	NA	30,000
H895M-LED/BLUE	LED MR16 12v 5w 25° Blue	12	5	GU5.3	25°	NA	NA	NA	NA	30,000
H895M-LED/GREEN	LED MR16 12v 5w 25° Green	12	5	GU5.3	25°	NA	NA	NA	NA	30,000
H895M-LED/RED	LED MR16 12v 5w 25° Red	12	5	GU5.3	25°	NA	NA	NA	NA	30,000
H895M-LED/RGB	LED MR16 12v 6w 30° RGB	12	5	GU5.3	30°	NA	NA	NA	NA	30,000
12 VOLT AR111				DUCH						
AR11150FL25	AR111 12v 50w FLOOD 24°	120	50	PUSH SCREW	24°	3000	100	4,000	NA	3,000
24 VOLT INCANDESCE	ENT LAMPS									
24 VOLT XENON BI-PIN										
H410XCL/24V	G4 24v 10w Xenon CL	24	10	G4	NA	2800	100	NA	125	10,000
H420/24V	G4 24v 20w Xenon CL	24	20	G4	NA	2800	100	NA	250	10,000
H435X/24V	GY6.35 24v 35w Xenon CL	24	35	GY6.35	NA	2900	100	NA	550	5,000
H450X/24V	GY6.35 24v 50w Xenon CL	24	50	GY6.35	NA	2900	100	NA	750	5,000
24 VOLT HALOGEN BI-PIN										
H335CL/24V	GY6.35 24v 35w Halogen CL	24	35	GY6.35	NA	3000	100	NA	600	2,000
24 VOLT MR11										
H850M-C/24V	MR11 24v 20w FTD 30° CG	24	20	GU4	30°	3000	100	700	NA	3,000
H851M-C/24V	MR11 24v 35w FTH 30° CG	24	35	GU4	30°	3000	100	850	NA	3,000
24 VOLT MR16										
H863W/24V	MR16 24v 35w FMW 36° CG	24	35	GU5.3	36°	3000	100	1,250	NA	3,000
H870W/24V	MR16 24v 50w EXN 38° CG	24	50	GU5.3	38°	3000	100	1,700	NA	3,000
120 VOLT INCANDESC	FNT LAMPS							<u> </u>		
120 VOLT HALOGEN BT15	21(1) 27(())) 0				-					
+200	E26 120v 60w BT15 Halogen WH	120	60	E26	NA	2800	100	NA	760	3,000
120 VOLT INCANDESCENT A1									-	
### H101	E26 120v 60w A19 Incandescent WH	120	60	E26	NA	2700	100	NA	805	1,000
120 VOLT HALOGEN A19		-								
H201	E26 120v 72w A19 Halogen WH	120	72	E26	NA	3000	100	NA	1490	1000
H202	E26 120v 53w A19 Halogen WH	120	53	E26	NA	2750	100	NA	850	1000
	ASSIC EDISON STYLE A-LAMP									
H100	E26 120v 60w Classic Edison A19 CL	120	60	E26	NA	2700	100	NA	500	2,500
120 VOLT INCANDESCENT CL										
H104	E26 120v 30w Classic Edison T9 CL	120	30	E26	NA	2700	100	NA	500	3,000
120 VOLT INCANDESCENT G										
H150	E26 120v 150w G40 Incandescent WH	120	150	E26	NA	2700	100	NA	1770	2,500
H151	E26 120v 60w G40 Incandescent Half-Chrome	120	60	E26	NA	2700	100	NA	565	1,500
120 VOLT HALOGEN G9										
	G9 120v 40w Halogen FR	120	40	G9	NA	2900	100	NA	480	2,000
H904										۷,000

LAMP SELECTION GUIDE


RODUCT NO.	DESCRIPTION	VOLTS	WATTS	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	CENTER BEAM CANDLE- POWER	INITAL LUMENS	AVG. RATE LIFE
20 VOLT INCA	NDESCENT LAMPS CONTINUED									
O VOLT MINI-CANI	DELEBRA KRYPTON AND HALOGEN									
H910	E11 120v 40w Krypton CL	120	40	E11	NA	2800	100	NA	560	2,000
H915	E11 120v 60w Krypton CL	120	60	E11	NA	2800	100	NA	960	2,000
H680	E11 130v 75w Halogen CL	130	75	E11	NA	2900	100	NA	1050	2,000
H685	E11 130v 100w Halogen CL	130	100	E11	NA	2900	100	NA	1500	2,00
H690	E11 130v 150w Halogen CL	130	150	E11	NA	2900	100	NA	2500	2,00
H695	E11 130v 250w Halogen CL	130	250	E11	NA	3000	100	NA	5000	2,00
O VOLT DOUBLE E	NDED HALOGEN									
H704	R7s 130v 100w 78mm Hal CL	130	100	R7s	NA	2900	100	NA	1650	2,00
H706	R7s 130v 100w 118mm Hal CL	130	100	R7s	NA	2900	100	NA	1650	2,00
O VOLT LINESTRA	LAMPS									
L060	S14S 120v 60w Linestra WH	120	60	S14S	NA	2850	100	NA	460	1,00
L150	S14S 120v 150w Linestra WH	120	150	S14S	NA	2850	100	NA	930	1,00
LUORESCENT										
OMPACT FLUORES	CENT 4-PIN QUAD TUBE (FOR USE WITH ELI	ECTRONIC	BALLASTS)							
PL13Q-4P	CFL G24q-1 Quad 13w 2700K		13	G24q-1	NA	2700	82	NA	900	10,0
PL18Q-4P	CFL G24q-2 Quad 18w 2700K		18	G24q-2	NA	2700	82	NA	1250	10,0
PL26Q-4P	CFL G24q-3 Quad 26w 2700K		26	G24q-3	NA	2700	82	NA	1825	10,0
OMPACT FLUORES	CENT 4-PIN TRIPLE TUBE (FOR USE WITH E	LECTRONIC	BALLASTS)						
PL13TBX	CFL GX24q-1 Trp 13w 2700K		13	GX24q-1	NA	2700	82	NA	900	10,0
PL18TBX	CFL GX24q-2 Trp 18w 2700K		18	GX24q-2	NA	2700	82	NA	1200	10,0
PL26TBX	CFL GX24q-3 Trp 26w 2700K		24	GX24q-3	NA	2700	82	NA	1800	10,0
PL32TBX	CFL GX24q-3 Trp 32w 2700K		32	GX24q-3	NA	2700	82	NA	2400	10,0
PL42TBX	CFL GX24q-4 Trp 42w 3000K		42	GX24q-4	NA	3000	82	NA	3200	10,0
OMPACT FLUORES	CENT 4-PIN TWIN TUBE (FOR USE WITH ELE	CTRONIC E	BALLASTS)							
PL13-4P	CFL 2GX7 Twin 13w 2700K		13	2GX7	NA	3000	82	NA	800	10,0
PL24BX	CFL 2G11 Twin 24w 3000K		24	2G11	NA	3000	82	NA	1800	10,0
PL39BX	CFL 2G11 Twin 36w 3000K		36	2G11	NA	3000	82	NA	2900	12,0
OMPACT FLUORES	CENT 120 VOLT GU24 SELF-BALLASTED									
GU24/18	CFL Self-Ballasted GU24 Spiral 18w 2700K	120	18	GU24	NA	2700	82	NA	1200	10,0
GU24/27	CFL Self-Ballasted GU24 Spiral 27w 2700K		27	GU24	NA	2700	82	NA	1800	10,0
GU24/32	CFL Self-Ballasted GU24 Spiral 32w 2700K		32	GU24	NA	2700	82	NA	2100	10,0
GU24/42	CFL Self-Ballasted GU24 Spiral 42w 2700K		42	GU24	NA	2700	82	NA	2800	10,0
	CENT 120 VOLT E26 PLUMEN SELF-BALLAS									
		120	11	E26	NA	2700	82	NA	630	8,00
FB100 FB101	CFL Self-Ballasted E26 Plumen 9w 2700K	120	9	E26	NA	2700	82	NA	435	10,0
NEAR FLUORESCE										
FL14T5	Fluorescent T5 14w 3000K		14	Mini Bi-Pin	NA	3000	82	NA	1350	20,0
FL24T5HO	Fluorescent T5HO 24w 3000K		24	Mini Bi-Pin	NA	3000	82	NA	2000	20,0
FL39T5H0	Fluorescent T5HO 39w 3000K		39	Mini Bi-Pin	NA	3000	85	NA	3100	20,0
FL17T8	Fluorescent T8 17w 3000K		17	Med Bi-Pin	NA	3000	85	NA	1350	20,0
FL25T8	Fluorescent T8 25w 3000K		25	Med Bi-Pin	NA	3000	85	NA	2150	20,0
20 VOLT LED	. 135.636611 10 25# 3000N			ca Di i iii	1373		00	1973		
TO AOUI LED										
O VOLT LED DAD										
H250	E26 120v 7w PAR20 LED 3000K		7	E26	25°	3000	80	1300	310	45,0

SELECTED LAMP PHOTOMETRICS

12 Volt MR11



FTD



FTH

12 Volt MR16











20w 36° H860W-C BAB

35w 24° H863M-C FMV

35w 36° H863W-C FMW











50w 12° H870N-C EXT

50w 24° H870M-C EXZ

4° 1-C

50w 36° H870W-C EXN

75w 14° H880N-C EYF

75w 38° H880W-C EYC

TRANSFORMERS

Low-voltage lighting systems use transformers to step down and isolate standard line-voltages (e.g. 120VAC and 277VAC, etc) to safe-to-touch low-voltages such as 12VAC. There are two categories of transformer styles to choose from: **REMOTE** or **SURFACE MOUNT** transformers.

REMOTE TRANSFORMERS are installed at a distance from the lighting system. This allows the transformer to be placed out of view from the aesthetically pleasing lighting system. Since remote transformers are placed at some considerable distance from the lighting system, the installer must be aware of voltage drop. The best approach for achieving optimum lamp voltage at the transformer output is to observe the wiring instructions accompanied with our remote multi-tap transformers in conjunction with the appropriate wire gauge specified in our voltage drop table.

In general, to obtain a minimum voltage drop of 3% from the output of the remote transformer to the power feed canopy, please use the appropriate wire gauge specified in our voltage drop table (below).

LOW-VOLTAGE WIRE SIZE TABLE

Use to determine the correct THHN wire size for a recommended 3 percent drop in voltage at the specified wattage. The length shown is the length of wire from the transformer to the power feed.

12 VOLT	5 FT.	6-15 FT.	6-20 FT.	21-40 FT.	41-60 FT.	61-90 FT.
150 watt	#12 GA	#8 GA	#6 GA	#4 GA	#2 GA	#1 GA
300 watt	#10 GA	#6 GA	#4 GA	#1 GA	1/0	3/0
24 VOLT	5 FT.	6-15 FT.	6-20 FT.	21-40 FT.	41-60 FT.	61-90 FT.
300 watt	#14 GA	#12 GA	#10 GA	#6 GA	#6 GA	#4 GA
600 watt						

SURFACE MOUNT TRANSFORMERS are installed close to the lighting system usually to a junction box in a ceiling. Since surface mount transformers are visible, we have designed our surface mount transformers to aesthetically complement our lighting systems. Surface mount transformers will not experience voltage drop issues to the degree and severity of remote transformers and hence do not have or need boost taps.

Transformers can further be broken down into two types: MAGNETIC or ELECTRONIC transformers.

MAGNETIC TRANSFORMERS operate at standard low frequencies (50/60 Hz). They offer very reliable operation and are very durable. Since magnetic transformers operate at low frequencies, they experience much less voltage drop over a long distance compared to high frequency electronic transformers.

ELECTRONIC TRANSFORMERS are very compact and much smaller than their magnetic counterparts. They provide built in protection against electrical shorts applied at the outputs and to the lighting system. In order for electronic transformers to operate properly, the output must be loaded to a minimum of 50% of the rated wattage of the transformer. Any output load below 50% may result in lamps flickering and lamps burning out prematurely. Since electronic transformers operate at much higher frequencies, most standard volt and amp meters intended for 60hz type measurements cannot be used to accurately measure the outputs of these transformers. Consult a qualified electrician for assistance.

Electronic transformers may cause interference with appliances such as TVs and radios. If interference is a problem, a line filter may be installed either at the transformer or at the appliance input. Another option is to use a magnetic transformer, which operates at a lower frequency and will not cause any interference.

DIMMING

All LBL Lighting transformers may be dimmed with the appropriate dimmer: a low voltage magnetic dimmer for a magnetic transformer; a low voltage electronic dimmer for an electronic transformer, or a standard incandescent dimmer where indicated. The dimmer is placed on the line voltage side of the input line. Consult the transformer charts in each system section of the catalog for the compatible dimmer type. It is very important to use the compatible dimmer type: failure to do so will substantially shorten the useful life of the transformer. Remote transformers are generally placed outside the room, so any buzzing that may be caused by dimming is not noticeable. If using a remote magnetic transformer and a buzzing noise is apparent, a debuzzing dimming coil may be wired in series on one of the 120 volt input lines. Select the correct dimming coil (see below) based on the wattage of your transformer.

DEBUZZING DIMMING COIL ALONE

	DIAMETER	DEPTH
DIMCOIL150	1.75"	.75"
DIMCOIL300	2.25"	1"
DIMCOIL600	2.5"	1"



PRODUCT NAME	SECTION	PAGE
2-Circuit Monorail	2-Circuit Monorail	488
Abbey	Pendants Low-Voltage	247
Abbey Grande	Pendants Line-Voltage	75
Addison	Pendants Line-Voltage	65
Adjustable Angle Conductive Connector	2-Circuit Monorail	489
Adjustable Angle Conductive Connector	Monorail	461
Adjustable Cable Standoffs	2-Circuit Monorail	490
Adjustable Cable Standoffs	LED Illuminated Monorail	478
Adjustable Cable Standoffs	Monorail	462
Adjustable Vertical Connector	2-Circuit Monorail	489
Adjustable Vertical Connector	Monorail	461
Aiko	Pendants Line-Voltage	49
Akari	Pendants Line-Voltage	55
Alaya	Pendants Line-Voltage	69
Alban	Bath	378
Aliseo	Wall	352
Ambra	Flush Mounts	318
Ambra	Suspension	122
Apex Swivel	Heads Low-Voltage	288
Aquarii	Pendants Low-Voltage	191
Ariana	Pendants Low-Voltage	257
Arik	Pendants Low-Voltage	156
Ashland	Wall	334-33
Athena	Wall	374
Aviva 14	Outdoor	406
Aviva 26	Outdoor	407
Ball Joint	2-Circuit Monorail	491
Ball Joint	LED Illuminated Monorail	479
Ball Joint	Monorail	463
Banja	Pendants Low-Voltage	229
Bare Head Apollo Swivel I	Heads Low-Voltage	278
Bare Head Swivel I	Heads Low-Voltage	274
Bare Head Swivel II	Heads Low-Voltage	280
Batons	Suspension	130
Baybridge 3 Light	Suspension	117
Baybridge 5 Light	Suspension	117
Bling	Pendants Low-Voltage	206
Bling	Suspension	98
Boardwalk Large	Outdoor	439
Boardwalk Small	Outdoor	438
Bonn	Pendants Low-Voltage	160
Bora	Wall	371
Briolette	Pendants Low-Voltage	162
Bullé	Pendants Low-Voltage	236

PRODUCT NAME	SECTION	PAGE
Camelot	Wall	331
Canopy Goof Ring	Fusion Jack	501
Canopy Goof Ring	Pendants Line-Voltage	83
Canopy, 2.75" Round	Fusion Jack	501
Canopy, 3 Light Rectangle	Fusion Jack	506
Canopy, 3 Light Rectangle	Monorail Chandeliers / Multi-Port Canopies	308
Canopy, 3 Light Rectangle Long	Fusion Jack	502
Canopy, 3 Light Rectangle Long	Monorail Chandeliers / Multi-Port Canopies	304
Canopy, 3 Light Round	Fusion Jack	506
Canopy, 3 Light Round	Monorail Chandeliers / Multi-Port Canopies	309
Canopy, 3 Light Round	Pendants Line-Voltage	83
Canopy, 3 Light Round Large	Monorail Chandeliers / Multi-Port Canopies	309
Canopy, 3 Light Round Large	Pendants Line-Voltage	506
Canopy, 4 Light Square	Fusion Jack	506
Canopy, 4 Light Square	Monorail Chandeliers / Multi-Port Canopies	308
Canopy, 4" Round Dome Flush Canopy w/ Vault Adapter	Fusion Jack	500
Canopy, 4" Round Flush	Fusion Jack	501
Canopy, 4" Round Flush Wood	Fusion Jack	500
Canopy, 4" Square Flush	Fusion Jack	501
Canopy, 4" Square Flush Wood	Fusion Jack	500
Canopy, 5 Light Round	Fusion Jack	506
Canopy, 5 Light Round	Monorail Chandeliers / Multi-Port Canopies	309
Canopy, 5 Light Round	Pendants Line-Voltage	83
Canopy, 7 Light Rectangle	Fusion Jack	502
Canopy, 7 Light Rectangle	Monorail Chandeliers / Multi-Port Canopies	304
Canopy, 7 Light Round	Fusion Jack	506
Canopy, 7 Light Round	Monorail Chandeliers / Multi-Port Canopies	308
Canopy, 7 Light Round	Pendants Line-Voltage	83
Canopy, 7 Light Rectangle	Fusion Jack	502
Canopy, 7 Light Rectangle	Monorail Chandeliers / Multi-Port Canopies	304
Canopy, 7 Light Round	Fusion Jack	506
Canopy, 7 Light Round	Monorail Chandeliers / Multi-Port Canopies	308
Canopy, 11 Light Round	Fusion Jack	502

PRODUCT NAME	SECTION	PAGE
Canopy, 11 Light Round	Monorail Chandeliers / Multi-Port Canopies	304
Canopy, Fusion Jack 1.5" Low Profile	Fusion Jack	507
Canopy, 4" Round Dome	Fusion Jack	500
Casino One	Wall	354
Casino Two	Wall	354
Cato	Suspension	120
Celeste	Pendants Low-Voltage	212
Chicago Jazz	Suspension	121
Chill	Pendants Low-Voltage	175
Clifton	Wall	324
Clipper/G	Outdoor	448
Coliseum	Pendants Low-Voltage	221
Cone II	Pendants Low-Voltage	242
Cone III	Pendants Low-Voltage	244
Constellation	Suspension	101
Constellation Grande	Suspension	100
Corinna	Pendants Low-Voltage	151
Crystal Ball	Pendants Low-Voltage	256
Cylia	Pendants Low-Voltage	190
Cypree Large	Pendants Low-Voltage	182
Cypree Small	Pendants Low-Voltage	184
Dahling	Pendants Low-Voltage	194
Dahling	Wall	342
Dahling Grande	Pendants Line-Voltage	71
Derby	Wall	370
Derby Rectangular	Suspension	116
Dia	Pendants Low-Voltage	143
Dimensions	Pendants Low-Voltage	208
Dimensions Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	302
Direct Feed Standoff, LED Illuminated Wall Monorail	LED Illuminated Monorail	479
Direct Feed Standoff, Wall Monorail	Monorail	463
Dolly	Pendants Low-Voltage	136
Dolly	Wall	328
Dome-SI Coax	Pendants Low-Voltage	233
Dome-S-I Grande	Pendants Line-Voltage	76
Dover	Bath	380
Drop	Pendants Line-Voltage	79
Duke	Suspension	104
Duke Grande	Suspension	105
East River	Outdoor	403
East River	Suspension	89
East River	Wall	327

PRODUCT NAME	SECTION	PAGE
Eclipse	Outdoor	452
Eclipse	Wall	375
Elba	Suspension	119
Element Adapter, 2-Circuit Monorail	Fusion Jack	507
Element Adapter, LED Illuminated Wall Monorail	Fusion Jack	507
Element Adapter, LED Illuminated Wall Monorail	LED Illuminated Monorail	479
Element Adapter, Monorail	Fusion Jack	507
Element Adapter, Wall Monorail	Fusion Jack	507
Element Adapter, Wall Monorail	Monorail	463
Emi	Pendants Low-Voltage	192
End Caps	2-Circuit Monorail	489
End Caps	Monorail	461
Ensu	Wall	326
Fiber Optic Cable	LED Illuminated Monorail	476
Final Call Medium	Bath	384
Finestra	Pendants Low-Voltage	245
Fiona	Pendants Low-Voltage	263
Fiona	Wall	367
Fiona 18	Flush Mounts	316
Fiona Grande	Suspension	118
Flite Paper	Heads Low-Voltage	289
Flow	Pendants Low-Voltage	251
Flute	Pendants Low-Voltage	224
Fugue 15	Outdoor	434
Fugue 18	Outdoor	435
Fusion Jack Swag Hook	Fusion Jack	507
Futura	Outdoor	449
Gelato	Pendants Low-Voltage	254
Glama	Suspension	119
Glama	Wall	366
Gypsy	Suspension	114
Hanna	Wall	330
Henry 12	Outdoor	404
Henry 18	Outdoor	405
Hollywood Beach	Flush Mounts	317
Hollywood Beach	Suspension	120
Hollywood Beach	Wall	368
Hollywood Beach Long	Pendants Line-Voltage	70
Horizon	Pendants Low-Voltage	168
Hover	Pendants Low-Voltage	260
Hunter 10	Outdoor	400
Hunter 24	Outdoor	401
Icicle	Pendants Low-Voltage	214

PRODUCT NAME	SECTION	PAGE
Icicle	Wall	360
Icicle Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	298
Icicle II	Pendants Line-Voltage	70
Indulgent	Pendants Line-Voltage	72
Industrial Large	Outdoor	417
Industrial Medium	Outdoor	416
Industrial Small	Outdoor	416
Interlace	Suspension	86
Iris	Wall	374
Isis	Pendants Line-Voltage	56
Isla	Pendants Line-Voltage	44
Izzy	Pendants Low-Voltage	144
Jada	Wall	351
Jada 5-Light	Bath	391
Jada 7-Light	Bath	391
Jelly	Pendants Low-Voltage	238
Julep	Pendants Line-Voltage	64
Juniper	Pendants Line-Voltage	69
Juniper	Wall	353
Kendall	Pendants Line-Voltage	36
Kett	Wall	350
Kett 3-Light	Bath	389
Kett 5-Light	Bath	389
Kona II	Pendants Line-Voltage	78
Lava I	Pendants Low-Voltage	234
LED End Cap	LED Illuminated Monorail	476
LED Generator Dual	LED Illuminated Monorail	476
LED Generator Single	LED Illuminated Monorail	476
Lens Clip Single Dichroic	Heads Low-Voltage	289
Lens Clip Single Frost Diffuser	Heads Low-Voltage	289
Lens Clip Single Grid Diffuser	Heads Low-Voltage	289
Lens Clip Single Stripe Diffuser	Heads Low-Voltage	289
Lens Clip Single Structure Louver	Heads Low-Voltage	289
Lens Dichroic	Heads Low-Voltage	289
Lens Diffuser	Heads Low-Voltage	289
Lens Linear Spread	Heads Low-Voltage	289
Lens Soft focus	Heads Low-Voltage	289
Lexum	Pendants Low-Voltage	155
Lilah	Pendants Low-Voltage	170
Lily	Pendants Low-Voltage	196
Linea	Bath	394
Linear	Wall	361
Linnet	Pendants Line-Voltage	40
Little Lulu	Flush Mounts	315

PRODUCT NAME	SECTION	PAGE
Lola	Bath	382
Lola 2-Light	Bath	382
Louver Lens Holder MR16	Heads Low-Voltage	289
Low-Voltage Fusion Jack Track Adapter	Fusion Jack	507
Lulu	Flush Mounts	314
Luxa	Pendants Low-Voltage	152
Madeleine	Pendants Low-Voltage	250
Mademoiselle	Suspension	96
Mademoiselle	Wall	332
Mademoiselle	Suspension	96
Mademoiselle No. 1	Pendants Low-Voltage	138
Mademoiselle No. 2	Pendants Low-Voltage	139
Male Fusion Jack	Fusion Jack	507
Mango Coax Nuage	Pendants Low-Voltage	234
Mason	Pendants Line-Voltage	48
Mason Classic	Pendants Line-Voltage	46
Max	Pendants Low-Voltage	246
Max	Wall	362
Merlino Swivel II	Heads Low-Voltage	273
Mezzo	Pendants Line-Voltage	38
Mezzo 3-Light	Suspension	106
Mezzo Grande	Pendants Line-Voltage	39
Mia	Bath	386
Milo	Pendants Line-Voltage	34
Mini-Aiko	Pendants Low-Voltage	186
Mini-Akari	Pendants Low-Voltage	149
Mini-Dahling	Pendants Low-Voltage	194
Mini-Dia	Pendants Low-Voltage	142
Mini-Dome I Swivel I	Heads Low-Voltage	282
Mini-Dome II	Pendants Low-Voltage	232
Mini-Dome II Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	299
Mini-Dome II Twin Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	299
Mini-Hollywood Beach	Pendants Low-Voltage	262
Mini-Isis Cylinder	Pendants Low-Voltage	164
Mini-Isis Cylinder	Wall	339
Mini-Isla	Pendants Low-Voltage	176
Mini-Jasper	Pendants Low-Voltage	188
Mini-Lily	Pendants Low-Voltage	197
Mini-Mason	Pendants Low-Voltage	187
Mini-Monty	Pendants Low-Voltage	240
Mini-Olivia	Pendants Low-Voltage	159
Mini-Pavia	Pendants Low-Voltage	185
Mini-Rhythm	Pendants Low-Voltage	158

PRODUCT NAME	SECTION	PAGE
Mini-Rock Candy Accessory	Heads Low-Voltage	268, 270
Mini-Rock Candy Cylinder	Pendants Low-Voltage	166
Mini-Rock Candy Cylinder	Wall	340
Mini-Rock Candy Round	Pendants Low-Voltage	174
Mini-Someday	Pendants Low-Voltage	154
Mini-Springview	Pendants Low-Voltage	195
Mini-Veneto	Pendants Low-Voltage	237
Mini-Vera	Pendants Low-Voltage	146
Mini-Volo	Pendants Low-Voltage	261
Miss Charlie	Suspension	121
Mistral	Wall	373
Miyu	Pendants Line-Voltage	62
Miyu Classic	Pendants Line-Voltage	60
Modo	Heads Low-Voltage	272
Modo Metal Shield Accessory	Heads Low-Voltage	272
Moi 11	Outdoor	428
Moi 18	Outdoor	429
Monaco	Pendants Low-Voltage	150
Mono-Arc	Heads Low-Voltage	290
Monorail	Monorail	460
Monorail Chandelier, Round	Monorail Chandeliers / Multi-Port Canopies	296
Monorail, Pre-Bent Circle	Monorail	460
Monorail, Pre-Bent Circle Kit	Monorail	471
Monorail, Pre-Bent Circle Rail	2-Circuit Monorail	488
Monorail, Pre-Bent Curve Rail	2-Circuit Monorail	488
Monorail, Pre-Bent Soft Curve	Monorail	460
Monorail, Pre-Bent Soft Curve Kit	Monorail	471
Monorail, Pre-Bent Spiral Rail	Monorail	460
Mono-Tel	Heads Low-Voltage	292
Monty	Pendants Line-Voltage	74
Monty	Wall	364
Moon Dance 13	Outdoor	398
Moon Dance 18	Outdoor	399
Moon Dance Flush Mount	Flush Mounts	312
Moon Dance Flush Mount	Outdoor	398
Neptune I	Pendants Low-Voltage	239
Neutron	Pendants Low-Voltage	200
New York Large	Outdoor	415
New York Medium	Outdoor	414
New York Small	Outdoor	412
Nikko	Outdoor	444
Nikko Grille	Outdoor	446
Nikko Visa	Outdoor	444
Nikko/G	Outdoor	446

PRODUCT NAME	SECTION	PAGE
Oliver	Wall	351
Oliver 3-Light	Bath	390
Oliver 5-Light	Bath	390
Olivia	Pendants Line-Voltage	50
Omni Medium	Outdoor	423
Omni Small	Outdoor	422
Omni With Cover Medium	Outdoor	425
Omni With Cover Medium	Wall	345
Omni With Cover Small	Outdoor	424
Omni With Cover Small	Wall	344
Onyx Cone	Pendants Low-Voltage	222
Onyx Cone Accessory	Heads Low-Voltage	268, 270
Onyx Cylinder	Pendants Low-Voltage	222
Onyx Cylinder	Wall	348
Onyx Cylinder Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	300
Onyx Dome	Pendants Low-Voltage	222
Onyx Dome	Wall	348
Onyx Dome Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	300
Onyx Teardrop	Pendants Low-Voltage	222
Onyx Teardrop	Wall	348
Onyx Teardrop Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	300
Ooni	Pendants Low-Voltage	256
Orbit	Pendants Low-Voltage	232
Orbit Swivel I	Heads Low-Voltage	284
Paige	Pendants Low-Voltage	148
Palm Lane Large	Outdoor	443
Palm Lane Small	Outdoor	442
Paperweight	Pendants Low-Voltage	236
Pavia	Pendants Line-Voltage	66
Pavia	Wall	346
Perf	Pendants Line-Voltage	82
Piattini	Pendants Line-Voltage	80
Pier 60	Outdoor	410
Pier 60 Large	Outdoor	411
Pier 60 Medium	Outdoor	410
Polo	Outdoor	448
Power Feed Canopies	LED Illuminated Monorail	481
Power Feed Canopies, Direct End Wall	Monorail	463
Power Feed Canopies, Direct Feed	2-Circuit Monorail	493
Power Feed Canopies, Direct Feed	LED Illuminated Monorail	481
Power Feed Canopies, Direct Feed	Monorail	465
Power Feed Canopies, Dual-Feed	2-Circuit Monorail	493

PRODUCT NAME	SECTION	PAGE
Power Feed Canopies, Dual-Feed	LED Illuminated Monorail	481
Power Feed Canopies, Dual-Feed	Monorail	465
Power Feed Canopies, Flexible End	Monorail	463
Power Feed Canopies, LED Illuminated Wall Monorail Direct Feed	LED Illuminated Monorail	481
Power Feed Canopies, Single-Feed	2-Circuit Monorail	493
Power Feed Canopies, Single-Feed	Monorail	465
Power Feed Canopies, Wall Monorail Direct Feed	Monorail	465
Presidio	Wall	366
Presidio Wet	Outdoor	451
Puck Swivel	Heads Low-Voltage	288
Questa	Suspension	94
Rachel	Pendants Low-Voltage	220
Rami	Wall	338
Rania	Bath	378
Raven 12	Outdoor	430
Raven 18	Outdoor	431
Recessed Can Adapter	Fusion Jack	507
Relic No. 1	Pendants Low-Voltage	180
Relic No. 2	Pendants Low-Voltage	181
Renée I	Pendants Low-Voltage	218
Rev Swivel	Heads Low-Voltage	286
Rhythm	Pendants Line-Voltage	68
Rhythm Suspension	Pendants Line-Voltage	68
Rigid Standoff, Direct Feed	2-Circuit Monorail	490
Rigid Standoff, Direct Feed	Monorail	462
Rigid Standoff, Mini	Monorail	467
Rigid Standoff, Pass-Through	Monorail	466
Rio	Pendants Low-Voltage	193
Rock Candy 3-Light	Bath	388
Rock Candy 5-Light	Suspension	110
Rock Candy 8-Light	Suspension	111
Rock Candy Cylinder	Pendants Line-Voltage	57
Rocket	Pendants Low-Voltage	258
Rocks	Pendants Low-Voltage	204
Roka	Suspension	112
Sam	Pendants Low-Voltage	216
Scarlett	Suspension	115
Seguro	Pendants Low-Voltage	178
Shield Galleria	Heads Low-Voltage	293
Shield Swivel I	Heads Low-Voltage	276
Showtime	Wall	352
Siena	Wall	325

PRODUCT NAME	SECTION	PAGE
Someday	Pendants Line-Voltage	42
Someday Grande	Pendants Line-Voltage	43
Sophia	Wall	349
Sophia	Pendants Low-Voltage	230
Sora	Pendants Line-Voltage	63
Spencer	Pendants Low-Voltage	253
Springview	Pendants Low-Voltage	195
Stogie I	Pendants Low-Voltage	248
Stogie II	Pendants Low-Voltage	249
Straight Conductive Connectors	2-Circuit Monorail	489
Straight Conductive Connectors	LED Illuminated Monorail	476
Straight Conductive Connectors	Monorail	461
Straight Isolating Connectors	2-Circuit Monorail	489
Straight Isolating Connectors	LED Illuminated Monorail	476
Straight Isolating Connectors	Monorail	461
Straight Rail	LED Illuminated Monorail	476
Straight Rail Kit	Monorail	471
Structure Louver	Heads Low-Voltage	289
Superdelta Tondo	Outdoor	450
Superdelta Tondo Visa	Outdoor	450
Suspension Swag Hook	Pendants Line-Voltage	83
Swing	Heads Low-Voltage	268
"T" Conductive Connectors	2-Circuit Monorail	489
"T" Conductive Connectors	Monorail	461
Taitu	Wall	372
Tara 15	Outdoor	440
Tara 18	Outdoor	441
Tav 14	Outdoor	426
Tav 18	Outdoor	427
Tear Drop	Wall	372
Tear-SI Coax	Pendants Low-Voltage	226
Tear-SII Coax	Pendants Low-Voltage	228
Telescoping Rigid Standoffs	2-Circuit Monorail	490
Telescoping Rigid Standoffs	LED Illuminated Monorail	478
Telescoping Rigid Standoffs	Monorail	462
Telescoping Rigid Standoffs, Direct Feed	2-Circuit Monorail	490
Telescoping Rigid Standoffs, Direct Feed	LED Illuminated Monorail	478
Tessa	Wall	336
Tessa 6-Light	Suspension	108
Tessa 8-Light	Suspension	109
T-Grid Clip	2-Circuit Monorail	491
T-Grid Clip	LED Illuminated Monorail	479
T-Grid Clip	Monorail	463
Tindra	Pendants Line-Voltage	54
Тор	Wall	356

PRODUCT NAME	SECTION	PAGE
Top II	Wall	357
Top-SI Coax	Pendants Low-Voltage	202
Transformers, Direct Feed Flush	LED Illuminated Monorail	483
Transformers, Direct Feed Flush	Monorail	469
Transformers, Direct Feed Surface	2-Circuit Monorail	494
Transformers, Direct Feed Surface	LED Illuminated Monorail	483
Transformers, Direct Feed Surface	Monorail	469
Transformers, Direct Feed Surface Mini	Monorail	467
Transformers, Direct Feed Surface Pass-Through	Monorail	466
Transformers, Flush	LED Illuminated Monorail	482
Transformers, Flush	Monorail	468
Transformers, Remodel Recessed	Monorail	470
Transformers, Remote	2-Circuit Monorail	492
Transformers, Remote	LED Illuminated Monorail	480
Transformers, Remote	Monorail	464
Transformers, Surface	2-Circuit Monorail	494
Transformers, Surface	LED Illuminated Monorail	482
Transformers, Surface	Monorail	468
Tube 1	Pendants Low-Voltage	264
Tube 2	Pendants Low-Voltage	264
Tube 3	Pendants Low-Voltage	264
Tubes Seven	Suspension	132-133
Tubular	Pendants Low-Voltage	219
Tubular Large	Outdoor	419
Tubular Medium	Outdoor	418
Tubular Small	Outdoor	418
Tulip	Wall	373
Twilight 12	Suspension	128
Twilight 20	Suspension	128
Twilight Glass	Suspension	128
Twin Spot Swivel	Heads Low-Voltage	273
Twin Tube Bath Installation Kit	Bath	392
Twin Tube Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	300
Upstate 11	Outdoor	408
Upstate 18	Outdoor	408
Upstate 28	Outdoor	409
Uptown Large	Outdoor	437
Uptown Small	Outdoor	436
Veneto	Flush Mounts	319
Veneto	Suspension	123
Veneto Grande	Flush Mounts	320
Veneto Grande	Suspension	124
	Flush Mounts	321

PRODUCT NAME	SECTION	PAGE
Veneto Venti	Suspension	126
Vent	Heads Low-Voltage	270
Vera	Flush Mounts	312
Vera	Pendants Line-Voltage	52
Vera	Suspension	88
Vigi	Pendants Low-Voltage	157
Vision	Pendants Low-Voltage	210
Vision	Wall	349
Vision Chandelier Head	Monorail Chandeliers / Multi-Port Canopies	302
Visir 20	Outdoor	454
Visir 30	Outdoor	454
Vitre, Rectangle	Suspension	92
Vitre, Square	Suspension	92
Volo	Pendants Line-Voltage	82
Vortex	Pendants Low-Voltage	252
Voti Accessory	Heads Low-Voltage	268, 270
Wall Bracket	Monorail	463
Wilt Bowl	Flush Mounts	318
Windfall	Outdoor	402
"X" Conductive Connectors	2-Circuit Monorail	489
"X" Conductive Connectors	Monorail	461
Zanz	Wall	350
Zanz 3-Light	Bath	383
Zari 11	Outdoor	432
Zari 18	Outdoor	433
Zollo	Pendants Low-Voltage	171
Zuri	Pendants Line-Voltage	51

MODEL NUMBER INDEX

	INDEX
MODEL	PAGE
1471	444
1472	444
1473	444
1474	446
1475	446
1476	446
1477	444
1478	444
1479	444
1590	446
1591	446
1592	446
1718	450
1720	450
1724	450
1728	450
1729	450
1730	450
6950	448
6956	448
7699	448
7701	448
8528	454
8529	454
8530	454
8538	454
8539	454
8540	454
1480HE	444
1481HE	444
1482HE	444
1483HE	446
1484HE	446
1485HE	446
1486HE	444
1487HE	444
1488HE	444
1489HE	444
1490HE	444
1491HE	444
1492HE	446
1493HE	446
1494HE	446
1495HE	444
1496HE	444
	4.4.4
1497HE	444
1497HE 1593HE	446

MODEL	PAGE
1595HE	446
1596HE	446
1597HE	446
1598HE	446
1777HE	450
1779HE	450
1781HE	450
1782HE	450
1783HE	450
1795HE	450
3TR	507
8531HE	454
8532HE	454
8533HE	454
8544HE	454
8545HE	454
8546HE	454
AO	289
A05	289
A06	289
A07	289
A08	289
ACONNECTOR	489
ACONNECTOR	461
ADICMR16	289
ALENSMR16DF	289
ALENSMR16LL	289
ALENSMR16SF	289
ALHDRMR16	289
ASTRLMR16BK	289
BA7442	282
BA7445	282
BA7513	388
BA7533	383
BA823	378
BA824	378
BJ-ADJ-	491
BJ-ADJ-	479
BJ-ADJ-	463
CK0011BD-FJ-	502
CK0011BD-FJ-	304
CK001A-FJ-	507
CK001B-FJ-	500
CK001B-FJV-	500
CK001I-FJ-	501
CK001I-FJ2-	501
CK001P-FJ-	507
CK001S-FJ-	501

MODEL	PAGE
CK001WR-FJ-	500
CK001WS-FJ-	500
CK003B-	309
CK003B-	83
CK003B-FJ-	506
CK003B-FJ-	308
CK003D-	309
CK003D-	83
CK003R-FJ-	506
CK003R-FJ-	308
CK003RL-FJ-	502
CK003RL-FJ-	304
CK004S-FJ-	506
CK004S-FJ-	308
CK005B-	309
CK005B-	83
CK005B-FJ-	506
CK005B-FJ-	308
CK007B-FJ-	506
CK007B-FJ-	308
CK007RD-FJ-	502
CK007RD-FJ-	304
CKGR-	501
CKGR-	83
CLIP-TB/MONO-	491
CLIP-TB/MONO-	479
CLIP-TB/MONO-	463
CW002S	326
CW003	325
CW004	324
EF631	114
EF667	104
EF673	112
ENDCAP-	476
ENDCAPS-	489
ENDCAPS-	461
FJ-JACK-	507
FJ-SWAGHOOK-	507
FM700	316
FM707	315
FM779	312
FP	289
FUSIONKIT	471
GB1	128
GHB295	293
HA300	273
HA336	302
HA337	302

MODEL	PAGE
HAC476	272
HAC479	268, 270
HAC481	268, 270
HAC482	268, 270
HAC606	268, 270
HAMR16	280
HANGER-ADJ-	490
HANGER-ADJ-	478
HANGER-ADJ-	462
HANGER-CBL-	478
HANGER-CBL-	462
HANGER-CBL-	490
HANGERDIR	490
HANGERDIR	478
HANGERDIRADJ	462
HANGERDIRMN	467
HANGERDIRPT	466
HANGERDIRRC	462
HANGERDIRW-	479
HANGERDIRW-	463
HB273	284
HB295	276
HB325	282
HBMR16	274
HD162	288
HD474	272
HD475	270
HD503	268
HDMR16	278
HE382	273
HE437	288
HE441	286
HJ176	300
HJ177	300
HJ178	300
HJ275	299
HJ277	298
HPARC	290
HPTEL	292
HS130	296
HS159	212
HS170	246
HS171	256
HS173	80
HS176	222
HS177	222
HS178	222
HS1861	117

MODEL NUMBER INDEX

MODEL	PAGE
HS1881	117
HS194	224
HS206	130
HS228	216
HS235	252
HS240	202
HS241	226
HS242	228
HS245	233
HS246	76
HS261	204
HS264	256
HS265	258
HS266	230
HS268	250
HS269	248
HS270	249
HS271	254
HS273	232
HS275	232
HS277	214
HS279	219
HS283	218
HS284	253
HS2931	264
HS2932	264
HS2933	264
HS298	234
HS305	234
HS317	123
HS319	238
HS336	210
HS337	208
HS338	240
HS341	242
HS348	236
HS349	236
HS351	244
HS361	82
HS362	261
HS371	239
HS377	251
HS378	196
HS379	237
HS381	260
HS390	200
HS397	70
HS399	122

MODEL	PAGE
HS4412	128
HS4420	128
HS446	245
HS447	206
HS451	222
HS455	220
HS459	247
HS461	160
HS462	182
HS463	184
HS467	178
HS472	190
HS504	229
HS506	176
HS508	185
HS509	197
HS511	221
HS513	101
HS524	98
HS539	188
HS542	191
HS545	164
HS546	174
HS547	166
HS549	162
HS565	159
HS577	186
HS583	175
HS585	193
HS586	168
HS587	257
HS590	263
HS593	192
HS599	235
HS603	195
HS604	195
HS616	194
HS621	194
HS652	262
HS678	138
HS686	139
HS688	180
HS689	181
HS691	144
HS693	171
HS699	136
HS72932/1	132-133
HS749	154

MODEL	DACE
MODEL	PAGE
HS758	152
HS759	156
HS762	158
HS774	157
HS775	151
HS778	146
HS780	150
HS781	155
HS782	143
HS783	142
HS795	148
HS796	149
HS796	187
HS798	170
HTW275	299
HTWTB	300
HW115	412
HW170	362
HW176	348
HW177	348
HW178	348
HW240	357
HW266	349
HW277	360
HW2930	356
HW310	354
HW3102	354
HW336	349
HW3783	373
HW486	386
HW496	380
HW545	339
HW5498	374
HW614	366
HW614	451
HW623	340
HW6681	351
HW6683	390
HW6685	390
HW6691	350
HW6693	389
HW6695	389
HW6701	351
HW6705	391
HW6707	391
HW936	364
HWAP19	372
ISOCONNECTORCL-M	476

MODEL	PAGE
ISOCONNECTORCL-M	461
ISOCONNECTORCL-M-2	489
JC317	319
JC318	320
JC398	318
JC399	318
JC400	321
JC651	317
JW119	416
JW120	418
JW230	353
JW4601	372
JW484	346
JW5497	361
JW559	424
JW559	344
JW561	425
JW561	345
JW564	423
JW583	422
JW612	452
JW612	375
JW622	342
JW632	352
LF680	118
LF683	119
LF935	74
LN	394
LP747	100
LP748	42
LP750	43
LP761	68
LP764	51
LP772	38
LP773	39
LP777	52
LP793	36
LP794	54
LP797	55
LP815	40
LP816	40
LPW583	422
LW4601	372
LW496	380
LW5497	361
LW559	424
LW559	344
LW622	342

MODEL NUMBER INDEX

MODEL	PAGE
LW632	352
LW639	410
LW641	437
LW642	436
LW654	368
LW658	366
LW666	370
LW681	367
LWAP10	371
OD723	434
OD724	435
OD729	432
OD731	433
OD732	428
OD733	429
OD734	426
OD735	427
OD736	408
OD737	408
OD742	440
OD743	441
OD745	430
OD746	431
OD771	403
OD771	327
OD785	402
OD786	406
OD787	407
OD788	398
OD789	399
OD791	409
OD818	400
OD819	401
OD820	404
OD821	405
OD825	411
OD826	410
ODF827	312
ODF827	398
PC400	321
PC651	317
PENDADAPMONOFJ	507
PF229	69
PF236	69
PF318	124
	70
PF397	70
PF397 PF399	122

MODEL PAGE PF489 66 PF500 75 PF5180 78 PF5500 82 PF553 57 PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF680 118 PF683 119 PF684 118 PF685 120 PF657 119 PF665 117 PF680 118 PF683 119 PF935 74 PW115 412 PW19 416 PW230 <		
PF500 75 PF5180 78 PF5500 82 PF553 57 PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF680 118 PF683 119 PF684 118 PF683 119 PF684 118 PF687 412 PW115 412 PW115 412 PW119 416 PW20 353 PW240 357 PW2930 356 PW3783 373 PW4601	MODEL	PAGE
PF5180 78 PF5500 82 PF553 57 PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496	PF489	66
PF5500 82 PF553 57 PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF683 119 PF683 119 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW529	PF500	75
PF553 57 PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496 380 PW529 414 PW529	PF5180	78
PF566 50 PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496 380 PW527 416 PW531 418 PW5498 374 PW5499	PF5500	82
PF576 49 PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW220 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW530 415 PW5498	PF553	57
PF578 62 PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW530 415 PW5498 374 PW5498	PF566	50
PF582 63 PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW5498 374 PW559 424 PW559 344 PW551	PF576	49
PF594 48 PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5498 374 PW559	PF578	62
PF5940 79 PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 344 PW559 344 PW561 <td>PF582</td> <td>63</td>	PF582	63
PF598 72 PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW220 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW5497 361 PW5498 374 PW559 424 PW559 <td>PF594</td> <td>48</td>	PF594	48
PF608 71 PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 <td>PF5940</td> <td>79</td>	PF5940	79
PF625 56 PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF598	72
PF631 114 PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF608	71
PF643 121 PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF625	56
PF650 120 PF653 70 PF655 120 PF657 119 PF658 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW220 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW561 425	PF631	114
PF650 120 PF653 70 PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW220 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW561 425	PF643	121
PF655 120 PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF650	120
PF657 119 PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF653	70
PF665 117 PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF655	120
PF677 64 PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF657	119
PF680 118 PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF665	117
PF683 119 PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF677	64
PF935 74 PW115 412 PW119 416 PW20 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PF680	118
PW115 412 PW119 416 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW559 344	PF683	119
PW119 416 PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW559 344 PW551 425	PF935	74
PW120 418 PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW559 344	PW115	412
PW230 353 PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW559 344	PW119	416
PW240 357 PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW559 344 PW561 425	PW120	418
PW2930 356 PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW551 425	PW230	353
PW3783 373 PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW561 425	PW240	357
PW4601 372 PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW561 425	PW2930	356
PW484 346 PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW561 425	PW3783	373
PW486 386 PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW559 344 PW561 425	PW4601	372
PW496 380 PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW484	346
PW527 416 PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW486	386
PW528 417 PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW496	380
PW529 414 PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW527	416
PW530 415 PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW528	417
PW531 418 PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW529	414
PW532 419 PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW530	415
PW5497 361 PW5498 374 PW559 424 PW559 344 PW561 425	PW531	418
PW5498 374 PW559 424 PW559 344 PW561 425	PW532	419
PW559 424 PW559 344 PW561 425	PW5497	361
PW559 344 PW561 425	PW5498	374
PW561 425	PW559	424
	PW559	344
PW561 345	PW561	425
	PW561	345

MODEL	PAGE
PW564	423
PW583	422
PW612	452
PW612	375
PW614	366
PW622	342
PW623	340
PW632	352
PW635	438
PW636	439
PW637	443
PW638	442
PW654	368
PW658	366
PW666	370
PW674	384
PW681	367
PW936	364
PW940	449
PWAP10	371
PWAP11	374
PWAP13	352
PWAP14	373
PWAP19	372
RAILADAP-WALL	507
RAILADAP-WALL	479
RAILADAP-WALL	463
RAILCV	460
RAILCV	488
RAILCV1-	460
RAILCVSPRL-	460
RAIL-ST-	488
RAIL-ST-	460
RAIL-ST-	476
REMOTECNPDIR	465
REMOTECNPDIRW	481
REMOTECNPDIRW	465
REMOTECNPY	481
REMOTECNPY	465
REMOTECNPY-	493
REMOTECNPYDIR	493
REMOTECNPYDIR	481
REMOTECNPY-FLEX-	463
REMOTECNPY-WALL-	463
SCONNECTOR	489
SCONNECTOR	476
SCONNECTOR	461
SU6235	110

MODEL	PAGE
SU6238	111
SU697	96
SU755	115
SU756	105
SU7576	108
SU7578	109
SU763	68
SU767	86
SU768	90
SU769	94
SU770	89
SU7723	106
SU776	88
SU784	34
SU830	92
SU831	92
SUSP-SWAGHOOK	83
TCONNECTOR	489
TCONNECTOR	461
TRANSDIR	494
TRANSDIRMNE300	467
TRANSDIRPTE300	466
TRANSDIRSF	483
TRANSDIR-SF	469
TRANS-RMTE	492
TRANS-RMTE	480
TRANS-RMTE	464
TRANS-RRE	470
TRANS-SF	482
TRANS-SF	468
TRANS-SF	494
VCONNECTOR	489
VCONNECTOR	461
WB-ADJ-	463
WS695	333
WS696	334-335
WS698	331
WS722	338
WS7531	350
WS757	336
WS765	328
WS822	330
XCONNECTOR	489
XCONNECTOR	461



LBL

7400 Linder Ave. Skokie, IL 60077

P: 847 626 6300 F: 847 626 6350

W: Ibllighting.com

921LBLFLCAT14