

Lighting Your Life Since 1970

Product Specifications - 1034RP		
Job Name:	Job Type:	
Quantity:	Comments	



1034RP

Crown Hill 3-Light Outdoor Wall Lantern

Finish Glass/Shade F
Rust Patina Clear C

I am	n	na
Laiii	v	Hu
		3

Number of Bulbs	3
Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	60
Max Fixture Wattage	180
Rated Life	±1,500 Hours
Rated Lumens	±2,016
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard Dimmer

Measurements	
Width	8.0"
Height	23.0"
Length	N/A
Extension	10"
Back Plate Width	4.5"
Back Plate Height	7.0"
HCO	6.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	6.6 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Outdoor Wall Mount

Shipping

Shipping	
Carton Weight	6.6 lbs
Carton Width	10"
Carton Height	19"
Carton Length	12"
Carton Cubic Feet	1.31
Master Pack	4
Master Pack Weight	36.5 lbs
Master Pack Width	20.5"
Master Pack Height	20.5"
Master Pack Length	24.4"
Master Cubic Feet	5.92
UPS Shippable	Yes

Certification Other

0011110411011		0 (1101	
Safety Rating	Wet	UPC Code	783209103436
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Die Cast Aluminum

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.