



Lighting Your Life Since 1970

## Product Specifications - 53713AL

Job Name:	Job Type:
Quantity:	Comments:



## 53713AL StarStrand 36" Channel Star 24 5000 K

**Finish**  
Brushed Aluminum

**Glass/Shade**

**Product Category**  
LED Channel

### Lamping

Number of Bulbs	54
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	0.21
Max Fixture Wattage	11.1
Rated Life	±30,000 Hours
Rated Lumens	±732
Color Temp	±5,000 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	120
CRI	70-75
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Magnetic Low-Voltage

### Measurements

Width	0.9"
Height	0.6"
Length	36.0"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	0.5 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

### Shipping

Carton Weight	0.5 lbs
Carton Width	2"
Carton Height	1"
Carton Length	37"
Carton Cubic Feet	0.05
Master Pack	50
Master Pack Weight	35.3 lbs
Master Pack Width	11.1"
Master Pack Height	11.9"
Master Pack Length	37.5"
Master Cubic Feet	2.87
UPS Shippable	Yes

### Certification

Safety Rating	Damp
Energy Star	No
CA Title 24	Yes
CA Title 20	No
ADA	No
Dark Sky	N/A

### Other

UPC Code	783209082335
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

### Equivalents

Incandescent Watts	66.55
Fluorescent Watts	14.64

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.