

## Lighting Your Life Since 1970

Product Specifications - 85199FCCH		
Job Name:	Job Type:	
Quantity:	Comments	



# 85199FCCH Cambria EE 1-Light Outdoor Hanging Lantern



**Finish** Chocolate

Glass/Shade Frost Crackle

**Product Category** 

**Outdoor Hanging Lantern** 

Lamping

=amping	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	26
Max Fixture Wattage	26
Rated Life	±10,000 Hours
Rated Lumens	±1,760
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

Measurements
Width

Width	13.0"
Height	21.5"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	11.0 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	72"
Wire Length	144"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	11.0 lbs
Carton Width	16'
Carton Height	16'
Carton Length	22'
Carton Cubic Feet	3.04
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		0
Safety Rating	Wet	U
Energy Star	Yes	S
CA Title 24	Yes	С
CA Title 20	No	D
ADA	No	С
Dark Sky	N/A	M

Other	
UPC Code	783209023468
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Die Cast Aluminum

### **Equivalents**

Incandescent Watts	160
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.