

Lighting Your Life Since 1970

Product Specifications - 87800WT				
Job Name:	Job Type:			
	77			
Quantity:	Comments			



87800WT

CounterMax MX-FS 13" 1-Light Fluorescent Kit

Finish White		Glass/Shade		Product Category Under Cabinet	
Lamping Number of Bulbs	1	Measurements Width	3.3"	Shipping Carton Weight	1.1 lbs
Light Type	Fluorescent	Height	1.0"	Carton Width	3"
Bulb Type	Mini Bi Pin T5	Length	13.0"	Carton Height	2"
Max Bulb Wattage	8	Extension	N/A	Carton Length	17"
Max Fixture Wattage	8	Back Plate Width	N/A	Carton Cubic Feet	0.05
Rated Life	±7,500 Hours	Back Plate Height	N/A	Master Pack	3
Rated Lumens	±400	HCO	N/A	Master Pack Weight	4.0 lbs
Color Temp	±3,100 K	Min Overall Height	N/A	Master Pack Width	5.5"
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	5.5"
Light Up/Down	N/A	Hanging Weight	1.1 lbs	Master Pack Length	19.4"
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	0.34
CRI	N/A	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	Yes	Wire Length	N/A		
Dimmable	N/A	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		
Certification		Other		Equivalents	
Safety Rating	Dry	UPC Code	783209015661	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Acrylic		
Dark Sky	IN/A	water iai	Actylic		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.