

The logo features a white, thin, curved line arching over the word "minkaAire". The word "minka" is in a lowercase serif font, and "Aire" is in a lowercase sans-serif font. A registered trademark symbol (®) is located at the end of the word "Aire".

minkaAire®

2017



F886-84-BNW

XTREME H₂O 84"

An outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H₂O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

FEATURES

- 4° Blade Pitch • 8-Blades 84" Sweep • DC 123 x 30mm Motor • 6" Downrod
- Aluminum Blades • Install with Blades at least 10' above the Floor
- Special Hand Held Remote Control System Included - RC400
- Custom 20W LED Light Kit K9886L Available (Sold Separately)
- Indoor/Outdoor Use - UL Listed for Wet Locations

ENERGY INFORMATION** (Excludes Lights)


- Airflow CFM: 12,209 • Electricity Used Watts: 31 • Airflow Efficiency CFM/Watts: 393.9

F886-84-BNW • Brushed Nickel Wet Finish • Silver Blades

F886-84-SI • Smoked Iron Finish • Smoked Iron Blades

F886-84-ORB • Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades

XTREME H₂O



F886-84-SI
*Shown with optional
K9886L-SI LED light kit*



F886-84-ORB

DC MOTOR



The products depicted in this catalog are protected by United States Federal and/or State Law, including Patent, Trademark and/or Copyright laws.
Catalog design and elements of catalog design is protected by United States Federal and/or State Law, including Patent, Trademark and/or Copyright laws.

minkaAire.



F886-65-BNW

XTREME H₂O 65"

An outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H₂O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

FEATURES

- 4° Blade Pitch • 8-Blades 65" Sweep • DC 168 x 12mm Motor • 6" Downrod
- Aluminum Blades • Install with Blades at least 10' above the Floor
- Special Hand Held Remote Control System Included - RC400
- Custom 20W LED Light Kit K9886L Available (Sold Separately)
- Indoor/Outdoor Use - UL Listed for Wet Locations

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 8,778 • Electricity Used Watts: 27.6 • Airflow Efficiency CFM/Watts: 318.04

F886-65-BNW • Brushed Nickel Wet Finish • Silver Blades

F886-65-ORB • Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades

F886-65-WHF • Flat White Finish • Flat White Blades

XTREME H₂O



F886-65-ORB
*Shown with optional
K9886L-ORB LED light kit*



F886-65-WHF
*Shown with optional
K9886L-WHF LED light kit*





PANCAKE XL LED

with LED Light

F739L-BN

A 62" version of our successful Pancake fan includes an integrated 20-watt LED light. Our Pancake XL LED ceiling fan magically houses all the necessary components of a high performance ceiling fan into the same slim body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room. **Go big!**



F739L-BN • Brushed Nickel Finish • Silver Blades • White Lens

PANCAKE XL LED

with LED Light



F739L-WHF



F739L-DK



F739L-SL

PANCAKE XL LED

with LED Light

A 62" version of our successful Pancake fan includes an integrated 20-watt LED light. Our Pancake XL LED ceiling fan magically houses all the necessary components of a high performance ceiling fan into the same slim body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room. **Go big!**

FEATURES

- 12° Blade Pitch • 4-Blades 62" Sweep • DC 188 x 14mm Motor • 6" Internally Threaded Downrod
- Max Ceiling Slope Angle 18° • 20W LED • 1300 Lumens • 80 CRI
- Full Function Hand Held Remote Control System

U.S. Patent(s): D750,215; D750,219, Additional U.S. Patent(s) Pending

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 6,500 • Electricity Used Watts: 38 • Airflow Efficiency CFM/Watts: 171

F739L-SL • Silver Finish • Silver Blades • White Lens

F739L-WHF • Flat White Finish • Flat White Blades • White Lens

F739L-DK • Distressed Koa Finish • Distressed Koa Blades • White Lens

F739L-BN • Brushed Nickel Finish • Silver Blades • White Lens

** Estimated

* LED (Light Emitting Diodes)



F852L-HBZ

ALVA

with LED Light

Inspired by a great American inventor, Alva merges technology and history in a transitional design of timeless aesthetic value. With five Dark Walnut Solid Wood Blades and three medium base LED ferro bulbs, it will bring comfort and a refreshing look to your home or office.

FEATURES

- 14° Blade Pitch • 5-Blades 56" Sweep • DC 120 x 15mm Motor • 6" Downrod
- Integrated Light Uses 3-6W LED Medium Base Ferro Bulb (Included)
- Hand Held Remote - RC500

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 6,000 • Electricity Used Watts: 30 • Airflow Efficiency CFM/Watts: 200

F852L-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades

F852L-BN • Brushed Nickel Finish • Seashore Grey Blades

F852L-TI • Tarnished Iron Finish • Dark Walnut Blades

ALVA

with LED Light



F852L-BN



F852L-TI

AVIATION LED

with LED Light



F853L-BN/DK • Brushed Nickel Finish • Distressed Koa Blades • White Lens



F853L-BN/DK

AVIATION LED

with LED Light

Inspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15-watt LED light.



F853L-BN/AMP

AVIATION LED

with LED Light

Inspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15-watt LED light.

FEATURES

- Variable Blade Pitch • 3-Blades 60" Sweep • DC 120 x 25mm Motor • 6" Downrod
- 15W LED • 955 Lumens • 80 CRI • Special Hand Held Remote Control System Included - RC500

U.S. Patent(s): D721,429; D721,800; D726,298

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 6,604 • Electricity Used Watts: 25.92 • Airflow Efficiency CFM/Watts: 254.80

F853L-BN/AMP • Brushed Nickel Finish • Ash Maple Blades • White Lens
F853L-BN/MM • Brushed Nickel Finish • Medium Maple Blades • White Lens
F853L-BN/SL • Brushed Nickel Finish • Silver Blades • White Lens
F853L-BN/WH • Brushed Nickel Finish • White Blades • White Lens
F853L-BN/DK • Brushed Nickel Finish • Distressed Koa Blades • White Lens

AVIATION LED

with LED Light



F853L-BN/MM



F853L-BN/SL



F853L-BN/WH



F729-GM

STEAL

Inspired by the revolution that moved us from hand production methods to machines, and drove new manufacturing processes and iron production, Steal marks a major turning point in industrial style and design.

FEATURES

- 5° Blade Pitch • 3-Blades 54" Sweep • 188 x 20mm Motor • 6" Downrod
- Install with Blades at least 10' above the Floor • 2-Wire Installation Wall Control Included - WC105
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 5,816 • Electricity Used Watts: 51.6 • Airflow Efficiency CFM/Watts: 113

F729-GM • Gun Metal Finish • Gun Metal Blades

F729-WHF • Flat White Finish • Flat White Blades

F729-BN • Brushed Nickel Finish • Brushed Nickel Blades

STEAL



F729-WHF



F729-BN

ELLIPSE

with LED Light



F618L-ORB/BN



F618L-BN/PN



F618L-GM/BN

ELLIPSE

with LED Light

Minka® has created another “big bang” with the Ellipse fan. Its contemporary design offers an LED integrated light kit, a white lens and a DC motor. Transcending looks and energy saving advancements make this fan’s trajectory out of this world.

FEATURES

- 20° Blade Pitch • 5 Blades 60" Sweep • DC 172 x 12mm Motor • 6" Downrod
- Special Hand Held Remote Control System Included - RC600
- Integrated LED Light Uses 26W LED (Included) 3 Year Warranty • 1,600 Lumens • 3,000K • CRI 80

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 6,000 • Electricity Used Watts: 30 • Airflow Efficiency CFM/Watts: 200

F618L-GM/BN • Gun Metal/Brushed Nickel Finish • Gun Metal Blades • White Lens
F618L-ORB/BN • Oil Rubbed Bronze/Brushed Nickel Finish • Tobacco Blades • White Lens
F618L-BN/PN • Brushed Nickel/Polished Nickel Finish • Silver Blades • White Lens

** Estimated
 * LED (Light Emitting Diodes)



F534L-ORB

LUN-AIRE

with LED Light

A versatile, all-in-one “everything” fan, Lun-Aire, with its five blades and three speeds, will be the hardest worker in the room. A simplistic, yet sophisticated design, combined with a cost efficient motor and inspired engineering for superior performance, Lun-Aire is destined to become the smartest, most dynamic orb for any room

FEATURES

- 12° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod • 3 Speed Pull Chain
- Integrated LED Light Uses 17W LED (Included) 3 Year Warranty • 1,100 Lumens • 3,000K • CRI 80

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 5,400 • Electricity Used Watts: 50 • Airflow Efficiency CFM/Watts: 108

F534L-ORB • Oil Rubbed Bronze Finish • Dark Pine Blades • Etched Opal Glass

F534L-WH • White Finish • White Blades • Etched Opal Glass

F534L-BN • Brushed Nickel Finish • Silver Blades • Etched Opal Glass

LUN-AIRE

with LED Light



F534L-WH



F534L-BN

LED

ANYWHERE



F307-BN
Oscillating Fan



F307-MBK
Oscillating Fan

ANYWHERE

The first wall mount fan in the industry to be wet-rated brings a contemporary look and feel to any indoor or outdoor environment. ANYWHERE can be mounted to a standard electrical box or plugged in to an outlet. ANYWHERE is designed to conform to any décor and to any climate. Oscillating cool comfort where a ceiling fan may not be an option.

FEATURES

- 3-Blade Turbofan 15" Diameter • 3 Speeds: 491, 650 and 985 R.P.M. • Oscillates 45° Side to Side
- Manual Tilt • 118" Heavy Duty Cord Length • 3 Speed Pull Chain
- Convertible to hardware or wall plug • Steel Construction • One Year Limited Warranty
- Indoor/Outdoor Use - UL Listed for Wet Locations

F307-BN • Brushed Nickel Finish • Silver Blades
F307-MBK • Matte Black Finish • Matte Black Blades





F683L-BNW

SHADE

with LED Light

Illumination even in the harshest of environments. SHADE provides unmatched performance and comfort in the toughest conditions. Incorporating a DC motor for high efficiency with an integrated 15-watt LED light and a UL wet rating, SHADE meets both your indoor and outdoor location requirements.

FEATURES

- 14° Blade Pitch • 4-Blades 56" Sweep • 6" Downrod • DC 168 x 12mm Motor
- Hand Held Remote Control System - RC400
- Integrated LED Light Uses 15W LED (Included) 3 Year Warranty • 1,800 Lumens • 3,000K • CRI 80
- Indoor/Outdoor Use - UL Listed for Wet Locations

ENERGY INFORMATION** (Excludes Lights)

- Airflow CFM: 6,000 • Electricity Used Watts: 29 • Airflow Efficiency CFM/Watts: 206

F683L-BNW • Brushed Nickel Wet Finish • Silver Blades • Clear Fresnel Glass

F683L-GI • Grey Iron Finish • Matte Black Blades • Clear Fresnel Glass

F683L-HBZ • Heirloom Bronze Finish • Charcoal Blades • Clear Fresnel Glass



F683L-GI



F683L-HBZ

Optional Shade



Optional
Green Shade
FS683L-GRN



Optional
Red Shade
FS683L-RD



Optional
White Shade
FS683L-WH



Optional
Tarnished Shade
FS683L-TRN



F582-ORB



F582-BNW



F582-GL





F582-SI

RAINMAN™

Reminiscent of lighting often found along shoreline walkways, the Rainman™, as the name suggests, is an excellent choice for exterior as well as interior use.

FEATURES

- 14° Blade Pitch • 5-Blades 54" Sweep • Galvanized Steel 6" Downrod
- Stainless Steel Hardware and All Weather Blades • Wall Control System
- Integrated Halogen Caged Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Indoor/Outdoor Use UL Listed for Wet Locations

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 5,508 • Electricity Used Watts: 58 • Airflow Efficiency CFM/Watts: 94.96

- F582-SI** • Smoked Iron Finish • Smoked Iron Blades • Acid Etched Glass
F582-ORB • Oil Rubbed Bronze Finish • Taupe Blades • Vintage Amber Glass
F582-BNW • Brushed Nickel Wet Finish • Silver Blades • Acid Etched Glass
F582-GL • Galvanized Finish • Silver Blades • Acid Etched Glass



F532-SI

SUNSEEKER

The Sunseeker features a 60-inch sweep, stylish transitional design and superb value. These elements make it an ideal choice for enjoying hot summer days outdoors.

FEATURES

- 14° Blade Pitch • 5-Blades 60" Sweep • Galvanized Steel 6" Downrod
- Stainless Steel Hardware and All Weather Blades • 3-Speed Pull Chain
- Indoor/Outdoor Use UL Listed for Wet Locations
- UL Wet Location Light Kits Available (Sold Separately)
- Indoor/Outdoor Use - UL Listed for Wet Locations

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 6,783 • Electricity Used Watts: 65 • Airflow Efficiency CFM/Watts: 104.19

F532-SI • Smoked Iron Finish • Smoked Iron Blades

F532-BNW • Brushed Nickel Wet Finish • Silver Blades

F532-DRF • Driftwood Finish • Driftwood Blades

F532-ORB • Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades

F532-BWH • Bone White Finish • Bone White Blades

SUNSEEKER



F532-BNW



F532-DRF



F532-ORB



F532-BWH





F905L-LN

ARTEMIS™ XL5 LED

The big brother of our original Artemis™, the distinct profile of the Artemis™ XL5 is captured by the five Flying Vanes™ that encase the fan housing - creating a true design statement!



FEATURES

- Variable Blade Pitch • 5-Blades 62" Sweep • DC 172 x 25mm Motor • 6" Downrod
- Special Hand Held Remote Control System Included - RC600
- Integrated Light Uses 17W Dimmable LED (Included) 3 Year Warranty • 1,100 Lumens • 2,700K • CRI 80
- Cap for Non-Light Use (Included)

U.S. Patent(s): D721,430

F905L-LN • Liquid Nickel Finish • Etched Opal Glass

LED DC MOTOR

* LED (Light Emitting Diodes)

WWW.MINKAIRE.COM



F905-DK

ARTEMIS™ XL5

The big brother of our original Artemis™, the distinct profile of the Artemis™ XL5 is captured by the five Flying Vanes™ that encase the fan housing - creating a true design statement!

FEATURES

- Variable Blade Pitch • 5-Blades 62" Sweep • DC 172 x 25mm Motor • 6" Downrod
- Special Hand Held Remote Control System Included - RC600
- Integrated Halogen Light Uses **1-100W Mini-Can Halogen Bulb** (Included)
- Cap for Non-Light Use (Included)

U.S. Patent(s): D721,430

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 8,289 • Electricity Used Watts: 41.48 • Airflow Efficiency CFM/Watts: 199.83


F905-DK • Distressed Koa Finish • Tinted Opal Glass

F905-SL • Silver Finish • Etched Opal Glass

F905-WH • White Finish • Etched Opal Glass

F905L-LN • Liquid Nickel Finish • Etched Opal Glass

ARTEMIS™ XL5



F905-SL



F905-WH

Shown with Cap for Non-Light Use



F802-PN

VINTAGE GYRO™

An addition to our popular Gyro™ family, the Vintage Gyro™ performs with the same efficiency and unsurpassed level of comfort as our other Gyro™ models, but with an early 20th Century style.

FEATURES

- High Performance Twin Turbofans Total Sweep 42" • 20° Blade Pitch • 6" Downrod
- 720 - 1,350 R.P.M. Fan Speeds • Turbofan Heads Adjustable Up and Down
- Complete Assembly Rotates 360° at 3 R.P.M.
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation
- Integrated Halogen Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Cap for Non-Light Use (Included)

U.S. Patent(s): 6,832,902; 7,183,680; 7,229,255

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 5,050 • Electricity Used Watts: 102 • Airflow Efficiency CFM/Watts: 49.51

F802-PN • Polished Nickel Finish • Rosewood Blades • Etched Opal Glass

F802-ORB • Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Tinted Opal Glass

F802-BN/CH • Brushed Nickel / Chrome Finish • Rosewood Blades • Etched Opal Glass

F802-KA • Kocoa Finish • Kocoa Blades • Tinted Opal Glass

VINTAGE GYRO™



F802-ORB



F802-BN/CH



F802-KA



F539-BNK

FEATURES

- 14° Blade Pitch • 5-Blades 72" Sweep • 6" Downrod • Full Function Wall Control System
- Universal Light Kit Adaptable (Sold Separately)
- Quick Connect Switch Cup

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 9,071 • Electricity Used Watts: 106 • Airflow Efficiency CFM/Watts: 85.36

F539-BNK • Burnished Nickel Finish • Seashore Grey Blades



GREAT ROOM TRADITIONAL

Great Room interiors require new ways to manage air. We have accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.



F539-HBZ

GREAT ROOM TRADITIONAL

Great Room interiors require new ways to manage air. We have accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.

FEATURES

- 14° Blade Pitch • 5-Blades 72" Sweep • 6" Downrod • Full Function Wall Control System
- Universal Light Kit Adaptable (Sold Separately)
- Quick Connect Switch Cup

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 9,071 • Electricity Used Watts: 106 • Airflow Efficiency CFM/Watts: 85.36

F539-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades

F539-BN • Brushed Nickel Finish • Dark Walnut Blades

F539-BCW • Belcaro Walnut™ Finish • Dark Walnut Blades

F539-ORB • Oil Rubbed Bronze Finish • Dark Walnut Blades

F539-BNK • Burnished Nickel Finish • Seashore Grey Blades

GREAT ROOM TRADITIONAL



F539-BN



F539-BCW



F539-ORB



F696-HBZ

FEATURES

- 12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod
- Full Function Hand Held Remote Control System
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 7,557 • Electricity Used Watts: 84.6 • Airflow Efficiency CFM/Watts: 89

F696-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades



KAFÉ-XL

Simple elegance defined in rich finishes, the Kafé-XL brings an exciting look with enhanced features to our value collection.



F696-BNK

KAFÉ-XL

Simple elegance defined in rich finishes, the Kafé-XL brings an exciting look with enhanced features to our value collection.

FEATURES

- 12° Blade Pitch • 5-Blades 60" Sweep • 6" Downrod
- Full Function Hand Held Remote Control System
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 7,557 • Electricity Used Watts: 84.6 • Airflow Efficiency CFM/Watts: 89

F696-BNK • Burnished Nickel Finish • Seashore Grey Blades

F696-WH • White Finish • White Blades

F696-VP • Vineyard Patina Finish • Reversible Dark Maple / Dark Walnut Blades

F696-KA • Kocoa Finish • Reversible Toned Medium Maple / Dark Maple Blades

F696-CC • Cognac Finish • Reversible Natural Walnut / Dark Walnut Blades

F696-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades

KAFÉ-XL



F696-WH



F696-VP

*Shown with Dark Walnut Blades
Reversible to Dark Maple Blades*



F696-KA

*Shown with Toned Medium Maple Blades
Reversible to Dark Maple Blades*



F696-CC

*Shown with Natural Walnut Blades
Reversible to Dark Walnut Blades*





F695-BNK

FEATURES

- 12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod • 3-Speed Pull Chain
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 6,002 • Electricity Used Watts: 71.3 • Airflow Efficiency CFM/Watts: 84

F695-BNK • Burnished Nickel Finish • Seashore Grey Blades



KAFÉ

Simple yet elegant in several finishes, the Kafé brings a refreshing look to our transitional collection.



F695-HBZ

KAFÉ

Simple yet elegant in several finishes, the Kafé brings a refreshing look to our transitional collection.

FEATURES

- 12° Blade Pitch • 5-Blades 52" Sweep • 6" Downrod • 3-Speed Pull Chain
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 6,002 • Electricity Used Watts: 71.3 • Airflow Efficiency CFM/Watts: 84

F695-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades

F695-CC • Cognac Finish • Reversible Natural Walnut / Dark Walnut Blades

F695-WH • White Finish • White Blades

F695-VP • Vineyard Patina Finish • Reversible Dark Maple / Dark Walnut Blades

F695-KA • Kocoa Finish • Reversible Toned Medium Maple / Dark Maple Blades

F695-BNK • Burnished Nickel Finish • Seashore Grey Blades

KAFÉ



F695-CC

*Shown with Natural Walnut Blades
Reversible to Dark Walnut Blades*



F695-WH



F695-VP

*Shown with Dark Maple Blades
Reversible to Dark Walnut Blades*



F695-KA

*Shown with Toned Medium Maple Blades
Reversible to Dark Maple Blades*





F614-HBZ

FEATURES

- 14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod • 3-Speed Pull Chain
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 6,257 • Electricity Used Watts: 70.5 • Airflow Efficiency CFM/Watts: 89

F614-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades



TIMELESS

A smooth blend of finish and form distinguishes the Timeless fan, enhanced by simple clean lines and a unique blade iron design.



F614-BNK

TIMELESS

A smooth blend of finish and form distinguishes the Timeless fan, enhanced by simple clean lines and a unique blade iron design.

FEATURES

- 14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod • 3-Speed Pull Chain
- Universal Light Kit Adaptable (Sold Separately)

ENERGY INFORMATION (Excludes Lights)

- Airflow CFM: 6,257 • Electricity Used Watts: 70.5 • Airflow Efficiency CFM/Watts: 89

F614-BNK • Burnished Nickel Finish • Seashore Grey Blades

F614-MCG • Mottled Copper with Gold Highlights Finish • Dark Walnut Blades

F614-DBB • Dark Brushed Bronze Finish • Dark Maple Blades

F614-HBZ • Heirloom Bronze Finish • Aged Boardwalk Blades

TIMELESS



F614-MCG



F614-DBB





F614-PW

TIMELESS

F614-PW • Pewter Finish • Dark Walnut Blades
F614-ORB • Oil Rubbed Bronze Finish • Medium Maple Blades
F614-FB • French Beige Finish • Medium Maple Blades
F614-PI • Patina Iron Finish • Dark Maple Blades

TIMELESS



F614-ORB



F614-FB



F614-PI

UNIVERSAL LED LIGHT KITS



K9110L

LED

Etched White Glass
26W LED
12¼"Dia. x 3¾"H
Includes Brushed Nickel &
Oil Rubbed Bronze Caps



K9120L

LED

Etched White Glass
26W LED
12¼"Dia. x 3¾"H
Includes Brushed Nickel &
Oil Rubbed Bronze Caps



K9115L

LED

Etched White Glass
26W LED 1647 Lumens
12¼"Dia. x 2½"H
Includes Brushed Nickel Caps

Please Note: All Light Kits include Chain with Decorative Fob. (Not shown)

CUSTOM LED LIGHT KITS

K9886L

LED Light
20W LED (Incl.)
6½"Dia. x 1¾"H
1,430 Lumens
3,000 Kelvin
CRI 80

Compatible with the
F886 Xtreme H₂O Fans Only



K9886L-BNW

LED



K9886L-ORB

LED



K9886L-WHF

LED



K9886L-SI

LED

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Lined area for notes or calculations, consisting of horizontal ruling lines.

TABLE CONTENTS

Alva	10-11
Anywhere	22-23
Artemis™ XL5	30-33
Aviation LED.	12-15
Ellipse.	18-19
Great Room Traditional	36-39
Kafé	44-47
Kafé-XL.	40-43
Lun-Aire	20-21
Pancake XL LED	6-9
Rainman™	26-27

Shade	24-25
Steal.	16-17
Sunseeker	28-29
Timeless	48-53
Vintage Gyro™	34-35
Xtreme H2O.	2-5

LIGHT KITS

Custom LED Light Kits.	54
Universal LED Light Kits	54

INDEX

FANS

F307-BN	22	F683L-BNW.	24	F853L-BN/MM	15
F307-MBK	23	F683L-GI	25	F853L-BN/SL	15
F532-BNW	29	F683L-HBZ	25	F853L-BN/WH	15
F532-BWH	29	F695-BNK	44	F886-65-BNW	4
F532-DRF	29	F695-CC	47	F886-65-ORB	5
F532-ORB	29	F695-HBZ	46	F886-65-WHF	5
F532-SI	28	F695-KA	47	F886-84-BNW	2
F534L-BN	21	F695-VP	47	F886-84-ORB	3
F534L-ORB	20	F695-WH	47	F886-84-SI	3
F534L-WH	21	F696-BNK	42	F905-DK	32
F539-BCW	39	F696-CC	43	F905L-LN	30
F539-BN	39	F696-HBZ	40	F905-SL	33
F539-BNK	36	F696-KA	43	F905-WH	33
F539-HBZ	38	F696-VP	43		
F539-ORB	39	F696-WH	43	FAN SHADE	
F582-BNW	26	F729-BN	17	FS683L-GRN	25
F582-GL	26	F729-GM	16	FS683L-RD	25
F582-ORB	26	F729-WHF	17	FS683L-TRN	25
F582-SI	27	F739L-BN	6	FS683L-WH	25
F614-BNK	50	F739L-DK	8		
F614-DBB	51	F739L-SL	9	LIGHT KITS - CUSTOM LED	
F614-FB	53	F739L-WHF	8	K9886L-BNW	54
F614-HBZ	48	F802-BN/CH	35	K9886L-ORB	54
F614-MCG	51	F802-KA	35	K9886L-SI	54
F614-ORB	53	F802-ORB	35	K9886L-WHF	54
F614-PI	53	F802-PN	34		
F614-PW	52	F852L-BN	11	LIGHT KITS - LED UNIVERSAL	
F618L-BN/PN	18	F852L-HBZ	10	K9110L	54
F618L-GM/BN	19	F852L-TI	11	K9115L	54
F618L-ORB/BN	18	F853L-BN/AMP	14	K9120L	54
		F853L-BN/DK	13		



Alva
F852L
Page 10 - 11



Anywhere
F307
Pages 22 - 23



Artemis™ XL5
F905
Pages 30 - 33



Avation LED
F853L
Page 12 - 15



Ellipse
F618L
Pages 18 - 19



Great Room Traditional
F539
Pages 36 - 39



Kafe
F695
Pages 44 - 47



Kafe XL
F696
Pages 40 - 43



Lun-Aire
F534L
Pages 20 - 21



Pancake XL LED
F739L
Pages 6 - 9




Rainman™
F582
Pages 26 - 27



Shade
F683L
Pages 24 - 25




Steal
F729
Pages 16 - 17



Sunseeker
F532
Pages 28 - 29



Timeless
F614
Pages 48 - 53



Vintage Gyro™
F802
Pages 34 - 35



Xtreme H₂O
F886
Pages 2 - 5



World Headquarters

1151 West Bradford Court, Corona, California 92882

Showroom

Dallas Market Center

2100 Stemmons, Suite 3725, Dallas, TX 75207

951.278.3267 (FANS) 800.307.3267 Fax: 951.278.2828

sales@minkagroup.net | www.minkaaire.com | www.minkagroup.net

MKADLLS2017-01