Table of Contents

Vortex	116
Morpheus III	20
Morpheus II	23
Stargazer	26
Aloft	28
Wynd	30
Lotus	36
Orb	38
Woody	44
Aviator	46
Osprey	50
Nautilus	52
Mykonos	54
Cervantes	56
Windflower	60
Vox	66
Elf	70
Axis	72



The Nuts & Bolts

Energy-efficient DC motors.

Ultra-powerful LED luminaires.

Lustrous finishes that complement interiors and handle the outdoor elements with ease. Every aspect of the Modern Forms smart fan is uncompromising in dependability and unsurpassed in performance.

Every Fan Is



Durably and wet rated finished for interior and exterior use



Coordinates with smart devices and app controllable



Wet location listed to the strictest UL and cUL safety regulations



Quiet, reliable, and up to 70% more efficient than AC fans



WiFi and RF enabled for unlimited wireless control

The Luminaire

Nearly every smart fan is furnished with an integrated LED luminaire powered by WAC, one of the most innovative and reliable names in the industry. With exceptionally powerful LED packages that create beautifully dimmable light, these luminaires, customized to each fan design, are outstanding in their own right—but packed inside a Modern Forms smart fan? That's just unfair.

The Year Ahead

SET UP

Our smart fans are as easy to set up as a typical ceiling fan.

SAVE ENERGY

First Month

When you connect to smart home devices like Nest or ecobee, your fan will coordinate with your HVAC system to make the room feel cooler or warmer.

First Day



CONTROL ANYWHERE

Download the free Modern Forms app. It takes two quick steps to connect your fan to your WiFi router. Then you can control your fan from anywhere.







SVNC IID

Integrate with devices you already own—like Amazon Alexa, Google Assistant, Nest or ecobee. That way you can control your fan with voice-activated commands and more.




Your security is important to us. That's why we designed our app so you only have to connect to the cloud once during set-up. After that, you can stay cloud-free if you like and still control the fan with your phone.













AUTOMATE

Keep it simple with a 7-day weekly calendar or get as granular as you want with a 365-day calendar that accounts for seasonal changes.



LATE SPRING

In Summer Mode your fan will blow cool air downward— that can make the room feel up to three degrees cooler.



WINTER TIME

Winter Mode will force warm air trapped at the ceiling to recirculate, driving it down to the room below so you do not have to crank up the heat as high.

First Year



USING YOUR FAN IS TEACHING YOUR FAN

Our app can learn your routine and suggest optimized schedules to make your life easier. If you use your fan every day around 8–9:30am and then from around 5–11pm, Adaptive Learning can automate that activity for you regularly.



VACATION

Whenever you're headed out of town, put on Away Mode. Your fan and luminaire will turn on and off at random intervals so it looks like you're home—even when you're not.

Get Smart

The Modern Forms app synchronizes seamlessly with smart home devices you already own.



Easy Does It



Ask Amazon Echo, Echo Dot or any Alexa-enabled device to turn on and off your fan and luminaire, change speeds, and dim the lights. With our customized skills we can roll out new functionality so your fan experience is always cutting edge.



Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

Google Assistant

Heat Wave: "Hey Google, ask Modern Forms to turn my bedroom fan on high."

Dinner Party: "OK Google, ask Modern Forms to dim the lights."

Snow Squall: "Hey Google, ask Modern Forms to go to heat mode."

Talk to any Google Assistant enabled device to control your fan and make life easier every day.

©2017 Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC.



Samsung SmartThings

Samsung SmartThings can connect all your smart home devices and apps together into one central location— Modern Forms will be the first smart fan available. Not going to lie, we love being first.

Samsung, SmartThings and all related logos are trademarks of Samsung Electronics Co., Ltd.

Get Unwired

Every Modern Forms smart fan comes with a Radio Frequency (RF) wall control as well as WiFi-enabled app control technology when you download the Modern Forms app. Use one or the other—or both—to control your fans. Here's how that works...




THINK LOCAL: WALL CONTROL

The Modern Forms wall control gives you full control of up to 4 fans in the room. Typical RF range is about 30 feet and doesn't require a line of sight. Can't find your phone? Don't want to use WiFi? No problem.

ACT GLOBAL: ← WIFI-ENABLED SMART CONTROL


Once you've downloaded the Modern Forms app and connected it to your fans, you can control them from anywhere in the world through WiFi. Of course, your fans will need to be positioned within range of your WiFi router—typically, that's about 150 feet.












ONE OR MANY

We engineered our fans so that you can wire multiple fans on the same circuit. Other fan companies can only handle one fan per circuit, two at the most. But with patent-pending Modern Forms smart fan technology, you can wire many more, reducing excess wires to help bring installation costs down and keep any exposed wiring looking cleaner.



Cools in summer, reverses in winter to help keep the room warm

Illuminates your space with high-output LEDs that dim to 1%—or better

Life Made Simpler

Modern Forms smart fans make life simpler every day—that's what modern luxury is all about.






Avant Garde




Naturalistic



Minimalist






FR-W1805-120L














Integrates with smart home devices you already own: Samsung SmartThings, Google Assistant, Amazon Alexa, Nest & ecobee













/ Blade: 13° Pitch, 60" Sweep, ABS / Downrod: 0.75"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 13 lbs / Total Power: 32W

Model		Housing	Blade
	AS	Automotive Silver	Automotive Silver
FR-W1810-60	GB	Gloss Black	Gloss Black
	GW	Gloss White	Gloss White

12"

Example: FR-W1810-60-GB







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	29W	23W
Airflow	7742 CFM	4642 CFM
Energy Costs*	\$8/yr	\$6/yr
Efficiency	269 CFM/W	202 CFM/W

ENERGY GUIDE

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.











FR-W1813-60-GW 60" Morpheus III in Gloss White


MORPHEUS III

60" CEILING FAN













With cutting-edge smart controls and a totally quiet DC motor, Morpheus is a sleek piece of luxury in a stylish two- or three-blade design. Like all our smart fans, Morpheus connects through WiFi to our exclusive Modern Forms app, so it doesn't matter if you're five feet away or five hundred miles away—control is always in the palm of your hand. A powerful LED luminaire with artisan-crafted opal glass and thick aerodynamically soundless blades round out the design. Available in four amazing finishes.




/ Blade: 13° Pitch, 60" Sweep, ABS 0.75"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 14 lbs / Total Power: 52W / LED Lumens: 1600 / LED Power: 20W / CRI: 90 / Color Temp: 3000K / Rated Life: 50,000hr



Model		Housing	Blade
FR-W1813-60L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Carbon Fiber
	DW	Dark Walnut	Dark Walnut
	GW	Gloss White	Gloss White



Example: FR-W1813-60L-GW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

0

F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF




F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE


Standard	High Speed	Weighted Average
Electricity	31W	17W
Airflow	7490 CFM	4456 CFM
Energy Costs*	\$9/yr	\$5/yr
Efficiency	243 CFM/W	258 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



















FR-W1812-60L-GW 60" Morpheus II in Gloss White


FR-W1812-60L-AS

60" Morpheus II in Automotive Silver Shown with included luminaire cover

Blade: 13° Pitch, 60" Sweep, ABS LED Lumens: 1600 0.75"ID x 4.5"H Included Downrod: LED Power: 20W Mounting Slope: Up to 30° 90 CRI: Lead Wire: 80" Color Temp: 3000K 13.50 lbs 50,000hr Hanging Weight: Rated Life: / Total Power: 50W



Model		Housing	Blade
FR-W1812-60L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Carbon Fiber
	DW	Dark Walnut	Dark Walnut
	GW	Gloss White	Gloss White



Example: FR-W1812-60L-DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	25W	15W
Airflow	6543 CFM	3881 CFM
Energy Costs*	\$7/yr	\$4/yr
Efficiency	258 CFM/W	266 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.







% ecobee



/	Blade:	13° Pitch, 52" Sweep, ABS	/	LED Lumens:	1110
/	Downrod:	0.75"ID x 4.5"H Included	/	LED Power:	15W
/	Mounting Slope:	Up to 30°	/	CRI:	90
/	Lead Wire:	80"	/	Color Temp:	3000K
/	Hanging Weight:	19 lbs	/	Rated Life:	50,000hr
/	Total Power:	44W			

Model		Housing	Blade
	AS	Automotive Silver	Automotive Silver
FR-W1804-52L	GB	Gloss Black	Gloss Black
	LN	Liquid Nickel	Liquid Nickel

13" 10"

Example: FR-W1804-52L-GB







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

Included with each fan

F-WC-WT

6 speeds Dims light to 1% ON/OFF

WIFI TOUCH PANEL WALL CONTROL

F-TS-F-TS-Sold

F-TS-BK	Black
F-TS-WT	White
Sold sepa	arately
Full app of	control

Standard	High Speed	Weighted Average
Electricity	38W	21W
Airflow	5822 CFM	3233 CFM
Energy Costs*	\$11/yr	\$6/yr
Efficiency	153 CFM/W	154 CFM/W

ENERGY GUIDE



^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.










44" FLUSH MOUNTED FAN










Blade: 13° Pitch, 44" Sweep, ABS Lead Wire:

Hanging Weight: 17 lbs / Total Power: 47W

/ LED Lumens: 1600 / LED Power: 20W / CRI: 90 / Color Temp: 3000K / Rated Life: 50,000hr

Model		Housing	Blade
	BZ	Bronze	Bronze
FH-W1807-44L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FH-W1807-44L-TT







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control


ENERGY (GUI	DE
----------	-----	----

Standard	High Speed	Weighted Average
Electricity	33W	18W
Airflow	5369 CFM	3147 CFM
Energy Costs*	\$9/yr	\$5/yr
Efficiency	164 CFM/W	171 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



















42" and 52" CEILING FAN

Transitional style meets smart technology with this versatile smart fan available in four weather-resistant finishes as well as a 316 marine-grade stainless steel for harsh outdoor climates. The 42 inches is ideal for bedrooms, patios and breakfast nooks while the 52 inches works great in living rooms and medium-sized spaces. The LED luminaire, powered by WAC, takes this design from beautiful to brilliant. Connect with our exclusive Modern Forms app for even more life enhancements.







FREE APP DOWNLOAD Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with 6

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control




















FR-W1801-42L-SS 42" Wynd in marine grade 316 Stainless Steel Shown with included luminaire cover

	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	29W	23W
Airflow	4888 CFM	2968 CFM
Energy Costs*	\$8/yr	\$6/yr
Efficiency	170 CFM/W	129 CFM/W












FR-W1801-42L-MW 42" Wynd in Matte White

	-
Luminaire cover included	

/	Blade:	13° Pitch, 42" Sweep, ABS	/	LED Lumens:	1600
/	Downrod:	0.75"ID x 4.5"H Included	/	LED Power:	20W
/	Mounting Slope:	Up to 30°	/	CRI:	90
/	Lead Wire:	80"	/	Color Temp:	3000K
/	Hanging Weight:	17.90 lbs	/	Rated Life:	50,000hr
/	Total Power:	47W			

MODEL		HOUSING	BLADE
	BZ	Bronze	Bronze
FD W4904 421	GH/WG	Graphite	Weathered Gray
FR-W1801-42L	MW	Matte White	Matte White
	ss	316 Stainless Steel	Steel Gray



Example: FR-W1801-42L-GH/WG

WYND52" CEILING FAN
















Standard	High Speed	Weighted Average
Electricity	45W	32W
Airflow	6804 CFM	4306 CFM
Energy Costs*	\$13/yr	\$9/yr
Efficiency	151 CFM/W	135 CFM/W





Weathered Gray








FR-W1801-52L-SS 52" Wynd in 316 Stainless Steel



/	Blade:	13° Pitch, 52" Sweep, ABS	/	LED Lumens:	1600
/	Downrod:	0.75"ID x 4.5"H Included	/	LED Power:	20W
/	Mounting Slope:	Up to 30°	/	CRI:	90
/	Lead Wire:	80"	/	Color Temp:	3000K
/	Hanging Weight:	17.90 lbs	/	Rated Life:	50,000hr
/	Total Power:	49W			

=
Luminaire cover included

MODEL		HOUSING	BLADE
	BZ	Bronze	Bronze
FR-W1801-52L	GH/WG	Graphite	Weathered Gray
	MW	Matte White	Matte White
	ss	316 Stainless Steel	Steel Gray



Example: FR-W1801-52L-GH/WG

LOTUS 54" CEILING FAN











FR-W1809-54L-TT 54" Lotus in Titanium Silver




A modern meditation on style and technology,
Lotus is the ultimate utility player. Its clean, streamlined look
works well with almost any décor, inside or outdoors.
And with our Modern Forms app, this smart fan responds to
your behavior patterns with optimized schedules that
can help cut down on energy use. Engineered with a quiet,
energy-efficient DC motor and a powerful LED luminaire,
this fan is peak enlightenment.














/ Blade: 13° Pitch, 54" Sweep, ABS / LED Lumens: 1100 0.75"ID x 4.5"H Included / LED Power: 15W Downrod: / Mounting Slope: Up to 30° / CRI: 90 / Lead Wire: 80" / Color Temp: 3000K / Hanging Weight: 15.50 lbs / Rated Life: 50,000hr Total Power: 43W

MODEL		HOUSING	BLADE
	BZ	Bronze	Bronze
FR-W1809-54L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1809-54L-TT







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



	ENERGY GUIDE
Standard	High Speed

Standard	High Speed	Weighted Average
Electricity	19W	12W
Airflow	5721 CFM	3438 CFM
Energy Costs*	\$5/yr	\$3/yr
Efficiency	301 CFM/W	287 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

ORB






With its killer sci-fi style and smart functionality—thanks to our exclusive Modern Forms app—Orb is the ultimate case of smart meets cool. Its DC motor runs up to 70% more efficient than traditional AC fans and always keeps quiet, and Orb is breathtaking when finished in a sleek carbon fiber or Porsche-worthy silver.









FR-W1816-62L-AS 62" Orb in Automotive Silver

/ Blade: 13° Pitch, 62" Sweep, ABS / LED Lumens: / Downrod: 0.75"ID x 4.5"H Included / LED Power: / Mounting Slope: Up to 30° / CRI: / Lead Wire: 80" / Color Temp:

/ Lead Wire: 80" / Color Temp: 3000K / Hanging Weight: 28 lbs / Rated Life: 50,000hr / Total Power: 46W



MODEL		HOUSING	BLADE	
FR-W1816-62L	AS	Automotive Silver	Automotive Silver	
	CFI	Carbon Fiber	Matte Black	

18"

Example: FR-W1816-62L-AS







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

1100

15W

90

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF




F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	44W	24W
Airflow	8123 CFM	4875 CFM
Energy Costs*	\$12/yr	\$7/yr
Efficiency	183 CFM/W	202 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.












Blade: 13° Pitch, 82" Sweep, ABS
Downrod: 0.75"ID x 4.5"H Included
Mounting Slope: Up to 30°
Lead Wire: 80"

/ Hanging Weight: 33 lbs / Total Power: 49W / LED Lumens: 1100 / LED Power: 15W / CRI: 90 / Color Temp: 3000K / Rated Life: 50,000hr



MODEL		HOUSING	BLADE
FR-W1816-82L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Matte Black

Example: FR-W1816-82L-CFI







App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



ENERGY GUIDE			
Standard	High Speed	Weighted Average	
Electricity	48W	26W	
Airflow	9064 CFM	5470 CFM	
Energy Costs*	\$13/yr	\$7/yr	
Efficiency	190 CFM/W	211 CFM/W	

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

Naturalistic

An emphasis on craftsmanship and natural materials to help create the ultimate sanctuary.





FR-W1814-60L-GH/WG 60" Woody in Graphite and Weathered Gray






With sturdy blades crafted from solid wood—properly treated to weather the outdoors,—this smart fan is rugged refinement to the core. Take control of it with our exclusive Modern Forms app—features like Adaptive Learning make life easier every day by suggesting optimized schedules, while a powerful DC motor inside keeps things running smooth, quiet and up to 70% more efficient than traditional AC fans. Choose a bronze housing with dark walnut wood, matte black with distressed koa or graphite with weathered gray.











MODEL		HOUSING	BLADE
	BZ/DW	Bronze	Dark Walnut
FR-W1814-60L	MB/DK	Matte Black	Distressed Koa
	GH/WG	Graphite	Weathered Gray
	GH/WG		

13" 10"

Example: FR-W1814-60L-MB/DK







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	42W	23W
Airflow	8840 CFM	5160 CFM
Energy Costs*	\$12/yr	\$6/yr
Efficiency	209 CFM/W	224 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AVIATOR 54" CEILING FAN
















Inspired by the golden age of flying, this smart fan takes technology to the next level. Pair it with the exclusive Modern Forms app to save on energy costs and intuitively create schedules that adapt to your behavior. Two simulated wood finishes contrast with the matte black or graphite housings for an understated look in interior or exterior spaces. Available with an optional LED luminaire encased in opal glass.

Optional Luminaire for Aviator Matte Black F-1811-LED-MB sold separately










Blade: 13° Pitch, 54" Sweep, ABS LED Lumens: 1600 0.75"ID x 4.5"H Included Downrod: LED Power: 19W Mounting Slope: Up to 30° CRI: 90 Lead Wire: 80" Color Temp: 3000K / Rated Life: Hanging Weight: 50,000hr 13 lbs



MODEL HOUSING BLADE

31W

MB/DK Matte Black Distressed Koa FR-W1811-54 GH/WG

Graphite Weathered Gray OPTIONAL LUMINAIRE (Sold Separately)


F-1811-LED MB Matte Black 1600 LED Lumen 19W GH Graphite



Example: F-1811-LED-GH Example: FR-W1811-54-GH/WG



Total Power:



App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

F-TS-BK Black

	F-WC-WT	100
	Included with each fan	п
3	6 speeds	ш
	Dims light to 1%	п
	ON/OFF	



F-TS-WT White Sold separately Full app control


ENERGY GUIDE			
Standard	High Speed	Weighted Average	
Electricity	26W	16W	
Airflow	7554 CFM	4370 CFM	
Energy Costs*	\$7/yr	\$4/yr	
Efficiency	295 CFM/W	280 CFM/W	

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.









54" FLUSH MOUNTED FAN FH-W1811-54-MB/DK 54" Aviator in Matte Black and Distressed Koa Shown with optional luminaire F-1811-LED-MB



Blade: 13° Pitch, 54" Sweep, ABS Lead Wire: 8"

Hanging Weight: 12 lbs Total Power: 31W


LED Lumens: LED Power:

CRI: 90 Color Temp: 3000K / Rated Life: 50,000hr

Sold separately

1600

19W



MODEL HOUSING **BLADE**

MB/DK Matte Black Distressed Koa FH-W1811-54 GH/WG Graphite Weathered Gray **OPTIONAL LUMINAIRE (Sold Separately)**

F-1811-LED Matte Black MB 1600 LED Lumen 19W GH Graphite



Example: FH-W1811-54-GH/WG Example: F-1811-LED-GH





FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

Standard High Speed F-TS-E F-TS-\



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-WT White Sold separately Full app control	Electricity	27W	15W
	Airflow	6744 CFM	3982 CFM
	Energy Costs*	\$8/yr	\$4/yr
	Efficiency	246 CFM/W	259 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.


ENERGY GUIDE

Weighted Average











Blade: 13° Pitch, 56" Sweep, ABS LED Lumens: 1110 0.75"ID x 4.5"H Included LED Power: 15W Downrod: 90 Mounting Slope: Up to 30° CRI: Lead Wire: 80" Color Temp: 3000K Rated Life: 50,000hr Hanging Weight: 17 lbs Total Power: 45W



Model		Housing	Blade
FR-W1817-56L	GH/WG	Graphite	Weathered Gray
FR-W 1017-30L	OB/DW	Oil Rubbed Bronze	Dark Walnut

10' 14"

Example: FR-W1817-56L-OB/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF




Standard	High Speed	Weighted Average
Electricity	23W	14W
Airflow	6173 CFM	4019 CFM
Energy Costs*	\$6/yr	\$4/yr
Efficiency	268 CFM/W	287 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.












NAUTILUS

56" CEILING FAN

FR-W1818-56L-GH/WG

56" Nautilus in Graphite and Weathered Gray



13° Pitch, 56" Sweep, ABS Blade: LED Lumens: 2100 Downrod: 0.75"ID x 4.5"H Included LED Power: 24.5W Mounting Slope: Up to 30° CRI: 90 80" 3000K Lead Wire: Color Temp: Hanging Weight: 19 lbs Rated Life: 50,000hr Total Power: 56W

Model		Housing	Blade
FD W4040 FGI	OB/DW	Oil Rubbed Bronze	Dark Walnut
FR-W1818-56L	GH/WG	Graphite	Weathered Gray

Example: FR-W1818-56L-OB/DW





App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

F-TS-BK	Black
F-TS-WT	White
Sold sep	arately
Full app	control

Standard	High Speed	Weighted Average
Electricity	37W	21W
Airflow	7299 CFM	4744 CFM
Energy Costs*	\$10/yr	\$6/yr
Efficiency	197 CFM/W	226 CFM/W

ENERGY GUIDE

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF




^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.











Blade: 13° Pitch, 52" Sweep, ABS / LED Lumens: 1100 Downrod: 0.75"ID x 4.5"H Included LED Power: 15W Mounting Slope: Up to 30° CRI: 90 80" Lead Wire: Color Temp: 3000K Hanging Weight: 16 lbs Rated Life: 50.000hr Total Power: 42W

12"

FR-W1819-52L-MW

52" Mykonos in Matte White

Model Housing Blade

GH/WG Graphite Weathered Gray

FR-W1819-52L BZ/DW Bronze Dark Walnut

MW Matte White Matte White

52" Mykonos in Graphite and Weathered Gray

Example: FR-W1819-52L-BZ/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control


Standard	High Speed	Weighted Average
Electricity	40W	22W
Airflow	5480 CFM	3350 CFM
Energy Costs*	\$11/yr	\$6/yr
Efficiency	137 CFM/W	152 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.











Blade: 13° Pitch, 56" Sweep, ABS / LED Lumens: 1600 Downrod: 0.75"ID x 4.5"H Included LED Power: 20W Mounting Slope: Up to 30° CRI: 90 80" Lead Wire: Color Temp: 3000K Hanging Weight: 19 lbs Rated Life: 50.000hr Total Power: 50W

Model		Housing	Blade
FD W4906 E61	OB/DW	Oil Rubbed Bronze	Dark Walnut
FR-W1806-56L	GH/WG	Graphite	Weathered Gray

12"

Example: FR-W1806-56L-GH/WG







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

0 0

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control


Standard	High Speed	Weighted Average
Electricity	56W	30W
Airflow	7866 CFM	4950 CFM
Energy Costs*	\$16/yr	\$8/yr
Efficiency	140 CFM/W	163 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





















60" & 80" CEILING FAN

As bold and beautiful as a classic Holland windmill, this contemporary twelve-blade design is perfect for mid-sized and larger spaces with its 60 inch or 80 inch blade sweeps. Control everything from the palm of your hand with our WiFi-connected Modern Forms app—no one else in the industry can match this combination of style and intuitive technology. Available in three sleek finishes, Windflower makes life easier and more beautiful every day.







FREE APP DOWNLOAD Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1%



60" CEILING FAN















FR-W1815-60L-OB/DW 60" Windflower in Oil Rubbed Bronze and Dark Walnut



FR-W1815-60L-MB/DK 60" Windflower in Matte Black and Distressed Koa









60" CEILING FAN




FR-W1815-60L-GH/WG

60" Windflower in Graphite and Weathered Gray

Blade: 13° Pitch, 60" Sweep, ABS 2100 / LED Lumens: Downrod: 0.75"ID x 4.5"H Included LED Power: 24.5W Up to 30° Mounting Slope: 90 / CRI: Lead Wire: 80" Color Temp: 3000K Hanging Weight: 32 lbs Rated Life: 50,000hr Total Power: 57W



Model		Housing	Blade
	OB/DW	Oil Rubbed Bronze	Dark Walnut
FR-W1815-60L	GH/WG	Graphite	Weathered Gray
	MB/DK	Matte Black	Distressed Koa



Example: FR-W1815-60L-OB/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	49W	27W
Airflow	8840 CFM	5110 CFM
Energy Costs*	\$14/yr	\$8/yr
Efficiency	180 CFM/W	189 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

80" CEILING FAN














FR-W1815-80L-MB/DK 80" Windflower in Matte Black and Distressed Koa Shown with optional luminaire cover




FR-W1815-80L-GH/WG 80" Windflower in Graphite and Weathered Gray










80" CEILING FAN



/	Blade:	13° Pitch, 80" Sweep, ABS	/	LED Lumens:	2100
/	Downrod:	0.75"ID x 4.5"H Included	/	LED Power:	24.5W
/	Mounting Slope:	Up to 30°	/	CRI:	90
/	Lead Wire:	80"	/	Color Temp:	3000K
/	Hanging Weight:	38 lbs	/	Rated Life:	50,000hr
/	Total Power:	60W			

Luminaire cover included

Model		Housing	Blade
	OB/DW	Oil Rubbed Bronze	Dark Walnut
FR-W1815-80L	GH/WG	Graphite	Weathered Gray
	MB/DK	Matte Black	Distressed Koa



Example: FR-W1815-80L-MB/DK







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



Standard	High Speed	Weighted Average
Electricity	51W	33W
Airflow	10223 CFM	7987 CFM
Energy Costs*	\$14/yr	\$9/yr
Efficiency	200 CFM/W	242 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





VOX 26" FLUSH MOUNTED FAN











FH-W1802-26L-TT 26" Vox in Titanium Silver






Perfect for smaller rooms, or mounted in multiples in larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.











FH-W1802 -26L-BZ 26" Vox in Bronze

VOX26" FLUSH MOUNTED FAN



FH-W1802-26L-MW 26" Vox in Matte White

Blade: 13° Pitch, 26" Sweep, ABS 2041 LED Lumens: Lead Wire: 8" LED Power: 20W 16 lbs Hanging Weight: 90 CRI: Total Power: 46W Color Temp: 3000K Rated Life: 50,000hr

Model		Housing	Blade
	BZ	Bronze	Bronze
FH-W1802-26L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver

10"

Example: FH-W1802-26L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT Included with each fan 6 speeds

Dims light to 1% ON/OFF



	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	11W	8W
Airflow	2145 CFM	1189 CFM
Energy Costs*	\$3/yr	\$2/yr
Efficiency	195 CFM/W	159 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

VOX38" FLUSH MOUNTED FAN













FH-W1802-38L-MW 38" Vox in Matte White

The Vox speaks in hushed tones—the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors.









FH-W1802-38L-BZ 38" Vox in Bronze

Blade: 13° Pitch, 38" Sweep, ABS 2041 LED Lumens: Lead Wire: 8" LED Power: 20W 17 lbs Hanging Weight: 90 CRI: Total Power: 46W Color Temp: 3000K Rated Life: 50,000hr

Model		Housing	Blade
	BZ	Bronze	Bronze
FH-W1802-38L	MW	Matte White	Matte White
	тт	Titanium Silver	Titanium Silver

10'

Example: FH-W1802-38L-MW





App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



Standard	High Speed	Weighted Average
Electricity	38W	29W
Airflow	5084 CFM	2895 CFM
Energy Costs*	\$11/yr	\$8/yr
Efficiency	133 CFM/W	101 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

ELF 38" CEILING FAN











FR-W1802-38L-BZ 38" Elf in Bronze






From bedrooms to boardrooms, pool houses to patios, Elf works its magic with a compact design that looks great anywhere—even outside. We make all our smart fans wet-rated—that means highly durable materials and weather-resistant finishes—so you can keep a consistent look and feel throughout your décor. Control your smart fan with the exclusive Modern Forms app, which integrates easily with smart devices you already own—if you want to turn it on, all you have to do is ask.












FR-W1802-38L-MW 38" Elf in Matte White

13° Pitch, 38" Sweep, ABS / LED Lumens: 2041 / Blade: 0.75"ID x 4.5"H Included / LED Power: 20W Downrod: Mounting Slope: Up to 30° / CRI: 90 Lead Wire: 80" / Color Temp: 3000K 50,000hr Hanging Weight: 17 lbs / Rated Life: Total Power: 46W

Model		Housing	Blade
	BZ	Bronze	Bronze
FR-W1802-38L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1802-38L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

9

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF




	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	39W	30W
Airflow	5150 CFM	2920 CFM
Energy Costs*	\$11/yr	\$8/yr
Efficiency	132 CFM/W	97 CFM/W


^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.











Model		Housing	Blade
	BZ	Bronze	Bronze
FR-W1803-52L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver

Example: FR-W1803-52L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

F-WC-WT

6 speeds

ON/OFF

Dims light to 1%

WIFI TOUCH PANEL WALL CONTROL

Included with each fan

F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE
High Sneed

Standard	High Speed	Weighted Average
Electricity	33W	27W
Airflow	5200 CFM	3290 CFM
Energy Costs*	\$9/yr	\$8/yr
Efficiency	157 CFM/W	122 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AXIS52" FLUSH MOUNTED FAN













FH-W1803-52L-BZ 52" Axis Flush in Bronze



FH-W1803-52L-TT 52" Axis Flush in Titanium Silver









/	Blade:	13° Pitch, 52" Sweep, ABS	/	LED Lumens:	1600
/	Lead Wire:	8"	/	LED Power:	20W
/	Hanging Weight:	14 lbs	/	CRI:	90
/	Total Power:	48W	/	Color Temp:	3000K
			/	Rated Life:	50,000hr

Model		Housing	Blade
	BZ	Bronze	Bronze
FH-W1803-52L	MW	Matte White	Matte White
	тт	Titanium Silver	Titanium Silver

7" 7" 7"

Example: FH-W1803-52L-BZ





App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	32W	25W

 Airflow
 5104 CFM
 3236 CFM

 Energy Costs*
 \$9/yr
 \$7/yr


 Efficiency
 159 CFM/W
 131 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





















HYDRA

80", 96" & 120" CEILING FAN

As its name suggests, Hydra is all about water. Like all of our smart fans, it's wet-rated for outdoor use so you can maintain the continuity of your décor inside and out. Even with an impressive 120" blade sweep, this epically scaled smart fan moves a massive amount of air without consuming much energy, thanks to a powerful DC motor that runs up to 70% more efficient than AC motors. Control it all with our exclusive Modern Forms app. Available in 80 inches, 96 inches and 120 inches.







FREE APP DOWNLOAD Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF




F-TS-BK Black **F-TS-WT** White Sold separately Full app control



13° Pitch, 80" Sweep, Aluminum Blade: / LED Lumens: 2100 0.75"ID x 6"H Included 24.5W Downrod: LED Power: Mounting Slope: Up to 30° CRI: 90 Lead Wire: 80" Color Temp: 3000K Hanging Weight: 38 lbs Rated Life: 50,000hr Total Power: 58W

Model		Housing	Blade
	Bronze	Bronze	
FR-W1805-80L	тт	Titanium Silver	Titanium Silver

Example: FR-W1805-80L-BZ

















ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	48W	29W
Airflow	12428 CFM	8398 CFM
Energy Costs*	\$13/yr	\$8/yr
Efficiency	261 CFM/W	290 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

HYDRA 96" CEILING FAN














FR-W1805-96L-BZ 96" Hydra in Bronze














Model		Housing	Blade
FR-W1805-96L	BZ Bronze Bronze	Bronze	
FR-W 1803-90L	TT	Titanium Silver	Titanium Silver

Example: FR-W1805-96L-BZ

Standard	High Speed	Weighted Average
Electricity	45W	26W
Airflow	13,300 CFM	9125 CFM
Energy Costs*	\$8/yr	\$7/yr
Efficiency	302 CFM/W	351 CFM/W

















120" CEILING FAN

Our largest smart fan yet, designed to take on hotel lobbies, coastal homes with soaring ceilings, office buildings—you name it. It's a massive fan for a massive space.







FREE APP DOWNLOAD Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT


Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control



Blade: 13° Pitch, 120" Sweep, Aluminum LED Lumens: 2100 0.75"ID x 6"H Included LED Power: 24.5W Downrod: Mounting Slope: Up to 30° CRI: 90 Lead Wire: Hanging Weight: 80" Color Temp: 3000K 44 lbs Rated Life: 50,000hr Total Power: 61W



Model		Housing	Blade
FR-W1805-120L	BZ TT	Bronze Titanium Silver	Bronze Titanium Silver


Example: FR-W1805-120L-TT

ESTIMATED ENERGY GUIDE				
Standard	High Speed	Weighted Average		
Electricity	45W	26W		
Airflow	14,250 CFM	9898 CFM		
Energy Costs*	\$8/yr	\$7/yr		
Efficiency	289 CFM/W	388 CFM/W		
t =	1	1 40.40 114/1		

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.









Professional Assets

LOCAL & GLOBAL CONTROL: THE RF & WIFI STORY

With WiFi, the app can control a virtually unlimited number of devices—one, twenty, two hundred...you name it. You can invite users to access the app and give them limited permissions, while maintaining executive control. That makes the Modern Forms smart fan ideal for apartment complexes, hotels and office buildings as well as residences.

By Invitation Only: Invite users to control fans via the app—they can customize their own schedules temporarily while you maintain master control.

Form a Group Mentality: Create groups of fans to make scheduling more efficient. Organize them by room type, floor number, location or style.

Plays Well With Others: The Modern Forms app is designed to help tie into other building management systems that operate on open API platforms.

Local Control: A radio-frequency (RF) enabled wall control is supplied with every Modern Forms fan. Instantaneously control, up to 4 fans per RF wall control. RF technology doesn't require line of sight and is powerful enough to pass through walls.

No Plan? No Problem: Control one or all of the fans in a room from any number of wall controls without the need for complicated 3-way or 4-way wiring.

Best of Both Worlds: The wall control may be used in conjunction with the Modern Forms app if desired to have both local and global control.

REINVENTING DC MOTOR CONTROL

Modern Forms Fans integrate DC motor control inventions developed by WAC to offer additional functionality and address certain challenges common across the industry.

Go Big or Go Home: Modern Forms DC motors provide the power necessary to quietly and efficiently power the largest diameter designer fans on the market.

Sensor-less DC motors: Proprietary control technologies were developed to control DC motors without the need for optical sensors to improve upon DC motor reliability as sensor lifetimes are known to be shorter than that of DC motors.

Synchronized Spinning: Patent pending features permit the problem-free installation of more than one or two fans in series.

Running Interference: For a seamless fan experience, Modern Forms fans solved the known problem in the industry of electrical noise generated by motor loads interfering with the expected performance of other electrical devices.

ILLUMINATING EXPERIENCES

As ceiling fans are also commonly the only light source within a room, luminaires within Modern Forms fans were also custom designed to accommodate the features of each unique fan design to provide a maximum amount of usable illumination in a room. Each luminaire incorporates WAC's proprietary dimming and control technology for smooth and continuous full-spectrum dimming from 100% to 1%.

MODERN FORMS FANS



F-WC-WT Included with each fan 6 fan speeds Dims light to 1% ON/OFF Wall control range: Up to 30ft from fan



F-TS-WT White F-TS-BK Black Sold separately Full app control WiFi range: Up to 150ft from router

Downrod and Cap Couplers

Control up to 4 fans on one wall control

Downrod	XF-12 XF-18 XF-24 XF-36	12in 18in 24in 36in	XF-48 XF-60 XF-72	48in 60in 72in	All our downrods are 0.75I.D. and are threaded on the motor end to create an extra layer of security and allow for adjustments in the field.	AS BZ CFI DW	Automotive Silver Bronze *Carbon Fiber Dark Walnut	MB MW OB SS	Matte Black Matte White Oil Rubbed Bronze
Downrod Couplers	XF-I				Connects two downrods together	GB GH GW	Gloss Black Graphite Gloss White	TT	Stainless Steel Titanium Silver

Example: XF-18-TT

*Carbon Fiber only in 12", 18", 24", and 36"

Suggested downrod height usage

Ceiling Height	15'	14'	13'	12'	11'	10'	9'
Downrod	72"	60"	48"	36"	24"	18"	12"

$Sloped\ Ceiling\ Kit\ Designed\ to\ accommodate\ buildings\ with\ steeper\ sloped\ ceilings\ up\ to\ 45^\circ\ or\ 12/12\ pitch$

Sloped Ceiling Kit



XF-SCK

AS Automotive Silver
BZ Bronze
CFI Carbon Fiber
DW Dark Walnut
GB Gloss Black
GH Graphite
GW Gloss White

MB Matte Black
MW Matte White
OB Oil Rubbed Bronze
SS Stainless Steel
TT Titanium Silver

Example: XF-SCK-DW

Sloped ceiling degree conversion chart

Degree	4-8°	9-13°	14-17°	18-21°	22-25°	26-29°	30-32°	33-35°	36-38°	39-41°	42-44°	45°
Ceiling Slope	1/12	2/12	3/12	4/12	5/12	6/12	7/12	8/12	9-12	10/12	11/12	12/12
Pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch

Supplied mounting brackets allow mounting on ceiling slopes up to 30° (7/12 pitch), optional slope kit allows mounting on ceilings up to 45° (12/12 pitch). The receiver will mount inside canopy.

^{*}Result may vary based on application/surroundings

Quick Reference











Aloft FH-W1807-44L 44" BZ, MW, TT YES YES 47W 5200 28 Aviator FH-W1811-54 54" MB/DK, GH/WG YES NO 31W 5800 46 FR-W1811-54 54" MB/DK, GH/WG YES NO 31W 6200 48 Aviator FH-W1803-52L 52" BZ, MW, TT YES YES 48W 5200 72 FR-W1803-52L 52" BZ, MW, TT YES YES 48W 5400 74 Aviator FR-W1803-52L 52" BZ, MW, TT YES YES 48W 5400 74 Aviator FR-W1803-52L 52" BZ, MW, TT YES YES 50W 6500 56 BIf FR-W1802-38L 38" BZ, MW, TT YES YES 46W 4500 70 Aviator FR-W1805-96L 96" BZ, TT YES YES 58W 10000 78 BZ, TT YES YES 58W 10000 78 BZ, TT YES YES 60W 11500 80 FR-W1805-96L 120" BZ, TT YES YES 60W 11500 80 BZ, TT YES YES 61W 13000 83 Aviator FR-W1805-96L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Aviator FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Aviator FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Aviator FR-W1813-50L 56" OB/DW, GH/WG, MW YES YES 52W 8500 20 Aviator FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Aviator FR-W1813-60L 56" OB/DW, GH/WG, MW YES YES 52W 8500 20 Aviator FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Aviator FR-W1813-60L 56" OB/DW, GH/WG, MW YES YES 52W 8500 50 Aviator FR-W1816-62L 62" AS, CFI YES YES 44W 5800 52 Aviator FR-W1816-62L 62" AS, CFI YES YES 45W 7000 52 Aviator FR-W1816-62L 62" AS, CFI YES YES 45W 7000 50 Aviator FR-W1816-62L 62" AS, CFI YES YES 45W 7000 50 Aviator FR-W1816-62L 56" GH/WG, OB/DW YES YES 45W 7000 50 Aviator FR-W1816-62L 52" AS, GB, LN YES YES 46W 3900 66 BX Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 46W 3900 66 BX Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 46W 3900 66 BX Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 7500 44 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 7500 44 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 7500 44 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 7500 44 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 5000 60 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 5000 60 Aviator FR-W1816-60L 60" GH/WG, OB/DW, MB/DW YES YES 57W 5000 60 Aviator FR-W1816-60L 60" G	Name	Model	Size	Finishes	Wet Listing	Luminaire	Power	Est. CFM	Page
FR-W1811-54 54" MB/DK, GH/WG YES NO 31W 6200 48	Aloft	FH-W1807-44L	44"	BZ, MW, TT	YES	YES	47W	5200	28
Axis FH-W1803-52L 52" BZ, MW, TT YES YES 48W 5200 72 FR-W1803-52L 52" BZ, MW, TT YES YES 48W 5400 74 Cervantes FR-W1806-56L 56" GH/WG, OB/DW YES YES 50W 6500 56 Elf FR-W1802-38L 38" BZ, MW, TT YES YES 46W 4500 70 Hydra FR-W1805-80L 80" BZ, TT YES YES 58W 10000 78 FR-W1805-120L 120" BZ, TT YES YES 60W 11500 80 FR-W1805-120L 120" BZ, TT YES YES 60W 11500 80 FR-W1805-120L 54" BZ, MW, TT YES YES 61W 13000 83 Lotus FR-W1809-54L 54" BZ, MW, TT YES YES 58W 6200 36 Morpheus II FR-W1813-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 52W 8500 54 Nautilus FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 46W 7800 38 Cosprey FR-W1816-62L 62" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG, OB/DW YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES YES 46W 3900 66 Vox FH-W1802-38L 38" BZ, MW, TT YES YES 46W 3900 66 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1816-62L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44	Aviator	FH-W1811-54	54"	MB/DK, GH/WG	YES	NO	31W	5800	46
Cervantes FR-W1803-52L 52" BZ, MW, TT YES YES 48W 5400 74 Cervantes FR-W1806-56L 56" GH/WG, OB/DW YES YES 50W 6500 56 Elf FR-W1805-38L 38" BZ, MW, TT YES YES 46W 4500 70 Hydra FR-W1805-80L 80" BZ, TT YES YES 58W 10000 78 FR-W1805-96L 96" BZ, TT YES YES 60W 11500 80 FR-W1805-96L 96" BZ, TT YES YES 60W 11500 80 Morpheus III FR-W1805-54L 54" BZ, MW, TT YES YES 43W 6200 36 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1816-62L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Naut		FR-W1811-54	54"	MB/DK, GH/WG	YES	NO	31W	6200	48
Cervantes FR-W1806-56L 56" GH/WG, OB/DW YES YES 50W 6500 56 Elf FR-W1802-38L 38" BZ, MW, TT YES YES 46W 4500 70 Hydra FR-W1805-80L 80" BZ, TT YES YES 58W 10000 78 FR-W1805-96L 96" BZ, TT YES YES 60W 11500 80 FR-W1805-120L 120" BZ, TT YES YES 61W 13000 83 Lotus FR-W1805-54L 54" BZ, MW, TT YES YES 43W 6200 36 Morpheus III FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1818-52L 52" BZ/DW, GH/WG, MW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Nauti	Axis	FH-W1803-52L	52"	BZ, MW, TT	YES	YES	48W	5200	72
EIf FR-W1802-38L 38" BZ, MW, TT YES YES 46W 4500 70 Hydra FR-W1805-80L 80" BZ, TT YES YES 58W 10000 78 FR-W1805-96L 96" BZ, TT YES YES 60W 11500 80 FR-W1805-96L 120" BZ, TT YES YES 61W 13000 83 Lotus FR-W1805-54L 54" BZ, MW, TT YES YES 61W 13000 83 Morpheus II FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 52W 8500 20 Orb FR-W1816-62L 62" AS, CFI YES YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 45W 7000 50 Stargazer FR-W1810-60 60" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 3900 66 WINDERSON FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 5000 300 300 300 300 300 300 300 300 30		FR-W1803-52L	52"	BZ, MW, TT	YES	YES	48W	5400	74
Hydra	Cervantes	FR-W1806-56L	56"	GH/WG, OB/DW	YES	YES	50W	6500	56
FR-W1805-96L 96" BZ, TT YES YES 60W 11500 80 FR-W1805-120L 120" BZ, TT YES YES 61W 13000 83 Lotus FR-W1809-54L 54" BZ, MW, TT YES YES 43W 6200 36 Morpheus II FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 52W 5800 54 Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG, OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 45W 7000 50 Vortex FR-W1810-60 60" AS, GB, GW YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-38L 38" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES YES 47W 5000 30	Elf	FR-W1802-38L	38"	BZ, MW, TT	YES	YES	46W	4500	70
FR-W1805-120L 120" BZ, TT YES YES 61W 13000 83	Hydra	FR-W1805-80L	80"	BZ, TT	YES	YES	58W	10000	78
Lotus FR-W1809-54L 54" BZ, MW, TT YES YES 43W 6200 36 Morpheus III FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 42W 5800 54 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16		FR-W1805-96L	96"	BZ, TT	YES	YES	60W	11500	80
Morpheus II FR-W1812-60L 60" GW, AS, CFI, DW YES YES 50W 7500 23 Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1816-82L 56" GH/WG, OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1804-60 60" AS, GB, GW YES NO 32W 6800 16		FR-W1805-120L	120"	BZ, TT	YES	YES	61W	13000	83
Morpheus III FR-W1813-60L 60" GW, AS, CFI, DW YES YES 52W 8500 20 Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68	Lotus	FR-W1809-54L	54"	BZ, MW, TT	YES	YES	43W	6200	36
Mykonos FR-W1819-52L 52" BZ/DW, GH/WG, MW YES YES 42W 5800 54 Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG, OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-36L 26" BZ, MW, TT YES YES 46W 3900 66 FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody	Morpheus II	FR-W1812-60L	60"	GW, AS, CFI, DW	YES	YES	50W	7500	23
Nautilus FR-W1818-56L 56" OB/DW, GH/WG YES YES 56W 7000 52 Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1814-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44	Morpheus III	FR-W1813-60L	60"	GW, AS, CFI, DW	YES	YES	52W	8500	20
Orb FR-W1816-62L 62" AS, CFI YES YES 46W 7800 38 FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1814-60L 60" GH/WG, DB/DW, MB/DK YES YES 57W 7500 44 Wynd	Mykonos	FR-W1819-52L	52"	BZ/DW, GH/WG, MW	YES	YES	42W	5800	54
FR-W1816-82L 82" AS, CFI YES YES 49W 8500 40 Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Nautilus	FR-W1818-56L	56"	OB/DW, GH/WG	YES	YES	56W	7000	52
Osprey FR-W1817-56L 56" GH/WG,OB/DW YES YES 45W 7000 50 Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1814-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Orb	FR-W1816-62L	62"	AS, CFI	YES	YES	46W	7800	38
Stargazer FR-W1804-52L 52" AS, GB, LN YES YES 44W 6000 26 Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 60W 9000 62 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30		FR-W1816-82L	82"	AS, CFI	YES	YES	49W	8500	40
Vortex FR-W1810-60 60" AS, GB, GW YES NO 32W 6800 16 Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 60W 9000 62 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Osprey	FR-W1817-56L	56"	GH/WG,OB/DW	YES	YES	45W	7000	50
Vox FH-W1802-26L 26" BZ, MW, TT YES YES 46W 3900 66 FH-W1802-38L 38" BZ, MW, TT YES YES 46W 4200 68 Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 60W 9000 62 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Stargazer	FR-W1804-52L	52"	AS, GB, LN	YES	YES	44W	6000	26
Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 46W 4200 68 Woody FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Vortex	FR-W1810-60	60"	AS, GB, GW	YES	NO	32W	6800	16
Windflower FR-W1815-60L 60" GH/WG, OB/DW, MB/DK YES YES 57W 8000 60 FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 60W 9000 62 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Vox	FH-W1802-26L	26"	BZ, MW, TT	YES	YES	46W	3900	66
FR-W1815-80L 80" GH/WG, OB/DW, MB/DK YES YES 60W 9000 62 Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30		FH-W1802-38L	38"	BZ, MW, TT	YES	YES	46W	4200	68
Woody FR-W1814-60L 60" GH/WG, BZ/DW, MB/DK YES YES 57W 7500 44 Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30	Windflower	FR-W1815-60L	60"	GH/WG, OB/DW, MB/DK	YES	YES	57W	8000	60
Wynd FR-W1801-42L 42" BZ, GH/WG, MW, SS YES YES 47W 5000 30		FR-W1815-80L	80"	GH/WG, OB/DW, MB/DK	YES	YES	60W	9000	62
	Woody	FR-W1814-60L	60"	GH/WG, BZ/DW, MB/DK	YES	YES	57W	7500	44
FR-W1801-52L 52" BZ, GH/WG, MW, SS YES YES 49W 6000 34	Wynd	FR-W1801-42L	42"	BZ, GH/WG, MW, SS	YES	YES	47W	5000	30
		FR-W1801-52L	52"	BZ, GH/WG, MW, SS	YES	YES	49W	6000	34

Model Number Guide

GH/WG 52L W1819 **FR**

FR = Ceiling Fan **FH** = Flush Mounted

W = Wet Listed

Sweep size **L** = Luminaire included

Housing finish / Blade finish

Example: FR-W1819-52L-GH/WG



Model





