

MODERN FORMS S M A R T F A N S

FANS THAT REVOLVE AROUND YOU

Welcome to the future of modern smart fans, designed to adapt to your routine, reduce energy costs and make life simpler all year-round.

No other company in the industry offers the seamless technological innovation, elite craftsmanship and sleek style across such a vast selection—from 26" to 120" fans.


Control everything locally from the wall or anywhere from the palm of your hand—the exclusive Modern Forms app communicates via WiFi and integrates with other smart home devices you already own.

Modern Forms Fans. Smart enough to simplify your life.

Venus	410
Paradox	
Nirvana	
Vortex	
Morpheus III	
Morpheus II	
Stargazer	
Aloft	
Wynd	
Lotus	
Orb	
Woody	
Aviator	
Osprey	
Nautilus	
Mykonos	
Cervantes	
Windflower	
Vox	466
Elf	
Axis	
Roboto	
Hydra	

Get Wet

Unlike the competition, ALL of our fans are wet rated and made from highly durable materials. Add weather-resistant finishes, and WiFi controls, and you can turn them on wherever and whenever you



works with the

Google Assistant

€ ecobee

nest

Every Fan Is



Rated for interior and exterior use




Smart

Control with our app or other smart devices you



Tested to comply with the strictest UL safety standards





WiFi and RF enabled for unlimited wireless control

The Nuts & Bolts

Energy-efficient DC motors.

Ultra-powerful LED luminaires.

Lustrous finishes that complement interiors and handle the outdoor elements with ease.

Every aspect of the Modern Forms smart fan is uncompromising in dependability and unsurpassed in performance.

See the Light

Nearly every smart fan is furnished with an integrated LED luminaire powered by WAC, one of the most innovative and reliable names in lighting. With exceptionally powerful LED packages that create beautifully dimmable light, these luminaires, customized to each fan design, are outstanding in their own right— but packed inside a Modern Forms smart fan? That's just unfair.

The Year Ahead

Our smart fans are as easy to set up as a typical ceiling fan.





SAVE ENERGY

First Month

When you connect to smart home devices like ecobee, your fan will coordinate with your HVAC system to make the room feel cooler or warmer.

First Day



CONTROL ANYWHERE

Download the free Modern Forms app. It takes two quick steps to connect your fan to your WiFi router. Then you can control your fan from anywhere.





Integrate with devices you already own like Amazon Alexa, Google Assistant. That way you can control your fan with voice-activated commands and more.



Your security is important to us. That's why we designed our app so you only have to connect to the cloud once during set-up. After that, you can stay cloud-free if you like and still control the fan with your phone.













AUTOMATE

Keep it simple with a 7-day weekly calendar or get as granular as you want with a 365-day calendar that accounts for seasonal changes.



LATE SPRING

In Summer Mode your fan will blow cool air downward— that can make the room feel up to three degrees cooler.



WINTER TIME

Winter Mode will force warm air trapped at the ceiling to recirculate, driving it down to the room below so you do not have to crank up the heat as high.

First Year



USING YOUR FAN IS TEACHING YOUR FAN

Our app can learn your routine and suggest optimized schedules to make your life easier. If you use your fan every day around 8–9:30am and then from around 5–11pm, Adaptive Learning can automate that activity for you regularly.



VACATION

Whenever you're headed out of town, put on Away Mode. Your fan and luminaire will turn on and off at random intervals so it looks like you're home—even when you're not.











Wet rated so your Smart functions work outdoors too

Illuminates your space with high-output LEDs that dim to 1%—or better

Life Made Simpler

Modern Forms smart fans make life simpler every day—that's what modern luxury is all about.





Get Smart

The Modern Forms app synchronizes seamlessly with smart home devices you already own.

Nest®

Your smart fan will automatically switch to Summer Mode or Winter Mode when your HVAC changes from cooling to heating

If your Nest smoke detector is alerted, your fans will shut off automatically to help prevent a fire from spreading

Nest®, Nest Learning Thermostat™, Nest Leaf Logo™, Airwave™, Auto-Away™, Nest Protect™, Nest Protect™ smoke + carbon monoxide, Nest Cam™, and the Works with Nest logos are trademarks licensed by Nest Labs, Inc.



ecobee




Use Assist Mode to conserve energy even more. How does it work?

Your fan will automatically turn on and/or off based on your confort settings to make you less dependent on heat or air conditioning

Certain smart thermostats have built-in Amazon Alexa Voice Service

ecobee and the ecobee logo are trademarks of Smart WiFi Thermostats by ecobee. All rights reserved.



Heat Wave: "Hey Alexa, turn my bedroom fan on high."


Dinner Party: "Hey Alexa, dim the lights." Snow Squall: "Hey Alexa, go to heat mode."

Talk to Amazon's Alexa to enable the device to control your fan

and make life easier everyday


Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.





Forget about looking for a remote. Talk to any Google Assitant enabled device to turn on and off your fan and luminaire, change speeds, and dim the lights.

@2017 Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC.



Samsung SmartThings


Samsung SmartThings can connect all your smart home devices and apps together into one central location—Modern Forms will be the first smart fan available.

Not going to lie, we love being first.

Samsung, SmartThings and all related logos are trademarks of Samsung Electronics Co., Ltd.







Get Unwired

Every Modern Forms smart fan comes with a Radio Frequency (RF) wall control as well as WiFi-enabled app control technology when you download the Modern Forms app.

Use one or the other—or both—to control your fans. Here's how that works...



THINK LOCAL: WALL CONTROL

The Modern Forms wall control gives you full control of your fans in the room. Typical RF range is about 30 feet and doesn't require a line of sight. Can't find your phone? Don't want to use WiFi? No problem.



Once you've downloaded the Modern Forms app and connected it to your fans, you can control them from your back porch or anywhere in the world through WiFi. Of course, indoors or outdoors, your fans will need to be positioned within range of your WiFi router—typically, that's about 150 feet.



ONF OR MANY

We engineered our fans so that you can wire up to 12 fans on the same circuit. Other fan companies can only handle one fan per circuit, two at the most. But with patent-pending Modern Forms smart fan technology, you can wire many more, reducing excess wires to help bring installation costs down and keep any exposed wiring looking cleaner.



















Model		Housing	Blade
	AB/BZ	Aged Brass	Bronze
FR-W1920-60L	TT/MW	Titanium Silver	Matte White
	AV/MB	Antique Silver	Matte Black

18.84 lbs

18.8W

10½"
12½"
56"

minaire cover included

Example: FR-W1920-60L-AB/BZ

Hanging Weight:

Total Power:







FREE APP DOWNLOAD

Rated Life:

50,000hr

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

13

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	18W	16W
Airflow	7154 CFM	4832 CFM
Energy Costs*	\$5/yr	\$4/yr
Efficiency	397 CFM/W	301 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

















FR-W1922-56L-AB/MB 56" Paradox in Aged Brass (Matte Black)



14° Pitch, 56" Sweep, ABS Blade: Downrod: 1"ID x 4.5"H Included Mounting Slope: Up to 30° Lead Wire: 80


Hanging Weight: Total Power:

17.28 lbs 32.8W

LED Lumens: 1600 LED Power: 19.5W CRI: 90 Color Temp: 3000K Rated Life: 50,000hr



Model		Housing	Blade
	AV/MB	Antique Silver	Matte Black
FR-W1922-56L	AB/MB	Aged Brass	Matte Black



Example: FR-W1922-56L-AV/MB







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	29W	22W
Airflow	7672 CFM	5119 CFM
Energy Costs*	\$9/yr	\$6/yr
Efficiency	262 CFM/W	231 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.
















Model		Housing	Blade
FR-W1916-56L	TT	Titanium Silver	Titanium Silver
	GW	Gloss White	Gloss White
FR-W1910-30L	ко	Коа	Коа
	МВ	Matte Black	Matte Black



Example: FR-W1916-56L-TT







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

3

F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	27W	21W
Airflow	6989 CFM	4665 CFM
Energy Costs*	\$6/yr	\$6/yr
Efficiency	263 CFM/W	222 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.























Integrates with smart home devices you already own: Samsung SmartThings, Google Assistant, Amazon Alexa, Nest & ecobee











VORTEX

60" CEILING FAN


















/ Blade: 13° Pitch, 60" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 13 lbs / Total Power: 32W

MODEL		Housing	Blade
	AS	Automotive Silver	Automotive Silver
FR-W1810-60	GB	Gloss Black	Gloss Black
	GW	Gloss White	Gloss White



Example: FR-W1810-60-GB







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds

6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	21W	13W
Airflow	7720 CFM	5207 CFM
Energy Costs*	\$6/yr	\$4/yr
Efficiency	363 CFM/W	404 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













MORPHEUS III

60" CEILING FAN











With cutting-edge smart controls and a totally quiet DC motor, Morpheus is a sleek piece of luxury in a stylish two- or three-blade design. Like all our smart fans, Morpheus connects through WiFi to our exclusive Modern Forms app, so it doesn't matter if you're five feet away or five hundred miles away—control is always in the palm of your hand. A powerful LED luminaire with artisan-crafted opal glass and thick aerodynamically soundless blades round out the design.

Available in four amazing finishes.











MORPHEUS III

60" CEILING FAN




/ Blade: 13° Pitch, 60" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30°
/ Lead Wire: 80"
/ Hanging Weight: 14 lbs
/ LED Lumens 1600
/ Total Power 52W



MODEL		Housing	Blade
	AS	Automotive Silver	Automotive Silver
FR-W1813-60L	CFI	Carbon Fiber	Carbon Fiber
FR-W 1013-00L	DW	Dark Walnut	Dark Walnut
	GW	Gloss White	Gloss White



Example: FR-W1813-60L-GW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL




F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	22W	13W
Airflow	7244 CFM	5027 CFM
Energy Costs*	\$6/yr	\$4/yr
Efficiency	263 CFM/W	222 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

















/ Blade: 13° Pitch, 60" Sweep, ABS Downrod: 1"ID x 4.5"H Included

Up to 30° / Mounting Slope: 80" / Lead Wire: / Hanging Weight: 13.50 lbs / LED Lumens: 1600 50W / Power Total:



MODEL		Housing	Blade	
	AS	Automotive Silver	Automotive Silver	2½" <u>_</u> 7"
FD W4942 COL	CFI	Carbon Fiber	Carbon Fiber	5½"
FR-W1812-60L	DW	Dark Walnut	Dark Walnut	
	GW	Gloss White	Gloss White	6¼"

Example: FR-W1812-60L-DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT 6 speeds

Included with each fan Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE Standard High Speed Weighted Average Electricity 17W 10W Airflow 7027 CFM 4797 CFM

Energy Costs* \$3/yr \$5/yr Efficiency 423 CFM/W 462 CFM/W













^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.


















FR-W1804-52L-AS

52" Stargazer in Automotive Silver

/ Blade: 13° Pitch, 52" Sweep, ABS 1"ID x 4.5"H Included Downrod:

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 19 lbs / LED Lumens: 1110 / Total Power: 44W

MODEL		Housing	Blade
FR-W1804-52L	AS	Automotive Silver	Automotive Silver
	GB	Gloss Black	Gloss Black



Example: FR-W1804-52L-GB







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE Standard High Speed Weighted Average

Electricity	36W	26W
Airflow	6032 CFM	3980 CFM
Energy Costs*	\$10/yr	\$7/yr
Ffficiency	170 CFM/W	156 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.


















/ Blade: 13° Pitch, 44" Sweep, ABS

/ Lead Wire: 8"
/ Hanging Weight: 17 lbs
/ LED Lumens: 1600
/ Total Power: 47W

MODEL		Housing	Blade
	BZ	Bronze	Bronze
FH-W1807-44L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1807-44L-TT







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	28W	21W
Airflow	5183 CFM	3153 CFM
Energy Costs*	\$8/yr	\$6/yr
Efficiency	188 CFM/W	148 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

































Transitional style meets smart technology with this versatile smart fan available in four weather-resistant finishes as well as a 316 marine-grade stainless steel for harsh outdoor climates. The 42-inch is ideal for bedrooms, patios and breakfast nooks while the 52-inch works great in living rooms and medium-sized spaces. The LED luminaire, powered by WAC, takes this design from beautiful to brilliant. Connect with our exclusive Modern Forms app for even more life enhancements.







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control


















FR-W1801-42L-SS 42" Wynd in marine grade 316 Stainless Steel Shown with included luminaire cover

	ENERGY GUID	DE
Standard	High Speed	Weighted Average
Electricity	25W	20W
Airflow	4772 CFM	2856 CFM
Energy Costs*	\$7/yr	\$6/yr
Efficiency	192 CFM/W	145 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













FR-W1801-42L-MW 42" Wynd in Matte White

/ Blade: 13° Pitch, 42" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30°
/ Lead Wire: 80"
/ Hanging Weight: 17.90 lbs
/ LED Lumens: 1600
/ Total Power: 47W

	SS	Stainless Steel	Steel Gray
FR-W 1001-42L	MW	Matte White	Matte White
FR-W1801-42L	GH/WG	Graphite	Weathered Gray
	BZ	Bronze	Bronze
MODEL		Housing	Blade

Example: FR-W1801-42L-GH/WG











Luminaire cover included








ENERGY GUIDE					
Standard	High Speed	Weighted Average			
Electricity	35W	26W			
Airflow	6568 CFM	4215 CFM			
Energy Costs*	\$10/yr	\$7/yr			
Efficiency	188 CFM/W	164 CFM/W			

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.















FR-W1801-52L-SS 52" Wynd in 316 Stainless Steel



/ Blade: 13° Pitch, 52" Sweep, ABS / Downrod: 1"W x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 17.90 lbs / LED Lumens: 1600 / Total Power: 49W



Example: FR-W1801-52L-GH/WG














Luminaire cover included



FR-W1809-54L-TT 54" Lotus in Titanium Silver



A modern meditation on style and technology, Lotus is the ultimate utility player. Its clean, streamlined look works well with almost any décor, inside or outdoors. And with our Modern Forms app, this smart fan responds to your behavior patterns with optimized schedules that can help cut down on energy use. Engineered with a quiet, energy-efficient DC motor and a powerful LED luminaire, this fan is peak enlightenment.













Example: FR-W1809-54L-TT

/ Hanging Weight:

LED Lumens:

/ Total Power:





15.5 lbs

1600

43W



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1%



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE					
Standard	High Speed	Weighted Average			
Electricity	17W	15W			
Airflow	5575 CFM	3438 CFM			
Energy Costs*	\$5/yr	\$4/yr			
Efficiency	332 CFM/W	227 CFM/W			

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





ON/OFF









Luminaire cover included



With its killer sci-fi style and smart functionality—thanks to our exclusive Modern Forms app—Orb is the ultimate case of smart meets cool. Its DC motor runs up to 70% more efficient than traditional AC fans and always keeps quiet, and Orb is breathtaking when finished in a sleek carbon fiber or Porsche-worthy silver.

MODERN FORMS SMART FANS





FR-W1816-62L-AS 62" Orb in Automotive Silver Shown with included luminaire cover

13° Pitch, 62" Sweep, ABS Blade: / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 28 lbs LED Lumens: 1110 / Total Power: 46W







Example: FR-W1816-62L-AS







FFREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	50W	29W
Airflow	10796 CFM	7237 CFM
Energy Costs*	\$14/yr	\$8/yr
Efficiency	218 CFM/W	250 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.























/ Blade: 13° Pitch, 82" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 33 lbs / LED Lumens: 1110 / Total Power: 49W



MODEL		Housing	Blade
AS AS		Automotive Silver	Automotive Silver
FR-W1816-82L	CFI	Carbon Fiber	Matte Black

1034" 15¾" -4"|-82"

Example: FR-W1816-82L-CFI







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan

6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	35W	23W
Airflow	10021 CFM	8532 CFM
Energy Costs*	\$10/yr	\$6/yr
Efficiency	289 CFM/W	371 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













Naturalistic

An emphasis on craftsmanship and natural materials to help create the ultimate sanctuary.






FR-W1814-60L-GH/WG 60" Woody in Graphite and Weathered Gray





With sturdy blades crafted from solid wood—properly treated to weather the outdoors—this smart fan is rugged refinement to the core. Take control of it with our exclusive Modern Forms app—features like Adaptive Learning make life easier every day by suggesting optimized schedules, while a powerful DC motor inside keeps things running smooth, quiet and up to 70% more efficient than traditional AC fans. Choose a bronze housing with dark walnut wood, matte black with distressed koa or graphite with weathered gray.







MODEL		Housing	Blade	2½" - -7"-
	BZ/DW	Bronze	Dark Walnut	12½"13½"
FR-W1814-60L	MB/DK	Matte Black	Distressed Koa	1272 13¼"
	GH/WG	Graphite	Weathered Gray	-6"-
				00

Example: FR-W1814-60L-MB/DK







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	31W	18W
Airflow	7268 CFM	5036 CFM
Energy Costs*	\$9/yr	\$5/yr
Efficiency	233 CFM/W	276 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













AVIATOR 54" CEILING FAN





Inspired by the golden age of flying, this smart fan takes technology to the next level. Pair it with the exclusive Modern Forms app to save on energy costs and intuitively create schedules that adapt to your behavior. Two simulated wood finishes contrast with the matte black or graphite housings for an understated look in interior or exterior spaces. Available with an optional LED luminaire encased in opal glass.

Optional Luminaire for Aviator Matte Black F-1811-LED-MB sold separately












/ Blade: 13° Pitch, 54" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 13 lbs / Total Power: 31W



MODEL Blade Housing

MB/DK Matte Black Distressed Koa

GH/WG Graphite Weathered Gray OPTIONAL LUMINAIRE (Sold Separately)

MB Matte Black F-1811-LED 1600 LED Lumen 19W

Graphite GH



Example: FR-W1811-54-GH/WG Example: F-1811-LED-GH



FR-W1811-54





FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE					
Standard	High Speed	Weighted Average			
Electricity	20W	13W			
Airflow	7074 CFM	4653 CFM			
Energy Costs*	\$6/yr	\$4/yr			
Efficiency	346 CFM/W	368 CFM/W			

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.
























/ Blade: 13° Pitch, 54" Sweep, ABS

/ Lead Wire: / Hanging Weight: 12 lbs / Total Power: 31W



MODEL		Housing	Blade	OPTIONAL LUMII	VAIRE	(Sold Separate	ly)
FIL W4044 F4	MB/DK	Matte Black	Distressed Koa	F-1811-LED	МВ	Matte Black	
FH-W1811-54	GH/WG	Graphite	Weathered Gray	1600 LED Lumen 19W	GH	Graphite	

Example: FH-W1811-54-GH/WG Example: F-1811-LED-GH





App Store

FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

	ENERGY GUIDE				
Standard	High Speed	Weighted Average			
Electricity	21W	13W			
Airflow	6321 CFM	4258 CFM			
Energy Costs*	\$6/yr	\$4/yr			
Efficiency	297 CFM/W	320 CFM/W			

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



















MODEL		Housing	Blade
FR-W1817-56L	GH/WG	Graphite	Weathered Gray
TR W1017-302	OB/DW	Oil Rubbed Bronze	Dark Walnut

12¾"14" 56"

Example: FR-W1817-56L-OB/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	21W	18W
Airflow	6278 CFM	4074 CFM
Energy Costs*	\$6/yr	\$5/yr
Efficiency	301 CFM/W	227 CFM/W













^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













FR-W1818-56L-GH/WG


56" Nautilus in Graphite and Weathered Gray



/ Blade: 13° Pitch, 56" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° 80" / Lead Wire: / Hanging Weight: 19 lbs LED Lumens: 2041 / Total Power: 56W

MODEL Housing Blade **OB/DW** Oil Rubbed Bronze Dark Walnut FR-W1818-56L **GH/WG** Graphite Weathered Gray



Example: FR-W1818-56L-OB/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	29W	22W
Airflow	7013 CFM	4551 CFM
Energy Costs*	\$8/yr	\$6/yr
Efficiency	245 CFM/W	206 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

























GH/WG Graphite Weathered Gray FR-W1819-52L BZ/DW Bronze Dark Walnut Matte White Matte White MW



Example: FR-W1819-52L-BZ/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	32W	24W
Airflow	5236 CFM	3304 CFM
Energy Costs*	\$9/yr	\$7/yr
Efficiency	162 CFM/W	137 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.




















Blade: 13° Pitch, 56" Sweep, ABS Downrod: 1"ID x 4.5"H Included / Mounting Slope: Up to 30°

/ Lead Wire: 80" / Hanging Weight: 19 lbs / LED Lumens: 1600 / Total Power: 50W

MODEL Blade Housing OB/DW Oil Rubbed Bronze Dark Walnut FR-W1806-56L GH/WG Graphite Weathered Gray



Example: FR-W1806-56L-GH/WG







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	29W	23W
Airflow	6577 CFM	4419 CFM
Energy Costs*	\$8/yr	\$6/yr
Efficiency	228 CFM/W	196 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

































WINDFLOWER

60" & 80" CEILING FAN

As bold and beautiful as a classic Holland windmill, this contemporary twelve-blade design is perfect for mid-sized and larger spaces with its 60 inch or 80 inch blade sweeps. Control everything from the palm of your hand with our WiFi-connected Modern Forms app—no one else in the industry can match this combination of style and intuitive technology. Available in three sleek finishes, Windflower makes life easier and more beautiful every day.







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds

Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control











WINDFLOWER

60" CEILING FAN



FR-W1815-60L-OB/DW 60" Windflower in Oil Rubbed Bronze and Dark Walnut



FR-W1815-60L-MB/DK 60" Windflower in Matte Black and Distressed Koa











FR-W1815-60L-GH/WG


60" Windflower in Graphite and Weathered Gray

Blade: 13° Pitch, 60" Sweep, ABS Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 32 lbs / LED Lumens: 2041 / Total power: 57W



MODEL		Housing	Blade
	OB/DW	Oil Rubbed Bronze	Dark Walnut
FR-W1815-60L	GH/WG	Graphite	Weathered Gray
	MB/DK	Matte Black	Distressed Koa



Example: FR-W1815-60L-OB/DW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan

6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	45W	30W
Airflow	8458 CFM	5492 CFM
Energy Costs*	\$12/yr	\$9/yr
Efficiency	190 CFM/W	181 CFM/W













^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

WINDFLOWER

80" CEILING FAN



FR-W1815-80L-MB/DK 80" Windflower in Matte Black and Distressed Koa Shown with optional luminaire cover



FR-W1815-80L-GH/WG 80" Windflower in Graphite and Weathered Gray












MODEL Housing Blade

OB/DW Oil Rubbed Bronze Dark Walnut

FR-W1815-80L GH/WG Graphite Weathered Gray

MB/DK Matte Black Distressed Koa



Example: FR-W1815-80L-MB/DK







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds

Dims light to 1%
ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	38W	27W
Airflow	10648 CFM	7318 CFM
Energy Costs*	\$11/yr	\$8/yr
Efficiency	278 CFM/W	269 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



















FH-W1802-26L-TT 26" Vox in Titanium Silver

















FH-W1802 -26L-BZ 26" Vox in Bronze




FH-W1802-26L-MW 26" Vox in Matte White

/ Blade: 13° Pitch, 26" Sweep, ABS

/ Lead Wire: 8"
/ Hanging Weight: 16 lbs
/ LED Lumens: 2041
/ Total Power: 46W

MODEL		Housing	Blade
	BZ	Bronze	Bronze
FH-W1802-26L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1802-26L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1%



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

Standard	High Speed	Weighted Average
Electricity	16W	15W
Airflow	2617 CFM	1515 CFM
Energy Costs*	\$5/yr	\$4/yr
Efficiency	161 CFM/W	98 CFM/W

ENERGY GUIDE





ON/OFF







^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





FH-W1802-38L-MW 38" Vox in Matte White

The Vox speaks in hushed tones—the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors. Perfect for smaller rooms, or mounted in multiples in larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.










FH-W1802-38L-BZ 38" Vox in Bronze

/ Blade: 13° Pitch, 38" Sweep, ABS

Lead Wire: / Hanging Weight: 17 lbs / LED Lumens: 2041 / Total Power: 46W

MODEL		Housing	Blade
	BZ	Bronze	Bronze
FH-W1802-38L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1802-38L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	32W	24W
Airflow	4860 CFM	2933 CFM
Energy Costs*	\$9/yr	\$7/yr
Efficiency	150 CFM/W	122 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





















From bedrooms to boardrooms, pool houses to patios, Elf works its magic with a compact design that looks great anywhere—even outside. We make all our smart fans wet-rated—that means highly durable materials and weather-resistant finishes—so you can keep a consistent look and feel throughout your disconstant. look and feel throughout your décor.









FR-W1802-38L-MW 38" Elf in Matte White

/ Blade: 13° Pitch, 38" Sweep, ABS / Downrod: 1"ID x 4.5"H Included

/ Mounting Slope: Up to 30° / Lead Wire: 80" / Hanging Weight: 17 lbs / LED Lumens: 2041 / Total Power: 46W

MODEL		Housing	Blade	
	BZ	Bronze	Bronze	
FR-W1802-38L	MW	Matte White	Matte White	
	TT	Titanium Silver	Titanium Silver	

Example: FR-W1802-38L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE			
Standard	High Speed	Weighted Average	
Electricity	40W	28W	
Airflow	5257 CFM	3179 CFM	
Energy Costs*	\$11/yr	\$8/yr	
Efficiency	132 CFM/W	114 CFM/W	

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.


















MODEL		Housing	Blade
	BZ	Bronze	Bronze
FR-W1803-52L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: FR-W1803-52L-MW







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	33W	23W
Airflow	5053 CFM	3258 CFM
Energy Costs*	\$9/yr	\$6/yr
Efficiency	153 CFM/W	144 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.













AXIS 52" FLUSH MOUNTED FAN



FH-W1803-52L-BZ 52" Axis Flush in Bronze



FH-W1803-52L-TT 52" Axis Flush in Titanium Silver











/ Blade: 13° Pitch, 52" Sweep, ABS

/ Lead Wire: 8" / Hanging Weight: 14 lbs / LED Lumens: 1600 / Total Power: 48W

MODEL		Housing	Blade
	BZ	Bronze	Bronze
FH-W1803-52L	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver

1" 1 | -734" - | | 8½" | 11½" | -7¼" - |

Example: FH-W1803-52L-BZ







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan 6 speeds Dims light to 1%



F-TS-BK Black **F-TS-WT** White Sold separately Full app control

ENERGY GUIDE			
Standard	High Speed	Weighted Average	
Electricity	30W	23W	
Airflow	4813 CFM	2998 CFM	
Energy Costs*	\$8/yr	\$6/yr	
Efficiency	162 CFM/W	133 CFM/W	

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.






ON/OFF












Model Blade Housing BA **Brushed Aluminum** Titanium Silver FR-W1910-52 MW Matte White Matte White FR-W1910-62 MB Matte Black Matte Black

(52") 11.53 lbs / (62") 13.34 lbs

(52") 37.5W / (62") 34W



Example: FR-W1910-52-BA

Hanging Weight:

Total Power:







FREE APP DOWNLOAD Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT Included with each fan

6 speeds Dims light to 1% ON/OFF



F-TS-BK Black F-TS-WT White Sold separately Full app control

ENERGY GUIDE - 52"

Standard	High Speed	Weighted Average
Electricity	38W	28W
Airflow	5194 CFM	3283 CFM
Energy Costs*	\$11/yr	\$8/yr
Efficiency	138 CFM/W	119 CFM/W

ENERGY GUIDE - 62"

Standard	High Speed	Weighted Average
Electricity	34W	25W
Airflow	6384 CFM	4209 CFM
Energy Costs*	\$10/yr	\$7/yr
Efficiency	188 CFM/W	168 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.


































As its name suggests, Hydra is all about water. Like all of our smart fans, it's wet-rated for outdoor use so you can maintain the continuity of your décor inside and out. Even with an impressive 120" blade sweep, this epically scaled smart fan moves a massive amount of air without consuming much energy, thanks to a powerful DC motor that runs up to 70% more efficient than AC motors. Control it all with our exclusive Modern Forms app. Available in 80 inches, 96 inches and 120 inches.







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control














Blade: 13° Pitch, 80" Sweep, Aluminum

Downrod: 1"ID x 6"H Included

Mounting Slope: Up to 30° 80" Lead Wire: Hanging Weight: 38 lbs / LED Lumens: 2041 / Total Power: 58W

MODEL		Housing Blade	
FR-W1805-80L	BZ	Bronze	Bronze
	TT	Titanium Silver	Titanium Silver

Example: FR-W1805-80L-BZ


















ENI	FRG'	v CI	IIDE

Standard	High Speed	Weighted Average
Electricity	42W	29W
Airflow	11308 CFM	7388 CFM
Energy Costs*	\$12/yr	\$8/yr
Efficiency	271 CFM/W	253 CFM/W

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

























/ Blade: 13° Pitch, 96" Sweep, Aluminum

/ **Downrod:** 1"ID x 6"H Included

/ Mounting Slope: Up to 30°
/ Lead Wire: 80"
/ Hanging Weight: 41 lbs
/ LED Lumens: 2041
/ Total Power: 60W

96" Hydra in Titanium Silver Shown with included luminaire cover

MODEL		Housing	Blade
ED W490E 061	BZ	Bronze	Bronze
FR-W1805-96L	TT	Titanium Silver	Titanium Silver

Example: FR-W1805-96L-BZ

3¾	4"¬ -1 8½"	
		† †
	<u> </u>	13¾"
	├-9"- 96"	

	ENERGY GUID	ÞΕ			
Standard	High Speed	Weighted Average			
Electricity	45W	26W			
Airflow	12950 CFM	9125 CFM			
Energy Costs*	\$13/yr	\$7/yr			
Efficiency	288 CFM/W	351 CFM/W			
* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.					

























Our largest smart fan yet, designed to take on hotel lobbies, coastal homes with soaring ceilings, office buildings—you name it. It's a massive fan for a massive space.







FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergrate other smart technologies.

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL





F-WC-WT

Included with each fan 6 speeds Dims light to 1% ON/OFF



F-TS-BK Black **F-TS-WT** White Sold separately Full app control






MODEL		Housing	Blade
FP-W1805-1201	BZ	Bronze	Bronze
FR-W1805-120L	TT	Titanium Silver	Titanium Silver

ENERGY GUIDE							
Standard	High Speed	Weighted Average					
Electricity	44W	26W					
Airflow	13300 CFM	9898 CFM					
Energy Costs*	\$12/yr	\$7/yr					
Efficiency	302 CFM/W	388 CFM/W					

^{*} Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.











FR-W1805-120L-TT 120" Hydra in Titanium Silver



FR-W1805-120L-BZ 120" Hydra in Bronze











Professional Assets

LOCAL & GLOBAL CONTROL: THE RF & WIFI STORY

With WiFi, the app can control a virtually unlimited number of devices—one, twenty, two hundred...you name it. You can invite users to access the app and give them limited permissions, while maintaining executive control. That makes the Modern Forms smart fan ideal for apartment complexes, hotels and office buildings as well as residences.

By Invitation Only: Invite users to control fans via the app—they can customize their own schedules temporarily while you maintain master control.

Form a Group Mentality: Create groups of fans to make scheduling more efficient. Organize them by room type, floor number, location or style.

Plays Well With Others: The Modern Forms app is designed to help tie into other building management systems that operate on open API platforms.

A radio-frequency (RF) enabled wall control is supplied with every Modern Forms fan. For instantaneous control, RF is best. RF technology doesn't require line of sight and is powerful enough to pass through walls.

Local Control: The RF wall control allows for local fan control from a convenient wall switch. Certain fans on the market that use WiFi to control their fans depend upon the reliability of the WiFi signal and Internet access to connect with a cloud.

No Plan? No Problem: Control one or all of the fans in a room from any number of wall controls without the need for complicated 3-way or 4-way wiring.

Best of Both Worlds: The wall control may be used in conjunction with the Modern Forms app if desired to have both local and global control.

Modern Forms Fans integrate DC motor control inventions developed by WAC to offer additional functionality and address certain challenges common across the industry.

REINVENTING DC MOTOR CONTROL

Go Big or Go Home: Modern Forms DC motors provide the power necessary to quietly and efficiently power the largest diameter designer fans on the market.

Sensor-less DC motors: Proprietary control technologies were developed to control DC motors without the need for optical sensors to improve upon DC motor reliability as sensor lifetimes are known to be shorter than that of DC motors.

Synchronized Spinning: Patent pending features permit the problem-free installation of more than one or two fans in series.

Running Interference: For a seamless fan experience, Modern Forms fans solved the known problem in the industry of electrical noise generated by motor loads interfering with the expected performance of other electrical devices.

ILLUMINATING EXPERIENCES

As ceiling fans are also commonly the only light source within a room, luminaires within Modern Forms fans were also custom designed to accommodate the features of each unique fan design to provide a maximum amount of usable illumination in a room. Each luminaire incorporates WAC's proprietary dimming and control technology for smooth and continuous full-spectrum dimming from 100% to 1%.

Accessories

RF Wall Control



F-WC-WT

Included with each fan 6 fan speeds Dims light to 1% ON/OFF

Wall control range: Up to 30ft from fan Control up to 2 fans on one wall control

More fans may be controlled at once using the Modern Forms Smart Fan app.

WiFi Touch Panel Wall Control



F-TS-WT White **F-TS-BK** Black Sold separately Full app control

WiFi range: Up to 150ft from router

*Result may vary based on application/surroundings

Downrod and Cap Couplers

Downrod	XF-12 XF-18 XF-24 XF-36	12in 18in 24in 36in	XF-48 XF-60 XF-72	48in 60in 72in	motor end to create an extra layer of security and allow for adjustments in the	AS BA BZ CFI DW	Automotive Silver Brushed Aluminum Bronze *Carbon Fiber Dark Walnut	KO LN MB MW OB	*Koa Liquid Nickel Matte Black Matte White Oil Rubbed Bronze
Downrod Couplers					Connects two	GB GH	Gloss Black Graphite	SS TT	Stainless Steel Titanium Silver
	XF-I	XF-I			downrods together	GW	Gloss White		

Example: XF-18-TT

- *Carbon Fiber available in 12", 18", 24", and 36"
- *Koa available in 12", 18", 24", and 36"

Suggested downrod height usage

Ceiling Height	15'	14'	13'	12'	11'	10'	9'
Downrod	72"	60"	48"	36"	24"	18"	12"

Sloped Ceiling Kit Designed to accommodate buildings with steeper sloped ceilings up to 45° or 12/12 pitch

Sloped Ceiling Kit XF-SCK	AS BA BZ CFI DW GB GH GW	Automotive Silver Brushed Aluminum Bronze Carbon Fiber Dark Walnut Gloss Black Graphite Gloss White	KO LN MB MW OB SS	Koa Liquid Nickel Matte Black Matte White Oil Rubbed Bronze Stainless Steel Titanium Silver	
----------------------------	---	--	----------------------------------	---	--

Example: XF-SCK-DW

Sloped ceiling degree conversion chart


Degree	4-8°	9-13°	14-17°	18-21°	22-25°	26-29°	30-32°	33-35°	36-38°	39-41°	42-44°	45°
Ceiling Slope	1/12	2/12	3/12	4/12	5/12	6/12	7/12	8/12	9-12	10/12	11/12	12/12
Pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch	pitch

Supplied mounting brackets allow mounting on ceiling slopes up to 30° (7/12 pitch), optional slope kit allows mounting on ceilings up to 45° (12/12 pitch). The receiver will mount inside canopy.

Entire Line of Modern Forms Smart Fans

Size	Model	Name	Finishes	Wet List- ing	Luminaire	Power	CFM	Page
26"	FH-W1802-26L	Vox	BZ, MW, TT	YES	YES	40W	2617	Page 466
38"	FR-W1802-20L	Elf	BZ, MW, TT	YES	YES	63W	5257	470
38"	FH-W1802-38L	Vox	BZ, MW, TT	YES	YES	56W	4860	468
42"	FR-W1801-42L	Wynd	BZ, GH/WG, MW, SS	YES	YES	44W	4722	432
44"	FH-W1807-44L	Aloft	BZ, MW, TT	YES	YES	47W	5183	428
52"	FH-W1803-52L	Axis	BZ, MW, TT	YES	YES	47W	4813	474
52"	FR-W1803-52L	Axis	BZ, MW, TT	YES	YES	53W	5053	474
52"	FR-W1803-52L FR-W1819-52L	Mykonos	BZ/DW, GH/WG, MW	YES	YES	45W	5236	454
52"	FR-W1910-52	Roboto	BA, MW, MB	YES	NO	38W	5194	476
52"	FR-W1804-52L	Stargazer	AS, GB, LN	YES	YES	49W	6032	426
52"	FR-W1801-52L	Wynd	BZ, GH/WG, MW, SS	YES	YES	54W	6568	434
54"	FH-W1811-54	Aviator	MB/DK, GH/WG	YES	OPTIONAL	21W	6321	448
54"	FR-W1811-54	Aviator	MB/DK, GH/WG	YES	OPTIONAL	20W	7074	446
54"	FR-W1809-54L	Lotus	BZ, MW, TT	YES	YES	30W	5575	436
56"	FR-W1806-56L	Cervantes	GH/WG, OB/DW	YES	YES	48W	6577	456
56"	FR-W1818-56L	Nautilus	OB/DW, GH/WG	YES	YES	52W	7013	452
56"	FR-W1916-56L	Nirvana	TT, GW, MB, KO	YES	YES	47W	6989	414
56"	FR-W1817-56L	Osprey	GH/WG,OB/DW	YES	YES	34W	6278	450
56"	FR-W1922-56L	Paradox	AV/MB, AB/MB	YES	YES	52W	7672	412
60"	FR-W1812-60L	Morpheus II	GW, AS, CFI, DW	YES	YES	36W	7027	424
60"	FR-W1813-60L	Morpheus III	GW, AS, CFI, DW	YES	YES	42W	7244	422
60"	FR-W1920-60L	Venus	TT/MW, AB/BZ, AV/MB	YES	YES	38W	7154	410
60"	FR-W1810-60	Vortex	AS, GB, GW	YES	NO	21W	7720	418
60"	FR-W1815-60L	Windflower	GH/WG, OB/DW, MB/DK	YES	YES	68W	8458	460
60"	FR-W1814-60L	Woody	GH/WG, BZ/DW, MB/DK	YES	YES	51W	7268	444
62"	FR-W1816-62L	Orb	AS, CFI	YES	YES	63W	10796	438
62'	FR-W1910-62	Roboto	BA, MW, MB	YES	NO	34W	6384	476
80"	FR-W1805-80L	Hydra	BZ, TT	YES	YES	65W	11308	480
80"	FR-W1815-80L	Windflower	GH/WG, OB/DW, MB/DK	YES	YES	62W	10647	462
82"	FR-W1816-82L	Orb	AS, CFI	YES	YES	48W	10021	440
96"	FR-W1805-96L	Hydra	BZ, TT	YES	YES	69W	12950	482
120"	FR-W1805-120L	Hydra	BZ, TT	YES	YES	68W	13300	486

Model Number Guide



Example: FR-W1819-52L-GH/WG