



Pendants

Interior Sconces

Bath

Flush Mounts

Exterior Sconces


Task



# Chandeliers & Pendants

---







## MODERN FORMS


Chandeliers & Pendants

# GROOVY

Nostalgic throwback paying homage to the sixties. Rigid acrylic structure wrapped in a double layer of acoustic felt available in three two-tone color combinations. A fun and funky addition to chic open space designs. Groovy brings an upscale downtown vibe to any space while reducing echo and noise pollution from crowds.



- Acoustic felt
- 3 felt color options and 3 hardware finish options
- Mouth blown etched opal glass
- Dimmer: ELV, TRIAC, 0-10V
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Dia.	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Hardware
PD-89924	24"	9.5W	120-	777	236	BK/GO Black/Gold	AB Aged Brass
PD-89936	36"	14W	277V	897	274	CM/BL Cream/Blue	BN Brushed Nickel
PD-89948	48"	14W		906	286	GN/PK Green/Pink	WT White

Example: PD-89924-BK/GO-AB







## MODERN FORMS


Chandeliers & Pendants

# FLUFFY



A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.




- Glowing cluster of interlocked petal shades
- Magnetic tool-free shade installation for easy maintenance
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-59922



PD-59933



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-59922	22"	32W	120-277V	2717	2106	BN <i>Brushed Nickel</i> 
PD-59933	33"	42W		3980	3377	

Example: PD-59922-BN







## MODERN FORMS


Chandeliers & Pendants

# COSMIC

Massive dazzling art glass spheres of cosmic proportions. When filled with light, the bubbling and marbling effects of the 7-step art-glass making process captivates the room like celestial forms. It's easy to install, it's easy to adjust the length of the suspension, and it's easy to marvel at this spectacular piece, whether you choose the single pendant or the chandelier.



- 7-step art glass for sparkling bubble and marbled effect
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-28801	1 Lights	7W		517	414	BN <i>Brushed Nickel</i> 
PD-28807	7 Lights	49W	120-277V	3618	2899	
PD-28812	12 Lights	84W		6202	4970	

Example: PD-28812-BN







## MODERN FORMS


Chandeliers & Pendants

# STORMY

This spectacle amazes like lightning in the sky. Discreetly concealed LEDs brightly illuminate seeded stems of optical grade polycarbonate. Splendid in aged brass or polished nickel. Complementary sconces complete a well decorated look.



- Concealed LEDs and no visible hardware
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 36,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-92927	27"	16W	120-277V	582	552	AB Aged Brass
PD-92950	50"	32W		1210	1198	PN Polished Nickel

Example: PD-92927-AB







## MODERN FORMS


Chandeliers & Pendants

# HARMONIX

Like a dynamic instrument of musical chimes, Harmonix plays to the rhythm of light. A duet of gorgeous black with aged brass. Beautiful playful light perfectly executed in two formats.




- Frosted diffusers spread light evenly
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-87956	56"	91W	120-277V	8190	4244	BK/AB Black/Aged Brass

Example: PD-87956-BK/AB







## MODERN FORMS


Chandeliers & Pendants

# HARMONIX

Like a dynamic instrument of musical chimes, Harmonix plays to the rhythm of light. A duet of gorgeous black with aged brass. Beautiful playful light perfectly executed in two formats.




- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-87924	24"	56W	120-277V	5040	2425	BK/AB Black/Aged Brass 

Example: PD-87924-BK/AB



modernforms

15



## MODERN FORMS


Chandeliers & Pendants

# FLUTE


Modern chic and sleek, Flute is a minimalist pendant with alternating luminous slots. Available in polished nickel, black and aged brass.



- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant (special order)
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-44918



PD-44930

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-44918	18"	13W	120-277V	1137	382	AB Aged Brass
PD-44930	30"	20W	120-277V	1809	1060	BK Black
						PN Polished Nickel

Example: PD-44918-BK

For Title 24 option, add a "T24" before the finish: PD-44918-T24-BK







## MODERN FORMS


Chandeliers & Pendants

# LABYRINTH


An architectural and elegant aesthetic in a two-tone black chassis with aged brass accents. Sleek white cylinders deploy illumination among this mid-century modern inspired luminaire. A stunning mix of industrial design, geometry and illuminance.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-73926




PD-73932

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-73926	26"	30W	120-277V	1318	1269	BK/AB Black/Aged Brass
PD-73932	32"	48W		2013	1836	

Example: PD-73926-BK/AB







## MODERN FORMS


Chandeliers & Pendants

# PORTAL

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. This minimalist design with strong robust illumination adjusts easily for varying angles and configurations.



- Adjustable frames
- Frosted diffusers spread light evenly
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-45918	18"	26W	120-277V	1850	1295	AB Aged Brass 
PD-45926	26"	37W		2991	2094	
PD-45934	34"	43W		3429	2400	

Example: PD-45918-AB





## MODERN FORMS


Chandeliers & Pendants

# MIES

Inspired by Mies van der Rohe, one of the pioneers of modern architecture, this hexagonal chandelier nails the minimalist aesthetic while observing modern décor trends with its aged brass finish. Cutting-edge LED modules bring beautiful light into every setting. Ultra-thin aircraft cables connect the hexagon to a circular canopy for a subtle geometric contrast.



- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-50829	26"	52W	120-277V	4402	2892	AB Aged Brass 
PD-50835	35"	78W		6753	4437	

Example: PD-50835-AB







## MODERN FORMS


Chandeliers & Pendants

# MYSTIC

Aged brass hardware encases a stunning seeded crystal that sparkles bright. The fluted central crystal is hand carved with V channels for an added optical and textural effect. An electrified aircraft cable passes invisibly through the crystal to power LED arrays that illuminate upward into the crystal for brilliance and downward for powerful illumination. Install Mystic in multiples to make a rich design statement.



- K5 V-cut seeded crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant (special order)
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-11912	12"	20W	120-277V	1600	769	AB Aged Brass 

Example: PD-11912-AB

For Title 24 option, add a "T24" before the finish: PD-11912-T24-AB





## MODERN FORMS


Chandeliers & Pendants

# CINEMA


In a luxe aged brass finish, Cinema makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.



- V-cut K5 crystal
- Intricately welded for a seamless look
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



PD-30826



PD-30854

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-30826	26"	56W	120-277V	4352	3488	AB Aged Brass 
PD-30854	54"	86W		6528	5232	

Example: PD-30854-AB





[modernforms.com](http://modernforms.com)

27



## MODERN FORMS


Chandeliers & Pendants

# CHRONOS


Like gears in a giant clock, this massive sculptural chandelier chimes of daring lighting design. Suspended and powered from ultra-thin aircraft cables, Chronos is ideal for high profile architectural and commercial environments with tall ceilings and larger rooms. Beautifully hand-finished in aged brass to complement the latest modern décor.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-75934



PD-75950

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-75934	34"	48W	120-277V	2829	2282	AB
PD-75950	50"	65W	120-277V	2953	2696	Aged Brass

Example: PD-75934-AB





## MODERN FORMS


# CHAOS

- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64834	34"	40W	120-277V	2717	2407	AL <i>Brushed Aluminum</i>
PD-64861	61"	60W		4010	3720	AB <i>Aged Brass</i>
						BK <i>Black</i>

Example: PD-64861-AL

Chandeliers & Pendants



PD-64834



PD-64861




## MODERN FORMS


Chandeliers & Pendants

# CHAOS


Like piano keys falling through the air, Chaos freezes a moment in time with breathtaking elegance. Ultra-thin powered aircraft cables hold everything in place with as little visual interference as possible, and each section of this sculptural form is equipped with consistent, highly efficient LEDs for refined illumination throughout. Available in brushed aluminum, aged brass or black. Let chaos reign.




- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-64872



PD-64849



PD-64875

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64849	49"	30W	120-277V	2123	1923	AL <i>Brushed Aluminum</i>
PD-64872	72"	58W		3859	3496	AB <i>Aged Brass</i>
PD-64875	75"	80W		5260	4960	BK <i>Black</i>

Example: PD-64872-BK







## MODERN FORMS


Chandeliers & Pendants

# RIDDLE


Riddle's intricate pattern and joinery is no joke. Our expert craftsmen use a special wet-etching process to create a textural motif that looks like a mash up of Sol Lewitt and the complex geometric shapes of Islamic architecture. Inside, an acrylic diffuser shields the high-performance LED modules to create glare-free illumination, which peekaboos through the etchings and creates stunning patterns on the nearest surface. A true statement piece with a bold black finish.




- Wet-etched steel with matching black cables and hardware
- Injection-molded acrylic diffuser inside
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-62812



PD-62864



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-62812	12"	17W	120-277V	435	379	BK <i>Black</i>
PD-62864	64"	34W		526	400	

Example: PD-62864-BK





modernforms.com

35

## MODERN FORMS

# FIREFLY


This shimmering chandelier captures all the spontaneity and magic of fireflies lighting up a glass jar in summertime, but we're doing a little more here than your everyday Mason jar. Each rod is handcrafted from luxe Piastra glass, an artisanal touch that's surpassed only by the cutting-edge technology of the LEDs inside. Adjustable steel arms are easy to shape for a personalized arrangement.



- Adjustable steel hardware with artisanal Piastra glass
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer located in canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-34865	65"	40W	120V	2723	2001	PN Polished Nickel

Example: PD-34865-PN




PD-34865



## MODERN FORMS

# METRIC

Hexagonal shaped chandelier imbued with an array of six linear elements with robust down lighting for dining areas and lobbies in residential and hospitality locations. Aluminum construction aligned with unique precision designed for a layered look. Full range dimming. Brushed brass, brushed aluminum and brushed anodized black finishes offered. Also available in impressive 38" and 48" sizes.





- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-43728	28"	42W	120-277V	5800	2156	AL <i>Brushed Aluminum</i>
						BK <i>Anodized Black</i>
						BR <i>Brushed Brass</i>

Example: PD-43728-AL




Chandeliers & Pendants







MODERN FORMS

METRIC



- Down light only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90





## Chandeliers & Pendants



Innovation comes to light with this unique pendant design. Minimalist styling reveals six linear aluminum constructed elements with functional down light that can be arranged to your specification. Dims beautifully. 3 finishes. 2 sizes.

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-43738	38"	55W	120-277V	7770	2936	AL <i>Brushed Aluminum</i>
PD-43748	48"	82W		11600	4511	BK <i>Anodized Black</i>
						BR <i>Brushed Brass</i>

Example: PD-43738-AL



## MODERN FORMS


Chandeliers & Pendants

# STACKED

Engineered with the sophisticated industrial feel of high tech helicopter rotors, each illuminated arm adjusts up or down. A complex aerodynamic structural design made simple with advanced LED technology, allowing varying configurations. Available in brushed aluminum, anodized black and brushed brass finishes.



- Hang straight swivel
- Rotatable arms & articulating lights adjust 350° for up or down or around light
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-50748	48"	38W	120-277V	4795	2200	AL	Brushed Aluminum
						BK	Anodized Black
						BR	Brushed Brass

Example: PD-50748-BK







## MODERN FORMS


Chandeliers & Pendants

# SCISSORS

A customizable design that can contract or expand into the exact shape you want. Adjust the length to accommodate various length tables. Finely crafted strips of extruded aluminum are affixed without the appearance of any fasteners for a finished appeal, while cutting-edge LEDs create a smooth, even illumination that's consistent across each section of the design.




- Contracts and extends 10°–170° for customizable shape
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-32880	18" - 95"	93W	120-277V	6468	4983	AL BK

Example: PD-32880-AL





## MODERN FORMS


Chandeliers & Pendants

# DREAM

Smooth, sinuous lines. Powerful yet ambient light. Gracefully engineered design. This Dream flows in five magnificent strips and is gently bowed in the middle like a melancholic sigh. A long rectangular canopy provides a discreet geometric contrast and holds the form in place with four ultra-thin powered aircraft cables.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-54868	68"	149W	120V	9590	6928	TT <i>Titanium</i>

Example: PD-54868-TT  
For 277V special order add an "F" before the finish: PD-54868F-TT








## MODERN FORMS

Chandeliers & Pendants

# RINGS

Clever engineering details elevate the classic chain motif on this pendant. Each circle features a magnetic closure to create a seamless look. Light radiates from inside each loop, delivering warm, energy-efficient ambient illumination. Choose from one, two, three or four links in sleek titanium or authoritative black. Cluster several together for a spectacular foyer or lobby statement.



Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-26801	1 Light	24W	120V	1496	909	BK TT
PD-26802	2 Lights	48W		2992	1792	
PD-26803	3 Lights	71W		4488	2706	
PD-26804	4 Lights	94W		5985	3526	

Example: PD-26802-BK






## MODERN FORMS

# NIMBUS



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




PD-90858





# NIMBUS

Like an abstract cloud floating overhead. Extruded aluminum gives this design its ultra smooth curves, while light travels around the outside in a seamless strip of even, glare-free illumination. With a sleek titanium finish and subtly seductive coordinating shape, Nimbus can be displayed together for a tiered interlocking arrangement.



PD-90830

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-90830	30"	29W	120V	1974	1234	TT <i>Titanium</i>
PD-90858	58"	37W		2567	1604	

Example: PD-90830-TT



## MODERN FORMS


Chandeliers & Pendants

# VELOCE

Interlocked bands of metal loop around and around on this simple yet oblique design, a formal puzzle that inspires awe and envy. Available in black or sleek titanium, Veloce's rings can be adjusted for a more personalized shape. Thin, coated cables maintain a clean, refined look while also delivering power to the design.



- Rotatable edge-lit metal bands 0°-25°
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-24826	26"	54W	120-277V	3850	3593	BK
PD-24838	38"	82W		5311	5261	TT

Example: PD-24826-TT





## MODERN FORMS


Chandeliers & Pendants

# KINETIC

Whether you think of gyroscopes, the atomic structure or da Vinci's "L'Uomo Vitruviano," Kinetic has deep roots in science, exemplified by brilliant edge-lit LED panels that broadcast 360-degrees of seamless, even light. Even better, its rings are adjustable for a personalized look.



- Rotatable rings for customizable form
- ETL & cETL damp location listed
- Dimmer: 0-10V
- Universal driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 84,000 hours
- Color temp: 3500K
- CRI: 80



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-61728	28"	110W	120-277V	3328	2633	BK <i>Black</i>
PD-61738	38"	202W		4374	3499	TT <i>Titanium</i>

Example: PD-61738-BK







## MODERN FORMS


Chandeliers & Pendants

# KINETIC

How do you improve on perfection?  
Featuring a black or titanium finish and fifth  
ring, Kinetic is bigger and bolder than ever.  
Adjust the rings for a personalized look.



- Adjustable rings for customizable form
- ETL & cETL damp location listed
- Dimmer: 0-10V
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included  
(additional down rods available for purchase)
- Rated Life: 84,000 hours
- Color temp: 3500K
- CRI: 80



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-61760	60"	300W	120-277V	7438	5950	BK TT

Example: PD-61760-BK



modernforms.com

57



## MODERN FORMS


Chandeliers & Pendants

# GOTHAM


Perpendicular lines travel up and down on this hexagonal design, forming building-like columns that suggest an austere cityscape. A round canopy adds a geometric accent, while thinly coated wires deliver power and the cleanest look possible. With a beautiful black finish and superior light, Gotham is a modern meditation on monochromatic contrasts and does justice in town or country.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-60828



PD-60834

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-60828	28"	39W	120-277V	3177	2138	BK <i>Black</i>
PD-60834	34"	54W		5292	3477	

Example: PD-60834-BK







## MODERN FORMS


Chandeliers & Pendants

# MARIN

Elliptic curves flow through this elegant form and give it a soft suspended look that meshes well with the effulgent LED light and powder white finish. While the rounded shapes give a subtle nod to traditional design, this chandelier is unequivocally modern, featuring the finest technology and materials along with an aesthetic that's part minimalist, part sci-fi.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-20829	29"	31W	120-277V	2808	1845	WT
PD-20837	37"	41W	120-277V	3531	2320	White

Example: PD-20829-WT





## MODERN FORMS

Chandeliers & Pendants

# MEMORY


Using an intricate welding process, artisans built this Bauhaus-inspired design giving it an overall clean look, before coating it with an enduring black finish. Behind the steel bars, sleek opalescent rectangles are illuminated by carefully positioned edge-lit LED modules giving them the appearance of floating within, while creating an unforgettable stark contrast of black and white.




Complementary Sconce.  
See page 190



- Intricate welding for rectangular accents
- Edge-lit LED optic panels spread light evenly
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 84,000 hours
- Color temp: 3000K
- CRI: 90



PD-56822



PD-56856

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56822	22"	80W	120-277V	4163	2706	BK
PD-56856	56"			4070	2581	Black

Example: PD-56856-BK







## MODERN FORMS


Chandeliers & Pendants

# PADRÓN

For absolute precision, our craftsmen use a computer-controlled cutting process to shape each section, then finish the middle section with a rich dark walnut. Like the glowing ember of a cigar, a frosted diffuser at the tip softens the powerful LED illumination and fills the room with warm, even light.



- Matching wood canopy included
- Frosted diffusers spread light evenly
- Precision-cut aluminum and solid dark walnut wood
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-92818	13"	9W	120-277V	571	463	DW	Dark Walnut 

Example: PD-92818-DW





## MODERN FORMS


Chandeliers & Pendants

# KOOLHAUS

This expertly crafted chandelier is an elegant octagonal composition inspired by the renowned architect Rem Koolhaas. Powerful, energy-efficient LEDs are expertly positioned within the structure for a diffuse illumination that's perfect for restaurants, boutique hotels and office lobbies.



- Dark walnut wood and acrylic diffuser
- LEDs positioned between wood and diffusers
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-88828	28"	55W	120-277V	5335	3959	DW <i>Dark Walnut</i> 

Example: PD-88828-DW








## MODERN FORMS

# TABLET

Thoughtful lighting design and a minimalist aesthetic join forces in Tablet, an exceptional pendant with a rich dark walnut finish. Using edge-lit LED technology on the inner perimeter, along with a light extraction panel to enhance the brightness, Tablet ensures an even spread of beautiful, ambient illumination.



- Dark walnut wood
- Edge-lit LED modules with light extraction panel for ambient down light illumination only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- CEC Title 24 compliant
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-94860	60"	21W	120-277V	2232	1542	DW	Dark Walnut 

Example: PD-94860-DW




# DRIFT

The natural finish of Drift and its linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of etched glass to spread the light evenly and prevent glare or hot spots. With its versatile shape and three different lengths, Drift translates across a variety of applications.



- Down light only
- Light and dark walnut wood with matching canopy option
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even down illumination without hotspots
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-58738	38"	44W	120V	1736	744	DW WAL
PD-58756	56"	74W		2810	1074	
PD-58784	84"	96W		4000	1500	

Example: PD-58756-DW  
For 277V special order add an "F" before the finish: PD-58756F-DW



## MODERN FORMS


Chandeliers & Pendants

# BDSM

Leather-bound luxury and control. Designed with handsome vintage black or white leather and clean styling, this unique linear LED pendant is the perfect complement to an executive office. A thin streamlined profile conceals robust LED down lighting with cutting edge full-range dimming controllability.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-51542	42"	49W	120V	3750	1700	BK WT	Black White

Example: PD-51542-WT  
For 277V special order, add an "F" before the finish: PD-51542F-BK







## MODERN FORMS


Chandeliers & Pendants

# SWING

A playful swing. Creative application of LED technology and luminaire design sparkle in a chrome framed multi-faceted block of crystal. Suspend in multiples over a bar or counter to make a dramatic statement.



- Up & down light
- Hang straight swivel
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Three 12" and one 6" down rods included  
(additional down rods available for purchase)
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-52512	12"	11W	120V	830	535	CH Chrome

Example: PD-52512-CH



moderndesigns.com

73





## MODERN FORMS

Chandeliers & Pendants

# MAGIC MINI PENDANTS


Gloriously sparkly stalks of Piastra crystal alluringly remarkable as a slender, individual pendant.



Pairs well with Magic  
See page 172



- Cylindrical crystal shade
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 75,000 hours
- Color temp: 3000K
- CRI: 90



PD-35601

Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-35601	1 light	5.5W	120-277V	225	207	PN

Polished Nickel



Example: PD-35601-PN








## MODERN FORMS


## Chandeliers & Pendants

# MAGIC


Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a few pendants or as a 21-light chandelier with customizable proportions to cluster over a dining table or dripping down a stairwell or foyer.



PD-35603



PD-35605




PD-35609

PD-35615

PD-35621

- Cylindrical Piastra crystal shades
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Rated Life: 75,000 hours
- Color temp: 3000K
- CRI: 90

Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-35603	3 Lights	16.5W		673	620	PN Polished Nickel 
PD-35605	5 Lights	26.5W		1122	1033	
PD-35609	9 Lights	47.5W	120-277V	2020	1858	
PD-35615	15 Lights	79.5W		3366	3097	
PD-35621	21 Lights	110W		4713	4336	

Example: PD-35603-PN



modernforms.com

77






## MODERN FORMS


Chandeliers & Pendants

# MAGIC


Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a single-file line of slender, individual pendants or as a 23-light linear chandelier with customizable proportions. New rectangular canopies. Long lasting LEDs dim down beautifully. Ideal for large residential, hospitality and commercial applications.




PD-35603L



PD-35605L



PD-35623L

Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-35603L	3 lights	Rectangular	16.5W	120-277V	673	620	PN Polished Nickel 
PD-35605L	5 lights		26.5W		1122	1033	
PD-35623L	23 lights		47.5W		5175	4665	

Example: PD-35623L-PN







## MODERN FORMS

# KRYPTONITE

An elaborate modern array of wands crowned with crystals illuminated by LEDs. Slim low profile adjustable elemental cylindrical designs for modern vignettes created in free form. This chandelier can stand alone or be ganged together in multiples. Full range dimming.





- Rotatable arms
- Cylindrical crystalized art glass
- Adjust at joints to customize look
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included  
(additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-54765	65"	46W	120-277V	1780	1245	PN Polished Nickel/Piastra Glass 

Example: PD-54765-PN




## Chandeliers & Pendants






## MODERN FORMS

# KRYPTONITE



- Rotatable arms
- Cylindrical crystalized Piastra art glass
- Adjust at joints to customize look
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-54728	28"	46W	120-277V	1780	1245	PN Polished Nickel/Piastra Glass


Example: PD-54728-PN





# KRYPTONITE

An elaborate modern array of wands crowned with crystals illuminated by LEDs.  
Slim adjustable elemental designs for modern vignettes created in free form.  
This chandelier can stand alone or be ganged together in multiples. Full range dimming.



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-54732	32"	31W	120-277V	1195	965	PN Polished Nickel/Piastra Glass

Example: PD-54732-PN


## MODERN FORMS

# ZELDA

Inspired by oceanic ripples, this fluid motif appears to move continuously in circular form. This die cast aluminum chandelier with highly polished plating renders functional down lighting. An innovative upscale look for large modern interiors in residential, commercial and hospitality spaces. Full range dimming.



- Down light only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 70,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-56729	29"	49W	120V	2388	1180	PN	Polished Nickel 
PD-56748	48"	75W		3582	1770		



Example: PD-56729-PN

For 277V special order add an "F" before the finish: PD-56729F-PN






Chandeliers & Pendants



PD-56729



PD-56748

## MODERN FORMS

# CATALYST

Make a bold, breathtaking design statement with extraordinary works of art created in free form. Mounted individually or grouped to create larger chandeliers for ballrooms, lobbies and large living areas. This luxurious, modern adjustable luminaire is offered in three sizes in both polished nickel and aged brass.



- Arms are adjustable to customize look
- Exclusive free formed mouth-blown art glass with flecks of sterling silver or 14K gold
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-53751	10 lights	19W	120-277V	1200	1075	AB PN	Aged Brass Polished Nickel

Example: PD-53751-PN






## Chandeliers & Pendants



10 Lights






## MODERN FORMS

Chandeliers & Pendants

# CATALYST

Scintillating art glass orbs of real silver or gold are beautifully featured. Each one is uniquely mouthblown and formed by hand. This luxurious, modern adjustable luminaire in polished nickel and aged brass is offered in three sizes with 8 light, 9 light and 10 light configurations.



Model	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-53728	8 Lights	15W	120-277V	795	725	AB Aged Brass
PD-53740	9 Lights	17W		1107	925	PN Polished Nickel

Example: PD-53728-PN





## MODERN FORMS

Chandeliers & Pendants

# TANGO


Rhythmic beats reverberate in a dramatic larger than life pendant. A luxuriously cinched drum design carefully adorned in gold leaf or silver leaf and thinly lacquered for a lustrous matte finish. Tango is simple made sexy.



For complementary  
Vermeil sconce  
See page 144



- 14K gold leaf finish
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-34620	20"	41	120-277V	2400	1192	GL Gold Leaf 

Example: PD-34620-GL





## MODERN FORMS

# YOLO

Clean, contemporary, the YOLO pendant is imbued luster within a large spun-metal dome. Luxuriously hand applied finishes in dark bronze and gold leaf or white and silver leaf. Full range dimming. Beautiful warm ambient lighting. Now available in a larger than-life 35 inch pendant.



26" Gold Leaf/Dark Bronze

- 14K gold leaf or silver leaf interior
- CEC Title 24 compliant (35" ONLY)
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box for 18" and 26" ONLY
- No transformer or driver needed ( 35" ONLY)
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (35" ONLY)
- CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-55718	18"	21W	120-277V	2000	660	GL Gold Leaf/Dark Bronze SL Silver Leaf/White
PD-55726	26"	25W	120-277V	2400	980	
PD-55735	35"	41W	120V	3600	1192	

Example: PD-55726-GL

For 277V special order add an "F" before the finish: PD-55735F-GL






## Chandeliers & Pendants



35" Silver Leaf / White





## MODERN FORMS

Chandeliers & Pendants


# MARIMBA

Inspired by Piet Mondrian's work with simplified geometric elements, Marimba offers abstract art with upscale appeal achieved with fine silver or gold leaf details, aircraft cable power lines and silk screened LED light emitters for perfect illumination. Larger sizes scale perfectly for luxury residential, commercial and hospitality spaces.




For complementary  
Blaze sconce  
See page 142


- 14K gold leaf or silver leaf
- Twist lock glass inside, no visible hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 70,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



PD-52718



PD-52724




PD-52734

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Canopy-Interior/Exterior
PD-52718	18"	55W	120V	2885	1255	GL	Gold Leaf/Dark Bronze
PD-52724	24"	59W		3755	1395	SL	Silver Leaf/White
PD-52734	34"	129W		7880	3450		

Example: PD-52718-GL

For 277V special order, add an "F" before the finish: PD-52718F-GL





modernforms.com

95



## MODERN FORMS

Chandeliers & Pendants

# MARIMBA


The single-pendant complement to the beautiful multilight collection of 14K gold leaf or silver leaf pendants. Matching Gilt and Vermeil canopies complete this luxurious design.



For complementary  
Vermeil sconce  
See page 144




- 14K gold leaf or silver leaf interior
- Twist lock glass inside, no visible hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 37,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-52708	8"	14W	120V	753	278	GL Gold Leaf/Dark Bronze SL Silver Leaf/White

Example: PD-52708-GL






## MODERN FORMS

## Chandeliers & Pendants


# GILT

A modern gilt or vermeil medallion glows above from LEDs lighting upward from the pendant while concealed down lighting delivers perfect illumination on tabletops and surfaces below. Hand finished in dark bronze with gold leaf interior or white with silver leaf interior for an opulent lustrous appeal.



For complementary  
GILT flush mount  
See page 264

- Up & down illumination
- 14K gold leaf or silver leaf interior
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Canopy-Interior/Exterior
PD-51318	18"	52W	120V	4050	1190	GL SL	Gold Leaf/Dark Bronze Silver Leaf/White

Example: PD-51318-SL  
For 277V special order, add an "F" before the finish: PD-51318F-GL







## MODERN FORMS


Chandeliers & Pendants

# ISOTOPE

Branches of starkly contrasting black and white present a distinctively modern arrangement. Each adjustable stem is illuminated from within by discreetly concealed powerful LEDs behind optically-efficient frosted acrylic. Available in 3 uniquely configurable sizes.




32"




28"

- Rotatable arms, adjusts at joints for customization
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-77932



PD-77928

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-77928	28"	47W	120-277V	1780	1505	BK Black/Etched Acrylic
PD-77932	32"	31W		1195	1064	

Example: PD-77928-BK




modernforms.com

101


## MODERN FORMS

# ISOTOPE

Branches of starkly contrasting black and white present a distinctively modern arrangement. Each adjustable stem is illuminated from within by discreetly concealed powerful LEDs behind optically-efficient frosted acrylic. Available in 3 uniquely configurable sizes.




- Rotatable arms, adjusts at joints for customization
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-77965	65"	47W	120-277V	1780	1505	BK Black/Etched Acrylic 

Example: PD-77965-BK



Chandeliers & Pendants





## MODERN FORMS


# CASCADE

### ETCHED FLAT ACCENT

Suspended alone, in pairs or in multiples as a beautiful chandelier, Cascade captures the imagination and makes an alluring presentation in restaurants, hotel atriums and residences alike. The slim tapered form has a minimalist sensibility that is accentuated by the luminous end.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41819	19"	Etched Glass	7W	120-277V	460	395	BK
PD-41828	28"						PN
PD-41837	37"						

Example: PD-41837-BK





## MODERN FORMS

Chandeliers & Pendants


# CASCADE

### CUT CRYSTAL ACCENT

Choose the Cascade design for a more refined take on minimalist glam. Each pendant illuminates beautifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury. Three dramatic lengths offered.



- Hand-cut faceted crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41719	19"	Cut Crystal	7W	120-277V	460	395	BK
PD-41728	28"						PN
PD-41737	37"						

Example: PD-41728-BK





## MODERN FORMS

# CASCADE

MULTIPLES WITH CUT CRYSTAL ACCENTS

See page 111 for line drawings

- Hand-cut faceted crystals
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3500K
- CRI: 90

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41703R	3 Lights	Round	23W	120-277V	1380	1185	<b>BK</b> Black <b>PN</b> Polished Nickel
PD-41705R	5 Lights		38W		2300	1975	
PD-41709R	9 Lights		68W		4140	3580	
PD-41715R	15 Lights		113W		6895	5900	
PD-41721R	21 Lights		173W		9655	8265	

Example: PD-41703R-PN



Chandeliers & Pendants

Model	#of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
<b>PD-41703L</b>	3 Lights	<i>Rectangular</i>	23W	120-	1380	1185	<b>BK</b> <i>Black</i>
<b>PD-41705L</b>	5 Lights		38W	277V	2300	1975	<b>PN</b> <i>Polished Nickel</i>
<b>PD-41723L</b>	23 Lights		173W		10575	9050	

Shown: **PD-41703L-BK**



## MODERN FORMS

# CASCADE

MULTIPLES WITH ETCHED FLAT ACCENTS

For hotels, restaurants, commercial spaces and anywhere else you want to make a splash, Cascade brings allure to every application with high-performance LED light and a minimalist-meets-luxury aesthetic.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 60,000 hours
- Color temp: 3500K
- CRI: 90

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41803L	3 Lights	Rectangular	23W	120V-277V	1380	1185	BK PN	Black Polished Nickel	
PD-41805L	5 Lights		38W		2300	1975			
PD-41823L	23 Lights		173W		10575	9050			

Example: PD-41823L-PN

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41803R	3 Lights	Round	23W	120V-277V	1380	1185	BK PN	Black Polished Nickel	
PD-41805R	5 Lights		38W		2300	1975			
PD-41809R	9 Lights		68W		4140	3580			
PD-41815R	15 Lights		113W		6895	5900			
PD-41821R	21 Lights		158W		9655	8265			


Example: PD-41815R-BK





## Chandeliers & Pendants

### Multiples with Round canopy




### Multiples with Cut Crystal Accents

 3 Lights **PD-41703R**      5 Lights **PD-41705R**      9 Lights **PD-41709R**      15 Lights **PD-41715R**      21 Lights **PD-41721R**

### Multiples with Etched Flat Accents

 3 Lights **PD-41803R**      5 Lights **PD-41805R**      9 Lights **PD-41809R**      15 Lights **PD-41815R**      21 Lights **PD-41821R**

### Multiples with Rectangular canopy



### Multiples with Cut Crystal Accents

 3 Lights **PD-41703L**      5 Lights **PD-41705L**      23 Lights **PD-41723L**

### Multiples with Etched Flat Accents

 3 Lights **PD-41803L**      5 Lights **PD-41805L**      23 Lights **PD-41823L**



## MODERN FORMS

### ACID



PD-15604



PD-64608




PD-61610



PD-66612

- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-15604	4"	11W	120-277V	640	485	PN
PD-64608	8"			690	580	
PD-61610	10"			670	495	
PD-66612	12"			665	490	

Example: PD-15604-PN




## Chandeliers & Pendants


Surrealistic droplets of metallic liquid artfully suspended. Powerful LED downlights concealed within these chrome-plated metal shades provide functional illumination comparable to halogen MR16s. String individually or drop them in clusters for the full mind-blowing experience.




PD-ACID03R



PD-ACID05R



PD-ACID09R

Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-ACID03R	3 Lights		34W		1870	1332	PN Polished Nickel 
PD-ACID05R	5 Lights	Round	55.5W	120-277V	3155	2305	
PD-ACID09R	9 Lights		96.5W		5354	4022	

Example: PD-ACID09R-PN





## MODERN FORMS

Chandeliers & Pendants


# ACID

Surrealist droplets of metallic liquid artfully suspended. Powerful LED down lights concealed within these chrome plated metal shades provide functional illumination comparable to halogen MR16 lamps. String individually or drop them in clusters for the full mind-blowing experience. Rectangular canopies; Ideal for residential, hospitality and commercial spaces.




PD-ACID23L


- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Rated Life: 47,000 hours
- Color temp: 3000K
- CRI: 90



PD-ACID15R



PD-ACID21R

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-ACID15R	15 Lights	Round	161.5W	120-277V	9519	7021	PN Polished Nickel 
PD-ACID21R	21 Lights		220W		13314	9855	
PD-ACID23L	23 Lights	Rectangular	243W		14620	10830	

Example: PD-ACID23L-PN










## METROPOLIS

A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. Metropolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.




For complementary  
Metropolis flush mount  
See page 252


- Ultra-bright lumen output
- Clear glass diffuser with fabric shade
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Three 12" and one 6" down rods included  
(additional down rods available for purchase)
- Rated Life: 54,000 hours
- Color temp: 3000K
- PD-16818/PD-16824: 277V special order
- CRI: 90



PD-16824



PD-16818




PD-16830

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-16818	18"	25W	120V	2015	1996	BN <i>Brushed Nickel</i> 
PD-16824	24"	31W		2644	2474	
PD-16830	30"	48W		3869	3815	

Example: PD-16824-BN

For 277V special order add an "F" before the finish: PD-16818F-BN





## Interior Sconces

---







## MODERN FORMS


Interior Sconces

# WASP

Charming elegance. An exquisite crystal torch made for a queen and king. This luxuriously faceted crystal honeycomb rests atop the elongated stem reminiscent of a stinger. Dims down beautifully for a variety of ambient moods in living spaces and hospitality settings.



- K9 faceted crystal
- Up and down illumination
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-23932	32"	10W	120-277V	570	519	AB <i>Aged Brass</i> 

Example: WS-23932-AB





## MODERN FORMS


Interior Sconces

# CINDERELLA

A simply elegant design that turns magical when illuminated. A slim sleek profile perfect for illuminating corridors, this shaded sconce is ADA compliant for residential, hospitality and office spaces. The crystal stem and hand-finished aged brass hardware elevate the design and allow it to scale up for tall ceilings.



- Fabric shade
- K5 seeded crystal
- Ambient light and illuminated crystal
- ADA compliant
- CEC Title 24 compliant
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K (Ambient), 3500K (Crystal)
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-43932	32"	18W	120-277V	950	663	AB Aged Brass 

Example: WS-43932-AB







## MODERN FORMS


Interior Sconces

# GATSBY

Streamlined and slender. Add a classically aspirational touch to upscale décor in residences, resorts and restaurants with this modern LED luminaire. White ceramic-glazed mitered glass diffuses light perfectly with consistent illumination.



- White ceramic-glazed mitered glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-53932	32"	25W	120V	2000	1437	AB PN

*Aged Brass*  
*Polished Nickel*



Example: WS-53932-AB





## MODERN FORMS

Interior Sconces

# STORMY


This spectacle amazes like lightning in the sky. Discreetly concealed LEDs brightly illuminate seeded stems of optical grade polycarbonate. Splendid in aged brass or polished nickel. Complementary sconces complete a well decorated look.



For complementary  
Stormy pendant  
See page 10



- Up and down illumination
- Shatterproof optical grade polycarbonate
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 36,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-92927	27"	12W	120-277V	340	267	AB PN

Aged Brass  
Polished Nickel



Example: WS-92927-AB







## MODERN FORMS


Interior Sconces

# TOWER

Featuring an aged brass finish, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touch of glamour. With LEDs to light the crystal from both ends, plus a bonus hidden uplight or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirect illumination.



- V-cut K5 crystal
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58814	14"	16W	120V	999	685	AB Aged Brass 
WS-58820	20"				709	
WS-58827	27"				726	

Example: WS-58820-AB





## MODERN FORMS


Interior Sconces

# CINEMA

In a luxe aged brass finish, Cinema makes a modern statement. V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.



- V-cut K5 crystal
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



WS-30815

WS-30835

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30815	15"	7W	120-277V	544	436	AB Aged Brass 
WS-30835	35"	21W		953	789	

Example: WS-30835-AB







## MODERN FORMS


Interior Sconces

# CERES

Finished in aged brass, this indoor sconce adds a touch of classic luxury to your modern décor. Light fills the painstakingly V-cut seeded crystal columns with a mix of understated elegance and spectacular shine. Ceres is a subtle statement piece wherever it's mounted, a sophisticated accent that will endure over time.



- V-cut K5 crystal
- Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 2" junction box
- Optional decorative plate included for 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-18818	18"	15W	120-277V	1054	971	AB <i>Aged Brass</i> 

Example: WS-18818-AB





## MODERN FORMS


Interior Sconces

# SCEPTER

A majestic addition to our collection, Scepter is finished in aged brass for a toned-down take on the luxe décor trend. A solid crown of V-cut seeded crystal is affixed to the top for a glamorous refraction, creating a beautiful play of light and shadow on the wall. Meanwhile, the hidden downward-illuminating LED provides plenty of ambience and enough illumination for spatial orientation in low light areas.



- V-cut K5 crystal
- Ultra-bright lumen output for up and down illumination
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 2" junction box
- Optional decorative plate included for 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-10830	30"	9W	120-277V	617	456	AB Aged Brass 

Example: WS-10830-AB








## MODERN FORMS


Interior Sconces

# TRIBECA

Hand-leafed in pure gold with a contrast finish in white or bronze, Tribeca adds gilded glamour and the downtown sophistication of New York to your modern living space. A sanded glass diffuser, concealed by the center bridge, softens the up and down illumination, which is sourced from cutting-edge, energy-efficient LED modules inside. Mount it vertically or horizontally, whatever suits your space.



- 14K gold leaf interior
- Up and down illumination
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-40832	32"	21W	120V	1167	778	BZ/GL WT/GL

*Bronze/Gold Leaf*  
*White/Gold Leaf*



Example: WS-40832-WT/GL

For 277V special order add an "F" before the finish: WS-40832F-WT/GL





## MODERN FORMS


Interior Sconces

# MULHOLLAND

The glamour of old-world Hollywood meets modern technology in this distinctive wall sconce, hand-leafed for an artisanal touch of luxury. High-performance LED modules project light upward and downward for ambient illumination, while a narrow slit cut lengthwise on the sconce reveals more light and adds a subtle element of seduction. Available in white with gold leaf or bronze with gold leaf.



- 14K gold leaf interior
- Up and down illumination
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-42832	32"	43W	120V	822	514	BZ/GL WT/GL

Example: WS-42832-WT/GL

For 277V special order add an "F" before the finish: WS-42832F-WT/GL









## MODERN FORMS


Interior Sconces

# DINK

DINK reveals a tapered wall lighting design in two stunning luxurious finishes of white with silver leaf and bronze with gold leaf. Ideal for residential, hospitality and office applications. The perfect complement to the Gilt, YOLO, and Marimba pendants.



- Up & down light
- 14K gold leaf or silver leaf interior
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-32714	14"	21W	120-277V	1000	760	SL GL

White/Silver Leaf  
Bronze/Gold Leaf



Example: WS-32714-GL





## MODERN FORMS


Interior Sconces

# BLAZE

A radiating spectacle of warm indirect illumination from hand applied gold leaf or silver leaf. Offered in three proportional sizes to design in multiples on walls or ceilings.



- 14K gold leaf or silver leaf
- Place on wall as sconce or flush mounts to ceiling
- Low profile design available in 12" and 18" sizes
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30612	12"	10.5W	120-277V	787	250	GL Gold Leaf/Gold Plated
WS-30618	18"	25W		1979	605	SL Silver Leaf/Polished Nickel
WS-30624	24"	31W		2392	700	

Example: WS-30612-GL







## MODERN FORMS

### Interior Sconces

# VERMEIL

Wrap your room in glamour with this simple, sophisticated sconce. Elegantly finished in gold or silver leaf. A lustrous accent to light your way through a corridor.



For complementary  
Tango pendant  
See page 90



- Up & down light
- Low profile design
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11311	10"	11W	120V	625	370	GL SL
						Gold Leaf Silver Leaf

Example: WS-11311-SL

For 277V special order, add an "F" before the finish: WS-11311F-SL







## MODERN FORMS


Interior Sconces

# PALLADIAN

Tinseltown glamour. Visual drama in an LED light. Designed as a wraparound band finished in gold leaf, silver leaf or polished nickel. The sparkling, seeded crystal spear creates the ideal focal point. Perfect in a home theater or commercial venue.



- Up & down light
- Clear seeded crystal
- 14K gold leaf or silver leaf
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11310	10"	11W	120V	625	320	GL PN SL
						Gold Leaf Polished Nickel Silver Leaf

Example: WS-11310-GL  
For 277V special order, add an "F" before the finish: WS-11310F-GL








## MODERN FORMS

Interior Sconces

# LANCE

Lance's narrow, tapered form is both chic and discreet in décor-friendly stainless steel, perfect for hotels, hospitals and high-end luxury homes. The proprietary LED modules inside are top of the line, engineered for maximum brightness and superior energy efficiency.

- Indirect illumination
- Ultra-bright lumen output
- 304 stainless steel for an enduring polished finish in coastal locations
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-36834	34"	8W	120V	600	316	SS
WS-36868	68"	11W		800	607	Stainless Steel

Example: WS-36834-SS

For 277V special order add an "F" before the finish: WS-36834F-SS





## MODERN FORMS


Interior Sconces

# ELESSAR

Magically transform a room with dramatic elegance. LEDs are thoughtfully hidden behind the striking polished stainless steel stem to provide dramatic indirect light on the wall behind. Spectacularly crowned with solid crystal where the bubbles frozen within project a million sparkles upward. Put this one on the wish list. Available in two dramatic sizes




- Clear seeded glass
- 304 stainless steel construction for an enduring polished finish in coastal locations
- Projects up and body back lights the wall
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-66734

WS-66641

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-66734	34"	30W	120-277V	2345	1625	PN Polished Nickel 
WS-66641	70"	42W	120-277V	2585	1575	

Example: WS-66641-PN







## MODERN FORMS


Interior Sconces

# CHILL

Sparkles emit playfully from light bouncing off bubbles frozen in solid crystal. Powerful LED light sources hidden within a polished nickel frame illuminate upward and downward.



- Up & down light
- Clear seeded crystal
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Driver within 4" junction box
- Universal Driver (120-277V)
- Rated Life: 35,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-31618	18"	20W	120-277V	1433	722	PN Polished Nickel 

Example: WS-31618-PN







## MODERN FORMS


Interior Sconces

# COSMIC

A dazzling design sure to inspire, Cosmic's unique look emanates from indirect illumination through a bowl of 7-step art glass. It has a marbled, bubbling appearance, dramatic and complementary eEffects that accommodate transitional, Scandinavian and other modern environments on the wall or ceiling.




- Indirect illumination
- Can be mounted on wall or ceiling
- 7-step art glass for sparkling bubble and marbled effect
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-98812	12"	15W	120-277V	981	870	BN <i>Brushed Nickel</i> 

Example: WS-98812-BN





modernforms.com

155



## MODERN FORMS


Interior Sconces

# MUSE

Wood, metal, glass and technology come together in a beautifully cohesive LED sconce with a tailored wooden spike, polished nickel accents, a mitered linen glass shade and the latest advancements in LED technology.



- Ebony stained wood arm and mitered glass
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-12118	18"	19W	120V	1605	1040	PN Polished Nickel

Example: WS-12118-PN





## MODERN FORMS

Interior Sconces

# ASGARD

Simple, sophisticated form has all the hallmarks of Scandinavian design, but it fits right in with nearly any modern décor aesthetic. Its rounded, rectilinear shape conceals the light source, which broadcasts up and down through silk-screened glass to avoid glare from any angle.



For complementary  
Drift Pendant  
See page 69



- Up and down illumination
- Light or dark walnut wood
- ADA compliant
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-97614	14"	31W	120-277V	2077	1127	DW WAL



Example: WS-97614-DW







## MODERN FORMS


Interior Sconces


# ELYSIA

A thin sheet of light rests between two panels of dark walnut wood on this superlative sconce, lending uncommon elegance to your living room, restaurant or hotel environment. The contrast of materials and geometric shapes are surpassed only by the exceptional quality of the LED modules inside, which project beautiful ambient uniform light.



- Dark walnut wood
- Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82817	17"	12W	120V	1098	646	DW <i>Dark Walnut</i> 

Example: WS-82817-DW

For 277V special order add an "F" before the finish: WS-82817F-DW







## MODERN FORMS


Interior Sconces

# STEM

Finely tuned for precise, even illumination, this simple sconce brings beautiful light into any room where you mount it. Crafted from dark walnut wood and with a crisp rectangular diffuser made from sanded acrylic, Stem is much more than the sum of its parts. The formal restraint of the wooden arm braced against the diffuser is pure elegance, matched only by the quality of the light.



- Dark walnut wood
- Tempered glass conceals and protects LED modules inside
- ADA compliant
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-84819	19"	28W	120V	1317	1214	DW Dark Walnut 

Example: WS-84819-DW







## MODERN FORMS


Interior Sconces

# BLADE

Minimalist designs that look right at home with Scandinavian or contemporary furniture. Engineered for indirect illumination, this unique sconce creates warm, inviting light that ambiantly surrounds the wooden frame.



- Indirect illumination
- Light or dark walnut wood
- Tempered glass conceals and protects LED modules inside
- ADA compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 42,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11718	18"	19W	120V	1348	1225	DW
WS-11722	22"	19W	120V	1406	1071	WAL

Example: WS-11718-DW

For 277V special order add an "F" before the finish: WS-11718F-DW





## MODERN FORMS


Interior Sconces

# BLADE

Engineered for indirect illumination, this unique sconce creates warm, inviting light that ambiently surrounds the wooden frame. It is understated luxury powered by LED innovation.



- Indirect illumination
- Dark walnut wood
- Tempered glass conceals and protects LED modules inside
- ADA compliant
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-11710	10"	18W	120V	1363	612	DW	Dark Walnut 

Example: WS-11710-DW

For 277V special order add an "F" before the finish: WS-11710F-DW







## MODERN FORMS


Interior Sconces

# BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination of walls and surfaces. The subtle graduated design offers a unique look and high style appeal.



- Mounts on a 2" x 4" switch box
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 42,000 hours
- Color Temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11511	11"	9.5W	120V	808	660	AL WT Brushed Aluminum White
WS-11718	18"	19W		1348	1225	
WS-11522	22"	18.5W		1332	1150	

Example: WS-11718-AL

For 277V special order, add an "F" before the finish: WS-11718F-AL





## MODERN FORMS


Interior Sconces

# GLACIER

The beautiful brilliance of frozen ice and polar caps crystalize into stunning wall sconce luminaires as LEDs evoke a sparkle and shimmer with mesmerizing Piastra glass, hand crafted utilizing techniques developed in the 13th century.



- Up & down light
- Artisan Piastra crystal
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-12721	21"	10W	120V	830	175	CH <i>Chrome</i>

Example: WS-12721-CH  
For 277V special order, add an "F" before the finish: WS-12721F-CH







## MODERN FORMS


Interior Sconces

# MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends.  
A slim low profile ADA design perfect for modern vignettes in fine homes and hotels.




- Up & down light
- Artisan Piastra crystal
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Driver located within 4" junction box
- Rated Life: 55,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-12620

WS-12622

Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-12620	1-light	6W	120V	475	295	PN <i>Polished Nickel</i> 
WS-12622	2-lights	10W	120V	950	435	

Example: WS-12622-PN

For 277V special order, add an "F" before the finish: WS-12620F-PN








## MODERN FORMS


Interior Sconces

# MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends.  
A slim low profile ADA design perfect for modern vignettes in fine homes and hotels.



WS-12632



WS-12672

- Up & down light
- Artisan Piastra crystal
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 75,000 hours
- Color temp: 3000K
- CRI: 90

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-12632	32"	11W	120-277V	550	455	PN
WS-12672	72"					Polished Nickel

Example: WS-12632-PN







## MODERN FORMS


Interior Sconces

# FOLD

A cleverly concealed integrated LED ambient up light make this sconce an enigma when viewed from front and side in this refreshing departure from the conventional pocket sconce design. Suitable for both residential and commercial requirements.



- Up & down light
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 55,000 hours
- Color temp: 3000K
- 2700K/3500K special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-96609	9"	15.5W	120-277V	713	697	WT White

Example: WS-96609-WT

For 2700K add "-27", 3500K add "-35" before the finish: WS-96609-27-WT





## MODERN FORMS


Interior Sconces

# ESCHER

Enigmatic spatial representation of a continuum. Different vantage points offer dramatic views of the entangled metal bands.



- Mount vertically or horizontally
- Silk-screened linen, mitered glass diffuser
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 85,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-95614	14"	11W	120-277V	790	130	TT	<i>Titanium</i> 

Example: WS-95614-TT







## MODERN FORMS


Interior Sconces

# SLIDE

An austere form arcing up off the wall deploying illumination in both directions. Simply beautiful.




- Up & down light
- Luminaire may be rotated 180° when mounting
- Driver located inside the fixture
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 55,000 hours
- Color temp: 3000K
- 2700K/3500K special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-27610	10"	21.5W	120-277V	1409	1124	AL WT	Brushed Aluminum White

Example: WS-27610-AL  
For 2700K add "-27"; 3500K add "-35" before the finish: WS-27610-35-AL





## MODERN FORMS


Interior Sconces

# I BEAM


LEDs are set at an angle to illuminate the wall surrounding the sconce while minimizing glare seen from the side. An exceptional option for illuminating corridors or stairwells where it may be challenging to find an ADA sconce that looks attractive from multiple viewing angles.



- Mounts vertically or horizontally
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Driver within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-94614



WS-94620

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-94614	14"	21W	120-277V	960	660	AL <i>Brushed Aluminum</i>
WS-94620	20"	27W		1310	1022	WT <i>White</i>

Example: WS-94614-AL







## MODERN FORMS


Interior Sconces


### NIA

The minimalist curves of this extrusion are boldly featured in a form meets function design. Powerful LEDs provide up and down illumination for a versatile and durable luminaire ideal for corridors and stairwells in upscale public spaces including multifamily and high-rise buildings.



- Up & down light
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Decorative plate for 4" J box included
- Mounts on a 2" x 4" switch box
- Rated Life: 85,000 hours
- Color temp: 3000K
- 2700K/3500K special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-39610	10"	16W	120-277V	1159	773	BN <i>Brushed Nickel</i> 

Example: WS-39610-BN

For 2700K add "-27"; 3500K add "-35" before the finish: WS-39610-27-BN





## MODERN FORMS


Interior Sconces

# LUMNOS

Luminous box of ambient and functional down lighting encapsulating powerful energy efficient LEDs. A crisp, simple style.



- Up & down light
- White silk-screened mitered glass
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 80,000 hours
- Color temp: 3000K
- 2700K/3500K special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-92616	15½"	20W	120-277V	1409	813	SN

*Satin Nickel*



Example: WS-92616-SN

For 2700K add "-27"; 3500K add "-35" before the finish: WS-92616-35-SN








## MODERN FORMS

# ARCH

Tailored as couture, this sophisticated sconce with a curvaceous accent is an elegant selection for both formal and casual settings. A smooth linen shade delivers beautiful ambient illumination with minimal glare, projecting upward and downward through fitted acrylic diffusers.



- Urban elegance & LED illumination softened with a fabric shade
- ADA compliant, low profile design
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-81910

WS-81916

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-81910	10"	10.5w	120V	800	392	AB Aged Brass
WS-81916	16"	16.5W		1400	680	BN Brushed Nickel

Example: WS-81910-AB




## Interior Sconces

# GARBO

Urban elegance and stunning LED illumination in this geometric linen shade suspended under a cantilevered brushed nickel arm. This interior sconce with on-board touch dimming will update a bedroom or guestroom.



- Urban elegance
- Softened illumination with a fabric shade
- Built-in driver with integral dimmer
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-85922	22"	7.5W	120V	600	278	BN <i>Brushed Nickel</i> 

Example: WS-85922-BN



## MODERN FORMS

Interior Sconces


# MEMORY

Using an intricate welding process, artisans build this Bauhaus-inspired design, giving it a clean overall look, then coating it with an enduring black finish. Behind the steel bars, sleek opalescent rectangles are illuminated by edge-lit LED modules carefully positioned to give the appearance of floating within, creating an unforgettable stark contrast of black and white.



For complementary  
Memory pendant  
See page 62

- Can be mounted vertically, horizontally
- Intricate welding process for seamless look
- Edge-lit LED optic panels spread light evenly
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 84,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-56827	27"	30W	120-277V	974	781	BK Black 

Example: WS-56827-BK







## Bath & Interior Sconces

---






## MODERN FORMS

# SHOCK WAVES

A dramatic fluid design. The rhythm of rippling oceanic waves is captured within the cast art glass feature floating inside the frame. Integral LEDs indirectly light the glass for a stunning luminous effect, like reflections of moonlight on waves.



- Cast art glass
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-39938	38"	64W	120V	5104	2326	BN <i>Brushed Nickel</i> 

Example: WS-39938-BN





Bath & Interior Sconces





## MODERN FORMS


Bath & Interior Sconces

# SHOCK WAVES


A dramatic fluid design. The rhythm of rippling oceanic waves is captured within the cast art glass feature floating inside the frame. Integral LEDs indirectly light the glass for a stunning luminous effect, like reflections of moonlight on waves.



- Cast art glass
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




WS-39920



WS-39927

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-39920	20"	32W	120V	2552	732	BN <i>Brushed Nickel</i> 
WS-39927	27"	42W		3416	1468	

Example: WS-39920-BN





## MODERN FORMS


Bath & Interior Sconces

# SHIMMER

A classic profile upgraded with sleek proportions and a double optical effect to enhance visual interest. The thick, dimensional shade is iced on the inside to create sparkle and subtly ribbed but smooth on the outside for an easily cleaned surface. Efficient illumination as vanities and sconces for luxury hotel or commercial office applications.



- Shatterproof optical grade polycarbonate
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 42,000 hours
- Color temp: 3500K
- CRI: 90



WS-91925




WS-91937

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-91925	25"	23W	120-277V	1803	1437	CH <i>Chrome</i>
WS-91937	37"	32W		2753	2150	

Example: WS-91937-CH








## MODERN FORMS


Bath & Interior Sconces

# ICE


Covered with shimmering frost, this transitional design adds a jewelry-inspired iced element while preserving continuity across a broad range of architectural styles.




- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



WS-57919



WS-57927



WS-57937

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-57919	19"	12W	120V	1000	710	CH Chrome
WS-57927	27"	24W		1800	1420	
WS-57937	37"	27W		2400	1720	

Example: WS-57919-CH







## MODERN FORMS


Bath & Interior Sconces

# VODKA

Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. This versatile luminaire can be placed as a centerpiece on a ceiling, wall or both. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



For complementary  
Vodka flush mount  
See page 254



WS-25816



WS-25827



WS-25837

- Tempered, mitered glass diffuser with crystalline effect
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No driver or transformer needed
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-25816	16"	22W	120V	2003	1214	CH Chrome
WS-25827	27"	40W		3685	2242	
WS-25837	37"	61W		5578	3194	

Example: WS-25827-CH








## MODERN FORMS

Bath & Interior Sconces


# NIGHTLIFE

Crystalline, fine as sand, within lights up the squared design with exaggerated proportions of an inch thin but up to 97 inches long of continuous illumination.



- Sparkling acrylic
- ADA Compliant
- ETL & CETL damp location listed
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Decorative plate to cover 4" junction box included
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-35919	19"	17W	120V	1300	850	AL <i>Brushed Aluminum</i> 
WS-35925	25"	22W		1682	1100	
WS-35937	37"	34W		2600	1635	
WS-35949	49"	44W		3365	2115	
WS-35961	61"	53W		4053	2546	
WS-35973	73"	64W		4895	3078	
WS-35997	97"	88W		6730	4232	

Example: WS-35919-AL





## MODERN FORMS

Bath & Interior Sconces

# LIGHTSTICK

Modern and ultra-minimal. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. Mount horizontally or vertically or even at angles on walls and ceilings.



- Co-extruded acrylic diffuser
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Decorative plate to cover 4" junction box included
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

19"	H2" 1 1/4"
WS-47919	
25"	H2" 1 1/4"
WS-47925	
37"	H2" 1 1/4"
WS-47937	
49"	H2" 1 1/4"
WS-47949	
61"	H2" 1 1/4"
WS-47961	
73"	H2" 1 1/4"
WS-47973	
97"	H2" 1 1/4"
WS-47997	

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-47919	19"	17W	120V	1268	909	AL Brushed Aluminum WT White
WS-47925	25"	22W		1708	1176	
WS-47937	37"	34W		2450	1765	
WS-47949	49"	44W		3171	2284	
WS-47961	61"	53W		3819	2751	
WS-47973	73"	64W		4612	3322	
WS-47997	97"	88W		6341	4568	

Example: WS-47919-WT







## MODERN FORMS


Bath & Interior Sconces

# SOFIA


Elegant as a classic tennis bracelet. Solid hand cut faceted crystals like oversized cushion-cut diamonds in a beautiful and shiny polished setting add a resplendent fashion statement with a touch of the grace of yesteryear to beautify any room. A vision of Hollywood, redefined.




- Clear hand cut crystal
- Luminaire may be rotated 90° when mounting
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90




WS-13619



WS-13630



WS-13641

Model	# of Light	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-13619	2 lights	19"	18W	120V	1600	955	PN Polished Nickel 
WS-13630	3 lights	30"	28W		2400	1422	
WS-13641	4 lights	41"	37W		3200	2028	

Example: WS-13619-PN







## MODERN FORMS


Bath & Interior Sconces

# MINI VOGUE

This minimalist design adapts to almost any décor with its slim, linear form and versatile finishes. A compact version for smaller spaces starts at one foot long. Available in brushed nickel, black and chrome.




- Adjustable backplate
- Co-extruded acrylic diffuser
- Can be mounted vertically or horizontally
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 2" junction box
- Optional decorative plate included for 4" junction box
- Rated Life: 50,000 hours
- Color Temp: 2700K/3000K/3500K
- CRI: 90



WS-21712




WS-21724



WS-21718



WS-21736

Model	CCT	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-21712-27	2700	12"	10w	120-277V	918	784	<div>BKBlack</div> <div>BNBrushed Nickel</div> <div>CHChrome</div> 
WS-21718-27		18"	16W		1318	1126	
WS-21724-27		24"	21W		1746	1491	
WS-21736-27		36"	31W		2658	2269	
WS-21712-30	3000	12"	10W		918	784	
WS-21718-30		18"	16w		1318	1126	
WS-21724-30		24"	21W		1746	1491	
WS-21736-30		36"	31W		2658	2269	
WS-21712-35	3500	12"	10W		918	784	
WS-21718-35		18"	16W		1318	1126	
WS-21724-35		24"	21w		1746	1491	
WS-21736-35		36"	31W		2658	2269	

Example: WS-21712-27-BK







## MODERN FORMS


Bath & Interior Sconces

### VIGO

Dark walnut wood and mitered glass suggest a subtle influence of art deco, but this luxe design is unequivocally modern with highly efficient, cutting-edge LED modules that produce outstanding illumination. Excellent in a luxury bath—both horizontally over a vanity or vertically as a sconce.



- Dark walnut wood veneer
- Hand-crafted mitered glass diffuser
- Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-80814



WS-80827



WS-80838

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-80814	14"	24w	120V	1932	1342	DW <i>Dark Walnut</i> 
WS-80827	27"	31w		2612	1852	
WS-80838	38"	47w		4081	2821	

Example: WS-80827-DW

For 277V special order add an "F" before the finish: WS-80827F-DW





## MODERN FORMS

Bath & Interior Sconces

# MINI CLOUD


Architectural styling arrives in fine baths. Mini Cloud is remarkably thin but a stunning cousin of the Cloud vanity luminaires that deliver high quality functional light for luxury environments. Hand-mitered glass over cutting-edge LEDs positioned for even illumination without glare. Vertical or horizontal mounting options.




- Mitered glass construction
- Mount vertically or horizontally
- When mounting as a bath light, larger sizes are recommended to maintain appropriate scale with vanities
- ADA compliant
- CEC Title 24 compliant
- ETL & CETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- 1" slim junction box included for new construction
- Conversion plate for 2" x 4" junction box included
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



WS-51920



WS-51927




WS-51937

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-51920	20"	10.5W	120V	915	655	CH Chrome
WS-51927	27"	15.5W		1331	929	
WS-51937	37"	23.5W		2031	1416	

Example: WS-51920-CH







## MODERN FORMS


Bath & Interior Sconces

# CLOUD


Cloud combines a distinguished contemporary rectilinear profile with exaggerated proportions and concealed hardware. Designed to complement a diverse range of architectural interiors while delivering high quality functional illumination for upscale spaces.




- Mitered glass construction
- Mount vertically or horizontally
- When mounting as a bath light, larger sizes are recommended to maintain appropriate scale with vanities
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-3418



WS-3428



WS-3436

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3418	18"	15.5W	120V	1199	655	CH Chrome 
WS-3428	28"	36.5W		1982	916	
WS-3436	36"	40W		2171	1361	

Example: WS-3428-CH

For 277V special order, add an "F" before the finish: WS-3428F-CH





## MODERN FORMS


Bath & Interior Sconces

# SABRE

On the cutting edge of technology and aesthetics, bath lighting can now be both refined and robust. A sleek look with a durable and optically enhanced co-extruded acrylic diffuser, this watertight design is IP65 rated for direct spray down washing and sanitizing.



- Adjustable backplate for 12"
- Mount vertically or horizontally
- 1/4" thick wall co-extruded clear and white optical acrylic
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Universal Driver (120V-277V) within 4" junction box
- Decorative plate for 4" J box included
- Mounts on a 2" x 4" switch box
- Rated Life: 85,000 hour
- Color temp: 3500K
- CRI: 90



WS-W81612



WS-W81619



WS-W81625



WS-W81637

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W81612	12"	8W	120V-277V	699	614	AL <i>Brushed Aluminum</i> 
WS-W81619	19"	15W		1500	1010	
WS-W81625	25"	20W		1725	1375	
WS-W81637	37"	30W		2560	2130	

Example: WS-W81619-AL







## MODERN FORMS


Bath & Interior Sconces

# SPECTRE

A curvaceous elongated diffuser of solid clear acrylic optimally enhances light distribution and illumination in a luxury modern bath. Doubles as an ADA compliant wall sconce in a hotel or office building. A simple design dimensionally executed for upscale tastes.



- Mount vertically or horizontally
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Decorative plate for 4" junction box included
- Mounts on a 2" x 4" switch box
- Rated Life: 60,000 hours
- Color temp: 3500K
- CRI: 90



WS-24718




WS-24727



WS-24736

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-24718	18"	15.5W		2160	950	AL <i>Brushed Aluminum</i> 
WS-24727	27"	25W	120-277V	3120	1375	
WS-24736	36"	30W		4320	1680	

Example: WS-24736-AL






## MODERN FORMS


Bath & Interior Sconces

# POLAR


This sleek design epitomizes the use of modern materials with state of the art LED technology to create a refined urban luminaire. Features crisp edges of mitered glass and optimally engineered with a maximum amount of LEDs for a wide range of bath lighting and ambient illumination in luxury hotel corridors and other spaces.



- Mitered glass
- Mount vertically or horizontally
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer located within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available
- CRI: 90



WS-3218



WS-3226




WS-3240

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3218	18"	38W	120V	2139	720	BN CH Brushed Nickel Chrome
WS-3226	26"	50W		3750	960	
WS-3240	40"	82W		5625	2055	

Example: WS-3226-BN

For 277V special order, add an "F" before the finish: WS-3226F-BN







## MODERN FORMS


Bath & Interior Sconces

# VOGUE


With its wide variety of sizes and luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease. Offered in a modern brushed brass, bronze, brushed nickel or chrome finish.



- Mouth-blown opal glass diffuser
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 60,000 hours
- Color temp: 3000K (2700K/3500K special order)
- 277V special order
- CRI: 90



WS-3111



WS-3115

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3111	11"	15.5W	120V	1488	1093	BN
WS-3115	15"	20TW		1673	1125	BR
						BZ
						CH

Example: WS-3115-BR

For 277V special order add an "F" before the finish: WS-3115F-BR

For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3115-27-BR



## Bath & Interior Sconces

# VOGUE



- Mouth-blown opal glass diffuser
- Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 60,000 hours
- Color temp: 3000K (2700K/3500K special order)
- 277V special order
- CRI: 90



**WS-3120**



**WS-3127**



**WS-3139**

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
<b>WS-3120</b>	20"	31W	120V	2971	2157	<b>BN</b> <i>Brushed Nickel</i>
<b>WS-3127</b>	27"	40W		3384	2425	<b>BR</b> <i>Brushed Brass</i>
<b>WS-3139</b>	39"	62W		5872	4390	<b>BZ</b> <i>Bronze</i>
						<b>CH</b> <i>Chrome</i>

Example: WS-3139-BR

For 277V special order add an "F" before the finish: WS-3139F-BR

For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3139-35-BR



## MODERN FORMS


Bath & Interior Sconces

# MARGIN


Crisp white ceramic glazed glass and delicate wire encased in glass are layered for depth of field and visual interest to mock an illusory two-dimensional design. Satin nickel to complement sophisticated nickel bath hardware while making a modern statement.




- Laminated glass and ceramic glazed super white glass
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available
- CRI: 90



WS-70526




WS-70538

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-70526	26"	26W	120V	2123	916	SN <i>Satin Nickel</i> 
WS-70538	38"	45W		3503	1596	

Example: WS-70526-SN

For 277V special order, add an "F" before the finish: WS-70526F-SN








## MODERN FORMS


Bath & Interior Sconces

# BAHN

Clean minimalism with Euro styling and advanced technology. Straight lines and homogeneous surfaces are tailored with German precision and incorporated seamlessly with the latest in LED thinking. Flattering illumination from full spectrum LEDs. Horizontal and vertical configurations for a wide variety of settings.



- Mount vertically or horizontally
- Ceramic-screened mitered glass diffuser
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



WS-6826



WS-6838

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6826	26"	38W	120V	3230	1440	BN <i>Brushed Nickel</i> 
WS-6838	38"	58W		4845	1815	

Example: WS-6826-BN






## SEISMIC


Polished stainless steel construction makes Seismic a durable complement to polished hardware in seaside dwellings. Classic architectural styling and flattering light intersect in this open grid structure with an etched white glass layer. Accented with braces and struts in an elaborate design. Mounts vertically or horizontally as a vanity light in baths or as a wall sconce in corridors.



- 304 stainless steel for an enduring polished finish
- White ceramic glaze silk-screened mirrored glass
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-46518



WS-46527



WS-46537

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-46518	18"	25.5W	120V	1508	590	SS Polished Stainless Steel 
WS-46527	27"	39W		2537	1215	
WS-46537	37"	53W		3637	1625	

Example: WS-46527-SS

For 277V special order, add an "F" before the finish: WS-46527F-SS







## MODERN FORMS


Bath & Interior Sconces

# GLACIER

The brilliance of frozen ice. LEDs sparkle and shimmer mesmerizingly through weighty blocks of Piastra glass. One, two, three and four light configurations are offered for luxury baths and powder rooms. All available with the ultimate range of dimming controllability.



- Piastra glass
- Up and down illumination
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90




WS-6519

WS-6509




WS-6537

WS-6528

Model	Width	#of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6509	9"	1 light	14W	120V	1230	525	CH Chrome 
WS-6519	19"	2 lights	29W		2465	1100	
WS-6528	28"	3 lights	44W		3695	1820	
WS-6537	37"	4 lights	58W		4925	2285	

Example: WS-6509-CH







## MODERN FORMS


Bath & Interior Sconces

# VETRI


Stunning Piastra style glass, hand formed using techniques that date back to the 13th century. A clever indirect application of powerful LEDs in a linear format brings out sparkling highlights in the spaghetti glass while providing strong ambient illumination. Vetri's curvilinear profile allows for the glass to be mounted towards the wall or away from the wall and will turn any bath or hotel corridor into an eye-popping experience.




- Piastra hand made glass
- Mount vertically or horizontally
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



WS-3919



WS-3925




WS-3937

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3919	21"	31W	120V	1880	1016	AL <i>Brushed Aluminum</i> 
WS-3925	27"	38W		2500	1378	
WS-3937	39"	53W		3750	2345	

Example: WS-3919-AL







## MODERN FORMS

Bath & Interior Sconces

# FUSION


An elegant LED bath light design, mouth blown opal glass shades are accented with art glass, hand formed with 13th century craftsmanship. Quality illumination from the most advanced lighting technology engineered for color rendering, superior brightness and dimming control.



- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




WS-6028



WS-6036



WS-6045

Model	Width	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6028	28"	3 lights	32W	120V	2490	1025	BN Brushed Nickel 
WS-6036	36"	4 lights	42W		3320	1955	
WS-6045	45"	5 lights	52W		4150	2515	

Example: WS-6028-BN







## MODERN FORMS

Bath & Interior Sconces

# NEO


Marvel at this ultra-thin sconce and vanity light collection which adapts the latest technology from the television and display industry, to create phenomenal light output. This luminaire boasts a depth from the wall of less than an inch. The amazing uniform light is free from glare, hot spots and color-over-angle changes.



For complementary  
NEO Flush Mount  
See pages 258



- Advanced edge-lit technology
- Mount vertically, horizontally, or on ceiling
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 70,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3712	12"	13W	120V	970	500	AL Brushed Aluminum 
WS-3718	18"	24W		2258	947	
WS-3724	24"	31W		3008	1220	
WS-3736	36"	41W		3720	1697	

Example: WS-3712-AL

For 277V special order, add an "F" before the finish: WS-3718F-AL







## MODERN FORMS

Bath & Interior Sconces

# AEGEAN

Emulating the calming effect of moving water. Elegant mouth blown white opal glass with cast metal framework. Mounts vertically or horizontally without transformer or driver as an elegant luminaire for a vanity or as an ADA sconce in a foyer or hallway. Three sizes available.



- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90




WS-45522



WS-45531



WS-45541

Model	Width	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-45522	21"	2 lights	19W	120V	1369	1040	PN Polished Nickel 
WS-45531	31"	3 lights	28.5W		2017	1535	
WS-45541	41"	4 lights	39W		2840	2050	

Example: WS-45531-PN







## MODERN FORMS


Bath & Interior Sconces

# LOFT

This modern design is highlighted with contoured etched opal glass that creates a striking aesthetic. Ideal for installation in fine baths and hallways.



- Mouth blown etched opal glass
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K (2700K/3500K special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3611	11"	13W	120V	1142	708	BN CH Brushed Nickel Chrome
WS-3618	18"	26W		2300	1642	
WS-3624	24"	34.5W		2987	2076	
WS-3632	32"	47W		3909	2628	

Example: WS-3624-BN

For 277V special order, add an "F" before the finish: WS-3632F-BN

For 2700K add "-27"; 3500K add "-35" before the finish: WS-3632-35-CH







## MODERN FORMS


Bath & Interior Sconces

### MINI LOFT


The petite version of our popular Loft sconce, featuring the same elegant contrasts. An oval back plate in fine aluminum offsets the slim diffuser, which is fashioned from co-extruded clear and white acrylic to soften and distribute the light with beautiful precision even in this miniaturized format. Pair Mini-Loft with the larger version for a consistent lighting scheme throughout.




- Adjustable back plate
- Can be mounted vertically or horizontally
- Co-extruded clear and white acrylic diffuser
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



WS-14818



WS-14824



WS-14836

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-14818	18"	16w	120-277V	1324	1205	BK Black
WS-14824	24"	20w	120-277V	1826	1599	BN Brushed Nickel
WS-14836	36"	30w	120-277V	2820	2453	CH Chrome

Example: WS-14824-CH






## MODERN FORMS

# TUSK

Whether you mount it in a bath or in a hotel foyer, Tusk brings superb LED task lighting into every room. Expertly crafted from mouth-blown etched opal glass, the elegantly tapered diffuser spreads the light evenly for timeless quality illumination. Available in four finishes—polished chrome, brushed nickel, brushed brass and versatile black.



- Mouth-blown etched opal glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-38817

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-38817	17"	12W	120V	1059	678	<div><div>BK</div><div>BN</div><div>BR</div><div>CH</div><div><div>Black</div><div>Brushed Nickel</div><div>Brushed Brass</div><div>Chrome</div></div><div></div></div>

Example: WS-38817-BR

For 277V special order add an "F" before the finish: WS-38817F-BR





Bath & Interior Sconces

# TUSK



- Mouth-blown etched opal glass
- Can be mounted vertically or horizontally
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-38826


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-38826	26"	24W	120V	1918	1318	<div><div>BK</div><div>BN</div><div>BR</div><div>CH</div><div><div>Black</div><div>Brushed Nickel</div><div>Brushed Brass</div><div>Chrome</div></div><div></div></div>

Example: WS-38826-BR  
For 277V special order add an "F" before the finish: WS-38826F-BR



## Flush Mounts

---







## MODERN FORMS


Flush Mounts

# FLUFFY

A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.



- Magnetic tool-free shade installation for easy cleaning
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



FM-59922

FM-59933

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-59922	22"	32W	120-277V	2717	2106	BN <i>Brushed Nickel</i> 
FM-59933	33"	42W		3980	3377	

Example: FM-59922-BN





modernforms.com

251



## MODERN FORMS

Flush Mounts


# METROPOLIS

A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. Metropolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.



For complementary  
Metropolis pendant  
See page 116

- Ultra-bright lumen output
- Frosted glass diffuser with fabric shade
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- FM-16818 & FM-16824: 277V special order
- CRI: 90



FM-16818



FM-16824



FM-16830

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-16818	18"	25W	120V	2015	1996	BN <i>Brushed Nickel</i> 
FM-16824	24"	31W		2644	2474	
FM-16830	30"	48W		3869	3815	

Example: FM-16818-BN

For 277V special order add an "F" before the finish: FM-16818F-BN





## MODERN FORMS

Flush Mounts

# VODKA


Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. The versatile luminaire can be placed as a centerpiece on a ceiling, wall or both. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



For complementary  
Vodka sconces and vanities  
See page 202



- Tempered, mitered glass diffuser with beaded glass inside for crystalline effect
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 42,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-25814	14"	27W	120V	2399	1699	CH 

Example: FM-25814-CH







## MODERN FORMS


Flush Mounts


# COSMIC

A dazzling design sure to inspire, Cosmic's unique look emanates from indirect illumination through a bowl of 7-step art glass. It has a marbled, bubbling appearance with dramatic and complementary effects that accommodate transitional, Scandinavian and other modern styles.




- Indirect illumination
- Can be mounted on wall or ceiling
- 7-step art glass process for sparkling bubble and marbled effect
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-98812	12"	15W	120-277V	981	870	BN <i>Brushed Nickel</i> 

Example: WS-98812-BN





modernforms.com

257



## MODERN FORMS

Flush Mounts

# NEO


Neo is the one. Employing the latest technology from the television and display industry, geometric styled flush mounts make a strong impression on the ceiling or wall. At less than an inch deep and featuring an incredible ambient illumination with uniform light free from glare and hot spots, An architectural design for a skylight effect or create a striking look by mixing sizes. Available in three sizes.



For complementary  
Neo sconces and vanities  
See page 238



FM-3708




FM-3712



FM-3718

- White glass diffuser
- Advanced edge-lit technology
- Mitered aluminum decorative frame
- Flush mounts to ceiling or wall as sconce
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-3708	8"	16.5W		965	575	AL Brushed Aluminum 
FM-3712	12"	25W	120V	1940	1135	
FM-3718	18"	48W		2990	1775	

Example: FM-3718-AL

For 277V special order add an "F" before the finish: FM-3718F-AL







## MODERN FORMS

Flush Mounts

# LUMA

A heavenly glow radiates from the halo effect projected from this surface mounted medallion with direct and indirect illumination. Perfect for upscale residential, commercial and hospitality installations. ADA compliant as a wall sconce. Three sizes available.



10"




15"



20"


- Flush mounts to ceiling or wall as sconce
- Projects down and back lights the mounting surface
- Premium white acrylic shade with etched optics
- ADA compliant, low profile design
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



FM-75710



FM-75715



FM-75720

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-75710	10"	20W	120V	1740	525	BN Brushed Nickel 
FM-75715	15"	36.5W		2995	780	
FM-75720	20"	42W		3505	1175	

Example: FM-75715-BN





## MODERN FORMS


Flush Mounts

# ISSA


A restrained profile with a sculptural form gives Issa a graceful presence, while a new brushed brass finish adds luxe polish to the equation. Artfully crafted in die-cast zinc to create the perfect shape, Issa mounts securely on the wall or ceiling to illuminate evenly and beautifully throughout your restaurant, hotel or home. Also available in brushed nickel.



- Can be mounted on wall or ceiling
- ADA compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



FM-73710



FM-73714

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-73710	10"	14W	120V-277V	1530	950	BN <i>Brushed Nickel</i>
FM-73714	14"	25W		2160	1510	BR <i>Brushed Brass</i>

Example: FM-73714-BR







## MODERN FORMS

Flush Mounts

# GILT


Hand finished in dark bronze with gold-leaf interior, Gilt has an opulent lustrous appeal. An etched dome glass diffuser conceals a powerful LED array for generous illumination.




For complementary  
Gilt pendant  
See page 98



- 14K gold leaf interior
- Can be mounted on wall or ceiling
- Etched glass diffuser, no visible hardware
- ETL & cETL damp location listed
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-51318	18"	35W	120V	3013	1134	GL Gold Leaf/Dark Bronze 

Example: FM-51318-GL






## MODERN FORMS


Flush Mounts

# BLAZE


A radiating spectacle of warm indirect illumination from hand applied gold leaf and silver leaf. Offered in three proportional sizes to design in multiples on walls or ceilings.



WS-30612



WS-30618



WS-30624

- Flush mounts to ceiling or wall as sconce
- ETL & cETL damp location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30612	12"	10.5W		787	250	GL
WS-30618	18"	25W	120V-277V	1979	605	SL
WS-30624	24"	31W		2392	700	

Example: WS-30612-GL







## MODERN FORMS


Flush Mounts

# SEGMENT

A delicate pairing of fabric and wood structures. The wood embraces a clean white linen shade for architectural detailing. Dark walnut brackets combine a feeling of pleasant warmth with design appeal and artisanal craftsmanship.



- Powerful illumination
- Dark walnut wood frame with fabric shade
- Urban elegance & LED illumination softened with a fabric shade
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-83922	20"	35W	120V	3000	2158	DW <i>Dark Walnut</i> 

Example: FM-83922-DW








## MODERN FORMS

Flush Mounts

# BOX

Sometimes you need to think inside the box, which is why we crafted each of these designs with a continuously adjustable beam of light that ranges from 15 to 45 degrees. This is installation-friendly minimalist design at its finest, with cutting-edge technology, easy-to-use features and the flexibility to mount on both ceilings and walls. Available in walnut, dark walnut and brushed aluminum.




6"




6"

FM-70807



6"

11"




6"

FM-70811



18"



6"

FM-70818

- Can be mounted on wall or ceiling
- Continuously adjustable beam angle from 15° to 45°
- Extruded aluminum surface mount, encased in light or dark walnut
- CEC Title 24 compliant
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-70807	6"	1 Light	16W	120-277V	750	728	AL <i>Brushed Aluminum</i>
FM-70811	11"	2 Lights	31W		1500	1400	DW <i>Dark Walnut</i>
FM-70818	18"	1 Light	16W		750	729	WAL <i>Walnut</i>

Example: FM-70811-DW







## MODERN FORMS

Flush Mounts


# SOL

A perfect centerpiece for the ceiling plane and an intriguing accent as a wall sconce. This smooth overscaled round centrifugal glass with a decorative nucleus conceals all mounting hardware. Two architectural hardware finishes included.



Shown with included polished nickel accent

- No exposed hardware/screws
- Flush mounts to ceiling or wall as sconce
- Opal glass with interchangeable center accents in PN or BN included
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 70,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



FM-74712

FM-74716

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-74712	12"	19W	120V	1865	975	PN/BN <i>Polished Nickel or Brushed Nickel</i>
FM-74716	16"	29.5W	120V	2825	1350	

Example: FM-74716-PN/BN

For 277V special order add an "F" before the finish: FM-74716F-PN/BN



Shown with included brushed nickel accent



## MODERN FORMS


Flush Mounts

# LOGO

The ever versatile Logo works across a wide range of small and medium sized spaces and spreads light evenly through edge-lit technology. Perfect for hallways and stairways. Available in white and brushed nickel.



- 1" profile, edge-lit illumination
- Can be surface-mounted over a 3", 4" or 3/0-4/0 hybrid electrical box
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: TRIAC / ELV
- Integrated driver
- Rated Life: 59,000 hours
- Color temp: 3000K
- CRI: 90



FM-4407

FM-4411

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4407	7"	15W	120V	1200	1087	BN
FM-4411	11"	20W	120V	1700	1500	WT

Example: FM-4407-BN







## MODERN FORMS

Flush Mounts

# ARGO

The circle, a timeless symbol of continuity and life, gets the modern treatment with a sleek, ultra-slim profile and high-performing LED modules inside. Available in white and brushed nickel.



7"




11"




15"




19"




FM-4207



FM-4211



FM-4215



FM-4219

- 1" profile, edge-lit illumination
- Can be surface-mounted over a 3", 4" or 3/0-4/0 hybrid electrical box
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: TRIAC / ELV
- Integrated driver for 120V
- Rated Life: 50,000 hours
- Color temp: 3000K
- 120-277V options available for 19" only
- CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4207	7"	15W	120V	1391	1002	BN WT Brushed Nickel White
FM-4211	11"	20W	120V	2109	1521	
FM-4215	15"	26W	120V	3084	2221	
FM-4219	19"	31W	120-277V	3985	2870	

Example: FM-4211-WT





## MODERN FORMS

Flush Mounts

# PUCK

Super efficient performance from a curvaceous LED luminaire featuring an optically efficient acrylic diffuser to deliver ample lighting with brushed nickel plated metal frame. LED arrays provide uniform illumination without the shadows commonly found in conventional flush mounts. Full range dimming with either TRIAC or ELV dimmers. Use as wall or ceiling mount.





16"



14"

- Optically efficient acrylic diffuser
- Secondary lens to spread light evenly
- Twist & Lock installation with no visible hardware
- CEC Title 24 compliant
- ETL & cETL damp location listed
- Dimmer: TRIAC / ELV
- Rated Life: 59,000 hours
- Color temp: 3500K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4514-35	14"	20W	120-277V	1500	1464	BN <i>Brushed Nickel</i> 
FM-4516-35	16"	27W		2300	2152	

Example: FM-4516-35-BN

For 277V special order add an "F" before the finish: PD-55718F-GL







## MODERN FORMS

Interior/Exterior Flush Mounts

### PI

Durable stainless steel design handles the outdoor elements with ease, while the sleek polished hardware also gives interiors a welcome touch of industrial refinement. A user-friendly twist lock mechanism makes installation a snap. As for illumination, the finely crafted diffuser enhances the brightness for a beautiful mix of task and ambient light.




9"



12"

- Weather-resistant 316 marine grade stainless steel construction
- Lightweight injection-molded acrylic diffuser enhances brightness
- Easy installation with twist-lock mechanism (no visible hardware)
- Energy Star® Rated
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K / 3500K
- 277V options available (for 9", 12", 15" only)
- CRI: 90



Model	CCT	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W44806-30	3000K	6"	9W	120V	750	572	<div>BK Black</div> <div>SS Stainless Steel</div>
FM-W44809-30		9"	17W		1542	997	
FM-W44812-30		12"	26W		2315	1495	
FM-W44815-30		15"	27W		2745	1773	
FM-W44806-35	3500K	6"	9W	120V	790	600	
FM-W44809-35		9"	17W		1674	1082	
FM-W44812-35		12"	26W		2513	1550	
FM-W44815-35		15"	27W		2980	1838	

Example: FM-W44809-30-SS

For 277V special order add an "F" before the finish: FM-W44809F-30-SS





## MODERN FORMS


Interior/Exterior Flush Mounts

# MATRIX

Flawless in a black finish, adding a fierce contrast with its thick white glass diffuser. Crafted in aluminum, Matrix mounts on the wall as well as the ceiling, adding a splash of minimalism to your commercial or residential setting. Also available in titanium.



- Can be mounted on wall or ceiling
- Two layers pressed, etched glass with optical diffuser within
- CEC Title 24 compliant
- ADA compliant
- ETL & cETL wet location listed
- Dimmer: ELV
- No driver or transformer needed
- Rated Life: 54,000 hours
- Color temp: 3000K (2700K/3500K special order)
- 277V option available
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-2009-30	9"	31W	120V	2380	1511	BK	Black	
FM-2012-30	12"	27W		2555	1015	TT	Titanium	

Example: FM-2012-30-BK

For 2700K add "27" before the finish: FM-2012-27-BK

For 277V special order add a "F" before the finish: FM-2012F-27-BK







## MODERN FORMS

Interior/Exterior Flush Mounts

# CIRCA

This utilitarian family in black and titanium finish is available in 3 sizes to accommodate more spaces like narrow hallways, bathroom or guestrooms. The glass shade is pressed and sanded for pure whiteness, while a second insert is layered inside to extract the optimal amount of light from the high-performance LED modules.




11"



14"

- Can be mounted on wall or ceiling
- Two layers pressed, etched glass with optical diffuser within
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed
- Dimmer: ELV
- No driver or transformer needed (277V option available)
- Rated Life: 54,000 hours
- Color temp: 3000K (2700K/3500K special order)
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-2109-30	9"	17W	120V	1540	546	BK TT	
FM-2111-30	11"	26W		2315	1080		
FM-2115-30	15"	27W		2728	1383		

Example: FM-2111-30-TT

For 2700K add "27" before the finish: FM-2111-27-BK

For 277V special order add a "F" before the finish: FM-2111F-27-BK





## MODERN FORMS

Interior/Exterior Flush Mounts

# BLOC

Bold geometry and clean lines echo robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders powerful downward illumination.



For complementary  
Bloc exterior sconces  
See page 384



Black



White




Bronze



Brushed Aluminum

- No visible hardware
- Available in four architectural finishes
- CEC Title 24 compliant
- ETL & CETL wet location listed, IP66
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 60,000 hours
- Color temp: 3000K (2700K/4000K special order)
- CRI: 90



Type	Model	Size	Wattage	LED Lumens	Delivered Lumens	Finish
	<i>Down lights</i>	<b>FM-W9200</b>	5½"	16.5W	1167	945

Example: FM-W9200-WT  
For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9200-27-AL







## MODERN FORMS

Interior/Exterior Flush Mounts

# VESSEL

A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology. Integral reflectors ensure high performance optics for accent lighting, pathway illumination and building security.



Brushed Aluminum



White



For complementary  
Vessel exterior sconces  
See page 382









Bronze



Black

- Dark Sky friendly
- Silk screen glass
- No visible hardware
- Die-cast aluminum hardware
- ETL & cETL wet location listed, IP66
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V)
- Rated Life: 60,000 hours
- Color temp: 3000K (2700K/4000K special order)
- CRI: 90



	Type	Model	Size	Wattage	LED Lumens	Delivered Lumens	Finish		
	Down lights	FM-W9100	5½"	16.5W	1167	945	AL	Brushed Aluminum	
							BK	Black	
							BZ	Bronze	
							WT	White	

Example: FM-W9100-AL  
For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9100-27-AL





Outdoor

---







## MODERN FORMS


Exterior Sconces

# FATHOM

Like diving down into the mysterious depths below the ocean surface. Dramatic cast art glass in a watery design emerges and is showcased with bold black hardware that illuminates from above and below. This artfully crafted wall sconce complements upscale interior and exterior finishes with sophisticated style.



- Cast art glass
- Up and down illumination
- Weather-resistant powder coat
- ETL & cETL wet location listed
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-W37916

WS-W37922

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W37916	16"	39W	120V	1868	1134	BK
WS-W37922	22"					Black

Example: WS-W37916-BK







## MODERN FORMS


Exterior Sconces

# TWO IF BY SEA

Like standing behind windows with beads of rain falling during a storm, find solace as timeless inspiration merges with modern technology for a clean and versatile LED luminaire. Light diffuses through clear hammered glass for a soft glow on all sides of this geometric wall sconce.




- Down light illumination
- Glare-free lantern design
- Weather-resistant powder coat
- Clear, hammered, mouth-blown glass
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W41912	12"	15W	120V	916	870	BK
WS-W41918	18"			932	902	Black

Example: WS-W41912-BK







## MODERN FORMS


Exterior Sconces

# BALTHUS

Heavy hardware exhibits craftsman details. Clear hammered glass creates resplendent splashes of light.



- Dark Sky friendly
- Weather-resistant powder coat
- Mouth blown hammered clear glass
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W28514	13"	10W		800	349	BK Black
WS-W28516	16 3/8"	12W	120V	1000	403	GH Graphite
WS-W28521	21"	15W		1200	520	ORB Oil Rubbed Bronze

Example: WS-W28514-ORB

For 277V special order, add an "F" before the finish: WS-W28521F-ORB







## MODERN FORMS


Exterior Sconces

# FROST

Understated geometry to complement a variety of architectural styles. Sparkling central glass insert draws visual interest while subtle cues of upscale appeal communicate through the heavy gauge frame, the absence of visible hardware, and the quality illumination.



- Sparkling glass insert
- Weather-resistant powder coat
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W71918	18"	13W	120V	1000	583	BK <i>Black</i>
WS-W71928	28"	38W		3200	1828	

Example: WS-W71918-BK







## MODERN FORMS


Exterior Sconces

# SHADOW


This minimalist luminaire provides smooth, even light whether you place it inside or outside, vertically or horizontally. A anti-UV grade acrylic diffuser means Shadow won't color over time in the sunlight, while a weather-resistant finish also protects against rain and sun.



- Sanded UV-grade acrylic
- Weather-resistant powder coat
- May be mounted vertically or horizontally
- Edge-lit LED illumination prevents glare and hot spots
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Universal Driver (120-277V)
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90




WS-W46817



WS-W46824

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W46817	17"	14W	120-277V	1256	722	BK <i>Black</i>
WS-W46824	24"	21W		2101	1111	

Example: WS-W46824-BK





## MODERN FORMS


Exterior Sconces

# AVANT GARDE


Classic lantern profile artfully expressed in black lines. A clear mouth blown glass element within reveals a spectral reference to an Edison filament lamp of old. A contemporary art piece idea for welcoming friends and family in entryways and lobbies in residential and hospitality venues.




- Mouth-blown grooved etched glass
- Weather-resistant powder coat
- ETL & cETL wet location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-W17909



WS-W17912



WS-W17917

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W17909	9"	9W		343	242	BK <i>Black</i> 
WS-W17912	12"	12.5W	120-277V	555	426	
WS-W17917	17"	17.5W		610	503	

Example: WS-W17912-BK







## MODERN FORMS


Exterior Pendant

# AVANT GARDE

Classic lantern profile artfully expressed in black lines. A clear mouth blown glass element within reveals a spectral reference to an Edison filament lamp of old. A contemporary art piece idea for welcoming friends and family in entryways and lobbies in residential and hospitality venues.



- Mouth-blown grooved etched glass
- Weather-resistant powder coat
- ETL & cETL wet location listed
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-W17917	17"	18W	120-277V	642	621	BK	Black 

Example: PD-W17917-BK






## MODERN FORMS

# AVANT GARDE

Love it or hate it, Avant Garde will surely elicit emotion. More of a sculpture of artistic expression than a luminaire, Avant Garde renders a statement challenging our visual presumptions about lighting.



- Weather-resistant powder coat
- Mouth-blown grooved etched glass
- Outdoor ready cables for an adjustable customized suspension height
- ETL & cETL wet location listed
- Dimmer: ELV
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-W17907	7 Lights	40.5W	120V	1173	1169	BK Black

Example: PD-W17907-BK






Exterior Chandelier

# AVANT GARDE



- Mouth-blown grooved etched glass
- Outdoor ready cables for an adjustable customized suspension height
- ETL & cETL wet location listed
- Dimmer: ELV
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-W17913	13 Lights	78W	120V	2250	2195	BK

Example: PD-W17913-BK

modernforms.com

307



## MODERN FORMS


Exterior Sconces

# LOGIC


Using an intricate welding process, our artisans craft an austere cage and coat it with a weather-resistant black finish. The sleek rectangular diffuser inside is powered by ingenious LED modules and contrasts with the aluminum base for a transitional-meets-minimalist style.



- Mitered glass shade
- Weather-resistant powder coat
- Can be mounted vertically or horizontally
- Intricately welded for clean, seamless look
- ETL & cETL wet location listed, IP65
- CEC Title 24 compliant
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



WS-W48816



WS-W48823

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W48816	16"	13W	120V	1078	515	BK
WS-W48823	23"	15W		1387	690	Black

Example: WS-W48823-BK






## MODERN FORMS

Exterior Sconces


# LUCID

A clearly defined orb gently encircles a cylinder of opal glass. Lucid is a clean and updated version of the traditional lantern. The pendant is available for cohesive specifications throughout upscale residential, hospitality and commercial spaces.



WS-W74612

- Weather-resistant powder coat
- Combination of mouth blown clear and etched opal glass
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



WS-W74615

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W74612	12"	8W	120V	670	460	BK <i>Black</i> 
WS-W74615	15"	12W		980	660	

Example: WS-W74612-BK







## MODERN FORMS


Exterior Sconces

# LUCID

A clearly defined orb gently encircles a cylinder of opal glass. Lucid is a clean and updated version of the traditional lantern that may be hung in multiples in an outdoor entertainment area or over an entryway.



- Clear and etched opal glass
- Weather-resistant powder coat
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- 10' of wire included to extend pendant up to a total of 120", three 12" and one 6" downrods included (additional downrods available).
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-W74615	15"	12W	120V	960	660	BK	Black 

Example: PD-W74615-BK





## MODERN FORMS


Exterior Sconces

# VITRINE

Raindrops falling gently on the window pane. This stunning effect is the result of concealed LEDs illuminating from above while casting a warm beam through clear hammered seeded, mouth blown optic glass. The durable body and minimalist design complement a multiplicity of architectural styles.



- Weather-resistant powder coat
- Clear, seeded hammered mouth-blown glass
- ADA compliant
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W32512	12"	5W	120V	260	188	BK	Black
WS-W32516	16"	11W		446	433	BZ	Bronze
WS-W32521	21"	16W		633	623	GH	Graphite

Example: WS-W32516-BZ







## MODERN FORMS


Exterior Sconces

# STRUCTURE

A refreshing look for refined tastes. A raindrop glass cylinder suspended within an architectural frame. Beautifully illuminated with LED down lighting for a magical appearance of crystallized effervescence. Dark sky friendly orientation preserves observation of star filled skies.



- Dark Sky friendly
- Clear seeded crystal
- Weather-resistant powder coat
- ETL & cETL wet location listed
- Dimmer: ELV
- Universal Driver (120-277V) within canopy
- Rated Life: 70,000 hours
- Color temp: 3000K
- CRI: 90



WS-W5411

WS-W5416

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5411	11"	11W	120-277V	915	530	BK
WS-W5416	16"					Black

Example: WS-W5411-BK







## MODERN FORMS


Exterior Sconces

# SUSPENSE


Giving the proverbial nod to tradition, it takes a powerful LED to pull off this look in a dark sky friendly design. This contemporary lantern showcases a mouth blown clear glass element and is equipped with state of the art LEDs for a filament-free design. Couple your passion for living with our passion for lighting.




- Dark Sky friendly
- Thick clear mouth-blown glass
- Weather-resistant powder coat
- Twist-lock glass for seamless appearance
- ETL & cETL wet location listed, IP65
- Dimmer: ELV / 0-10V
- Universal Driver (120V-277V) in canopy
- Rated Life: 70,000 hours
- Color temp: 3000K
- CRI: 90



WS-W1911



WS-W1915



WS-W1917

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W1911	11"			860	590	AL <i>Brushed Aluminum</i>
WS-W1915	15"	12W	120-277V	860	625	BK <i>Black</i>
WS-W1917	17"			860	836	BZ <i>Bronze</i>

Example: WS-W1911-AL









## MODERN FORMS


# SUSPENSE

Giving the proverbial nod to tradition, it takes a powerful LED to pull off this look in a dark sky friendly design. This contemporary lantern showcases a clear mouth-blown glass element and is equipped with state of the art LEDs for a filament-free design.



Exterior Sconces

- Dark Sky friendly
- Thick clear mouth blown glass
- Twist-lock glass for seamless appearance
- ETL & cETL wet location listed, IP65
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-W1915	10"	12W	120-277V	722	677	AL	Brushed Aluminum
						BK	Black
						BZ	Bronze

Example: PD-W1915-AL





## MODERN FORMS


Exterior Sconces

# OSLO


Add sophistication to your exteriors with Oslo, a pointedly rendered design influenced by marine and industrial styling. This wall luminaire incorporates exquisite mouth blown etched opal glass with a unique conical profile. Two finishes and sizes available.



- Dark Sky friendly
- Low profile design
- Weather-resistant powder coat
- Mouth blown etched opal glass
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



WS-W18708



WS-W18710

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W18708	8"	8.5W	120V	510	235	AL <i>Brushed Aluminum</i>
WS-W18710	10"	12W		760	350	BK <i>Black</i>

Example: WS-W18708-AL








## MODERN FORMS


Exterior Sconces

# BLINC

A curved, whimsical and simple design. Blinc creates pleasing wall illumination from an adjustable sconce perched on a swivel with directional up and down lighting for a variety of applications. Display in clusters as a work of art. Full range dimming available. Perfect for residential and hospitality applications.



- Up and down illumination
- Weather-resistant powder coat
- Aluminum shade tilts and rotates 360°
- Rotatable and adjustable angle for customization
- ADA compliant, when not adjusted
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V options available
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W55607	7"	9W	120V	650	210	BK WT	Black White

Example: WS-W55607-WT  
For 277V special order, add an "F" before the finish: WS-W55607F-WT





## MODERN FORMS


Exterior Sconces

# SQUARE

Four equal sides and a stream of light. Square artfully provides geometry to wall surfaces in the daytime when mounted in multiples while providing safe illumination of pathways and dramatic visual intrigue in the evening. Perfect for wall grazing surfaces.



- Dark Sky friendly
- Weather-resistant powder coat
- ADA complaint, low profile design
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V options available
- CRI: 90




Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W38608	8"	11W	120V	391	373	BK
WS-W38610	10"	18W	120V	700	630	BZ
						TT

Example: WS-W38608-BZ

For 277V special order, add an "F" before the finish: WS-W38608F-BZ







## MODERN FORMS


Exterior Sconces

# CIRCLE

An eternal shape, this simple floating metal shield mystically glows indirectly illuminating the surface behind. Exceptionally versatile as an interior/exterior wall or ceiling mount. Use just one or many.



- Weather-resistant powder coat
- Mouth-blown etched opal glass
- Rated for wall and ceiling installation
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 64,000 hours
- Color temp: 3000K
- 277V option available
- CRI: 90



WS-W60610

WS-W60616

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W60610	10"	9W	120V	800	240	BK Black
WS-W60616	16"	20W	120V	1890	280	BZ Bronze
						AL Brushed Aluminum

Example: WS-W60610-BZ

For 277V special order, add an "F" before the finish: WS-W60610F-BZ





## MODERN FORMS

Exterior Sconces


# PANDORA

A popular understated design updated with a sleek black finish, Pandora brings sculptural sophistication and high-powered energy-efficient LEDs to your overall lighting scheme, whether you mount it inside or out. With its tiered, minimalist form and two points of illumination, you'll never regret opening this box.




Oil Rubbed Bronze


- Up and down illumination
- Weather-resistant powder coat
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



WS-W30507



WS-W30509



WS-W30511

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W30507	7"	12w	120V	270	200	BK
WS-W30509	9"	20w		546	410	ORB
WS-W30511	11"	28w		550	415	

Example: WS-W30509-BK







## MODERN FORMS


Exterior Sconces

# OATH

Bronze framed art glass becomes a simple but clever transitional wall sconce for both interiors and exteriors. With the warmth of natural elements, the Oath promises continuity across American architectural styles from prairie to saltbox to craftsman.



- Mount vertically or horizontally
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 36,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90




WS-W71618

WS-W71628

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W71618	18"	12W	120V	576	161	BZ
WS-W71628	28"	36W		2094	586	

Example: WS-W71618-BZ

For 277V special order, add an "F" before the finish: WS-W71618F-BZ





## MODERN FORMS

Exterior Sconces

# LEDGE

A luminous architectural profile and superior construction make this wall sconce appropriate for transitional and contemporary interiors or exteriors. Options allow for cohesive specifications across residential and commercial interior and exterior applications.



WS-W1408



WS-W1412




WS-W1414



WS-W1420

- White mitered glass
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Transformer within 4" junction box
- Rated Life: 80,000 hours
- Color temp: 3000K
- 2700K/3500K special order
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W1408	8"	11.5W	120V	525	226	AL <i>Brushed Aluminum</i>
WS-W1412	12"	29W		1200	690	BK <i>Black</i>
WS-W1414	14"	19.5W		910	454	BZ <i>Bronze</i>
WS-W1420	20"	29W		1275	673	

Example: WS-W1420-AL

For 2700K add "-27"; 3500K add "-35" before the finish: WS-W1420-35-AL

For 277V special order, add an "F" before the finish: WS-W1420F-AL







## MODERN FORMS


Exterior Sconces

# TWILIGHT

Waning light of day. Indirect LED illumination gives the illusion of twilight. Glare free illumination with ambient and down lighting for safety, security and architectural accent.



- Up and down illumination
- Weather-resistant powder coat
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



WS-W5516

WS-W5521

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5516	16"	23W	120V	912	729	BK Black
WS-W5521	21"	32W		1281	890	BZ Bronze

Example: WS-W5516-BZ





## MODERN FORMS


Exterior Sconces

# DOUBLE DOWN

Parlay your bet with this winning hand. The dual down light sconce delivers layered lighting from an architectural style with twin down lights emanating from different levels for a tiered effect. Designed in a unique format, this sconce makes a welcoming entry light or intriguing sconce.



- Dark Sky friendly
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Universal Driver (120-277V) within fixture
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W13718	18"	11W	120-277V	300	275	GH BK

Graphite  
Black



Example: WS-W13718-GH







## MODERN FORMS


Exterior Sconces

### FRAMED

An eminent contemporary architectural design, sleek lines embrace mitered glass. This bold ADA compliant structure accentuates wall height for a dramatic impression throughout the space.



- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V options available (special order)
- CRI: 90



WS-W73608



WS-W73614



WS-W73620

Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W73608	8"	15W		1219	776	BK	Black
WS-W73614	14"	32W	120V	2527	1608	BZ	Bronze
WS-W73620	20"	34W		2612	1663	GH	Graphite

Example: WS-W73608-GH

For 277V special order, add an "F" before the finish: WS-W73608F-GH






## MODERN FORMS

Exterior Sconces

### FRAMED

An eminent contemporary architectural design, sleek lines embrace mitered glass. Accentuates varying wall height for a dramatic impression.

- Up & down illumination
- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- ADA compliant, low profile design
- ETL & cETL wet location listed
- Dimmer: ELV
- Universal Driver (120-277V) within 4" junction box
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W73660	60"	21W	120-277V	1419	949	BZ BK

*Bronze*  
*Black*



Example: WS-W73660-BZ







## MODERN FORMS


Exterior Sconces

# TUXEDO

Perfectly suited for modern décor. Meticulously crafted with artisan hands, Tuxedo's aluminum constructed frame reveals solid faceted, hand cut crystal with superior color and clarity for a rich, beveled look. The low profile, upscale sconce projects ambient up lighting and functional down lighting.



- Up & down light
- Hand cut clear solid crystal
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 65,000 hours
- Color temp: 3500K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W16728	28"	11W	120V	800	475	BK	Black	

Example: WS-W16728-BK

For 277V special order, add an "F" before the finish: WS-W16728F-BK





## MODERN FORMS


Exterior Sconces

# BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination on walls and surfaces in two sizes for various IP65 rated exterior and interior applications. The subtle graduated design offers a unique look and high style appeal.



- Unique backlit glare free design
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W11716	16"	15.5W	120V	1112	860	AL <i>Brushed Aluminum</i>
WS-W11722	22"	19W		1408	1130	BK <i>Black</i>

Example: WS-W11722-BK  
For 277V special order add an "F" before the finish: WS-W11716F-AL







## MODERN FORMS


Exterior Sconces

# DAWN


From dusk to dawn, there's no better expression of modern minimalism than this outdoor sconce, an elegantly curved geometrical form with a bold cutout window. Powered by energy-efficient LEDs, bright indirect light is perfect for creating architectural accents and illuminated pathways.



- Up and down illumination
- Weather-resistant powder coat
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



WS-W2216



WS-W2223

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W2216	16"	16w	120V	960	490	BK
WS-W2223	23"	24w		1440	735	BZ
						GH

Black

Bronze

Graphite

Example: WS-W2223-BK







## MODERN FORMS


# STAFF

Sleek and stylish, this versatile LED scone with tapered torch design fosters an easy transition from interiors to exteriors for exceptional design continuity. Embodies an IP65 sealed stainless steel frame with back light the length of the scone and up light for warm ambience.


- Projects light up through accent cap
- Indirect light the full length of the scone
- ETL & cETL wet location listed, IP65
- ADA compliant, low profile design
- Dimmer: ELV
- Transformer within fixture
- Rated Life: 50,000 hour
- Color temp: 3500K
- CRI: 90



## Exterior Sconces



WS-W19732



WS-W19770

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W19732	32"	15.5W	120V	650	275	BK
WS-W19770	70"	25W	120V	1300	515	BK

Example: WS-W19732-BK








## MODERN FORMS


Exterior Sconces

# BIG V


Sometimes, the name says it all. More impressive in real life, this monolith of a vaulted sconce will light a façade and make a great, big, bold design statement.



- Up & down light
- Weather-resistant powder coat
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 55,000 hours
- Color temp: 3000K
- CRI: 90



WS-W69620



WS-W69628

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W69620	20"	23W	120-277V	1478	1249	BZ
WS-W69628	28"	28W		1673	1344	

Example: WS-W69620-BZ





## MODERN FORMS


Exterior Sconces

# FORQ

Tall and austere. A simple form presents from the wall behind it while enhancing the sense of space by drawing the eye to the wall. Rated for interior and exterior applications.



- Weather-resistant powder coat
- ADA compliant (WS-W1718)
- ETL & cETL wet location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 60,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-W1718

WS-W1724

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W1718	18"	22W	120V	1876	790	BK	Black
WS-W1724	24"	33W		1546	1443	BZ	Bronze
						GH	Graphite

Example: WS-W1718-GH  
For 277V special order, add an "F" before the finish: WS-W1718F-GH







## MODERN FORMS


Exterior Sconces

# TORCH

Crowned with exquisite Plastra glass hand formed and crafted utilizing a 13th century artisanship technique, Torch illuminates with ambient interest while delivering down lighting for pathways.



- Up & down illumination
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W37520	20"	8W	120V	240	180	ORB Oil Rubbed Bronze 

Example: WS-W37520-ORB







## MODERN FORMS


Exterior Sconces

# OMNI


LEDs sparkle mesmerizingly through glacial glass for interior or exterior applications. Three sizes and two finishes are available to illuminate any space with a brilliant combination of ambient lighting and down lighting. Weather proof stainless steel or bronze finishes complete this inspiring sconce.




- Up & down illumination
- Weather-resistant powder coat
- Stainless steel or bronze aluminum
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



WS-W35512



WS-W35516



WS-W35520

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W35512	12"	8W	120V	145	75	SS BZ
WS-W35516	16"	12W		200	90	
WS-W35520	20"	16W		300	150	

Example: WS-W35520-SS








## MODERN FORMS


Exterior Sconces

# HELIX

Sleek and commanding, the dramatic curves and contours define this graceful design. Interest generating illumination with up and down light.



- Weather-resistant powder coat
- Hand formed heavy gauge aluminum
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



WS-W34517

WS-W34524

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W34517	17"	8W	120V	221	140	BZ
WS-W34524	24"			233	150	GH

Bronze  
Graphite



Example: WS-W34524-GH





## MODERN FORMS


Exterior Sconces

# TWIST

Dramatically illuminated curvature. A multi-dimensional metal wall sculpture captivates from various directions in luxurious exterior and interior environments. The fluid hardware reveals a beautiful play of light and shadow within.



- Weather-resistant powder coat
- Up and down illumination for wall grazing
- ADA complaint, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W5620	20"	16W	120V	960	260	BK BZ GH	Black Bronze Graphite

Example: WS-W5620-BZ







## MODERN FORMS


Exterior Sconces

# KYOTO

A Shinto inspired architectural design. Miter cut and joined white ceramic-glazed glass provides crisp lines to complement the hardware.



- Weather-resistant powder coat
- Mitered glass with white ceramic glaze
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W22510	10"	10W		616	330	BZ Bronze
WS-W22514	14"	15.5W	120V	918	465	
WS-W22520	20"	26.5W		1620	840	

Example: WS-W22520-BZ





## MODERN FORMS


Exterior Sconces

# ELEVATION

Zen architecture. A sectional profile enhances the precisely drawn structural elements of the design. Silk-screened linen on glass diffuses soft ambient light while a down light delivers illumination for pathways in an all-LED design. Perfectly adorns entries, columns or walls in luxury resorts, restaurants and dwellings.



- Includes downlight
- Weather-resistant powder coat
- Mitered glass silk screen ceramic
- ADA compliant, low profile design
- ETL & cETL wet location listed
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-W5216

WS-W5222

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5216	16"	21W	120V	1650	555	BZ
WS-W5222	22"	25W		2030	775	

Example: WS-W5216-BZ

For 277V special order, add an "F" before the finish: WS-W5216F-BZ







## MODERN FORMS


Exterior Sconces

# URBAN

Like urban renewal, this sconce gives new life to the conventional step baffle. Form follows function in this simplified indirect wall sconce. Clean styling and robust LED performance are combined in this modern dark sky friendly luminaire.



- Dark Sky friendly
- Interior light and down light
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- 50,000 hour rated life
- Color temp: 3000K
- 277V special order
- CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W1110	10"	12W	120V	720	370	BK	Black
WS-W1116	16"	16W		960	490	BZ	Bronze
WS-W1122	22"	20W		1200	610	GH	Graphite

Example: WS-W1110-BK  
For 277V special order, add an "F" before the finish: WS-W1110F-BK





## MODERN FORMS


Exterior Sconces

# HILINE

The Hiline luminaire features a sealed LED housing and clean, versatile Dark Sky and ADA design. This functional design is ideal for showing off multi-tiered decks, stone patios or illuminating entryways in luxury hotels and homes.



- Dark Sky friendly
- Etched glass light shield
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W2308	8"	8W	120V	280	245	BK	Black
WS-W2312	12"					BZ	Bronze
WS-W2316	16"						

Example: WS-W2312-BK  
For 277V special order, add an "F" before the finish: WS-W2312F-BK







## MODERN FORMS


Exterior Sconces

# RAIN


Evoking an image of gentle rainfall, this Zen luminaire uses LED technology to highlight the clear seeded glass in a dark sky friendly and ADA compliant sconce. Two finishes and two sizes are available for various interior and exterior applications.




- Seeded glass
- Dark Sky friendly
- Weather-resistant powder coat
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- 50,000 hour rated life
- Color temp: 3000K
- CRI: 90



WS-W2408



WS-W2412



WS-W2416

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W2408	8"	8W	120V	215	145	BZ
WS-W2412	12"					GH
WS-W2416	16"					

Bronze  
Graphite



Example: WS-W2416-BZ







## MODERN FORMS


Exterior Sconces

### JEDI

A commanding luminaire. With high-tech single spot multi-chip LED light sources, the Jedi sconce provides ambient light while a hidden down light projects a narrow beam of light down the wall for design accent and safety. A cutting-edge solution for upscale homes and challenging hospitality and healthcare applications.



- Etched opal glass sconce
- Ambient light and down light
- Weather-resistant powder coat
- Etched opal glass sconce with twist lock for easy removal
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-2818	18"	13W	120-277V	835	205	AL BZ

Brushed Aluminum

Bronze

Example: WS-2818-AL








## MODERN FORMS

# PHANTOM

A highly polished, stylish appearance with sharp curb appeal, this stunning family of distinctive mitered glass columns exhibits a shallow depth and clean, architectural look. Constructed in bronze powder coated aluminum or marine grade stainless steel for waterside locations in luxury residential and commercial environments.



- Weather-resistant powder coat
- Mitered white silk screened glass
- SS - 316 marine grade, stainless steel construction
- BZ - Aluminum construction
- ADA compliant, low profile design
- ETL & cETL wet location listed
- Dimmer: ELV
- Transformer within canopy
- Rated Life: 60,000 hours
- Color temp: 3000K
- 277V special order
- CRI: 90



WS-W1611

WS-W1616

WS-W1621

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W1611	11"	12W		628	200	BZ SS	Bronze Stainless Steel	
WS-W1616	16"	19W	120V	1250	600			
WS-W1621	21"	21W		1566	755			

Example: WS-W1611-SS

For 277V special order, add an "F" before the finish: WS-W1611F-SS






## MODERN FORMS


Exterior Sconces

# LITHIUM

A minimal form bolstered by die-cast aluminum hardware, Lithium is the epitome of versatility. An extruded acrylic diffuser softens the light for perfect, long-lasting illumination. Factory sealed under tempered glass to allow mounting either vertically or horizontally, inside or out. It looks good everywhere.



- Weather-resistant powder coat
- Can be mounted vertically or horizontally
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K/4000K
- 277V special order
- CRI: 90



Model	Height	Color temp	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W12809-30	9"	3000K	10W	120V	776	549	AL Brushed Aluminum BK Black
WS-W12809-40	9"	4000K	10W		889	573	
WS-W12816-30	16"	3000K	20W		1683	1326	
WS-W12816-40	16"	4000K	20W		1719	1443	
WS-W12824-30	24"	3000K	37W		3132	2735	
WS-W12824-40	24"	4000K	37W		3256	2740	

Example: WS-W12816-30-AL

For 277V special order add an "F" before the finish: WS-W12816F-30-AL








## MODERN FORMS


Exterior Sconces

# SKYSCRAPER


Elevate your space. A classic architectural design thoughtfully engineered for robustness to withstand commercial use for interiors or exteriors. A UV stabilized acrylic diffuser and marine grade stainless steel structure complete this specification-grade wall mount luminaire. Available in either black, bronze or stainless steel finish.



- F1-rated acrylic
- Weather-resistant powder coat
- SS-316 marine-grade stainless steel or bronze-finished aluminum  
BZ & BK - Aluminum construction
- CEC Title 24 Compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V options available
- 2700K and 3500K special order
- CRI:90



WS-W68612



WS-W68618




WS-W68627

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W68612	12"	12W		605	418	BK Black
WS-W68618	18"	19W	120V	1098	741	BZ Bronze
WS-W68627	27"	24W		1272	880	SS Stainless Steel

Example: WS-W68612-BZ

For 277V special order, add an "F" before the finish: WS-W68612F-BZ

For 2700K add "-27"; 3500K add "-35" before the finish: WS-W68618-35-SS





## MODERN FORMS

Exterior Sconces

# VESSEL


A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology. Integral reflectors ensure high performance optics for accent and wall lighting, pathway and facade illumination and building security.





For complementary  
Vessel flush mount  
See page 288



- Mounts in any direction
- Weather-resistant powder coat
- Up & down light for WS-W9102
- ETL & cETL wet location listed, IP66
- WS-W9101 is Energy Star® rated & Dark Sky friendly
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 60,000 hours
- Color temp: 3000K
- 2700K/4000K special order
- CRI: 90



Type	Model	Wattage	LED Lumens	Delivered Lumens	Finish
 Up/Down Light	WS-W9101	16.5W	1167	860	AL BK BZ WT Brushed Aluminum Black Bronze White
 Up & Down Light	WS-W9102	29W	2334	1610	

Example: WS-W9101-AL  
For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9102-40-BZ







## MODERN FORMS

Exterior Sconces



# BLOC


Bold geometry and seamless forms with robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders upward and downward illumination. Also available for flush mounted ceiling luminaires.



For complementary  
Bloc flush mount  
See page 286

- Silk screened glass
- No visible hardware
- Mounts in any direction
- Die-cast aluminum hardware
- Weather-resistant powder coat
- Up & down light for WS-W9202
- ETL & cETL wet location listed, IP66
- WS-W9201 is Energy Star® rated & Dark Sky friendly
- Dimmer: ELV / 0-10V
- Universal Driver (120-277V) within fixture
- Rated Life: 60,000 hours
- Color temp: 3000K
- 2700K/4000K special order
- CRI: 90



Type	Model	Wattage	LED Lumens	Delivered Lumens	Finish
 Up/Down Light	WS-W9201	16.5W	1167	945	AL BK BZ WT Brushed Aluminum Black Bronze White
 Up & Down Light	WS-W9202	30.5W	2334	1930	

Example: WS-W9202-AL  
For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9201-40-WT





## MODERN FORMS


Exterior Sconces

# MEGA

A purposeful asymmetrical wall mounted up or down light design brightly illuminates walkways and provides security with an attractive simple architectural form.



- Dark Sky friendly
- Up or down illumination
- Weather-resistant powder coat
- Luminaire may be rotated 180° when mounting
- ADA compliant, low profile design
- CEC Title 24 compliant
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- Universal Driver (120-277V) within fixture
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W70612	11"	25W	120-277V	845	610	BK BZ	Black Bronze	

Example: WS-W70612-BZ








Task

---





## MODERN FORMS


Task

# REFLEX

Contemporary task lamp for wall or bedside applications. Personalized illumination in your private bedroom, office or workspace where functional down lighting is needed for effective reading, sewing and paperwork. Fingertip control makes it ideal for senior living centers and hotels.



- Adjustable arms
- Head rotatable up to 230°
- Wall arm adjustable up to 180°
- Middle arm adjustable up to 300°
- Driver within canopy
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-21924	24"	9W	120V	577	455	<div><div>BK</div><div>WT</div><div>BN</div><div><div>Black</div><div>White</div><div>Brushed Nickel</div></div></div>

Example: BL-21924-BK







## MODERN FORMS


Task

# BEAM

Minimalist design and cutting-edge LED technology combine with easy-to-adjust components in this update to the traditional task light. Adjustable features let you extend or collapse the light as needed, while fingertip dimming makes choosing the light level easier for any task. Available in three finishes to accommodate a variety of home and office spaces.



- Head with 350° rotation
- Wall arm with 180° adjustability
- Adjustable arms for customization
- Driver (120-240V) within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-20922	22"	8W	120-240V	530	373	BK	Black	
						WT	White	
						TT	Titanium	

Example: BL-20922-BK



## MODERN FORMS

# STYLUS

Functionality celebrating engineering. A striking silhouette that combines unique decorative elements, this large Mid-Century Modern adjustable reading light is perfect for illuminating niches in living areas and bedrooms in fine homes and boutique hotels.





- Front head with 350° rotation and 90° vertical adjustability
- Wall arm with 350° horizontal adjustability
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90





Task



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-24959	59"	12W	120-277V	429	295	BK/GO

*Black/Gold*



Example: BL-24959-BK/GO





# MODERN FORMS

## SMART FANS

## FANS THAT REVOLVE AROUND YOU

Welcome to the future of modern smart fans, designed to adapt to your routine, reduce energy costs and make life simpler all year-round.

No other company in the industry offers the seamless technological innovation, elite craftsmanship and sleek style across such a vast selection—from 26" to 120" fans.

Control everything locally from the wall or anywhere from the palm of your hand—the exclusive Modern Forms app communicates via WiFi and integrates with other smart home devices you already own.

Modern Forms Fans. Smart enough to simplify your life.





# MODERN FORMS SMART FANS


Venus.....	410
Paradox.....	412
Nirvana.....	414
Vortex .....	416
Morpheus III .....	420
Morpheus II .....	424
Stargazer .....	426
Aloft .....	428
Wynd.....	430
Lotus.....	436
Orb.....	438
Woody .....	444
Aviator .....	446
Osprey .....	450
Nautilus .....	452
Mykonos.....	454
Cervantes.....	456
Windflower .....	458
Vox.....	466
Elf .....	470
Axis .....	472
Roboto.....	476
Hydra.....	478

# Get Wet

Unlike the competition, ALL of our fans are wet rated and made from highly durable materials. Add weather-resistant finishes, and WiFi controls, and you can turn them on wherever and whenever you want.



Works with:



## Every Fan Is



Wet

Rated for interior  
and exterior use



Smart

Control with our app or  
other smart devices you  
own



Tested to comply with  
the strictest UL safety  
standards

DC  
MOTOR

Quieter, reliable and more  
efficient than AC motors



WiFi and RF enabled for  
unlimited wireless control

MODERN FORMS SMART FANS



## The Nuts & Bolts

Energy-efficient DC motors.  
Ultra-powerful LED luminaires.  
Lustrous finishes that complement interiors  
and handle the outdoor elements with ease.  
Every aspect of the Modern Forms smart fan is uncompromising  
in dependability and unsurpassed in performance.

## See the Light

Nearly every smart fan is furnished with an integrated LED luminaire powered by WAC, one of the most innovative and reliable names in lighting. With exceptionally powerful LED packages that create beautifully dimmable light, these luminaires, customized to each fan design, are outstanding in their own right— but packed inside a Modern Forms smart fan? That's just unfair.

# The Year Ahead

## SET UP

Our smart fans are as easy to set up as a typical ceiling fan.

76

76

## SAVE ENERGY

When you connect to smart home devices like ecobee, your fan will coordinate with your HVAC system to make the room feel cooler or warmer.

### First Day



## CONTROL ANYWHERE

Download the free Modern Forms app. It takes two quick steps to connect your fan to your WiFi router. Then you can control your fan from anywhere.

### First Month



## SYNC UP

Integrate with devices you already own—like Amazon Alexa, Google Assistant. That way you can control your fan with voice-activated commands and more.



Your security is important to us. That's why we designed our app so you only have to connect to the cloud once during set-up. After that, you can stay cloud-free if you like and still control the fan with your phone.





## MODERN FORMS SMART FANS



### AUTOMATE

Keep it simple with a 7-day weekly calendar or get as granular as you want with a 365-day calendar that accounts for seasonal changes.



### LATE SPRING

In Summer Mode your fan will blow cool air downward—that can make the room feel up to three degrees cooler.



### WINTER TIME

Winter Mode will force warm air trapped at the ceiling to recirculate, driving it down to the room below so you do not have to crank up the heat as high.

### First Year



### USING YOUR FAN IS TEACHING YOUR FAN

Our app can learn your routine and suggest optimized schedules to make your life easier. If you use your fan every day around 8–9:30am and then from around 5–11pm, Adaptive Learning can automate that activity for you regularly.



### VACATION

Whenever you're headed out of town, put on Away Mode. Your fan and luminaire will turn on and off at random intervals so it looks like you're home—even when you're not.



Wet rated so your Smart functions  
work outdoors too

Illuminates your space with high-output  
LEDs that dim to 1%—or better

# Life Made Simpler

Modern Forms smart fans make life simpler every day—  
that's what modern luxury is all about.



Voice-control through  
Google Assistant or  
Amazon Alexa



Control your fan anywhere.  
The app learns your  
preferences to power the fan  
on its own if you want





Coordinates with your  
smart thermostat to  
save energy automatically



Provides local access for  
instant everyday control





# Get Smart

The Modern Forms app synchronizes seamlessly with smart home devices you already own.

## Nest®

Your smart fan will automatically switch to Summer Mode or Winter Mode when your HVAC changes from cooling to heating

If your Nest smoke detector is alerted, your fans will shut off automatically to help prevent a fire from spreading

Nest®, Nest Learning Thermostat™, Nest Leaf Logo™, Airwave™, Auto-Away™, Nest Protect™, Nest Protect™ smoke + carbon monoxide, Nest Cam™, and the Works with Nest logos are trademarks licensed by Nest Labs, Inc.



## ecobee

Use Assist Mode to conserve energy even more.  
How does it work?

Your fan will automatically turn on and/or off based on your comfort settings to make you less dependent on heat or air conditioning

Certain smart thermostats have built-in Amazon Alexa Voice Service

ecobee and the ecobee logo are trademarks of Smart WiFi Thermostats by ecobee. All rights reserved.



## Amazon Alexa

Heat Wave: "Hey Alexa, turn my bedroom fan on high."

Dinner Party: "Hey Alexa, dim the lights."

Snow Squall: "Hey Alexa, go to heat mode."

Talk to Amazon's Alexa to enable the device to control your fan and make life easier everyday

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



## Google Assistant

Forget about looking for a remote. Talk to any Google Assistant enabled device to turn on and off your fan and luminaire, change speeds, and dim the lights.


©2017 Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC.



## Samsung SmartThings

Samsung SmartThings can connect all your smart home devices and apps together into one central location—Modern Forms will be the first smart fan available. Not going to lie, we love being first.

Samsung, SmartThings and all related logos are trademarks of Samsung Electronics Co., Ltd.







# Get Unwired

Every Modern Forms smart fan comes with a Radio Frequency (RF) wall control as well as WiFi-enabled app control technology when you download the Modern Forms app. Use one or the other—or both—to control your fans. Here's how that works...




## THINK LOCAL: WALL CONTROL

The Modern Forms wall control gives you full control of your fans in the room. Typical RF range is about 30 feet and doesn't require a line of sight. Can't find your phone? Don't want to use WiFi? No problem.

## ACT GLOBAL: WIFI-ENABLED SMART CONTROL

Once you've downloaded the Modern Forms app and connected it to your fans, you can control them from your back porch or anywhere in the world through WiFi. Of course, indoors or outdoors, your fans will need to be positioned within range of your WiFi router—typically, that's about 150 feet.



## ONE OR MANY

We developed our app so that you can seamlessly control multiple fans at once via WiFi. Creating a Group allows you to control up to 12-fans at the same time from anywhere in the world. There's no limit to the amount of Groups you can create.





# Avant Garde

The leading edge of design + technology









MODERN FORMS SMART FANS

# VENUS

60" CEILING FAN

FR-W1920-60L-AV/MB

60" Venus in Antique Silver (Matte Black)  
Shown with included luminaire cover



An other-worldly experience awaits with a silent DC motor so you can hear the leaves rustling outdoors or nothing at all inside. With our Modern Forms app, this smart fan can integrate with smart home devices you already own, and adaptively learn your desires to schedule its own activity and cut down on energy use.





# VENUS

60" CEILING FAN

MODERN FORMS SMART FANS


FR-W1920-60L-TT/MW  
60" Venus in Titanium Silver (Matte White)



FR-W1920-60L-AB/BZ  
60" Venus in Aged Brass (Bronze)




- |                   |                           |               |          |
|-------------------|---------------------------|---------------|----------|
| / Blade:          | 14° Pitch, 60" Sweep, ABS | / LED Lumens: | 1600     |
| / Downrod:        | 1"ID x 4.5"H Included     | / LED Power:  | 19.5W    |
| / Mounting Slope: | Up to 30°                 | / CRI:        | 90       |
| / Lead Wire:      | 80"                       | / Color Temp: | 3000K    |
| / Hanging Weight: | 18.84 lbs                 | / Rated Life: | 50,000hr |
| / Total Power:    | 18.8W                     |               |          |




Luminaire cover included

MODEL		Housing	Blade
	<b>AB/BZ</b>	Aged Brass	Bronze
<b>FR-W1920-60L</b>	<b>TT/MW</b>	Titanium Silver	Matte White
	<b>AV/MB</b>	Antique Silver	Matte Black



Example: **FR-W1920-60L-AB/BZ**

For 2700K special order add a "27", 3 500K add a "35" before the finish: **FR-W1920-60L27ABBZ**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



#### F-WC-WT

Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		18W	16W
Airflow		7154 CFM	4832 CFM
Energy Costs*		\$5/yr	\$4/yr
Efficiency		397 CFM/W	301 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 411



MODERN FORMS SMART FANS

# PARADOX

56" CEILING FAN



FR-W1922-56L-AV/MB

56" Paradox in Antique Silver (Matte Black)



Silently spinning, a square body creates an austere and sophisticated design. Weatherproof ABS blades and two-toned finishes include Matte Black with Antique Silver or Matte Black with Aged Bronze for a contrasting and visually stunning style.



# PARADOX

56" CEILING FAN

MODERN FORMS SMART FANS

FR-W1922-56L-AB/MB  
56" Paradox in Aged Brass (Matte Black)




/ Blade:	14° Pitch, 56" Sweep, ABS	/ LED Lumens:	1600
/ Downrod:	1"ID x 4.5"H Included	/ LED Power:	19.5W
/ Mounting Slope:	Up to 30°	/ CRI:	90
/ Lead Wire:	80	/ Color Temp:	3000K
/ Hanging Weight:	17.28 lbs	/ Rated Life:	50,000hr
/ Total Power:	32.8W		




Luminaire cover included

MODEL		Housing	Blade
FR-W1922-56L	AV/MB	Antique Silver	Matte Black
	AB/MB	Aged Brass	Matte Black



Example: **FR-W1922-56L-AV/MB**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1922-56L27AVMB**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



#### F-WC-WT

Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		29W	22W
Airflow		7672 CFM	5119 CFM
Energy Costs*		\$9/yr	\$6/yr
Efficiency		262 CFM/W	231 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 413





MODERN FORMS SMART FANS

# NIRVANA

56" CEILING FAN

FR-W1916-56L-TT  
56" Nirvana in Titanium Silver

Enlightenment is attainable today with an AI enabled fan. Available in four distinct finishes to accommodate various design styles including Matte Black, Koa, Titanium Silver, or Gloss White for the modern living space. An optional energy efficient LED luminaire integrated within rounds out the design.





FR-W1916-56L-KO  
56" Nirvana in Koa  
Shown with included luminaire cover



FR-W1916-56L-MB  
56" Nirvana in Matte Black  
Shown with included luminaire cover



FR-W1916-56L-GW  
56" Nirvana in Gloss White


/ Blade: 14° Pitch, 56" Sweep, ABS  
/ Downrod: 1"ID x 4.5"H Included  
/ Mounting Slope: Up to 30°  
/ Lead Wire: 80"  
/ Hanging Weight: 17.17 lbs  
/ Total Power: 27.8W

/ LED Lumens: 1600  
/ LED Power: 19.5W  
/ CRI: 90  
/ Color Temp: 3000K  
/ Rated Life: 50,000hr




Luminaire cover included

MODEL		Housing	Blade
FR-W1916-56L	TT	Titanium Silver	Titanium Silver
	GW	Gloss White	Gloss White
	KO	Koa	Koa
	MB	Matte Black	Matte Black



Example: **FR-W1916-56L-TT**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1916-56L-27-TT**



#### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergate other smart technologies.

#### RF WALL CONTROL



##### F-WC-WT

Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



##### F-TS-BK Black

**F-TS-WT White**  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		27W	21W
Airflow		6989 CFM	4665 CFM
Energy Costs*		\$6/yr	\$6/yr
Efficiency		263 CFM/W	222 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





MODERN FORMS SMART FANS

# VORTEX

60" CEILING FAN



FR-W1810-60-GW  
60" Vortex in Gloss White



VORTEX  
60" CEILING FAN

MODERN FORMS SMART FANS

Finished in gloss black, gloss white or the kind of silver you'd find on a Maserati, this sleek, sculptural design makes an ultra-luxe modern statement. Powered by a highly efficient DC motor, Vortex runs on stealth mode all day and night—the only sound you'll hear is the air whispering through the room. Use with the Modern Forms app for a full complement of luxury smart controls.

Integrates with smart home devices you already own:  
Samsung SmartThings, Google Assistant, Amazon Alexa, Nest & ecobee



MODERN FORMS SMART FANS

# VORTEX

60" CEILING FAN

FR-W1810-60-GB  
60" Vortex in Gloss Black



FR-W1810-60-GW  
60" Vortex in Gloss White







# VORTEX

60" CEILING FAN


MODERN FORMS SMART FANS




FR-W1810-60-AS  
60" Vortex in Automotive Silver

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 13 lbs
- / Total Power: 32W

MODEL		Housing	Blade
FR-W1810-60	AS	Automotive Silver	Automotive Silver
	GB	Gloss Black	Gloss Black
	GW	Gloss White	Gloss White



Example: **FR-W1810-60-GB**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and intergate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		21W	13W
Airflow		7720 CFM	5207 CFM
Energy Costs*		\$6/yr	\$4/yr
Efficiency		363 CFM/W	404 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 419



MODERN FORMS SMART FANS



FR-W1813-60L-GW  
60" Morpheus III in Gloss White

## MORPHEUS III

60" CEILING FAN






# MORPHEUS III

60" CEILING FAN

MODERN FORMS SMART FANS



FR-W1813-60L-CFI  
60" Morpheus III in Carbon Fiber  
Shown with included luminaire cover



FR-W1813-60L-DW  
60" Morpheus III in Dark Walnut

With cutting-edge smart controls and a totally quiet DC motor, Morpheus is a sleek piece of luxury in a stylish two- or three-blade design. Like all our smart fans, Morpheus connects through WiFi to our exclusive Modern Forms app, so it doesn't matter if you're five feet away or five hundred miles away—control is always in the palm of your hand. A powerful LED luminaire with artisan-crafted opal glass and thick aerodynamically soundless blades round out the design. Available in four amazing finishes.



modernforms.com 421




## MORPHEUS III

60" CEILING FAN



FR-W1813-60L-AS  
60" Morpheus III in Automotive Silver

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 14 lbs
- / LED Lumens: 1600
- / Total Power: 52W



Luminaire cover included

MODEL		Housing	Blade
FR-W1813-60L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Carbon Fiber
	DW	Dark Walnut	Dark Walnut
	GW	Gloss White	Gloss White

Example: **FR-W1813-60L-GW**For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1813-60L-27-GW**

## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

## RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

## WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

## ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		22W	13W
Airflow		7244 CFM	5027 CFM
Energy Costs*		\$6/yr	\$4/yr
Efficiency		263 CFM/W	222 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





# MORPHEUS II

60" CEILING FAN

MODERN FORMS SMART FANS



FR-W1812-60L-CFI  
60" Morpheus II in Carbon Fiber  
Shown with included luminaire cover



Luminaire cover included

FR-W1812-60L-DW  
60" Morpheus II in Dark Walnut





MODERN FORMS SMART FANS

## MORPHEUS II

60" CEILING FAN

FR-W1812-60L-DW  
60" Morpheus II in Dark Walnut







# MORPHEUS II

60" CEILING FAN


MODERN FORMS SMART FANS

FR-W1812-60L-AS  
60" Morpheus II in Automotive Silver  
Shown with included luminaire cover

FR-W1812-60L-CFI  
60" Morpheus II in Carbon Fiber


FR-W1812-60L-GW  
60" Morpheus II in Gloss White

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 13.50 lbs
- / LED Lumens: 1600
- / Power Total: 50W





Luminaire cover included

MODEL		Housing	Blade
FR-W1812-60L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Carbon Fiber
	DW	Dark Walnut	Dark Walnut
	GW	Gloss White	Gloss White



Example: **FR-W1812-60L-DW**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1812-60L-27-DW**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		17W	10W
Airflow		7027 CFM	4797 CFM
Energy Costs*		\$5/yr	\$3/yr
Efficiency		423 CFM/W	462 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 425





# STARGAZER

52" CEILING FAN



FR-W1804-52L-GB

52" Stargazer in Gloss Black

Finished in gloss black or glistening automotive silver, Stargazer has an elevated look that's right on par with the smart technology inside. Powered by our exclusive Modern Forms app, the smart fan offers unprecedented control over scheduling, energy use and home integration—it's compatible with Amazon Alexa, Google Assistant and other devices you already own. A powerful, highly efficient LED luminaire projects down from the center for a final luxe touch.



# STARGAZER

52" CEILING FAN

MODERN FORMS SMART FANS




FR-W1804-52L-GB  
52" Stargazer in Gloss Black



FR-W1804-52L-AS  
52" Stargazer in Automotive Silver


- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / LED Lumens: 1110
- / Total Power: 44W

MODEL		Housing	Blade
FR-W1804-52L	AS	Automotive Silver	Automotive Silver
	GB	Gloss Black	Gloss Black



Example: **FR-W1804-52L-GB**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1804-52L-27-GB**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		36W	26W
Airflow		6032 CFM	3980 CFM
Energy Costs*		\$10/yr	\$7/yr
Efficiency		170 CFM/W	156 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 427



# ALOFT

44" FLUSH MOUNTED FAN

FH-W1807-44L-BZ  
44" Aloft in Bronze

Like a breath of fresh air, Aloft updates a classic fan style with the most sophisticated technology available today. Our exclusive Modern Forms app allows you to create user groups for scalable controls across multiple buildings, and it also integrates with smart home technologies, like Amazon Alexa and Google Assistant. Powered by a DC motor, Aloft runs smoothly and quietly, turn after turn after turn.





FH-W1807-44L-BZ  
44" Aloft in Bronze



FH-W1807-44L-TT  
44" Aloft in Titanium Silver  
Shown with included luminaire cover




FH-W1807-44L-MW  
44" Aloft in Matte White



Luminaire cover included


- / Blade: 13° Pitch, 44" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 17 lbs
- / LED Lumens: 1600
- / Total Power: 47W

MODEL		Housing	Blade
<b>FH-W1807-44L</b>	<b>BZ</b>	Bronze	Bronze
	<b>MW</b>	Matte White	Matte White
	<b>TT</b>	Titanium Silver	Titanium Silver



Example: **FH-W1807-44L-TT**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FH-W1807-44L-27-TT**



#### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

#### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		28W	21W
Airflow		5183 CFM	3153 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		188 CFM/W	148 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 429





MODERN FORMS SMART FANS

# WYND

42" and 52" CEILING FAN

FR-W1801-52L-SS  
52" Wynd in Stainless Steel







## WYND

42" and 52" CEILING FAN

Transitional style meets smart technology with this versatile smart fan available in four weather-resistant finishes as well as a 316 marine-grade stainless steel for harsh outdoor climates. The 42-inch is ideal for bedrooms, patios and breakfast nooks while the 52-inch works great in living rooms and medium-sized spaces. The LED luminaire, powered by WAC, takes this design from beautiful to brilliant. Connect with our exclusive Modern Forms app for even more life enhancements.

MODERN FORMS SMART FANS



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control



# WYND

42" CEILING FAN



FR-W1801-42L-GH/WG  
42" Wynd in Graphite and  
Weathered Gray




FR-W1801-42L-SS  
42" Wynd in marine grade 316 Stainless Steel  
Shown with included luminaire cover

## ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	25W	20W
Airflow	4772 CFM	2856 CFM
Energy Costs*	\$7/yr	\$6/yr
Efficiency	192 CFM/W	145 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





# WYND

42" CEILING FAN

MODERN FORMS SMART FANS

FR-W1801-42L-BZ  
42" Wynd in Bronze  
Shown with included luminaire cover (included)



FR-W1801-42L-MW  
42" Wynd in Matte White



Luminaire cover included

- / Blade: 13° Pitch, 42" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17.90 lbs
- / LED Lumens: 1600
- / Total Power: 47W

MODEL		Housing	Blade
FR-W1801-42L	BZ	Bronze	Bronze
	GH/WG	Graphite	Weathered Gray
	MW	Matte White	Matte White
	SS	Stainless Steel	Steel Gray

Example: **FR-W1801-42L-GH/WG**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1801-42L27GHWG**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1801-42L-27-BZ**





# WYND

52" CEILING FAN



FR-W1801-52L-MW  
52" Wynd in Matte White  
Shown with included luminaire cover




FR-W1801-52L-GH/WG  
52" Wynd in Graphite and  
Weathered Gray

## ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	35W	26W
Airflow	6568 CFM	4215 CFM
Energy Costs*	\$10/yr	\$7/yr
Efficiency	188 CFM/W	164 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.







FR-W1801-52L-SS  
52" Wynd in 316 Stainless Steel



FR-W1801-52L-BZ  
52" Wynd in Bronze

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 1"W x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17.90 lbs
- / LED Lumens: 1600
- / Total Power: 49W



Luminaire cover included

MODEL		Housing	Blade
FR-W1801-52L	<b>BZ</b>	Bronze	Bronze
	<b>GH/WG</b>	Graphite	Weathered Gray
	<b>MW</b>	Matte White	Matte White
	<b>SS</b>	Stainless Steel	Steel Gray

Example: **FR-W1801-52L-GH/WG**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1801-52L27GHWG**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1801-52L-27-BZ**





## LOTUS

54" CEILING FAN


FR-W1809-54L-TT  
54" Lotus in Titanium Silver

A modern meditation on style and technology, Lotus is the ultimate utility player. Its clean, streamlined look works well with almost any décor, inside or outdoors. And with our Modern Forms app, this smart fan responds to your behavior patterns with optimized schedules that can help cut down on energy use. Engineered with a quiet, energy-efficient DC motor and a powerful LED luminaire, this fan is peak enlightenment.





FR-W1809-54L-BZ  
54" Lotus in Bronze



FR-W1809-54L-MW  
54" Lotus in Matte White

## LOTUS

54" CEILING FAN


MODERN FORMS SMART FANS

- / Blade: 13° Pitch, 54" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 15.5 lbs
- / LED Lumens: 1600
- / Total Power: 43W





Luminaire cover included

MODEL		Housing	Blade
FR-W1809-54L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: **FR-W1809-54L-TT**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1809-54L-27-TT**



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		17W	15W
Airflow		5575 CFM	3438 CFM
Energy Costs*		\$5/yr	\$4/yr
Efficiency		332 CFM/W	227 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 437



# ORB

62" CEILING FAN



FR-W1816-62L-CFI  
62" Orb in Carbon Fiber and Matte Black

With its killer sci-fi style and smart functionality—thanks to our exclusive Modern Forms app—Orb is the ultimate case of smart meets cool. Its DC motor runs up to 70% more efficient than traditional AC fans and always keeps quiet, and Orb is breathtaking when finished in a sleek carbon fiber or Porsche-worthy silver.





## ORB


62" CEILING FAN

MODERN FORMS SMART FANS




**FR-W1816-62L-AS**  
62" Orb in Automotive Silver  
Shown with included luminaire cover

- / Blade: 13° Pitch, 62" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 28 lbs
- / LED Lumens: 1110
- / Total Power: 46W





Luminaire cover included

MODEL		Housing	Blade
<b>FR-W1816-62L</b>	<b>AS</b>	Automotive Silver	Automotive Silver
	<b>CFI</b>	Carbon Fiber	Matte Black



Example: **FR-W1816-62L-AS**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1816-62L-27-AS**



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

#### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		50W	29W
Airflow		10796 CFM	7237 CFM
Energy Costs*		\$14/yr	\$8/yr
Efficiency		218 CFM/W	250 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 439



# ORB

82" CEILING FAN

FR-W1816-82L-CFI  
82" Orb in Carbon Fiber  
Shown with included luminaire cover







## ORB

82" CEILING FAN

MODERN FORMS SMART FANS




FR-W1816-82L-AS  
82" Orb in Automotive Silver

- / Blade: 13° Pitch, 82" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 33 lbs
- / LED Lumens: 1110
- / Total Power: 49W



Luminaire cover included


MODEL		Housing	Blade
FR-W1816-82L	AS	Automotive Silver	Automotive Silver
	CFI	Carbon Fiber	Matte Black



Example: **FR-W1816-82L-CFI**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1816-82L27-CFI**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1816-82L-27-AS**



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		35W	23W
Airflow		10021 CFM	8532 CFM
Energy Costs*		\$10/yr	\$6/yr
Efficiency		289 CFM/W	371 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 441





# Naturalistic

An emphasis on craftsmanship and natural materials  
to help create the ultimate sanctuary.









# WOODY

60" CEILING FAN



FR-W1814-60L-GH/WG  
60" Woody in Graphite and Weathered Gray



With sturdy blades crafted from solid wood—properly treated to weather the outdoors—this smart fan is rugged refinement to the core. Take control of it with our exclusive Modern Forms app—features like Adaptive Learning make life easier every day by suggesting optimized schedules, while a powerful DC motor inside keeps things running smooth, quiet and up to 70% more efficient than traditional AC fans. Choose a bronze housing with dark walnut wood, matte black with distressed koa or graphite with weathered gray.





# WOODY


60" CEILING FAN



FR-W1814-60L-MB/DK  
60" Woody in Matte Black and Distressed Koa


FR-W1814-60L-BZ/DW  
60" Woody in Bronze and Dark Walnut

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 18 lbs
- / Lumens: 1600
- / Total Power: 57W




Luminaire cover included

MODEL		Housing	Blade
FR-W1814-60L	BZ/DW	Bronze	Dark Walnut
	MB/DK	Matte Black	Distressed Koa
	GH/WG	Graphite	Weathered Gray



Example: **FR-W1814-60L-MB/DK**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1814-60L27MBDK**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		31W	18W
Airflow		7268 CFM	5036 CFM
Energy Costs*		\$9/yr	\$5/yr
Efficiency		233 CFM/W	276 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 445



## AVIATOR

54" CEILING FAN



FR-W1811-54-MB/DK  
54" Aviator in Matte Black and Distressed Koa



Optional Luminaire for Aviator Matte Black  
F-1811-LED-MB  
sold separately

Inspired by the golden age of flying, this smart fan takes technology to the next level. Pair it with the exclusive Modern Forms app to save on energy costs and intuitively create schedules that adapt to your behavior. Two simulated wood finishes contrast with the matte black or graphite housings for an understated look in interior or exterior spaces. Available with an optional LED luminaire encased in opal glass.





# AVIATOR


54" CEILING FAN

MODERN FORMS SMART FANS



FR-W1811-54-GH/WG  
54" Aviator in Graphite and Weathered Gray  
Shown with optional luminaire F-1811-LED-GH  
Sold separately

- / **Blade:** 13° Pitch, 54" Sweep, ABS
- / **Downrod:** 1"ID x 4.5"H Included
- / **Mounting Slope:** Up to 30°
- / **Lead Wire:** 80"
- / **Hanging Weight:** 13 lbs
- / **Total Power:** 31W





MODEL	Housing		Blade	OPTIONAL LUMINAIRE (Sold Separately)		
FR-W1811-54	MB/DK	Matte Black	Distressed Koa	F-1811-LED 1600 LED Lumen 19W	MB	Matte Black
	GH/WG	Graphite	Weathered Gray		GH	Graphite

Example: FR-W1811-54-GH/WG

Example: F-1811-LED-GH

For 2700K special order add a "-27", 3500K add a "-35" before the finish: F-1811-LED-27-GH



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		20W	13W
Airflow		7074 CFM	4653 CFM
Energy Costs*		\$6/yr	\$4/yr
Efficiency		346 CFM/W	368 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 447



MODERN FORMS SMART FANS

# AVIATOR

54" FLUSH MOUNTED FAN

FH-W1811-54-GH/WG

54" Aviator in Graphite and Weathered Gray

With luminaire F-1811-LED-GH

Sold separately







## AVIATOR

54" FLUSH MOUNTED FAN






**FH-W1811-54-MB/DK**  
54" Aviator in Matte Black and Distressed Koa  
Shown with optional luminaire F-1811-LED-MB  
Sold separately



Luminaire cover included

- / Blade: 13° Pitch, 54" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 12 lbs
- / Total Power: 31W




MODEL		Housing	Blade	OPTIONAL LUMINAIRE (Sold Separately)		
<b>FH-W1811-54</b>	<b>MB/DK</b>	Matte Black	Distressed Koa	<b>F-1811-LED</b> 1600 LED Lumen 19W	<b>MB</b> Matte Black	
	<b>GH/WG</b>	Graphite	Weathered Gray		<b>GH</b> Graphite	

Example: **FH-W1811-54-GH/WG**

Example: **F-1811-LED-GH**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **F-1811-LED-27-GH**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

## RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

## WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

## ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		21W	13W
Airflow		6321 CFM	4258 CFM
Energy Costs*		\$6/yr	\$4/yr
Efficiency		297 CFM/W	320 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.







## OSPREY

56" CEILING FAN

FR-W1817-56L-GH/WG

56" Osprey in Graphite and Weathered Gray

Pairing wood-finished blades with a polished metal housing is always a good idea, and it gives this fan a classic-meets-contemporary look that's perfect for transitional spaces. Powered by a highly efficient DC motor, the blades run extra quiet and save on energy costs—DC is 70% more efficient than AC. A Fresnel glass lens with frosted interior optically maximizes the light extraction of the powerful LED luminaire to give this smart fan a fully functional luxe touch.






FR-W1817-56L-GH/WG  
56" Osprey in Graphite and Weathered Gray




FR-W1817-56L-OB/DW  
56" Osprey in Oil Rubbed Bronze and Dark Walnut

- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17 lbs
- / LED Lumens: 1110
- / Total Power: 45W





Luminaire cover included

MODEL		Housing	Blade
FR-W1817-56L	<b>GH/WG</b>	Graphite	Weathered Gray
	<b>OB/DW</b>	Oil Rubbed Bronze	Dark Walnut



Example: **FR-W1817-56L-OB/DW**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1817-56L270BDW**



#### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

#### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		21W	18W
Airflow		6278 CFM	4074 CFM
Energy Costs*		\$6/yr	\$5/yr
Efficiency		301 CFM/W	227 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.







## NAUTILUS

56" CEILING FAN

FR-W1818-56L-OB/DW

56" Nautilus in Oil Rubbed Bronze and Dark Walnut



With its elevated take on nautical style, this smart fan more than delivers on both form and function. Weathered wood-finished blades complement the polish of oil-rubbed bronze or graphite housings, while the WAC-powered LED luminaire radiates beautifully through an optically enhanced Fresnel glass lens. The DC motor keeps the blades running quietly so you'll always hear the sound of the waves—whether they're steps from your porch or in an afternoon daydream.



FR-W1818-56L-GH/WG  
56" Nautilus in Graphite and Weathered Gray




FR-W1818-56L-OB/DW  
56" Nautilus in Oil Rubbed Bronze and Dark Walnut

MODERN FORMS SMART FANS



- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / LED Lumens: 2041
- / Total Power: 56W

MODEL		Housing	Blade
FR-W1818-56L	OB/DW	Oil Rubbed Bronze	Dark Walnut
	GH/WG	Graphite	Weathered Gray



Example: **FR-W1818-56L-OB/DW**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1818-56L270BDW**



#### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

#### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		29W	22W
Airflow		7013 CFM	4551 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		245 CFM/W	206 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 453



# MYKONOS

52" CEILING FAN

FR-W1819-52L-GH/WG

52" Mykonos in Graphite and Weathered Gray



You know a smart fan named after the Greek "Isle of Winds" is going to be timeless, and Mykonos delivers in spades. It's perfect for transitional spaces with its contrast finishes and streamlined look. Maximize control with the Modern Forms app, which can establish optimized schedules based on your behavior and reduce energy costs by connecting to your thermostat.





# MYKONOS

52" CEILING FAN



FR-W1819-52L-BZ/DW  
52" Mykonos in Bronze and Dark Walnut




FR-W1819-52L-GH/WG  
52" Mykonos in Graphite and Weathered Gray

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 1"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 16 lbs
- / LED Lumens: 1110
- / Total Power: 42W

MODEL		Housing	Blade
FR-W1819-52L	<b>GH/WG</b>	Graphite	Weathered Gray
	<b>BZ/DW</b>	Bronze	Dark Walnut
	<b>MW</b>	Matte White	Matte White




FR-W1819-52L-MW  
52" Mykonos in Matte White



Example: **FR-W1819-52L-BZ/DW**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1819-52L27BZDW**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		32W	24W
Airflow		5236 CFM	3304 CFM
Energy Costs*		\$9/yr	\$7/yr
Efficiency		162 CFM/W	137 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART



## CERVANTES

56" CEILING FAN



FR-W1806-56L-GH/WG

56" Cervantes in Graphite and Weathered Gray

Modern luxury is all about making life simpler. With our Modern Forms app, you can map out schedules, optimize energy use and integrate with smart home devices you already own, like Amazon Alexa and Google Assistant. And Cervantes's clean, offset blades slice through the air with barely a whisper—that's because the powerful DC motor keeps things running smooth and super quiet. Available in versatile oil-rubbed bronze and graphite finishes.





# CERVANTES

56" CEILING FAN

MODERN FORMS SMART FANS




FR-W1806-56L-GH/WG  
56" Cervantes in Graphite and Weathered Gray



FR-W1806-56L-OB/DW  
56" Cervantes in Oil Rubbed Bronze and Dark Walnut  
Shown with optional luminaire cover


- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / LED Lumens: 1600
- / Total Power: 50W

MODEL		Housing	Blade
FR-W1806-56L	OB/DW	Oil Rubbed Bronze	Dark Walnut
	GH/WG	Graphite	Weathered Gray



Example: **FR-W1806-56L-GH/WG**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1806-56L27GHWG**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		29W	23W
Airflow		6577 CFM	4419 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		228 CFM/W	196 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 457





FR-W1815-80L-GH/WG  
80" Windflower in Graphite and Weathered Gray






MODERN FORMS SMART FANS

## WINDFLOWER

60" & 80" CEILING FAN

As bold and beautiful as a classic Holland windmill, this contemporary twelve-blade design is perfect for mid-sized and larger spaces with its 60 inch or 80 inch blade sweeps. Control everything from the palm of your hand with our WiFi-connected Modern Forms app—no one else in the industry can match this combination of style and intuitive technology. Available in three sleek finishes, Windflower makes life easier and more beautiful every day.



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL

### WIFI TOUCH PANEL WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control



# WINDFLOWER

60" CEILING FAN



FR-W1815-60L-OB/DW  
60" Windflower in Oil Rubbed Bronze and Dark Walnut



FR-W1815-60L-MB/DK  
60" Windflower in Matte Black and Distressed Koa





# WINDFLOWER

60" CEILING FAN

MODERN FORMS SMART FANS



FR-W1815-60L-GH/WG


60" Windflower in Graphite and Weathered Gray

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 32 lbs
- / LED Lumens: 2041
- / Total power: 57W




Luminaire cover included

MODEL		Housing	Blade
FR-W1815-60L	OB/DW	Oil Rubbed Bronze	Dark Walnut
	GH/WG	Graphite	Weathered Gray
	MB/DK	Matte Black	Distressed Koa



Example: **FR-W1815-60L-OB/DW**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1815-60L270BDW**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		45W	30W
Airflow		8458 CFM	5492 CFM
Energy Costs*		\$12/yr	\$9/yr
Efficiency		190 CFM/W	181 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 461



MODERN FORMS SMART FANS

# WINDFLOWER

80" CEILING FAN



FR-W1815-80L-MB/DK  
80" Windflower in Matte Black and Distressed Koa  
Shown with optional luminaire cover



FR-W1815-80L-GH/WG  
80" Windflower in Graphite and Weathered Gray





# WINDFLOWER

80" CEILING FAN

MODERN FORMS SMART FANS

FR-W1815-80L-OB/DW  
80" Windflower in Oil Rubbed Bronze and Dark Walnut




- / Blade: 13° Pitch, 80" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 38 lbs
- / LED Lumens: 2041
- / Total Power: 60W




Luminaire cover included

MODEL		Housing	Blade
	<b>OB/DW</b>	Oil Rubbed Bronze	Dark Walnut
<b>FR-W1815-80L</b>	<b>GH/WG</b>	Graphite	Weathered Gray
	<b>MB/DK</b>	Matte Black	Distressed Koa



Example: **FR-W1815-80L-MB/DK**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1815-80L27MBDK**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		38W	27W
Airflow		10648 CFM	7318 CFM
Energy Costs*		\$11/yr	\$8/yr
Efficiency		278 CFM/W	269 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 463



# Minimalist

Simplicity—the highest form of sophistication.







# VOX

26" FLUSH MOUNTED FAN



FH-W1802-26L-TT  
26" Vox in Titanium Silver







# VOX

26" FLUSH MOUNTED FAN



FH-W1802-26L-BZ  
26" Vox in Bronze






FH-W1802-26L-MW  
26" Vox in Matte White

- / Blade: 13° Pitch, 26" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 16 lbs
- / LED Lumens: 2041
- / Total Power: 46W

MODEL		Housing	Blade
FH-W1802-26L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver

Example: **FH-W1802-26L-MW**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FH-W1802-26L-27-MW**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		16W	15W
Airflow		2617 CFM	1515 CFM
Energy Costs*		\$5/yr	\$4/yr
Efficiency		161 CFM/W	98 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



## VOX

38" FLUSH MOUNTED FAN



FH-W1802-38L-MW  
38" Vox in Matte White

The Vox speaks in hushed tones—the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors. Perfect for smaller rooms, or mounted in multiples in larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.



FH-W1802-38L-TT  
38" Vox in Titanium Silver



FH-W1802-38L-BZ  
38" Vox in Bronze


VOX

38" FLUSH MOUNTED FAN

MODERN FORMS SMART FANS


- / Blade: 13° Pitch, 38" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 17 lbs
- / LED Lumens: 2041
- / Total Power: 46W

MODEL		Housing	Blade
FH-W1802-38L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: **FH-W1802-38L-MW**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FH-W1802-38L-27-MW**



#### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

#### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

#### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

#### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		32W	24W
Airflow		4860 CFM	2933 CFM
Energy Costs*		\$9/yr	\$7/yr
Efficiency		150 CFM/W	122 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 469



MODERN FORMS SMART FANS

# ELF

38" CEILING FAN



FR-W1802-38L-BZ  
38" Elf in Bronze



From bedrooms to boardrooms, pool houses to patios, Elf works its magic with a compact design that looks great anywhere—even outside. We make all our smart fans wet-rated—that means highly durable materials and weather-resistant finishes—so you can keep a consistent look and feel throughout your décor.







## ELF

38" CEILING FAN

MODERN FORMS SMART FANS




FR-W1802-38L-TT  
38" Elf in Titanium Silver



FR-W1802-38L-MW  
38" Elf in Matte White



- / Blade: 13° Pitch, 38" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17 lbs
- / LED Lumens: 2041
- / Total Power: 46W

MODEL		Housing	Blade
FR-W1802-38L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: **FR-W1802-38L-MW**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1802-38L-27-MW**



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		40W	28W
Airflow		5257 CFM	3179 CFM
Energy Costs*		\$11/yr	\$8/yr
Efficiency		132 CFM/W	114 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



UL LISTED



SMART

modernforms.com 471

# AXIS

52" CEILING FAN

FR-W1803-52L-MW  
52" Axis in Matte White

A simple, sophisticated smart fan that works seamlessly in transitional, minimalist and other modern environments, Axis is perfectly sized for medium-sized kitchens, bedrooms and living rooms, and its wet-rated status and weather-resistant finish make it prime for outdoor use as well. Unleash the full potential of Axis with our Modern Forms app, which offers smart features like Adaptive Learning and Away Mode, and helps cut down on energy use by integrating with your smart thermostat.



# AXIS

52" CEILING FAN

FR-W1803-52L-BZ  
52" Axis in Bronze


FR-W1803-52L-TT  
52" Axis in Titanium Silver

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 14 lbs
- / LED Lumens: 1600
- / Total Power: 48W




Luminaire cover included

MODEL		Housing	Blade
FR-W1803-52L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: **FR-W1803-52L-MW**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1803-52L-27-MW**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		33W	23W
Airflow		5053 CFM	3258 CFM
Energy Costs*		\$9/yr	\$6/yr
Efficiency		153 CFM/W	144 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



WET



MOTOR



SMART

modernforms.com 473



## AXIS

52" FLUSH MOUNTED FAN



FH-W1803-52L-BZ  
52" Axis Flush in Bronze



FH-W1803-52L-TT  
52" Axis Flush in Titanium Silver





# AXIS

52" FLUSH MOUNTED FAN


MODERN FORMS SMART FANS

FH-W1803-52L-MW  
52" Axis Flush in Matte White




- / Blade: 13° Pitch, 52" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 14 lbs
- / LED Lumens: 1600
- / Total Power: 48W

MODEL		Housing	Blade
FH-W1803-52L	BZ	Bronze	Bronze
	MW	Matte White	Matte White
	TT	Titanium Silver	Titanium Silver



Example: **FH-W1803-52L-BZ**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FH-W1803-52L-27-BZ**



## FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

### ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		30W	23W
Airflow		4813 CFM	2998 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		162 CFM/W	133 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 475



MODERN FORMS SMART FANS

# ROBOTO

52" & 62" CEILING FAN

FR-W1910-52-MB  
52" Roboto in Matte Black



Like all our smart fans, Roboto is Wet Rated to be perfect for indoor and outdoor applications. Two size options are available to complete any deck, pergola, room or living space. The quiet DC motor is 70% more efficient than AC motors, and our free Modern Forms app lets you control fan speed, set schedules, and integrate with smart home devices.





# ROBOTO

52" & 62" CEILING FAN

MODERN FORMS SMART FANS

FR-W1910-52-MW  
52" Roboto in Matte White



FR-W1910-62-MB  
62" Roboto in Matte Black




FR-W1910-52-BA  
52" Roboto in Brushed Aluminum



- / Blade: 14° Pitch, 52, 62" Sweep, ABS
- / Downrod: 1"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80
- / Hanging Weight: (52") 11.53 lbs / (62") 13.34 lbs
- / Total Power: (52") 37.5W / (62") 34W

MODEL	Housing	Blade
<b>FR-W1910-52</b> <b>FR-W1910-62</b>	<b>BA</b> Brushed Aluminum	Titanium Silver
	<b>MW</b> Matte White	Matte White
	<b>MB</b> Matte Black	Matte Black

Example: **FR-W1910-52-BA**



RF WALL CONTROL



**FREE APP DOWNLOAD**  
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

WIFI TOUCH PANEL WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control

## ENERGY GUIDE - 52"

Standard	High Speed	Weighted Average
Electricity	38W	28W
Airflow	5194 CFM	3283 CFM
Energy Costs*	\$11/yr	\$8/yr
Efficiency	138 CFM/W	119 CFM/W

## ENERGY GUIDE - 62"

Standard	High Speed	Weighted Average
Electricity	34W	25W
Airflow	6384 CFM	4209 CFM
Energy Costs*	\$10/yr	\$7/yr
Efficiency	188 CFM/W	168 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 477



FR-W1805-96L-BZ  
96" Hydra in Bronze








MODERN FORMS SMART FANS

## HYDRA

80", 96" & 120" CEILING FAN

As its name suggests, Hydra is all about water. Like all of our smart fans, it's wet-rated for outdoor use so you can maintain the continuity of your décor inside and out.

Even with an impressive 120" blade sweep, this epicly scaled smart fan moves a massive amount of air without consuming much energy, thanks to a powerful DC motor that runs up to 70% more efficient than AC motors. Control it all with our exclusive Modern Forms app. Available in 80 inches, 96 inches and 120 inches.



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF

### WIFI TOUCH PANEL WALL CONTROL



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control



# HYDRA

80" CEILING FAN




FR-W1805-80L-TT  
80" Hydra in Titanium Silver

- / Blade: 13° Pitch, 80" Sweep, Aluminum
- / Downrod: 1"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 38 lbs
- / LED Lumens: 2041
- / Total Power: 58W

MODEL		Housing	Blade
FR-W1805-80L	BZ	Bronze	Bronze
	TT	Titanium Silver	Titanium Silver

Example: **FR-W1805-80L-BZ**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1805-80L-27-BZ**





# HYDRA

80" CEILING FAN

MODERN FORMS SMART FANS



Luminaire cover included



FR-W1805-80L-BZ  
80" Hydra in Bronze  
Shown with included luminaire cover

## ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	42W	29W
Airflow	11308 CFM	7388 CFM
Energy Costs*	\$12/yr	\$8/yr
Efficiency	271 CFM/W	253 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 481



MODERN FORMS SMART FANS

# HYDRA

96" CEILING FAN



FR-W1805-96L-BZ  
96" Hydra in Bronze





# HYDRA



96" CEILING FAN

MODERN FORMS SMART FANS

FR-W1805-96L-TT  
96" Hydra in Titanium Silver  
Shown with included luminaire cover



Luminaire cover included



- / Blade: 13° Pitch, 96" Sweep, Aluminum
- / Downrod: 1"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 41 lbs
- / LED Lumens: 2041
- / Total Power: 60W

MODEL	Housing	Blade
FR-W1805-96L	<b>BZ</b> Bronze	Bronze
	<b>TT</b> Titanium Silver	Titanium Silver

Example: **FR-W1805-96L-BZ**

For 2700K special order add a "-27", 3500K add a "-35" before the finish: **FR-W1805-96L-27-BZ**

## ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	45W	26W
Airflow	12950 CFM	9125 CFM
Energy Costs*	\$13/yr	\$7/yr
Efficiency	288 CFM/W	351 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



modernforms.com 483



MODERN FORMS SMART FANS



FR-W1805-120L-BZ  
120" Hydra in Bronze








MODERN FORMS SMART FANS

## HYDRA

120" CEILING FAN

Our largest smart fan yet, designed to take on hotel lobbies, coastal homes with soaring ceilings, office buildings—you name it. It's a massive fan for a massive space.



### FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups, reduce energy costs and integrate other smart technologies.

### RF WALL CONTROL



**F-WC-WT**  
Included with each fan  
6 speeds  
Dims light to 1%  
ON/OFF



**F-TS-BK** Black  
**F-TS-WT** White  
Sold separately  
Full app control



MODERN FORMS SMART FANS


# HYDRA

120" CEILING FAN



Luminaire cover included

- / Blade: 13° Pitch, 120" Sweep, Aluminum
- / Downrod: 1"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 44 lbs
- / LED Lumens: 2041
- / Total Power: 61W



MODEL		Housing	Blade
FR-W1805-120L	BZ	Bronze	Bronze
	TT	Titanium Silver	Titanium Silver

Example: **FR-W1805-120L-TT**

For 2700K special order add a "27", 3500K add a "35" before the finish: **FR-W1805-120L27-TT**

ENERGY GUIDE		
Standard	High Speed	Weighted Average
Electricity	44W	26W
Airflow	13300 CFM	9898 CFM
Energy Costs*	\$12/yr	\$7/yr
Efficiency	302 CFM/W	388 CFM/W

\* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





# HYDRA

120" CEILING FAN

MODERN FORMS SMART FANS



FR-W1805-120L-TT  
120" Hydra in Titanium Silver



FR-W1805-120L-BZ  
120" Hydra in Bronze



modernforms.com 487



## Professional Assets

### LOCAL & GLOBAL CONTROL: THE RF & WIFI STORY

With WiFi, the app can control a virtually unlimited number of devices—one, twenty, two hundred...you name it. You can invite users to access the app and give them limited permissions, while maintaining executive control. That makes the Modern Forms smart fan ideal for apartment complexes, hotels and office buildings as well as residences.

**By Invitation Only:** Invite users to control fans via the app—they can customize their own schedules temporarily while you maintain master control.

**Form a Group Mentality:** Create groups of fans to make scheduling more efficient. Organize them by room type, floor number, location or style.

**Plays Well With Others:** The Modern Forms app is designed to help tie into other building management systems that operate on open API platforms.

A radio-frequency (RF) enabled wall control is supplied with every Modern Forms fan. For instantaneous control, RF is best. RF technology doesn't require line of sight and is powerful enough to pass through walls.

**Local Control:** The RF wall control allows for local fan control from a convenient wall switch. Certain fans on the market that use WiFi to control their fans depend upon the reliability of the WiFi signal and Internet access to connect with a cloud.

**No Plan? No Problem:** Control one or all of the fans in a room from any number of wall controls without the need for complicated 3-way or 4-way wiring.

**Best of Both Worlds:** The wall control may be used in conjunction with the Modern Forms app if desired to have both local and global control.

Modern Forms Fans integrate DC motor control inventions developed by WAC to offer additional functionality and address certain challenges common across the industry.

### REINVENTING DC MOTOR CONTROL

**Go Big or Go Home:** Modern Forms DC motors provide the power necessary to quietly and efficiently power the largest diameter designer fans on the market.


**Sensor-less DC motors:** Proprietary control technologies were developed to control DC motors without the need for optical sensors to improve upon DC motor reliability as sensor lifetimes are known to be shorter than that of DC motors.

**Synchronized Spinning:** Patent pending features permit the problem-free installation of more than one or two fans in series.

**Running Interference:** For a seamless fan experience, Modern Forms fans solved the known problem in the industry of electrical noise generated by motor loads interfering with the expected performance of other electrical devices.

### ILLUMINATING EXPERIENCES

As ceiling fans are also commonly the only light source within a room, luminaires within Modern Forms fans were also custom designed to accommodate the features of each unique fan design to provide a maximum amount of usable illumination in a room. Each luminaire incorporates WAC's proprietary dimming and control technology for smooth and continuous full-spectrum dimming from 100% to 1%.





## Accessories


### RF Wall Control



#### F-WC-WT

Included with each fan  
6 fan speeds  
Dims light to 1%  
ON/OFF  
Wall control range: Up to 30ft from fan  
Control up to 2 fans on one wall control  
More fans may be controlled at once using the Modern Forms Smart Fan app.

### WiFi Touch Panel Wall Control



#### F-TS-WT White

#### F-TS-BK Black

Sold separately  
Full app control  
WiFi range: Up to 150ft from router

\*Result may vary based on application/surroundings

## Downrod and Cap Couplers

### Downrod



<b>XF-12</b>	12in	<b>XF-48</b>	48in
<b>XF-18</b>	18in	<b>XF-60</b>	60in
<b>XF-24</b>	24in	<b>XF-72</b>	72in
<b>XF-36</b>	36in		

All our downrods are 1" I.D. and are threaded on the motor end to create an extra layer of security and allow for adjustments in the field.

### Downrod Couplers



#### XF-I

Connects two downrods together

<b>AS</b>	Automotive Silver
<b>BA</b>	Brushed Aluminum
<b>BZ</b>	Bronze
<b>CFI</b>	*Carbon Fiber
<b>DW</b>	Dark Walnut
<b>GB</b>	Gloss Black
<b>GH</b>	Graphite
<b>GW</b>	Gloss White

<b>KO</b>	*Koa
<b>LN</b>	Liquid Nickel
<b>MB</b>	Matte Black
<b>MW</b>	Matte White
<b>OB</b>	Oil Rubbed Bronze
<b>SS</b>	Stainless Steel
<b>TT</b>	Titanium Silver

Example: XF-18-TT

\*Carbon Fiber available in 12", 18", 24", and 36"

\*Koa available in 12", 18", 24", and 36"

### Suggested downrod height usage

Ceiling Height	15'	14'	13'	12'	11'	10'	9'
Downrod	72"	60"	48"	36"	24"	18"	12"

## Sloped Ceiling Kit Designed to accommodate buildings with steeper sloped ceilings up to 45° or 12/12 pitch

### Sloped Ceiling Kit



#### XF-SCK

<b>AS</b>	Automotive Silver
<b>BA</b>	Brushed Aluminum
<b>BZ</b>	Bronze
<b>CFI</b>	Carbon Fiber
<b>DW</b>	Dark Walnut
<b>GB</b>	Gloss Black
<b>GH</b>	Graphite
<b>GW</b>	Gloss White

<b>KO</b>	Koa
<b>LN</b>	Liquid Nickel
<b>MB</b>	Matte Black
<b>MW</b>	Matte White
<b>OB</b>	Oil Rubbed Bronze
<b>SS</b>	Stainless Steel
<b>TT</b>	Titanium Silver

Example: XF-SCK-DW

### Sloped ceiling degree conversion chart

Degree	4-8°	9-13°	14-17°	18-21°	22-25°	26-29°	30-32°	33-35°	36-38°	39-41°	42-44°	45°
Ceiling Slope Pitch	1/12 pitch	2/12 pitch	3/12 pitch	4/12 pitch	5/12 pitch	6/12 pitch	7/12 pitch	8/12 pitch	9/12 pitch	10/12 pitch	11/12 pitch	12/12 pitch

Supplied mounting brackets allow mounting on ceiling slopes up to 30° (7/12 pitch), optional slope kit allows mounting on ceilings up to 45° (12/12 pitch). The receiver will mount inside canopy.



---

# MODERN FORMS

LUMINAIRES + SMART FANS

## INDEX





## Entire Line of MODERN FORMS SMART FANS

Size	Model	Name	Finishes	Wet Listing	Luminaire	Power	CFM	Page
26"	FH-W1802-26L	Vox	BZ, MW, TT	YES	YES	40W	2617	466
38"	FR-W1802-38L	Elf	BZ, MW, TT	YES	YES	63W	5257	470
38"	FH-W1802-38L	Vox	BZ, MW, TT	YES	YES	56W	4860	468
42"	FR-W1801-42L	Wynd	BZ, GH/WG, MW, SS	YES	YES	44W	4722	432
44"	FH-W1807-44L	Aloft	BZ, MW, TT	YES	YES	47W	5183	428
52"	FH-W1803-52L	Axis	BZ, MW, TT	YES	YES	49W	4813	474
52"	FR-W1803-52L	Axis	BZ, MW, TT	YES	YES	53W	5053	472
52"	FR-W1819-52L	Mykonos	BZ/DW, GH/WG, MW	YES	YES	45W	5236	454
52"	FR-W1910-52	Roboto	BA, MW, MB	YES	NO	38W	5194	476
52"	FR-W1804-52L	Stargazer	AS, GB, LN	YES	YES	49W	6032	426
52"	FR-W1801-52L	Wynd	BZ, GH/WG, MW, SS	YES	YES	54W	6568	434
54"	FH-W1811-54	Aviator	MB/DK, GH/WG	YES	OPTIONAL	21W	6321	448
54"	FR-W1811-54	Aviator	MB/DK, GH/WG	YES	OPTIONAL	20W	7074	446
54"	FR-W1809-54L	Lotus	BZ, MW, TT	YES	YES	30W	5575	436
56"	FR-W1806-56L	Cervantes	GH/WG, OB/DW	YES	YES	48W	6577	456
56"	FR-W1818-56L	Nautilus	OB/DW, GH/WG	YES	YES	52W	7013	452
56"	FR-W1916-56L	Nirvana	TT, GW, MB, KO	YES	YES	47W	6989	414
56"	FR-W1817-56L	Osprey	GH/WG, OB/DW	YES	YES	34W	6278	450
56"	FR-W1922-56L	Paradox	AV/MB, AB/MB	YES	YES	52W	7672	412
60"	FR-W1812-60L	Morpheus II	GW, AS, CFI, DW	YES	YES	36W	7027	424
60"	FR-W1813-60L	Morpheus III	GW, AS, CFI, DW	YES	YES	42W	7244	422
60"	FR-W1920-60L	Venus	TT/MW, AB/BZ, AV/MB	YES	YES	38W	7154	410
60"	FR-W1810-60	Vortex	AS, GB, GW	YES	NO	21W	7720	418
60"	FR-W1815-60L	Windflower	GH/WG, OB/DW, MB/DK	YES	YES	68W	8458	460
60"	FR-W1814-60L	Woody	GH/WG, BZ/DW, MB/DK	YES	YES	51W	7268	444
62"	FR-W1816-62L	Orb	AS, CFI	YES	YES	63W	10796	438
62"	FR-W1910-62	Roboto	BA, MW, MB	YES	NO	34W	6384	476
80"	FR-W1805-80L	Hydra	BZ, TT	YES	YES	65W	11308	480
80"	FR-W1815-80L	Windflower	GH/WG, OB/DW, MB/DK	YES	YES	62W	10647	462
82"	FR-W1816-82L	Orb	AS, CFI	YES	YES	48W	10021	440
96"	FR-W1805-96L	Hydra	BZ, TT	YES	YES	69W	12950	482
120"	FR-W1805-120L	Hydra	BZ, TT	YES	YES	68W	13300	486

### Model Number Guide

<b>FR</b>	—	<b>W1819</b>	—	<b>52L</b>	—	<b>GH/WG</b>
FR = Ceiling Fan FH = Flush Mounted		W = Wet Listed    Model		Sweep size    L = Luminaire included		Housing finish / Blade finish

Code	AB	AS	AV	BA	BZ	CFI	DK	DW	GB	GH	GW	KO	LN	MB	MW	OB	SS	TT	WG
Finish	Aged Brass	Automotive Silver	Antique Silver	Brushed Aluminum	Bronze	Carbon Fiber	Distressed Koa	Dark Walnut	Gloss Black	Graphite	Gloss White	Koa	Liquid Nickel	Matte Black	Matte White	Oil Rubbed Bronze	Stainless Steel	Titanium Silver	Weathered Gray

Example: **FR-W1819-52L-GH/WG**



# MODERN FORMS

## ALPHABETICAL INDEX

### A

ACID ..... 112,113,114  
AEGEAN ..... 240  
ARCH.....188  
ARGO .....276  
ASGARD .....158  
AVANT GARDE..... 302,304,306,307

### B

BAHN .....228  
BALTHUS .....296  
BDSM .....70  
BIG V.....352  
BEAM .....392  
BLADE..... 164,166,168,346  
BLAZE.....142  
BLINC .....324  
BLOC.....286,384  
BOX.....270

### C

CASCADE ..... 104,106,108,110  
CATALYST.....86,88  
CERES .....132  
CHAOS .....30,32  
CHILL .....152  
CHRONOS .....28  
CINDERELLA .....122  
CINEMA .....26,130  
CIRCA .....284  
CIRCLE .....328  
CLOUD .....216  
COSMIC ..... 8,154,256

### D

DAWN.....348  
DINK.....140  
DOUBLE DOWN .....338  
DREAM .....46  
DRIFT .....69

### E

ELESSAR .....150  
ELEVATION .....366  
ELYSIA.....160  
ESCHER.....178

### F

FIREFLY.....36  
FATHOM.....292  
FLUFFY .....6,250  
FLUTE .....16  
FOLD.....176  
FORQ .....354  
FRAMED .....340,342  
FROST.....298  
FUSION.....236

### G

GARBO .....189  
GATSBY.....124  
GILT.....98,264  
GLACIER .....170,232  
GOTHAM .....58  
GROOVY.....4

### H

HARMONIX ..... 12,14  
HELIX .....360  
HILINE .....370

### I

I BEAM .....182  
ICE.....200  
ISOTOPE.....100,102  
ISSA.....262

### J

JEDI .....374

### K

KINETIC .....54,56  
KOOLHAUS .....66  
KRYPTONITE ..... 80,82,83  
KYOTO .....364

### L

LABYRINTH .....18  
LANCE.....148  
LEDGE.....334  
LIGHTSTICK .....206  
LITHIUM.....378  
LOFT .....242  
LOGIC.....308  
LOGO .....274  
LUCID .....310,312  
LUMA .....260  
LUMNOS .....186

### M

MAGIC .....74,76,78,172,174  
MARGIN .....226  
MARIMBA.....94,96  
MARIN .....60  
MATRIX.....282  
MEGA .....386  
MEMORY .....62,190  
METRIC.....38,40  
METROPOLIS.....116,252  
MIES .....22  
MINI CLOUD .....214  
MINI LOFT .....244  
MINI VOGUE .....210  
MULHOLLAND .....138  
MUSE .....156  
MYSTIC.....24



## N

NEO.....238,258  
NIA .....184  
NIGHTLIFE.....204  
NIMBUS .....50

## O

OATH .....332  
OMNI .....358  
OSLO.....322

## P

PADRÓN.....64  
PALLADIAN .....146  
PANDORA .....330  
PHANTOM .....376  
PI.....278  
POLAR .....222  
PORTAL .....20  
PUCK.....280

## R

RAIN .....372  
REFLEX.....390  
RIDDLE.....34  
RINGS.....48

## S

SABRE.....218  
SCEPTER.....134  
SCISSORS.....44  
SEGMENT.....268  
SEISMIC .....230  
SHADOW .....300  
SHIMMER.....198  
SHOCK WAVES.....194,196  
SKYSCRAPPER.....380  
SLIDE .....180  
SOFIA .....208  
SOL .....272  
SPECTRE.....220  
SQUARE .....326  
STACKED .....42  
STAFF .....350  
STEM.....162  
STORMY .....10,126  
STRUCTURE.....316  
STYLUS .....394  
SUSPENSE .....318,320  
SWING .....72

## T

TABLET.....68  
TANGO .....90  
TORCH .....356  
TOWER.....128  
TRIBECA .....136  
TUSK.....246,247  
TUXEDO .....344  
TWILIGHT.....336  
TWIST .....362  
TWO IF BY SEA.....294

## U

URBAN .....368

## V

VELOCE.....52  
VERMEIL.....144  
VESSEL .....288,382  
VETRI .....234  
VIGO .....212  
VITRINE .....314  
VODKA .....202,254  
VOGUE .....224,225

## W

WASP .....120

## Y

YOLO .....92

## Z

ZELDA.....84



# MODERN FORMS

## NUMERICAL INDEX

### B

BL-20922	392
BL-21924	390
BL-24959	395

### F

FM-2009	282
FM-2012	282
FM-2109	284
FM-2111	284
FM-2115	284
FM-3708	258
FM-3712	258
FM-3718	258
FM-4207	276
FM-4211	276
FM-4215	276
FM-4219	276
FM-4407	274
FM-4411	274
FM-4514	280
FM-4516	280
FM-16818	252
FM-16824	252
FM-16830	252
FM-25814	254
FM-52718	264
FM-59922	250
FM-59933	250
FM-70807	270
FM-70811	270
FM-70818	270
FM-73710	262
FM-73714	262
FM-74712	272
FM-74716	272
FM-75710	260
FM-75715	260
FM-75720	260
FM-83922	268
FM-W9100	288
FM-W9200	286
FM-W44806	278
FM-W44809	278
FM-W44812	278
FM-W44815	278

### P

PD-11912	24
PD-15604	112
PD-64608	112
PD-61610	112
PD-66612	112
PD-16818	116
PD-16824	116
PD-16830	116
PD-20829	60
PD-20837	60
PD-24826	52
PD-24838	52
PD-26801	48
PD-26802	48
PD-26803	48
PD-26804	48
PD-28801	8
PD-28807	8
PD-28812	8

PD-30826	26
PD-30854	26
PD-32880	44
PD-34620	90
PD-34865	36
PD-35601	74
PD-35603L	78
PD-35605L	78
PD-35623L	78
PD-35603	76
PD-35605	76
PD-35609	76
PD-35615	76
PD-35621	76
PD-41703L	109
PD-41705L	109
PD-41723L	109
PD-41703R	108
PD-41705R	108
PD-41709R	108
PD-41715R	108
PD-41721R	108
PD-41719	106
PD-41728	106
PD-41737	106
PD-41803L	110
PD-41805L	110
PD-41823L	110
PD-41803R	110
PD-41805R	110
PD-41809R	110
PD-41815R	110
PD-41821R	110
PD-41819	104
PD-41828	104
PD-41837	104
PD-43728	38
PD-43738	41
PD-43748	41
PD-44918	16
PD-44930	16
PD-45918	20
PD-45926	20
PD-45934	20
PD-50748	42
PD-50829	22
PD-50835	22
PD-51318	98
PD-51542	70
PD-52512	72
PD-52708	96
PD-52718	94
PD-52724	94
PD-52734	94
PD-53728	88
PD-53740	88
PD-53751	86
PD-54728	82
PD-54732	83
PD-54765	80
PD-54868	46
PD-55718	92
PD-55726	92
PD-55735	92
PD-56729	84
PD-56748	84
PD-56822	62
PD-56856	62
PD-58738	69
PD-58756	69
PD-58784	69
PD-59922	6
PD-59933	6

PD-60828	58
PD-60834	58
PD-61728	54
PD-61738	54
PD-61760	56
PD-62812	34
PD-62864	34
PD-64834	30
PD-64861	30
PD-64849	32
PD-64872	32
PD-64875	32
PD-73926	18
PD-73932	18
PD-75934	28
PD-75950	28
PD-77928	100
PD-77932	100
PD-77932	102
PD-77965	102
PD-87924	14
PD-87956	12
PD-88828	66
PD-89924	4
PD-89936	4
PD-89948	4
PD-90830	51
PD-90858	51
PD-92818	64
PD-92927	10
PD-92950	10
PD-94860	68
PD-ACID03R	113
PD-ACID05R	113
PD-ACID09R	113
PD-ACID15R	114
PD-ACID21R	114
PD-ACID23L	114
PD-W1915	320
PD-W17907	306
PD-W17913	307
PD-W17917	304
PD-W74615	312

### W

WS-2818	374
WS-3111	224
WS-3115	224
WS-3120	225
WS-3127	225
WS-3139	225
WS-3218	222
WS-3226	222
WS-3240	222
WS-3418	216
WS-3428	216
WS-3436	216
WS-3611	242
WS-3618	242
WS-3624	242
WS-3632	242
WS-3712	238
WS-3718	238
WS-3724	238
WS-3736	238
WS-3919	234
WS-3925	234
WS-3937	234
WS-6028	236
WS-6036	236
WS-6045	236
WS-6509	232





WS-6519	.232
WS-6528	.232
WS-6537	.232
WS-6826	.228
WS-6838	.228
WS-10830	.134
WS-11310	.146
WS-11311	.144
WS-11511	.168
WS-11718	.168
WS-11522	.168
WS-11710	.166
WS-11718	.164
WS-11722	.164
WS-12118	.156
WS-12620	.172
WS-12622	.172
WS-12632	.174
WS-12672	.174
WS-12721	.170
WS-13619	.208
WS-13630	.208
WS-13641	.208
WS-14818	.244
WS-14824	.244
WS-14836	.244
WS-18818	.132
WS-21712	.210
WS-21718	.210
WS-21724	.210
WS-21736	.210
WS-23932	.120
WS-24718	.220
WS-24727	.220
WS-24736	.220
WS-25816	.202
WS-25827	.202
WS-25837	.202
WS-27610	.180
WS-30612	.142
WS-30618	.142
WS-30624	.142
WS-30612	.266
WS-30618	.266
WS-30624	.266
WS-30815	.130
WS-30835	.130
WS-31618	.152
WS-32714	.140
WS-35919	.204
WS-35925	.204
WS-35937	.204
WS-35949	.204
WS-35961	.204
WS-35973	.204
WS-35997	.204
WS-36834	.148
WS-36868	.148
WS-38817	.246
WS-38826	.247
WS-39610	.184
WS-39920	.196
WS-39927	.196
WS-39938	.194
WS-40832	.136
WS-42832	.138
WS-43932	.122
WS-45522	.240
WS-45531	.240
WS-45541	.240
WS-46518	.230
WS-46527	.230
WS-46537	.230

WS-47919	.206
WS-47925	.206
WS-47937	.206
WS-47949	.206
WS-47961	.206
WS-47973	.206
WS-47997	.206
WS-51920	.214
WS-51927	.214
WS-51937	.214
WS-53932	.124
WS-56827	.190
WS-57919	.200
WS-57927	.200
WS-57937	.200
WS-58814	.128
WS-58820	.128
WS-58827	.128
WS-66734	.150
WS-66641	.150
WS-70526	.226
WS-70538	.226
WS-80814	.212
WS-80827	.212
WS-80838	.212
WS-81910	.188
WS-81916	.188
WS-82817	.160
WS-84819	.162
WS-85922	.189
WS-91925	.198
WS-91937	.198
WS-92616	.186
WS-92927	.126
WS-94614	.182
WS-94620	.182
WS-95614	.178
WS-96609	.176
WS-97614	.158
WS-98812	.154
WS-98812	.256
WS-W1110	.368
WS-W1116	.368
WS-W1122	.368
WS-W1408	.334
WS-W1412	.334
WS-W1414	.334
WS-W1420	.334
WS-W1611	.376
WS-W1616	.376
WS-W1621	.376
WS-W1718	.354
WS-W1724	.354
WS-W1911	.318
WS-W1915	.318
WS-W1917	.318
WS-W2216	.348
WS-W2223	.348
WS-W2308	.370
WS-W2312	.370
WS-W2316	.370
WS-W2408	.372
WS-W2412	.372
WS-W2416	.372
WS-W5216	.366
WS-W5222	.366
WS-W5411	.316
WS-W5416	.316
WS-W5516	.336
WS-W5521	.336
WS-W5620	.362
WS-W9101	.382
WS-W9102	.382

WS-W9201	.384
WS-W9202	.384
WS-W11716	.346
WS-W11722	.346
WS-W12809	.378
WS-W12816	.378
WS-W12824	.378
WS-W13718	.338
WS-W16728	.344
WS-W17909	.302
WS-W17912	.302
WS-W17917	.302
WS-W18708	.322
WS-W18710	.322
WS-W19732	.350
WS-W19770	.350
WS-W22510	.364
WS-W22514	.364
WS-W22520	.364
WS-W28514	.296
WS-W28516	.296
WS-W28521	.296
WS-W30507	.330
WS-W30509	.330
WS-W30511	.330
WS-W32512	.314
WS-W32516	.314
WS-W32521	.314
WS-W34517	.360
WS-W34524	.360
WS-W35512	.358
WS-W35516	.358
WS-W35520	.358
WS-W37520	.356
WS-W37916	.292
WS-W37922	.292
WS-W38608	.326
WS-W38610	.326
WS-W41912	.294
WS-W41918	.294
WS-W46817	.300
WS-W46824	.300
WS-W48816	.308
WS-W48823	.308
WS-W55607	.324
WS-W60610	.328
WS-W60616	.328
WS-W68612	.380
WS-W68618	.380
WS-W68627	.380
WS-W69620	.352
WS-W69628	.352
WS-W70612	.386
WS-W71618	.332
WS-W71628	.332
WS-W71918	.298
WS-W71928	.298
WS-W73608	.340
WS-W73614	.340
WS-W73620	.340
WS-W73660	.342
WS-W74612	.310
WS-W74615	.310
WS-W81612	.218
WS-W81619	.218
WS-W81625	.218
WS-W81637	.218

