

Holloway I Light Pendant

P1285_

1.0

FEISS®

EST. 1955

Pendant

GENERAL PRODUCT INFORMATION:

This product is listed by one of the following
 “Nationally Recognized Testing Laboratory”



This product is suitable for dry locations only.


This product may be dimmed with a standard incandescent dimmer.

This instruction shows a typical installation.

CAUTION - RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

Use minimum 90°C supply conductors.




- 1** Place the shade housing over the socket assembly and screw the socket assembly to the stem assembly.
- 2** Place the shade into the socket assembly and secure it by tightening the collar nut.
- 3** Screw the lamp into the socket. Refer to the label on the lamp socket for Max Wattage information.
- 4** Follow enclosed supplement installation instructions for electrical and fixture installation onto house outlet box.

ATTENTION : RISQUE D'INCENDIE

Ce produit doit être installé conformément au code d'installation en vigueur par une personne familière avec la construction et l'exploitation du produit et les risques qu'il entraîne.

Utiliser les conducteurs d'alimentation supérieure à 90° c.



1 Placez le couvercle de l'abat-jour sur la douille et vissez la douille à l'assemblée de la tige.

Placez l'abat-jour dans l'assemblée de la douille et le fixer en serrant l'écrou à collier.


2 Vissez le ampoule dans le douille. Reportez-vous à l'étiquette sur la douille de lampe Puissance max pour plus d'informations.

3 Suivez les instructions d'installation jointes supplément pour l'installation électrique et de fixation sur la boîte de sortie de la maison.

PRECAUCIÓN: RIESGO DE INCENDIO

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

Utilizar conductores de suministro mínimo 90° c.



- 1** Coloque la cubierta de la pantalla sobre la assembly de enchufe y atornille la assembly de enchufe a la assembly de tallo.
- 2** Coloque la la assembly de la pantalla y asegúrelo apretando la tuerca de collar.
- 3** Enrosque la bombilla en el enchufe. Consulte la etiqueta en el enchufe de la lámpara para obtener información de Max Wattage.
- 4** Siga las instrucciones de Instalación incluido suplemento para eléctricos e instalación de la lámpara en la caja de enchufe de casa.

SAVE THESE INSTRUCTIONS!

FEISS

EST. 1955

555 Theodore Fremd Ave Suite B101 Rye, NY 10580

800.969.3347

www.Feiss.com

© 2014 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.
A Generation Brands Company