

# Kenton 1, 2, 3, and 4 Light Vanity Strip

VS3900\_ 1.0

# FEISS®

EST. 1955

## Wall

### GENERAL PRODUCT INFORMATION:

This product is listed by one of the following  
 “Nationally Recognized Testing Laboratory”



This product is suitable for damp locations.


This product may be dimmed with a standard incandescent dimmer.

This instruction shows a typical installation.

#### CAUTION - RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

Use minimum 90°C supply conductors.




- 1** Follow enclosed supplement installation instructions for electrical and fixture installation onto house outlet box.  
**Note:** For single light fixture, mounting plate studs must face horizontally.
- 2** Install the shade and spacer by placing them over the socket and securing them with the collar nut.
- 3** Screw the lamp into the socket. Refer to the label on the lamp socket for Max Wattage information.
- 4** If necessary, repeat steps 2 and 3 for remaining shades.

**ATTENTION : RISQUE D'INCENDIE**

Ce produit doit être installé conformément au code d'installation en vigueur par une personne familière avec la construction et l'exploitation du produit et les risques qu'il entraîne.

**Utiliser les conducteurs d'alimentation supérieure à 90° c.**



**1** Suivez supplément ci-joint des instructions électriques et installation d'accessoires dans la boîte de prise de maison.  
**Remarque :** Pour le luminaire unique, goujons de montage doivent faire face horizontalement.

**2** Installer l'abat-jour et l'espaceur en les plaçant sur le douille et les fixant avec l'écrou à collier.


**3** Vissez l'ampoule dans la douille. Consulter l'étiquette sur la douille de lampe pour information Max Wattage.

**4** Si nécessaire, répétez les étapes 2 et 3 pour les nuances restants.

**PRECAUCIÓN: RIESGO DE INCENDIO**

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

**Utilizar conductores de suministro mínimo 90° c.**



- 1** Siga las instrucciones de instalación incluido suplemento para eléctricos e instalación del luminario en caja de salida de la casa. **Nota:** Para una sola lámpara, los esparragos de montaje deben ser horizontal.
- 2** Instalar la pantalla y el espaciador por colocarlos sobre el enchufe y asegurándolos con la tuerca de collar.
- 3** Enrosque la lámpara en el enchufe. Consulte la etiqueta en el enchufe de la lámpara para información sobre la Max Wattage.
- 4** Si es necesario, repita los pasos 2 y 3 para los colores restantes.

**SAVE THESE INSTRUCTIONS!**

**FEISS**<sup>®</sup>

EST. 1955

555 Theodore Fremd Ave Suite B101 Rye, NY 10580

800.969.3347

[www.Feiss.com](http://www.Feiss.com)

© 2014 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.

A Generation Brands Company