



*Northeast
Lantern*

Solid brass and
copper light fixtures
handcrafted in the USA.



- 6 - 7 **QUICK SHIP** 
- 8 - 9 **CAMBRIDGE**  **& ANDREWS** 
- 10 - 23 **ONION & ROUND** 
- 24 - 25 **BOSC** 
- 26 - 27 **HEAL** 
- 28 - 31 **BARN** 
- 32 - 35 **BOSTON & JAMESTOWN** 
- 36 - 37 **SHARON**  **& BRISTOL** 
- 38 - 41 **CONCORD** 
- 42 - 43 **YORK**  **& ADAMS** 
- 44 - 45 **IMPERIAL** 
- 46 - 47 **STANFIELD** 
- 48 - 49 **ASHFORD**  **& MIDTOWN** 
- 50 - 51 **ESSEX**  **& ELRYAN** 
- 52 - 53 **EMPIRE** 
- 54 - 55 **WOODCLIFFE**  **& LIVERY** 
- 56 - 57 **LYNN**  **& UXBRIDGE** 
- 58 - 59 **PENDANTS** 
- 60 - 65 **CHANDELIERS** 
- 66 - 69 **FOYER** 
- 70 - 71 **FLUSH** 
- 72 - 73 **SCONCES** 
- 74 - 75 **CUSTOM**
- 76 - 77 **ACCESSORIES & POSTS** 
- 78 - 79 **HOW TO ORDER & INDEX** ✓

Northeast Lantern, Ltd. | 6 Commerce Way | Exeter, NH 03833

Unless otherwise noted, all photography is
© 2016 Northeast Lantern, Ltd.
This catalog may not be reproduced or copied without permission.
Volume 17

We appreciate your support and business.

Thank you from everyone at Northeast Lantern, Ltd.
Your continued support and business is appreciated.

Over the past 29 years we have grown our company and employed new production techniques to maintain our commitment to you, our loyal customers.

All of our handcrafted light fixtures are made in New Hampshire by skilled craftsmen and women. We believe in working together as a team and everyone plays a vital role in creating all the fixtures shown throughout this catalog. We are dedicated to customer satisfaction and maintain a proficient manufacturing process to deliver only the best solid brass and copper light fixtures in the industry.

Quality Manufacturing & Service.

We use 100% brass and copper materials. Brass and copper are incredibly durable materials and are two of the highest graded metals resistant to corrosion and weather. Brass and copper have more resistance to oxidation than steel and aluminum and will patina with age which helps protect the fixture against any corrosion.

Lifetime Guarantee.

We are 100% confident in our product. We understand our customer's desire to have a durable, high quality lighting fixture that withstands changing weather conditions. Northeast Lantern guarantees our lighting fixtures against any defects in workmanship under normal use for the lifetime of the fixture. With the exception of glass, our fixtures will last a lifetime.

LED.

Available to order; all of our fixtures can accept a twist in LED bulb.

Style	Watts	Color	Lumens
N588L	2	2700K	200
N589L	3.5	2700K	350
N251L	4.5	2200K	450
N581L	2	2700K	180

Estimated Equivalents Chart		
Incandescent	Min. light output (In Lumens)	LED
25W	250 lm	3-4W
40W	450 lm	4-5W
60W	800 lm	6-8W
75W	>1,100 lm	9-13W
100W	1,600 lm	16-20W
125W	2,000 lm	21-23W

LED Flame Tip Candelabra Dimmable



N588L N589L

LED Medium Base Dimmable



N251L

N581L

Solid brass and
copper light fixtures
handcrafted in New Hampshire.





Our unique manufacturing methods are displayed throughout this catalog to show our commitment to producing high quality fixtures handcrafted by all of us ... for you.



Barn Collection
pg. 28

Onion Collection
pg. 10

Heal Collection
pg. 26

Empire Collection
pg. 52

Concord Collection
pg. 38

FINISH OPTIONS

We offer five different brass finishes and two different copper finishes. All of our finishes are hand applied and can vary slightly because of this process. It is a *living finish* that will age naturally in the same environment with no flaking, peeling or rusting.

The finish process works naturally with the brass and copper materials to create the varying shades of finish on each piece. We do not lacquer, powder coat or paint any of our fixtures.



RB: Raw Brass

A bright, natural yellow shine.



AB: Antique Brass

A muted brownish-gold color.



DAB: Dark Antique Brass

Dark brown with gold highlights.
Our closest to bronze finish.



DB: Dark Brass

A dark gray, charcoal finish.
Our darkest finish.



VG: Verdi Gris

A brass fixture with black undertones
and an overall blue/green color.



RC: Raw Copper

Bright and shiny; similar to a new penny.



AC: Antique Copper

Slightly darkened and aged.



These images show a raw brass fixture and how the finish changes over time.



GLASS OPTIONS

We offer six different types of flat glass. All fixtures arrive standard with clear glass.

Each type of glass has it's own code for easy ordering.

CLR: Clear

Unless otherwise stated; standard in all fixtures.

Our clear glass is double-strength glass: "DSB" referring to double strength billet, this is glass between 0.115 and 0.133 inches thick.



WHT: White

Shiny white with a blend of swirled soft white.



CRML: Caramel

A blend of ivory and light caramel color. Provides a warm glow when lit.



CSG: Clear Seedy Glass

Our most popular glass choice. Encapsulated bubbles are scattered on clear glass.



SMG: Seedy Marine Glass

Overload of encapsulated bubbles with fine lines are dispersed in clear glass.



FST: Frosted

Lighter than white glass. More popular on interior flush mount fixtures.

We offer three different types of hand-blown glass globes. Clear, Clear Seedy and Optic.

Small blemishes and bubbles are inherent in hand-blown glass and are not considered defects. Due to the nature of the glass-making process, the pattern and balance of color in the glass may vary slightly within a fixture and from one fixture to another.



CSG: Clear Seedy Glass

Encapsulated bubbles scattered on clear glass.



OPT: Optic

Rippled vertical waves on clear glass.

QUICK SHIP

Quantities of 6 or less:
Ship in 5-10 business days.
Limited availability.
Contact us to confirm.

All fixtures available in brass finishes only:
 Raw Brass (RB), Antique Brass (AB),
 Dark Brass (DB), Dark Antique Brass (DAB),
 and Verdi Gris (VG).

Sockets are as pictured.

Fixtures with a * are also available with a medium base socket and glass hurricane chimney (CIM).

All caged onion globes available with Clear (CLR) and Optic (OPT) glass only. Uncaged onion globes available with Clear (CLR), Optic (OPT) and Seedy (CSG) glass. All other fixtures available with Clear (CLR), Clear Seedy (CSG), Seedy Marine (SMG) and Frosted (FST) glass.

2511



2521



2531



2541



2543



5611*



5621*



5721*



5751*



5643*



3317



3337



8811



8831





8961
MR45 reflector (optional)



8971
BR60 reflector (optional)



8983*



7517



7527



2512



2522



2032G

2042G



2034G

2044G



5632



4104



4204



906



3441

3421

3411




PMO1
Brass
Pier Mount



CAPM
Cast Aluminum Pier
Mount (Epoxy supplied)

new CAMBRIDGE Collection



style	socket	width	depth	height	mounting height	mounting area	cUL ^{us} LISTED
3711	MED or LT2	8	8.25	14.25	10	6.75 x 6.75	wet
3721	MED or LT2	9	9.25	15.75	10.75	7.5 x 7.5	wet
3731	MED or LT2	10	10.25	17.25	12	8.5 x 8.5	wet
3712	MED or LT2	8	8	15.75	36" chain	5" diam.	damp
3732	MED or LT3	10	10	18.75	36" chain	5" diam.	damp
3733	CIM or LT3	10	10	20		3" fitter	wet
3911	MED or LT2	11	8.25	14.25	8.75	4.25 x 7	wet
3921	MED or LT2	12	9.25	15	9	4.25 x 7	wet
3843	CIM or LT3	15	15	24		3" diam.	wet
3812	MED or LT3	11	11	15.75	36" chain	5" diam.	damp
3822	MED or LT3	12	12	16.75	36" chain	5" diam.	damp

MED = medium socket; 75 watt max
LT2/LT3= candelabra socket; 60 watt max

*Copper finish not available.



new
ANDREWS Collection



ONION Wall



2531 fixtures shown. Photo credit: Sam Gray Photography

style	socket	width	depth	height	mounting height	mounting area	cUL ^{us} LISTED
2511	MED	8	9.5	15.5	12	4.5 x 5.75	wet
2515	MED	8	10	12	6	5.25" diam.	wet
2521	MED	9	11	16	12	4.5 x 5.75	wet
2525	MED	9	11	12.5	6	5.25" diam.	wet
2531	MED	10.5	12.5	19	13	4.5 x 5.75	wet
2541	MED or LT2	12	13.5	21	13.5	4.5 x 5.75	wet
2571	MED or LT2	14.5	16	25	17	4.5 x 5.75	wet
2573	MED or LT3	14.5	14.5	22		3" diam.	wet


MED = medium socket; 75 watt max
LT2/LT3= candelabra socket; 60 watt max





2511
OPT

15.5".....



2521
OPT

16"



19"

2531
OPT




21"

2541
OPT



2511
CLR

15.5".....



2521
CLR

16"



19"

2531
CSG



21"

2541
CLR



12"

2515
CLR



12.5"

2525
CLR



25"

2571
OPT



25"

2571
CLR

ONION Hanging



Customized 2542 fixtures. Photo Credit: John Bessler

style	socket	width	depth	height	mounting height	mounting area	
2012-AP10	MED	5.5	5.5	8.5		5.75" diam.	damp
2522-AP10	MED	9	9	9.5		5.75" diam.	damp
2512	MED	8	8	12	36" chain	5" diam.	damp
2514	MED	8	8	10.5		5.75" diam.	damp
2522	MED	9	9	13	36" chain	5" diam.	damp
2524	MED	9	9	10.75		5.75" diam.	damp
2532	MED	10.5	10.5	15.5	36" chain	5" diam.	damp
2542	MED or LT2	12	12	17	36" chain	5" diam.	damp
2572	MED or LT2	14.5	14.5	20	36" chain	5" diam.	damp

MED = medium socket; 75 watt max LT2 = candelabra socket; 60 watt max

Solid brass and copper light fixtures handcrafted in New Hampshire.






12" 2512
OPT



13" 2522
CLR



15.5" 2532
OPT



17" 2542
CLR



10.5" 2514
OPT



10.75" 2524
OPT



20" 2572
OPT



2522
AP10
CSG

9.5"



2012
AP10
OPT

8.5"

See page 58 for
more info on
how to order
our pendants

ONION Collection



2034G and 2521 fixtures shown.






style	socket	width	depth	height	mounting height	mounting area	
2011	MED	5.5	8.5	15	12	4.5 x 5.75	wet
2012	MED	5.5	5.5	12	36" chain	5" diam.	damp
2014	MED	5.5	5.5	9.75		5.75" diam.	damp
2015	MED	5.5	9	11	6	5.25" diam.	wet
2021	MED	7	9.5	15.5	12	4.5 x 5.75	wet
2022	MED	7	7	12.5	36" chain	5" diam.	damp
2024	MED	7	7	10		5.75" diam.	damp
2025	MED	7	10	11.5	6	5.25" diam.	wet
2031	MED	8	11	18.5	13.5	4.5 x 5.75	wet
2032	MED	8	8	15.5	36" chain	5" diam.	damp
2032G*	MED	8	8	10	36" chain	5" diam.	damp
2034G*	LT2	8	8	10		5.75" diam.	dry
2041	MED or LT2	9.75	12	21	13.5	4.5 x 5.75	wet
2042	MED or LT2	9.75	9.75	17.5	36" chain	5" diam.	damp
2044G*	LT2	9.75	9.75	12.25		5.75" diam.	dry

*Copper finish not available.

MED = medium socket; 75 watt max; LT2/LT3 = candelabra socket; 60 watt max





ONION Post



2543 fixtures shown with CAPM.

style	socket	width	depth	height	mounting area	
2043	MED	9.75	9.75	20	3" diam.	wet
2523	MED	9	9	16	3" diam.	wet
2533	MED	10.5	10.5	18.5	3" diam.	wet
2543	MED	12	12	20	3" diam.	wet
2573	MED or LT3	14.5	14.5	22	3" diam.	wet

MED = medium socket; 75 watt max; LT3 = candelabra socket; 60 watt max

2523
CLR

16"



2533
CLR

18.5"



20" 2043
OPT



20" 2043
CLR



20"

2543
OPT



20"

2543
CLR



22"

2573
CLR



22"

2573
OPT



Every fixture we
produce is skillfully
finished by hand.



ROUND ONION Wall

2851 fixture shown.

style	socket	width	depth	height	mounting height	mounting area	
2831	MED	11.5	13	23	13.5	4.5 x 5.75	wet
2841	MED	13	14	24	13.5	4.5 x 5.75	wet
2851	LT3	15.5	17	28	16	4.5 x 5.75	wet
2861	LT3	18	20	35	19	4.5 x 5.75	wet

MED = medium socket; 75 watt max; LT3 = candelabra socket; 60 watt max




ROUND ONION Hanging



2852 fixture shown.

style	socket	width	depth	height	mounting height	mounting area	
2832	LT2 or MED	11.5	11.5	18	36" chain	5" diam.	damp
2842	LT2 or MED	13	13	19	36" chain	5" diam.	damp
2852	LT3	15.5	15.5	24	36" chain	5" diam.	damp
2862	LT3	18	18	27	36" chain	5" diam.	damp

MED = medium socket; 75 watt max; LT2/LT3 = candelabra socket; 60 watt max



ROUND ONION Post




An aged 2863 fixture shown.

style	socket	width	depth	height	mounting area	
2843	MED or LT3	13	13	21	3" diam.	wet
2853	MED or LT3	15.5	15.5	25	3" diam.	wet
2863	MED or LT3	18	18	30	3" diam.	wet

MED = medium socket; 75 watt max; LT3 = candelabra socket; 60 watt max

Solid brass and
copper light fixtures
handcrafted in New Hampshire.





[illegible][illegible][illegible]



2721
CLR

20.25"



24.75"

2731
CLR



28"

2741
CLR



24.5"

2743
CLR



17"

2722
OPT



23.25"

2742
CLR

14"



2724
OPT

HEAL Collection



3312 and 3317 fixtures shown.

style	socket	width	depth	height	mounting height	mounting area	cUL ^{us} LISTED
3312	MED	6	6	14	36" chain	5" diam.	damp
3317-NS	MED	6	8.5	13	8.5	4.5 x 5.75	wet
3317	MED	6	8.5	16	12	4.5 x 5.75	wet
3332	MED or LT2	8	8	18	36" chain	5" diam.	damp
3333	CIM or LT2	8	8	21		3" diam.	wet
3337	CIM or LT2	8	11.75	20.5	14	4.5 x 5.75	wet
3353	CIM or LT3	10	10	25		3" diam.	wet
3357	CIM or LT3	10	13	27	17	4.5 x 5.75	wet

MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max
 CIM = medium socket with glass hurricane chimney. NS = No Scroll

3317, 3337, 3357 available with no scroll (NS).

3317-NS
CLR

Our standard 3317-No Scroll

13"

3317
CLR

16"

3337
CLR

20.5"

27"

3357
CSG

3312
CLR

....14"

18"

3332
CLR

3333

21"

25"

3353
CLR

3337

3353

3317

BARN Collection



3441 fixtures shown.

style	socket	width	depth	height	mounting height	mounting area	
3411	MED	8	10.5	7	3	4.5 x 5.75	wet
3421	MED	9.75	12.5	8.25	3	4.5 x 5.75	wet
3441	MED	14	16.5	10.75	3	4.5 x 5.75	wet
3451	MED	18	21	13	3	4.5 x 5.75	wet
3422-AP10	MED	9.75	9.75	8		5.75" diam.	damp
3442-AP10	MED	14	14	10.5		5.75" diam.	damp

MED = medium socket; 75 watt max



3442-AP10

See page 58 for
more info on
how to order
our pendants

3422-AP10

.....10.5"

.....8"

Each shade is
individually spun
with a rolled hem
and a single or
double bead.





BARN Collection



Customized 3446 fixtures shown. 3441 fixture above.

style	socket	width	depth	height	mounting height	mounting area	UL LISTED
3426	MED	9.75	30.75	12.25	8	4.625	wet
3446	MED	14	33.5	17.25	8	4.625	wet
3456	MED	18	35.5	19.5	8	4.625	wet
3429	MED	9.75	24.5	15.5	6.5	4.625	wet
3449	MED	14	24.5	19	6.5	4.625	wet



- Customizable projection lengths
- Max 300 watt bulb with porcelain socket
- 3 size shade options & 2 angle options




4⁵/₈" diameter cast bronze mounting cap. Included with all fixtures.



Cast bronze support with stainless steel cable measures: 1³/₁₆" depth and 2³/₈" diam. Adjustable on site. Included with 3456 fixture.



BOSTON & JAMESTOWN Collections



1253 fixtures shown.

style	socket	width	depth	height	mounting height	mounting area	
BOSTON							
1001	CIM or LT2	10.25	12.25	19	12.5	4.5 x 8	wet
1011	CIM or LT3	12	14	26	17.5	4.5 x 9.5	wet
1012	LT3	12	12	23	36" chain	5" diam.	damp
1043	CIM or LT3	15	15	38		3" diam.	wet
1061	CIM or LT3	12	14	25	16.5	4.5 x 9.5	wet
1063	CIM or LT3	12	12	26		3" diam.	wet
1073	CIM or LT3	14	14	29		3" diam.	wet
1113	CIM or LT3	11	11	22		3" diam.	wet
1223	CIM or LT3	12	12	29		3" diam.	wet
JAMESTOWN							
7827	LT2	9.5	11.25	17	9.5	4.5 x 4.5	wet
7833	CIM or LT3	12	12	24.5		3" diam.	wet
7837	LT3	12	13.75	21.5	11.75	4.5 x 5.5	wet
MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max CIM = medium socket with glass hurricane chimney							





1001
CLR

19"



1061
CLR

25"




1011
CLR

26"




1012
CLR

23"



7827
CLR

17"



7837
CLR

21.5"



7833
SMG

24.5"

P106 Cedar post

26"

1023
CLR

26"

1063
CLR

27"

1013
CLR1003
CLR

20"

1113
CLR

22"

1623
CLR

27"



style	socket	width	depth	height	mounting area	c  US = wet LISTED
1003	CIM or LT3	10.25	10.25	20	3" diam.	LT3 = candelabra socket; 60 watt max
1013	CIM or LT3	12	12	27	3" diam.	
1023	CIM or LT3	12	12	26	3" diam.	
1033	CIM or LT3	15	15	38	3" diam.	CIM = medium socket; 75 watt max with glass hurricane chimney
1043	CIM or LT3	15	15	38	3" diam.	
1063	CIM or LT3	12	12	26	3" diam.	
1073	CIM or LT3	14	14	29	3" diam.	see page 77 for more information on our spiders
1113	CIM or LT3	11	11	22	3" diam.	
1223	CIM or LT3	12	12	29	3" diam.	
1253	CIM or LT3	15	15	43	3" diam.	
1273	CIM or LT3	14	14	32	3" diam.	
1623	CIM or LT3	16	16	27	3" diam.	

We use brass
sockets & clips
to eliminate the
effects of
corrosion.



1223
CLR

29"



1073
CLR

29"



1273
CLR

32"



1033
CLR

38"

standard spider, included



1043
CLR

38"

standard spider, included






1253
CLR

43"

standard spider, included

SHARON Collection




style	socket	width	depth	height	mounting height	mounting area	UL LISTED
<i>SHARON</i>							
5531	CIM or LT2	8	8.5	17	12	5 x 7.5	wet
5541	CIM or LT2	10	10.5	21	15	8 x 11	wet
5542	LT2	10	10	22	36" chain	5" diam.	damp
5543	CIM or LT3	10	10	25		3" diam.	wet
5551	CIM or LT2	12	12.5	26	18	10 x 13	wet
5553	CIM or LT3	12	12	29.5		3" diam.	wet
<i>BRISTOL</i>							
5911	CIM or LT2	6.5	7	18	13.25	5 x 8.75	wet
5921	CIM or LT2	7.5	8	21.25	16	6 x 9.5	wet
5931	CIM or LT2	8.5	9	23.25	17.5	7 x 10.75	wet
5932	LT2	8.5	8.5	23.25	36" chain	5" diam.	damp
5933	CIM or LT3	8.5	8.5	26		3" fitter	wet

MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max
 CIM = medium socket with glass hurricane chimney



BRISTOL Collection



CONCORD Wall



Customized 5721 & 5652 fixtures shown.
Photo credit: Robert Karosis

style	socket	width	depth	height	mounting height	mounting area	
5611	CIM or LT1	6	6.5	13	8.5	4.5 x 8	wet
5621	CIM or LT1	6	6.5	16	10	4.5 x 11	wet
5631	CIM or LT3	9.25	9.5	16	10	7 x 11	wet
5651	CIM or LT2	8	8.5	20	12.75	6.5 x 12	wet
5711	CIM or LT2	9.25	6.5	13	8.5	7 x 8	wet
5721	CIM or LT2	9.25	6.5	16	10	7 x 11	wet
5751	CIM or LT2	12.25	8.5	20	12.5	9 x 12	wet

MED = medium socket; 75 watt max LT1/LT2/LT3 = candelabra socket; 60 watt max
CIM = medium socket with glass hurricane chimney





CONCORD Hanging & Post



5632 fixture shown.

style	socket	width	depth	height	mounting area		
5632	LT3	9.25	9.25	19	5" diam.	36" chain	damp
5633	CIM or LT3	9.25	9.25	23	3" diam.		wet
5633P	CIM or LT3	9.25	9.25	20.75	9.25 x 9.25		wet
5643	CIM or LT3	9.25	9.25	19	3" diam.		wet
5652	LT3	12.25	12.25	24	5" diam.	36" chain	damp
5653	CIM or LT3	12.25	12.25	28	3" diam.		wet
5653P	CIM or LT3	12.25	12.25	25	12.25 x 12.25		wet

MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max
 CIM = medium socket with glass hurricane chimney



5643
CLR

...19"



23".... 5633
CLR



23".... 5633
CLR



20.75".... 5633P
CLR



5653
CSG

28"...



5653
CLR

28"....





5653P
CLR

25"....



YORK Collection



style	socket	width	depth	height	mounting height	mounting area	cUL ^{us} LISTED
7011 or 7111	MED	5	5.75	14.5	12	4.5 x 4.5	wet
7012 or 7112	MED	5	5	11	36" chain	5" diam.	damp
7031 or 7131	MED or LT2	6	6.75	19	15	5.5 x 7	wet
7041 or 7141	MED or LT2	7	7.75	23	18	6.5 x 9	wet
7042 or 7142	MED or LT2	7	7	19	36" chain	5" diam.	damp
7051 or 7151	CIM or LT2	8	8.75	27	21.5	7 x 11	wet
7053 or 7153	CIM or LT3	8	8	25		3" diam.	wet

MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max
 CIM = medium socket with glass hurricane chimney

Each fixture #7131 that we construct is composed of 32 parts. These parts are measured, cut & bent by one of our craftsman.

ADAMS Collection

6111
CLR

13.5"



6131
CSG

18"



6131-NS
CLR
our standard 6131
- no scroll

14"



22"

6141
CLR



24"

6151
CLR



6112
CLR

9"



6132
CLR

15"



6142
CLR

17"



22"

6153
CLR

22"



13.5"...

6011
CLR



18"...

6031
CLR



6012
CLR

9" ...



15"...

6032
CLR



22"...

6053
CLR



style	socket	width	depth	height	mounting height	mounting area	UL LISTED
6011 or 6111	MED	5	5.75	13.5	11	4.5 x 4.5	wet
6012 or 6112	MED	5	5	9	36" chain	5" diam.	damp
6031 or 6131	MED or LT2	6	6.75	18	14	5.5 x 7	wet
6031-NS or 6131-NS	MED or LT2	6	6.75	14	10	5.5 x 7	damp
6032 or 6132	MED	6	6	15	36" chain	5" diam.	wet
6041 or 6141	MED or LT2	7	7.5	22	17	6.5 x 9	wet
6042 or 6142	MED or LT2	7	7	17	36" chain	5" diam.	damp
6051 or 6151	CIM or LT3	8	8.75	24	18.5	7.5 x 11	wet
6053 or 6153	CIM or LT3	8	8	22		3" diam.	wet

MED = medium socket; 75 watt max
CIM = medium socket with glass hurricane chimney

LT2/LT3 = candelabra socket; 60 watt max



IMPERIAL Collection




If item number
ends with:
6= bottom scroll
7= top scroll
8= top & bottom scroll




style	socket	width	depth	height	mounting height	mounting area	cULUS LISTED
6406	LT2	8	10.5	21	11.25	4.5 x 5.75	wet
6412	LT2	10	10	23	36" chain	5" diam.	damp
6422	LT2	12	12	27	36" chain	5" diam.	damp
6413	LT2	10	10	26		3" diam.	wet
6416	LT2	10	12.25	28	15	4.5 x 5.75	wet
6417	LT2	10	12.5	26	17	4.5 x 5.75	wet
6418	LT2	10	12.25	31	18.5	4.5 x 5.75	wet
6423	LT2	12	12	30		3" diam.	wet
6428	LT3	12	14.5	38.5	20.25	4.5 x 5.75	wet

LT2/LT3 = candelabra socket; 60 watt max

Solid brass and
copper light fixtures
handcrafted in New Hampshire.





STANFIELD Collection



7648 fixture shown.

style	socket	width	depth	height	mounting height	mounting area	
7611	MED or LT2	7	9.75	13	9.5	4.5 x 7	wet
7631	MED or LT2	9	11.5	18	13	4.5 x 9.5	wet
7632	MED or LT2	9	9	18	36" chain	5" diam.	damp
7637	LT2	9	11.5	23	16	4.5 x 5.75	wet
7638	LT2	9	11.5	27	16	4.5 x 5.75	wet
7643	LT3	13	13	28		3" diam.	wet
7647	LT2	13	15.25	29	22	4.5 x 5.75	wet
7648	LT2	13	15.25	34.5	22	4.5 x 5.75	wet
7651	LT3	15	16.5	30	23	4.5 x 14	wet
7653	CIM or LT3	15	15	33		3" diam.	wet
7658	LT3	15	17.5	40	23	4.5 x 5.75	wet

MED = medium socket; 75 watt max LT2/LT3 = candelabra socket; 60 watt max
 CIM = medium socket with glass hurricane chimney





23"

7637
CLR



27"

7638
SMG



29"

7647
CLR



18"

7632
CSG



13"

7611
CLR



18"

7631
CLR




30"

7651
CLR



40"

7658
CSG



33"

7653
CLR

*Pipe spider, additional.
See page 77 for more info
on our spiders.*



28"

7643
CLR

The scroll of this fixture
is soldered through the
backplate; providing
added durability
& support.

ASHFORD Collection

shown with *optional* reflectors



8961
CLR



8971
CLR



8983
CSG



10.25" ...
8961
CLR

optional MR40 reflector



12.25" ...
8971
CLR

optional BR60 reflector



12.25" ...
8971
CLR

optional BR60 reflector



15.25" ...

8983
CSG


style	socket	width	depth	height	mounting height	mounting area	UL LISTED
MIDTOWN							
7511	MED	7.5	4.75	12	6	6.5 x 10.75	wet
7521	MED	9.5	6.25	15	7.75	8.5 x 13.75	wet
7517*	MED or LT2	7.25	10.5	14.5	3	4.75 x 5.5	wet
7527*	MED, LT2 or LT3	9.25	13	18.25	4.5	4.75 x 6.5	wet
7537*	MED, LT2 or LT3	10.5	15.25	22	5	4.75 x 6.5	wet
7717	MED	5.25	8.25	12	3	4.5 x 5.75	wet
7727	MED or LT2	8	11.25	17.5	4.75	4.75 x 9.5	wet
ASHFORD							
8961	MED or LT1	6	6.25	10.25	5	4.5 x 8.5	wet
8971	MED2 or LT2	8	8.25	12.25	6	6 x 10.75	wet
8983	CIM or LT3	9	9	15.25	3" diam.		wet

MED/MED2 = medium socket; 75 watt max

*Copper finish not available

LT2/LT3 = candelabra socket; 60 watt max

Mirror reflectors



MR40 - 4" diam.

MR60 - 6" diam.

Brass reflectors



BR45 - 4.5" diam.

BR60 - 6" diam.

MIDTOWN Collection



ESSEX Collection



8711*
CLR

16.75" ...



8721*
CSG

18.75" ...



8731*
CLR

20.5" ...



8622*
CLR

20.25" ...



8633*
CLR

20.75" ...

style	socket	width	depth	height	mounting height	mounting area	UL LISTED
<i>ELRYAN</i>							
1764*	MED2 or LT3	13	13	10		13 x 13	damp
4934G*	MED2 or LT3	13.25	13.25	10		13.25 x 13.25	damp
4942G*	LT4	12.25	12.25	27.5	36" chain	5" diam.	dry
8631*	MED or LT2	9	11	13	7	4.5 x 5.75	wet
8641*	MED or LT2	11	13	18	11	4.5 x 5.75	wet
8642*	MED or LT3	11	11	20.5	36" chain	5" diam.	damp
8643*	CIM or LT3	11	11	22		3" fitter	wet
8653*	CIM or LT3	16	16	27		3" fitter	wet
<i>ESSEX</i>							
8711*	LT2	7.75	5.25	16.75	8.5	6.5 x 12.5	wet
8721*	LT2	7.75	5.25	18.75	9.5	6.5 x 15	wet
8731*	LT2	9.25	6.75	20.5	10.25	8 x 16.5	wet
8633*	CIM or LT3	9.25	9.25	20.75		9 x 9	wet



*Copper finish not available.
MED = medium socket; 75 watt max
CIM = medium base socket with hurricane chimney
LT2/LT3 = candelabra socket; 60 watt max

ELRYAN Collection

8631*
SMG



8641*
CSG



4942G*
CSG



8642*
CLR



8643*
CSG




8653*
CLR



1764*
SMG

10" ...



40 watt max

4934G*
SMG

10" ...



40 watt max

EMPIRE Collection



8851 fixtures shown

style	socket	width	depth	height	mounting height	mounting area	cUL [®] LISTED
8811	LT2	9.25	5.75	15.5	8.25	7.5 x 9	wet
8831	LT2	9.25	5.75	18.5	10	7.5 x 11.75	wet
8851	LT2	9.25	5.75	23	12	7.5 x 16	wet
8911	LT1	5.5	5.75	15.5	8.25	4 x 9	wet
8931	LT1	5.5	5.75	18.5	10	4 x 11.75	wet
8932	LT3	9.25	9.25	19	36" chain	5" diam.	damp
8933	LT3	9.25	9.25	21.5	3" diam.		wet
8933P	LT3	9.25	9.25	18.5		9.25 x 9.25	wet
8953	LT3	12	12	27.5	3" diam.		wet
8953P	LT3	12	12	24.5		12 X 12	wet

LT1/LT2/LT3 = candelabra socket; 60 watt max
 Plain (PM) and Antique (AM) Mirror are optional in each wall mount fixture.
 Please specify.



8911
CSG

15.5"...



8931
CLR

18.5"....



8811
CLR

15.5"....



8831
CSG

18.5"....



23" ... 8851
CSG



8933P
CSG

18.5".....



24.5"

8953P
CSG



8932
CSG

19"



8933
CSG

21.5".....



27.5"

8953
CLR



WOODCLIFFE Collection



8311
CLR



8331
CLR
17"



8312
CLR
13"



8332
CLR
17"



8353
CLR
26"



8341
CIM
19".....



8351
CLR
22.5"



8352
CLR
22.5"

style	socket	width	depth	height	mounting height	mounting area	UL LISTED
WOODCLIFFE							
8311	MED or LT1	5	5.75	13	9.5	5 x 5.5	wet
8312	MED	5	5	13	36" chain	5" diam.	damp
8331	LT2	6	6.75	17	12.5	5.5 x 7.5	wet
8332	MED or LT2	6	6	17	36" chain	5" diam.	damp
8341	CIM or LT2	7	7.75	19	14	6 x 9.5	wet
8351	CIM or LT2	8	8.75	22.5	15.5	7.25 x 10.75	wet
8352	LT3	8	8	22.5	36" chain	5" diam.	damp
8353	CIM or LT3	8	8	26		3" diam.	wet
LIVERY							
8011	MED	5.5	5.25	11	7	5 x 6	wet
8021	LT2	8	7	13	9	7.5 x 8	wet
8031	CIM or LT2	7	6.5	16	9.5	6 x 11	wet
8033	CIM or LT2	7	6	19		3" diam.	wet
8041	CIM or LT2	7	6.5	18	12	6 x 11	wet
8043	CIM or LT2	7	6	21		3" diam.	wet
9031	CIM or LT2	7	7.5	16	11	5 x 8	wet
9051	CIM or LT3	9	9.75	20	13.5	7.5 x 10	wet
9061	CIM or LT3	12	13	24	16	9 x 11.5	wet
9231	CIM or LT2	7	7.5	16	11	5 x 6	wet
9251	CIM or LT3	9	9.75	20	13.5	7.5 x 10	wet
9253	CIM or LT3	9	9	23		3" diam.	wet



8341




8311

8351

8331

MED = medium socket; 75 watt max
LT2/LT3 = candelabra socket; 60 watt max
CIM = medium socket with glass hurricane chimney

LIVERY Collection



LYNN Collection

20.5"

8131
CLR



20.5"

8131
CLR



25"

8141
CLR



19"

8123
CLR



19.5"

8133
CLR



24"

8143
CLR




23.75"

8153
CLR






style	socket	width	depth	height	mounting height	mounting area	UL LISTED
LYNN							
8123	CIM or LT3	8	8.5	19		3" diam.	wet
8131	CIM or LT2	8	7	20.5	16.5	7 x 7.5	wet
8133	CIM or LT3	8	6.5	19.5		3" diam.	wet
8141	CIM or LT2	9.5	8.5	25	19.5	8 x 11	wet
8143	CIM or LT3	9.5	8	24		3" diam.	wet
8153	CIM or LT3	9.5	10	23.75		3" diam.	wet
UXBRIDGE							
2217	MED	6.25	9.5	15.5	9.5	4.5 x 5.75	wet
2231	CIM or LT2	8	6.5	17	11.5	6 x 7	wet
2237	MED or LT2	10.75	9.25	22.5	11	4.5 x 5.75	wet
2241	CIM or LT2	10	7.5	21	14	8 x 9	wet
2242	LT2	10.75	10.75	20	36" chain	5" diam.	damp
2243	CIM or LT3	10.75	10.75	23		3" diam.	wet
2247	LT3	10.75	12.5	22.5	12.5	4.5 x 5.75	wet
2253	CIM or LT3	15.25	15.25	28.5		3" diam.	wet

Solid brass and
copper light fixtures
handcrafted in New Hampshire.



MED = medium socket; 75 watt max
LT1/LT2/LT3 = candelabra socket; 60 watt max
CIM = medium socket with glass hurricane chimney

UXBRIDGE Collection



We have over 100 jigs
and each one is custom
made to provide
consistency & accuracy.



PENDANTS

3442-AP20 fixtures shown with customized lengths.
Photo Credit: Paul Finkel

style	socket	width	depth	height	mounting area	 UL LISTED
ST1213-AP10	MED	13	13	13	4.5" square	dry
ST1216-AP10	MED	16	16	16	4.5" square	dry
ST0812-AP10	MED	12	12	12	4.5" square	dry
2012-AP10	MED	7	7	8.5	5.75" diam.	damp
2522-AP10	MED	9	9	9.5	5.75" diam.	damp
3422-AP10	MED	9.75	10.5	8	5.75" diam.	damp
3442-AP10	MED	14	14	10.5	5.75" diam.	damp

MED = 75 watt max


How to order:

Choose your fixture/finish/electrical/glass

ST0812-DB-MED-NG



Choose length



Finished product number:
ST0812-DB-MED-NG-APS10



Canopy:





APC
5.75" diam.

Circle canopy shipped with all circle fixtures.



APS
4.5" square

Square canopy shipped with all square fixtures.



CHANDELIERS



952 fixture shown.

style	wire	width	depth	height	mounting area	chain
906	LT6	23	23	23	5" diam.	36"
908	LT8	23.5	23.5	23	5" diam.	36"
912	LT12	24	24	26	5" diam.	72"
916	LT16	38	38	45	5" diam.	72"
952	LT12	34	34	20	5" diam.	36"

LT6/LT8/LT12/LT16 = candelabra socket; 60 watt max
🚚 designates fixture must ship truck

 US = dry

26"

912



45"

916



16 arms

8 arms


23"

908

23"

906

Solid brass and
copper light fixtures
handcrafted in New Hampshire.



20"

952




40"

939*




940

23"



shown with optional paper drip sleeves

903

12"



904

12"



983



shown with optional paper drip sleeves

**Copper finish not available.*

style	wire	width	depth	height	mounting area	chain
903	LT3	10	10	12	5" diam.	36"
904	LT4	11	11	12	5" diam.	36"
983	LT6	23	23	25	5" diam.	36"
983V	LT8	24	31	26	5" diam.	36"
984	LT4	16	16	16	5" diam.	36"
929-CRY	LT6	18.5	18.5	25.5	5" diam.	36"
959-CRY	LT6	25	25	34	5" diam.	36"
939*	LT10	36	36	40	5" diam.	72"
940	LT6	26	26	23	5" diam.	36"

LT3/LT4/LT6/LT8/LT12/LT16 = candelabra socket; 60 watt max


 US LISTED = dry


 designates fixture must ship truck

984

16"




983V



26"

overhead view



We can customize many chandeliers to meet your specific needs. Please call us at 800-892-1206 or email info@northeastlantern.com for more details.

929-CRY

25.5".....



959-CRY

34".....





935 fixture shown.

style	socket	width	depth	height	mounting area	chain
914*	LT6	26	26	10	5" diam.	36"
915*	LT6	26	26	10	5" diam.	36"
935*	LT6	19	19	19	5" diam.	36"
967*	LT6	24	24	11	5" diam.	36"
968*	LT9	27	27	28	5" diam.	36"
969	LT6	26	26	14	5" diam.	36"
982*	LT6	21	21	13	5" diam.	36"

*Copper finish not available.

LT6/LT9/LT12 = candelabra socket; 60 watt max



19"

935*



982*

*shown with
optional fish hook chain*

13"



967*

11"....



969

*shown with optional
paper drip sleeves*

14"



915*

10"



968*

28"



914*

10"....



FOYER Hanging





3562*
CLR

3562 fixture shown.

style	socket	width	depth	height	mounting area	chain
930	LT3	30	30	30	5" diam.	36"
3542*	LT2	8	8	21	5" diam.	36"
3562*	LT4	13	13	25	5" diam.	36"
6812*	LT2	7.75	7.75	14	5" diam.	36"
6832*	LT4	12.75	12.75	24	5" diam.	36"
CH904	LT4	17	17	22	5" diam.	36"
6702	LT2	6.25	6.25	12.25	5" diam.	36"
6712	LT2	7.75	7.75	16	5" diam.	36"
6722	LT3	10	10	20	5" diam.	36"
6732	LT4	12.75	12.75	24.5	5" diam.	36"

LT2/LT3/LT4 = candelabra socket; 60 watt max
 *Copper finish not available.





FOYER Hanging



style	socket	width	depth	height	mounting area	chain
4942G*	LT4	12.25	12.25	27.5	5" diam.	36"
7422	LT3	10	10	17	5" diam.	36"
9722	MED or LT2	12	12	18.75	5" diam.	36"
9732	LT904	16	16	22.25	5" diam.	36"
SS1220	LT3	12	12	20	5" diam.	36"
SS1016	LT2	10	10	16	5" diam.	36"
ST1415	LT2	15	15	15	5" diam.	36"
SS1424	LT3	14	14	24	5" diam.	36"

LT2/LT3/LT4 = candelabra socket; 60 watt max
*Copper finish not available.

UL LISTED = dry

Outside: 12" x 12" x 20"
Inside: 8" x 8" x 14"
Glass on outside
frame only.

SS1220
CLR

..... 20"

Outside: 14" x 14" x 24"
Inside: 10" x 10" x 18"
Glass on inside
frame only.

SS1424
CSG

..... 24"

7422
CLR

6.5"

10.5"

9722[◇]
with MED

18.75" ...


22.25" ...

9732[◇]
with LT904

69

- ◊ arrives standard with no glass

FLUSH




style	socket	width	depth	height	mounting area	c  us LISTED
903F	LT3	10	10	12	5.75" diam.	dry
904F	LT4	11	11	12	5.75" diam.	dry
984F	LT4	16	16	12	5.75" diam.	dry
1004*	MED	8	8	2.5	5.75" diam.	dry
1764*	MED2	13	13	10	13 x 13	damp
2034G*	LT2	8	8	10	5.75" diam.	dry
2044G*	LT2	9.75	9.75	12.25	5.75" diam.	dry
4104	MED	9	9	4	9 x 9	damp
4204	MED2	11	11	4.75	11 x 11	damp
4304	MED	9	9	5	9 x 9	damp
4314	MED	9	9	5	9 x 9	damp
4404	MED2	11	11	6	11 x 11	damp
4414	MED2	11	11	5	11 x 11	damp
4504	MED	10.5	10.5	5	10.5 x 10.5	damp
4504G*	MED	10.5	10.5	5	10.5 x 10.5	damp
4604	MED2	13	13	5.75	13 x 13	damp
4604G*	MED2	13	13	5.75	13 x 13	damp
4904	LT3	11	11	8.5	11 x 11	damp
4934G*	MED2 or LT3	13.25	13.25	10	13.25 x 13.25	damp
6704	LT2	6.25	6.25	12.25	36" chain	dry
7324	LT2	8	8	8.25	8 x 8	damp
SC1212	MED2	15	15	8	15 x 15	damp

*Copper finish not available.

MED/MED2 = medium socket; 60 watt max
LT2/LT3/LT4 = candelabra socket; 60 watt max

Solid brass and
copper light fixtures
handcrafted in New Hampshire.





4"H

4104
SMG



4.75"H

4204
SMG



8.25"H

7324
CLR



5"H

4304
SMG



6"H

4404
SMG



5"H

4504G*
CSG



5.75"H

4604G*
CSG



2.5"H

1004*

Available with plain mirror only



5"H

4504
SMG



5.75"H

4604
SMG



12.25"

6704
CLR



10"

2034G*
CLR



12.25"

2044G*
CLR



10"


2034G*
OPT



12.25"

2044G*
OPT

SCONCES



style	socket	width	depth	height	mounting height	mounting area
100	LT1	8	6	11.5	4.5	4.5" diam.
101S	LT1	6.5	4	14	7	4.5 x 8
101M	LT1	8	4.5	18	9	4.5 x 8
104	LT1	4	2.75	11.5	6	4 x 10
109	LT2	7	2.75	10.5	7	5 x 6.5
115	LT1	4.75	4.5	11.75	4.5	4.5 x 9.5
115G*	LT1	4.75	4.5	11.75	4.5	4.5 x 9.5
117*	LT1	4.5	8	9.5	6.5	4.5 x 6
118*	LT2	12	8.5	9.5	6.5	4.5 x 6
119*	LT1	4.25	8	8	4	4.5 x 6
122*	LT2	9.5	4.5	14	12.5	5.5" diam.
126	LT1	6	3.5	14	7.5	4.5 x 8
131*	LT1	3.5	6	10.5	4	3.5 x 7.5
132*	LT2	8	5	10.5	4	3.5 x 7.5
134*	LT1	3.5	6	13.25	4	3.5 x 7.5
141*	LT1	5.5	6.5	10.5	4.5	5.5" diam.
142*	LT2	12	6	10.5	4.5	5.5" diam.
144*	LT2	10	5	13	3	5.5" diam.
162*	LT2	8	6	8	4.5	5 x 8
169*	LT2	12.75	5.5	14.25	4	3.5 x 7.5
215*	MED	6	9	8.5	2.5	5.5" diam.
225*	MED2	15	7.5	8.5	2.5	5.5" diam.

*Copper finish not available.

LT1/LT2 = candelabra socket;
60 watt max
MED/MED2 =
75 watt max





117, 118, 141, 142 shown with eggshell shades, included.



CUSTOM

Over 20% of the lanterns we manufacture are custom pieces, made especially for your unique needs.

Please call or email for more information.

800-892-1206

info@northeastlantern.com





ACCESSORIES



BR45
small 4.5" diam.
brass reflector



MR70
large 7" diam.
mercury reflector



MR40
small 4" diam.
mirror reflector


MR60
large 6" diam.
mirror reflector



Brass Metal Paper Drip Paper Cream Bees Wax Plastic Cream



small: 2 5/8" x 7.5"
medium: 3" x 8"
large: 4" x 12"



ES

Eggshell Shade



N514L

60 Watt
Medium Base Bulb
4"H



N409L

60 Watt
Medium Base Bulb
5"H



N408L

60 Watt
Medium Base Bulb
7"H

LED Medium Base
Dimmable



N251L
4.5 Watts
2700K color
450 lumens



N581L
2 Watts
2200K color
180 lumens

LED Flame Tip Candelabra
Dimmable



N588L
2 Watts
2700K color
200 lumens



N589L
3.5 Watts
2700K color
350 lumens



PMO1

Pier Mount, 5" x 5" x 3"




CAPM

Cast Aluminum Pier Mount
(Epoxy supplied)
3 3/8" flange x 3" fitter x 1 3/4" H



PM03

Scroll Pier Mount, 8" x 8" x 12"
(brass only)



W01

Wall bracket for mounting
post lights
3/4" x 11" x 9"

POSTS • SPIDERS



1223-ST
CLR

P101
5" D x 102" H
White Cedar



2543
CSG

PLP4**
5"D x 86"H
Fluted PVC Post

**Includes 16½" of PVC piping on the bottom for easy ground installation.



2543
CSG

PLP3**
5"D x 86"H
PVC Post



2573
CLR

9"W x 9"D
x 104" H
primed
white cedar
post

white cedar sleeve
24"H

P104
Primed White Cedar Post
with White Cedar Sleeve



2543
CLR


P102*
5"D x 96"H
Turned Red Cedar

*Includes 24" of PVC piping on the bottom for easy ground installation.



1023
CLR

P106*
5"D x 96"H
Tapered Red Cedar



Pier Mount Spider

15"x 15"

Optional with:

1033, 1043, 1133, 1143,
1253, 7653. Ships separately.



Pipe Spider

15"x 15"

Optional with:

1033, 1043, 1133, 1143,
1253, 7653. Ships separately.



Standard Spider

15"x 15"

Included with:

1033, 1043, 1133, 1143,
1253, 7653, 8643. Ships separately.



HOW TO ORDER

1) Look for the **item number**.

2) Pick a **finish**.

See below for finish options. Reference each series for specific options.

3) Select your **socket type**.

MED = medium base socket, CIM = medium base socket with chimney, LT2 = 2 candelabra, LT3 = 3 candelabra, LT4 = 4 candelabra, GU24 = fluorescent turn and lock socket

4) Indicate type of **glass**.

See below for glass options.

Here's a breakdown of your completed fixture:
3357-AC-CIM-CSG


Item Number: 3357 Finish: AC Socket: CIM Glass: CSG



Finish options:



Glass options. Clear glass ships standard.



Clear Seedy (CSG)



Optic (OPT)



Caramel (CRML)



White (WHT)



Clear Seedy (CSG)



Seedy Marine (SMG)



Frosted (FST)

INDEX

100.....73	1061.....33	2721.....25	4504.....71	6704.....71	8341.....54
101M.....72	1063.....34	2722.....25	4504G.....71	6712.....67	8351.....54
101S.....72	1073.....35	2724.....25	4934G.....51, 70	6722.....67	8352.....54
104.....72	1113.....34	2731.....25	4942G.....51, 68	6732.....67	8353.....54
109.....72	1223.....35	2741.....25	4604.....71	6812.....67	8622.....50
115.....73	1253.....35	2742.....25	4604G.....71	6832.....67	8631.....51
115G.....73	1273.....35	2743.....25	4904.....70	7011.....42	8633.....50
117.....73	1623.....34	2831.....19	5531.....36	7031.....42	8641.....51
118.....73	1764.....51, 70	2832.....21	5541.....36	7041.....42	8642.....51
119.....73	2011.....15	2841.....19	5542.....36	7042.....42	8643.....51
122.....72	2012.....15	2842.....21	5543.....36	7051.....42	8653.....51
126.....72	2012-AP10.....13	2843.....23	5551.....36	7053.....42	8711.....50
131.....72	2012-AP10.....59	2851.....19	5553.....36	7111.....42	8721.....50
132.....72	2014.....15	2852.....21	5611.....39	7112.....42	8731.....50
134.....73	2015.....15	2853.....23	5621.....39	7131.....42	8811.....53
141.....73	2021.....15	2861.....19	5631.....39	7142.....42	8831.....53
142.....73	2022.....15	2862.....21	5632.....40	7151.....42	8851.....53
144.....73	2024.....15	2863.....23	5633.....41	7153.....42	8911.....53
162.....73	2025.....15	3312.....27	5633P.....41	7324.....71	8931.....53
169.....72	2031.....15	3317.....27	5643.....41	7422.....69	8932.....53
215.....73	2032.....15	3317-NS.....27	5651.....39	7511.....49	8933.....53
225.....73	2032G.....15	3332.....27	5652.....40	7517.....49	8933P.....53
903.....62	2034G.....14, 71	3333.....27	5653.....41	7521.....49	8953.....53
903F.....70	2044G.....14, 71	3337.....27	5653P.....41	7527.....49	8953P.....53
904.....62	2041.....15	3353.....27	5711.....39	7537.....49	8961.....48
904F.....70	2042.....15	3357.....27	5721.....39	7611.....47	8971.....48
906.....61	2043.....17	3411.....29	5751.....39	7631.....47	8983.....48
908.....61	2217.....57	3421.....29	5911.....37	7632.....47	9031.....55
912.....61	2231.....57	3422-AP10.....29, 59	5921.....37	7637.....47	9051.....55
914.....65	2237.....57	3426.....31	5931.....37	7638.....47	9061.....55
915.....65	2241.....57	3429.....31	5932.....37	7643.....47	9231.....55
916.....61	2242.....57	3441.....29	5933.....37	7647.....47	9251.....55
929-CRY.....63	2243.....57	3442-AP10.....29, 59	6011.....43	7651.....47	9253.....55
930.....67	2247.....57	3446.....31	6012.....43	7653.....47	9722.....69
935.....65	2253.....57	3449.....31	6031.....43	7658.....47	9732.....69
939.....62	2511.....11	3542.....67	6032.....43	7717.....49	CH904.....67
940.....62	2512.....13	3451.....29	6053.....43	7727.....49	SC1212.....70
952.....61	2514.....13	3456.....31	6111.....43	7827.....33	SS1016.....68
959-CRY.....63	2515.....11	3562.....66	6112.....43	7833.....33	SS1220.....69
967.....65	2521.....11	3711.....8	6131.....43	7837.....33	SS1424.....69
968.....65	2522.....13	3712.....8	6131-NS.....43	8011.....55	ST0812.....59
969.....65	2522-AP10.....13, 59	3721.....8	6132.....43	8021.....55	ST1213.....59
982.....65	2523.....17	3731.....8	6141.....43	8031.....55	ST1216.....59
983.....62	2524.....13	3732.....8	6142.....43	8033.....55	ST1415.....68
983V.....63	2525.....11	3733.....8	6151.....43	8041.....55	Accessories ..76
984.....63	2531.....11	3812.....9	6153.....43	8043.....55	Custom... 74-75
984F.....70	2531.....11	3822.....9	6406.....44	8123.....56	Posts.....77
1001.....33	2532.....13	3911.....9	6412.....45	8131.....56	Quick Ship.. 6-7
1003.....34	2533.....17	3921.....9	6413.....45	8133.....56	Spiders.....77
1004.....71	2541.....11	3843.....9	6416.....44	8141.....56	
1011.....33	2541.....11	4104.....71	6417.....44	8143.....56	
1012.....33	2542.....13	4204.....71	6418.....44	8153.....56	
1013.....34	2543.....17	4304.....71	6422.....45	8311.....54	
1023.....34	2571.....11	4314.....70	6423.....45	8312.....54	
1033.....35	2572.....13	4404.....71	6428.....45	8331.....54	
1043.....35	2573.....17	4414.....70	6702.....67	8332.....54	



*Northeast
Lantern*

6 Commerce Way, Exeter, New Hampshire 03833

1-800-892-1206

WWW.NORTHEASTLANTERN.COM