

NORTHEAST LANTERN®

Solid Brass and Copper Light Fixtures Handcrafted in the USA.

NORTHEAST LANTERN®

Solid Brass and Copper Light Fixtures Handcrafted in the USA.

Volume 21

2542 pictured



2531 pictured

NORTHEAST LANTERN®

Over Three Decades of History.

Since 1987, Northeast Lantern has been handcrafting solid brass and copper light fixtures in New Hampshire. What started out as a hobby, soon transformed into a lifelong career for Gordon Heal who has been melting solder to metal since he was fifteen years old. The tradition has continued and been passed down to his son Chris who can be regularly seen in every department on the shop floor. Throughout the decades we've strived to be a cohesive team aligned toward a common purpose from fabrication to shipping. Everyone at Northeast Lantern plays an important role in bringing each of our various light fixtures to form and function.

Quality Manufacturing & Service.

We use 100% brass and copper materials which are incredibly durable and are two of the highest graded metals resistant to corrosion and weather. Both have more resistance to oxidation that steel and aluminum and will patina with age which helps protect the fixture against any corrosion.

Lifetime Guarantee.

Our Lifetime Guarantee provides confidence and customer loyalty in our product by providing a thoroughly satisfying experience when selecting, purchasing, and living with your light fixtures. We guarantee our light fixtures against cracking, breaking or defects in workmanship under normal use for the lifetime of the fixture for the original purchaser. For an extended look at our guarantee, please see our price sheet or view online at **www.northeastlantern.com**.

TABLE OF **CONTENTS**

NEW COLLECTIONS

ASHFORD	**8**
COPLIN	**11**
DOWNTOWN	**13**
GLIDDEN	**14**
NOTTINGHAM	**15**
ROCKLAND	**16**
WEAVE	**18**
WINNICUTT	**19**
ACCESSORIES	**94**
CUSTOM	**97**
FINISH OPTIONS	**22**
HOW TO ORDER	**96**
QUICK SHIP	**20**

COLLECTIONS

ADAMS	49	FOYER HANGING	67	SHARON	85
BARN	39	HEAL	71	STANFIELD	87
BOSC	51	IMPERIAL	73	UPTOWN	89
BOSTON	53	LIVERY	75	UXBRIDGE	91
CHANDELIERS/ORBS	55	LYNN	77	WOODCLIFFE	92
CONCORD	45	MIDTOWN	79	YORK	93
ELLIS	61	NAUTICAL	81	**INDEX**	**98**
EMPIRE	63	ONION(S)	27	**APPENDIX**	**100**
FLUSH MOUNTS	64	PENDANTS	82		

NEW ASHFORD

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

15.25"

8983
CLR

10.25"

8961R
SMG

12.25"

8991R
CSG

12.25"

8971R
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
8961R	6"W x 6.25"D x 10.25"H	5"	4.5" x 8.5"	LT1
8971R	8"W x 8.25"D x 12.25"H	6"	6" x 10.75"	LT2
8991R	8"W x 6.25"D x 12.25"H	6"	6" x 10.75"	LT2
8983	9"W x 9"D x 15.25"H		3" fitter	LT3/CIM

MED: Medium base socket; 75 watt max. LT1/LT2/LT3: Candelabra socket; 60 watt max.

Wet

Handcrafted in the USA



Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

COPLIN NEW

11232
CLR

11211
CLR

11221
CSG

11231
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11211	6.25"W x 6.75"D x 17.25"H	11.25"	4.5" x 11.25"	LT1
11221	9"W x 9"D x 20.5"H	13.5"	6.75" x 13"	LT2
11231	10"W x 10"D x 23.25"H	15"	7.75" x 15"	LT2
11232*	10"W x 10"D x 23.25"H	36" chain	5" diam.	LT2

LT1/LT2: Candelabra socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

11651 pictured

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

DOWNTOWN NEW

11631
CSG

11641
CLR

11653
CLR

11651
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11631	5.75"W x 6.5"D x 18.5"H	9.5"	4.5"W x 18.5"H	MED
11641	7"W x 6.5"D x 23.5"H	11.75"	4.5" x 23.5"	LT2
11651	9.75"W x 6.5"D x 23.5"H	11.75"	4.5" x 23.5"	LT2
11653	9.75"W x 9.75"D x 23.75"H		3" fitter	LT4/FCYL

FCYL: Medium base socket with frosted glass cylinder; 75 watt max. LT2/LT4: Candelabra socket; 60 watt max.
MED: Medium base socket; 75 watt max.

Wet

Handcrafted in the USA

NEW GLIDDEN

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

11841
CLR

11822
CLR

11821
CLR

11843P
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11821	9.25"W x 5.75"D x 17"H	9.25"	7.5"W x 12"H	LT2
11822*	9.25"W x 9.25"D x 18"H	36" chain	5" diam	LT3
11841	9.25"W x 5.75"D x 21.75"H	12"	7.5"W x 16"H	LT2
11843P	9.25"W x 9.25"D x 22.5"H		6.25"W x 6.26"H	LT3

LT2/LT3: Candelabra socket; 60 watt max.

Wet/* Damp

NEW NOTTINGHAM

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

11732
CLR

11711
CLR

11753
CLR

11741
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11711	5.5"W x 6.25"D x 14.5"H	11.5"	5"W x 5.5"H	LT1
11732*	6.5"W x 6.5"D x 18"H	36" chain	5" diam.	LT2
11741	7.5"W x 8.5"D x 20.5"H	15.5"	6"W x 9.5"H	CIM
11753	8.5"W x 8.75"D x 25"H		3" fitter	CIM

LT1/LT2: Candelabra socket; 60 watt max. CIM: Medium base socket with clear glass hurricane chimney; 75 watt max.

Wet/* Damp

Handcrafted in the USA

NEW ROCKLAND

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

11322
CSG

11332
CLR

11333
CLR

11312
CLR

11311
CLR

11321
CLR

11331
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11311	8.5"W x 8.75"D x 15.5"H	10.25"	7" x 8.75"	LT2
11312*	8.5"W x 8.5"D x 15.5"H	36" chain	5" diam.	LT2
11321	9.5"W x 9.75"D x 18.5"H	11.25"	7" x 10"	LT2
11322*	9.5"W x 9.5"D x 18.5"H	36" chain	5" diam.	LT2
11331	11.5"W x 11.75"D x 22"H	14.5"	10" x 12"	LT2
11332*	11.5"W x 11.5"D x 22"H	36" chain	5" diam.	LT4
11333	11.5"W x 11.5"D x 24.75"H		3" fitter	CIM / LT4

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2/LT4: Candelabra socket; 60 watt max.

Wet / *Damp

Handcrafted in the USA

NEW WEAVE

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

6"

4404W
FST

12.5"

351W
FST

12.5"

351B
FST

12.5"

351
CSG

11.5"

WC975

Item	Measurements	Mounting Height	Mounting Area	Socket
351B	6.75"W x 4.75"D x 12.5"H	6.25"	6.75"W x 12.5"H	MED
351W◊	6.75"W x 4.75"D x 12.5"H	6.25"	6.75"W x 12.5"H	MED
351	6.75"W x 4.75"D x 12.5"H	6.25"	6.75"W x 12.5"H	MED

MED2: Medium socket; 75 watt max. ◊: Available in brass finishes only

Wet

Item	Measurements	Mounting Height	Mounting Area	Socket
4404W*◊	11"W x 11"D x 6"H	n/a	11"W x 11"H	MED2
WC975¤◊	9.75"W x 9.75"D x 11.5"H	n/a	5.75" diam.	LT3

MED2: Medium socket; 60 watt max. LT3: Candelabra socket; 60 watt max ◊: Available in brass finishes only

* Damp ¤Dry

NEW WINNICUTT

Finish: AB, DAB, DB, VG, AC
Glass: CSG, SMG, FST

9.25"

11921
CLR

19.25"

11942
CLR

25.25"

11953
CLR

18"

11941
CLR

10.75"

11931
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
11921	6.25"W x 7"D x 14.5"H	9.25"	5.5"W x 13"H	MED
11931	6.5"W x 7"D x 15.25"H	10.75"	5.5"W x 7"H	LT2
11941	7.75"W x 8"D x 18.25"H	13.25"	6.5"W x 9"H	MED
11942*	7.75"W x 7.75"D x 19.25"H	36" chain	5" diameter	MED/LT2
11953	8.75"W x 8.75"D x 25.25"H		3" fitter	CIM/LT3

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2: Candelabra socket; 60 watt max
MED: Medium socket; 75 watt max.

Wet/* Damp

Handcrafted in the USA

QUICK SHIP

Quantities of 6 or less: Limited availability. Contact us to confirm. **Finish:** All fixtures available in: Antique Brass (AB) or Dark Brass (DB). **Glass:** All caged onion globes available with Clear (CLR) and Optic (OPT) glass only. All other fixtures available with Clear (CLR) or Clear Seedy (CSG) glass. **Sockets:** Are as pictured

2511

3411 3421 3441

2531

2521

2541

2543

PMO1
Brass
Pier Mount

CAPM
Cast Aluminum Pier
Mount (Epoxy supplied)

5643

4204

4104

5621

5611

5721

10527

3337

8831

10517

3317

8811

Handcrafted in the USA

FINISH OPTIONS

We offer four different brass finishes and one copper finish. All of our finishes are hand applied and can vary slightly because of this process. Our lanterns have a living finish that will age naturally in the same environment.

The finish process works naturally with the brass and copper materials to create the varying shades of color on each piece. All of our finishes are hand applied and may vary in actual color or character because of this process.

The changes in color are not considered a flaw, but a characteristic of the fixture as it evolves over time. We do not lacquer, powder coat or paint any of our fixtures.

AB
Antique Brass

A muted brownish-gold color.

DAB
Dark Antique Brass

Dark brown with gold highlights. Our closest to bronze finish.

DB
Dark Brass

A dark gray, charcoal finish. Our darkest finish.

VG
Verdi Gris

A brass fixture with black undertones and an overall blue/green patina.

AC
Antique Copper

Slightly darkened and aged.

GLASS OPTIONS

We offer four different types of flat glass.
Each type of glass has it's own code for easy ordering.

CLR
Clear

Unless otherwise stated; clear glass is standard in all fixtures. Our clear glass is double-strength glass: "DSB" referring to double strength billet, this is glass between 0.115 and 0.133 inches thick.

CSG
Clear Seedy Glass

Our most popular glass choice. Encapsulated bubbles are scattered on clear glass.

SMG
Seedy Marine Glass

Overload of encapsulated bubbles with fine lines are dispersed in clear glass.

FST
Frosted

Lighter than white glass. More popular on interior flush mount fixtures.

MATURE PATINA

Pictured to the right are examples of the change in a fixture's appearance through age and exposure due to weather conditions.

New

Six months

HAND-BLOWN GLASS GLOBES

We offer three different types of hand-blown glass globes: Clear, Clear Seedy and Optic.

Small blemishes and bubbles are inherent in hand-blown glass and are not considered defects. Due to the nature of the glass-making process, the pattern and balance of color in the glass may vary slightly within a fixture and from one fixture to another.

CSG
Clear Seedy Glass

Encapsulated bubbles scattered on clear glass.

OPT
Optic

Rippled vertical waves on clear glass.

Handcrafted in the USA

3441 & 3333
pictured

COLLECTIONS

2531 pictured

ONION

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CLR, CSG, OPT

See **Appendix** on page **102**
for all size options

2571
OPT

2525
CLR

2515
CLR

2511
CLR

2531
OPT

2521
OPT

2541
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
2511	8"W x 9.5"D x 15.5"H	12"	4.5" x 5.75"	MED
2521	9"W x 11"D x 16"H	12"	4.5" x 5.75"	MED
2515	8"W x 10"D x 12"H	6"	5.25" diam.	MED
2525	9"W x 11"D x 12.5"	6"	5.25" diam.	MED
2531	10.5"W x 12.5"D x 19"H	13"	4.5" x 5.75"	MED
2541	12"W x 13.5"D x 21"H	13.5"	4.5" x 5.75"	MED
2571	14.5"W x 16"D x 25"H	17"	4.5" x 5.75"	LT2 / MED

MED: Medium socket; 75 watt max. LT2: Candelabra socket; 60 watt max

Wet c UL us LISTED

Handcrafted in the USA

2521 pictured

ONION

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CLR, CSG, OPT

See **Appendix** on page **102** for all size options

2025
CLR

2015
OPT

2011
CLR

2031
OPT

2021
OPT

2041
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
2011	5.5″W x 8.5″D x 15″H	12″	4.5″ x 5.75″	MED
2015	5.5″W x 9″D x 11″H	6″	5.25″ diam.	MED
2021	7″W x 9.5″D x 15.5″H	12″	4.5″ x 5.75″	MED
2025	7″W x 10″D x 11.5″H	6″	5.25″ diam.	MED
2031	8″W x 11″D x 18.5″H	13.5″	4.5″ x 5.75″	MED
2041	9.75″W x 12″D x 21″H	13.5″	4.5″ x 5.75″	MED

MED: Medium socket; 75 watt max. LT2: Candelabra socket; 60 watt max

Wet c UL us LISTED

Handcrafted in the USA

Item	Measurements	Chain	Mounting Area	Socket
2012* (see Appendix)	5.5"W x 5.5"D x 12"H	36"	5" diam.	MED
2014* (see Appendix)	5.5"W x 5.5"D x 9.75"H		5.75" diam.	MED
2022* (see Appendix)	7"W x 7"D x 12.5"H	36"	5" diam.	MED
2032* (see Appendix)	8"W x 8"D x 15.5"H	36"	5" diam.	MED
2042* (see Appendix)	9.75"W x 9.75"D x 17.5"H	36"	5" diam.	MED
2522* (see Appendix)	9"W x 9"D x 13"H	36"	5" diam.	MED
2532* (see Appendix)	10.5"W x 10.5"D x 15.5"H	36"	5" diam.	MED
2542* (see Appendix)	12"W x 12"D x 17"H	36"	5" diam.	MED

ONION HANGING & FLUSH

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CSG, OPT

See **Appendix** on page **102** for all size options

2512
CLR

2024
OPT

2572
OPT

2514
OPT

2524
OPT

Item	Measurements	Chain	Mounting Area	Socket
2024*	7"W x 7"D x 10"H		5.75" diam.	MED
2512*	8"W x 8"D x 12"H	36"	5" diam.	MED
2514*	8"W x 8"D x 10.5"H		5.75" diam.	MED
2572*	14.5"W x 14.5"D x 20"H	36"	5" diam	LT2/MED
2524*	9"W x 9"D x 10.75"H		5.75" diam.	MED

MED: Medium socket; 75 watt max. MED*: Medium socket; 60 watt max. LT2: Candelabra socket; 60 watt max.

*Damp

Handcrafted in the USA

Aged 2543 pictured

ONION POST

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CSG, OPT

See **Appendix** on page **102** for all size options

2533
CLR

2573
OPT

2043
CLR

2543
OPT

Item	Measurements	Fitter	Socket
2043	9.75"W x 9.75"D x 20"H	3" diam.	MED
2523 (see Appendix)	9"W x 9"D x 16"H	3" diam.	MED
2533	10.5"W x 10.5"D x 18.5"H	3" diam.	MED
2543	12"W x 12"D x 20"H	3" diam.	MED
2573	14.5"W x 14.5"D x 22"H	3" diam.	LT3 / MED

MED: Medium socket; 75 watt max. LT3: Candelabra socket; 60 watt max

Wet c UL us LISTED

Handcrafted in the USA

2851 pictured

ROUND ONION

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CSG, OPT

See **Appendix** on page **102**
for all size options

2862
OPT

2831
CLR

2851
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
2831	11.5"W x 13"D x 23"H	13.5"	4.5" x 5.75"	MED
2832* (see Appendix)	11.5"W x 11.5"D x 18"H	36" chain	5" diam.	MED
2841 (see Appendix)	13"W x 14"D x 24"H	13.5"	4.5" x 5.75"	MED
2842* (see Appendix)	13"W x 13"D x 19"H	36" chain	5" diam.	MED
2851	15.5"W x 17"D x 28"H	16"	4.5" x 5.75"	LT3
2852* (see Appendix)	15.5"W x 15.5"D x 24"H	36" chain	5" diam.	LT3
2861 (see Appendix)	18"W x 20"D x 35"H	19"	4.5" x 5.75"	LT3
2862*	18"W x 18"D x 27"H	36" chain	5" diam.	LT3

MED: Medium socket; 75 watt max. LT3: Candelabra socket; 60 watt max.

Wet / *Damp

Handcrafted in the USA

Aged 2853 pictured

ROUND ONION POST

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CSG, OPT

See **Appendix** on page **102** for all size options

21"

2843
OPT

25"

2853
OPT

30"

2863
OPT

Item	Measurements	Mounting Area	Socket
2843	13"W x 13"D x 21"H	3" fitter	MED
2853	15.5"W x 15.5"D x 25"H	3" fitter	LT3 / MED
2863	18"W x 18"D x 30"H	3" fitter	LT3 / MED

MED: Medium socket; 75 watt max. LT3: Candelabra socket; 60 watt max

Wet c UL us LISTED

Handcrafted in the USA

3441 pictured

BARN

See **page 83**
for more information on
How to order our pendants.

Finish: AB, DAB, DB, VG, AC

3442-AP10
14" diameter

3422-AP10
9.75" diameter

3411
8" diameter

3421
9.75" diameter

3441
14" diameter

3451
18" diameter

Item	Measurements	Mounting Height	Mounting Area	Socket
3411	8"W x 10.5"D x 7"H	3"	4.5" x 5.75"	MED
3421	9.75"W x 12.5"D x 8.25"H	3"	4.5" x 5.75"	MED
3441	14"W x 16.5"D x 10.75"H	3"	4.5" x 5.75"	MED
3451	18"W x 21"D x 13"H	3"	4.5" x 5.75"	MED
3422*	9.75"W x 9.75"D x 8"H	36" chain	5" diam.	MED
3422-AP10*	9.75"W x 9.75"D x 8"H	21.5" - 29.5"	5.75" diam.	MED
3442-AP10*	14"W x 14"D x 10.5"H	24" - 32"	5.75" diam.	MED

MED: Medium socket; 75 watt max.

Wet / *Damp

Handcrafted in the USA

3456 pictured

BARN

Finish: AB, DAB, DB, VG, AC

Cast bronze support with stainless steel cable measures: 1 3/16" depth and 2 3/8" diameter. Adjustable on site. Included with a **3456** fixture.

3456
Standard 26.5" projection

3449
Standard 24.5" projection

3446
Standard 26.5" projection

3429
Standard 24.5" projection

3426
Standard 26.5" projection

4 5/8" diameter cast bronze mounting cap. Included with all fixtures.





Item	Measurements	Mounting Height	Mounting Area	Socket
3426	9.75"W x 30.75"D x 12.25"H	8"	4.625"	MED
3446	14"W x 33.5"D x 17.25"H	8"	4.625"	MED
3456	18"W x 35.5"D x 19.5"H	8"	4.625"	MED
3429	9.75"W x 24.5"D x 15.5"H	6.5"	4.625"	MED
3449	14"W x 24.5"D x 19"H	6.5"	4.625"	MED

MED: Medium porcelain socket; 300 watt max

Wet

Handcrafted in the USA

3422 & 11011 CLR pictured

Finish: AB, DAB, DB, VG, AC

BARN

Options:

Standard

Item Number + Finish + MED

With Ribbed Diffuser

Item Number + Finish + MED + CLR

11011
11.75" diamter

11021
13.75" diamter



11012 - AP10
11.75" diamter

4 5/8" diameter cast bronze mounting cap included with **11016** and **11026** fixtures.



Shown at 15" min. projection. Ships standard with 26.5" projection. Projection length can be shortened in field.



11016
13.75" diamter
(pictured)

Item	Measurements	Mounting Height	Mounting Area	Socket
11011	11.75"W x 13.25"D x 6.75"H	3.75"	4.5"W x 5.75"H	MED
11021	13.75"W x 16.25"D x 8"H	3.75"	4.5"W x 5.75"H	MED
11012-AP10*	11.75"W x 11.75"D x 5"H		5.75" diam.	MED
11016	11.75"W x 32.5"D x 13"H	8"	4.625" diam.	MED
11026	13.75"W x 33.5"D x 14"H	8"	4.625" diam.	MED

MED: Medium socket; 75 watt max. 11016 and 11026 fixtures ship with 300 watt max. porcelain socket.

Wet / *Damp

Handcrafted in the USA

CONCORD

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **100** for all size options

5651
CLR

5632
CLR

5653
CSG

Item	Measurements	Mounting Height	Mounting Area	Socket
5611	6"W x 6.5"D x 13"H	8.5"	4.5" x 8"	CIM / LT1
5621	6"W x 6.5"D x 16"H	10"	4.5" x 11"	CIM / LT1
5651	8"W x 8.5"D x 20"H	12.75"	6.5" x 13"	CIM / LT2
5711	9.25"W x 6.5"D x 13"H	8.5"	7" x 8"	CIM / LT2
5721	9.25"W x 6.5"D x 16"H	10"	7" x 11"	CIM / LT2
5632*	9.25"W x 9.25"D x 19"H	36" chain	5" diam.	LT3
5653	12.25" W x 12.25"D x 28"H		3" fitter	CIM / LT3
5653P (see Appendix)	12.25" W x 12.25"D x 25"H		12.25" x 12.25"	CIM / LT3

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2/LT3: Candelabra base socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

5721 pictured

CONCORD

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **100** for all size options

24"

5652
CLR

16"

5631
CLR

20"

5751
CLR

23"

5633
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
5631	9.25" W x 9.5"D x 16"H	10"	7" x 11"	CIM / LT3
5633	9.25" W x 9.25"D x 23"H		3" fitter	CIM / LT3
5633P (see Appendix)	9.25" W x 9.25"D x 20.75"H		9.25" x 9.25"	CIM / LT3
5643 (see Appendix)	9.25" W x 9.25"D x 19"H		3" fitter	CIM / LT3
5652*	12.25" W x 12.25"D x 24"H	36" chain	5" diam.	LT3
5653 (see Appendix)	12.25" W x 12.25"D x 28"H		3" fitter	CIM / LT3
5653P (see Appendix)	12.25" W x 12.25"D x 25"H		12.25" x 12.25"	CIM / LT3
5751	12.25"W x 8.5"D x 20"H	12.5"	9" x 13"	CIM / LT2

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2/LT3: Candelabra base socket; 60 watt max

Wet / *Damp

Handcrafted in the USA



6143 pictured

ADAMS

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **100** for all size options

6032
CLR

6011
CLR

6131
CLR

6151
CLR

6111
CLR

6141
CLR

6153
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
6011 / 6111	5"W x 5.75"D x 13.5"H	11"	4.5" x 4.5"	MED
6112* (see Appendix)	5"W x 5"D x 9"H	36" chain	5" diam.	MED
6131	6"W x 6.75"D x 18"H	14"	5.5" x 7"	LT2 / MED
6132* (see Appendix)	6"W x 6"D x 15"H	36" chain	5" diam.	MED
6141	7"W x 7.5"D x 22"H	17"	6.5" x 9"	LT2 / MED
6142* (see Appendix)	7"W x 7"D x 17"H	36" chain	5" diam.	LT2 / MED
6151	8"W x 8.75"D x 24"H	18.5"	7.5" x 11"	CIM / LT2
6153	8"W x 8"D x 22"H		3" fitter	CIM / LT3

MED: Medium socket; 75 watt max. CIM: Medium base socket with clear glass hurricane chimney.

LT2/LT3: Candelabra socket; 60 watt max. **60 item numbers will feature X bars. 61 item numbers will feature H bars.**

Wet / *Damp

Handcrafted in the USA

2732 pictured

BOSC

Finish: AB, DAB, DB, VG, AC
Hand Blown Globes: CSG, OPT, CLR

See **Appendix** on page **100**
for all size options

23.25"

2742
CLR

20.25"

2721
CLR

24.75"

2731
OPT

28"

2741
CLR

24.5"

2743
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
2721	9"W x 10.5"D x 20.25"H	12.75"	4.5" x 5.75"	MED
2722* (see Appendix)	9"W x 9"D x 17"H	36" chain	5" diam.	MED
2724 (see Appendix)	9"W x 9"D x 14"H		5.75" diam.	MED
2731	11"W x 13"D x 24.75"H	14.5"	4.5" x 5.75"	MED
2732* (see Appendix)	11"W x 11"D x 20.5"H	36" chain	5" diam.	LT2 / MED
2741	13"W x 14.5"D x 28"H	14.5"	4.5" x 5.75"	LT2 / MED
2742*	13"W x 13"D x 23.25"H	36" chain	5" diam.	LT2 / MED
2743	13"W x 13"D x 24.5"H		3" fitter	LT3 / MED

MED: Medium socket; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

1012
CLR

1223
CLR

1063
CLR

1043
CLR

1113
CLR

1073
CLR

standard spider included

1033
CLR

standard spider included

1043
CLR

1253 pictured
standard spider included

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

BOSTON

1011
CLR

1061
CLR

1001
CLR

1023
CLR

1623
CLR

1073
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
1001	10.25"W x 12.25"D x 19"H	12.5"	4.5" x 8"	CIM / LT2
1011	12"W x 14"D x 26"H	17.5"	4.5" x 9.5"	CIM / LT3
1012*	12"W x 12"D x 23"H	36" chain	5" diam.	LT3
1023	12"W x 12"D x 26"H		3" fitter	CIM / LT3
1033 Ψ	15"W x 15"D x 38"H		3" fitter	CIM / LT3
1043 Ψ	15"W x 15"D x 38"H		3" fitter	CIM / LT3
1061	12"W x 14"D x 25"H	16.5"	4.5" x 9.5"	CIM / LT3
1063	12"W x 12"D x 26"H		3" fitter	CIM / LT3
1073	14"W x 14"D x 29"H		3" fitter	CIM / LT3
1113	11"W x 11"D x 22"H		3" fitter	CIM / LT3
1223	12"W x 12"D x 29"H		3" fitter	CIM / LT3
1253 Ψ	15"W x 15"D x 43"H		3" fitter	CIM / LT3
1623	16"W x 16"D x 27"H		3" fitter	CIM / LT3

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max.

Ψ : standard spider included with fixture. See page 81 for more spider info.

Wet / *Damp

Handcrafted in the USA

906 pictured. Photo credit: Greg West Photography.

CHANDELIERS

Finish: AB, DAB, DB, VG, AC

916



908

906

912

Item	Measurements	Mounting Area	Chain	Socket
906	23"W x 23"D x 23"H	5" diam.	36"	LT6
908	23.5"W x 23.5"D x 23"H	5" diam.	36"	LT8
912	24"W x 24"D x 26"H	5" diam.	72"	LT12
916	38"W x 38"D x 45"H	5" diam.	72"	LT16

LT6/LT8/LT12/LT16: Candelabra socket; 60 watt max. Designates fixture must ship by truck.

Dry

Handcrafted in the USA

CHANDELIERS

Finish: AB, DAB, DB, VG, AC
Glass: CRY

929 - CRY ◊
Available in brass
fininshes only

959 - CRY ◊
Available in brass
fininshes only

940

Finish: AB, DAB, DB, VG, AC

984

983V

903

904

983

Item	Measurements	Mounting Area	Chain	Socket
903	10"W x 10"D x 12"H	5" diam.	36"	LT3
904	11"W x 11"D x 12"H	5" diam.	36"	LT4
940	26"W x 26"D x 23"H	5" diam.	36"	LT6
983	23"W x 23"D x 25"H	5" diam.	36"	LT6
983V	24"W x 31"D x 26"H	5" diam.	36"	LT8
984	16"W x 16"D x 16"H	5" diam.	36"	LT4
929-CRY ◊	18.5"W x 18.5"D x 25.5"H	5" diam.	36"	LT6
959-CRY ◊	25"W x 25"D x 34"H	5" diam.	36"	LT6

LT3/LT4/LT6/LT8: Candelabra socket; 60 watt max. :designates fixture must ship by truck. ◊ : Available in brass finishes only.

Dry

Handcrafted in the USA

CHANDELIERS

Finish: AB, DAB, DB, VG, AC

939◊



shown with optional paper drip sleeves

969

982◊

Item	Measurements	Mounting Area	Chain	Socket
939◊	36"W x 36"D x 40"H	5" diam.	72"	LT10
969	26"W x 26"D x 14"H	5" diam.	36"	LT6
982◊	21"W x 21"D x 13"H	5" diam.	36"	LT6

ORB

Finish: AB, DAB, DB, VG, AC

CH901◊

CH904◊

CH902◊

CH906◊



CH908◊

Item	Measurements	Mounting Area	Chain	Socket
CH901 ◊	9.75"W x 9.75"D x 10.5"H	5.75" diam.	36"	MED
CH902 ◊	9.75"W x 9.75"D x 13"H	5" diam.	36"	MED
CH904 ◊	17"W x 17"D x 22"H	5" diam.	36"	LT4
CH906 ◊	24.25"W x 24.25"D x 29"H	5" diam.	36"	LT6
CH908 ◊	24.25"W x 24.25"D x 29"H	5" diam.	36"	LT6

LT4/LT6/LT8/LT10: Candelabra socket; 60 watt max.

:designates fixture must ship by truck. ◊ : Available in brass finishes only.

Dry

Handcrafted in the USA

10621 pictured

ELLIS

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

10742
CLR

10722
SMG

10743P
SMG

10641
CLR

10621
CLR

10611
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
10611	5.5"W x 5.75"D x 16.75"H	11"	4" x 9"	LT1
10621	9.25"W x 5.75"D x 19.75"H	12.5"	7.5" x 12"	LT2
10641	9.25"W x 5.75"D x 24.25"H	14.5"	7.5" x 16"	LT2
10722*	9.25"W x 9.25"D x 19.75"H	36" chain	5" diam.	LT3
10742*	9.25"W x 9.25"D x 24.25"H	36" chain	5" diam.	LT3
10743P	9.25"W x 9.25"D x 24.25"H		6.25" x 6.25"	LT3

LT1/LT2/LT3: Candelabra socket; 60 watt max. P: Pier mount.

Wet / *Damp

Handcrafted in the USA

8851 pictured

EMPIRE

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **101** for all size options

19"

8932
CSG

15.5"

8811
CLR

27.5"

8953
CLR

21.5"

8933
CLR

23"

8851
CLR

18.5"

8931
CSG

Item	Measurements	Mounting Height	Mounting Area	Socket
8811	9.25"W x 5.75"D x 15.5"H	8.25"	7.5" x 9"	LT2
8831 (see Appendix)	9.25"W x 5.75"D x 18.5"H	10"	7.5" x 11.75"	LT2
8851	9.25"W x 5.75"D x 23"H	12"	7.5" x 16"	LT2
8911 (see Appendix)	5.5"W x 5.75"D x 15.5"H	8.25"	4" x 9"	LT1
8931	5.5"W x 5.75"D x 18.5"H	10"	4" x 11.75"	LT1
8932*	9.25"W x 9.25"D x 19"H	36" chain	5" diam.	LT3
8933 (see Appendix)	9.25"W x 9.25"D x 18.5"H		9.25" x 9.25"	LT3
8933	9.25"W x 9.25"D x 21.5"H		3" fitter	LT3
8953	12"W x 12"D x 27.5"H		3" fitter	LT3
8953P (see Appendix)	12"W x 12"D x 24.5"H		12" x 12"	LT3

LT1/LT2/LT3: Candelabra socket; 60 watt max. P: Pier mount.

Wet / *Damp

Handcrafted in the USA

FLUSH MOUNTS

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

4.75"H

4204
SMG

4"H

4104
SMG

5"H

4304
SMG

5"H

4504
SMG

5"H

4314
FST

6"H

4404
SMG

5.75"H

4604
SMG

5"H

4414
FST

Item	Measurements	Mounting Area	Socket
4104	9"W x 9"D x 4"H	9" x 9"	MED
4204	11"W x 11"D x 4.75"H	11" x 11"	MED2
4304	9"W x 9"D x 5"H	9" x 9"	MED
4314	9"W x 9"D x 5"H	9" x 9"	MED
4404	11"W x 11"D x 6"H	11" x 11"	MED2
4414	11"W x 11"D x 5"H	11" x 11"	MED2
4504	10.5"W x 10.5"D x 5"H	10.5" x 10.5"	MED
4604	13"W x 13"D x 5.75"H	13" x 13"	MED2

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

8.5"H

4904
CSG

8"H

SC1212
FST CLR

8.25"H

7324
CLR

12"H

984F

12"H

903F

12"H

904F

Item	Measurements	Mounting Area	Socket
903F*	10"W x 10"D x 12"H	5.75" diam.	LT3
904F*	11"W x 11"D x 12"H	5.75" diam.	LT4
984F*	16"W x 16"D x 12"H	5.75" diam.	LT4
4904	11"W x 11"D x 8.5"H	11" x 11"	LT3*
7324	8"W x 8"D x 8.25"H	8" x 8"	LT2
SC1212	15"W x 15"D x 8"H	15" x 15"	MED2

LT2/LT3/LT4: Candelabra socket; 60 watt max. MED/MED2: Medium socket; 60 watt max.
LT3*: Candelabra socket; 40 watt max.

Damp / *Dry

Handcrafted in the USA

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

FOYER HANGING

9722❖
with MED

6832
CLR

9732❖
with LT904

6812
CLR

Item	Measurements	Mounting Area	Chain	Socket
6812	7.75"W x 7.75"D x 14"H	5" diam	36"	LT2
6832	12.75"W x 12.75"D x 24"H	5" diam.	36"	LT4
9722❖	12"W x 12"D x 18.75H	5" diam.	36"	LT2 / MED
9732❖	16"W x 16"D x 22.25"H	5" diam.	36"	LT4

MED: Medium socket; 75 watt max. LT3/LT4/LT6/LT8: Candelabra socket; 60 watt max. ❖: ships standard with no glass.

Dry

Handcrafted in the USA

ST1213 with AP10 pictured

FOYER HANGING

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

Outside: 14" x 14" x 24"
Inside: 10" x 10" x 18"
Glass on inside frame only.

SS1424
CSG

Outside: 12" x 12" x 20"
Inside: 8" x 8" x 14"
Glass on outside frame only.

SS1220
CLR

Outside: 10" x 10" x 16"
Inside: 6" x 6" x 10"
Glass on outside frame only.



SS1016
CSG

ST0812
AP10

ST1415
CLR

ST1213
CLR

Item	Measurements	Mounting Area	Chain	Socket
SS1220	12"W x 12"D x 20"H	5" diam.	36"	LT3
SS1016	10"W x 10"D x 16"H	5" diam.	36"	LT2
SS1424	14"W x 14"D x 24"H	5" diam.	36"	LT3
ST1213	13"W x 13"D x 13"H	5" diam.	36"	MED/LT2
ST0812-AP10	12"W x 12"D x 12"H	5" square		MED/LT2
ST1415-AP20	15"W x 15"D x 15"H	5" square		LT2

MED: Medium socket; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max

Dry

Handcrafted in the USA

3317 and 3312 pictured

HEAL

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **101** for all size options

18"

3332
CLR

21"

3333
CLR

20.5"

25"

16"

3337
CLR

3353
CLR

3317
CLR

27"

3357
CSG

Item	Measurements	Mounting Height	Mounting Area	Socket
3317	6"W x 8.5"D x 16"H	12"	4.5" x 5.75"	MED
3332*	8"W x 8"D x 18"H	36" chain	5" diam.	MED / LT2
3333	8"W x 8"D x 21"H		3" fitter	CIM / LT2
3337	8"W x 11.75"D x 20.5"H	14"	4.5" x 5.75"	CIM / LT2
3353	10"W x 10"D x 25"H		3" fitter	CIM / LT3
3357	10"W x 13"D x 27"H	17"	4.5" x 5.75"	CIM / LT3

MED: Medium socket; 75 watt max. CIM: Medium base socket with clear glass hurricane chimney.

LT2/LT3: Candelabra socket; 60 watt max.

Wet / *Damp

Handcrafted in the USA

Aged 6406 pictured

Item	Measurements	Mounting Height	Mounting Area	Socket
6406	8"W x 10.5"D x 21"H	11.25"	4.5" x 5.75"	LT2
6412*	10"W x 10"D x 23"H	36" chain	5" diam.	LT2
6416	10"W x 12.25"D x 28"H	15"	4.5" x 5.75"	LT2

IMPERIAL

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **101** for all size options

23"

6412
SMG

21"

6406
CLR

30"

6423
CSG

28"

6416
CLR

26"

6417
CLR

31"

6418
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
6417	10"W x 12.5"D x 26"H	17"	4.5" x 5.75"	LT2
6418	10"W x 12.25"D x 31"H	18.5"	4.5" x 5.75"	LT2
6422* (see Appendix)	12"W x 12"D x 27"H	36" chain	5" diam.	LT2
6423	12"W x 12"D x 30"H		3" fitter	LT2

LT2/LT3: Candelabra base socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

9031 pictured

9253
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
8011	5.5"W x 5.25"D x 11"H	7"	5" x 6"	MED
8011	5.5"W x 5.25"D x 11"H	7"	5" x 6"	MED
8021	8"W x 7"D x 13"H	9"	7.5" x 8"	LT2
8031	7"W x 6.5"D x 16"H	9.5"	6" x 11"	LT2
8033	7"W x 6"D x 19"H		3" fitter	CIM / LT2

LIVERY

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **101** for all size options

8021
CLR

8011
CLR

8033
CLR

8031
CLR

8011
CLR

9061
CLR

9031
CLR

9051
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
9031	7"W x 7.5"D x 16"H	11"	5" x 8"	CIM / LT2
9051	9"W x 9.75"D x 20"H	13.5"	7.5" x 10"	CIM / LT3
9061	12"W x 13"D x 24"H	16"	9" x 11.5"	CIM / LT3
9231 (see Appendix)	7"W x 7.5"D x 16"H	11"	5" x 8"	CIM / LT2
9253	9"W x 9"D x 23"H		3" fitter	CIM / LT3

MED: Medium socket; 75 watt max. CIM: Medium base socket with clear glass hurricane chimney
LT2/LT3: Candelabra socket; 60 watt max.

90 item numbers will not feature H rods.
92 item numbers will feature H rods.

Wet

Handcrafted in the USA

8131 pictured

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

LYNN

See **Appendix** on page **101** for all size options

8141
CLR

8143
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
8131 (see Appendix)	8"W x 7"D x 20.5"H	16.5"	7" x 7.5"	CIM / LT2
8133 (see Appendix)	8"W x 6.5"D x 19.5"H		3" fitter	CIM / LT3
8141	9.5"W x 8.5"D x 25"H	19.5"	8" x 11"	CIM / LT2
8143	9.5"W x 8"D x 24"H		3" fitter	CIM / LT3

CIM: Medium base socket with clear glass hurricane chimney. LT1/LT2/LT3: Candelabra socket; 60 watt max.

Wet / *Damp

Handcrafted in the USA

7527 pictured

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

MIDTOWN

See **Appendix** on page **101** for all size options

15"

7521
CSG

12"

7511
CSG

7527
CLR

7517
CLR

7537
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
7511	7.5"W x 4.75"D x 12"H	6"	6.5" x 10.75"	MED
7521	9.5"W x 6.25"D x 15"H	7.75"	8.5" x 13.75"	MED
7517	7.25"W x 10.5"D x 14.5"H	3"	4.75" x 5.5"	MED
7527	9.25"W x 13"D x 18.25"H	4"	4.75" x 6.5"	LT2 / MED
7537	10.5"W x 15.25"D x 22"H	4"	4.75" x 6.5"	LT2 / LT3 / MED

MED: Medium socket; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max.

Wet

Handcrafted in the USA

351 pictured

NAUTICAL

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **102** for all size options

18.5"

3532 ◊
CSG

10.5"

3511 ◊
FST

17.5"

3531 ◊
FST

22"

3533 ◊
CLR

12.5"

351B
FST

12.5"

351
CSG

Item	Measurements	Mounting Height	Mounting Area	Socket
351	6.75"W x 4.75"D x 12.5"H	6.25"	6.75"W x 12.5"H	MED
3511 ◊	5.5"W x 7.5"D x 10.5"H	5.25"	4.25"W x 5.75"H	MED
3512* ◊ (see Appendix)	5.5"W x 5.5"D x 10.5"H	36" chain	5" diam.	MED
3531 ◊	8.25"W x 10.5"D x 17.5"H	9"	4.25"W x 9"H	LT2 / MED
3532* ◊	8.25"W x 8.25"D x 18.5"H	36" chain	5" diam.	LT2 / MED
3533◊	8.25"W x 8.25"D x 22"H		3" fitter	LT3 / MED

MED: Medium socket; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max. ◊: Available in brass finishes only

Wet / *Damp

Handcrafted in the USA

PENDANTS

Item	Measurements	Mounting Area	Socket
ST1213-AP10*❖	13"W x 13"D x 13"H	5" square	MED
ST1216-AP10*❖	16"W x 16"D x 16"H	5" square	MED
ST0812-AP10*❖	12"W x 12"D x 12"H	5" square	MED
2012-AP10	7"W x 7"D x 8.5"H	5.75" diam.	MED
2522-AP10	9"W x 9"D x 9.5"H	5.75" diam.	MED
3422-AP10	9.75"W x 10.5"D x 8"H	5.75" diam.	MED
3442-AP10	14"W x 14"D x 10.5"H	5.75" diam.	MED

MED: Medium socket; 75 watt max. ❖: Arrives standard with no glass.

Damp / *Dry

PENDANTS

HOW TO ORDER

1. Choose your:
   - **Fixture:** 2012
   - **Finish:** DB
   - **Electric:** MED
   - **Glass:** OPT

2. Choose your:
   - **Length**
   - **AP10:** 13.5" - 21.5"
   - **AP20:** 23.5" - 41.5"

   Canopy Specifications: 5.75" diameter

3. Finlshed order: **2012-DB-MED-OPT-AP10**

4. Place your order: **orders@northeastlantern.com**

BREAKDOWN OF YOUR PENDANT ORDER

2012 - DB - MED - OPT - AP10

- Item Number **2012**
- Finish **DB**
- Electric **MED**
- Glass **OPT**
- Length **AP10**

Handcrafted in the USA

5541 pictured

SHARON

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **103** for all size options

5542
CLR

5531
CLR

5553
CLR

5543
CLR

5553
CLR

5531
CLR

5551
CLR

5541
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
5531	8"W x 8.5"D x 17"H	12"	5" x 7.5"	LT2
5541	10"W x 10.5"D x 21"H	15"	8" x 11"	LT2
5542*	10"W x 10"D x 22"H	36" chain	5" diam.	LT2
5543	10"W x 10"D x 25"H		3" fitter	CIM / LT3
5551	12"W x 12.5"D x 26"H	18"	10" x 13"	LT2
5553	12"W x 12"D x 29.5"H		3" fitter	CIM / LT3

CIM: Medium base socket with clear glass hurricane chimney; 75 watt max. LT2/LT3: Candelabra socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

7658 pictured

STANFIELD

7632
CSG

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **103**
for all size options

7638
SMG

7643
SMG

7611
CLR

7631
CLR

7653 Ψ
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
7611	7"W x 9.75"D x 13"H	9.5"	4.5" x 7"	MED / LT2
7631	9"W x 11.5"D x 18"H	13"	4.5" x 9.5"	MED / LT2
7632*	9"W x 9"D x 18"H	36" chain	5" diam.	MED / LT2
7637 (see Appendix)	9"W x 11.5"D x 23"H	16"	4.5" x 5.75"	MED / LT2
7638	9"W x 11.5"D x 27"H	16"	4.5" x 5.75"	MED / LT2
7641 (see Appendix)	13"W x 15"D x 24"H	16"	4.5" x 13"	MED / LT2
7643	13"W x 13"D x 28"H		3" diam.	LT3
7653 Ψ	15"W x 15"D x 33"H		3" fitter	CIM / LT3

MED: Medium socket; 75 watt max. CIM: Medium base socket with clear glass hurricane chimney.
LT2/LT3: Candelabra socket; 60 watt max

Ψ : standard Spider included with fixture. See page **94** for more **Spider** information.

Wet / *Damp

Handcrafted in the USA

10527 pictured

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

UPTOWN

10.5"

10517
CLR

17.5"

10527
CLR

21.75"

10547
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
10517	4.75"W x 8.5"D x 10.5"H	3"	4.75" x 5.5"	MED
10527	5.5"W x 9"D x 17.5"H	4.25"	5" x 6.75"	MED
10547	5.5"W x 9"D x 21.75"H	4.25"	5" x 6.75"	MED

MED: Medium socket; 75 watt max.

Wet

Handcrafted in the USA

2237 and 2242 pictured

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

UXBRIDGE

See **Appendix** on page **103**
for all size options

17"

2231
CLR

21"

2241
CSG

22.5"

2237
CSG

Item	Measurements	Mounting Height	Mounting Area	Socket
2231	8"W x 6.5"D x 17"H	11.5"	6" x 7"	CIM / LT2
2237	10.75"W x 9.25"D x 22.5"H	11"	4.5" x 5.75"	MED / LT2
2241	10"W x 7.5"D x 21"H	14"	8" x 9"	CIM / LT2
2242*	10.75"W x 10.75"D x 20"H	36" chain	5" diam.	LT2
2243 (see Appendix)	10.75"W x 10.75"D x 23"H		3" fitter	CIM / LT3
2247 (see Appendix)	10.75"W x 12.5"D x 22.5"H	12.5"	4.5" x 5.75"	LT3
2253 (see Appendix)	15.25"W x 15.25"D x 28.5"H		3" fitter	CIM / LT3

MED: Medium socket; 75 watt max. CIM: Medium base socket with clear glass hurricane chimney
LT2/LT3: Candelabra socket; 60 watt max

Wet / *Damp

Handcrafted in the USA

WOODCLIFFE

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **103**
for all size options

8353
CLR

8332
CLR

8341
CLR

8311
CLR

8351
CLR

8331
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
8311	5"W x 5.75"D x 13"H	9.5"	5" x 5.5"	LT1 / MED
8312* (see Appendix)	5"W x 5"D x 13"H	36" chain	5" diam.	MED
8331	6"W x 6.75"D x 17"H	12.5"	5.5" x 7.5"	LT2
8332*	6"W x 6"D x 17"H	36" chain	5" diam.	LT2 / MED
8341	7"W x 7.75"D x 19"H	14"	6" x 9.5"	CIM / LT2
8351	8"W x 8.75"D x 22.5"H	15.5"	7.25" x 10.75"	CIM / LT2
8352* (see Appendix)	8"W x 8"D x 22.5"H	36" chain	5" diam.	LT3
8353	8"W x 8"D x 26"H		3" fitter	CIM / LT3

CIM: Medium base socket with clear glass hurricane chimney. MED: Medium socket; 75 watt max.
LT1/LT2/LT3: Candelabra socket; 60 watt max.

Wet / *Damp

YORK

Finish: AB, DAB, DB, VG, AC
Glass: CLR, CSG, SMG, FST

See **Appendix** on page **103**
for all size options

7042
CLR

7011
CLR

7053
CLR

7031
CLR

7051
CLR

7011
CLR

7141
CLR

7151
CLR

7131
CLR

Item	Measurements	Mounting Height	Mounting Area	Socket
7011 / 7111	5"W x 5.75"D x 14.5"H	12"	4.5" x 4.5"	MED
7012 / 7112*	5"W x 5"D x 11"H	36" chain	5" diam.	MED
7031 / 7131	6"W x 6.75"D x 19"H	15"	5.5" x 7"	LT2 / MED
7041 / 7141	7"W x 7.75"D x 23"H	18"	6.5" x 9"	LT2 / MED
7042 / 7142*	7"W x 7"D x 19"H	36" chain	5" diam.	LT2 / MED
7051 / 7151	8"W x 8.75"D x 27"H	21.5"	7" x 11"	CIM / LT2
7053 / 7153	8"W x 8"D x 25"H		3" fitter	CIM or LT3

CIM: Medium base socket with clear glass hurricane chimney. MED: Medium socket; 75 watt max.
LT2/LT3: Candelabra socket; 60 watt max.
70 item numbers will feature X bars. 71 item numbers will feature H bars.

Wet / *Damp

Handcrafted in the USA

ACCESSORIES

SPIDERS

Pier Mount Spider: 15"x 15"

Optional with:
1033, 1043,
1253, 7653.
Ships separately.

Pipe Spider: 15"x 15"

Optional with:
1033, 1043,
1253, 7653.
Ships separately.

Standard Spider: 15"x 15"

Standard with:
1033, 1043,
1253, 7653.
Optional with:
1073, 1273.
Ships separately.

FROSTED CHIMNEY

Bulb Type: **MED**

PENDANTS

Adjustable Lengths

AP10

AP20



Canopy

5.75"
diameter

CANDLE SLEEVES



Brass

Paper
Dip

Paper

Bees
Wax

Plastic

PIER MOUNTS



PMO1
Pier Mount
5" W x 5" D x 3" H

PMO3
Scroll Pier Mount
(brass only)
8" W x 8" D x 12" H

CAPM
Cast Aluminum Pier Mount
(epoxy supplied)
3 3/8" flange x 3" fitter x 1 3/4" H

HOW TO ORDER

1. Look for the **item number**

2. Pick a **finish**
   Refer to each collection for specific finish options

AB
Antique Brass

DAB
Dark Antique Brass

DB
Dark Brass

VG
Verdi Gris

AC
Antique Copper

3. Select your **socket** type
   MED = medium base socket
   CIM = medium base socket with clear chimney,
   LT2 = 2 candelabra, LT3 = 3 candelabra, LT4 = 4 candelabra

4. Indicate type of **glass**

CSG
Clear Seedy

SMG
Seedy Marine

FST
Frosted

Clear glass ships standard



CSG
Clear Seedy

OPT
Optic

5. Place your **order**: **orders@northeastlantern.com**

BREAKDOWN OF YOUR FIXTURE ORDER

3357 - AC - CIM - CSG

- 3357 — Item Number **3357**
- AC — Finish **AC**
- CIM — Socket **CIM**
- CSG — Glass **CSG**

CUSTOM LANTERNS

All of the fixtures we manufacture are crafted by hand from start to finish. By working directly with our **Custom Team**, we can make a special design unique to you and your client or a simple modification of an existing light fixture.

With your image, sketch and dimensions in mind you can visit our **Custom Lighting** page on our website. Complete the **Custom Quote Request** form and submit your project needs directly to our **Custom Team**. Please allow for 24 - 48 hours for a response or quote return.

Email: **custom@northestlantern.com**

Our business hours are:
Monday - Friday: 7:00am - 4:30pm

Handcrafted in the USA

INDEX

351 18, 81
351B 18, 81
351W 18
903 57
903F 65
904 57
904F 65
906 55
908 55
912 55
916 55
929-CRY 56
939 58
940 56
959-CRY 56
969 58
982 58
983 57
983-V 57
984 57
984F 65
1000
1001 53
1011 53
1012 52
1023 53
1033 52
1043 52
1061 53
1063 52
1073 52, 53
1113 52
1223 52
1623 53
2000
2011 29
2012-AP10 82
2015 29
2021 29
2024 31
2025 29
2031 29
2041 29
2042 102
2043 33
2217 59
2231 91
2237 91
2241 91
2242 90
2511 20, 27
2512 31
2514 31
2515 27
2521 20, 27
2522-AP10 82
2524 31
2525 27
2531 20, 27
2533 33
2541 20, 27
2542 27
2543 20,33
2571 27
2572 31
2573 33
2721 51
2731 51
2741 51
2742 51
2743 51
2831 35
2843 37
2851 35
2852 102
2853 37
2862 35
2863 37
3000
3317 21, 71
3332 71
3333 71
3337 21, 71
3353 71
3357 71
3411 20, 39
3421 20, 39
3422 39
3422-AP10 39, 82
3426 41
3429 41
3441 20, 39
3442-AP10 39, 82
3446 41
3449 41
3451 39
3456 41
3511 81
3512 81
3531 81
3532 81
3533 81
4000
4104 21, 64
4204 21, 64
4304 64
4314 64
4404 64
4414 64
4504 64
4604 64
4904 65
5000
5531 85
5541 85
5542 85
5543 85
5551 85
5553 85
5611 21, 45
5621 21, 45
5631 47
5632 45
5633P 47
5643 20
5651 45
5652 47
5653 45
5653P 45
5711 45
5721 21, 45
5751 45,47
6000
6011 49
6032 49
6111 49
6131 49
6132 100
6141 49
6151 49
6153 49
6406 73
6412 73
6416 73
6417 73
6418 73
6423 73
6812 67
6832 67
7000
7011 93
7031 93
7042 93
7051 93
7053 93
7131 93
7141 93
7151 93
7324 65
7511 79
7517 79
7521 79
7527 79
7537 79
7611 87
7631 87
7632 87
7638 87
7643 87
7653 87
8000
8011 75
8011VG 75
8021 75
8031 75
8033 75
8131 76
8141 77
8143 77
8311 92
8331 92
8332 92
8341 92
8351 92
8353 92
8811 21, 63
8831 21
8851 63
8931 63
8932 63
8933 63
8933P 63
8953 63
8953P 63
8961R 8
8971 9
8983 8
8991R 9
9000
9031 75
9051 75
9061 75
9253 74
9722 67
9732 67
10000
10517 21, 89
10527 21, 89
10547 89
10611 61
10621 61
10641 61
10722 61
10742 61
10743P 61
11000
11011 43
11012-AP10 43
11016 43
11021 43
11026 43
11211 11
11221 11
11231 11
11232 11
11311 17
11312 17
11321 17
11322 17
11331 17
11332 16
11333 17
11631 13
11641 13
11651 13
11653 13
11711 15
11732 15
11741 15
11753 15
11821 14
11822 14
11841 14
11843P 14
11921 19
11931 19
11941 19
11942 19
11953 19
CAPM 20, 95
CH901 59
CH902 59
CH904 59
CH906 59
CH908 59
PM01 20
PM03 95
SC1212 65
SS1016 69
SS1220 69
SS1424 69
ST0812-AP10 69,82
ST1213 69,82
ST1213-AP10 69
ST1216-AP10 82
ST1415 69
WC975 18

Accessories 94
Candles 95
Custom 97
Finish Options 22
Frosted 94
Glass Options 22
Guarantee 5
How to Order 96
Pendent Order 83
Pier Mounts 95
Quick Ship 20, 21
Spiders 94

APPENDIX

ADAMS



6111 6131 6141 6151 6153 6112 6132 6142

BOSC



2721 2731 2741 2724 2722 2732 2742 2743

BOSTON



1001 1011 1012 1023 1033 1043 1061 1063 1073 1113 1223 1253 1623

CONCORD



5611 5621 5711 5721 5631 5651 5751 5632 5652 5633P 5653P 5643 5633 5653

ELLIS



10611 10621 10641 10722 10742 10743P

EMPIRE



8911 8811 8931 8831 8851 8933P 8953P 8933 8953 8932

GLIDDEN



11821 11822 11841 11843P

HEAL



3312 3332 3317-NS 3317 3337 3357 3333 3353

IMPERIAL



6401 6406 6407 6408 6411 6416 6417 6418 6421 6426 6427 6428 6412 6422 6413 6423

LIVERY



8011 8021 8031 8041 8033 8043 9031 9231 9051 9251 9053 9061 9253

LYNN



8131 8141 8133 8143

MIDTOWN



7511 7521 7517 7527 7527

Handcrafted in the USA

NAUTICAL



NOTTINGHAM



ONION



ONION HANGING FLUSH



ONION POST



ROUND ONION POST



ROUND ONION



SHARON



STANFIELD



UPTOWN



UXBRIDGE



WINNICUTT



WOODCLIFFE



YORK



Handcrafted in the USA

NORTHEAST LANTERN®

Solid Brass and Copper Light Fixtures Handcrafted in the USA.

6 Commerce Way | Exeter, New Hampshire 03833

1-800-892-1206

WWW.NORTHEASTLANTERN.COM

info@northeastlantern.com

Volume 21

2022 Catalog