

Quoizel, Inc.
6 Corporate Parkway
Goose Creek, SC
29445

Customer Service
Phone 631.273.2700
Fax 631.231.7102
www.quoizel.com

Assembly Instruction Sheet #IS-TF1178TVB For Styles TF1178TVB

Tools Required: None

Bulb Recommended: (2) Medium Base 60W Maximum

Estimated Assembly Time: 15-20 minutes

Preparation: Identify and inspect all parts before beginning installation. Check package content list and diagrams below to be sure all parts are present. If any parts are missing or damaged, do not attempt to assemble, install, or operate the fixture. Contact customer service for replacement parts.



Warnings and Cautions


Turn off electricity at circuit breaker or main fuse box before installation. Consult a licensed electrician if in doubt.

These instructions are provided for your safety. It is very important you read them completely before installing the fixture. We strongly recommend that a licensed, professional electrician perform the installation.

Disconnect fixture from power source before replacing bulbs. Make sure bulbs are given sufficient time to cool before removal. Do not subject glass parts to any shock while in operation or shattering may result.

Package Contents




Part	Description	Quantity
A	Shade	1 pc.
B	Base	1 pc.
C	Finial	1 pc.
D	Spacer Tube	1 pc.
E	Nipple with Knurled Nut	1 pc.



Thank you for purchasing a Quoizel product.
Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com

TF1178TVB

FINISH: VINTAGE BRONZE



(2)Medium Base
Bulbs
(Not Supplied)

NOTE: ALL DIMENSIONS ARE ROUNDED UP TO THE NEAREST 1/2"


NO.	PART NUMBER	REPLACEMENT PART DESCRIPTION	REQ.
1	11178TVBTF	BASE VINTAGE BRONZE TF1178TVB	1
2	G3258SH	SHADE TIFFANY 14"L X 6.5"W RECTANGLE	1

Assembly Instruction Sheet #IS-TF1178TVB For Styles TF1178TVB

STEP 1 – Attach Spacer Tube and Nipple with Knurled Nut to Base

- Screw one end of the Nipple with Knurled Nut (E) into Hex Coupling on the top center of the Junction Box. Hand tighten until snug.
- Place the Spacer Tube (D) over the top end of the Nipple.
- Adjust the Knurled Nut onto the top end of the Nipple to make sure the top of the Knurled Nut and the top edge of the Spacer Tube (D) are lined up.


Figure 1



STEP 2 – Attach Shade and Finial

- Place the Shade (A) over the top end of the Nipple. Secure by threading the Finial (C) onto the Nipple. Hand tighten until snug.

Figure 2




STEP 3 – Install Bulb

- This fixture uses standard bulb with medium base . Maximum 60 watts.
- Insert bulb and screw snugly into place.

Your table lamp is now assembled and ready to use.
Enjoy!

Figure 3



Thank you for purchasing a Quoizel product.
Need assistance with parts or assembly? Call Quoizel customer service at 1-631-273-2700
or visit us on-line at www.quoizel.com