





www.nuvolighting.com







Welcome to Influence!
This, our first issue, will
introduce you to a sampling
of the lighting products and
prices that make
Nuvo Lighting one of the
strongest brands
in the industry.

INFLUENCE

With design from classic to cool, technology from visionary to vintage, and an ever expanding presence, Nuvo Lighting is truly a market mover. And with over 50 years of Satco lighting knowledge behind the brand, you can be sure Nuvo will continue to influence the industry.



INFLUENCE

Published quarterly. June, 2017.



Opportunity knocks...
Great opportunities on clearance fixtures.



Peatured...
A collection of fixtures with great market advantages at great values.



Functional...
A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



Horizon...
Upcoming products, designed for success.



On the cover... Lansing hanging lantern 60-6405



Great opportunities on clearance fixtures.





Bella 5 Light – Arm Up Chandelier 60-2775 Brushed Nickel / Frosted Linen Glass (5) 60W A19 max. / Medium Base Dimensions: Width 241/2", Height 20", Chain 48", Wire 12'



Bella 3 Light Vanity
60-2799 Brushed Nickel / Frosted Linen Glass
(3) 100W A19 max. / Medium Base
Dimensions: Width 201/2", Height 101/2", Extension 91/2"
CUL damp location



Energy Saving Wall Sconce 60-940 Brushed Nickel / Frosted Glass (2) 18W T3 Mini Spiral / GU24 base / 2700K Included Dimensions: Width 12", Height 121/2", Extension 3" CUL damp location



LED Desk Lamp

57-043 White **57-044** Black

Features

- LED efficiency—uses only 8 Watts
- Built-in clock with alarm, calendar and temperature display
- Built-in USB port
- Simple one-touch on/off control
- Dimmable using 5 step touch dimmer switch
- 3 Color mode selection—daylight, warm or natural light
- Fully adjustable, folding light source

Specifications

- •8W LED
- 60 Watt equivalent
- 600 Lumens
- 80 CRI
- 3300K-5500K variable color temperature
- 5V, 500mA USB port at base
- Fixture material: plastic
- Shade material: folding plastic
- Finishes: 57-043 (white), 57-044 (black)
- Overall dimensions: 17.5" H x 7.5" W x 16.5" D
- Base: 7.5" W x 7.5" D
- Shade: 0.5" H x 2" W x 14.25" D
- · Weight: 2.65 lbs.
- cUL listed
- Cord length 60"



Great opportunities on clearance fixtures.





Glenwood 6 Light Chandelier

60-1802 Brushed Nickel / Satin White Glass (6) 60W A19 max. / Medium Base Dimensions: Width 25 ½", Height 25 ¼"



Glenwood 3 Light Chandelier

60-1801 Brushed Nickel / Satin White Glass
(3) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 241/2", Chain 48", Wire 12'





Glenwood Large Flush Dome 60-1806 Brushed Nickel / Satin White Glass (2) 75W A19 max. / Medium Base Dimensions: Width 16", Height 6³/₄" CUL damp location





Glenwood Medium Flush Dome 60-1805 Brushed Nickel / Satin White Glass (2) 60W A19 max. / Medium Base Dimensions: Width 13", Height 61/2" CUL damp location

Glenwood Mini Pendant

60-1811 Brushed Nickel / Satin White Glass (1) 60W A19 max. / Medium Base Dimensions: Width 6", Height 33" Adjustable, Wire 12'

Great opportunities on clearance fixtures.





60-1807 Brushed Nickel / Satin White Glass
(3) 60W A19 max. / Medium Base
Dimensions: Width 15½", Height 17½", Wire 12'
Convertible to pendant



Glenwood 2 Light Pendant

60-1809 Brushed Nickel / Satin White Glass
(2) 100W A19 max. / Medium Base
Dimensions: Width 151/2", Height 283/4", Chain 48", Wire 12'





Glenwood 4 Light Vanity

60-1815 Brushed Nickel / Satin White Glass
(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 91/8", Extension 73/4"
CUL damp location



Glenwood 3 Light Vanity

60-1814 Brushed Nickel / Satin White Glass
(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 91/8", Extension 7³/₄"
CUL damp location



Glenwood 2 Light Vanity

60-1813 Brushed Nickel / Satin White Glass
(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 91/8", Extension 73/4"
CUL damp location

Great opportunities on clearance fixtures.





Ludlow 5 Light Chandelier

60-5225 Brushed Nickel / Satin White Glass (5) 60W A19 max. / Medium Base Dimensions: Width 26", Height 191/8", Chain 48", Wire 12'



Ludlow 3 Light Chandelier

60-5224 Brushed Nickel / Satin White Glass
(3) 60W A19 max. / Medium Base
Dimensions: Width 22 1/4", Height 16 5/8", Chain 48", Wire 12'



Ludlow 2 Light Vanity

60-5222 Brushed Nickel / Satin White Glass
(2) 100W A19 max. / Medium Base
Dimensions: Width 171/8", Height 81/2", Extension 85/8"
CUL damp location



Ludlow 1 Light Vanity

60-5221 Brushed Nickel / Satin White Glass
(1) 100W A19 max. / Medium Base
Dimensions: Width 67/8", Height 81/8", Extension 91/2"
CUL damp location





Ludlow 3 Light Chandelier 60-5324 Russet Bronze / Satin White Glass (3) 60W A19 max. / Medium Base Dimensions: Width 221/4", Height 165/8", Chain 48", Wire 12'



Ludlow 2 Light Vanity
60-5322 Russet Bronze / Satin White Glass
(2) 100W A19 max. / Medium Base
Dimensions: Width 171/8", Height 81/2", Extension 85/8"
CUL damp location



Ludlow 3 Light Vanity
60-5323 Russet Bronze / Satin White Glass
(3) 100W A19 max. / Medium Base
Dimensions: Width 26", Height 81/2", Extension 97/8"
CUL damp location

Great opportunities on clearance fixtures.





60-5287 Polished Nickel / Clear Seeded Glass
(1) 100W Edison max. / Medium Base
Dimensions: Width 81/4", Height 353/8"
Adjustable, Wire 12'



Latham 3 Light Pendant 60-5289 Polished Nickel / Clear Seeded Glass (3) 40WT9 max. / Candelabra Base Dimensions: Width 12³/4", Height 43⁷/₈" Adjustable, Wire 12'





Latham 1 Light Pendant 60-5282 Copper Espresso / Clear Seeded Glass (1) 100W Edison max. / Medium Base Dimensions: Width 81/4", Height 353/8" Adjustable, Wire 12'



Latham 3 Light Pendant **60-5284** Copper Espresso / Clear Seeded Glass (3) 40W T9 max. / Candelabra Base Dimensions: Width 12³/4", Height 437/8" Adjustable, Wire 12'



60-5281 Copper Espresso / Clear Seeded Glass
(1) 100W Edison max. / Medium Base
Dimensions: Width 81/4", Height 71/8", Extension 97/8"
CUL damp location

Great opportunities on clearance fixtures.



Bayport 3 Light Dinette

60-5423 Polished Nickel / Etched Opal Glass
(3) 100W A19 max. / Medium Base
Dimensions: Width 257/6", Height 591/4" Adjustable, Wire 12'





Telegraph 5 Light Chandelier w/Downlight

60-5343 Polished Nickel (5) 60W T9 max. / E12 Base (*40W included) (1) 25W R14 max. / Medium Base (included) Dimensions: Width 26", Height 60" Adjustable, Wire 12'



Telegraph 6 Light Island Pendant w/Downlight

60-5342 Polished Nickel
(6) 60W T9 max. / E12 Base (*40W included)
(1) 25W R14 max. / Medium Base (included)
Dimensions: Length 38", Width 8",
Height 621/2" Adjustable, Wire 12'

Great opportunities on clearance fixtures.





Sawyer **LED** 3 Light Island Pendant

(3) 20W LED Modules / Dimmable Dimensions: Length 40", Width 11³/₄", Height 19⁷/₈", Wire 12' **62-178** Polished Nickel /Frosted Glass Lumens: 4,260, CCT: 3000K, CRI: 80

SATCO NUVO



Sawyer **LED** 2 Light Island Pendant

62-177 Polished Nickel /Frosted Glass (2) 20W LED Modules / Dimmable Dimensions: Length 35", Width 11 ³/₄", Height 18 ¹/₄", Wire 12'

Lumens: 2,840, CCT: 3000K, CRI: 80

Great opportunities on clearance fixtures.





Teller 2 Tier – 9 Light Chandelier

60-4019 Aged Pewter / Frosted Etched Glass (9) 60W A19 max. / Medium Base Dimensions: Width 30", Height 27", Chain 72", Wire 12'





Teller 5 Light Chandelier 60-4015 Aged Pewter / Etched Opal Glass (5) 60W A19 max. / Medium Base Dimensions: Width 22", Height 191/2", Chain 48", Wire 12'

Great opportunities on clearance fixtures.





Teller 1 Light Vanity

60-4011 Aged Pewter / Frosted Etched Glass (1) 100W A19 max. / Medium Base Dimensions: Width 5 3/8", Height 9", Extension 6 5/8" CUL damp location



Teller Semi-Flush Dome

60-4018 Aged Pewter / Frosted Etched Glass (2) 60W A19 max. / Medium Base Dimensions: Width 12", Height 13", Wire 12' Convertible to pendant



60-4021 Aged Pewter / Frosted Etched Glass (2) 60W A19 max. / Medium Base Dimensions: Width 13", Height 81/4" CUL damp location



Teller Large Flush Dome

60-4022 Aged Pewter / Frosted Etched Glass (3) 60W A19 max. / Medium Base Dimensions: Width 15", Height 81/2" CUL damp location



FEATURED

A collection of fixtures with great market advantages at great values.



Harlow 5 Light Chandelier

60-4625 Polished Nickel / Slate Gray Fabric Shade / Frosted Diffuser (5) 60W A19 max. / Medium Base Dimensions: Width 27³/4", Height 20³/8", Chain 48", Wire 12'



Candice 5 Light Chandelier

60-4735 Brushed Nickel / Pleated White Shades (5) 60W Type B max. / Candelabra Base Dimensions: Width 28", Height 241/2", Chain 48", Wire 12'





Vintage Pendant

60-5504 Rustic Bronze / Clear Glass (1) 100W A19 max. / Medium Base (*40W included) Dimensions: Width 51/8", Height 85/8", 12' Brown Rayon Cord



Beaker 2 Light Wall Sconce

60-5363 Aged Bronze / Clear Glass (2) 60W T9 max. / Medium Base (*20W included) Dimensions: Width 23³/₄", Height 4³/₄", Extension 5⁷/₈" CUL damp location

Gear Prismatic Glass Pendant **60-2923** Brushed Nickel / Clear Ribbed Glass (1) 150W A19 max. / Medium base Dimensions: Width 123/8", Height 105/8", Wire 12'

FEATURED

A collection of fixtures with great market advantages at great values.





Tess **LED** 5 Light Chandelier

62-805 Brushed Nickel / Frosted Fluted Glass (5) 8.5W LED Modules / Dimmable Dimensions: Width 27 3/8", Height 23 1/8", Chain 48", Wire 12'

Lumens: 4,000, CCT: 3000K, CRI: 80



62-882 Brushed Nickel / Black Mesh (1) 15W LED Panel / Dimmable Dimensions: Width 131/2", Height 111/2", Overall Height 48" Adjustable, Wire 12' Lumens: 1,190*, CCT: 3000K, CRI: 80

SATCO® NUVO®



Vessel **LED** Mini Pendant **62-838** Bronze with Copper Accents (1) 12W LED Panel / Dimmable Dimensions: Width 6", Height 81/2", 12' Black SVT cable

Lumens: 950, CCT: 3000K, CRI: 80



Thrust **LED** Pendant

62-861 Brushed Nickel with Black and White Accents (1) 12W LED Panel / Dimmable Dimensions: Width 7", Height 9", Overall Height 45" Adjustable, Wire 12' Lumens: 950, CCT: 3000K, CRI: 80



Slice **LED** Wall Sconce

62-933 Aged Bronze / White Acrylic Lens (1) 13W LED Module / Dimmable Dimensions: Width 41/2", Height 12", Extension 3"

Lumens: 1,040, CCT: 3000K, CRI: 80



Dash **LED** Flush Dome

62-155 Aged Bronze / Frosted Glass (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 4" Lumens: 1,420, CCT: 3000K, CRI: 80

FEATURED

A collection of fixtures with great market advantages at great values.





Decor **LED** Flush Drum

62-990 White Fabric Shade / Acrylic diffuser (1) 16.5W LED Modules / Dimmable Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90



Decor **LED** Flush Drum

62-988 Polished Nickel / White Fabric Shade / Acrylic diffuser (1) 16.5W LED Modules / Dimmable Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90



Decor **LED** Flush Drum

62-989 Polished Nickel / White Fabric Shade / Acrylic diffuser (1) 16.5W LED Modules / Dimmable Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90





Decor **LED** Flush Drum
62-985 Beige Fabric Shade / Acrylic diffuser
(1) 16.5W LED Modules / Dimmable
Dimensions: Width 14" Unight 41/4"

Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90



Decor **LED** Flush Drum

62-986 Natural Brass/ White Fabric Shade / Acrylic diffuser (1) 16.5W LED Modules / Dimmable Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90



Decor **LED** Flush Drum

62-986 Natural Brass/ White Fabric Shade / Acrylic diffuser (1) 16.5W LED Modules / Dimmable Dimensions: Width 14", Height 41/2" Lumens: 1,150, CCT: 3000K, CRI: 90

FEATURED

A collection of fixtures with great market advantages at great values.





Button **LED** Flush Dome

62-1044 Brushed Nickel / White Glass (1) 25W LED Modules / Dimmable Dimensions: Width 17", Height 5" Lumens: 2,000, CCT: 3000K, CRI: 90



Glamour **LED** Flush Dome

62-1035 Brushed Nickel / White acrylic lens (1) 18W LED Modules / Dimmable Dimensions: Width 10", Height 3³/₄" Lumens: 1,400, CCT: 3000K, CRI: 90



Button **LED** Flush Dome

62-1042 Brushed Nickel / White Glass (1) 18W LED Modules / Dimmable Dimensions: Width 11", Height 3⁷/₈" Lumens: 1,400, CCT: 3000K, CRI: 90



Button **LED** Flush Dome

62-1043 Brushed Nickel / White Glass (1) 18W LED Modules / Dimmable Dimensions: Width 13³/₈", Height 4" Lumens: 1,400, CCT: 3000K, CRI: 90



FUNCTIONAL

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



LED Flush Mount Emergency Battery Back-up Ready (EMR)

EMR fixtures by Nuvo Lighting: Efficiency, safety and style all in one package.

This all-new collection of flush mount fixtures combines the latest in LED technologies, current safety standards and adds clean, contemporary design to create one of the most advanced fixtures in the industry. Each fixture is manufactured to easily accept an emergency battery back-up disk (sold separately), which quickly transforms these attractive flush fixtures into functional emergency lighting devices. These fixtures allow safety specifications to be met without sacrificing design or efficiency.

Features

- 100 Watt equivalent
- 20 Watts—over 80% energy savings
- 120-277V
- High color rendition (90+ CRI)
- Dimmable 120V only
- Dimming range 20%-100%
- Suitable for damp locations (without use of disk)
- Operating temperature -17°C to 45°C
- 5 Year warranty





Emergency battery back-up disk ready.

The emergency battery back-up disk, Satco model S9299 (120V) or Satco model S9780 (277V) (not included), easily mounts inside the pan of these fixtures instantly making them emergency lighting compliant. Battery back-up disk includes both the test button and indicator light. Batteries are easily accessible and included.

- Rechargeable batteries
- 90 minute run time



Remove the logo plate to mount the battery back-up indicator light and test button (included with battery back-up disk, sold separately).



Battery back-up disk (sold separately) **S9299** - 120V Battery back-up disk **S9780** - 277V Battery back-up disk



EMR **LED** Flush

62-981 Polished Nickel / White Glass (1) 20W LED Module / Dimmable Dimensions: Width 15", Height 41/2" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush

62-971 Brushed Nickel / White Glass (1) 20W LED Module / Dimmable Dimensions: Width 15", Height 4" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush

62-991 White / White Acrylic (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 4³/₄" Lumens: 1,300, CCT: 3000K, CRI: 90



SATCO® NUVO®



EMR **LED** Flush

62-977 Brushed Nickel / White acrylic (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 53/8" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush

62-982 Aged Bronze / White Glass (1) 20W LED Module / Dimmable Dimensions: Width 15", Height 41/2" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush

62-975 Brushed Nickel / White acrylic (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 45/8" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush 62-978 Aged Bronze / White Glass (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 53/8" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush **62-972** Aged Bronze / White Glass (1) 20W LED Module / Dimmable Dimensions: Width 15", Height 4" Lumens: 1,660, CCT: 3000K, CRI: 90



EMR **LED** Flush **62-976** Aged Bronze / White acrylic (1) 20W LED Module / Dimmable Dimensions: Width 14", Height 45/8" Lumens: 1,660, CCT: 3000K, CRI: 90

FUNCTIONAL

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



Satco smart home Z Wave enabled devices.

Control lighting and small appliances from smart phones, anywhere, anytime.

Satco's new smart home wall switches and plug-in modules allow you to control lighting, and even small appliances, right from a smart phone, anywhere you are. Enable the app for your home's Z-Wave enabled hub in a phone, and it will speak directly to our products. And each switch or module are signal repeaters, meaning the signal hops from one to the next creating a complete "mesh network" throughout the home, controllable from anywhere.

Z-Wave is the most open development environment for smart products and services, and is the protocol of choice for more than 400 of today's leading global manufacturers. And service providers have made Z-Wave their protocol of choice as well.

Satco's smart home plug-in modules and switches make Satco part of the world's largest ecosystem of smart "things" for the IoT.













Smart home gear:

86-100 Plug-In Appliance Module

Features

- Turns ON/OFF incandescent, CFL, or LED lamps, and AC operated electrical appliances
- LED backlit Key for manual ON/OFF and status indicator
- · Z-Wave Plus Certified
- Controls appliances up to 15A
- Functions as Z-Wave signal repeater
- Grounded 3-pin AC power receptacle to enhance safety
- Compact design does not block the 2nd AC outlet
- Over-The-Air firmware upgrade available, if supported by controller
- Supports Network Wide Inclusion (inclusion through a repeater), if supported by controller
- Powered by Sigma Design 500 Series module inside



Smart home gear:

86-101 Plug-In Dimmer Module

Features

- Works with incandescent and most dimmable fluorescent (CFL), or LED lighting
- LED backlit Key for manual ON/OFF and status indicator
- GROUP/SCENE/ALL enabled, if supported by controller
- Over-The-Air firmware upgrade available, if supported by controller
- Supports Network Wide Inclusion (inclusion through a repeater), if supported by controller
- Powered by Sigma Design 500 Series module inside
- Compact design does not block the 2nd AC outlet
- Functions as Z-Wave repeater





Smart home gear:

86-102 In-Wall Light Switch

Features

- Works with incandescent lamps, fluorescent (CFL), and LED lighting
- Fits standard wall plate (not included)
- · Z-Wave Plus Certified
- Clean design with white LED status indicator
- GROUP/ALL enabled, if supported by controller
- Multiple scene control using double and triple tap
- Provides instant manual status change to controller
- Supports Central Scene command class
- Over-The-Air firmware upgrade available, if supported by controller
- Supports Network Wide Inclusion (inclusion through a repeater), if supported by controller
- Powered by Sigma Design 500 Series module inside
- Functions as a Z-Wave signal repeater
- Supports screw and wire terminals



Smart home gear:

86-103 In-Wall Dimmer

Features

- Works with incandescent and most dimmable fluorescent (CFL), or LED lighting
- 7 LEDs to indicate ON/OFF/Dimming level status
- Fits standard wall plate (not included)
- · Z-Wave Plus Certified
- GROUP/ALL enabled, if supported by controller
- Multiple scene control using double and triple tap
- Provides instant manual status change to controller
- Supports Central Scene command class
- Over-The-Air firmware upgrade available, if supported by controller
- Supports Network Wide Inclusion (inclusion through a repeater), if supported by controller
- Powered by Sigma Design 500 Series module inside
- Functions as a Z-Wave signal repeater
- Supports screw and wire terminals



Smart home gear:

86-104 3-Way Auxiliary Switch

Features

- 3 way switch that works with Satco 86-102 wall switch or 86-103 wall dimmer
- Fits standard wall plate (not included)
- Reliable and affordable way to add 3 way or 4 way switch
- Up to 3 86-104 auxiliary switches (5 way) can be used with one Satco in wall switch or dimmer
- Connects and controls through traveler wire
- When used with Satco 86-103 dimmer, 86-104 can also be used to control dimming
- Multiple scene control using double and triple tap
- Provides instant manual status change to controller
- Supports Central Scene command class
- Supports screw and wire terminals

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



LED track heads **Features**

- Direct replacement for 75 Watt incandescent – uses only 12 Watts
- 24° and 36° beam angles
- Dimmable
- 3000K
- 90+ CRI
- · 820 lumens
- · Long life: 30,000 Hours
- · Sleek, clean design
- Die cast construction
- 3 Year warranty







Track with end cap removed



Dimensions: Width 3", Height 21/4", Ext. 51/8"

Lumens: 820, CCT: 3000K, CRI: 90

TH401 White, 24°

TH403 White, 36°

TH402 Black, 24°

TH404 Black, 36°

TH405 Brushed Nickel, 24°

TH407 Brushed Nickel, 36°



Pinch Back

Dimensions: Width $2^3/4$ ", Height $2^3/4$ ", Ext. $5^5/8$ "

Lumens: 820, CCT: 3000K, CRI: 90

TH411 White, 24°

TH413 White, 36°

TH412 Black, 24°

TH414 Black, 36°

TH415 Brushed Nickel, 24°

TH417 Brushed Nickel, 36°



Dimensions: Width 3", Height 21/4", Ext. 51/8"

Lumens: 820, CCT: 3000K, CRI: 90

TH421 White, 24°

TH423 White, 36°

TH422 Black, 24°

TH424 Black, 36°

TH425 Brushed Nickel, 24°

TH427 Brushed Nickel, 36°

LED track kits **Includes**

- 3 LED track heads
- 4' track
- · Floating canopy power feed
- All necessary mounting hardware



Round Track Kit (36°)

Lumens: 2,460 - 820 per head, CCT: 3000K, CRI: 90

TK403 White, 36°

TK404 Black, 36°

TK407 Brushed Nickel, 36°



Pinch Back Track Kit (36°)

Lumens: 2,460 - 820 per head, CCT: 3000K, CRI: 90

TK413 White, 36°

TK414 Black, 36°

TK417 Brushed Nickel, 36°



Track Kit (36°) Lumens: 2,460 - 820 per head,

CCT: 3000K, CRI: 90 TK423 White, 36°

Angle Arm

TK424 Black, 36°

TK427 Brushed Nickel, 36°

www.nuvolighting.com



Blink Plus™ **LED** surface mount fixtures

Features

- Dimmable, 120V only
- White finish
- Damp location listed
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100/277V
- 90 CRI
- ENERGY STAR certified
- 5 Year limited warranty



1ft. x 1ft. White, 18W 62-1051 3000K, 1,300 Lumens, 80CRI 62-1151 5000K, 1,500 Lumens, 80CRI

1ft. x 2 ft. White, 22W

62-1052 3000K, 1,650 Lumens, 80CRI **62-1152** 5000K, 1,900 Lumens, 80CRI

2ft. x 2 ft. White, 45W

62-1053 3000K, 3,500 Lumens, 80CRI

62-1153 5000K, 4,050 Lumens, 80CRI

1ft. x 4 ft. White, 45W

62-1054 3000K, 3,600 Lumens, 80CRI **62-1154** 5000K, 4,050 Lumens, 80CRI

5.5" x 24" White, 22W

62-1055 3000K, 1,600 Lumens, 80CRI **62-1155** 5000K, 1,870 Lumens, 80CRI

5.5" x 36" White, 30W

62-1056 3000K, 2,100 Lumens, 80CRI **62-1156** 5000K, 2,600 Lumens, 80CRI

5.5" x 48" White, 30W

62-1057 3000K, 2,800 Lumens, 80CRI **62-1157** 5000K, 3,300 Lumens, 80CRI



Mount the "H" bracket to the J box and plug fixture using quick-connect plug.



Very low profile -

Only 3/4" high!



Line up the bracket tabs and the marking on the fixture label. Slide fixture to lock onto bracket.







After tabs are aligned, slide fixture to lock onto the bracket. (shown from above)

FUNCTIONAL

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



LED Lay-in panel fixtures Features

- DLC 4.0 certified
- Maintenance free—no bulb to change
- Perfect, even light distribution
- CRI > 90
- Ultra-slim edge-lit design
- Lasts 50,000 hours of continuous use
- 0-10V dimming
- Universal input voltage—100-277V
- 3500K, 4000K and 5000K versions
- Suspended or drop into T-bar grid
- Certified for damp locations
- 5 Year warranty

Installation Options

- Lay-in
- Suspension
- Surface mount (kit)





65-311 3500K, 3,800 Lumens, 90CRI

65-312 4000K, 3,880 Lumens, 90CRI

65-313 5000K, 3,960 Lumens, 90CRI

1ft. x 4 ft. White, 37W

65-314 3500K, 3,800 Lumens, 90CRI

65-315 4000K, 3,880 Lumens, 90CRI

65-316 5000K, 3,960 Lumens, 90CRI

2ft. x 4 ft. White, 48W

65-317 3500K, 5,000 Lumens, 90CRI

65-318 4000K, 5,070 Lumens, 90CRI

65-319 5000K, 5,140 Lumens, 90CRI





LED Troffer fixtures

Features

- Volumetric design
- Acrylic linear prismatic lens
- Maintenance free—no bulb to change
- Even light distribution
- CRI >90
- Lasts 50,000 hours of continuous use
- 0-10V dimming
- Universal input voltage, 120V-277V
- Drop into T-bar grid
- Certified for damp locations
- 5 Year warranty





2ft. x 2 ft. White, 32W

65-301 3500K, 3,213 Lumens, 90CRI

65-302 4000K, 3,286 Lumens, 90CRI

65-303 5000K, 3,292 Lumens, 90CRI

2ft. x 4 ft. White, 40W

65-304 3500K, 4,222 Lumens, 90CRI

65-305 4000K, 4,376 Lumens, 90CRI

65-306 5000K, 4,533 Lumens, 90CRI

2ft. x 4 ft. White, 65W

65-307 3500K, 6,543 Lumens, 90CRI

65-308 4000K, 6,736 Lumens, 90CRI

65-309 5000K, 6,898 Lumens, 90CRI

FUNCTIONAL

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



LED Strip fixtures

Features

- 4' Stand-alone model
- 1', 2', and 4' Connectible models
- Direct wire knockouts
- Ceiling or wall mount
- Maintenance free—no bulb to change
- Consistent, even light distribution
- 90 CRI
- Ultra-slim design
- Damp location rated
- 4000K
- 50,000 hour life
- ENERGY STAR certified
- 5 Year warranty



Stand alone strips 4ft. White, 24W

65-1101 100-277V, 4000K, 1,800 Lumens, 90CRI

Connectible strips

1ft. White, 12W

65-1102 120V, 4000K, 840 Lumens, 90CRI

2ft. White, 24W

65-1103 120V, 4000K, 1,680 Lumens, 90CRI

4ft. White, 36W

65-1104 120V, 4000K, 2,600 Lumens, 90CRI







65-1107 5' Power cord – Portable option for connectible strips



65-1108 8" Connector cable



LED ceiling wraps

Features

- 2' and 4' Lengths
- Maintenance free—no bulb to change
- Perfect, even light distribution
- CRI > 90
- Slim design
- 50,000 hour life
- Range 120-277V
- 3000K & 4000K options
- Certified for damp locations
- ENERGY STAR certified
- 5 Year warranty



2ft. White, 20W
65-1081 4000K, 1,600 Lumens, 90CRI
4ft. White, 40W
65-1082 4000K, 3,200 Lumens, 90CRI
2ft. White, 20W
65-1083 3000K, 1,600 Lumens, 90CRI
4ft. White, 40W
65-1084 3000K, 3,200 Lumens, 90CRI



FUNCTIONAL

A collection of fixtures that address common yet challenging lighting situations with advanced technologies.



LED direct wire downlights **Highlights**

- Easy install spring clips
- IC rated
- Low profile
- No recessed can required

Features

- Direct replacement for 45 Watt reflector lamps uses only 7 Watts, or replacement for 65 Watt reflector lamps that uses only 9 Watts
- Integrated j-box for direct wire installation saves time and materials
- Dimmable
- · Long life—40,000 hours
- c-UL-us classified
- Wet location
- 5 year warranty
- ENERGY STAR® certified

4"

7WLED/DW/RDL/4/27K/120V \$9011 120V, 2700K, 550 Lumens, 83CRI 7WLED/DW/RDL/4/30K/120V \$9012 120V, 3000K, 550 Lumens, 83CRI 7WLED/DW/RDL/4/40K/120V \$9013 120V, 4000K, 550 Lumens, 83CRI



5"/6"

9WLED/DW/RDL/5-6/27K/120V **59026** 120V, 2700K, 700 Lumens, 83CRI 9WLED/DW/RDL/5-6/30K/120V **59027** 120V, 3000K, 700 Lumens, 83CRI 9WLED/DW/RDL/5-6/40K/120V **59028** 120V, 4000K, 700 Lumens, 83CRI





LED direct wire edge-lit downlights **Highlights**

- Easy install spring clips
- IC rated
- Low profile
- No recessed can required

Features

- Direct replacement for 45 Watt reflector lamps uses only 8.5 Watts or replacement for 65 Watt reflector lamps uses only 11.6 Watts
- Edge lit technology
- Slim design
- Integrated j-box for direct wire installation saves time and materials
- Dimmable
- · Long life—40,000 hours
- · c-UL-us classified
- Damp location
- 5 year warranty

4"

8.5WLED/DW/EL/4/27K/120V **\$9055** 120V, 2700K, 500 Lumens, 83CRI 8.5WLED/DW/EL/4/30K/120V **\$9056** 120V, 3000K, 500 Lumens, 83CRI 8.5WLED/DW/EL/4/40K/120V **\$9057** 120V, 4000K, 500 Lumens, 83CRI



5"/6"

11.6WLED/DW/EL/5-6/27K/120V **59061** 120V, 2700K, 800 Lumens, 83CRI 11.6WLED/DW/EL/5-6/30K/120V **59062** 120V, 3000K, 800 Lumens, 83CRI 11.6WLED/DW/EL/5-6/40K/120V

S9063 120V, 4000K, 800 Lumens, 83CRI









Up coming products, designed for success.



PAYNE



5 Light Pendant

60-6416 Midnight Bronze / Vintage Brass Accent / Clear Beveled Glass (5) 60W G25 max. / Medium Base S2425 Satco 40W G25 Vintage lamps included Dimensions: Width 26", Height 121/2", Adjustable, Wire 12'



Mini Pendant

60-6412 Midnight Bronze / Vintage Brass Accent / Clear Beveled Glass (1) 60W G25 max. / Medium Base S2425 Satco 40W G25 Vintage lamp included Dimensions: Width 61/2", Height 81/2" Adjustable, Wire 12'



4 Light Foyer

60-6415 Midnight Bronze / Vintage Brass Accent / Clear Beveled Glass (4) 60W T9 max. / Medium Base S2422 Satco 60W T9 Vintage lamps included

Dimensions: Width 14", Height 20³/₄", Adjustable, Wire 12'







1 Light Wall Sconce

60-6411 Midnight Bronze / Vintage Brass Accent / Clear Beveled Glass

(1) 60W G25 max. / Medium Base **S2425** Satco 40W G25 Vintage lamp included Dimensions: Width 8", Height 8", Extension 51/2"

4 Light IslandPendant

60-6417 Midnight Bronze / Vintage Brass Accent / Clear Beveled Glass

(4) 60W G25 max. / Medium Base

\$2425 Satco 40W G25 Vintage lamps included

Dimensions: Length 42", Width 10", Height 9", Adjustable, Wire 12'

Up coming products, designed for success.

4 Light Large Pendant

60-6422 Bronze / Aged Wood



4 Light Medium Pendant

60-6423 Bronze / Aged Wood (4) 60W A19 max. / Medium Base **S2419** Satco 40W A19 Vintage lamps included Dimensions: Length 15", Width 15", Height 14³/₄", Chain 48", Wire 12'



4 Light Island Pendant

60-6424 Bronze / Aged Wood (4) 60W A19 max. / Medium Base **S2419** Satco 40W A19 Vintage lamps included Dimensions: Length 403/4", Width 103/4", Height 15¹/₄", Chain 48", Wire 12'



60-6421 Bronze / Aged Wood (4) 60W A19 max. / Medium Base **S2419** Satco 40W A19 Vintage lamps included Dimensions: Length 10³/₄", Width 10³/₄", Height 14³/₄", Chain 48", Wire 12'



VOTIVE





1 Light Vanity

60-6441 Polished Nickel / Clear, Crystal Cut Glass (1) 60W G16½ max. / Candelabra Base Dimensions: Width 47/8", Height 5½", Extension 55/8" CUL damp location



3 Light Vanity

60-6443 Polished Nickel / Clear, Crystal Cut Glass (3) 60W G16½ max. / Candelabra Base Dimensions: Width 177/8", Height 5¾, Extension 5⅙. CUL damp location

4 Light Vanity

60-6444 Polished Nickel / Clear, Crystal Cut Glass (4) 60W G161/2 max. / Candelabra Base Dimensions: Width 25", Height 5 3/4", Extension 5 5/8" CUL damp location



2 Light Vanity

60-6442 Polished Nickel / Clear, Crystal Cut Glass (2) 60W G16¹/₂ max. / Candelabra Base Dimensions: Width 10 ³/₄", Height 5 ³/₄", Extension 5 ⁵/₈" CUL damp location

Up coming products, designed for success.



PRATT



5 Light Pendant

60-6454 Black / Brushed Nickel Accents / Frosted Glass (5) 100W A19 max. / Medium Base Dimensions: Width 26", Height 131/2", Adjustable, Wire 12'



Mini Pendant

60-6451 Black / Brushed Nickel Accents / Frosted Glass

(1) 100W A19 max. / Medium Base Dimensions: Width 8", Height 12³/₄", Adjustable, Wire 12'



3 Light Pendant

60-6453 Black / Brushed Nickel Accents / Frosted Glass

(3) 100W A19 max. / Medium Base Dimensions: Width 20", Height 13 1/2", Adjustable, Wire 12'





4 Light Island Pendant

60-6455 Black / Brushed Nickel Accents / Frosted Glass
(4) 100W A19 max. / Medium Base
Dimensions: Length 38³/4", Width 10", Height 12³/4", Adjustable, Wire 12'

Up coming products, designed for success.



LANSING



3 Light Pendant

60-6435 Midnight Bronze / White Fabric Shade / Etched Opal Glass (3) 100W A19 max. / Medium Base Dimensions: Width 21", Height 181/s", Adjustable, Wire 12'



Mini Pendant

60-6432 Midnight Bronze / White Linen Glass (3) 100W A19 max. / Medium Base Dimensions: Width 5 1/4", Height 12", Adjustable, Wire 12'



4 Light Foyer

60-6433 Midnight Bronze / White Fabric Shade / Etched Opal Glass (4) 100W A19 max. / Medium Base Dimensions: Width 14", Height 26³/₈", Adjustable, Wire 12'





1 Light Wall Sconce 60-6431 Midnight Bronze / White Fabric Shade (2) 60W Type B max. / Candelabra Base Dimensions: Width 8", Height 12", Extension 37/8"



3 Light Semi-Flush
60-6436 Midnight Bronze / White Fabric Shade /
Etched Opal Glass
(3) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 93/8"



3 Flush Drum 60-6434 Midnight Bronze / White Fabric Shade / Etched Opal Glass (3) 100W A19 max. / Medium Base Dimensions: Width 16", Height 5 3/8"

www.nuvolighting.com

HORIZON

Up coming products, designed for success.



LANSING



Hanging Lantern

60-6405 Textured Black / Etched Opal Glass
(1) 100W A19 max. / Medium Base
Dimensions: Width 11", Height 137/8", Chain 48", Wire 12'
CUL damp location



Post Lantern

60-6406 Textured Black / Etched Opal Glass (1) 100W A19 max. / Medium Base Dimensions: Width 11", Height 16⁷/₈" CUL wet location





Large Wall Lantern
60-6403 Textured Black / Etched Opal Glass
(1) 100W A19 max. / Medium Base
Dimensions: Width 11", Height 13 3/8", Extension 11 3/4"
CUL wet location



Small Wall Lantern
60-6401 Textured Black / Etched Opal Glass
(1) 100W A19 max. / Medium Base
Dimensions: Width 7", Height 97/8", Extension 73/4"
CUL wet location



Medium Wall Lantern 60-6402 Textured Black / Etched Opal Glass (1) 100W A19 max. / Medium Base Dimensions: Width 9", Height 11³/₈", Extension 9³/₄" CUL wet location



www.nuvolighting.com Catalog NU1370



National Toll-Free: 1.800.43.SATCO (1.800.437.2826) www.satco.com

Corporate Offices & Distribution Center: NEW YORK 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027

Distribution Centers: FLORIDA 900 N.W. 159th Drive, Miami, FL 33169 800.437.2826 305.624.2044 FAX 305.623.0286

CALIFORNIA 31288 San Benito St. Hayward, CA 94544 800.437.2826 510.487.4822 FAX 510.487.8955 **WASHINGTON** 4710 116th St. S.W., Mukilteo, WA 98275 800.437.2826 425.789.3300 FAX 425.789.3310 **TEXAS** 2000 Valwood Parkway, Farmers Branch, TX 75234 800.437.2826 972.247.2437 FAX 972.247.5408

PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 787.757.3510 FAX 787.757.3540



© Copyright 2017, SATCO Products, Inc