



— TODAY'S LIGHTING CLASSICS —

SAVOY HOUSE FANS

JANUARY MASTER SUPPLEMENT
2017



Alphabetical Listing

Amherst.....32	Fairfax2	Phoebe.....34	Ventura38
Arena 12	Girard24	Senegal.....50	Vinton.....48
Bluffton4	Juneau42	Sheffield.....40	Vireo46
Circulaire Discus6	La Salle20	Sky li52	Wasp26
Connell..... 16	Montrose8	Starling30	
Dayton22	Mystique.....36	Taurus.....44	
Del Rio 18	Payson10	Trudy 14	

SAVOY FANS

CONTENTS

FAMILY COLLECTIONS

- 3 Fairfax
- 5 Bluffton
- 7 Circulaire Discus
- 9 Montrose
- 11 Payson
- 13 Arena
- 15 Trudy
- 17 Connell
- 19 Del Rio
- 21 La Salle
- 23 Dayton
- 25 Girard
- 27 Wasp
- 31 Starling
- 33 Amherst
- 35 Phoebe
- 37 Mystique
- 39 Ventura
- 41 Sheffield
- 43 Juneau
- 44 Taurus
- 46 Vireo
- 48 Vinton
- 51 Senegal
- 53 Skyy II

INDEX



Pg. 26



Pg. 14



Pg. 2



Pg. 16



Pg. 22



Pg. 52



Pg. 54



FAN NUMBER	60-5035-3WA-13	60-5035-3CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC500

- Motor Size 188 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included

- Remote Control Included (RMT001)
- Not Hugger Kit Adaptable
- Additional Downrod Lengths Sold Separately

Handheld Remote Control
Included
RMT001



ENERGY INFORMATION at High Speed		
Airflow 6,000 Cubic Feet Per Minute	Electricity Use 75.0 Watts (Excludes Lights)	Airflow Efficiency 80.0 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FAIRFAX





FAN NUMBER	72-5045-813-13	72-5045-8SV-SN	72-5045-8GR-GR
MOTOR FINISH	English Bronze	White	Grey Wood
BLADE FINISH	English Bronze	Silver	Grey Wood
GLASS	Frosted White	Frosted White	Frosted White
DOWNROD	13	SN	GR

COMPATIBLE REMOTE CONTROLS: RMT020

- Motor Size DC-165L
- 72" Blade Span
- 13° Blade Pitch
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 16W LED Dimmable (1350 Lumens, 2900K)
- Not Hugger Kit Adaptable




Handheld Remote Control
Included
RMT020



ENERGY INFORMATION at High Speed		
Airflow 9,100 Cubic Feet Per Minute	Electricity Use 32.0 Watts (Excludes Lights)	Airflow Efficiency 284.00 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

BLUFFTON





FAN NUMBER	48-952-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
DOWNROD	13

- Motor Size 74 x 16 x 51
- 48" Span (3 Heads)
- 13" Protective Steel Case
- 26-3/4" Height
- Adjustable Heads (35°-Up, 35°-Down)
- 3-Speed Reversible Motor

- Integrated LED Uplight Included
- 15W LED Dimmable (1452 Lumens, 3000K)
- Hand Held Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**
- Additional Downrod Lengths (CA-13) Sold Separately
- Not Hugger Kit Adaptable



Handheld Remote Control
Included
RMT011



ENERGY INFORMATION at High Speed		
Airflow 5,534 Cubic Feet Per Minute	Electricity Use 131.0 Watts (Excludes Lights)	Airflow Efficiency 42.28 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		



CIRCULAIRE DISCUS





FAN NUMBER	54-5055-5RV-79	54-5055-5RV-SNCH
MOTOR FINISH	English Bronze & Warm Brass	Satin Nickel & Chrome
BLADE FINISH	Chestnut / Teak	Chestnut / Silver
FAN LIGHT	Included	Included
GLASS	Opal White	Opal White
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120DC x 15
- 54" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included
- 15W LED Dimmable (725 Lumens, 3000K)
- Remote Control Included (RMT014)
- Not Hugger Kit Adaptable
- Additional Downrod Lengths Sold Separately




Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 5,616 Cubic Feet Per Minute	Electricity Use 26.5 Watts (Excludes Lights)	Airflow Efficiency 211.93 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

MONTROSE





FAN NUMBER	56-5065-213-DMB	56-5065-2SV-SN
MOTOR FINISH	Dark Metallic Bronze	Satin Nickel
BLADE FINISH	Oil Rubbed Bronze	Silver
FAN LIGHT	Included	Included
GLASS	Opal Etched	Opal Etched
DOWNROD	DMB	SN

COMPATIBLE REMOTE CONTROLS: RMT014

- Motor Size 120DC x 15
- 56" Blade Span
- 20° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Fan Blades Included
- 12W LED Dimmable (700 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT014)
- Decorative Cover For Non-Light Use Included




Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 4,341 Cubic Feet Per Minute	Electricity Use 20.3 Watts (Excludes Lights)	Airflow Efficiency 213.82 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

PAYSON





FAN NUMBER	17-339-FD-11	17-339-FD-44	17-339-FD-322
MOTOR FINISH	Chrome	Classic Bronze	Matte Black
BLADE FINISH	Black	Black	Black
DOWNROD	11	13	322

COMPATIBLE REMOTE CONTROLS: RMT017

- Motor Size 104 x 114
- 14" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- ABS Fan Blades Included
- Not Hugger Kit Adaptable

Handheld Remote Control
Included
RMT017



ENERGY INFORMATION at High Speed		
Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62.00 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

ARENA





FAN NUMBER	52-135-5WA-13	52-135-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Included	Included
GLASS	Clear Seeded	Clear Seeded
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 172 x 20
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Remote Control Included (RMT007)
- Additional Downrod Lengths Sold Separately
- All Weather Blades & Integrated Fan Light Included
- Fan Light 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Fans & Blades are **UL Wet Location**



**Lamp Included
Incandescent**

**Handheld Remote Control
Included
RMT007**



**WET
Location**

**ENERGY INFORMATION
at High Speed**

Airflow 5,301 Cubic Feet Per Minute	Electricity Use 57.0 Watts (Excludes Lights)	Airflow Efficiency 92.99 Cubic Feet Per Minute Per Watt
--	--	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



TRUDY





FAN NUMBER	56-578-5WA-13	56-578-5SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Included	Included
GLASS	Clear Seeded	Clear Seeded
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: WLC300

- Motor Size 188 x 22
- 56" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included
- Fan Light 3E 60W
- Remote Control Included (RMT007)
- Not Hugger Kit Adaptable
- Additional Downrod Lengths Sold Separately



Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 5,782 Cubic Feet Per Minute	Electricity Use 71.1 Watts (Excludes Lights)	Airflow Efficiency 81.32 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	56-5000-5WA-13	56-5000-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT015

- Motor Size 188 x 22
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Fan Blades Included
- 21W LED Dimmable Fan Light Included (1500 Lumens, 2700K)
- Remote Control Included (RMT015)
- Not Hugger Kit Adaptable
- Additional Downrod Lengths Sold Separately



Hand Held Remote
Included
RMT015




ENERGY INFORMATION at High Speed

Airflow 6,939 Cubic Feet Per Minute	Electricity Use 82.7 Watts (Excludes Lights)	Airflow Efficiency 83.91 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

DEL RIO





FAN NUMBER	60-5025-313-13	60-5025-3KO-SN	60-5025-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel	Satin Nickel
BLADE FINISH	Bronze	KOA Wood	Silver
FAN LIGHT	Included	Included	Included
GLASS	Frosted White	Frosted White	Frosted White
DOWNROD	13	SN	SN

COMPATIBLE REMOTE CONTROLS: RMT014

- Motor Size 165DC
- 60" Span
- 14° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- 17W LED Dimmable Fan Light Included (1400 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Remote Control Included (RMT014)



Handheld Remote Control
Included
RMT018



ENERGY INFORMATION at High Speed		
Airflow 8,604 Cubic Feet Per Minute	Electricity Use 33.1 Watts (Excludes Lights)	Airflow Efficiency 259.94 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

LA SALLE





FAN NUMBER	52-6110-4WA-13	52-6110-4CN-SN	52-6110-4WH-WH
MOTOR FINISH	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut	Chestnut	White
FAN LIGHT	Included	Included	Included
GLASS	Frosted White	Frosted White	Frosted White
DOWNROD	13	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT016

- Motor Size 153 x 20
- 52" Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- 16W LED Dimmable Fan Light Included (1400 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Remote Control Included (RMT016)



Handheld Remote Control
Included
RMT016



ENERGY INFORMATION at High Speed		
Airflow 4,737 Cubic Feet Per Minute	Electricity Use 61.1 Watts (Excludes Lights)	Airflow Efficiency 77.53 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

DAYTON





FAN NUMBER	52-120-5WA-13	52-120-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Included	Included
GLASS	Frosted Opal	Frosted Opal
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 153 x 18
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Remote Control Included (RMT007)
- Additional Downrod Lengths Sold Separately
- Not Hugger Kit Adaptable
- 16W LED Dimmable Fan Light Included (1350 Lumens)




Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 4,785 Cubic Feet Per Minute	Electricity Use 59.6 Watts (Excludes Lights)	Airflow Efficiency 80.29 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	52-200-5BZ-MBCH	52-200-5SV-SNCH
MOTOR FINISH	Metallic Bronze / Chrome	Satin Nickel / Chrome
BLADE FINISH	Metallic Bronze	Silver
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	CH	CH

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120DC x 15
- 52" Blade Span
- 20° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- ABS Blades & Integrated Fan Light Included
- 15W LED Dimmable (1500 Lumens, 3000K)




Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 5,833 Cubic Feet Per Minute	Electricity Use 25.2 Watts (Excludes Lights)	Airflow Efficiency 231 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17% cubic feet per minute per watt at high speed.		





FAN NUMBER	52-200-3SV-SNCH	52-200-3BZ-MBCH
MOTOR FINISH	Satin Nickel / Chrome	Metallic Bronze / Chrome
BLADE FINISH	Silver	Metallic Bronze
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	CH	CH

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120DC x 15
- 52" Blade Span
- 20° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- ABS Blades & Integrated Fan Light Included
- 15W LED Dimmable (1500 Lumens, 3000K)



Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 6,021 Cubic Feet Per Minute	Electricity Use 27.1 Watts (Excludes Lights)	Airflow Efficiency 222 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		







FAN NUMBER	52-210-3SV-SNCH	52-210-3BZ-MBCH
MOTOR FINISH	Satin Nickel / Chrome	Metallic Bronze / Chrome
BLADE FINISH	Silver	Metallic Bronze
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	CH	CH

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120DC x 15
- 52" Blade Span
- 20° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 18W LED Dimmable (1800 Lumens, 3000K)



Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 5,942 Cubic Feet Per Minute	Electricity Use 21.8 Watts (Excludes Lights)	Airflow Efficiency 273 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

STARLING





FAN NUMBER	52-190-3CN-187	52-190-3WA-13
MOTOR FINISH	Brushed Pewter	English Bronze
BLADE FINISH	Solid Wood / Chestnut	Solid Wood / Walnut
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	187	13

COMPATIBLE REMOTE CONTROLS: RMT001, WLC500, WLC600

- Motor Size 153 x 18
- 52" Blade Span
- 16° Blade Pitch
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades & Integrated Fan Light Included
- 16W LED Dimmable (691 Lumens, 3000K)
- Not Hugger Kit Adaptable



Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 3,936 Cubic Feet Per Minute	Electricity Use 41.4 Watts (Excludes Lights)	Airflow Efficiency 95.08 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



AMHERST





FAN NUMBER	56-180-5WA-13	56-180-5CN-109
MOTOR FINISH	English Bronze	Polished Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Included	Included
GLASS	Faceted Clear	Faceted Clear
DOWNROD	13	109

COMPATIBLE REMOTE CONTROLS: RMT006

- Motor Size 188 x 22
- 56" Blade Span
- 13.5° Blade Pitch
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 16W LED Dimmable (965.5 Lumens, 3000K)
- Not Hugger Kit Adaptable



Handheld Remote Control
Included
RMT006



ENERGY INFORMATION at High Speed		
Airflow 5,503 Cubic Feet Per Minute	Electricity Use 73.0 Watts (Excludes Lights)	Airflow Efficiency 75.38 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



PHOEBE





FAN NUMBER	52-831-5RV-109
MOTOR FINISH	Polished Nickel
BLADE FINISH	Chestnut / Teak
FAN LIGHT	Included
GLASS	White Frosted
DOWNROD	109

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600


- Motor Size 153 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades Included
- Integrated Fan Light Included
- 3-60 Watt Candelabra Bulbs Included
- Cover for Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 4,438 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 80.69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

MYSTIQUE



FAN NUMBER	52-831-5WH-WH	52-831-5RV-SN	52-831-5RV-35	52-831-5RV-13
MOTOR FINISH	White	Satin Nickel	Byzantine Bronze	English Bronze
BLADE FINISH	White	Chestnut / Silver	Teak / Walnut	Chestnut / Teak
FAN LIGHT	Included	Included	Included	Included
GLASS	White Frosted	White Frosted	Cream Frosted	White Frosted
DOWNROD	WH	SN	35	13

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600



FAN NUMBER	52-170-5RV-13	52-170-5RV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut / Teak	Chestnut / Maple
FAN LIGHT	Included	Included
GLASS	White Frosted	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 14
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Fan Light 3C 60W (40W Bulbs Included)
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable





**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,054 Cubic Feet Per Minute	Electricity Use 66.7 Watts (Excludes Lights)	Airflow Efficiency 75.78 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		



VENTURA





FAN NUMBER	52-140-5RV-13	52-140-5RV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Chestnut / Walnut	Chestnut / Maple
FAN LIGHT	Included	Included
GLASS	Pale Cream	White Frosted
DOWNROD	13	SN

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- Integrated Fan Light Included
- Upper Fan Light 4C 15W
- Lower Fan Light 3C 40W
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable




**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,027 Cubic Feet Per Minute	Electricity Use 63.0 Watts (Excludes Lights)	Airflow Efficiency 80.43 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		



SHEFFIELD





FAN NUMBER	52-150-5RV-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Chestnut / Maple
FAN LIGHT	Included
GLASS	White Frosted
DOWNROD	SN


COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 172 x 14
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Integrated Fan Light Included
- Medium Base Socket 2E 13W CFL Bulbs Included
- Reversible Color Fan Blades Included
- Not Hugger Kit Adaptable

Lamp Included
Fluorescent



ENERGY INFORMATION at High Speed		
Airflow 4,777 Cubic Feet Per Minute	Electricity Use 63.0 Watts (Excludes Lights)	Airflow Efficiency 75.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		





TAURUS



- 29-1/2"W x 30"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Fan Light 6E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

** Item Not for Sale in Canada **

FAN NUMBER	30-333-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Included
GLASS	White Opal
SHADE	Crystal
DOWNROD	CH
COMPATIBLE REMOTE CONTROL: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 1,580 Cubic Feet Per Minute	Electricity Use 28.5 Watts (Excludes Lights)	Airflow Efficiency 55 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

Handheld Remote Control
Included
RMT012



Lamp Included
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!



AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



VIREO



- 26"W x 30-1/8"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Fan Light 6E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

** Item Not for Sale in Canada **

FAN NUMBER	26-335-FD-272
MOTOR FINISH	Silver Dust
FAN LIGHT	Included
SHADE	Silver Mica
DOWNROD	272

COMPATIBLE REMOTE CONTROL: RMT012

ENERGY INFORMATION at High Speed		
Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

Handheld Remote Control
Included
RMT012



Lamp Included
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!



AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



VINTON



- 32"W x 30"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Fan Light 8E 13W (CFL Bulbs) Included
- Handheld Remote Control Included (RMT012, Non-Dimming)
- Maximum Total Wattage (300W)

** Item Not for Sale in Canada **

FAN NUMBER	32-334-FD-21
MOTOR FINISH	Burnished Russet
FAN LIGHT	Included
GLASS	Cream Glass
SHADE	Cream Organza Shade
DOWNROD	21
COMPATIBLE REMOTE CONTROL: RMT012	

ENERGY INFORMATION at High Speed		
Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

Handheld Remote Control
Included
RMT012



Lamp Included
Fluorescent



The exclusive Savoy House Fan D'liers can actually help improve your life and your health. How can they do that? By using anions! Anions, or negatively-charged ions, are molecules often found near waterfalls, mountains and beaches—places where you breathe the air and feel refreshed. Anions help increase the flow of oxygen to your brain so that

you feel better: more energetic, more alert and less tired! They can also help reduce the particles in the air that cause irritations like coughing and sneezing. Savoy House Fan D'liers ionize and circulate the air so you're always breathing the best air possible. Plus, Savoy House Fan D'liers light the room beautifully!



AIR-IONIZING FAN D'LIERS



LIGHTING • AIR CIRCULATION • AIR-IONIZATION
ALL-IN-ONE

- Removes smoke, molds, and fungi from the air
- Reduces breathing irritation due to inhaling indoor pollutants



FAN NUMBER	28-336-FD-13
MOTOR FINISH	English Bronze
BLADE FINISH	English Bronze
DOWNROD	13

COMPATIBLE REMOTE CONTROL: RMT003

- Motor Size 153 x 15
- 28" Blade Span
- 16.5° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Handheld Remote Control Included (RMT003)
- Not Hugger Kit Adaptable
- Fan & Blades are **UL Damp Location**

Handheld Remote Control
Included
RMT003




ENERGY INFORMATION at High Speed		
Airflow 2,129 Cubic Feet Per Minute	Electricity Use 41.2 Watts (Excludes Lights)	Airflow Efficiency 51.68 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



SENEGAL





FAN NUMBER	16-WF-SN	16-WF-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Solid Wood / Silver	Solid Wood / Beechwood

COMPATIBLE REMOTE CONTROL: RMT013

- Motor Size 74 x 16
- 40° Adjustable Head Pitch (20° Up/20° Down)
- 60° Oscillation (30° Right/30° Left)
- 16" Solid Steel Protective Cage
- Hardwired Includes 6' Cord & Plug
- Fans & Blades are **ETL Damp Location**
- Can Be Mounted in Inverted Position

Handheld Remote Control
Included
RMT013



ENERGY INFORMATION at High Speed		
Airflow 1,698 Cubic Feet Per Minute	Electricity Use 42.6 Watts (Excludes Lights)	Airflow Efficiency 40 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



SKYY II




SPECIFICATIONS

Fan Series	Motor Size	MOTOR PERFORMANCE											
		Low				Medium				High			
		RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**
Amherst	153*18	77	11.5	0.25	1893.53	125	23.2	0.32	2854.79	172	41.4	0.34	3936.47
Arena	104*114	800	26	0.228	1291	1000	32	0.241	1461	1250	38.5	0.255	2394
Bluffton	DC-165L	70	10	0.15	6100	85	16	0.23	7600	100	32	0.41	9100
Circulaire Discus	74-16-51	820	100.6	0.842	3256.4	1250	114.3	0.95	4592.44	1490	130.9	1.115	5534.03
Connell	188*22	53	13	0.32	1500	95	36	0.4	3100	146	66	0.62	5120
Dayton	153*20	55	12	0.22	1480	105	22	0.35	2850	160	47	0.52	4680
Del Rio	188*22	58	13	0.3	1550	105	38	0.42	3250	146	68	0.66	5500
Fairfax	188*25mm	70	16	0.3	2000	120	40	0.5	3920	170	75	0.8	6000
Girard	153*18	66	9.7	0.21	1867.83	110	29.4	0.36	3002.05	160	59.6	0.5	4785.35
Juneau	172*14	60	9	0.22	1747.45	113	31	0.39	3724.04	162	63	0.53	4776.72
La Salle	DC-165M	50	2	0.15	2300	110	11	0.45	5200	155	33	0.63	7100
Montrose	120DC*15	74	3	0.058	2295.71	140	14.2	0.225	3826.3	174	26.5	0.394	5616.06
Mystique	153*17	68	12.6	0.3	1835	134	38	0.46	3847	176	55	0.55	4438
Payson	120DC*15	73	2.1	0.043	1509.89	152	10	0.164	2832.07	200	20.3	0.305	4340.57
Pheobe	188*22	63	14.8	0.27	2251.01	108	38.5	0.45	4030.47	155	73	0.61	5502.58
Senegal	153*15	156	6	0.21	997.54	275	12.3	0.27	1439.65	382	41.2	0.35	2129.16
Sheffield	172*20	58	10	0.22	1937.31	117	36	0.41	3827.73	158	63	0.53	5026.67
Sky II	74*16	1100	35.4	0.294	1187	1350	37.7	0.321	1593	1500	42.6	0.365	1698
Starling	120DC*15	77	2.8	0.056	1862.75	155	10.4	0.175	3859.21	200	21.8	0.338	5942.13
Taurus	104*114	930	22.7	0.228	1291	1070	25.3	0.241	1461	1274	28.5	0.255	1580
Trudy	172*20	76	11.3	0.23	2091.4	128	30	0.35	3527.3	182	57	0.58	5300.6
Ventura	212*25	65	11.8	0.25	2070.74	110	32.3	0.41	3374.6	160	66.7	0.56	5054.24
Vinton	104*114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Vireo	104*114	800	26	0.228	1291	1000	32	0.241	1461	1250	38.5	0.255	2394
Wasp 3-Blade	120DC*15	78	2.7	0.054	1982.98	153	10.8	0.181	3891.28	200	27.1	0.404	6021.04
Wasp 5-Blade	120DC*15	58	2.3	0.049	1628.02	124	11.1	0.183	3587.35	166	25.2	0.382	5832.6

* If Fan Light included measurement B is to bottom of Fan Light, otherwise to bottom of switch housing.

** Airflow is measured in cubic feet per minute (CFM).



The Hugger kit was developed to place fans closer to the ceiling where more room is needed because of low ceiling applications.

Specify finish to match your needs.

52-HCF (Add finish code)



The Slope Ceiling adapter kit was developed to meet the needs in the industry for higher, more steeply angled vaulted ceilings (up to 45° angle).

Specify finish to match your needs.

52-SK (Add finish code)

SPECIFICATIONS

DIMENSION			Blade Span	Blade Pitch	Included Downrod Length	UL Rated	CUL Rated	Fan Light Adaptable	Remote Control Adaptable	*Hugger Kit Adaptable	Limited Warranty	Page Number	Fan Series
A	B*	C											
10"	13.5"	7"	52"	16"	4.5"	Yes	No	Included	Included (RMT007)	No	Lifetime	33	Amherst (52-190)
28"	36"	18"	14"	14"	18"			N/A	RMT017	No	Lifetime	13	Arena (17-339)
11.25"	14.5"	7.5"	72"	13"	4.5"			Included		No	Lifetime	5	Bluffton (72-5045)
23"	27"	48"	16"	13'-20"	6"			Included	RMT011	No	Lifetime	7	Circulaire Discus (48-952)
12"	19.5"	20"	56"	13.5"	4.5"	Yes	No	Included	Included (RMT007)	N/A	Lifetime	17	Connell (56-578)
11.5"	14.5"	7"	52"	13.5"	4.5"	Yes	No	Included	Included (RMT016)	N/A	Lifetime	23	Dayton (52-6110)
9.5"	14.5"	12"	56"	13.5"	4"	Yes	No	Included	Included (RMT015)	N/A	Lifetime	19	Del Rio (56-5000)
12.5"	13"	13"	60"	14"	4.5"			No		No	Lifetime	3	Fairfax (60-5035)
13"	17"	9"	52"	13.5"	6.5"	Yes	Yes	Yes	Included (RMT007)	No	Lifetime	12	Girard (52-120)
10.3"	17.81"	8.75"	52"	13.5"	4.5"	Yes	No	Included	Yes	No	Lifetime	30	Juneau (52-150)
11.5"	13.5"	7"	60"	14"	4.5"	Yes	No	Included	Included (RMT014)	N/A	Lifetime	8	La Salle (60-5025)
9.5"	11"	11.2"	54"	13.5"	4.5"			Included	RMT014	N/A	Lifetime	9	Montrose (54-5055)
13"	20.3"	13.1"	52"	12"	6"	Yes	Yes	Included	Yes	Dual	Lifetime	24	Mystique (52-831)
10"	15"	6.5"	60"	20"	4.5"			Included	RMT014	N/A	Lifetime	11	Payson (56-5065)
9"	16.5"	13"	56"	13.5"	6"	Yes	Yes	Included	Included (RMT006)	No	Lifetime	35	Pheobe (56-180)
15"	17.5"	6.5"	28"	16.5"	4.5"	Yes	No	N/A	Included (RMT003)	No	Lifetime	51	Senegal (28-336)
11.8"	18.3"	12.99"	52"	14"	4.5"	Yes	No	Included	Yes	No	Lifetime	41	Sheffield (52-140)
N/A	N/A	N/A	16"	40'-60"	N/A	Yes	Yes	N/A	Included (RMT013)	N/A	Lifetime	53	Sky II (16-WF)
14"	14.5"	7"	52"	20"	4.5"	Yes	No	Included	Included (RMT014)	No	Lifetime	31	Starling (52-210)
28"	30"	30"	12"	20"	18"	Yes	No	Included	Included (RMT012)	No	Lifetime	44	Taurus (30-333)
12"	23"	11"	52"	13.5"	6.5"	Yes	Yes	Included	Included (RMT007)	No	Lifetime	15	Trudy (52-135)
11.63"	18.56"	12.24"	60"	14"	4.5"	Yes	No	Included	Included (RMT007)	No	Lifetime	39	Ventura (52-170)
28"	30"	32"	32"	14"	18"	Yes	No	Included	Included (RMT012)	No	Lifetime	48	Vinton (32-334)
28"	30"	26"	26"	14"	18"	Yes	No	Included	Included (RMT012)	No	Lifetime	46	Vireo (26-335)
13"	15"	6.89"	52"	20"	4.5"	Yes	Yes	Included	Included (RMT014)	No	Lifetime	26	Wasp (52-200-3)
13"	15"	6.89"	52"	20"	4.5"	Yes	Yes	Included	Included (RMT014)	No	Lifetime	28	Wasp (52-200-5)

*Dual Mount includes downrod & convertible canopy for hugger style.

Down Rod Length	Std	12"	18"	24"	36"	48"	60"	72"
Ceiling Height	8'	9'	10'	11'	12'	13'	14'	15'

- Downrod Lengths
12", 18", 24", 36", 48", 60", 72"
- To order Downrods, use this sku #: DR-LENGTH-FINISH
- Circulaire Downrods, use this sku #: DR-LENGTHCA-FINISH
- Circulaire Downrod Lengths
12", 18", 24", 36", 48", 60", 72"
- Use exact finish
() Use this finish code



FINISHES		DR	HCF	SK	FINISHES		DR	HCF	SK
04	Dark Bamboo	*	(4)	(4)	196	Reclaimed Wood	*	N/A	*
07	Ebony	(FB)	(FB)	(FB)	213	English Bronze w/Gold	(13)	(13)	(13)
11	Polished Chrome	(CH)	N/A	N/A	234	Parisian Bronze	*	N/A	N/A
13	English Bronze	*	*	*	242	Aged Steel	*	N/A	N/A
16	Antique Copper	*	*	*	250	Mercury Black	*	N/A	N/A
21	Burnished Russet	*	N/A	N/A	322	Warm Brass	*	N/A	N/A
24	Horseshoe Black	(FB)	(FB)	(FB)	323	Old Bronze	(OWB)	N/A	N/A
35	Byzantine Bronze	*	N/A	*	AG	Autumn Gold	*	N/A	N/A
37	Walnut	234	N/A	N/A	DMB	Dark Metallic Bronze	(DMB)	N/A	(13)
40	Walnut Patina	*	*	*	GR	Greywood	(GR)	N/A	N/A
45	Aged Wood	*	N/A	*	CH	Chrome	*	N/A	N/A
56	New Tortoise Shell	*	*	*	FB	Flat Black	*	*	*
80	Matte White	*	*	N/A	SN	Satin Nickel	*	N/A	*
109	Polished Nickel	*	N/A	*	TW	Textured White	(80)	(TW)	(80)
129	Espresso	*	N/A	*	WH	White / WT	*	*	*
187	Brushed Pewter	*	N/A	*					

INDEX

16-WF-13	52	52-831-5RV-109	36
16-WF-SN	52	52-831-5RV-13	37
26-335-FD-272	46	52-831-5RV-35	37
28-336-FD-13	50	52-831-5RV-SN	37
30-333-FD-11	44	52-831-5WH-WH	37
32-334-FD-21	48	54-5055-5RV-79	8
48-952-CA-13	6	54-5055-5RV-SNCH	8
52-120-5CN-SN	24	56-180-5CN-109	34
52-120-5WA-13	24	56-180-5WA-13	34
52-135-5CN-SN	14	56-5000-5CN-SN	18
52-135-5WA-13	14	56-5000-5WA-13	18
52-140-5RV-13	40	56-5065-213-DMB	10
52-140-5RV-SN	40	56-5065-2SV-SN	10
52-150-5RV-SN	42	56-578-5SV-SN	16
52-170-5RV-13	38	56-578-5WA-13	16
52-170-5RV-SN	38	60-5025-313-13	20
52-190-3CN-187	32	60-5025-3KO-SN	20
52-190-3WA-13	32	60-5025-3SV-SN	20
52-200-3BZ-MBCH	28	60-5035-3CN-SN	2
52-200-3SV-SNCH	28	60-5035-3WA-13	2
52-200-5BZ-MBCH	26	72-5045-813-13	4
52-200-5SV-SNCH	26	72-5045-8GR-GR	4
52-210-3BZ-MBCH	30	72-5045-8SV-SN	4
52-210-3SV-SNCH	30		
52-6110-4CN-SN	22		
52-6110-4WA-13	22		
52-6110-4WH-WH	22		

FAN FINISH GUIDE

04	DARK BAMBOO	AG	AUTUMN GOLD
07	EBONY	DMB	DARK METALLIC BRONZE
11	POLISHED CHROME	GR	GREYWOOD
13	ENGLISH BRONZE	FB	FLAT BLACK
16	ANTIQUE COPPER	CH	CHROME
21	BURNISHED RUSSET	SN	SATIN NICKEL
24	HORSESHOE BLACK	SNB	SATIN NICKEL W/ BLACK
35	BYZANTINE BRONZE	TW	TEXTURED WHITE
37	WALNUT	WH	WHITE
40	WALNUT PATINA		
45	AGED WOOD		
56	NEW TORTOISE SHELL		
80	MATTE WHITE		
109	POLISHED NICKEL		
129	ESPRESSO		
187	BRUSHED PEWTER		
196	RECLAIMED WOOD		
213	ENGLISH BRONZE W/ GOLD		
234	PARISIAN BRONZE		
242	AGED STEEL		
250	MERCURY BLACK		
322	WARM BRASS		
323	OLD BRONZE		



3130 North Berkeley Lake Road NW ♦ Duluth, GA 30096
 800 801 1621
 TEL 404 890 7540 ♦ FAX 877 547 2869
 SavoyHouse.com