

SAVOY HOUSE FANS



MASTER FAN CATALOGUE
2017





At **Savoy House**, we are proud of our vast selection of stylish, fashionable, powerful ceiling fans. We offer you a wide variety of design-driven ceiling fan styles that are both high-performance and energy-efficient, designed to keep you comfortable and reduce your energy costs. Whether you love elegant and traditional looks or prefer something a bit more contemporary and cutting edge, **Savoy House** has a ceiling fan just for you. We look forward to helping you find your new favorite fan.



Alphabetical Listing

Alsace..... 52, 92	Circulaire Discus . 58, 108	Indigo..... 44	Phoebe..... 48	Taurus 74
Amherst..... 16	Circulaire III 60, 106	Kona..... 64, 100	Pine Harbor..... 150	Trudy 98
Arena 66	Connell..... 50	La Salle 14	Polaris 34	Velocity 12, 114
Ariel..... 18	Coromell 76	Lancer 124	Polaris Hugger..... 36	Vinton..... 72
Bluffton..... 10, 112	Danville..... 120	Lancer II 126	Portico..... 122	Vireo 70
Borea..... 80	Dayton 32	Levantara 78	Salon Wind Star 148	Wasp 26
Braddock 142	Easton 86	Monarch 46	Seaside 68	Wind Star 144
Brisa..... 84	Etesian 82	Montrose 40	Senegal..... 102	
Bristol 42	Fairfax 22	Muir 30, 116	Sierra Madres..... 134	
Builder Specialty... 156	Fire Island 88	Mystique..... 132	Skyy 110	
Capri..... 118	First Value 152	Nomad 128	Skyy II..... 111	
Charleston 138	Girard..... 38	Payson 28	St. Simons 140	
Circulaire 56, 104	Hyannis..... 96	Peachtree..... 136	Starling 24	

SAVOY FANS

CONTENTS

COLLECTIONS

- 10 Bluffton
- 12 Velocity
- 14 La Salle
- 16 Amherst
- 18 Ariel
- 22 Fairfax
- 24 Starling
- 26 Wasp
- 28 Payson
- 30 Muir
- 32 Dayton
- 34 Polaris
- 36 Polaris Hugger
- 38 Girard
- 40 Montrose
- 42 Bristol
- 44 Indigo
- 46 Monarch
- 48 Phoebe
- 50 Connell
- 52 Alsace 52"
- 54 Alsace Fan D'lier™
- 56 Circulaire
- 58 Circulaire Discus
- 60 Circulaire III

FAN D'LIERS™


- 64 Kona
- 66 Arena
- 68 Seaside
- 70 Vireo
- 72 Vinton
- 74 Taurus
- 76 Coromell
- 78 Levantara
- 80 Borea
- 84 Brisa
- 82 Etesian
- 86 Easton
- 88 Fire Island

OUTDOOR


- 92 Alsace 52"
- 94 Alsace Fan D'lier™
- 96 Hyannis
- 98 Trudy
- 100 Kona
- 102 Senegal
- 104 Circulaire
- 106 Circulaire III
- 108 Circulaire Discus
- 110 Skyy
- 111 Skyy II
- 112 Bluffton
- 114 Velocity
- 116 Muir
- 118 Capri
- 120 Danville
- 122 Portico
- 124 Lancer
- 126 Lancer II
- 128 Nomad

MAINSTREET

- 132 Mystique
- 134 Sierra Madres
- 136 Peachtree
- 138 Charleston
- 140 St. Simons
- 142 Braddock
- 144 Wind Star 52"
- 146 Wind Star 43"
- 148 Salon Wind Star 68"
- 150 Pine Harbor
- 154 First Value
- 156 Builder Specialty
- 158 Fan Light Options
- 162 Controls
- 170 Hanging Systems
- 172 Finish Guide
- 174 Specifications
- 176 Index




Pg. 22



Pg. 100



Pg. 116



Pg. 112



Pg. 158

Savoy House Fans

Collection Guide



ALSACE
52-840-SCN-196
Pg. 52



ALSACE FAN D'LIER™
26-9536-FD-196
Pg. 54



AMHERST
52-190-3CN-187
Pg. 16



ARENA
17-339-FD-322
Pg. 66



ARIEL 55"
55-818-3WA-35
Pg. 20



ARIEL 68"
68-818-2CN-SN
Pg. 18



BLUFFTON
72-5045-813-13
Pg. 10



BOREA FAN D'LIER™
32-326-FD-SN
Pg. 80



BRADDOCK
52-100-5RV-187
Pg. 142



BRISA FAN D'LIER™
35-328-FD-13
Pg. 84



BRISTOL
52-15-545-45
Pg. 42



BUILDER SPECIALTY
52-FAN-5WA-13
Pg. 156



CAPRI
52-004-5CN-13
Pg. 118



CHARLESTON
52-411-5RV-13
Pg. 138



CIRCULAIRE
50-950-CA-13
Pg. 56



CIRCULAIRE III
38-951-CA-13
Pg. 60



CIRCULAIRE DISCUS
48-952-CA-13
Pg. 58



CONNELL
56-578-5SV-SN
Pg. 50

Savoy House Fans

Collection Guide



COROMELL FAN D'LIER™
38-330-FD-11
Pg. 76



DANVILLE
52-110-545-45
Pg. 120

 WET Location



LED **DAYTON**
52-6110-4CN-SN
Pg. 32



EASTON FAN D'LIER™
30-331-FD-13
Pg. 86



ETESIAN FAN D'LIER™
30-331-FD-13
Pg. 82



FAIRFAX
60-5035-3WA-13
Pg. 22



FIRE ISLAND FAN D'LIER™
14-280-FD-56
Pg. 88



FIRST VALUE
52-ECM-5RV-13WG
Pg. 152



FIRST VALUE
52-EUP-5RV-13WG
Pg. 154




LED **GIRARD**
52-120-5CN-SN
Pg. 38




HYANNIS
52-624-5CN-13
Pg. 96

 DAMP Location



INDIGO
52-850-5RV-56
Pg. 44



LED **KONA**
26-9472-FD-133
Pg. 64

 DAMP Location



LED **LA SALLE**
60-5025-3KO-SN
Pg. 14



LANCER
52-SCG-5WA-13
Pg. 124

 WET Location



LANCER II
43-925-5WA-13
Pg. 126

 WET Location



LEVANTARA FAN D'LIER™
34-327-FD-11
Pg. 78



MONARCH
52-810-5WA-40
Pg. 46

Savoy House Fans

Collection Guide



MONTROSE
54-5055-SRV-SNCH
Pg. 40



MUIR
56-870-3GR-242
Pg. 30



MYSTIQUE
52-831-SRV-13
Pg. 132



NOMAD
52-EO5-5WA-13
Pg. 128



PAYSON
56-5065-2SV-SN
Pg. 28



PEACHTREE
52P-614-5WA-187
Pg. 136



PHOEBE
56-180-5WA-13
Pg. 48



PINE HARBOR
52-SGC-5RV-SN
Pg. 150



POLARIS
52-417-3SV-SN
Pg. 34



POLARIS HUGGER
52-417H-3SV-SN
Pg. 36



PORTICO
52-083-SRO-13
Pg. 122



SEASIDE FAN D'LIER™
14-325-FD-SN
Pg. 68



SENEGAL FAN D'LIER™
28-336-FD-13
Pg. 102



SIERRA MADRES
52-CDC-5RV-13
Pg. 134



SKYY
12-WF-13
Pg. 110



SKYY II
16-WF-SN
Pg. 111



ST. SIMONS
52P-646-SRV-323
Pg. 140



STARLING
52-210-3SV-SNCH
Pg. 24

Savoy House Fans

Collection Guide



TAURUS FAN D'LIER™
30-333-FD
Pg. 74



TRUDY
52-135-5CN-SN
Pg. 98



VELOCITY
60-820-6SV-SN
Pg. 12



VINTON FAN D'LIER™
32-334-FD-21
Pg. 72



VIREO FAN D'LIER™
26-335-FD-272
Pg. 70



WASP 3-BLADE
52-200-3SV-SNCH
Pg. 26



WIND STAR 42"
42-830-SRV-187
Pg. 146



WIND STAR 52"
52-830-545-45
Pg. 144



WIND STAR 68" (SALON)
68-227-5WA-129
Pg. 148

Savoy House Fans

Damp / Wet Location Guide



ALSACE
52-840-5CN-196
Pg. 92



ALSACE FAN D'LIER™
26-9536-FD-196
Pg. 94



BLUFFTON
72-5045-813-13
Pg. 112



CAPRI
52-004-5CN-13
Pg. 118



CIRCULAIRE
50-950-CA-13
Pg. 104



CIRCULAIRE III
38-951-CA-13
Pg. 106




CIRCULAIRE DISCUS
48-952-CA-13
Pg. 108



DANVILLE
52-110-545-45
Pg. 120



HYANNIS
52-624-5CN-13
Pg. 96



KONA
26-9472-FD-133
Pg. 100



LANCER
52-SCO-5WA-13
Pg. 124



LANCER II
43-925-5WA-13
Pg. 126



MUIR
56-870-3CR-242
Pg. 116



NOMAD
52-EOJ-5WA-13
Pg. 128



POLARIS
52-417-3SV-SN
Pg. 34



POLARIS HUGGER
52-417H-3SV-SN
Pg. 36



PORTICO
52-083-5RO-13
Pg. 122



SEASIDE FAN D'LIER™
14-325-FD-SN
Pg. 68



SENEGAL FAN D'LIER™
28-336-FD-13
Pg. 102



SKYY
12-WF-13
Pg. 110




SKYY II
16-WF-SN
Pg. 111



TRUDY
52-135-SCN-SN
Pg. 98



VELOCITY
60-820-6SV-SN
Pg. 114



FAN NUMBER	72-5045-813-13	72-5045-8SV-SN	72-5045-8GR-GR
MOTOR FINISH	English Bronze	White	Grey Wood
BLADE FINISH	English Bronze	Silver	Grey Wood
FAN LIGHT	Integrated	Integrated	Integrated
GLASS	White Frosted	White Frosted	White Frosted
DOWNROD FINISH	13	SN	GR

COMPATIBLE REMOTE CONTROLS: RMT020

- Motor Size DC-165L
- 72" Blade Span
- 13° Blade Pitch
- 6-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 16W LED Dimmable (1350 Lumens, 2900K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT020)
- Fan & Blades are **UL Wet Location**




Handheld Remote Control
Included
RMT020



ENERGY INFORMATION at High Speed		
Airflow 9,100 Cubic Feet Per Minute	Electricity Use 32.0 Watts (Excludes Lights)	Airflow Efficiency 284.00 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

BLUFFTON





FAN NUMBER	60-820-6SV-SN	60-820-613-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Silver	English Bronze
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Etched	White Etched
DOWNROD FINISH	SN	13

COMPATIBLE REMOTE CONTROLS: RMT007, WLC300, WLC700

- Motor Size 212 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included

- 1-100W Halogen Mini Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)
- Decorative Cover For Non-Light Use Included
- Fan & Blades Are **UL Damp Located**

Lamp Included
Halogen



Handheld Remote Control
Included
RMT007




**DAMP
Location**

ENERGY INFORMATION at High Speed		
Airflow 8,319 Cubic Feet Per Minute	Electricity Use 86.40 Watts (Excludes Lights)	Airflow Efficiency 96.30 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



VELOCITY





FAN NUMBER	60-5025-313-13	60-5025-3KO-SN	60-5025-3SV-SN
MOTOR FINISH	English Bronze	Satin Nickel	Satin Nickel
BLADE FINISH	Bronze	KOA Wood	Silver
FAN LIGHT	Integrated / Cover	Integrated / Cover	Integrated / Cover
GLASS	White Frosted	White Frosted	White Frosted
DOWNROD FINISH	13	SN	SN

COMPATIBLE REMOTE CONTROLS: RMT018

- Motor Size 165DC
- 60" Span
- 14° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 17W LED Dimmable (1400 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT018)
- Decorative Cover For Non-Light Use Included



Handheld Remote Control
Included
RMT018



ENERGY INFORMATION at High Speed		
Airflow 8,604 Cubic Feet Per Minute	Electricity Use 33.1 Watts (Excludes Lights)	Airflow Efficiency 259.94 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	52-190-3CN-187	52-190-3WA-13
MOTOR FINISH	Brushed Pewter	English Bronze
BLADE FINISH	Solid Wood / Chestnut	Solid Wood / Walnut
FAN LIGHT	Integrated	Integrated
GLASS	White Frosted	White Frosted
DOWNROD FINISH	187	13

COMPATIBLE REMOTE CONTROLS: RMT001, WLC500, WLC600

- Motor Size 153 x 18
- 52" Blade Span
- 16° Blade Pitch
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades & Integrated Fan Light Included
- 16W LED Dimmable (691 Lumens, 3000K)
- Not Hugger Kit Adaptable



Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 3,936 Cubic Feet Per Minute	Electricity Use 41.4 Watts (Excludes Lights)	Airflow Efficiency 95.08 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



AMHERST





FAN NUMBER	68-818-2CN-SN	68-818-2WA-35
MOTOR FINISH	Satin Nickel	Byzantine Bronze
BLADE FINISH	Chestnut	Walnut
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Opal	White Frosted
DOWNROD FINISH	SN	35
COMPATIBLE REMOTE CONTROLS: RMT005, WLC300		

- Motor Size 153 x 22
- 68" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Integrated Fan Light Included (1 G9 75W Bulb Included)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

Lamp Included
Halogen

Handheld Remote Control
Included
RMT005



ENERGY INFORMATION at High Speed		
Airflow 8,281 Cubic Feet Per Minute	Electricity Use 71.6 Watts (Excludes Lights)	Airflow Efficiency 116 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



ARIEL





FAN NUMBER	55-818-3CN-SN	55-818-3WA-35
MOTOR FINISH	Satin Nickel	Byzantine Bronze
BLADE FINISH	Chestnut	Walnut
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Opal	White Frosted
DOWNROD FINISH	SN	35

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 55" Blade Span
- 30.7° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Solid Wood Blades With Winglet Included
- Integrated Fan Light Included (1 G9 75W Bulb Included)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included

Lamp Included
Halogen



Handheld Remote Control
Included
RMT005



ENERGY INFORMATION at High Speed		
Airflow 7,499 Cubic Feet Per Minute	Electricity Use 71.8 Watts (Excludes Lights)	Airflow Efficiency 104 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



ARIEL





FAN NUMBER	60-5035-5WA-13	60-5035-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Integrated / Cover	Integrated / Cover
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC500

- Motor Size 188 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Fan Blades Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT001)

Handheld Remote Control
Included
RMT001



ENERGY INFORMATION at High Speed		
Airflow 6,000 Cubic Feet Per Minute	Electricity Use 75.0 Watts (Excludes Lights)	Airflow Efficiency 80.0 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FAIRFAX





FAN NUMBER	52-210-3SV-SNCH
MOTOR FINISH	Satin Nickel / Chrome
BLADE FINISH	Silver
FAN LIGHT	Integrated
GLASS	White Frosted
DOWNROD FINISH	CH
COMPATIBLE REMOTE CONTROL: RMT014	

- Motor Size 120DC x 15
- 52" Blade Span
- 20° Blade Pitch
- 6-Speed DC Reversible Motor

- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 18W LED Dimmable (1800 Lumens, 3000K)
- Handheld Remote Control Included (RMT014)




Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 5,942 Cubic Feet Per Minute	Electricity Use 21.8 Watts (Excludes Lights)	Airflow Efficiency 273 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

STARLING





FAN NUMBER	52-200-3SV-SNCH
MOTOR FINISH	Satin Nickel / Chrome
BLADE FINISH	Silver
FAN LIGHT	Integrated / Cover
GLASS	White Frosted
DOWNROD FINISH	CH

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120DC x 15
- 52" Blade Span
- 20° Blade Pitch
- 6-Speed DC Reversible Motor
- Additional Downrod Lengths Sold Separately
- Decorative Cover For Non-Light Use Included
- ABS Blades & Integrated Fan Light Included
- 15W LED Dimmable (1500 Lumens, 3000K)
- Handheld Remote Control Included (RMT014)




Handheld Remote Control
Included
RMT014




ENERGY INFORMATION at High Speed		
Airflow 6,021 Cubic Feet Per Minute	Electricity Use 27.1 Watts (Excludes Lights)	Airflow Efficiency 222 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



WASP





FAN NUMBER	56-5065-213-DMB	56-5065-2SV-SN
MOTOR FINISH	Dark Metallic Bronze	Satin Nickel
BLADE FINISH	Oil Rubbed Bronze	Silver
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	Opal Etched	Opal Etched
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: RMT014

- Motor Size 120x15MM DC
- 56" Blade Span
- 20° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 12W LED Dimmable (700 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT014)
- Decorative Cover For Non-Light Use Included



Handheld Remote Control
Included
RMT014




ENERGY INFORMATION at High Speed		
Airflow 4,341 Cubic Feet Per Minute	Electricity Use 20.3 Watts (Excludes Lights)	Airflow Efficiency 213.82 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



PAYSON





FAN NUMBER	56-870-3CN-35	56-870-3GR-242	56-870-3BK-SNB
MOTOR FINISH	Byzantine Bronze	Aged Steel	Satin Nickel w/ Black
BLADE FINISH	Chestnut	Graphite	Black
FAN LIGHT	Integrated / Cover	Integrated / Cover	Integrated / Cover
GLASS	White Etched	White Etched	White Etched
DOWNROD FINISH	35	242	SN

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 140 x 28
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included
Halogen



Handheld Remote Control
Included
RMT005




**DAMP
Location**

ENERGY INFORMATION at High Speed		
Airflow 5,891 Cubic Feet Per Minute	Electricity Use 82.7 Watts (Excludes Lights)	Airflow Efficiency 71.23 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	52-6110-4WA-13	52-6110-4CN-SN	52-6110-4WH-WH
MOTOR FINISH	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut	Chestnut	White
FAN LIGHT	Integrated / Cover	Integrated / Cover	Integrated / Cover
GLASS	White Frosted	White Frosted	White Frosted
DOWNROD FINISH	13	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT016

- Motor Size 153 x 20
- 52" Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- 16W LED Dimmable (1400 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT016)




Handheld Remote Control
Included
RMT016



ENERGY INFORMATION at High Speed		
Airflow 4,737 Cubic Feet Per Minute	Electricity Use 61.1 Watts (Excludes Lights)	Airflow Efficiency 77.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

DAYTON





FAN NUMBER	52-417-3SV-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Silver
FAN LIGHT	Integrated / Cover
GLASS	White Frosted
DOWNROD FINISH	SN

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included

- 1-100W Halogen Mini-Can Bulb Included
- Dual Mounting System Included (Downrod & Hugger)
- Handheld Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included
Halogen

Handheld Remote
Included
RMT006




**DAMP
Location**


ENERGY INFORMATION at High Speed		
Airflow 5,089 Cubic Feet Per Minute	Electricity Use 51.9 Watts (Excludes Lights)	Airflow Efficiency 98.06 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



POLARIS





FAN NUMBER	52-417H-3SV-SN
MOTOR FINISH	Satin Nickel
BLADE FINISH	Silver
FAN LIGHT	Integrated / Cover
GLASS	White Frosted
DOWNROD FINISH	SN
COMPATIBLE REMOTE CONTROLS: RMT006, WLC400	

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- 1-100W Halogen Mini-Can Bulb Included
- Handheld Remote Control Included (RMT006)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included
Halogen

Handheld Remote
Included
RMT006




**DAMP
Location**

ENERGY INFORMATION at High Speed		
Airflow 3,787 Cubic Feet Per Minute	Electricity Use 51.8 Watts (Excludes Lights)	Airflow Efficiency 73.11 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



POLARIS HUGGER





FAN NUMBER	52-120-5WA-13	52-120-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	Opal Frosted	Opal Frosted
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 153 x 18
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Blades & Integrated Fan Light Included
- Additional Downrod Lengths Sold Separately
- Not Hugger Kit Adaptable
- 16W LED Dimmable (1350 Lumens, 3000K)
- Handheld Remote Control Included (RMT007)



Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 4,785 Cubic Feet Per Minute	Electricity Use 59.6 Watts (Excludes Lights)	Airflow Efficiency 80.29 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	54-5055-5RV-79	54-5055-5RV-SNCH
MOTOR FINISH	English Bronze & Warm Brass	Satin Nickel & Chrome
BLADE FINISH	Chestnut / Teak	Chestnut / Silver
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Opal	White Opal
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROL: RMT014

- Motor Size 120x15MM DC
- 54" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 15W LED Dimmable (725 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT014)



Handheld Remote Control
Included
RMT014



ENERGY INFORMATION at High Speed		
Airflow 5,616 Cubic Feet Per Minute	Electricity Use 26.5 Watts (Excludes Lights)	Airflow Efficiency 211.93 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

MONTROSE





FAN NUMBER	52-15-545-45
MOTOR FINISH	Aged Wood
BLADE FINISH	Aged Wood
FAN LIGHT	Integrated / Cover
GLASS	White Etched
DOWNROD FINISH	45

COMPATIBLE REMOTE CONTROLS: RMT006, WLC300, WLC400, WLC500, WLC600

- Motor Size 188 x 20
- 52" Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately

- Blades & Integrated Fan Light Included
- 2-50W Halogen Mini Cans Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT006)

Lamp Included
Halogen



Handheld Remote
Included
RMT006



ENERGY INFORMATION at High Speed

Airflow 5,339 Cubic Feet Per Minute	Electricity Use 70.4 Watts (Excludes Lights)	Airflow Efficiency 75 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

BRISTOL





FAN NUMBER	52-850-5RV-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Chestnut / Walnut
OPTIONAL FAN LIGHT	FLGC-850-56
GLASS	Cream Carved Marble
DOWNROD FINISH	56

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades Included
- Optional Fan Light Sold Separately
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 5,200 Cubic Feet Per Minute	Electricity Use 74 Watts (Excludes Lights)	Airflow Efficiency 70 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



FLGC-850-56
OPTIONAL
Fan Light

INDIGO



*PICTURED WITH FLGC-850-56 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	52-810-5WA-40
MOTOR FINISH	Walnut Patina
BLADE FINISH	Walnut
FAN LIGHT	Integrated / Cover
GLASS	Cream Carved Marble
DOWNROD FINISH	40

COMPATIBLE REMOTE CONTROLS: RMT006, WLC400

- Motor Size 177 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Blades and Integrated Fan Light Included
- Motor Housing Light 4C 10W Bulbs Included
- 4C 40W Bulbs Included
- Handheld Remote Control Included (RMT006)



**Lamp Included
Incandescent**

**Handheld Remote
Included
RMT006**



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
6,111 Cubic Feet Per Minute	75.5 Watts (Excludes Lights)	81 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.

MONARCH





FAN NUMBER	56-180-5WA-13	56-180-5CN-109
MOTOR FINISH	English Bronze	Polished Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	Clear Faceted	Clear Faceted
DOWNROD FINISH	13	109

COMPATIBLE REMOTE CONTROLS: RMT006

- Motor Size 188 x 22
- 56" Blade Span
- 13.5° Blade Pitch
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 16W LED Dimmable (965.5 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT006)



Handheld Remote Control
Included
RMT006



ENERGY INFORMATION at High Speed		
Airflow 5,503 Cubic Feet Per Minute	Electricity Use 73.0 Watts (Excludes Lights)	Airflow Efficiency 75.38 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



PHOEBE





FAN NUMBER	56-578-5WA-13	56-578-5SV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Silver
FAN LIGHT	Integrated	Integrated
GLASS	Clear Seeded	Clear Seeded
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: WLC300

- Motor Size 188 x 22
- 56" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 3E 60W Incandescent Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)



Handheld Remote Control
Included
RMT007



ENERGY INFORMATION at High Speed		
Airflow 5,781 Cubic Feet Per Minute	Electricity Use 36.8 Watts (Excludes Lights)	Airflow Efficiency 157.09 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		







FAN NUMBER	52-840-5CN-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Integrated
DOWNROD FINISH	196

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 3-40W Candelabra Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Fans & Blades are **UL Damp Location**



**Lamp Included
Incandescent**

Handheld Remote Control
Included
RMT005



**DAMP
Location**

ENERGY INFORMATION at High Speed

Airflow 5,877 Cubic Feet Per Minute	Electricity Use 69.8 Watts (Excludes Lights)	Airflow Efficiency 84.2 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



ALSACE





FAN NUMBER	26-9536-FD-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Integrated
GLASS	White Etched
DOWNROD FINISH	196

COMPATIBLE REMOTE CONTROLS: RMT005

- Motor Size 120 x 20
- 26" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Fan & Blades are **UL Damp Location**

Lamp Included
Halogen



Handheld Remote Control
Included
RMT005





**DAMP
Location**

ENERGY INFORMATION at High Speed		
Airflow 2,374 Cubic Feet Per Minute	Electricity Use 37 Watts (Excludes Lights)	Airflow Efficiency 64 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

ALSACE





FAN NUMBER	50-950-CA-13	50-950-CA-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Solid Wood / Beechwood	Silver
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Opal	Opal Etched
DOWNROD FINISH	CA-13	CA-SN

COMPATIBLE REMOTE CONTROLS: RMT011

- Motor Size 7.4 x 16 x 5.1
- 50" Span (2 Heads - 16" Blade Span each)
- 17.7" Protective Steel Case
- 14.75" Height
- Fully Adjustable Heads (40°-Up, 40°-Down)
- 3-Speed Reversible Motor
- Additional Downrod Lengths (CA-13) Sold Separately
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Decorative Cover For Non-Light Use Included
- Not Slope Kit Adaptable
- Handheld Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**

Lamp Included
Halogen

Handheld Remote Control
Included
RMT011



ENERGY INFORMATION at High Speed		
Airflow 4,060 Cubic Feet Per Minute	Electricity Use 83.7 Watts (Excludes Lights)	Airflow Efficiency 49.0 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		

CIRCULAIRE





FAN NUMBER	48-952-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
FAN LIGHT	Integrated
DOWNROD FINISH	CA-13
COMPATIBLE REMOTE CONTROLS: RMT011	

- Motor Size 74 x 16 x 51
- 48" Span (3 Heads)
- 13" Protective Steel Case
- 26-3/4" Height
- Adjustable Heads (35°-Up, 35°-Down)
- 3-Speed Reversible Motor


- Additional Downrod Lengths (CA-13) Sold Separately
- 15W LED Dimmable (1452 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**



Handheld Remote Control
Included
RMT011



ENERGY INFORMATION at High Speed		
Airflow 5,534 Cubic Feet Per Minute	Electricity Use 131.0 Watts (Excludes Lights)	Airflow Efficiency 42.28 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



CIRCULAIRE DISCUS





FAN NUMBER	38-951-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
DOWNROD FINISH	CA-13
COMPATIBLE REMOTE CONTROLS: RMT013	

- Motor Size 74AL x 16-C
- 38" Span (3 Heads)
- 13" Protective Steel Case
- 17.55" Height
- Fully Adjustable Heads (20°-Up, 20°-Down, 40°-Left, 40°-Right)

- 3-Speed Reversible Motor
- Additional Downrod Lengths (CA-13) Sold Separately
- Handheld Remote Control Included (RMT013)
- Fan & Blades are **UL Damp Location**

Handheld Remote Control
Included
RMT013



ENERGY INFORMATION at High Speed		
Airflow 3,083 Cubic Feet Per Minute	Electricity Use 81.3 Watts (Excludes Lights)	Airflow Efficiency 37.92 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		



CIRCULAIRE III





COLLECTIONS

Arena	66
Borea	80
Coromell	76
Easton	86
Etesian	82
Fire Island	88
Kona	64
Levantara	78
Seaside	68
Taurus	74
Vinton	72
Vireo	70



FAN D'LIERS™



FAN NUMBER	26-9472-FD-133
MOTOR FINISH	Sapele Finish
BLADE FINISH	Black
DOWNROD FINISH	FB

COMPATIBLE REMOTE CONTROL: RMT021

- Motor Size 104 x 114
- 26" Blade Span
- 9-1/4"H (Cage Only)
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 6W LED Dimmable (3000 Lumens, 2600K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT020)
- Fan & Blades are **UL Damp Location**



Handheld Remote Control
Included
RMT021



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,394 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	62.18 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



KONA





FAN D'LIERS™



FAN NUMBER	17-339-FD-11	17-339-FD-44	17-339-FD-322
MOTOR FINISH	Chrome	Classic Bronze	Warm Brass
BLADE FINISH	Chrome	Bronze	Warm Brass
DOWNROD FINISH	11	13	322

COMPATIBLE REMOTE CONTROLS: RMT017

- Motor Size 104 x 114
- 14" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Fan Blades Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT017)

Handheld Remote Control
Included
RMT017



ENERGY INFORMATION at High Speed		
Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62.00 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		

ARENA





FAN D'LIERS™



FAN NUMBER	14-325-FD-SN	14-325-FD-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Silver	Bronze
DOWNROD FINISH	SN	13

COMPATIBLE REMOTE CONTROLS: RMT003

- Motor Size: 90AL
- 14" Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 18-1/2"W x 11"H
- Additional Downrod Lengths Sold Separately
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT003)
- Fan & Blades are **UL Damp Location**

Handheld Remote Control
Included
RMT003



ENERGY INFORMATION at High Speed		
Airflow 2,373 Cubic Feet Per Minute	Electricity Use 48 Watts (Excludes Lights)	Airflow Efficiency 49 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



SEASIDE





FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	26-335-FD-272
MOTOR FINISH	Silver Dust
FAN LIGHT	Integrated
SHADE	Silver Mica
DOWNROD FINISH	272

COMPATIBLE REMOTE CONTROL: RMT012

- 26"W x 30-1/8"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 6E 13W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012




ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,394 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	62 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.







FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	32-334-FD-21
MOTOR FINISH	Burnished Russet
FAN LIGHT	Integrated
GLASS	Cream Glass
SHADE	Cream Organza Shade
DOWNROD FINISH	21

COMPATIBLE REMOTE CONTROL: RMT012

- 32"W x 30"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 8E 13W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.







FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	30-333-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Integrated
GLASS	White Opal
SHADE	Crystal
DOWNROD FINISH	CH

COMPATIBLE REMOTE CONTROL: RMT012

- 29-1/2"W x 30"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 6E 13W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

**Lamp Included
Fluorescent**

**Handheld Remote
Included
RMT012**



ENERGY INFORMATION at High Speed

Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



TAURUS





FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	38-330-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Integrated
SHADE	White Fabric Shades
DOWNROD FINISH	CH

COMPATIBLE REMOTE CONTROLS: RMT012

- 37-3/4"W x 51"H
- Motor Size 104 x 114
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately
- 8C 13W (CFL Bulbs) Included

- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

**Lamp Included
Fluorescent**

**Handheld Remote
Included
RMT012**



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
1,186 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	30.8 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.







FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	34-327-FD-11
MOTOR FINISH	Polished Chrome
FAN LIGHT	Integrated
SHADE	White Fabric Shade
DOWNROD FINISH	CH

COMPATIBLE REMOTE CONTROL: RMT012

- 34"W x 40-1/2"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 8C 13W (CFL Bulbs) Included
- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,394 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	62 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



LEVANTARA





FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	32-326-FD-SN
MOTOR FINISH	Satin Nickel
FAN LIGHT	Integrated
GLASS	White Frosted
DOWNROD FINISH	SN
COMPATIBLE REMOTE CONTROLS: RMT012	

- 32"W x 38"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 5E 13W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
1,580 Cubic Feet Per Minute	28.5 Watts (Excludes Lights)	55 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



BOREA





FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	36-329-FD-21	36-329-FD-SN
MOTOR FINISH	Burnished Russett	Satin Nickel
FAN LIGHT	Integrated	Integrated
GLASS	Clear Glass Outer Cream Glass Inner	Clear Glass Outer White Glass Inner
DOWNROD FINISH	21	SN

COMPATIBLE REMOTE CONTROLS: RMT012

- 35-1/2"W x 40"H
- Motor Size 104 x 114
- 20° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 8E 13W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow 1,186 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 30.8 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.







FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	35-328-FD-13
MOTOR FINISH	English Bronze
FAN LIGHT	Integrated
SHADE	Off-White Fabric Shades
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROLS: RMT012

- 34-3/4"W x 39"H
- Motor Size 104 x 114
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately
- 8C 13W (CFL Bulbs) Included
- Maximum Wattage Per Shade (25W)
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow 2,394 Cubic Feet Per Minute	Electricity Use 38.5 Watts (Excludes Lights)	Airflow Efficiency 62 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



BRISA





FAN D'LIERS™



** Item Not for Sale in Canada **

FAN NUMBER	30-331-FD-13
MOTOR FINISH	English Bronze
FAN LIGHT	Integrated
GLASS	Clear Seeded
DOWNROD FINISH	13
COMPATIBLE REMOTE CONTROLS: RMT012	

- 30-1/8"W x 40-1/2"H
- Motor Size 104 x 114
- 14° Blade Pitch
- 18" Downrod Included
- Additional Downrod Lengths Sold Separately

- 6C 7W (CFL Bulbs) Included
- Maximum Total Wattage (300W)
- Handheld Remote Control Included (RMT012, Non-Dimming)

Lamp Included
Fluorescent

Handheld Remote
Included
RMT012



ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,394 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	62 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



EASTON





FAN D'LIERS™



PIERCE PAXTON



FAN NUMBER	14-280-FD-56
MOTOR FINISH	New Tortoise Shell
BLADE FINISH	Burled Cherry
FAN LIGHT	Integrated
GLASS	Carved Scavo
DOWNROD	56

COMPATIBLE REMOTE CONTROLS: RMT007, WLC300

- 14" Span
- 21° Blade Pitch
- 3-Speed Reversible Motor
- 28"W x 23"H
- Additional Downrod Lengths Sold Separately
- 4C 40W Bulbs Included
- Wall Mount Control Included (WLC300)
- Not Hugger Kit Adaptable
- Fan & Blades are **UL Damp Location**



**Lamp Included
Incandescent**

Wall Mount Control
Included
WLC300



**DAMP
Location**

ENERGY INFORMATION
at High Speed

Airflow 2,195 Cubic Feet Per Minute	Electricity Use 48 Watts (Excludes Lights)	Airflow Efficiency 49 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.



FIRE ISLAND







OUTDOOR

COLLECTIONS

Alsace	92
Alsace	94
Bluffton	112
Capri	118
Circulaire	104
Circulaire Discus	108
Circulaire III	106
Danville	120
Hyannis	96
Kona	100
Lancer	124
Lancer II	126
Muir	116
Nomad	128
Senegal	102
Skyy	110
Skyy II	111
Trudy	98
Velocity	114



FAN NUMBER	52-840-5CN-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Integrated
DOWNROD FINISH	196

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 3-40W Candelabra Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Fans & Blades are **UL Damp Location**



**Lamp Included
Incandescent**

**Handheld Remote Control
Included
RMT005**



**DAMP
Location**

ENERGY INFORMATION at High Speed

Airflow 5,877 Cubic Feet Per Minute	Electricity Use 69.8 Watts (Excludes Lights)	Airflow Efficiency 84.2 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

ALSACE





FAN NUMBER	26-9536-FD-196
MOTOR FINISH	Reclaimed Wood
BLADE FINISH	Chestnut
FAN LIGHT	Integrated
GLASS	White Etched
DOWNROD FINISH	196

COMPATIBLE REMOTE CONTROLS: RMT005

- Motor Size 120 x 20
- 26" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Fan & Blades are **UL Damp Location**


Lamp Included
Halogen



Handheld Remote Control
Included
RMT005



ENERGY INFORMATION at High Speed		
Airflow 2,374 Cubic Feet Per Minute	Electricity Use 37 Watts (Excludes Lights)	Airflow Efficiency 64 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		





FAN NUMBER	52-624-5CN-13
MOTOR FINISH	English Bronze
BLADE FINISH	Chestnut
FAN LIGHT	Integrated
GLASS	Indian Cream Scavo
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 153 x 22
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades & Integrated Fan Light Included
- 13W CFL Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT010)
- Fans & Blades are **UL Damp Location**

Lamp Included
Fluorescent

Handheld Remote Control
Included
RMT010



ENERGY INFORMATION at High Speed		
Airflow 5,906 Cubic Feet Per Minute	Electricity Use 70.8 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



HYANNIS





FAN NUMBER	52-135-5WA-13	52-135-5CN-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Integrated	Integrated
GLASS	Clear Seeded	Clear Seeded
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: RMT007

- Motor Size 172 x 20
- 52" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades & Integrated Fan Light Included
- 3C 40W Bulbs Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)
- Fans & Blades are **UL Wet Location**



**Lamp Included
Incandescent**

**Handheld Remote Control
Included
RMT007**



**WET
Location**

**ENERGY INFORMATION
at High Speed**

Airflow 5,301 Cubic Feet Per Minute	Electricity Use 57.0 Watts (Excludes Lights)	Airflow Efficiency 92.99 Cubic Feet Per Minute Per Watt
---	--	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.



TRUDY





FAN D'LIERS™



FAN NUMBER	26-9472-FD-133
MOTOR FINISH	Sapele Finish
BLADE FINISH	Black
DOWNROD FINISH	FB

COMPATIBLE REMOTE CONTROL: RMT021

- Motor Size 104 x 114
- 26" Blade Span
- 9-1/4"H (Cage Only)
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 6W LED Dimmable (3000 Lumens, 2600K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT020)
- Fan & Blades are **UL Damp Location**



Handheld Remote Control
Included
RMT021




ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
2,394 Cubic Feet Per Minute	38.5 Watts (Excludes Lights)	62.18 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.







FAN NUMBER	28-336-FD-13
MOTOR FINISH	English Bronze
BLADE FINISH	English Bronze
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROL: RMT003


- Motor Size 153 x 15
- 28" Blade Span
- 16.5° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT003)
- Fan & Blades are **UL Damp Location**

Handheld Remote Control
Included
RMT003





ENERGY INFORMATION at High Speed		
Airflow 2,129 Cubic Feet Per Minute	Electricity Use 41.2 Watts (Excludes Lights)	Airflow Efficiency 51.68 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



SENEGAL





FAN NUMBER	50-950-CA-13	50-950-CA-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Solid Wood / Beechwood	Silver
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Opal	Opal Etched
DOWNROD FINISH	CA-13	CA-SN

COMPATIBLE REMOTE CONTROLS: RMT011

- Motor Size 7.4 x 16 x 5.1
- 50" Span (2 Heads - 16" Blade Span each)
- 17.7" Protective Steel Case
- 14.75" Height
- Fully Adjustable Heads (40°-Up, 40°-Down)
- 3-Speed Reversible Motor
- Additional Downrod Lengths (CA-13) Sold Separately
- Fan Light 1-75W Halogen Mini-Can Bulb Included
- Decorative Cover For Non-Light Use Included
- Not Slope Kit Adaptable
- Handheld Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**

Lamp Included
Halogen

Handheld Remote Control
Included
RMT011



ENERGY INFORMATION at High Speed

Airflow 4,060 Cubic Feet Per Minute	Electricity Use 83.7 Watts (Excludes Lights)	Airflow Efficiency 49.0 Cubic Feet Per Minute Per Watt
--	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.

CIRCULAIRE





FAN NUMBER	38-951-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
DOWNROD FINISH	CA-13
COMPATIBLE REMOTE CONTROLS: RMT013	

- Motor Size 74AL x 16-C
- 38" Span (3 Heads)
- 13" Protective Steel Case
- 17.55" Height
- Fully Adjustable Heads (20°-Up, 20°-Down, 40°-Left, 40°-Right)


- 3-Speed Reversible Motor
- Additional Downrod Lengths (CA-13) Sold Separately
- Handheld Remote Control Included (RMT013)
- Fan & Blades are **UL Damp Location**

Handheld Remote Control
Included
RMT013



ENERGY INFORMATION at High Speed		
Airflow 3,083 Cubic Feet Per Minute	Electricity Use 81.3 Watts (Excludes Lights)	Airflow Efficiency 37.92 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		

CIRCULAIRE III





FAN NUMBER	48-952-CA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Solid Wood / Beechwood
FAN LIGHT	Integrated
DOWNROD FINISH	CA-13
COMPATIBLE REMOTE CONTROLS: RMT011	

- Motor Size 74 x 16 x 51
- 48" Span (3 Heads)
- 13" Protective Steel Case
- 26-3/4" Height
- Adjustable Heads (35°-Up, 35°-Down)
- 3-Speed Reversible Motor

- Additional Downrod Lengths (CA-13) Sold Separately
- 15W LED Dimmable (1452 Lumens, 3000K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT011)
- Fan & Blades are **UL Damp Location**



Handheld Remote Control
Included
RMT011




ENERGY INFORMATION at High Speed		
Airflow 5,534 Cubic Feet Per Minute	Electricity Use 131.0 Watts (Excludes Lights)	Airflow Efficiency 42.28 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



CIRCULAIRE DISCUS



SKYY



FAN NUMBER	12-WF-SN	12-WF-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Solid Wood / Silver	Solid Wood / Beechwood


- Motor Size 75AL x 16-A
- 40° Adjustable Head Pitch (20° Up/20° Down)
- 120° Oscillation (60° Right/60° Left)
- 12" Solid Steel Protective Cage
- Hardwired Includes 6' Cord & Plug

- Wall Mount System Included
- Fans & Blades are **UL Damp Location**
- Can Be Mounted in Inverted Position



ENERGY INFORMATION at High Speed		
Airflow 964 Cubic Feet Per Minute	Electricity Use 31.5 Watts (Excludes Lights)	Airflow Efficiency 30.6 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

SKYY II



FAN NUMBER	16-WF-SN	16-WF-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Solid Wood / Silver	Solid Wood / Beechwood


COMPATIBLE REMOTE CONTROL: RMT013

- Motor Size 74AL x 16-B
- 40° Adjustable Head Pitch (20° Up/20° Down)
- 60° Oscillation (30° Right/30° Left)
- 16" Solid Steel Protective Cage
- Hardwired Includes 6' Cord & Plug
- Fans & Blades are **ETL Damp Location**
- Can Be Mounted in Inverted Position

Handheld Remote Control
Included
RMT013



ENERGY INFORMATION at High Speed		
Airflow 1,698 Cubic Feet Per Minute	Electricity Use 42.6 Watts (Excludes Lights)	Airflow Efficiency 40 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.		



FAN NUMBER	72-5045-813-13	72-5045-8SV-SN	72-5045-8GR-GR
MOTOR FINISH	English Bronze	White	Grey Wood
BLADE FINISH	English Bronze	Silver	Grey Wood
FAN LIGHT	Integrated	Integrated	Integrated
GLASS	White Frosted	White Frosted	White Frosted
DOWNROD FINISH	13	SN	GR

COMPATIBLE REMOTE CONTROLS: RMT020

- Motor Size DC-165L
- 72" Blade Span
- 13° Blade Pitch
- 6-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- ABS Blades & Integrated Fan Light Included
- 16W LED Dimmable (1350 Lumens, 2900K)
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT020)
- Fan & Blades are **UL Wet Location**



Handheld Remote Control
Included
RMT020



ENERGY INFORMATION at High Speed		
Airflow 9,100 Cubic Feet Per Minute	Electricity Use 32.0 Watts (Excludes Lights)	Airflow Efficiency 284.00 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

BLUFFTON





FAN NUMBER	60-820-6SV-SN	60-820-613-13
MOTOR FINISH	Satin Nickel	English Bronze
BLADE FINISH	Silver	English Bronze
FAN LIGHT	Integrated / Cover	Integrated / Cover
GLASS	White Etched	White Etched
DOWNROD FINISH	SN	13
COMPATIBLE REMOTE CONTROLS: RMT007, WLC300, WLC700		

- Motor Size 212 x 25
- 60" Blade Span
- 14° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included

- 1-100W Halogen Mini Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT007)
- Decorative Cover For Non-Light Use Included
- Fan & Blades Are **UL Damp Located**

Lamp Included
Halogen



Handheld Remote Control
Included
RMT007





**DAMP
Location**

ENERGY INFORMATION at High Speed		
Airflow 8,319 Cubic Feet Per Minute	Electricity Use 86.40 Watts (Excludes Lights)	Airflow Efficiency 96.30 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



VELOCITY





FAN NUMBER	56-870-3CN-35	56-870-3GR-242	56-870-3BK-SNB
MOTOR FINISH	Byzantine Bronze	Aged Steel	Satin Nickel w/ Black
BLADE FINISH	Chestnut	Graphite	Black
FAN LIGHT	Integrated / Cover	Integrated / Cover	Integrated / Cover
GLASS	White Etched	White Etched	White Etched
DOWNROD FINISH	35	242	SN

COMPATIBLE REMOTE CONTROLS: RMT005, WLC300

- Motor Size 140 x 28
- 56" Blade Span
- 13.5° Blade Pitch
- 3-Speed Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 1-75W Halogen Mini-Can Bulb Included
- Not Hugger Kit Adaptable
- Handheld Remote Control Included (RMT005)
- Decorative Cover For Non-Light Use Included
- Fans & Blades are **UL Damp Location**

Lamp Included
Halogen



Handheld Remote Control
Included
RMT005



**DAMP
Location**

ENERGY INFORMATION at High Speed

Airflow 5,891 Cubic Feet Per Minute	Electricity Use 82.7 Watts (Excludes Lights)	Airflow Efficiency 71.23 Cubic Feet Per Minute Per Watt
--	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.





FAN NUMBER	52-004-5CN-13
MOTOR FINISH	English Bronze
BLADE FINISH	Chestnut
FAN LIGHT	Optional
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLGC-1100


- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- All Weather Blades Included
- Fan Light Sold Separately
- Fan & Blades are **UL Wet Location**

DAMP FAN LIGHT CHOICES Pg 156-159.



ENERGY INFORMATION at High Speed		
Airflow 4,667 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 85 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		





FAN NUMBER	52-110-5BA-04	52-110-545-45
MOTOR FINISH	Dark Bamboo	Aged Wood
BLADE FINISH	Dark Bamboo	Aged Wood
OPTIONAL FAN LIGHT	FLG-110-04	FLG-110-45
GLASS	Cream Scavo	White Scavo
DOWNROD FINISH	04	45

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Fan Lights & Additional Downrods Lengths Sold Separately
- Not Hugger Kit Adaptable
- All Weather Blades Included
- Fan, Fan Light & Blades are **UL Wet Location**



FLG-110-04
OPTIONAL FAN LIGHT



FLG-110-45
OPTIONAL FAN LIGHT



WET
Location

ENERGY INFORMATION at High Speed		
Airflow 5,304 Cubic Feet Per Minute	Electricity Use 68 Watts (Excludes Lights)	Airflow Efficiency 78 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		

DANVILLE



*PICTURED WITH FLG-110-04 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	52-083-5RO-13
MOTOR FINISH	English Bronze
BLADE FINISH	Rosewood
FAN LIGHT	Optional
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLGC-1100

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades Included
- Fan Light Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Fan & Blades are **UL Wet Location**



**WET
Location**

ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
4,860 Cubic Feet Per Minute	67.6 Watts (Excludes Lights)	71 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room.



PORTICO

--	--	--

DAMP FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	52-SGO-5WA-13	52-SGO-5CN-FB
MOTOR FINISH	English Bronze	Flat Black
BLADE FINISH	Walnut	Chestnut
FAN LIGHT	Optional	Optional
DOWNROD FINISH	13	FB

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLCC-1100

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades Included
- Fan Light Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Fans & Blades are **UL Wet Location**



ENERGY INFORMATION at High Speed		
Airflow 5,701 Cubic Feet Per Minute	Electricity Use 67.2 Watts (Excludes Lights)	Airflow Efficiency 85 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

LANCER



DAMP FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	43-925-5WA-13
MOTOR FINISH	English Bronze
BLADE FINISH	Walnut
FAN LIGHT	Optional
DOWNROD FINISH	13

COMPATIBLE REMOTE CONTROL: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FLC524, FLCG-1110-13

- Motor Size 153 x 13
- 43" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades Included
- Fan Light Sold Separately
- Fan & Blades are **UL Wet Location**
- Dual Mounting System Included (Downrod & Hugger)

DAMP FAN LIGHT CHOICES Pg 156-159.



ENERGY INFORMATION at High Speed		
Airflow 4,375 Cubic Feet Per Minute	Electricity Use 57.1 Watts (Excludes Lights)	Airflow Efficiency 77 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 1.76 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		

LANCER II





FAN NUMBER	52-EOF-5WA-13	52-EOF-5W-WH	52-EOF-5MB-FB
MOTOR FINISH	English Bronze	White	Flat Black
BLADE FINISH	Walnut	White	Matte Black
FAN LIGHT	Optional	Optional	Optional
DOWNROD FINISH	13	WH	FB

COMPATIBLE REMOTE CONTROLS: RMT007, WLC500, WLC600

COMPATIBLE DAMP RATED FAN LIGHTS: FL-524, FLGC-1100

- Motor Size 172 x 14
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- All Weather Blades Included
- Fan Light & Downrods Sold Separately
- Dual Mounting System Included (Downrod & Hugger)
- Fans & Blades are **UL Wet Location**



ENERGY INFORMATION at High Speed		
Airflow 5,110 Cubic Feet Per Minute	Electricity Use 67 Watts (Excludes Lights)	Airflow Efficiency 76 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



DAMP FAN LIGHT CHOICES Pg 156-159.





MAIN STREET

COLLECTIONS

Braddock	142
Builder Specialty	156
Charleston	138
First Value	154
Mystique	132
Peachtree	136
Pine Harbor	150
Salon Wind Star	148
Sierra Madres	134
St. Simons	140
Wind Star	144



FAN NUMBER	52-831-5RV-109
MOTOR FINISH	Polished Nickel
BLADE FINISH	Chestnut / Teak
FAN LIGHT	Integrated
GLASS	White Frosted
DOWNROD FINISH	109

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600


- Motor Size 153 x 17
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 3-60W Candelabra Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)
- Cover for Non-Light Use Included



**Lamp Included
Incandescent**


ENERGY INFORMATION at High Speed		
Airflow 4,438 Cubic Feet Per Minute	Electricity Use 55 Watts (Excludes Lights)	Airflow Efficiency 80.69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

MYSTIQUE



FAN NUMBER	52-831-5WH-WH	52-831-5RV-SN	52-831-5RV-35	52-831-5RV-13
MOTOR FINISH	White	Satin Nickel	Byzantine Bronze	English Bronze
BLADE FINISH	White	Chestnut / Silver	Teak / Walnut	Chestnut / Teak
FAN LIGHT	Integrated	Integrated	Integrated	Integrated
GLASS	White Frosted	White Frosted	Cream Frosted	White Frosted
DOWNROD FINISH	WH	SN	35	13

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600



FAN NUMBER	52-CDC-5RV-13	52-CDC-5RV-SN
MOTOR FINISH	English Bronze	Satin Nickel
BLADE FINISH	Walnut / Teak	White / Chestnut
FAN LIGHT	Integrated	Integrated
GLASS	Cream Frosted	White Frosted
DOWNROD FINISH	13	SN

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 2C 60W Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)
- Decorative Cover For Non-Light Use Included



**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,069.84 Cubic Feet Per Minute	Electricity Use 86.52 Watts (Excludes Lights)	Airflow Efficiency 58.60 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		



SIERRA MADRES





FAN NUMBER	52P-614-5WA-13	52P-614-5WA-187
MOTOR FINISH	English Bronze	Brushed Pewter
BLADE FINISH	Walnut	Walnut
FAN LIGHT	Integrated	Integrated
GLASS	Cream Marble	White Marble
DOWNROD FINISH	13	187

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 188 x 20
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Blades & Integrated Fan Light Included
- 3C 60W (40W Bulbs Included)
- Dual Mounting System Included (Downrod & Hugger)
- Decorative Cover For Non-Light Use Included



**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,671.95 Cubic Feet Per Minute	Electricity Use 77.4 Watts (Excludes Lights)	Airflow Efficiency 73.28 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 17.6 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

PEACHTREE





FAN NUMBER	52-411-5RV-13
MOTOR FINISH	English Bronze
BLADE FINISH	Teak / Walnut
FAN LIGHT	Integrated
GLASS	Cream Marble
DOWNROD FINISH	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600	

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Reversible Color Fan Blades & Integrated Fan Light Included
- 3C-60W Bulbs Included
- Dual Mounting System Included (Downrod & Hugger)




**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 4,585 Cubic Feet Per Minute	Electricity Use 63 Watts (Excludes Lights)	Airflow Efficiency 72.8 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. Money-Saving Tip: Turn off fan when leaving room.		



CHARLESTON





FAN NUMBER	52P-646-5RV-187	52P-646-5RV-323
MOTOR FINISH	Brushed Pewter	Old Bronze
BLADE FINISH	Walnut / Teak	Oak / Walnut
FAN LIGHT	Integrated	Integrated
GLASS	White Scavo	Cream Scavo
DOWNROD FINISH	187	OWB

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 17
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 3C 60W (40W Bulbs Included)
- Not Hugger Kit Adaptable



**Lamp Included
Incandescent**

ENERGY INFORMATION at High Speed		
Airflow 5,432 Cubic Feet Per Minute	Electricity Use 65 Watts (Excludes Lights)	Airflow Efficiency 83 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

ST. SIMONS





FAN NUMBER	52-100-5RV-187	52-100-5RV-213
MOTOR FINISH	Brushed Pewter	English Bronze w/ Gold
BLADE FINISH	Cherry / Chestnut	Cherry / Walnut
OPTIONAL FAN LIGHT	FLG-101-187	FLG-101-213
GLASS	Opal Frosted	Opal Frosted
DOWNROD FINISH	187	13
COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600		

- Motor Size 172 x 14
- 52" Blade Span
- 12.5° Blade Pitch
- 3-Speed Reversible Motor

- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades Included
- Fan Light Sold Separately
- Dual Mounting System Included (Downrod & Hugger)



FLG-101-187
OPTIONAL FAN LIGHT




FLG-101-213
OPTIONAL FAN LIGHT

ENERGY INFORMATION at High Speed		
Airflow 4,917 Cubic Feet Per Minute	Electricity Use 59.6 Watts (Excludes Lights)	Airflow Efficiency 82.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



BRADDOCK





FAN NUMBER	52-830-5RV-187	52-830-5RV-129	52-830-545-45
MOTOR FINISH	Brushed Pewter	Espresso	Aged Wood
BLADE FINISH	Chestnut	Walnut	Aged Wood
OPTIONAL FAN LIGHT	FLG-1200-187	FLG-1200-129	FLG-1200-45
DOWNROD FINISH	187	129	45

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 172 x 14
- 52" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)



FLG-1200-187
OPTIONAL FAN LIGHT



FLG-1200-129
OPTIONAL FAN LIGHT



FLG-1200-45
OPTIONAL FAN LIGHT

ENERGY INFORMATION at High Speed		
Airflow 4,971 Cubic Feet Per Minute	Electricity Use 65.3 Watts (Excludes Lights)	Airflow Efficiency 76.1 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 5.1 to 176 cubic feet per minute per watt at high speed.		

WIND STAR



FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	42-830-5RV-129	42-830-5RV-187
MOTOR FINISH	Espresso	Brushed Pewter
BLADE FINISH	Walnut	Chestnut
OPTIONAL FAN LIGHT	FLG-1200-129	FLG-1200-187
DOWNROD FINISH	129	187

COMPATIBLE FAN LIGHTS: FLG-1200 Series

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 153 x 12
- 42" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)



FLG-1200-129
OPTIONAL FAN LIGHT



FLG-1200-187
OPTIONAL FAN LIGHT

ENERGY INFORMATION at High Speed		
Airflow 3,841 Cubic Feet Per Minute	Electricity Use 49.60 Watts (Excludes Lights)	Airflow Efficiency 77.60 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

WIND STAR



FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	68-227-5WA-129	68-227-5CN-187
MOTOR FINISH	Espresso	Brushed Pewter
BLADE FINISH	Walnut	Chestnut
OPTIONAL FAN LIGHT	FLG-1400-129	FLG-1400-187
DOWNROD FINISH	129	187

COMPATIBLE FAN LIGHTS: FLG-1400 Series

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

- Motor Size 212 x 25
- 68" Blade Span
- 14° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor

- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included



FLG-1400-129
OPTIONAL FAN LIGHT



FLG-1400-187
OPTIONAL FAN LIGHT

ENERGY INFORMATION at High Speed		
Airflow 9,322 Cubic Feet Per Minute	Electricity Use 106.2 Watts (Excludes Lights)	Airflow Efficiency 88 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		



SALON WIND STAR



*PICTURED WITH FLG-1400-129 (OPTIONAL FAN LIGHT)

FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	52-SGC-5RV-13	52-SGC-5RV-SN	52-SGC-5RV-80
MOTOR FINISH	English Bronze	Satin Nickel	Matte White
BLADE FINISH	Walnut / Teak	Maple / Chestnut	White / Weathered Patina
FAN LIGHT	Optional	Optional	Optional
DOWNROD FINISH	13	SN	80

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

COMPATIBLE FAN LIGHTS: FLC418 Series, FLGC-1100 Series, FLGC-850 Series


- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Reversible Color Fan Blades Included
- Dual Mounting System Included (Downrod & Hugger)

ENERGY INFORMATION at High Speed		
Airflow 5,237 Cubic Feet Per Minute	Electricity Use 66.6 Watts (Excludes Lights)	Airflow Efficiency 79 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		

PINE HARBOR



FAN LIGHT CHOICES Pg 156-159.



FAN NUMBER	52-ECM-5RV-13	52-ECM-5RV-13WG	52-ECM-5RV-SN	52-ECM-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Integrated	Integrated	Integrated	Integrated
GLASS	Cream Opal	White Marble	White Marble	White Marble
DOWNROD FINISH	13	13	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately

- Reversible Color Fan Blades & Integrated Fan Light Included
- 2-13W CFL Bulbs Included
- Decorative Cover For Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)




Lamp Included
Fluorescent

ENERGY INFORMATION at High Speed		
Airflow 5,208 Cubic Feet Per Minute	Electricity Use 60 Watts (Excludes Lights)	Airflow Efficiency 86.81 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

FIRST VALUE





FAN NUMBER	52-EUP-5RV-13	52-EUP-5RV-13WG	52-EUP-5RV-SN	52-EUP-5RV-WH
MOTOR FINISH	English Bronze	English Bronze	Satin Nickel	White
BLADE FINISH	Walnut / Teak	Walnut / Teak	Rosewood / Maple	White / Weathered Patina
FAN LIGHT	Integrated	Integrated	Integrated	Integrated
GLASS	Cream Frosted	Satin White Frosted	Satin White Frosted	Satin White Frosted
DOWNROD FINISH	13	13	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT010, WLC500

- Motor Size 153 x 12
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Reversible Color Fan Blades & Integrated Fan Light Included
- 3-13W CFL Bulbs Included
- Decorative Cover For Non-Light Use Included
- Dual Mounting System Included (Downrod & Hugger)



**Lamp Included
Fluorescent**

ENERGY INFORMATION at High Speed		
Airflow 4,331 Cubic Feet Per Minute	Electricity Use 58.8 Watts (Excludes Lights)	Airflow Efficiency 73.66 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		





FAN NUMBER	52-FAN-5WA-13	52-FAN-5CN-SN	52-FAN-5W-SN	52-FAN-5W-WH
MOTOR FINISH	English Bronze	Satin Nickel	Satin Nickel	White
BLADE FINISH	Walnut	Chestnut	White	White
FAN LIGHT	Optional	Optional	Optional	Optional
DOWNROD FINISH	13	SN	SN	WH

COMPATIBLE REMOTE CONTROLS: RMT001, WLC300, WLC500, WLC600

COMPATIBLE FAN LIGHTS: FLC418 Series, FLGC-1100 Series, FLGC-850 Series

- Motor Size 153 x 15
- 52" Blade Span
- 12° Blade Pitch
- 3-Speed Pull-Chain Reversible Motor
- Additional Downrod Lengths Sold Separately
- Fan Light Sold Separately
- Blades Included
- Dual Mounting System Included (Downrod & Hugger)



ENERGY INFORMATION at High Speed		
Airflow 5,274 Cubic Feet Per Minute	Electricity Use 69 Watts (Excludes Light)	Airflow Efficiency 76.4 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

BUILDER SPECIALTY



FAN LIGHT CHOICES Pg 156-159.



FAN LIGHTS



A.



B.



**WET
Location**

Indoor/Outdoor Fan Light **UL Wet Location**
 **Medium Base Socket - 13W CFL Bulbs Included

A.
 DANVILLE
 FLG-110-45
 Fan Light
 UL Wet Location
 Aged Wood Finish
 2E 60W
 White Scavo Glass

B.
 DANVILLE
 FLG-110-04
 Fan Light
 UL Wet Location
 Dark Bamboo Finish
 2E 60W
 Cream Scavo Glass




C.

C.
 INDIGO
 FLGC-850-56
 Fan Light
 New Tortoise Shell Finish
 3C 60W
 Cream Carved
 Marble Glass

FAN LIGHTS



A.
FLG-1200-45
Fan Light
Aged Wood Finish
2 50W Halogen
Mini Cans Included
White Frosted Glass



B.
FLG-1200-129
Fan Light
Espresso Finish
2 50W Halogen
Mini Cans Included
Cream Frosted Glass



C.
FLG-1200-187
Fan Light
Brushed Pewter Finish
2 50W Halogen
Mini Cans Included
White Frosted Glass



D.
FLG-1400-187
Fan Light
Brushed Pewter Finish
2 50W Halogen
Mini Cans Included
White Frosted Glass

E.
FLG-1400-129
Fan Light
Espresso Finish
2 50W Halogen
Mini Cans Included
Cream Frosted Glass

*Bulbs Included



F.
FLGC-1110-13
Fan Light
English Bronze Finish
8-1/4"W x 7"H
1E 60W**
White Opal Glass

G.
FLGC-1108-FB
Fan Light
Flat Black Finish
8-1/4"W x 7"H
1E 60W**
White Opal Glass

H.
FLG-247-SN
Fan Light
Satin Nickel Finish
2C 60W
White Etched Glass

Indoor/Outdoor Fan Light **UL Damp Location**
**Medium Base Socket - 13W CFL Bulbs Included



FAN LIGHTS

I.
FL524-WH
Fan Light
White Finish
8-1/4"W x 7"H
2E 60W**
Satin White Glass



J.
FL524-FB
Fan Light
Flat Black Finish
8-1/4"W x 7"H
2E 60W**
Satin White Glass



K.
FL524-13
Fan Light
English Bronze Finish
8-1/4"W x 7"H
2E 60W**
Satin White Glass



Indoor/Outdoor Fan Light **UL Damp Location**
**Medium Base Socket - 13W CFL Bulbs Included



DAMP
Location



L.



M.



N.



O.

L.
FLC418-13
Fan Light
English Bronze Finish
4C 40W

*Glass Sold Separately

M.
FLC418-SN
Fan Light
Satin Nickel Finish
4C 40W

N.
FLG-101-213
Fan Light
English Bronze
W/ Gold Finish
8-1/4"W x 7"H
4E 60W**
Satin White Glass

O.
FLG-101-187
Fan Light
Brushed Pewter Finish
8-1/4"W x 7"H
4E 60W**
Satin White Glass



DAMP
Location

**Medium Base Socket - 13W CFL Bulbs Included



GL232
2-1/8" x 4-7/8"W x 4-1/2"H
White Ribbed Frost Glass



GL605
2-1/8" x 4-7/8"W x 4-7/8"H
White Marble Glass



GL764
2-1/8" x 5-3/8"W x 4-3/4"H
White Frost Glass



GL764-CM
2-1/8" x 5-3/8"W x 4-3/4"H
Cream Marble Glass



GL772
2-1/8" x 5-1/2"W x 4-5/8"H
White Marble Glass

CONTROLS



CONTROLS



RMT001

NON-REVERSE HANDHELD FAN/LIGHT CONTROL

- Three Speed Fan Control
- On/Off And Full Range Light Dimming
- Includes Handheld Remote And Canopy Mounted Receiver
- Handheld Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40' Operating Distance
- Compatible For Use With WLC300
- Includes Wall Holster
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

CONTROLS

ACCESSORIES



RMT005

NON-REVERSE FAN/LIGHT HANDHELD CONTROL
WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Handheld Remote and Canopy Mounted Receiver
- Handheld Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40' Operating Distance
- Compatible For Use With WLC700
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

RMT006

FULL FUNCTION FAN/LIGHT HANDHELD CONTROL
WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Handheld Remote And Canopy Mounted Receiver
- Handheld Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40' Operating Distance
- Compatible For Use With WLC400
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

RMT007

NON-REVERSE HANDHELD FAN/LIGHT CONTROL
(WET LOCATION)

- Three Speed Fan Control
- On/Off and Full Range Light Dimming
- Includes Handheld Remote and Canopy Mounted Receiver
- Wet Location Rated Receiver For Use With Outdoor Fans
- Handheld Remote Operates On 9-volt Battery (Included)
- Fan May Be Direct Wired Or Wired To A Standard Light Switch (no extra wiring needed)
- Up To A 40' Operating Distance
- For Use With Most Ceiling Fans
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

CONTROLS



RMT010

NON-REVERSE HANDHELD FAN/LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off button For Light (Non Dimming)
- Includes Handheld Remote And Canopy Mounted Receiver
- Handheld Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

RMT011

NON-REVERSE HANDHELD FAN/LIGHT CONTROL FOR CIRCULAIRE

- Three Speed Fan Control
- Separate On/Off Button With Full Range Dimming
- Includes Handheld Remote And Canopy Mounted Receiver
- Handheld Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance
- Transmitter Can Control Multiple Fans
- 1 Year Limited Warranty

RMT012

NON-REVERSE HANDHELD FAN/LIGHT/ CONTROL FOR FAN D'LIER™

- Three Speed Fan Control
- Separate On/Off button For Light (Non Dimming)
- Handheld Remote Operates On 9-volt Battery (Included)
- 1 Year Limited Warranty

CONTROLS

ACCESSORIES



RMT013

NON-REVERSE HANDHELD FAN CONTROL
FOR CIRCULAIRE III

- Three Speed Fan Control
- On/Off button With 3-Hour Timer
- Handheld Remote Operates On 9-volt Battery (Included)
- Up To A 40' Operating Distance
- 1 Year Limited Warranty



RMT014

FULL FUNCTION (REVERSIBLE) FAN/ LIGHT
HANDHELD

- CONTROL FOR STARLING/WASP
- Six Speed Fan Control
- Separate On/Off With Button With Full Range Dimming
- Included Hand Hold Remote And Canopy Mounted Receiver
- Transmitter Can Control Multiple Fans
- Handheld Remote Operates On AAA Battery (Included)
- Up To A 40' Operating Distance
- 1 Year Limited Warranty



RMT016

NON-REVERSE HANDHELD FAN CONTROL
FOR DAYTON

- Three Speed Fan Control
- LED dimmable
- Handheld Remote Operates On 9-volt Battery (Included)
- 1 Year Limited Warranty

CONTROLS

ACCESSORIES



RMT017

NON-REVERSE HANDHELD FAN CONTROL
FOR ARENA

- Three Speed Fan Control
- Handheld Remote Operates On 12-volt
Battery (Included)
- 1 Year Limited Warranty



RMT018

FULL FUNCTION (REVERSIBLE) FAN/ LIGHT
HANDHELD

- CONTROL FOR LA SALLE
- Six Speed Fan Control
- LED dimmable
- Handheld Remote Operates On 12-volt Battery
(Included)
- 1 Year Limited Warranty



RMT020

FULL FUNCTION (REVERSIBLE) FAN/ LIGHT HANDHELD
CONTROL FOR BLUFFTON (WET LOCATION)

- Six Speed Fan Control
- LED dimmable
- Handheld Remote Operates On 12-volt Battery
(Included)
- 1 Year Limited Warranty

CONTROLS

ACCESSORIES



RMT021

NON-REVERSE HANDHELD FAN CONTROL
FOR KONA

- Three Speed Fan Control
- LED dimmable
- Handheld Remote Operates On 9-volt Battery (Included)
- 1 Year Limited Warranty



WLC300

NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL

- Three Speed Fan Control
- On/Off Button With Full Range Light Dimming
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT001
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty



WLC400

FULL FUNCTION FAN/LIGHT WALL MOUNT CONTROL
WITH INDEPENDENT UP/DOWN LIGHT CONTROL

- Three Speed Fan Control
- Separate On/Off Button With Full Range Light Dimming For Both Up And Down Light
- Includes Wall Mounted Control And Canopy Mounted Receiver
- Operates In A Standard 2-wire Light Switch (no extra wiring needed)
- Compatible For Use With RMT006
- Face Plate Included (Ivory and White)
- For Use With Most Ceiling Fans (with built in motor housing lights)
- Wall Unit Can Control Only One Fan
- 1 Year Limited Warranty

CONTROLS



ACCESSORIES

WLC500

FOUR SPEED SLIDE FAN CONTROL

Installs In Standard 2-wire Wall Switch
Face Plate Included (Ivory and White)
For Use With Most Ceiling Fans
Wall Unit Can Control Only One Fan
1 Year Limited Warranty

WLC600

FAN/LIGHT DUAL SLIDE FAN CONTROL

Four Speed Fan Control
Full Range Light Dimming
Installs In Standard 3-wire Single Box Wall Switch
Face Plate Included (Ivory and White)
For Use With Most Ceiling Fans
Wall Unit Can Control Only One Fan
1 Year Limited Warranty

WLC700

NON-REVERSE FAN/LIGHT WALL MOUNTED CONTROL WITH INDEPENDENT UP/DOWN LIGHT CONTROL

Three Speed Fan Control
Separate On/Off button with Full Range Light
Dimming for Both Up & Down Light
Includes Wall Mounted Control And Canopy
Mounted Receiver
Operates In A Standard 2-wire Light Switch
(no extra wiring needed)
Compatible For Use With RMT005
Face Plate Included (Ivory and White)
For Use With Most Ceiling Fans
Wall Unit Can Control Only One Fan
1 Year Limited Warranty

DOWN RODS

		STANDARD DOWNRODS						
		12"	18"	24"	36"	48"	60"	72"
	Dark Bamboo	DR-12-04	N / A	DR-24-04	DR-36-04	DR-48-04	DR-60-04	DR-72-04
	Polished Chrome	DR-12-11	DR-18-11	DR-24-11	DR-36-11	DR-48-11	DR-60-11	DR-72-11
	English Bronze	DR-12-13	DR-18-13	DR-24-13	DR-36-13	DR-48-13	DR-60-13	DR-72-13
	Burnished Russet	DR-12-21	DR-18-21	DR-24-21	DR-36-21	DR-48-21	DR-60-21	DR-72-21
	Byzantine Bronze	DR-12-35	DR-18-35	DR-24-35	DR-36-35	DR-48-35	DR-60-35	DR-72-35
	Walnut Patina	DR-12-40	DR-18-40	DR-24-40	DR-36-40	DR-48-40	DR-60-40	DR-72-40
	Aged Wood	DR-12-45	DR-18-45	DR-24-45	DR-36-45	DR-48-45	DR-60-45	DR-72-45
	New Tortoise Shell	DR-12-56	DR-18-56	DR-24-56	DR-36-56	DR-48-56	DR-60-56	DR-72-56
	Matte White	DR-12-80	DR-18-80	DR-24-80	DR-36-80	DR-48-80	DR-60-80	DR-72-80
	Polished Nickel	DR-12-109	DR-18-109	DR-24-109	DR-36-109	DR-48-109	DR-60-109	DR-72-109
	Espresso	DR-12-129	DR-18-129	DR-24-129	DR-36-129	DR-48-129	DR-60-129	DR-72-129
	Brushed Pewter	DR-12-187	DR-18-187	DR-24-187	DR-36-187	DR-48-187	DR-60-187	DR-72-187
	Reclaimed Wood	DR-12-196	DR-18-196	DR-24-196	DR-36-196	DR-48-196	DR-60-196	DR-72-196
	Aged Steel	DR-12-242	DR-18-242	DR-24-242	DR-36-242	DR-48-242	DR-60-242	DR-72-242
	Warm Brass	DR-12-322	DR-18-322	DR-24-322	DR-36-322	DR-48-322	DR-60-322	DR-72-322
	Dark Metallic Bronze	DR-12-DMB	DR-18-DMB	DR-24-DMB	DR-36-DMB	DR-48-DMB	DR-60-DMB	DR-72-DMB
	Flat Black	DR-12-FB	DR-18-FB	DR-24-FB	DR-36-FB	DR-48-FB	DR-60-FB	DR-72-FB
	Greywood	DR-12-GR	DR-18-GR	DR-24-GR	DR-36-GR	DR-48-GR	DR-60-GR	DR-72-GR
	Satin Nickel	DR-12-SN	DR-18-SN	DR-24-SN	DR-36-SN	DR-48-SN	DR-60-SN	DR-72-SN
	Old World Bronze	DR-12-OWB	DR-18-OWB	DR-24-OWB	DR-36-OWB	DR-48-OWB	DR-60-OWB	DR-72-OWB
	White	DR-12-WH	DR-18-WH	DR-24-WH	DR-36-WH	DR-48-WH	DR-60-WH	DR-72-WH

DOWN RODS / SLOPE KITS

CIRCULAIRE DOWNRODS						
72"	60"	48"	36"	24"	18"	12"
DR72CA-13	DR60CA-13	DR48CA-13	DR36CA-13	DR24CA-13	DR18CA-13	DR12CA-13
DR72CA-SN	DR60CA-SN	DR48CA-SN	DR36CA-SN	DR24CA-SN	DR18CA-SN	DR12CA-SN

English Bronze



Satin Nickel



The Slope Ceiling adapter kit was developed to meet the needs in the industry for higher, more steeply angled vaulted ceilings (up to 45° angle).

Specify finish to match your needs.

52-SK (Add finish code)

52-SK-109 Polished Nickel



52-SK-129 Espresso



52-SK-13 English Bronze



52-SK-196 Reclaimed Wood



52-SK-35 Byzantine Bronze



52-SK-4 Dark Bamboo



52-SK-40 Walnut Patina



52-SK-45 Aged Wood



52-SK-56 New Tortoise Shell



52-SK-80 Matte White



52-SK-FB Flat Black



69-52-SK-SN Satin Nickel



69-52-SK-WH White



FINISHES

Finish SKU#	Description
	04 DARK BAMBOO
	11 POLISHED CHROME
	13 ENGLISH BRONZE
	21 BURNISHED RUSSET
	35 BYZANTINE BRONZE
	40 WALNUT PATINA
	45 AGED WOOD
	56 NEW TORTOISE SHELL
	80 MATTE WHITE
	109 POLISHED NICKEL
	129 ESPRESSO
	187 BRUSHED PEWTER

FINISHES

Description	Finish SKU#
RECLAIMED WOOD	196
AGED STEEL	242
WARM BRASS	322
OLD BRONZE	323
CHROME	CH
DARK METALLIC BRONZE.....	DMB
FLAT BLACK	FB
GREYWOOD.....	GR
SATIN NICKEL	SN
SATIN NICKEL W/ BLACK	SNB
WHITE.....	WH




SPECIFICATIONS

Fan Series	Motor Size	MOTOR PERFORMANCE											
		Low				Medium				High			
		RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**	RPM	Watt	Amp	CFM**
Alsace	153x22	74	14.2	0.257	2166	116	32.7	0.393	3469	174	69.8	0.574	5877
Alsace Fan d'lier	120x20	286	15.9	0.204	1119	389	26.2	0.259	1732	473	37	0.305	2374
Amherst	153x18	77	11.5	0.25	1893.53	125	23.2	0.32	2854.79	172	41.4	0.34	3936.47
Arena	104x114	800	26	0.228	1291	1000	32	0.241	1461	1250	38.5	0.255	2394
Ariel 55"	153x22	73	14.5	0.268	2054	120	33.5	0.41	4140	180	71.8	0.598	7499
Ariel 68"	153x22	58	14.5	0.268	2751	97	33.6	0.41	5420	148	71.6	0.596	8281
Bluffton	DC-165L	70	10	0.15	6100	85	16	0.23	7600	100	32	0.41	9100
Borea	104x114	930	22.7	0.228	1291	1070	25.3	0.241	1461	1274	28.5	0.255	1580
Braddock	172x14	66	9.7	0.21	1867.83	120	29.4	0.36	3402.05	171	59.6	0.5	4916.8
Brisa	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Bristol	188x20	65	13.4	0.25	1815	107	33.3	0.401	3412	165	70.4	0.585	5339
Builder Specialty	153x18	82	7.2	0.22	1258	129	28.1	0.34	3155	195	69	0.49	5274.85
Capri	172x17	67	12	0.21	1512	120	32	0.34	2784	161	55	0.45	4666.89
Charleston	153x15	65	12	0.22	1557	116	33	0.35	3117	165	63	0.5	4585
Circulaire	74x16-51	1100	70.8	0.588	2374	1350	77.4	0.642	3186	1520	85.2	0.73	3396
Circulaire III	75ALx16-C	1340	51	0.515	2325.6	1435	60	0.565	2784.9	1557	81.3	0.675	3082.9
Circulaire Discus	74x16-51	820	100.6	0.842	3256.4	1250	114.3	0.95	4592.44	1490	130.9	1.115	5534.03
Connell	188x22	53	13	0.32	1500	95	36	0.4	3100	146	66	0.62	5120
Coromell	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Danville	172x17	70	16	0.36	2448	111	35	0.49	3689	160	68	0.57	5304
Dayton	153x20	55	12	0.22	1480	105	22	0.35	2850	160	47	0.52	4680
Easton	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Etesian	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Fairfax	188x25	70	16	0.3	2000	120	40	0.5	3920	170	75	0.8	6000
Fire Island	90AL	500	8.2	0.195	848	991	23.9	0.297	1876	1081	46.7	0.407	2195
First Value Bowl Light	153x15	60	7.1	0.181	1316	122	27.9	0.358	3017	180	60	0.526	5208.89
First Value Down Light	153x12	58	10	0.2	1807	105	29	0.35	3210	163	58.8	0.49	4331.14
Girard	153x18	66	9.7	0.21	1867.83	110	29.4	0.36	3002.05	160	59.6	0.5	4785.35
Hyannis	153x22	88	14.6	0.261	2089	136	32.8	0.393	3751	202	70.8	0.561	5906
Indigo	172x20	71	14.1	0.268	1898	114	34.1	0.423	3594	176	74	0.619	5200
Kona	104x114	800	26	0.228	1291	1000	32	0.241	1461	1250	38.5	0.255	2394
La Salle	DC-165M	50	2	0.15	2300	110	11	0.45	5200	155	33	0.63	7100
Lancer	153x15	70	9.8	0.22	2135	126	28.1	0.38	3801	191	67.2	0.58	5701
Lancer II	153x13	100	11.2	0.211	1620	164	28.1	0.337	3059	230	57.1	0.472	4375
Levantara	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Monarch	172x20	76	14.4	0.272	1801	124	34.5	0.427	3616	188	75.5	0.61	6111
Montrose	120DCx15	74	3	0.058	2295.71	140	14.2	0.225	3826.3	174	26.5	0.394	5616.06
Muir	140x28	60	13.9	0.283	1970	108	38	0.474	3475	162	82.7	0.697	5891
Mystique	153x17	68	12.6	0.3	1835	134	38	0.46	3847	176	55	0.55	4438
Nomad	172x14	65	8.5	0.18	1949	133	27	0.32	3956	184	67	0.42	5110.41
Payson	120DCx15	73	2.1	0.043	1509.89	152	10	0.164	2832.07	200	20.3	0.305	4340.57
Peachtree	188x20	66	9.9	0.22	1720	119	31.2	0.39	3444	173	60.21	0.534	4913
Phoebe	188x22	63	14.8	0.27	2251.01	108	38.5	0.45	4030.47	155	73	0.61	5502.58
Pine Harbor	153x15	63	9.9	0.22	2151	111	28.4	0.38	3738	171	66.6	0.56	5237
Polaris	172x17	84	14	0.29	2316.25	134	28.2	0.38	3430.73	180	51.9	0.44	5089.27
Polaris Hugger	172x17	78	12	0.29	1775.17	118	28.3	0.38	2588.19	166	51.8	0.43	3787.22
Portico	172x17	64	10.8	0.225	1279	114	30.1	0.379	3051	183	67.6	0.564	4860
Seaside	90AL	679	8.7	0.195	1361	996	23.6	0.294	2145	1091	48	0.414	2373
Senegal	153x15	156	6	0.21	997.54	275	12.3	0.27	1439.65	382	41.2	0.35	2129.16
Sierra Madres	153x15	59	8.9	0.216	1490	107	27.5	0.381	3056	170	67	0.592	5115
Skyy	74x16	1307	23.2	0.196	830	1446	23.3	0.206	926	1596	26.1	0.228	1035
Skyy II	74x16	1100	35.4	0.294	1187	1350	37.7	0.321	1593	1500	42.6	0.365	1698
St Simons	172x17	55	13	0.22	1979	110	34	0.38	3877	160	65	0.51	5432
Starling	120DCx15	77	2.8	0.056	1862.75	155	10.4	0.175	3859.21	200	21.8	0.338	5942.13
Taurus	104x114	930	22.7	0.228	1291	1070	25.3	0.241	1461	1274	28.5	0.255	1580
Trudy	172x20	76	11.3	0.23	2091.4	128	30	0.35	3527.3	182	57	0.58	5300.6
Velocity	212x25	50	25	0.4	2175	100	53	0.56	4352	140	77.8	0.74	6866.72
Vinton	104x114	840	27.7	0.312	1583	1020	32.4	0.338	2137	1186	38.5	0.364	2394
Vireo	104x114	800	26	0.228	1291	1000	32	0.241	1461	1250	38.5	0.255	2394
Wasp 3-Blade	120DCx15	78	2.7	0.054	1982.98	153	10.8	0.181	3891.28	200	27.1	0.404	6021.04
Wind Star 42"	153x12	73	11	0.2	1379	137	30	0.35	2474	196	49.5	0.49	3841
Wind Star 52"	172x14	65	12	0.22	1949	110	30	0.38	3756	155	65.3	0.53	4972
Wind Star 68"	212x25	31	11.6	0.298	2408	65	42.8	0.59	5615	108	106.2	0.926	9322

* If Fan Light included; measurement B is to bottom of Fan Light, otherwise to bottom of switch housing.

** Airflow is measured in cubic feet per minute (CFM).



SPECIFICATIONS

DIMENSION			Blade Span	Blade Pitch	Included Downrod Length	Safety Rating	Fan Light Adaptable	Remote Control Adaptable	*** Hugger Kit Adaptable	Limited Warranty	Page Number	Fan Series
A	B*	C										
9.87"	20.47"	12.01"	52"	12°	4.5"	UL, CUL	Integrated	Included (RMT005)	No	Lifetime	52	Alsace (52-840)
11.15"	16.15"	29.92"	26"	13.5°	4.5"	UL, CUL	Integrated	Included (RMT005)	No	Lifetime	92	Alsace (26-9536)
10"	13.5"	7"	52"	16°	4.5"	UL, CUL	Integrated	Included (RMT007)	No	Lifetime	16	Amherst (52-190)
28"	36"	18"	14"	14°	18"	UL	N/A	Included (RMT017)	No	Lifetime	66	Arena (17-339)
12.05"	17.7"	8.41"	55"	30.7°	8"	UL, CUL	Integrated	Included (RMT005)	No	Lifetime	20	Ariel 55" (55-818)
12.05"	17.7"	8.41"	68"	30.7°	8"	UL, CUL	Integrated	Included (RMT005)	No	Lifetime	18	Ariel 68" (68-818)
11.25"	14.5"	7.5"	72"	13°	4.5"	ETL	Integrated	Included (RMT020)	No	Lifetime	10	Bluffton (72-5045)
33"	38"	N/A	N/A	12°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	80	Borea (32-326)
14"	16"	11"	52"	12.5°	6.5"	UL	Yes	Yes	Dual	Lifetime	142	Braddock (52-100)
34"	39"	N/A	N/A	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	84	Brisa (35-328)
11.5"	19.5"	15"	52"	14°	7"	UL, CUL	Integrated	Included (RMT006)	No	Lifetime	42	Bristol (52-15)
11.5"	13.5"	11.5"	52"	12°	4"	UL, CUL	Yes	Yes	Dual	Lifetime	156	Builder Specialty (52-FAN)
15"	16.7"	9.5"	52"	14°	6"	UL, CUL	Yes	Yes	No	Lifetime	118	Capri (52-004)
10.8"	18.9"	12.5"	52"	12°	4.5"	UL, CUL	Integrated	Yes	Dual	Lifetime	138	Charleston (52-411)
12.5"	15"	N/A	16"	20°	6"	ETL	Integrated	Included (RMT011)	No	Lifetime	56	Circulaire (50-950)
15.85"	17.55"	13"	38"	20°	4.5"	ETL	No	Included (RMT013)	No	Lifetime	60	Circulaire III (38-951)
23"	27"	48"	16"	13°-20°	6"	ETL	Integrated	Included (RMT011)	No	Lifetime	58	Circulaire Discus (48-952)
12"	19.5"	20"	56"	13.5°	4.5"	UL, CUL	Integrated	Included (RMT007)	No	Lifetime	50	Connell (56-578)
45.88"	50.88"	N/A	N/A	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	76	Coromell (38-330)
16"	16.7"	13.4"	52"	14°	6"	UL, CUL	Integrated	Yes	No	Lifetime	120	Danville (52-110)
11.5"	14.5"	7"	52"	13.5°	4.5"	UL, CUL	Integrated	Included (RMT016)	No	Lifetime	32	Dayton (52-6110)
35.5"	40.5"	N/A	N/A	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	86	Easton (30-331)
34.88"	39.88"	N/A	N/A	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	82	Etesian (36-329)
12.5"	13"	13"	60"	14°	4.5"	UL	No	Included (RMT001)	No	Lifetime	22	Fairfax (60-5035)
16.2"	20.8"	18.7"	14"	21°	6"	UL, CUL	Integrated	Included (WLC300)	No	Lifetime	88	Fire Island (14-280)
10.9"	18.9"	11.1"	52"	12°	4.5"	UL	Integrated	Yes	Dual	Lifetime	152	First Value Bowl (52-ECM)
11"	18.1"	10.9"	52"	12°	4.5"	UL	Integrated	Yes	Dual	Lifetime	154	First Value Down Light (52-EUP)
13"	17"	9"	52"	13.5°	6.5"	UL	Yes	Included (RMT007)	No	Lifetime	38	Girard (52-120)
11.65"	17.68"	10.71"	52"	12°	4.5"	UL, CUL	Integrated	Included (RMT010)	No	Lifetime	96	Hyannis (52-624)
13"	20.5"	13"	52"	14°	4.5"	UL, CUL	Integrated	Yes	Dual	Lifetime	44	Indigo (52-850)
26.5"	27.25"	26"	26"	14°	18"	UL	Integrated	Included (RMT021)	No	Lifetime	64	Kona (26-9472)
11.5"	13.5"	7"	60"	14°	4.5"	UL, CUL	Integrated	Included (RMT018)	N/A	Lifetime	14	La Salle (60-5025)
11.2"	13.3"	11.5"	52"	12°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	124	Lancer (52-SGO)
10.6"	13.7"	11.5"	43"	12°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	126	Lancer II (43-925)
35.63"	40.63"	N/A	N/A	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	78	Levantara (34-327)
14"	19.5"	14"	52"	14°	4.5"	UL, CUL	Included	Included (RMT006)	Yes	Lifetime	46	Monarch (52-810)
9.5"	11"	11.2"	54"	13.5°	4.5"	CETL	Integrated	Included (RMT014)	No	Lifetime	40	Montrose (54-5055)
11.88"	16.06"	6.85"	56"	13.5°	4.5"	UL, CUL	Integrated	Included (RMT005)	No	Lifetime	30	Muir (56-870)
13"	20.3"	13.1"	52"	12°	6"	UL, CUL	Integrated	Yes	Dual	Lifetime	132	Mystique (52-831)
12.6"	15"	10.9"	52"	12°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	128	Nomad (52-EOF)
10"	15"	6.5"	60"	20°	4.5"	CETL	Integrated	Included (RMT014)	No	Lifetime	28	Payson (56-5065)
15.1"	23.7"	11.8"	52"	14°	4.5"	UL, CUL	Integrated	Yes	Dual	Lifetime	136	Peachtree (52P-614)
9"	16.5"	13"	56"	13.5°	6"	UL, CUL	Integrated	Included (RMT006)	No	Lifetime	48	Phoebe (56-180)
12.4"	14.3"	12.8"	52"	12°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	150	Pine Harbor 52" (52-SGC)
12.4"	18.2"	8.88"	52"	14°	4.5"	UL, CUL	Integrated	Included (RMT006)	Dual	Lifetime	34	Polaris (52-417)
6.7"	12.2"	8.88"	52"	14°	N/A	UL, CUL	Integrated	Included (RMT006)	N/A	Lifetime	36	Polaris Hugger (52-417H)
14.5"	17"	10"	52"	14°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	122	Portico (52-083)
14.4"	16.3"	18.5"	14"	21°	6"	UL, CUL	Integrated	Included (RMT003)	No	Lifetime	68	Seaside (14-325)
15"	17.5"	6.5"	28"	16.5°	4.5"	UL	N/A	Included (RMT003)	No	Lifetime	102	Senegal (28-336)
12.6"	17.8"	12.9"	52"	12°	4.5"	UL, CUL	Integrated	Yes	Dual	Lifetime	134	Sierra Madres (52-CDC)
N/A	N/A	N/A	12"	15°-22°	N/A	ETL	N/A	No	N/A	Lifetime	110	Skyr (12-WF)
N/A	N/A	N/A	16"	40°-60°	N/A	ETL	N/A	Included (RMT013)	N/A	Lifetime	111	Skyr II (16-WF)
13.5"	20"	11"	52"	14°	6"	UL, CUL	Integrated	Yes	No	Lifetime	140	St. Simons (52P-646)
14"	14.5"	7"	52"	20°	4.5"	UL, CUL	Integrated	Included (RMT014)	No	Lifetime	24	Starling (52-210)
28"	30"	30"	12"	20°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	74	Taurus (30-333)
12"	23"	11"	52"	13.5°	6.5"	UL, CUL	Integrated	Included (RMT007)	No	Lifetime	98	Trudy (52-135)
10.23"	19.72"	13.93"	60"	14°	6"	UL, CUL	Integrated	Included (RMT007)	No	Lifetime	12	Velocity (60-820)
28"	30"	32"	32"	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	72	Vinton (32-334)
28"	30"	26"	26"	14°	18"	UL	Integrated	Included (RMT012)	No	Lifetime	70	Vireo (26-335)
13"	15"	6.89"	52"	20°	4.5"	UL, CUL	Integrated	Included (RMT014)	No	Lifetime	26	Wasp (52-200-3)
11.2"	13.9"	10.67"	42"	14°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	146	Wind Star 42" (42-830)
11.2"	13.9"	10.67"	52"	14°	4.5"	UL, CUL	Yes	Yes	Dual	Lifetime	144	Wind Star 52" (52-830)
11.9"	14.6"	12.8"	68"	14°	4.5"	UL, CUL	Yes	Yes	Yes	Lifetime	148	Wind Star 68" Salon (68-227)

***Dual Mount includes downrod & convertible canopy for hugger style.

Down Rod Length	Std	12"	18"	24"	36"	48"	60"	72"
Ceiling Height	8'	9'	10'	11'	12'	13'	14'	15'

INDEX

12-WF-13	110	52-135-5CN-SN	98
12-WF-SN	110	52-135-5WA-13	98
14-280-FD-56	88	52-15-545-45	42
14-325-FD-13	68	52-190-3CN-187	16
14-325-FD-SN	68	52-190-3WA-13	16
16-WF-13	111	52-200-3SV-SNCH	26
16-WF-SN	111	52-210-3SV-SNCH	24
17-339-FD-11	66	52-411-5RV-13	138
17-339-FD-322	66	52-417-3SV-SN	34
17-339-FD-44	66	52-417H-3SV-SN	36
26-335-FD-272	70	52-6110-4CN-SN	32
26-9472-FD-133	64, 100	52-6110-4WA-13	32
26-9536-FD-196	54, 94	52-6110-4WH-WH	32
28-336-FD-13	102	52-624-5CN-13	96
30-331-FD-13	86	52-810-5WA-40	46
30-333-FD-11	74	52-830-545-45	144
32-326-FD-SN	80	52-830-5RV-129	144
32-334-FD-21	72	52-830-5RV-187	144
34-327-FD-11	78	52-831-5RV-109	132
35-328-FD-13	84	52-831-5RV-13	133
36-329-FD-21	82	52-831-5RV-35	133
36-329-FD-SN	82	52-831-5RV-SN	133
38-330-FD-11	76	52-831-5WH-WH	133
38-951-CA-13	60, 106	52-840-5CN-196	52, 92
42-830-5RV-129	146	52-850-5RV-56	44
42-830-5RV-187	146	52-CDC-5RV-13	134
43-925-5WA-13	126	52-CDC-5RV-SN	134
48-952-CA-13	58, 108	52-ECM-5RV-13	152
50-950-CA-13	56, 104	52-ECM-5RV-13WG	152
50-950-CA-SN	56, 104	52-ECM-5RV-SN	152
52-004-5CN-13	118	52-ECM-5RV-WH	152
52-083-5RO-13	122	52-EOF-5MB-FB	128
52-100-5RV-187	142	52-EOF-5W-WH	128
52-100-5RV-213	142	52-EOF-5WA-13	128
52-110-545-45	120	52-EUP-5RV-13	154
52-110-5BA-04	120	52-EUP-5RV-13WG	154
52-120-5CN-SN	38	52-EUP-5RV-SN	154
52-120-5WA-13	38	52-EUP-5RV-WH	154

52-FAN-5CN-SN	156	72-5045-8GR-GR	10, 112
52-FAN-5W-SN	156	72-5045-8SV-SN	10, 112
52-FAN-5W-WH	156	FL524-13	161
52-FAN-5WA-13	156	FL524-FB	161
52-SGC-5RV-13	150	FL524-WH	161
52-SGC-5RV-80	150	FLC418-13	161
52-SGC-5RV-SN	150	FLC418-SN	161
52-SGO-5CN-FB	124	FLG-101-187	161
52-SGO-5WA-13	124	FLG-101-213	161
52P-614-5WA-13	136	FLG-110-04	159
52P-614-5WA-187	136	FLG-110-45	159
52P-646-5RV-187	140	FLG-1200-129	160
52P-646-5RV-323	140	FLG-1200-187	160
54-5055-5RV-79	40	FLG-1200-45	160
54-5055-5RV-SNCH	40	FLG-1400-129	160
55-818-3CN-SN	20	FLG-1400-187	160
55-818-3WA-35	20	FLG-247-13	160
56-180-5CN-109	48	FLGC-1108-FB	160
56-180-5WA-13	48	FLGC-1110-13	160
56-5065-213-DMB	28	FLGC-850-56	159
56-5065-2SV-SN	28	GL232	161
56-578-5SV-SN	50	GL605	161
56-578-5WA-13	50	GL764	161
56-870-3BK-SNB	30, 116	GL764-CM	161
56-870-3CN-35	30, 116	GL772	161
56-870-3GR-242	30, 116	RMT001	163
60-5025-313-13	14	RMT005	164
60-5025-3KO-SN	14	RMT006	164
60-5025-3SV-SN	14	RMT007	164
60-5035-5CN-SN	22	RMT010	165
60-5035-5WA-13	22	RMT011	165
60-820-613-13	12, 114	RMT012	166
60-820-6SV-SN	12, 114	RMT013	165
68-227-5CN-187	148	WLC300	166
68-227-5WA-129	148	WLC400	166
68-818-2CN-SN	18	WLC500	167
68-818-2WA-35	18	WLC600	167
72-5045-813-13	10, 112	WLC700	167

S
A
V
O
Y



H
O
U
S
E



F
A
N
S



3130 North Berkeley Lake Road NW ♦ Duluth, GA 30096
800 801 1621
TEL 404 890 7540 ♦ FAX 877 547 2869
SavoyHouse.com

F21